

**DOE/LX/07-0120&D2
Primary Document**

**Work Plan for the Soils Operable Unit
Remedial Investigation/Feasibility Study
at the Paducah Gaseous Diffusion Plant,
Paducah, Kentucky**



CLEARED FOR PUBLIC RELEASE

**Work Plan for the Soils Operable Unit
Remedial Investigation/Feasibility Study
at Paducah Gaseous Diffusion Plant
Paducah, Kentucky**

Date Issued—September 2009

Prepared for the
U.S. DEPARTMENT OF ENERGY
Office of Environmental Management

Prepared by
PADUCAH REMEDIATION SERVICES, LLC
managing the
Environmental Remediation Activities at the
Paducah Gaseous Diffusion Plant
under contract DE-AC30-06EW05001

THIS PAGE INTENTIONALLY LEFT BLANK

CONTENTS

| | |
|--|------|
| FIGURES | ix |
| TABLES | xiii |
| ACRONYMS | xvii |
| EXECUTIVE SUMMARY | xxi |
| 1. INTRODUCTION..... | 1-1 |
| 1.1 PROJECT SCOPE..... | 1-3 |
| 1.1.1 SOU SWMU/AOC Evaluation..... | 1-3 |
| 1.1.2 PCB Evaluation | 1-8 |
| 1.1.3 Limited Area Radiological Evaluation..... | 1-8 |
| 1.2 PROJECT OBJECTIVES AND GOALS | 1-11 |
| 1.3 PROJECT DATA QUALITY OBJECTIVES | 1-11 |
| 1.4 OBSERVATIONAL APPROACH | 1-19 |
| 2. PROJECT ORGANIZATION AND MANAGEMENT PLAN..... | 2-1 |
| 2.1 PROJECT ORGANIZATION, RESPONSIBILITIES, AND STAFFING | 2-1 |
| 2.1.1 DOE Project Manager | 2-1 |
| 2.1.2 DOE Prime Contractor ER Manager | 2-1 |
| 2.1.3 DOE Prime Contractor Data Manager | 2-1 |
| 2.1.4 DOE Prime Contractor Lab Coordinator..... | 2-1 |
| 2.1.5 DOE Prime Contractor RI Project Manager..... | 2-1 |
| 2.1.6 DOE Prime Contractor Safety & Health Representative..... | 2-3 |
| 2.1.7 DOE Prime Contractor QA Specialist..... | 2-3 |
| 2.1.8 DOE Prime Contractor Field Team Manager..... | 2-3 |
| 2.1.9 DOE Prime Contractor Project Records Coordinator | 2-3 |
| 2.1.10 DOE Prime Contractor Waste Management Coordinator | 2-3 |
| 2.1.11 DOE Prime Contractor Data Management Team..... | 2-3 |
| 2.2 PROJECT COORDINATION..... | 2-3 |
| 2.3 PROJECT TASKS AND IMPLEMENTATION PLAN | 2-4 |
| 2.4 PROJECT SCHEDULE..... | 2-4 |
| 2.5 RI/FS WORK PLAN ACTIVITIES | 2-6 |
| 2.5.1 Security Plan | 2-6 |
| 2.5.2 Field Preparation Activities..... | 2-6 |
| 2.5.3 Field Investigation..... | 2-6 |
| 2.5.4 Data and Analytical Activities | 2-6 |
| 3. REGULATORY SETTING | 3-1 |
| 3.1 ADMINISTRATIVE CONSENT ORDER | 3-1 |
| 3.2 ENVIRONMENTAL PROGRAMS | 3-1 |
| 3.3 RESOURCE CONSERVATION AND RECOVERY ACT | 3-1 |
| 3.4 CERCLA/NATIONAL PRIORITIES LIST..... | 3-2 |
| 3.5 NATIONAL ENVIRONMENTAL POLICY ACT | 3-2 |
| 3.6 INVESTIGATIVE OVERVIEW | 3-2 |

| | | |
|-------|---|-------|
| 4. | PHYSICAL CHARACTERISTICS OF THE STUDY AREA | 4-1 |
| 4.1 | LOCATION AND DESCRIPTION | 4-1 |
| 4.2 | DEMOGRAPHY AND LAND USE..... | 4-1 |
| 4.3 | SURFACE FEATURES | 4-1 |
| 4.4 | METEOROLOGY | 4-5 |
| 4.5 | SURFACE WATER HYDROLOGY | 4-5 |
| 4.6 | GEOLOGY OF PGDP..... | 4-7 |
| 4.6.1 | Bedrock | 4-8 |
| 4.6.2 | Rubble Zone | 4-8 |
| 4.6.3 | McNairy Formation..... | 4-8 |
| 4.6.4 | Porters Creek Clay/Porters Creek Terrace | 4-8 |
| 4.6.5 | Eocene Sands..... | 4-8 |
| 4.6.6 | Continental Deposits | 4-10 |
| 4.7 | SOILS | 4-10 |
| 4.8 | HYDROGEOLOGY OF PGDP | 4-10 |
| 4.9 | ECOLOGICAL SETTING OF PGDP | 4-11 |
| 4.9.1 | Terrestrial Systems | 4-12 |
| 4.9.2 | Aquatic Systems..... | 4-12 |
| 4.9.3 | Wetlands and Floodplains | 4-13 |
| 5. | CHARACTERIZATION OF SITE/PREVIOUS ANALYTICAL DATA..... | 5-1 |
| 5.1 | EXISTING DATA/SITE DESCRIPTION | 5-1 |
| 5.1.1 | Group 1–Former Facility Site..... | 5-1 |
| 5.1.2 | Group 1–Storage Area..... | 5-41 |
| 5.1.3 | Group 2–Underground/Tank | 5-104 |
| 5.1.4 | Group 2–Chromium Areas | 5-149 |
| 5.1.5 | Group 2–Soil/Rubble Pile | 5-162 |
| 5.1.6 | Group 3–Scrap Yard..... | 5-230 |
| 5.1.7 | Group 3–PCBs..... | 5-265 |
| 6. | INITIAL EVALUATION | 6-1 |
| 6.1 | RISK ASSESSMENT..... | 6-1 |
| 6.1.1 | Data Evaluation | 6-1 |
| 6.1.2 | Exposure Assessment | 6-2 |
| 6.1.3 | Toxicity Assessment..... | 6-2 |
| 6.1.4 | Risk Characterization | 6-3 |
| 6.1.5 | Preliminary Remediation Goals | 6-3 |
| 6.1.6 | Evaluation of Uncertainties | 6-3 |
| 6.1.7 | Ecological Assessment Methods..... | 6-4 |
| 6.2 | EVALUATING EXISTING DATA AND DEVELOPING THE CONCEPTUAL SITE MODEL..... | 6-4 |
| 6.3 | SAMPLING STRATEGY..... | 6-5 |
| 6.3.1 | Identifying Data Gaps and Defining Program Requirements..... | 6-5 |
| 6.3.2 | Limited Radiological Survey..... | 6-6 |
| 6.3.3 | PCB Evaluation | 6-6 |
| 7. | TREATABILITY STUDIES..... | 7-1 |
| 7.1 | IDENTIFICATION OF TREATABILITY STUDIES NEEDED | 7-1 |
| 7.2 | DESCRIPTION OF STUDY TO BE PERFORMED..... | 7-3 |
| 7.3 | ADDITIONAL SITE DATA NEEDED FOR STUDY OR EVALUATION..... | 7-3 |

| | | |
|--------|---|-------|
| 7.4 | SCHEDULE FOR SUBMISSION OF ADDITIONAL TREATABILITY STUDY WORK PLANS | 7-4 |
| 8. | ALTERNATIVES DEVELOPMENT..... | 8-1 |
| 8.1 | DESCRIPTION OF THE GENERAL APPROACH TO INVESTIGATING AND EVALUATING POTENTIAL REMEDIES | 8-1 |
| 8.2 | OVERALL OBJECTIVES OF THE FEASIBILITY STUDY | 8-1 |
| 8.3 | PRELIMINARY IDENTIFICATION OF GENERAL RESPONSE ACTIONS AND REMEDIAL TECHNOLOGIES | 8-1 |
| 8.4 | REMEDIAL ALTERNATIVES DEVELOPMENT AND SCREENING | 8-2 |
| 8.5 | DETAILED ANALYSIS OF REMEDIAL ALTERNATIVES | 8-3 |
| 8.5.1 | Threshold Criteria | 8-3 |
| 8.5.2 | Balancing Criteria | 8-4 |
| 8.5.3 | Modifying Criteria..... | 8-4 |
| 8.6 | FORMAT FOR THE FEASIBILITY STUDY REPORT | 8-4 |
| 8.7 | SCHEDULE/TIMING FOR CONDUCTING THE STUDY | 8-4 |
| 9. | FIELD SAMPLING PLAN..... | 9-1 |
| 9.1 | SAMPLING MEDIA AND METHODS..... | 9-1 |
| 9.1.1 | Nonintrusive Data Collections—Surveys..... | 9-1 |
| 9.1.2 | Intrusive Sampling | 9-2 |
| 9.2 | SAMPLE ANALYSIS | 9-3 |
| 9.3 | SITE-SPECIFIC SAMPLING PLANS | 9-4 |
| 9.3.1 | SOU SWMUs/AOCs..... | 9-4 |
| 9.3.2 | PCB Survey | 9-119 |
| 9.3.3 | Limited Radiological Walkover | 9-119 |
| 9.4 | SAMPLE LOCATION SURVEY | 9-127 |
| 9.5 | DOCUMENTATION | 9-125 |
| 9.6 | SAMPLE LOCATION SURVEY | 9-133 |
| 10. | ENVIRONMENTAL, SAFETY, AND HEALTH PLAN | 10-1 |
| 10.1 | PURPOSE..... | 10-1 |
| 10.2 | INTEGRATED SAFETY MANAGEMENT/ENVIRONMENTAL MANAGEMENT..... | 10-1 |
| 10.2.1 | Define Scope of Work..... | 10-1 |
| 10.2.2 | Analyze Hazards | 10-1 |
| 10.2.3 | Develop/Implement Controls | 10-2 |
| 10.2.4 | Perform Work..... | 10-2 |
| 10.2.5 | Feedback/Improvement | 10-3 |
| 10.3 | FLOWDOWN TO SUBCONTRACTORS | 10-3 |
| 10.4 | SUSPENDING/STOPPING WORK | 10-4 |
| 10.5 | ISMS BRIEFINGS AND ORIENTATIONS | 10-4 |
| 10.6 | KEY PROJECT PERSONNEL AND RESPONSIBILITIES..... | 10-4 |
| 10.7 | SITE CONTROL | 10-5 |
| 10.7.1 | Visitors | 10-6 |
| 10.7.2 | Site Communications | 10-6 |
| 10.7.3 | Authorization to Enter | 10-6 |
| 10.8 | PERSONAL PROTECTIVE EQUIPMENT | 10-6 |
| 10.8.1 | Task-Specific Levels of Protection | 10-7 |
| 10.8.2 | Respiratory Protection..... | 10-7 |
| 10.9 | MEDICAL SURVEILLANCE..... | 10-7 |

| | | |
|---------|---|-------|
| 10.9.1 | Exposure Monitoring..... | 10-7 |
| 10.9.2 | Routine Air Monitoring Requirements..... | 10-8 |
| 10.9.3 | Industrial Hygiene Monitoring..... | 10-8 |
| 10.9.4 | Radiological Monitoring..... | 10-8 |
| 10.10 | EMERGENCY RESPONSE..... | 10-9 |
| 10.10.1 | Responsibilities..... | 10-9 |
| 10.10.2 | Reporting an Emergency..... | 10-9 |
| 10.10.3 | Reporting a Spill..... | 10-10 |
| 10.10.4 | Protective Actions for Spill..... | 10-11 |
| 11. | QUALITY ASSURANCE PROJECT PLAN..... | 11-1 |
| 12. | DATA MANAGEMENT IMPLEMENTATION PLAN..... | 12-1 |
| 12.1 | PROJECT MISSION..... | 12-1 |
| 12.2 | DATA MANAGEMENT ACTIVITIES..... | 12-1 |
| 12.3 | DATA MANAGEMENT INTERACTIONS..... | 12-2 |
| 12.3.1 | Data Needs and Sources..... | 12-2 |
| 12.3.2 | Historical Data..... | 12-2 |
| 12.3.3 | Field Data..... | 12-2 |
| 12.3.4 | Analytical Data..... | 12-3 |
| 12.3.5 | GIS Coverage..... | 12-3 |
| 12.4 | DATA FORMS AND LOGBOOKS..... | 12-3 |
| 12.4.1 | Field Forms..... | 12-3 |
| 12.4.2 | Lithologic Description Forms..... | 12-4 |
| 12.4.3 | Well Construction Detail Forms..... | 12-4 |
| 12.4.4 | Logbook Sample Collection Sheets..... | 12-4 |
| 12.5 | DATA AND DATA RECORDS TRANSMITTALS..... | 12-5 |
| 12.5.1 | Paducah OREIS Data Transmittals..... | 12-5 |
| 12.5.2 | Data Records Transmittals..... | 12-5 |
| 12.6 | DATA MANAGEMENT SYSTEMS..... | 12-5 |
| 12.6.1 | Paducah PEMS..... | 12-5 |
| 12.6.2 | Paducah OREIS..... | 12-5 |
| 12.6.3 | Paducah Analytical Project Tracking System..... | 12-6 |
| 12.7 | DATA MANAGEMENT TASKS AND ROLES AND RESPONSIBILITIES..... | 12-6 |
| 12.7.1 | Data Management Tasks..... | 12-6 |
| 12.7.2 | Data Management Roles and Responsibilities..... | 12-8 |
| 13. | WASTE MANAGEMENT PLAN..... | 13-1 |
| 13.1 | OVERVIEW..... | 13-1 |
| 13.2 | WASTE PLANNING AND GENERATION..... | 13-1 |
| 13.2.1 | Waste Planning..... | 13-1 |
| 13.2.2 | Waste Generation..... | 13-2 |
| 13.3 | WASTE MANAGEMENT ROLES AND RESPONSIBILITIES..... | 13-3 |
| 13.3.1 | Waste Management Tracking Responsibilities..... | 13-3 |
| 13.3.2 | Waste Management Coordinator..... | 13-3 |
| 13.3.3 | RI Field Crew..... | 13-4 |
| 13.3.4 | Waste Operations..... | 13-4 |
| 13.4 | INVESTIGATION-DERIVED WASTE SEGREGATION, CONTAINERIZATION AND STORAGE..... | 13-4 |
| 13.4.1 | IDW Segregation..... | 13-4 |
| 13.4.2 | Container Labeling and Identification..... | 13-4 |

| | | |
|--|---|------|
| 13.4.3 | IDW Storage..... | 13-4 |
| 13.5 | TRANSPORTATION OF INVESTIGATION-DERIVED WASTE | 13-5 |
| 13.5.1 | Required Equipment..... | 13-5 |
| 13.5.2 | Containerization and Transportation of Solid IDW | 13-5 |
| 13.5.3 | Containerization and Transportation of Liquid IDW | 13-5 |
| 13.6 | IDW CHARACTERIZATION, SAMPLING AND ANALYSIS | 13-5 |
| 13.7 | SAMPLE RESIDUALS AND MISCELLANEOUS WASTE MANAGEMENT | 13-5 |
| 13.8 | WASTE MINIMIZATION..... | 13-6 |
| 13.9 | HEALTH AND SAFETY ISSUES RELATED TO IDW ACTIVITIES..... | 13-6 |
| 14. | COMMUNITY RELATIONS PLAN | 14-1 |
| 15. | REFERENCES..... | 15-1 |
| APPENDIX A: ARARs | | A-1 |
| APPENDIX B: DOCUMENT OUTLINES..... | | B-1 |
| APPENDIX C: HISTORICAL DATA SUMMARY..... | | C-1 |

THIS PAGE INTENTIONALLY LEFT BLANK

FIGURES

| | | |
|-------|--|-------|
| 1.1. | SOU Paducah Soils Strategy | 1-2 |
| 1.2. | Location of SWMUs/AOCs | 1-7 |
| 1.3a. | Switchyard Ditches C-533-2 | 1-9 |
| 1.3b. | Switchyard Ditches C-535 and C-537..... | 1-10 |
| 1.4. | DQO Process..... | 1-12 |
| 2.1. | SOU Project Organizational Chart..... | 2-2 |
| 2.2. | Implementation Plan Schedule..... | 2-5 |
| 4.1 | PGDP Site Location | 4-2 |
| 4.2. | Land Ownership in Proximity to DOE Site | 4-3 |
| 4.3. | Sensitive Subpopulations in Proximity to DOE Site..... | 4-4 |
| 4.4. | Surface Water Features in the Vicinity of the DOE Site..... | 4-6 |
| 4.5. | CSM for Geologic Formations at PGDP..... | 4-9 |
| 5.1. | Soils Operable Unit: SWMUs 1 and 212 | 5-8 |
| 5.2. | Soils Operable Unit: SWMUs 16 and 99 | 5-14 |
| 5.3. | Soils Operable Unit: SWMUs 26, 47, 165, 172, 200, 221, and 483 | 5-18 |
| 5.4. | Soils Operable Unit: SWMU 194..... | 5-24 |
| 5.5. | Soils Operable Unit: SWMUs 14, 15, 137, 196, 520 and 531 | 5-29 |
| 5.6. | Soils Operable Unit: SWMUs 27, 31, 32, 170, 211, 219 and 220 | 5-33 |
| 5.7. | Soils Operable Unit: SWMUs 26, 47, 165, 172, 200, 221, and 483 | 5-35 |
| 5.8. | Soils Operable Unit: SWMUs 488 and 489 | 5-37 |
| 5.9. | Soils Operable Unit: SWMUs 14, 15, 137, 196, 520 and 531 | 5-40 |
| 5.10. | Soils Operable Unit: SWMUs 26, 47, 165, 172, 200, 221, and 483 | 5-45 |
| 5.11. | Soils Operable Unit: SWMUs 26, 47, 165, 172, 200, 221, and 483 | 5-48 |
| 5.12. | Soils Operable Unit: SWMUs 1 and 212 | 5-52 |
| 5.13. | Soils Operable Unit: SWMU 213..... | 5-55 |
| 5.14. | SWMU 214 Historical..... | 5-58 |
| 5.15. | Soils Operable Unit: SWMU | 5-62 |
| 5.16. | Soils Operable Unit: SWMUs 216, 217, and 218 | 5-65 |
| 5.17. | Soils Operable Unit: SWMUs 216, 217, and 218 | 5-70 |
| 5.18. | Soils Operable Unit: SWMUs 216, 217, and 218 | 5-72 |
| 5.19. | Soils Operable Unit: SWMUs 27, 31, 32, 170, 211, 219, and 220 | 5-74 |
| 5.20. | Soils Operable Unit: SWMUs 26, 47, 165, 172, 200, 221, and 483 | 5-76 |
| 5.21. | Soils Operable Unit: SWMUs 20, 76, 169, and 222 | 5-78 |
| 5.22. | Soils Operable Unit: SWMU 223..... | 5-80 |
| 5.23. | Soils Operable Unit: SWMUs 56, 80, and 224 | 5-85 |
| 5.24. | Soils Operable Unit: SWMUs 225 | 5-87 |
| 5.25. | Soils Operable Unit: SWMU 226..... | 5-90 |
| 5.26. | Soils Operable Unit: SWMU 227..... | 5-95 |
| 5.27. | Soils Operable Unit: SWMUs 12, 13, 228, 229, and 518 | 5-99 |
| 5.28. | Soils Operable Unit: SWMUs 12, 13, 228, 229, and 518 | 5-103 |
| 5.29. | Soils Operable Unit: SWMUs 11 and 78 | 5-111 |
| 5.30. | Soils Operable Unit: SWMUs 26, 47, 165, 172, 200, 221, and 483 | 5-118 |
| 5.31. | Soils Operable Unit: SWMUs 27, 31, 32, 170, 211, 219, and 220 | 5-121 |
| 5.32. | Soils Operable Unit: SWMUs 27, 31, 32, 170, 211, 219, and 220 | 5-124 |
| 5.33. | Soils Operable Unit: SWMUs 27, 31, 32, 170, 211, 219, and 220 | 5-128 |
| 5.34. | Soils Operable Unit: SWMU 40 | 5-133 |
| 5.35. | Soils Operable Unit: SWMUs 20, 76, 169 and 222 | 5-135 |

| | |
|--|-------|
| 5.36. Soils Operable Unit: SWMUs 75, 77, and 160 | 5-138 |
| 5.37. Soils Operable Unit: SWMUs 26, 47, 165, 172, 200, 221, and 483 | 5-144 |
| 5.38. Soils Operable Unit: SWMUs 27, 31, 32, 170, 211, 219, and 220 | 5-147 |
| 5.39. Soils Operable Unit: SWMU 158..... | 5-150 |
| 5.40. Soils Operable Unit: SWMUs 20, 76, 169 and 222 | 5-154 |
| 5.41. Soils Operable Unit: SWMU 176..... | 5-157 |
| 5.42. Soils Operable Unit: SWMUs 154 and 177 | 5-160 |
| 5.43. Soils Operable Unit: SWMU 19 | 5-165 |
| 5.44. Soils Operable Unit: SWMUs 20, 76, 169 and 222 | 5-169 |
| 5.45. Soils Operable Unit: SWMU 138..... | 5-172 |
| 5.46. Soils Operable Unit: SWMU 180..... | 5-174 |
| 5.47. Soils Operable Unit: SWMU 181..... | 5-179 |
| 5.48. Soils Operable Unit: SWMUs 195 and 215 | 5-183 |
| 5.49. Soils Operable Unit: AOC 204..... | 5-189 |
| 5.50. Soils Operable Unit: AOC 492 | 5-194 |
| 5.51. Soils Operable Unit: SWMU 493..... | 5-198 |
| 5.52. Soils Operable Unit: SWMU 517..... | 5-202 |
| 5.53. Soils Operable Unit: AOC 541 | 5-209 |
| 5.54. Soils Operable Unit: SWMU 561..... | 5-216 |
| 5.55. Soils Operable Unit: AOC 562 | 5-220 |
| 5.56. Soils Operable Unit: AOC 563 | 5-224 |
| 5.57. Soils Operable Unit: AOC 564 | 5-228 |
| 5.58. Soils Operable Unit: SWMUs 12, 13, 228, 229, and 518 | 5-233 |
| 5.59. Soils Operable Unit: SWMUs 12, 13, 228, 229, and 518 | 5-239 |
| 5.60. Soils Operable Unit: SWMUs 14, 15, 137, 196, 520, and 531 | 5-244 |
| 5.61. Soils Operable Unit: SWMUs 14, 15, 137, 196, 520, and 531 | 5-248 |
| 5.62. Soils Operable Unit: SWMUs 16 and 99 | 5-253 |
| 5.63. Soils Operable Unit: SWMUs 12, 13, 228, 229, and 518 | 5-258 |
| 5.64. Soils Operable Unit: SWMUs 14, 15, 137, 196, 520, and 531 | 5-263 |
| 5.65. Soils Operable Unit: SWMUs 56, 80, and 224 | 5-267 |
| 5.66. Soils Operable Unit: SWMUs 57 and 81 | 5-272 |
| 5.67. Soils Operable Unit: SWMU 74 | 5-276 |
| 5.68. Soils Operable Unit: SWMUs 75, 77, and 160 | 5-279 |
| 5.69. Soils Operable Unit: SWMUs 11 and 78 | 5-285 |
| 5.70. Soils Operable Unit: SWMUs 79 and 214 | 5-289 |
| 5.71. Soils Operable Unit: SWMUs 56, 80, and 224 | 5-292 |
| 5.72. Soils Operable Unit: SWMUs 57 and 81 | 5-296 |
| 5.73. Soils Operable Unit: SWMU 135..... | 5-299 |
| 5.74. Soils Operable Unit: SWMUs 14, 15, 137, 196, 520, and 531 | 5-301 |
| 5.75. Soils Operable Unit: SWMUs 153 and 156 | 5-304 |
| 5.76. Soils Operable Unit: SWMUs 154 and 177 | 5-307 |
| 5.77. Soils Operable Unit: SWMU 155..... | 5-310 |
| 5.78. Soils Operable Unit: SWMUs 153 and 156 | 5-313 |
| 5.79. Soils Operable Unit: SWMUs 75, 77, and 160 | 5-316 |
| 5.80. Soil Operable Unit: SWMU 163..... | 5-318 |
| 5.81. Soils Operable Unit: SWMUs 27, 31, 32, 170, 211, 219, and 220 | 5-322 |
| 5.82. Soils Operable Unit: SWMUs 488 and 489 | 5-356 |
| 6.1. CSM Outside Secure Area | 6-7 |
| 6.2. CSM Inside Secure Area..... | 6-8 |
| 7.1. Flowchart for Treatability Study | 7-2 |
| 9.1. Soils OU RI Samples for SWMU 99 | 9-15 |
| 9.2. Soils OU RI Samples for SWMU 194 | 9-21 |

| | |
|--|-------|
| 9.3. Soils OU RI Samples for SWMU 211 | 9-23 |
| 9.4. Soils OU RI Samples for SWMU 489 | 9-25 |
| 9.5. Soils OU RI Samples for SWMU 531 | 9-27 |
| 9.6. Soils OU RI Samples for SWMU 47 | 9-31 |
| 9.7. Soils OU RI Samples for SWMU 200 | 9-33 |
| 9.8. Soils OU RI Samples for SWMU 212 | 9-35 |
| 9.9. Soils OU RI Samples for SWMU 217 | 9-37 |
| 9.10. Soils OU RI Samples for SWMU 226 | 9-39 |
| 9.11. Soils OU RI Samples for SWMU 227 | 9-41 |
| 9.12. Soils OU RI Samples for SWMU 228 | 9-43 |
| 9.13. Soils OU RI Samples for SWMU 229 | 9-45 |
| 9.14. Soils OU RI Samples for SWMU 26 | 9-49 |
| 9.15. Soils OU RI Samples for SWMU 76 | 9-51 |
| 9.16. Soils OU RI Samples for SWMU 158 | 9-56 |
| 9.17. Soils OU RI Samples for SWMU 169 | 9-58 |
| 9.18. Soils OU RI Samples for SWMU 176 | 9-60 |
| 9.19. Soils OU RI Samples for SWMU 177 | 9-62 |
| 9.20. Soils OU RI Samples for SWMU 138 | 9-66 |
| 9.21. Soils OU RI Samples for SWMU 180 | 9-68 |
| 9.22. Soils OU RI Samples for SWMU 195 | 9-71 |
| 9.23. Soils OU RI Samples for SWMU 493 | 9-73 |
| 9.24. Soils OU RI Samples for SWMU 517 | 9-75 |
| 9.25. Soils OU RI Samples for SWMU 12 | 9-80 |
| 9.26. Soils OU RI Samples for SWMU 14 | 9-83 |
| 9.27. Soils OU RI Samples for SWMU 15 | 9-86 |
| 9.28. Soils OU RI Samples for SWMU 16 | 9-88 |
| 9.29. Soils OU RI Samples for SWMU 520 | 9-90 |
| 9.30. Soils OU RI Samples for SWMU 74 | 9-94 |
| 9.31. Soils OU RI Samples for SWMU 75 | 9-96 |
| 9.32. Soils OU RI Samples for SWMU 78 | 9-98 |
| 9.33. Soils OU RI Samples for SWMU 79 | 9-100 |
| 9.34. Soils OU RI Samples for SWMU 13 | 9-102 |
| 9.35. Soils OU RI Samples for SWMU 153 | 9-104 |
| 9.36. Soils OU RI Samples for SWMU 154 | 9-106 |
| 9.37. Soils OU RI Samples for SWMU 155 | 9-108 |
| 9.38. Soils OU RI Samples for SWMU 156 | 9-110 |
| 9.39. Soils OU RI Samples for SWMU 160 | 9-112 |
| 9.40. Soils OU RI Samples for SWMU 163 | 9-114 |
| 9.41. Soils OU RI Samples for SWMU 219 | 9-116 |
| 9.42. Soils OU RI Samples for SWMU 488 | 9-118 |
| 9.43. Illustration of Survey Reference System, Indicating Survey Units (A-Z) and 1 Hectare Subunits | 9-123 |

THIS PAGE INTENTIONALLY LEFT BLANK

TABLES

| | |
|---|-------|
| 1.1. Decision Rules, Evaluation Methods, and Data Needs for SOU | 1-13 |
| 5.1. Summary of Surface and Subsurface Historical Data at SWMU 1 | 5-3 |
| 5.2. Summary of Surface and Subsurface Historical Data at SWMU 99 | 5-11 |
| 5.3. Summary of Surface and Subsurface Historical Data at SWMU 172 | 5-16 |
| 5.4. Summary of Surface and Subsurface Historical Data at SWMU 194 | 5-21 |
| 5.5. Summary of Surface and Subsurface Historical Data at SWMU 196 | 5-26 |
| 5.6. Summary of Surface and Subsurface Historical Data at SWMU 211 | 5-31 |
| 5.7. Summary of Surface and Subsurface Historical Data at SWMU 531 | 5-39 |
| 5.8. Summary of Surface and Subsurface Historical Data at SWMU 47 | 5-42 |
| 5.9. Summary of Surface and Subsurface Historical Data at SWMU 200 | 5-47 |
| 5.10. Summary of Surface and Subsurface Historical Data at SWMU 212 | 5-50 |
| 5.11. Summary of Surface and Subsurface Historical Data at SWMU 213 | 5-54 |
| 5.12. Summary of Surface and Subsurface Historical Data at SWMU 215 | 5-61 |
| 5.13. Summary of Surface and Subsurface Historical Data at SWMU 216 | 5-64 |
| 5.14. Summary of Surface and Subsurface Historical Data at SWMU 217 | 5-67 |
| 5.15. Summary of Surface and Subsurface Historical Data at SWMU 224 | 5-82 |
| 5.16. Summary of Surface and Subsurface Historical Data at SWMU 226 | 5-89 |
| 5.17. Summary of Surface and Subsurface Historical Data at SWMU 227 | 5-92 |
| 5.18. Summary of Surface and Subsurface Historical Data at SWMU 228 | 5-97 |
| 5.19. Summary of Surface and Subsurface Historical Data at SWMU 229 | 5-101 |
| 5.20. Summary of Surface and Subsurface Historical Data at SWMU 11 | 5-107 |
| 5.21. Summary of Surface and Subsurface Historical Data at SWMU 26 | 5-113 |
| 5.22. Summary of Surface and Subsurface Historical Data at SWMU 27 | 5-120 |
| 5.23. Summary of Surface and Subsurface Historical Data at SWMU 31 | 5-123 |
| 5.24. Summary of Surface and Subsurface Historical Data at SWMU 32 | 5-127 |
| 5.25. Summary of Surface and Subsurface Historical Data at SWMU 40 | 5-132 |
| 5.26. Summary of Surface and Subsurface Historical Data at SWMU 77 | 5-138 |
| 5.27. Summary of Surface and Subsurface Historical Data at SWMU 165 | 5-141 |
| 5.28. Summary of Surface and Subsurface Historical Data at SWMU 170 | 5-147 |
| 5.29. Summary of Surface and Subsurface Historical Data at SWMU 158 | 5-150 |
| 5.30. Summary of Surface and Subsurface Historical Data at SWMU 169 | 5-153 |
| 5.31. Summary of Surface and Subsurface Historical Data at SWMU 176 | 5-157 |
| 5.32. Summary of Surface and Subsurface Historical Data at SWMU 177 | 5-160 |
| 5.33. Summary of Surface and Subsurface Historical Data at SWMU 19 | 5-163 |
| 5.34. Summary of Surface and Subsurface Historical Data at SWMU 20 | 5-168 |
| 5.35. Summary of Surface and Subsurface Historical Data at SWMU 138 | 5-172 |
| 5.36. Summary of Surface and Subsurface Historical Data at SWMU 181 | 5-177 |
| 5.37. Summary of Surface and Subsurface Historical Data at SWMU 195 | 5-182 |
| 5.38. Summary of Surface and Subsurface Historical Data at AOC 204 | 5-186 |
| 5.39. Summary of Surface and Subsurface Historical Data at AOC 492 | 5-192 |
| 5.40. Summary of Surface and Subsurface Historical Data at SWMU 493 | 5-197 |
| 5.41. Summary of Surface and Subsurface Historical Data at SWMU 517 | 5-201 |
| 5.42. Summary of Surface and Subsurface Historical Data at AOC 541 | 5-206 |
| 5.43. Summary of Surface and Subsurface Historical Data at SWMU 561 | 5-213 |
| 5.44. Summary of Surface and Subsurface Historical Data at AOC 562 | 5-219 |
| 5.45. Summary of Surface and Subsurface Historical Data at AOC 563 | 5-223 |
| 5.46. Summary of Surface and Subsurface Historical Data at AOC 564 | 5-227 |

| | |
|---|-------|
| 5.47. Summary of Surface and Subsurface Historical Data at SWMU 12..... | 5-231 |
| 5.48. Summary of Surface and Subsurface Historical Data at SWMU 13..... | 5-236 |
| 5.49. Summary of Surface and Subsurface Historical Data at SWMU 14..... | 5-242 |
| 5.50. Summary of Surface and Subsurface Historical Data at SWMU 15..... | 5-247 |
| 5.51. Summary of Surface and Subsurface Historical Data at SWMU 16..... | 5-251 |
| 5.52. Summary of Surface and Subsurface Historical Data at SWMU 518..... | 5-256 |
| 5.53. Summary of Surface and Subsurface Historical Data at SWMU 520..... | 5-261 |
| 5.54. Summary of Surface and Subsurface Historical Data at SWMU 56..... | 5-266 |
| 5.55. Summary of Surface and Subsurface Historical Data at SWMU 57..... | 5-270 |
| 5.56. Summary of Surface and Subsurface Historical Data at SWMU 74..... | 5-275 |
| 5.57. Summary of Surface and Subsurface Historical Data at SWMU 75..... | 5-279 |
| 5.58. Summary of Surface and Subsurface Historical Data at SWMU 78..... | 5-282 |
| 5.59. Summary of Surface and Subsurface Historical Data at SWMU 79..... | 5-288 |
| 5.60. Summary of Surface and Subsurface Historical Data at SWMU 80..... | 5-292 |
| 5.61. Summary of Surface and Subsurface Historical Data at SWMU 81..... | 5-295 |
| 5.62. Summary of Surface and Subsurface Historical Data at SWMU 135..... | 5-299 |
| 5.63. Summary of Surface and Subsurface Historical Data at SWMU 153..... | 5-304 |
| 5.64. Summary of Surface and Subsurface Historical Data at SWMU 154..... | 5-307 |
| 5.65. Summary of Surface and Subsurface Historical Data at SWMU 155..... | 5-310 |
| 5.66. Summary of Surface and Subsurface Historical Data at SWMU 156..... | 5-313 |
| 5.67. Summary of Surface and Subsurface Historical Data at SWMU 160..... | 5-316 |
| 5.68. Summary of Surface and Subsurface Historical Data at SWMU 219..... | 5-321 |
| 5.69. Summary of Surface and Subsurface Historical Data at SWMU 488..... | 5-325 |
| 8.1. Potential Remedial Actions for Primary Sources..... | 8-2 |
| 9.1. SWMU/AOC Data Groupings..... | 9-6 |
| 9.2. Summary of Sampling..... | 9-11 |
| 9.3. Summary of Samples for Former Facility Site (9)..... | 9-13 |
| 9.4. SWMU 9 Randomly Selected Sampling Points..... | 9-14 |
| 9.5. RI Sample Location Coordinates for the Former Facility Site Group..... | 9-16 |
| 9.6. RI Sample Location Coordinates for the Former Facility Site Group..... | 9-22 |
| 9.7. RI Sample Location Coordinates for the Former Facility Site Group..... | 9-24 |
| 9.8. RI Sample Location Coordinates for the Former Facility Site Group..... | 9-26 |
| 9.9. Summary of Samples for Storage Area..... | 9-29 |
| 9.10. RI Sample Location Coordinates for the Storage Area Group..... | 9-30 |
| 9.11. RI Sample Location Coordinates for the Storage Area Group..... | 9-32 |
| 9.12. RI Sample Location Coordinates for the Storage Area Group..... | 9-34 |
| 9.13. RI Sample Location Coordinates for the Storage Area Group..... | 9-36 |
| 9.14. RI Sample Location Coordinates for the Storage Area Group..... | 9-38 |
| 9.15. RI Sample Location Coordinates for the Storage Area Group..... | 9-40 |
| 9.16. RI Sample Location Coordinates for the Storage Area Group..... | 9-42 |
| 9.17. RI Sample Location Coordinates for the Storage Area Group..... | 9-44 |
| 9.18. Summary of Samples for Underground/Tank..... | 9-47 |
| 9.19. RI Sample Location Coordinates for the Underground/Tank Group..... | 9-50 |
| 9.20. Summary of Samples Chromium Areas..... | 9-54 |
| 9.21. RI Sample Location Coordinates for Chromium Group..... | 9-55 |
| 9.22. RI Sample Location Coordinates for Chromium Group..... | 9-57 |
| 9.23. RI Sample Location Coordinates for Chromium Group..... | 9-59 |
| 9.24. RI Sample Location Coordinates for Chromium Group..... | 9-61 |
| 9.25. Summary of Samples for Soil/Rubble Pile..... | 9-64 |
| 9.26. RI Sample Location Coordinates for the Soil/Rubble Pile Group..... | 9-65 |
| 9.27. RI Sample Location Coordinates for the Soil/Rubble Pile Group..... | 9-67 |

| | |
|--|-------|
| 9.28. RI Sample Location Coordinates for the Soil/Rubble Pile Group | 9-69 |
| 9.29. RI Sample Location Coordinates for the Soil/Rubble Pile Group | 9-72 |
| 9.30. RI Sample Location Coordinates for the Soil/Rubble Pile Group | 9-74 |
| 9.31. Summary of Samples for Scrap Yards | 9-78 |
| 9.32. RI Sample Location Coordinates for the Scrap Yard Group..... | 9-79 |
| 9.33. RI Sample Location Coordinates for the Scrap Yards | 9-81 |
| 9.34. RI Sample Location Coordinates for the Scrap Yards | 9-84 |
| 9.35. RI Sample Location Coordinates for the Scrap Yard Group..... | 9-87 |
| 9.36. RI Sample Location Coordinates for the Scrap Yard Group..... | 9-89 |
| 9.37. Summary of Samples for PCBs..... | 9-92 |
| 9.38. RI Sample Location Coordinates for the PCBs Group..... | 9-93 |
| 9.39. RI Sample Location Coordinates for the PCBs Group..... | 9-95 |
| 9.40. RI Sample Location Coordinates for the PCBs Group..... | 9-97 |
| 9.41. RI Sample Location Coordinates for the PCBs Group..... | 9-99 |
| 9.42. RI Sample Location Coordinates for the PCBs Group..... | 9-101 |
| 9.43. RI Sample Location Coordinates for the PCBs Group..... | 9-103 |
| 9.44. RI Sample Location Coordinates for the PCBs Group..... | 9-105 |
| 9.45. RI Sample Location Coordinates for the PCBs Group..... | 9-107 |
| 9.46. RI Sample Location Coordinates for the PCBs Group..... | 9-109 |
| 9.47. RI Sample Location Coordinates for the PCBs Group..... | 9-111 |
| 9.48. RI Sample Location Coordinates for the PCBs Group..... | 9-113 |
| 9.49. RI Sample Location Coordinates for the PCBs Group..... | 9-115 |
| 9.50. RI Sample Location Coordinates for the PCBs Group..... | 9-117 |
| 9.51. Summary of Contaminants in Samples from Selected Areas on the DOE Reservation..... | 9-120 |
| 9.52. Detection Sensitivity for ²³⁸ U | 9-124 |
| 9.53. Example Fieldwork and Sampling Activities Requiring Work Instructions or Procedures..... | 9-126 |
| | |
| QAPP Worksheet #1 Title Page..... | 11-1 |
| QAPP Worksheet #2 QAPP Identifying Information | 11-2 |
| QAPP Worksheet #3 Distribution List..... | 11-7 |
| QAPP Worksheet #4 Project Personnel Sign-Off Sheet..... | 11-8 |
| QAPP Worksheet #5 Project Organizational Chart | 11-10 |
| QAPP Worksheet #6 Communication Pathways | 11-11 |
| QAPP Worksheet #7 Personnel Responsibilities and Qualifications Table | 11-13 |
| QAPP Worksheet #8 Special Personnel Training Requirements Table..... | 11-14 |
| QAPP Worksheet #9-1 Project Scoping Session Participants Sheet..... | 11-15 |
| QAPP Worksheet #9-2 Project Scoping Session Participants Sheet..... | 11-16 |
| QAPP Worksheet #10 Problem Definition | 11-17 |
| QAPP Worksheet #11 Project Quality Objectives/Systematic Planning Process Statements | 11-19 |
| QAPP Worksheet #12-1 Measurement Performance Criteria Table | 11-21 |
| QAPP Worksheet #13 Secondary Data Criteria and Limitations Table | 11-34 |
| QAPP Worksheet #14 Summary of Project Tasks..... | 11-35 |
| QAPP Worksheet #15-1 Reference Limits and Evaluation Table | 11-36 |
| QAPP Worksheet #15-3 Reference Limits and Evaluation Table | 11-43 |
| QAPP Worksheet #15-4 Reference Limits and Evaluation Table | 11-44 |
| QAPP Worksheet #15-5 Reference Limits and Evaluation Table | 11-45 |
| QAPP Worksheet #15-6 Reference Limits and Evaluation Table | 11-46 |
| QAPP Worksheet #15-7 Reference Limits and Evaluation Table | 11-47 |
| QAPP Worksheet #15-8 Reference Limits and Evaluation Table | 11-47 |
| QAPP Worksheet #16 Project Schedule/Timeline Table..... | 11-48 |
| QAPP Worksheet #17 Sampling Design and Rationale | 11-49 |
| QAPP Worksheet #18-1 Sampling Locations and Methods/SOP Requirements Table | 11-50 |

| | |
|---|--------|
| QAPP Worksheet #19 Analytical SOP Requirements Table | 11-92 |
| QAPP Worksheet #20 Field Quality Control Sample Summary Table | 11-93 |
| QAPP Worksheet #21 Project Sampling SOP References Table | 11-94 |
| QAPP Worksheet #22 Field Equipment Calibration, Maintenance, Testing, and Inspection Table | 11-95 |
| QAPP Worksheet #23 Analytical SOP References Table | 11-97 |
| QAPP Worksheet #24 Analytical Instrument Calibration Table | 11-98 |
| QAPP Worksheet #25 Analytical Instrument and Equipment Maintenance, Testing, and Inspection Table..... | 11-99 |
| QAPP Worksheet #26 Sample Handling System..... | 11-100 |
| QAPP Worksheet #27 Sample Custody Requirements..... | 11-101 |
| QAPP Worksheet #28-1 Quality Control Requirements | 11-102 |
| QAPP Worksheet #28-2 Quality Control Requirements | 11-104 |
| QAPP Worksheet #28-3 Quality Control Requirements | 11-105 |
| QAPP Worksheet #29 Project Documents and Records Table..... | 11-107 |
| QAPP Worksheet #30 Analytical Services Table..... | 11-108 |
| QAPP Worksheet #31 Planned Project Assessments Table | 11-117 |
| QAPP Worksheet #32 Assessment Findings and Corrective Action Responses | 11-118 |
| QAPP Worksheet #33 QA Management Reports Table | 11-119 |
| QAPP Worksheet #34 Verification (Step I) Process Table | 11-120 |
| QAPP Worksheet #35 Validation (Steps IIa and IIb) Process Table..... | 11-121 |
| QAPP Worksheet #36 Validation (Steps IIa and IIb) Summary Table..... | 11-122 |
| QAPP Worksheet #37 Usability Assessment..... | 11-123 |

ACRONYMS

| | |
|------------------|---|
| %R | percent recovery |
| ACGIH | American Conference of Governmental Industrial Hygienists |
| ACO | Administrative Consent Order |
| AHA | activity hazard analysis |
| AIHA | American Industrial Hygiene Association |
| ALARA | as low as reasonably achievable |
| amsl | above mean sea level |
| ANSI | American National Standards Institute, Inc. |
| AOC | area of concern |
| ARAR | applicable or relevant and appropriate requirement |
| AT123D | Analytical Transient 1-,2-,3- Dimensional |
| BERA | Baseline Ecological Risk Assessment |
| BGOU | Burial Grounds Operable Unit |
| bgs | belowground surface |
| BHHRA | baseline human health risk assessment |
| BRA | baseline risk assessment |
| CAAS | criticality accident alarm system |
| CERCLA | Comprehensive Environmental Response, Compensation, and Liability Act |
| <i>CFR</i> | <i>Code of Federal Regulations</i> |
| COC | contaminant of concern |
| COE | U.S. Army Corps of Engineers |
| COPC | chemical of potential concern |
| cpm | counts per minute |
| CRZ | Contamination Reduction Zone |
| CSM | Conceptual Site Model |
| CSOU | Comprehensive Site Operable Unit |
| CZ | construction zone |
| D&D | Decontamination and Decommissioning |
| DCN | Design Change Notice |
| DMC | Document Management Center |
| DMIP | data management implementation plan |
| DMSA | DOE Material Storage Area |
| DOE | U.S. Department of Energy |
| DOECAP | DOE Consolidated Audit Program |
| DQO | data quality objective |
| DUF ₆ | depleted uranium hexafluoride |
| EDD | electronic data deliverable |
| ELCR | excess lifetime cancer risk |
| EMS | Environmental Management System |
| EPA | U.S. Environmental Protection Agency |
| ER | Environmental Restoration |
| ES&H | Environment, Safety, and Health |
| EU | exposure unit |
| EZ | exclusion zone |
| FCN | Field Change Notice |
| FCR | Field Change Request |
| FFA | Federal Facility Agreement |

| | |
|----------|--|
| FLM | front line manager |
| FS | feasibility study |
| FSP | field sampling plan |
| FTM | Field Team Manager |
| GDP | gaseous diffusion plant |
| Ge | germanium |
| GIS | geographic information system |
| GPS | Global Positioning System |
| GWOU | Groundwater Operable Unit |
| HASP | Health and Safety Plan |
| HAZWOPER | Hazardous Waste Operations and Emergency Response |
| HF | hydrogen fluoride |
| HI | hazard index |
| HP | Health Physics |
| HSWA | Hazardous and Solid Waste Amendments |
| HU | hydrostratigraphic unit |
| HVAC | heating, ventilation, and air conditioning |
| IDW | investigation-derived waste |
| ISMS | Integrated Safety Management System |
| ISOCS | <i>In Situ</i> Object Counting System |
| KAR | <i>Kentucky Administrative Record</i> |
| KDEP | Kentucky Department for Environmental Protection |
| KPDES | Kentucky Pollutant Discharge Elimination System |
| LBC | Little Bayou Creek |
| LCS | Laboratory Control Sample |
| LLW | low-level waste |
| MARLAP | Multi-Agency Radiological Laboratory Analytical Protocols |
| MARSSIM | Multi-Agency Radiological Survey and Site Investigation Manual |
| MDL | method detection limit |
| MEPAS | Multimedia Environmental Pollutant Assessment System Model |
| mrem | millirem |
| MS | matrix spike |
| MSD | matrix spike duplicate |
| MSDS | material safety data sheet |
| NA | not applicable |
| NaI | sodium iodide |
| NCR | Nonconformance Report |
| ND | nondetect |
| NDA | non-destructive assay |
| NEPA | National Environmental Policy Act |
| NFA | No Further Action |
| NIOSH | National Institute for Occupational Safety and Health |
| NIST | National Institute of Standards and Technology |
| NOAA | National Oceanic and Atmospheric Administration |
| NPL | National Priorities List |
| NSDD | North-South Diversion Ditch |
| OA | observational approach |
| OREIS | Oak Ridge Environmental Information System |
| ORPS | Occurrence Reportings System |
| OSHA | Occupational Safety and Health Administration |
| OSWER | Office of Solid Waste and Emergency Response |

| | |
|--------|--|
| OU | operable unit |
| PAH | polycyclic aromatic hydrocarbon |
| PARCC | precision, accuracy, representativeness, completeness, and comparability |
| PCB | polychlorinated biphenyl |
| PEL | permissible exposure limit |
| PEMS | Project Environmental Measurements System |
| PGDP | Paducah Gaseous Diffusion Plant |
| pH | negative logarithm of the hydrogen-ion concentration |
| PID | photoionization detector |
| PM | Project Manager |
| PPE | personal protective equipment |
| ppm | parts per million |
| PRG | Preliminary Remediation Goal |
| PSS | Plant Shift Superintendent |
| QA | quality assurance |
| QAPP | quality assurance project plan |
| QC | quality control |
| RADCON | radiation control |
| RAO | remedial action objective |
| RAR | Remedial Action Report |
| RCRA | Resource Conservation and Recovery Act |
| RCT | Radiological Control Technician |
| RCW | recirculating water |
| RESRAD | Residual Radioactive Materials Model |
| RFD | Request for Disposal |
| RGA | Regional Gravel Aquifer |
| RGO | remedial goal option |
| RI | remedial investigation |
| ROD | Record of Decision |
| RTL | ready-to-load |
| RWP | Radiological Work Permit |
| SADA | Spatial Analysis and Decision Assistance |
| SAP | Sampling and Analysis Plan |
| SAR | SWMU Assessment Report |
| SE | Site Evaluation |
| SERA | screening-level ecological risk assessment |
| SESOIL | Seasonal Soil Compartment Model |
| S&H | safety and health |
| SHR | Safety & Health Representative |
| SI | site investigation |
| SMO | Sample Management Office |
| SMP | site management plan |
| SOP | standard operating procedure |
| SOU | Soils Operable Unit |
| SOW | statement of work |
| SRM | standard reference material |
| SVOC | semivolatile organic compound |
| SWMU | solid waste management unit |
| SWOU | Surface Water Operable Unit |
| SZ | support zone |
| TAL | target analyte list |

| | |
|-----------------|--|
| TCA | trichloroethane |
| TCE | trichloroethene |
| TCL | target compound list |
| TCLP | Toxicity Characteristic Leaching Procedure |
| TLV | threshold limit value |
| TSCA | Toxic Substances Control Act |
| TVA | Tennessee Valley Authority |
| UCRS | Upper Continental Recharge System |
| UF ₄ | uranium tetrafluoride |
| UF ₆ | uranium hexafluoride |
| USEC | United States Enrichment Corporation |
| USGS | U.S. Geological Survey |
| VOC | volatile organic compound |
| VSP | Visual Sampling Plan |
| WAC | waste acceptance criteria |
| WAG | Waste Area Group |
| WGP | Waste Generation Plan |
| WKWMA | West Kentucky Wildlife Management Area |
| WMC | Waste Management Coordinator |
| WMP | waste management plan |
| XRF | X-ray fluorescence |

EXECUTIVE SUMMARY

The Paducah Gaseous Diffusion Plant (PGDP) is an active uranium enrichment facility that is owned by the U.S. Department of Energy (DOE). DOE is conducting environmental restoration activities at PGDP in accordance with the requirements of the Paducah Federal Facility Agreement (FFA), which coordinated the Resource Conservation and Recovery Act (RCRA) and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) cleanup requirements. PGDP was placed on the National Priorities List in 1994. DOE, the U.S. Environmental Protection Agency (EPA), and the Commonwealth of Kentucky (Kentucky) entered into an FFA in 1998 (EPA 1998).

This Remedial Investigation/Feasibility Study (RI/FS) Work Plan has been developed to outline the RI/FS requirements for the Soils Operable Unit (SOU) at PGDP. The solid waste management units (SWMUs) and Areas of Concern (AOCs) associated with the SOU are listed in Appendix 4 of the Paducah Site Management Plan (SMP) (DOE 2009a). The SWMUs/AOCs being investigated under this work plan are 1, 11, 12, 13, 14, 15, 16, 19, 20, 26, 27, 31, 32, 40, 47, 56, 57, 74, 75, 76, 77, 78, 79, 80, 81, 99, 135, 137, 138, 153, 154, 155, 156, 158, 160, 163, 165, 169, 170, 172, 176, 177, 180, 181, 194, 195, 196, 200, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 483, 488, 489, 493, 517, 518, 520, 531, and 561 and 3 AOCs 204, 492, and 541. Three additional locations that have been added to this document and will be included in the 2010 SMP are AOC 562, 563, and 564. Also included in this RI/FS Work Plan are a Polychlorinated Biphenyl (PCB) Evaluation and a Limited Area Radiological Survey.

PROJECT OBJECTIVES AND GOALS

The goals for the SOU RI/FS are consistent with those established in the Paducah FFA and the SMP (DOE 2009a) negotiated among DOE, EPA, and Kentucky. The primary objectives for the SOU presented in the SMP are to protect human health and the environment by taking actions necessary to prevent both on-site and off-site human exposure that presents an unacceptable risk and implement actions that provide the greatest opportunities to achieve significant risk reduction before site closure.

The goals of this RI/FS are as follows:

- Goal 1: Characterize Nature of Source Zone—characterize the nature of contaminant source materials using existing data and, if required, by collecting additional data;
- Goal 2: Define Extent of Source Zone and Contamination in Soil—define the extent (vertical and lateral), and magnitude of contamination in soils and perform a multimedia evaluation to ensure that all exposure pathways for the subject units are assessed adequately to support cleanup decisions;
- Goal 3: Determine Soil Transport Mechanisms and Pathways—gather existing data and, if necessary, collect additional data to analyze contaminant transport mechanisms;
- Goal 4: Complete a baseline human health risk assessment and screening ecological risk assessment for the SOU; and

- Goal 5: Complete an Evaluation of Remedial Alternatives—determine if the existing data are sufficient to evaluate alternatives that will reduce risk to human health and the environment and, if possible, support a No Further Action (NFA).¹

This document utilizes a compilation of sampling information collected on and around PGDP over the course of the last 20 years. The table below identifies the previously completed reports and/or investigations primarily used to prepare this document.

Summary of Historical Information

| Year | Title | SWMUs/AOCs |
|------|---|---|
| 1989 | Inventory of Polychlorinated Biphenyls (PCBs) Volume 1 (MMES 1989) | 75, 78 |
| 1991 | Results of the Site Investigation, Phase I (CH2M HILL 1991) | 1, 11, 12, 14, 15, 16, 20, 26, 27, 31, 32, 56, 57, 74, 75, 77, 78, 79, 80, 81, 99, 135, 137 |
| 1992 | Groundwater Phase III Investigation (Clausen, et al. 1992) | 99 |
| 1992 | Results of the Site Investigation, Phase II (CH2M HILL 1992) | 1, 11, 12, 13, 14, 15, 16, 19, 20, 26, 27, 31, 32, 40, 47, 56, 57, 74, 75, 77, 78, 79, 80, 81, 99, 135, 137 |
| 1993 | Interim Corrective Measure Work Plan for Containment of Scrap Yard Sediment Runoff (DOE 1993) | 12, 14, 15 |
| 1994 | RFI Work Plan for Waste Area Group 13 at the Paducah Gaseous Diffusion Plant (DOE 1994a) | 138 |
| 1994 | Interim Corrective Measures Report & Operation and Maintenance Plan for Containment of Scrap Yard Sediment Runoff at the PGDP (DOE 1994b) | 12, 13, 14, 15, 16 |
| 1994 | Waste Area Group 13 and 6 Reprioritization and Special Requests (KDEP 1994) | 138 |
| 1995 | C-400 Process and Structure Review (DOE 1995a) | 11, 26, 40, 47 |
| 1995 | Final Site Evaluation Report for the Outfall 010, 011, and 012 Areas, Paducah Gaseous Diffusion Plant, Paducah, Kentucky (DOE 1995b) | 204 |
| 1995 | Northeast Plume Preliminary Characterization Summary Report (DOE 1995c) | 99, 194 |
| 1995 | Treatability Study Report for Waste Area Group 23 PCB Sites at PGDP (DOE 1995d) | 32, 56, 57, 74, 79, 80, 81 |
| 1995 | Work Plan for Phase I of the Waste Area Group 6 Remedial Investigation Industrial Hydrogeologic Study at Paducah Gaseous Diffusion Plant (DOE 1995e) | 11, 26, 40, 47 |
| 1996 | Feasibility Study for Waste Area Group 23 and Solid Waste Management Unit 1 of Waste Area Group 27 at the Paducah Gaseous Diffusion Plant (DOE 1996a) | 1, 32, 56, 57, 80, 81 |

¹ A portion of the SWMUs/AOCs investigated under this scoping process may not qualify as NFAs per CERCLA and may require additional characterization/remediation under the final Comprehensive Site Operable Unit (CSOU).

| Year | Title | SWMUs/AOCs |
|-------------|--|--|
| 1996 | Phase I: Paducah Gaseous Diffusion Plant Waste Area Group 6 Industrial Hydrogeologic Study (DOE 1996b) | 11, 26, 40, 47 |
| 1997 | Action Memorandum for Waste Area Group 23 and Solid Waste Management Unit 1 of Waste Area Group 27, PCB Sites, Paducah Gaseous Diffusion Plant, Paducah, Kentucky (DOE 1997a) | 1, 32, 56, 57, 74, 79, 80, 81 |
| 1997 | Integrated Remedial Investigation/Feasibility Study Work Plan for Waste Area Group 6 (DOE 1997b) | 11, 26, 40, 47 |
| 1997 | Proposed Remedial Action Plan for Waste Area Group 23 and Solid Waste Management Unit 1 of Waste Area Group 27, PCB Sites (DOE 1997c) | 1, 56, 57, 80, 81 |
| 1997 | Treatability Study Program Plan for Waste Area Group 6 at the Paducah Gaseous Diffusion Plant (DOE 1997d) | 11, 26, 40, 47 |
| 1997 | Sampling and Analysis Plan for the Site Evaluation of Waste Area Group 9 and 11 at the Paducah Gaseous Diffusion Plant (DOE 1997e) | 19, 20, 27, 165, 170 |
| 1997 | Information Package for Waste Area Grouping 16 & 19 at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky (DOE 1997f) | 137, 153, 155, 156, 135, 154, 160, 163 |
| 1998 | Work Plan for Waste Area Group 28 Remedial Investigation/Feasibility Study and Waste Area Group 8 Preliminary Assessment/Site Investigation at the Paducah Gaseous Diffusion Plant (DOE 1998a) | 99, 194, 194 |
| 1998 | Integrated Remedial Investigation/Feasibility Study Work Plan for Waste Area Group 27 at Paducah Gaseous Diffusion Plant (DOE 1998b) | 1, 74, 196, 211 |
| 1998 | Proposed Remedial Action Plan for Waste Area Group 23 and Solid Waste Management Unit 1 of Waste Area Group 27, PCB Sites (DOE 1998c) | 1, 74, 196, 211 |
| 1998 | Sampling and Analysis, Quality Assurance, and Data Management Plan for the Site Evaluation of Waste Area Groupings 16 and 19 (DOE 1998d) | 137, 153, 155, 156, 135, 154, 160, 163 |
| 1999 | Remedial Investigation Report for Waste Area Group 27 at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky (DOE 1999a) | 1, 74, 196, 211 |
| 1999 | Remedial Investigation Report for Waste Area Group 6 (C-400) at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky (DOE 1999b) | 11, 26, 40, 47 |
| 1999 | WAGs 9 and 11 Site Evaluation Report at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky (DOE 1999c) | 19, 20, 27, 165, 170 |
| 1999 | Engineering Evaluation/Cost Analysis (EE/CA) for Scrap Metal Removal at PGDP (DOE 1999d) | 13, 14, 15, 16, 518, 520 |
| 1999 | Engineering Evaluation/Cost Analysis for Drum Mountain at PGDP (DOE 1999e) | 12 |
| 1999 | Proposed Remedial Action Plan for Waste Area Group 23 and Solid Waste Management Unit 1 of Waste Area Group 27, PCB Sites (DOE 1999f) | 1, 74, 196, 211 |
| 1999 | Remedial Investigation/Feasibility Study Work Plan for the Surface Water Operable Unit at PGDP (DOE 1999g) | 1, 74, 165 |
| 1999 | Residual Risk Evaluation Report for Waste Area Group 23 and Solid Waste Management Unit 1 of Waste Area Group 27, PCB Sites (DOE 1999h) | 1, 74, 196, 211 |

| Year | Title | SWMUs/AOCs |
|-------------|--|--|
| 1999 | Surfactant Enhanced Subsurface Remediation Treatability Study Report for the WAG 6 (DOE 1999i) | 11, 26, 40, 47 |
| 2000 | Action Memorandum for Drum Mountain at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky (DOE 2000a) | 12 |
| 2000 | Remedial Investigation Report for Waste Area Group 28 at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky (DOE 2000b) | 99, 194, 204 |
| 2000 | Removal Action Work Plan for Drum Mountain at the PGDP (DOE 2000c) | 12 |
| 2001 | Action Memorandum for Scrap Metal Disposition at the Paducah Gaseous Diffusion Plant (DOE 2001a) | 12, 13, 14, 15, 16 |
| 2001 | Baseline Human Health Risk Assessment and Screening Ecological Risk Assessment for the Proposed Site of the UF ₆ Conversion Facility, Including the Eastern Portion of SWMU 194, McGraw Construction Facilities (South Side), at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky (DOE 2001b) | 194 |
| 2001 | DUF ₆ Conversion Facility Site Characterization Report, Paducah Gaseous Diffusion Plant, Paducah, Kentucky (BJC 2001) | 194 |
| 2002 | Final Inventory/Characterization Report for the OS-02 (DOE 2002a), OS-03 (DOE 2002b), OS-04 (DOE 2002c), OS-05 (DOE 2002d), OS-06 (DOE 2004a), OS-07 (DOE 2004b), OS-09 (DOE 2002e), OS-10 (DOE 2002f), OS-11 (DOE 2002g), OS-12 (DOE 2004c), OS-13 (DOE 2002h), OS-14 (DOE 2001c), OS-15 (DOE 2004d), OS-16 (DOE 2004e), OS-17 (DOE 2004f), OS-18 (DOE 2003a) Department of Energy Material Storage Area at the Paducah Gaseous Diffusion Plant | 213, 214, 215, 216, 217, 218, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229 |
| 2007 | Engineering Evaluation/Cost Analysis for Soils Operable Unit Inactive Facilities at the Paducah Gaseous Diffusion Plan, Paducah, Kentucky (DOE 2007a) | 19, 40, 181 |

During development of this work plan, existing data were evaluated relative to the data quality objectives defined in this work plan. The evaluation shows what data gaps exist for each SWMU/AOC. The SWMUs/AOCs were divided into seven divisions to assist in sampling plan development. These divisions are Former Facility Site, PCBs, Soil/Rubble Pile, Scrap Yard, Underground/Tank, Storage Area, and Chromium Areas.

1. INTRODUCTION

The Paducah Gaseous Diffusion Plant (PGDP), located within the Jackson Purchase region of western Kentucky, is an active uranium enrichment complex that is owned by the U.S. Department of Energy (DOE). PGDP was owned and managed, first by the Atomic Energy Commission and the Energy Research and Development Administration, DOE's predecessors; DOE then managed PGDP until 1993. On July 1, 1993, the United States Enrichment Corporation assumed management and operation of the PGDP enrichment complex under a lease agreement with DOE. DOE, however, still owns the enrichment complex and is responsible for environmental restoration (ER) activities associated with legacy operation of PGDP (CERCLIS #KY8-890-008-982). DOE is the lead agency for remedial actions, and the U.S. Environmental Protection Agency (EPA) and the Kentucky Department for Environmental Protection (KDEP) have regulatory oversight responsibilities.

In 1988, off-site groundwater contamination was detected in groundwater wells north of PGDP. Consequently, DOE and EPA Region 4 entered into an Administrative Consent Order (ACO) under Section 104 and 106 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). In 1994, PGDP was placed on the National Priorities List (NPL), a list of sites designated by EPA as having the highest priority for site remediation. Additionally, Section 120 of CERCLA requires NPL sites to enter into a Federal Facility Agreement (FFA). An FFA was finalized among DOE, EPA, and the Commonwealth of Kentucky (Kentucky) in 1998.

Source units and areas of contamination at PGDP have been combined into operable units (OUs) for evaluation of remedial actions. These OUs include the Surface Water Operable Unit (SWOU), the Burial Grounds Operable Unit (BGOU), the Soils Operable Unit (SOU), the Groundwater Operable Unit (GWOU), and the Decontamination and Decommissioning (D&D) OU. Each OU is designed to remediate contaminated media associated with PGDP. After completion of these activities, the Comprehensive Site OU (CSOU) evaluation will be conducted, with implementation of additional actions, as needed, to ensure long-term protectiveness.


For the SOU, a phased approach is used to meet the primary objectives. A phased approach is used because the complex soil contamination problems at the site (i.e., ongoing operational activities, multiple sources of contamination, and the potential for a complicated contaminant fate and transport process) prevent PGDP from implementing one comprehensive, cost-effective remedy at this time. Additionally, the phased approach allows the site to use information gained in earlier phases of the cleanup to refine and implement subsequent cleanup objectives and actions in support of final cleanup status. Slabs, subsurface structures, and underlying soils left after completing D&D of the operating gaseous diffusion plant (GDP), will be addressed in subsequent actions.

The following steps, illustrated in Figure 1.1, are being used at PGDP to implement the phased approach for the SOU [adapted from the Site Management Plan (SMP) (DOE 2009a)]:

- (1) Prevent human exposure to contamination presenting an unacceptable risk (short-term protection goal);
- (2) Prevent or minimize further off-site migration (intermediate performance goals); and
- (3) Reduce, control, or minimize contaminated soil hot spots contributing to off-site contamination (intermediate performance goals).

Soils Operable Unit

Paducah Soils Strategy



Data collected during the Remedial Investigation/Feasibility Study (RI/FS) may be incorporated into the GWOU and SWOU and used in development of complex-wide models, as appropriate. Incorporation of these data will allow the significant sources of groundwater contamination to be considered in the human health risk assessment of the GWOU. For surface water, data collected during the RI/FS concerning contaminant migration to the surface water may be used along with the complex-wide surface water transport models developed for the human health and ecological risk assessments of the SWOU.

1.1 PROJECT SCOPE

The general scope of this work plan is the Solid Waste Management Units (SWMUs)/Areas of Concern (AOCs) Evaluation, which is to conduct an RI, baseline human health risk assessment (BHHRA), screening ecological risk assessment (SERA), evaluation of remedial alternatives, and remedy selection for SWMUs/AOCs associated with the Soils OU. Also included in this work plan is the scope of two additional and separate investigations: a Polychlorinated Biphenyl (PCB) Evaluation and a Limited Area Radiological Evaluation. The primary focus of the SOU RI/FS will be to (1) collect field and analytical data necessary to determine the nature and extent of known PCB-contaminated soil, limited area radiological evaluation, and any soil contamination at SOU SWMUs/AOCs; (2) support the completion of a BHHRA; (3) and evaluate appropriate remedial alternatives for each targeted area.

This RI/FS Work Plan has been prepared to implement additional investigations for the SOU and to provide information to fill data gaps. The RI/FS Work Plan follows the outline prescribed in the FFA. The document utilizes a compilation of sampling information collected at and around PGDP over the course of the last 20 years. Data were compiled and screened against significant chemicals of potential concern (COPC) listed in the *Methods for Conducting Risk Assessments and Risk Evaluations at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, Volume 1: Human Health, Volume 2: Ecological* (DOE 2001d).

The RI/FS process is an interactive one in which DOE, EPA, and Kentucky evaluate and conduct or revise work conducted during various stages of the investigation. To facilitate implementation of the RI/FS work plan, flexibility will be included in the sampling plans for each SWMU/AOC to allow some adjustments to be made in the field.

1.1.1 SOU SWMU/AOC Evaluation

The scope of the SWMU/AOC Evaluation includes an RI, BHHRA, SERA, evaluation of remedial alternatives, remedy selection, and implementation of actions (i.e., early removal, radiological postings), as necessary, for protection of human health and the environment for the following SWMUs/AOCs.

| <u>No.</u> | <u>SWMU/AOC #</u> | <u>Location</u> | <u>Description</u> | <u>Work Plan Division</u> |
|------------|-------------------|-----------------|-----------------------------------|---------------------------|
| 1 | 1 | C-747-C | Oil Landfarm | Former Facility Site |
| 2 | 11 | C-400 | C-400 Trichloroethylene Leak Site | Underground/Tank |
| 3 | 12 | C-747-A | UF ₄ Drum Yard | Scrap Yard |
| 4 | 13 | C-746-P | Clean Scrap Yards | Scrap Yard |
| 5 | 14 | C-746-E | Contaminated Scrap Yard | Scrap Yard |
| 6 | 15 | C-746-C | Scrap Yard | Scrap Yard |

| No. | SWMU/AOC # | Location | Description | Work Plan Division |
|------------|-------------------|-----------------|---|---------------------------|
| 7 | 16 | C-746-D | Scrap Yard | Scrap Yard |
| 8 | 19 | C-410-B | HF Neutralization Lagoon | Soil/Rubble Pile |
| 9 | 20 | C-410-E | Emergency Holding Pond | Soil/Rubble Pile |
| 10 | 26 | C-400 to C-404 | Underground Transfer Line | Underground/Tank |
| 11 | 27 | C-722 | Acid Neutralization Tank | Underground/Tank |
| 12 | 31 | C-720 | Compressor Pit Water Storage Tank | Underground/Tank |
| 13 | 32 | C-720 | Clean Waste Oil Tanks | Underground/Tank |
| 14 | 40 | C-403 | Neutralization Tank | Underground/Tank |
| 15 | 47 | C-400 | Technetium Storage Tank Area | Storage Area |
| 16 | 56 | C-540-A | PCB Staging Area | PCBs |
| 17 | 57 | C-541-A | PCB Waste Staging Area | PCBs |
| 18 | 74 | C-340 | PCB Transformer Spill Site | PCBs |
| 19 | 75 | C-633 | PCB Spill Site | PCBs |
| 20 | 76 | C-632-B | Sulfuric Acid Storage Tank | Underground/Tank |
| 21 | 77 | C-634-B | Sulfuric Acid Storage Tank | Underground/Tank |
| 22 | 78 | C-420 | PCB Spill Site | PCBs |
| 23 | 79 | C-611 | PCB Spill Site | PCBs |
| 24 | 80 | C-540 | PCB Spill Site | PCBs |
| 25 | 81 | C-541 | PCB Spill Site | PCBs |
| 26 | 99 | C-745 | Kellogg Bldg. Site | Former Facility Site |
| 27 | 135 | C-333 | PCB Soil Contamination | PCBs |
| 28 | 137 | C-746-A | Inactive PCB Area | PCBs |
| 29 | 138 | C-100 | Southside Berm | Soil/Rubble Pile |
| 30 | 153 | C-331 | PCB Soil Contamination (West) | PCBs |
| 31 | 154 | C-331 | PCB Soil Contamination (Southeast) | PCBs |
| 32 | 155 | C-333 | PCB Soil Contamination (West) | PCBs |
| 33 | 156 | C-310 | PCB Soil Contamination (West Side) | PCBs |
| 34 | 158 | C-720 | Chilled Water System Leak Site | Chromium Areas |
| 35 | 160 | C-745 | Cylinder Yard Spoils (PCB soils) | PCBs |
| 36 | 163 | C-304 | Bldg./HVAC Piping System (Soil Backfill) | PCBs |
| 37 | 165 | C-616-L | Pipeline & Vault Soil Contamination | Underground/Tank |
| 38 | 169 | C-410-E | HF Vent Surge Protection Tank | Chromium Area |
| 39 | 170 | C-729 | Acetylene Bldg. Drain Pits | Underground/Tank |
| 40 | 172 | C-726 | Sandblasting Facility | Former Facility Site |
| 41 | 176 | C-331 | RCW Leak Northwest Side | Chromium Areas |
| 42 | 177 | C-331 | Leak East Side | Chromium Areas |
| 43 | 180 | WKWMA | Outdoor Firing Range (WKWMA) | Soil/Rubble Pile |
| 44 | 181 | West Side | Outdoor Firing Range (PGDP) | Soil/Rubble Pile |
| 45 | 194 | DUF Facility | McGraw Construction Facilities (Southside) | Former Facility |
| 46 | 195 | SW PGDP | Curlee Road Contaminated Soil Mounds | Soil/Rubble Pile |
| 47 | 196 | C-746-A | Septic System | Former Facility |
| 48 | 200 | Central PGDP | Soil Contamination South of TSCA Waste Storage Facility | Storage Area |
| 49 | 204 | Dyke Road | Dyke Road Historical Staging Area | Soil/Rubble Pile |
| 50 | 211 | C-720 | TCE Spill Site Northwest | Former Facility |
| 51 | 212 | C-745-A | Radiological Contamination Area | Storage Area |

| No. | SWMU/AOC # | Location | Description | Work Plan Division |
|------------|-------------------|---|--|---------------------------|
| 52 | 213 | C-745-A | OS-02 | Storage Area |
| 53 | 214 | C-611 | OS-03 | Storage Area |
| 54 | 215 | C-743 | OS-04 | Storage Area |
| 55 | 216 | C-206 | OS-05 | Storage Area |
| 56 | 217 | C-740 | OS-06 | Storage Area |
| 57 | 218 | C-741 | OS-07 | Storage Area |
| 58 | 219 | C-728 | OS-08 | PCBs |
| 59 | 220 | C-409 | OS-09 | Storage Area |
| 60 | 221 | C-635 | OS-10 | Storage Area |
| 61 | 222 | C-410 | OS-11 | Storage Area |
| 62 | 223 | C-301 | OS-12 | Storage Area |
| 63 | 224 | C-340 | OS-13 | Storage Area |
| 64 | 225 | C-533-1 | OS-14 | Storage Area |
| 65 | 226 | C-745-B | OS-15 | Storage Area |
| 66 | 227 | C-746-B | OS-16 | Storage Area |
| 67 | 228 | C-747-B | OS-17 | Storage Area |
| 68 | 229 | C-746-F | OS-18 | Storage Area |
| 69 | 483 | C-603 | Nitrogen Generating Facilities, PCB Contamination Area by C-410 | Former Facility PCBs |
| 70 | 488 | C-410 Trailers | Trailer Complex | |
| 71 | 489 | C-710 North | Septic Tank, North of C-710 | Former Facility |
| 72 | 492 | Outfall 011 | Contaminated Soil Area, North of Outfall 10 | Soil/Rubble Pile |
| 73 | 493 | Outfall 001 | Concrete Rubble Piles Near Outfall 001 | Soil/Rubble Pile |
| 74 | 517 | West of PGDP | Rubble and Debris Erosion Control Fill Area | Soil/Rubble Pile |
| 75 | 518 | C-746-P1 | Field south of C-746- P1 Clean Scrap Yard | Scrap Yard |
| 76 | 520 | C-746-A | Scrap Material West of C-746-A | Scrap Yard |
| 77 | 531 | C-746-A south | Aluminum Slag Reacting Area | Former Facility |
| 78 | 541 | Outfall 011 | Contaminated area by Outfall 011 | Soil/Rubble Pile |
| 79 | 561 | Near Outfall 2 | Soil Pile I | Soil/Rubble Pile |
| | | North of Soil Pile I, West of | | Soil/Rubble Pile |
| 80 | 562 | LBC | Soil Piles D, H and J in Subunit 1 | |
| | | North of Outfall 12, West of | | Soil/Rubble Pile |
| 81 | 563 | LBC | Soil Piles 20 and BW in Subunit 4 | |
| | | East of NSDD, North of P, S, and T Landfill | | Soil/Rubble Pile |
| 82 | 564 | | Soils Pile AT in Subunit 5 | |

Figure 1.2 shows the location of these SWMUs/AOCs. Project uncertainties that potentially could affect the scope and schedule include the amount and scope of RI characterization needed (e.g., field samples, test pits, borings, etc.) and whether additional actions beyond remediation will be required. The SMP includes a planning date for a D1 Record of Decision (ROD) of the Third quarter, 2012 (DOE 2009a).

The objective of this investigation is to determine the nature and extent of contamination in the soils to a depth of 10 ft below ground surface (bgs) or up to 16 ft bgs at infrastructure (e.g., pipelines). For all

source units, the initial focus of the investigation will be surface and subsurface soil contamination to a depth of 4 ft bgs. If contamination at the 4 ft bgs is found, then secondary sources from the unit located in the subsurface soil, which extend to a depth of 10 ft bgs, will be investigated. Any contamination that is found to extend past the depths specified in this investigation will be addressed under another OU. If a SWMU/AOC has a pipeline located within its boundary, then sampling will occur to a depth of 1 ft below the invert of the pipeline.

If interim remedial or removal actions are implemented at any of the SWMUs/AOCs addressed in this work plan before the development of a final remedy, they will be consistent with the anticipated final action for the SOU and will contribute to the final remediation of the site. Remedial alternatives will be screened at the time the remedial action objectives (RAOs) for the SOU are developed.




Figure No. \Soils\OUI\SOU_SWMUsR2.apr
DATE 09-01-09

Figure 1.2. Location of SWMUs/AOCs

1.1.2 PCB Evaluation

The scope of the PCB Evaluation will focus on known sources of PCB contamination (e.g., transformers and drainages from switchyards) that have not already been targeted as part of previous investigations. The evaluation will include the sampling and analysis of PCBs to a depth of 1 ft. Previous PCB investigations [e.g., Waste Area Grouping (WAG) 23 locations had PCBs ≥ 25 ppm prior to removal of 1 ft of soil and confirmatory samples after removal were ≤ 2.2 ppm] at PGDP of waste staging areas and spill sites have found that contamination is confined in the upper 1 ft of soil; therefore, the greatest extent of contamination is expected to be in the upper 1ft of soil.

There are 86 identified previous PCB transformer locations on-site and 6,192 linear ft of ditches that capture runoff from switchyards. Figures 1.3a and 1.3b show the locations of switchyard ditches that will be investigated. It should be noted that the ditches on the north, south, and east sides of C-531-2 switchyard were evaluated as part of the SWOU (On-Site) assessment and will be evaluated further as part of the SWOU RI (Off-Site).

Investigations have shown that of the list of 86 PCB transformers the following is found:

- C-420 had two listed that were replaced with non-PCB transformers. This site is listed as SWMU 78.
- C-633 is listed as SWMU 75.
- 70 of these were located inside building C-337, which is an active facility. Currently, 66 PCB transformers still are in operation inside this facility.
- There are four that were located at C-537 and C-535 that were replaced with non-PCB transformers. These locations are currently switchyards and operational.
- The remaining 9 PCB transformers (2 at C-746-A, 1 at C-410, 2 at C-409, 4 at C-340) were located on concrete pads. C-410 had curbing around the concrete pad.

Based on these findings, the PCB transformer locations found at C-420 and C-633 will be investigated as part of this SOU RI. Slabs and underlying soils associated with facilities that have undergone D&D will be addressed as part of a subsequent action.

1.1.3 Limited Area Radiological Evaluation

The scope of the Limited Area Radiological Evaluation consists of a radiological walkover to identify indications of contamination above health-based risks [e.g., utilizing sodium iodide (NaI) detectors capable of detecting less than 14,000 counts per minute (cpm) consistent with MARSSIM]. The evaluation assumes survey of approximately 200 acres of plant area (inside the fence) and will take place in two phases. Phase I includes gamma radiological walkover surveys using a sodium iodide detector and Global Positioning System (GPS) unit to identify hot spots. Phase II includes fixed point *In Situ* Object Counting System (ISOCS) measurements based on Phase I data. Phase II will be biased sampling to confirm hot spots. The area included in the scope for this work plan consists of grassy or dirt areas that do not have roads, gravel pads, buildings, or other infrastructure and has not been addressed under other investigations (i.e., Surface Water On-Site Investigation). Slabs and underlying soils associated with facilities that have undergone D&D will be addressed as part of a subsequent action.





Figure 1.3a. Switchyard Ditches C-533-2



U.S. DEPARTMENT OF ENERGY
 DOE PORTSMOUTH-PADUCAH PROJECT OFFICE
 PADUCAH GASEOUS DIFFUSION PLANT

COORDINATE SYSTEM: PGDP
 PROJECTION: n8
 DATE: 06/22/2008
 FILE NAME: ScapysansR1.apr
 PADUCAH REMEDIATION SERVICES, LLC
 REFERENCES: PRS 2008;

Figure 1.3b. Switchyard Ditches C-535 and C-537

1.2 PROJECT OBJECTIVES AND GOALS

The goals for the SOU RI/FS are consistent with those established in the Paducah Site FFA and the Paducah SMP (DOE 2009a) negotiated among DOE, EPA, and Kentucky. The FFA requires that DOE identify, investigate, and remediate all AOCs and SWMUs that potentially could pose a threat to human health and the environment. The goals of this RI/FS are as follows:

- Goal 1: Characterize Nature of Source Zone—characterize the nature of contaminant source materials using existing data, and if required, by collecting additional data;
- Goal 2: Define Extent of Source Zone and Contamination in Soil—define the extent (vertical and lateral), and magnitude of contamination in soils and perform a multimedia evaluation (e.g., groundwater, surface water) to ensure that all exposure pathways for the subject units are assessed adequately to support cleanup decisions;
- Goal 3: Determine Soil Transport Mechanisms and Pathways—gather existing data, and if necessary, collect additional data to analyze contaminant transport mechanisms and support a feasibility study;
- Goal 4: Complete a BHHRA and SERA for the SOU; and
- Goal 5: Complete an Evaluation of Remedial Alternatives—determine if the existing data are sufficient to evaluate alternatives that will reduce risk to human health and the environment and, if possible, support a No Further Action (NFA).

1.3 PROJECT DATA QUALITY OBJECTIVES

The Data Quality Objective (DQO) process is a planning tool, based on the scientific method, that identifies an environmental problem and defines the data collection process needed to support decisions regarding that problem [Guidance on Systematic Planning Using the Data Quality Objectives Process EPA QA/G-4 (2006)]. The steps outlined in the DQO process have been used in the development of the RI/FS work plan. These steps formulate a set of criteria that will achieve the desired control of uncertainty, allowing the decision to be made with acceptable confidence.

The first step in the DQO process is to identify the problem to be resolved. It is possible that contaminants originating from the SWMUs/AOCs have been released to the environment. The overall problem statement developed for the DQO process is as follows:

Past releases from the PGDP may have resulted in the contamination of soil found at the SWMUs and AOCs. The nature and extent of contamination has not been adequately defined, nor is it known whether these potential contaminants pose unacceptable risks to current and reasonably anticipated future receptors under some exposure scenarios.

Figure 1.4 shows the DQO process chart. In order to facilitate discussion, the seven steps of the DQO process have been initiated, in accordance with the above-referenced guidance (EPA 2006), and a set of decision rules and questions to be answered to complete the DQO process are provided in Table 1.1. As part of the process, meetings have taken place with DOE, EPA, and Kentucky to review and discuss the scoping document, these discussions included Table 1.1 in this document. Table 1.1 states the goals and outlines the decision rules, evaluation methods, and data needs that will determine the final action undertaken at the SOU SWMUs/AOCs.




Figure 1.4. DQO Process

Table 1.1. Decision Rules, Evaluation Methods, and Data Needs for SOU

GOAL 1: CHARACTERIZE NATURE AND EXTENT OF SOURCE ZONE AND CONTAMINATION IN SOIL

Decisions and questions

- 1-1: What are the suspected contaminants?
- 1-2: What are the plant processes that could have contributed to the contamination? When and over what duration did releases occur?
- 1-3: What are the concentrations and activities at the source?
- 1-4: What is the area and volume of the source zone? What is the vertical and lateral extent of contamination?
- 1-5: What are the chemical and physical properties of associated material at the source areas?
- 1-6: What are the past, current, and potential future migratory paths?

Decision rule

D1a: If contamination is detected, then determine the concentration(s), the vertical and lateral extent, and the potential future migration paths. If the concentration of analytes found in the source zone could result in a cumulative excess lifetime cancer risk (ELCR) greater than 1×10^{-6} or a cumulative Hazard Index (HI) greater than 1 through contact with contaminated media, **or** if the concentration of analytes in the source zone could result in detrimental impacts to nonhuman receptors through contact with contaminated media as indicated by exceeding ecological screening criteria, **and** if the concentrations of analytes in the source zone are greater than those expected to occur naturally in the environment, then evaluate actions that will mitigate risk; otherwise pursue a “no further action” decision (see D1b and D1c).

Evaluation method

Screening
 Quantitative comparisons by medium between maximum detected concentrations of analytes in the source zone and preliminary remediation goals (PRGs) (industrial worker scenario inside secure area and teen recreator scenario outside secure area) and background concentrations
 Quantitative comparison by medium between maximum detected concentrations of analytes and nonhuman receptor benchmarks

Data needs

Results of previous investigations and reports to target sampling locations and analytical requirements
 Sampling data from each medium and subsurface characterization information including stratigraphy
 Site use and activity history
 Procedures and methods for human health and ecological risk assessments of source units

Baseline

Completion of baseline human health risk (BHHRA) and screening ecological risk assessments (SERA)

Table 1.1. Decision Rules, Evaluation Methods, and Data Needs for SOU (Continued)

| Decision rule | Evaluation method | Data needs |
|--|--|--|
| <p>D1b: If concentrations of analytes found in the source zone exceed applicable or relevant and appropriate requirements (ARARs), then evaluate actions that will bring contamination within the source zone into compliance with ARARs; seek an ARAR waiver; or propose/obtain alternative standards.</p> | <p>Quantitative comparison by medium between analyte concentrations and ARARs</p> | <p>Results of previous investigations and reports to target sampling locations and analytical requirements</p> |
| | | <p>Sampling data from each medium</p> |
| | | <p>Site use and activity history</p> |
| | | <p>List of chemical-specific ARARs</p> |
| | | <p>Procedures and methods for performing comparisons</p> |
| <p>D1c: If contaminants found at the site are known to transform or degrade into chemicals that could lead to increased risks to human health or the environment or into chemicals for which there are ARARs, and if the concentrations of these contaminants could result in risks greater than those defined in D1a or concentrations greater than ARARs, then evaluate actions that will mitigate potential future risk or obtain compliance with ARARs; seek an ARAR waiver in accordance with EPA guidance; or propose/obtain alternative standards.</p> | <p>Completion of a BHHRA and SERA that considers transformation and degradation of contaminants found in the source zone</p> | <p>Results of previous investigations and reports to target sampling locations and analytical requirements</p> |
| | <p>Quantitative comparison by medium between analyte concentrations and ARARs</p> | <p>Sampling data from each medium</p> |
| | | <p>Site use and activity history</p> |
| | | <p>Analyte degradation or transformation paths</p> |
| | | <p>List of chemical-specific ARARs</p> |
| | | <p>Geochemical and biological parameters that could affect chemical degradation and transformation</p> |
| | | <p>Procedures and methods for human health and ecological risk assessments and comparison with ARARs</p> |

Table 1.1. Decision Rules, Evaluation Methods, and Data Needs for SOU (Continued)

| GOAL 2: DETERMINE SURFACE AND SUBSURFACE TRANSPORT MECHANISMS AND PATHWAYS | |
|--|---|
| Decisions and questions | |
| 2-1: What are the contaminant migration trends? | |
| 2-2: What are the effects of underground pipelines and plant operations on migration pathways including ditches? | |
| 2-3: What are the physical and chemical properties of the formations and subsurface matrices? | |
| Decision rule | Data needs |
| <p>D2a: If contaminants are found in the source zone, and if these contaminants are found to be migrating from the source zone at concentrations that result in a cumulative ELCR greater than 1×10^{-6} or a cumulative HI greater than 1 through use of contaminated media at downgradient points of exposure, and the concentrations of analytes are greater than those expected to occur naturally in the environment, then evaluate actions that will mitigate risk; otherwise do not consider risk posed by migratory pathways when evaluating remedial alternatives for the unit (see D3b).</p> | <p>Results of analyses performed under Dia</p> <p>Procedures and methods for human health and ecological risk assessment of source units</p> <p>Current and expected land-use patterns</p> <p>Results of models [e.g., Multimedia Environmental Pollutant Assessment System (MEPAS), Residual Radioactive Materials (RESRAD), Seasonal Soil Compartment Model (SESOL)] that can predict future soil contaminant concentrations at exposure points</p> <p>Modeling parameters including chemical parameters, mineralogy, reduction-oxidation potential, porosity, and stratigraphy</p> |
| Decision rule | Evaluation method |
| <p>D2a: If contaminants are found in the source zone, and if these contaminants are found to be migrating from the source zone at concentrations that result in a cumulative ELCR greater than 1×10^{-6} or a cumulative HI greater than 1 through use of contaminated media at downgradient points of exposure, and the concentrations of analytes are greater than those expected to occur naturally in the environment, then evaluate actions that will mitigate risk; otherwise do not consider risk posed by migratory pathways when evaluating remedial alternatives for the unit (see D3b).</p> | <p><u>Screening</u></p> <p>Quantitative comparisons by medium between modeled contaminant concentrations and PRGs (industrial worker scenario inside secure area and teen recreator scenario outside secure area) and background concentrations</p> <p><u>Baseline</u></p> <p>Completion of a BHHRA for exposure points located away from the unit to which contaminants may migrate</p> |

Table 1.1. Decision Rules, Evaluation Methods, and Data Needs for SOU (Continued)

| Decision rule | Evaluation method | Data needs |
|--|---|---|
| <p>D2b: If contaminants are found in the source zone and if these contaminants are found to be migrating from the source zone at concentrations that exceed ARARs, then evaluate actions that will bring migratory concentrations into compliance with ARARs; waive ARARs or obtain alternate standards; otherwise, do not consider ARARs when examining migratory pathways during the evaluation of remedial actions (see D3a).</p> | <p>Quantitative comparison by medium between modeled analyte concentrations at downgradient exposure points and ARARs</p> | <p>Results of analyses performed under D1b</p> |
| | | <p>List of chemical-specific ARARs</p> |
| | | <p>Current and expected land-use patterns</p> |
| | | <p>Results of models (e.g., MEPAS, RESRAD, SESOIL) that can predict future soil contaminant concentrations at exposure points (Geochemical equilibrium will be addressed in the RI report.)</p> |
| | | <p>Modeling parameters including chemical parameters, mineralogy, reduction-oxidation potential, porosity, and stratigraphy</p> |

Table 1.1. Decision Rules, Evaluation Methods, and Data Needs for SOU (Continued)

| GOAL 3: COMPLETE A BASELINE RISK ASSESSMENT FOR THE SOU | | |
|--|--|--|
| Decisions and questions | | |
| 3-1: | Where do the contaminant concentrations exceed no action levels? | |
| 3-2: | Are isolated areas of contamination present or is contamination general? | |
| 3-3: | What are the contaminants of concern (COCs) that define the contamination? | |
| 3-4: | What are the no action levels? | |
| 3-5: | Are SWMUs/AOCs within the SOU similar enough to be addressed in the same manner? | |
| Decision rule | Evaluation method | Data needs |
| D3a: Determine if isolated contamination exists or if contamination is general; if isolated contamination exists, determine its extent. Use this information to determine where action is required and where no further action is necessary. | Quantitative comparisons by medium between maximum detected concentrations of analytes in the source zone and PRGs (industrial worker scenario inside secure area and teen recreator scenario outside secure area) and background concentrations | Historical data Proposed no action levels |
| | Quantitative comparison by medium between maximum detected concentrations of analytes and nonhuman receptor benchmarks | Analytical levels |
| | Quantitative comparison by medium between analyte concentrations and ARARs | Resource levels |

Table 1.1. Decision Rules, Evaluation Methods, and Data Needs for SOU (Continued)

| GOAL 4: COMPLETE EVALUATION OF REMEDIAL ALTERNATIVES | | |
|--|--|--|
| Decisions and questions | | |
| Decision rule | Evaluation method | Data needs |
| <p>4-1: What are the possible remedial technologies applicable for this unit?</p> <p>4-2: What are the physical and chemical properties of media to be remediated?</p> <p>4-3: Are cultural impediments present?</p> <p>4-4: What is the extent of contamination (geologic limitations presented by the source zone)?</p> <p>4-5: What would be the impact of action on and by other sources?</p> <p>4-6: What would the impact of an action at the source be on the integrator units?</p> <p>4-7: What are stakeholders' perceptions of contamination at or migrating from source zone?</p> | <p>Use of results of BHHRA and SERA to determine if action is needed</p> <p>Use of results of comparison of contaminant concentrations to ARARs to determine if action is needed</p> <p>Qualitative (or quantitative) assessment of decrease or increase in risk to human health and the environment as a result of implementation</p> <p>Evaluation of ARARs</p> <p>Evaluation of existing risk management procedures or activities currently being conducted at the site</p> | <p>Data listed for D1a, D1b, D1c, D2a, and D2b</p> <p>Methods for qualitative (or quantitative) analyses of decrease or increase in risk to human health and the environment as a result of implementation</p> <p>Additional physical parameters including compaction, grain size, cation exchange, thermodynamic conductivity, dielectric constants, chemical oxygen demand, pH, and moisture content of soils</p> <p>List of ARARs</p> |

1.4 OBSERVATIONAL APPROACH

The Observational Approach (OA) is a method for identifying and managing uncertainties. The OA emphasizes determining what to do next by evaluating existing information and iterating between collecting new data and taking further action. The name “Observational Approach” is derived from observing parameters during implementation. OA should be encouraged in situations where the uncertainty is large, the vision of what is expected or required is poor, and the cost of obtaining more certainty is very high.

The philosophy of OA, when applied to waste site remediation, is that a remedial action can be expedited. The approach provides a logical decision framework through which planning, design, and implementation of remedial actions can proceed with increased confidence. OA incorporates the concepts of data sufficiency, identification of reasonable deviations, preparation of contingency plans, observation of the systems for deviations, and implementation of the contingency plans. Determinations of performance measures and the quality of new data are completed as the steps are implemented.

The iterative steps of site characterization, developing and refining a site conceptual model, and identifying uncertainties in the conceptual model are similar to traditional approaches. The concept of addressing uncertainties as reasonable deviations is unique to OA and offers a qualitative description of data sufficiency for proceeding with site remediation.

To deal with uncertainties identified in the SOU, OA has been used to design the sampling strategy for the SOU RI/FS. The key concepts are as follows:

- The RI strategy is based on a specified “most probable site condition,” which, for the SOU RI/FS, assumes that contamination is limited to surface and near surface soil (0 to 4 ft bgs) and is potentially adversely impacting human health and welfare or an impact to the environment has occurred.
- Reasonable deviations from the most probable site condition are identified. One reasonable deviation for the SOU RI/FS is that no contamination is adversely impacting human health and welfare or the environment. Other reasonable deviations would be that contamination has migrated to depths greater than 4 ft bgs, but still within the SOU bound of 10 ft bgs (16 ft bgs at pipelines) and to either the SWOU or GWOU. Site conditions should not differ significantly from the postulated conditions shown in the conceptual models.
- Site assessment factors are identified for observation to detect contamination. These factors include sensory observation of contamination (sight and smell), field screening with portable instruments, geophysical surveys, historical data evaluation, and laboratory analysis of samples.
- The Field Sampling Plan (FSP), discussed in Chapter 9 of this document, presents the method by which the most probable site conditions will be investigated. It also presents a contingency plan to deal with deviations from the most probable site conditions.

THIS PAGE INTENTIONALLY LEFT BLANK

2. PROJECT ORGANIZATION AND MANAGEMENT PLAN

This section presents the project organization for this SOU RI/FS. The topics addressed in this section include project organization, project coordination, and project schedule.

2.1 PROJECT ORGANIZATION, RESPONSIBILITIES, AND STAFFING

The organization chart shown in Figure 2.1 outlines the management structure that will be used for implementing the SOU RI/FS. The responsibilities of key personnel are described in the following paragraphs.

2.1.1 DOE Project Manager

The DOE Project Manager will provide technical and management oversight for DOE for the SOU RI/FS. This individual also will be the primary interface between EPA and Kentucky regulators and the DOE Prime Contractor.

2.1.2 DOE Prime Contractor ER Manager

The DOE Prime Contractor ER Manager will have overall programmatic responsibility for the Contractor for the technical, financial, and scheduling of matters related to the SOU RI/FS. This individual will interface with DOE and the regulators, as appropriate.

2.1.3 DOE Prime Contractor Data Manager


The DOE Prime Contractor Data Manager is responsible for long-term storage of project data and for transmitting data to external agencies according to DOE 1998e and the Paducah Data Management Policy. The DOE Prime Contractor Data Manager ensures compliance to policies and procedures relating to data management with respect to the project.

2.1.4 DOE Prime Contractor Lab Coordinator

The DOE Prime Contractor Lab Coordinator is responsible for contracting any fixed-base laboratory utilized during the SOU sampling activities. The DOE Prime Contractor Lab Coordinator also provides coordination for sample shipment to the laboratory, reviews the contractual screening section of data assessment packages, and transmits data packages to the Paducah Document Management Center (DMC).

2.1.5 DOE Prime Contractor RI Project Manager

The RI Project Manager will have overall responsibility for implementing the investigation, including all plans and field activities conducted as part of the RI/FS, including monitoring the work plan implementation, including sampling and waste management activities. This individual will serve as the RI technical lead and the principal point of contact. The RI Project Manager will track the project budget and schedules and will delegate specific responsibilities to project team members. This individual also is responsible for the preparation of any field change orders.



U.S. DEPARTMENT OF ENERGY
DOE PORTSMOUTH/PADUCAH PROJECT OFFICE
PADUCAH GASEOUS DIFFUSION PLANT



Figure 2.1 SOU Project Organizational Chart

2.1.6 DOE Prime Contractor Safety & Health Representative

The Safety and Health Representative (SHR), oversees that health and safety procedures designed to protect project personnel are maintained throughout the field effort for this project. This individual will also ensure the implementation of an Integrated Safety Management System (ISMS) for all aspects of the assessment. ISMS is dedicated to the concept that all accidents are preventable. Accordingly, the DOE Prime Contractor, the RI Team, and all subcontractors will be expected to achieve and sustain “Zero-Accident Performance” through continuous improvement practices. “Zero-Accident Performance” includes zero unpermitted discharges or releases with respect to protection of the environment.

2.1.7 DOE Prime Contractor QA Specialist

The Quality Assurance (QA) Specialist will provide oversight and approval for the project. This individual also will conduct audits and surveillances and approve any field changes that may impact project quality.

2.1.8 DOE Prime Contractor Field Team Manager

The Field Team Manager (FTM) provides technical oversight for all field team activities during the investigation.

2.1.9 DOE Prime Contractor Project Records Coordinator

The Project Records Coordinator will be responsible for all activities relating to identification, acquisition, classification, indexing, and storage of project records related to the investigation. The project records will include data documentation materials, plans, procedures, and all project file requirements.

2.1.10 DOE Prime Contractor Waste Management Coordinator

The Waste Management Coordinator (WMC) will be responsible for ensuring adherence to the Waste Management Plan (WMP) that is described in Chapter 13 of this document and for documenting and tracking field-related activities, including waste generation and handling, waste characterization sampling, waste transfer, and waste labeling.

2.1.11 DOE Prime Contractor Data Management Team

The Data Management Team will be responsible for the coordination of all investigation-sampling activities, including coordination with the DOE Prime Contractor Sample Management Office (SMO). This group will ensure all quality control (QC) sampling requirements are met, chain-of-custody forms are properly generated, and that compliance with off-site shipping requirements is achieved. The Data Management Team also will be responsible for managing data generated during the investigation in accordance with the Data Management Implementation Plan (DMIP) described in Chapter 12 of this document.

2.2 PROJECT COORDINATION

Coordination and liaison between the DOE Prime Contractor and Subcontractor personnel will occur at various levels and among personnel appropriate to each level. Routine reports, such as monthly reports, will be prepared by the Subcontractor Project Manager and then submitted to the DOE Prime Contractor RI Project Manager, Contracts Procurement Office, Contracts Coordinator, or other designated recipient.


2.3 PROJECT TASKS AND IMPLEMENTATION PLAN

The RI/FS Implementation Plan for this project is shown in Figure 2.2. This plan represents a logical approach to implementation of the project, as described below.

- (1) The first step in this process was initial scoping of the project internally and with EPA and Kentucky.
- (2) The next step was preparation of this RI/FS Work Plan. As part of this task, existing data were evaluated to develop the conceptual models. In turn, the conceptual models were used to identify site unknowns, and a sampling strategy was designed to meet the FFA requirements and to address these unknowns.
- (3) Implementation of the work plan will begin with procurement of subcontract services, such as sampling and surveying.
- (4) Field activities will consist of several discrete activities, as outlined in this work plan, including sampling, sample handling, decontamination, waste management, and documentation. In addition, Environment, Safety, and Health (ES&H) and field QA coordination will occur concurrently with the other activities.
- (5) Field and laboratory data will be reduced, validated, verified, and assessed. Data validation will be conducted by an independent third party and will be initiated once the first sample delivery group of data has been received and checked for completeness. Each of these steps will be handled separately and will follow prescribed procedures to ensure that defensible data are obtained. The data will be formatted for incorporation into the PGDP database and archived for future use.
- (6) Technical exchange meetings will be conducted among personnel from EPA, Kentucky, DOE, and DOE Prime Contractor to evaluate the existing and collected data and determine future actions.
- (7) Non-field-related tasks that also will be performed during the RI/FS include coordination of community relations during the project, preparation of a BHHRA, SERA, implementation of the QA program, evaluation of remedial technologies, and implementation of treatability studies.
- (8) An RI report, followed by an FS report, will be prepared and issued after samples and data have been processed.
- (9) Project management, tracking, and reporting will be conducted concurrently with all activities.

2.4 PROJECT SCHEDULE

Figure 2.2 provides a schedule of the activities proposed for the SOU RI/FS Work Plan implementation. These schedules are estimates for planning and are included here for informational purposes only and are not intended to establish enforceable schedules or milestones. Enforceable milestones are contained in Appendix C of the FFA and Appendix 5 of the SMP (DOE 2009a).



NOTE: Schedule for planning purposes only. Enforceable milestones are set forth in the FFA and SMP.

U.S. DEPARTMENT OF ENERGY
DOE PORTSMOUTH/PADUCAH PROJECT OFFICE
PADUCAH GASEOUS DIFFUSION PLANT



Figure 2.2. Implementation Plan Schedule

The following assumptions were used to develop this schedule. Delays in or changes to any of these assumptions could result in overall scope delay.

- EPA and KDEP will approve the D2 SOU RI/FS Work Plan by September 14, 2009.
- The DOE Prime Contractor will initiate the procurement process to allow a Notice-to-Proceed, with field activities to be issued to the Subcontractor in Fiscal Year 2009 in accordance with current funding profiles.
- The schedule, as shown, does not account for schedule delays resulting from inclement weather conditions such as rain or snow.
- Laboratory analysis reports for individual data packages will be received within 60 days of the completion of all samples contained in that data package.
- Data verification, validation, and assessment activities for individual data packages will be available within 60 days of receipt of the laboratory analysis reports for the data package.
- If additional sampling is required, then the completion date of subsequent tasks will be delayed.

2.5 RI/FS WORK PLAN ACTIVITIES

2.5.1 Security Plan

A security plan will be written for the SOU RI/FS fieldwork. This plan will address security issues/concerns for the project, while working inside the security fence at PGDP. The classification status could result in restricting access during RI field activities, as well as additional reviews and oversight. This security plan will be completed prior to field mobilization. All field team members will be required to read the plan prior to participating in SOU field activities.

2.5.2 Field Preparation Activities

The FTM will ensure that a field planning meeting occurs before the internal field review and before work begins at the site so that all involved personnel, including employees of the subcontractors, DOE Prime Contractor, and DOE, as appropriate, will be informed of the requirements of the fieldwork associated with the project.

In addition, an internal field review will be held in accordance with DOE Prime Contractor procedures. Any contingency items identified during the review must be completed prior to the DOE Prime Contractor providing a notice to proceed to the Subcontractor for initiating fieldwork activities.

2.5.3 Field Investigation

Activities to be conducted during the field investigation include mobilization, implementation of ES&H procedures, geophysical surveys, soil sampling, waste management, and implementation of QA procedures. In addition, surveying activities will be performed to provide horizontal and vertical references for characterizing of locations.

2.5.4 Data and Analytical Activities

Activities concerning the data and analytical assessments are discussed in the following chapters:

- Baseline Risk Assessment—Chapter 6
- Treatability Studies—Chapter 7
- FS—Chapter 8
- Data and Records Management—Chapter 12

Additionally, the following support the work to be conducted during this RI/FS:

- Community Relations—Chapter 14
- ARARs—Appendix A
- Document Outlines—Appendix B
- Historical Data Summary—Appendix C

THIS PAGE INTENTIONALLY LEFT BLANK

3. REGULATORY SETTING

The sections that follow provide a condensed version of the regulatory framework for PGDP. The summary in this chapter is intended to provide readers with general knowledge of the facility and the regulatory protocol that guides environmental management activities at PGDP. Detailed descriptions can be found in the *Site Management Plan, Paducah Gaseous Diffusion Plant, Paducah, Kentucky* (DOE 2009a).

3.1 ADMINISTRATIVE CONSENT ORDER

Kentucky, EPA, and DOE entered into the ACO effective November 23, 1988, after the discovery of contamination in residential wells north of PGDP. The ACO is a legally binding agreement for the participating parties that initiated the investigation into the nature and extent of the contamination in these wells. The contaminants are believed to have originated as process-derived wastes or commonly used materials employed during the operational history of PGDP.

The ACO initiated the investigative activities designed to determine the extent and sources of off-site contamination surrounding PGDP. The site investigation (SI) was completed in 1992 under the guidelines of the ACO. The prior requirements of the ACO were superseded by the execution of the FFA.

3.2 ENVIRONMENTAL PROGRAMS

Environmental sampling at PGDP is a multimedia (air, water, soil, sediment, direct radiation, and biota) program of chemical, radiological, and ecological monitoring and environmental monitoring that consists of two activities: effluent monitoring and environmental surveillance. Although the evaluation and assessment of unplanned releases are addressed in this plan, emergency monitoring and responsibilities for this activity are not included. As part of the ongoing ER activities, SWMUs and AOCs both on and off DOE property have been identified. Characterization and/or remediation of these sites will continue pursuant to the CERCLA, and the Hazardous and Solid Waste Amendments (HSWA) corrective action conditions of the Resource Conservation and Recovery Act (RCRA) Permit. RCRA and CERCLA requirements are coordinated by DOE, EPA, and Kentucky through the FFA.

3.3 RESOURCE CONSERVATION AND RECOVERY ACT

The primary purpose of RCRA is to protect human health and the environment through the proper management of hazardous wastes at operating sites.

RCRA requirements for PGDP are contained in PGDP's Hazardous Waste Management Permit (KY8-890-008-982, originally issued July 1991, reissued September 2004). This permit originally was issued by both Kentucky and EPA. EPA's portion of the RCRA permit was limited to the HSWA provisions of RCRA, which include corrective action requirements for SWMUs. Kentucky became authorized in 1996 for corrective actions; therefore, the reissued permit was issued solely by Kentucky. The RCRA permit contains regulatory provisions for treatment, storage, and disposal units, as well as provisions requiring corrective action for SWMUs.

3.4 CERCLA/NATIONAL PRIORITIES LIST

PGDP was placed on the NPL on May 31, 1994. In accordance with Section 120 of CERCLA, DOE entered into an FFA with EPA and Kentucky. The FFA established one set of consistent requirements for achieving comprehensive site remediation in accordance with RCRA and CERCLA, including stakeholder involvement.

Section XVIII of the FFA requires DOE to submit an annual SMP, which details the strategic approach for achieving cleanup under the FFA.

3.5 NATIONAL ENVIRONMENTAL POLICY ACT

The intent of the National Environmental Policy Act (NEPA) is to promote a decision-making process that results in minimization of adverse impacts to human health and the environment. On June 13, 1994, the Secretary of Energy issued a Secretarial Policy (Policy) on NEPA that addresses NEPA requirements for actions taken under CERCLA. Section II.E of the Policy indicates that to facilitate meeting the environmental objectives of CERCLA and respond to concerns of regulators consistent with the procedures of most other federal agencies, DOE hereafter will rely on the CERCLA process for review of actions to be taken under CERCLA and will address NEPA values. DOE CERCLA documents will incorporate NEPA values, such as analysis of cumulative, off-site, ecological, and socioeconomic impacts, to the extent practicable.

3.6 INVESTIGATIVE OVERVIEW

This SOU RI/FS Work Plan defines the additional sampling necessary to obtain sufficient data to complete the risk assessment and the FS for the SOU. Many of these SWMUs/AOCs have been investigated previously during an RI. The strategy for this work plan is to complete a characterization of the nature and extent of contamination for each SWMU/AOC.

4. PHYSICAL CHARACTERISTICS OF THE STUDY AREA

The sections that follow provide a condensed version of the environmental setting for PGDP. This summary provides an overview of information pertaining to location, demography, geology, hydrogeology, ecology, and climatology.

4.1 LOCATION AND DESCRIPTION

PGDP is located ~10 miles west of Paducah, Kentucky (population ~26,000), and 3.5 miles south of the Ohio River in the western part of McCracken County (Figure 4.1). The DOE site is composed of 652 acres of which are within a fenced security area, 785 acres are located outside the security fence, and the 1,986 acres that are licensed to Kentucky as part of the West Kentucky Wildlife Management Area (WKWMA). Bordering the PGDP reservation to the northeast, between the plant and the Ohio River, is a Tennessee Valley Authority (TVA) reservation on which the Shawnee Steam Plant is located (Figure 4.2).

4.2 DEMOGRAPHY AND LAND USE

PGDP is surrounded by WKWMA and some sparsely populated agricultural lands. The closest communities to the plant are Heath, Grahamville, and Kevil, all of which are located within three miles of DOE Reservation boundaries. The closest municipalities are Paducah, Kentucky; Cape Girardeau, Missouri, which is ~40 miles west of the plant; and the cities of Metropolis and Joppa, Illinois, which are located across the Ohio River from PGDP. Figure 4.3 shows the locations of sensitive subpopulations such as schools and churches and their relative locations to PGDP.

Historically, the economy of western Kentucky has been based on agriculture, although there has been increased industrial development in recent years. The population of McCracken County is estimated to be ~65,000 with a population density of 885 to 3,188 persons per square mile and Ballard County has ~8,300 with a population density of 72 to 254 persons per square mile according to the 2000 U.S. Census, 2007 estimates.

In addition to the residential population surrounding the plant, WKWMA draws thousands of visitors each year for recreational purposes. This area is used by visitors, primarily for hunting and fishing, but other activities include horseback riding, hiking, and bird watching. According to WKWMA management, an estimated 5,000 fishermen visit the area each year.

4.3 SURFACE FEATURES

The dominant topographic features are nearly level to gently sloping dissected plains with shallow, narrow valleys and ridgetops and with steep ridge slopes and valley sides. The elevations of the stream valleys in the dissected plains are up to 30.5 m (100 ft) lower than the adjoining uplands.

Local elevations range from 290 ft above mean sea level (amsl) along the Ohio River to 450 ft amsl southwest of PGDP near Bethel Church Road. Generally, the topography in the PGDP area slopes toward the Ohio River at an approximate gradient of 27 ft per mile (CH2M HILL 1992). Ground surface elevations vary from 360 to 390 ft amsl within the PGDP plant boundary.




Figure 4.1 PGDP Site Location




Figure 4.2. Land Ownership in Proximity to DOE Site




Figure 4.3. Sensitive Subpopulations in Proximity to DOE Site

4.4 METEOROLOGY

The climate of the region may be broadly classified as humid-continental. The term “humid” refers to the surplus of precipitation versus evapotranspiration that normally is experienced throughout the year. The “continental” nature of the local climate refers to the dominating influence of the North American landmass. Continental climates typically experience large temperature changes between seasons.

Current and historical meteorological information regarding temperature, precipitation, and wind speed/direction was obtained from the National Oceanic and Atmospheric Administration’s (NOAA) National Climatic Data Center. Additional data were obtained from the National Weather Service office at Barkley Regional Airport.

The 22-year average monthly temperature is 58.0°F, with the coldest month being January with an average temperature of 35.1 °F and the warmest month being July with an average temperature of 79.2 °F.

The 22-year average monthly precipitation is 4.00 inches, varying from an average of 2.73 inches in August (the monthly average low) to an average of 4.58 inches in April (the monthly average high). The total precipitation for 2005 was 37.45 inches, compared to the normal of 49.24 inches

4.5 SURFACE WATER HYDROLOGY

PGDP is located in the western portion of the Ohio River basin, approximately 15 miles downstream of the confluence of the Ohio River with the Tennessee River and approximately 35 miles upstream of the confluence of the Ohio River with the Mississippi River. Multiple groundwater aquifers underlie the PGDP. The shallowest aquifers occur in the Continental Deposits and the McNairy Formation, both of which discharge into the Ohio River north of PGDP. Surface water/groundwater relationships vary significantly across the SWOU. A large, downward, vertical hydraulic gradient across the shallow groundwater system typically limits the amount of groundwater discharge to the ditches of the PGDP and adjacent creeks. Gaining reaches in the creeks are found on Bayou Creek south of PGDP and on Little Bayou Creek (LBC) to the north of PGDP near the Ohio River. Bayou Creek also is a gaining stream north of the plant near the Ohio River.

Locally, PGDP is within the drainage areas of the Ohio River, Bayou Creek (also known as Big Bayou Creek) and LBC. The Ohio River is located approximately 3.5 miles north of the PGDP. It is the most significant surface-water feature in the region, carrying over 25 billion gal/day of water through its banks. Several dams regulate flow in the Ohio River. The Ohio River stage near PGDP is measured at Metropolis, Illinois, by a United States Geological Survey (USGS) gauging station. River stage typically varies between 293 and 335 ft amsl over the course of a year. Water levels on the lower Ohio River generally are highest in late winter and early spring and lowest in late spring and early summer. The entire PGDP is above the historical high water floodplain of the Ohio River (CH2M HILL 1991) and above the local 100-year flood elevation of the Ohio River (333 ft).

The plant is situated on the divide between Little Bayou and Bayou Creeks (Figure 4.4). Surface flow is east-northeast toward LBC and west-northwest toward Bayou Creek. Bayou Creek is a perennial stream on the western boundary of the plant that flows generally northward, from approximately 2.5 miles south of the plant site to the Ohio River along a 9-mile course. An 11,910-acre drainage basin supplies Bayou Creek. LBC becomes a perennial stream at the east outfalls of PGDP. The LBC drainage originates within




Figure 4.4. Surface Water Features in the Vicinity of the DOE Site

WKWMA and extends northward and joins Bayou Creek near the Ohio River along a 6.5-mile course within a 6,000-acre drainage basin. Drainage areas for both creeks are generally rural; however, they receive surface drainage from numerous swales that drain residential and commercial properties, including WKWMA, PGDP, and the TVA Shawnee Steam Plant. The confluence of the two creeks is approximately 3 miles north of the plant site, just upstream of the location at which the combined flow of the creeks discharge into the Ohio River.

The USGS maintains gauging stations on Bayou Creek at 4.1 and 7.3 miles upstream of the Ohio River and a gauging station on LBC at 2.2 miles upstream from its confluence with Bayou Creek. The mean monthly discharges vary from 20.5 to 38.8 million gal/day on Bayou Creek and from 0.7 to 20.5 million gal/day on LBC.

Most of the flow within Bayou and LBCs is from process effluents or surface water runoff from PGDP. Contributions from PGDP comprise approximately 85% of flow within Bayou Creek and 100% of flow within LBC. A network of ditches discharge effluent and surface water runoff from PGDP to the creeks. Plant discharges are monitored at the Kentucky Pollutant Discharge Elimination System (KPDES) outfalls prior to discharge into the creeks. Outfalls 002, 010, 011, 012, 013, and 018 receive water from the eastern-most portion of the plant and discharge to LBC. Water from the western portion of the plant drains to Bayou Creek through Outfalls 001, 006, 008, 009, 014, 015, 016, and 017. Outfall 019 monitors runoff discharge to the North-South Diversion Ditch (NSDD) from the C-746-U Landfill, located north of PGDP.

Several major surface water impoundments are located within the plant property and are utilized for various sanitary or process water management needs. The C-616 Lagoons are located near the northwest corner of the plant. Effluent from the plant's phosphate water processing facility is discharged into the C-616-F Lagoon, where sludge is allowed to settle. These lagoons discharge through Outfall 001 to Bayou Creek. The C-611 Lagoons are located to the southwest of the main plant complex. These lagoons serve as settling basins for effluent from the C-611 Sanitary Water Processing Plant. Water from the Ohio River is brought into the water plant where it is treated, primarily with water softening agents, and fed to PGDP for multiple uses. These lagoons discharge through Outfalls 006 and 014 to Bayou Creek.

In the fall of 2002 and winter of 2003, DOE constructed a sedimentation basin (C-613 Northwest Storm Water Control Facility) near the northwest corner of the plant to support removal and disposition of scrap metal. Effluent from the C-613 basin discharges through Outfall 001 to Bayou Creek. In March 2004, DOE completed construction of a detention basin in Section 2 of the NSDD (north central area of the plant). This detention basin contains storm-water runoff to the NSDD until it can be transferred to the C-616-F Lagoon for treatment, via the C-616-C Lift Station. Prior to the detention basin's construction, three culverts were plugged (Fall 2003) at the north security fence to prevent runoff from exiting the plant via the NSDD; therefore, no effluents from the industrialized areas of PGDP currently flow through Sections 3, 4, and 5 of the NSDD.

Other surface water bodies in the vicinity of PGDP include the following: Metropolis Lake, located east of the Shawnee Steam Plant; several small ponds, clay and gravel pits, and settling basins scattered throughout the area; and a marshy area just south of the confluence of Bayou Creek and LBC. The smaller surface water bodies are expected to have only localized effects on the regional groundwater flow pattern.

4.6 GEOLOGY OF PGDP

PGDP is located in the Jackson Purchase region of western Kentucky, which represents the northern tip of the Mississippi Embayment portion of the Coastal Plain Province. The Jackson Purchase region is an area

of land that includes all of Kentucky west of the Tennessee River. The stratigraphic sequence in the region consists of Cretaceous, Tertiary, and Quaternary sediments unconformably overlying Paleozoic bedrock.

Information presented herein regarding the geologic setting at PGDP was derived from the *Report of the Paducah Gaseous Diffusion Plant Groundwater Investigation Phase III* (Clausen et al. 1992). Subsequent sections will briefly discuss the formations represented in Figure 4.5 to acquaint the reader with PGDP geology.

4.6.1 Bedrock

The entire PGDP area is underlain by Mississippian carbonates, consisting of dark gray limestone with some interbedded chert and shale.

4.6.2 Rubble Zone

A rubble zone of chert gravel commonly is encountered in soil borings at the top of the bedrock. The age and continuity of the rubble zone remain undefined.

4.6.3 McNairy Formation

The McNairy Formation consists of Upper Cretaceous sediments of grayish-white to dark-gray micaceous silt and clay with interbedded, gray to yellow to reddish-brown, very fine- to medium-grained sand. A basal sand member also is present at PGDP.

4.6.4 Porters Creek Clay/Porters Creek Terrace

The Paleocene Porters Creek Clay occurs in the southern portions of the site and consists of dark-gray to black silt with varying amounts of clay and fine-grained, micaceous, commonly glauconitic, sand. The Porters Creek Clay subcrops along a buried terrace slope that extends east–west across the site. Erosion into the Paleocene Porters Creek Clay, after the deposition of overlying Eocene through Pleistocene sediments (Eocene sands and terrace gravels), resulted in an important hydrogeologic feature known as the Porters Creek terrace. The Porters Creek terrace lies immediately south of PGDP; the terrace slope extends northward toward the southern boundary of the PGDP fenced security area. The Porters Creek terrace is hydrogeologically important because it is the southern extent of the lower continental deposits and the Regional Gravel Aquifer (RGA).

4.6.5 Eocene Sands

Eocene sands are found south of PGDP above the Porters Creek Clay. These sands are believed to be composed of undifferentiated sediments of the Claiborne Group and Wilcox Formation. Olive (1980) describes the sands as predominantly clear quartz with minor amounts of gray quartz and chert with interbedded and interlensing silts and clays. The Eocene sands thicken south of PGDP and may serve as a significant water-bearing unit south of the plant.




Figure 4.5. CSM for Geologic Formations at PGDP

Source: Clausen et al. 1992a

4.6.6 Continental Deposits

Continental sediments [Pliocene(?) to Pleistocene—a question mark indicates uncertain age] unconformably overlie the Cretaceous through Eocene strata throughout the area. These continental sediments were deposited on an irregular erosional surface exhibiting steps or terraces. The thicker sequences represent valley fill sediments that comprise a fining-upward cycle. The continental sediments have been divided into the two distinct facies described below.

- (1) Lower Continental Deposits. The lower continental deposits are a gravel facies consisting of chert pebbles to cobbles in a matrix of poorly sorted sand and silt. The lower continental deposits have been found at three distinct horizons in the PGDP area.

The first horizon consists of the terrace gravels [consisting of a Pliocene(?) gravel ranging in thickness from 0 to 30 ft], occurring in the southern portion of PGDP area at elevations greater than 350 ft amsl, and overlying the Eocene sands and Porters Creek Clay. The Terrace Gravel is a potential source of the sediments forming the RGA.

The second gravel horizon is terrace gravels located in the southeastern and eastern portions of the DOE boundary on an erosional surface at approximately 320 to 345 ft amsl. The thickness of this unit ranges from 15 to 20 ft.

The third and most prominent of the three horizons consists of a Pleistocene gravel deposit resting on an erosional surface at approximately 280 ft amsl. This gravel is found throughout the plant area and to the north, but pinches out to the south along the slope of the Porters Creek terrace. The gravel deposit averages approximately 30 ft in thickness, but some thicker deposits (as much as 50 ft) exist in deeper scour channels that trend east–west across the site.

- (2) Upper Continental Deposits. The upper facies is composed of fine-grained clastics varying in thickness from 15 to 55 ft. These upper continental deposits have been differentiated into three general horizons: (1) an upper silt and clay interval, (2) an inner-bedded sand and gravel interval, and (3) a lower silt and clay interval. The sand and gravel interval appears relatively discontinuous in cross-sections, but portions may be inner-connected.

4.7 SOILS

The surficial deposits found in the vicinity of PGDP are Pleistocene to Recent in age and consist of loess and alluvium. Both units are composed of clayey silt or silty clay and range in color from yellowish-brown to brownish-gray or tan, making field differentiation difficult.

The loess (wind-blown) deposits overlie the upper continental deposits over the entire PGDP area. Loess deposition probably occurred in upland areas during all stages of the glaciation that extended into the Ohio and Mississippi River Valleys.

4.8 HYDROGEOLOGY OF PGDP

Information presented herein regarding the groundwater setting was derived from the *Report of the Paducah Gaseous Diffusion Plant Groundwater Investigation Phase III* (Clausen et al. 1992). The discussion provides the reader with an overview of the groundwater flow regime for PGDP. The local groundwater flow system at the PGDP site occurs within the sands of the Cretaceous McNairy Formation, Pliocene terrace gravel, Pleistocene lower continental gravel deposits and upper continental deposits, and

Holocene alluvium. Four specific components have been identified for the groundwater flow system and are defined in the following paragraphs.

- (1) **McNairy Flow System.** This component consists of the interbedded and interlensing sand, silt, and clay of the Cretaceous McNairy Formation. Sand facies account for 40–50% of the total formation's thickness of approximately 225 ft. Groundwater flow is predominantly north.
- (2) **Terrace Gravel.** This component consists of Pliocene(?) -aged gravel deposits and later reworked sand and gravel deposits found at elevations higher than 320 ft amsl in the southern portion of the plant site; they overlie the Paleocene Porters Creek Clay and Eocene sands. These deposits usually lack sufficient thickness and saturation to constitute an aquifer.
- (3) **RGA.** This component consists of the Quaternary sand and gravel facies of the lower continental deposits and Holocene alluvium found adjacent to the Ohio River and is of sufficient thickness and saturation to constitute an aquifer. These deposits are commonly thicker than the Pliocene(?) gravel deposits, having an average thickness of 30 ft, and range up to 50 ft along an axis that trends east-west through the plant site. The RGA is the primary local aquifer. Groundwater flow is predominantly north toward the Ohio River.
- (4) **Upper Continental Recharge System (UCRS).** This component consists of the surficial alluvium and upper continental deposits. Sand and gravel lithofacies appear relatively discontinuous in cross-section, but portions may be interconnected. The most prevalent sand and gravel deposits occur at an elevation of approximately 345 to 351 ft amsl; less prevalent deposits occur at elevations of 337 to 341 ft amsl. Groundwater flow is predominantly downward into the RGA from the UCRS, which has a limited horizontal component in the vicinity of PGDP.

Five hydrostratigraphic units (HUs) proposed by Douthitt and Phillips (1991) explain groundwater flow at the PGDP site. In descending order, the HUs are as described below.

Upper Continental Deposits

- HU 1 (UCRS): Loess that covers the entire site.
- HU 2 (UCRS): Discontinuous, sand and gravel lenses in a clayey silt matrix.
- HU 3 (UCRS): Relatively impermeable clay layer that acts as the upper semiconfining-to-confining layer for the RGA. The lithologic composition of this unit varies from clay to sand, but is predominantly clay or silt.
- HU 4 (RGA): Predominantly continuous sand unit with a clayey silt matrix that directly overlies the RGA. This unit is in hydraulic connection with HU 5 and is included as part of the RGA.

Lower Continental Deposits

- HU 5 (RGA): Gravel, sand, and silt.

4.9 ECOLOGICAL SETTING OF PGDP

The following sections give an overview of the terrestrial and aquatic systems at PGDP. A more detailed description, including identification and discussion of sensitive habitats and threatened/endangered

species, is contained in the *Investigation of Sensitive Ecological Resources Inside the Paducah Gaseous Diffusion Plant, Paducah, Kentucky* (CDM 1994) and *Environmental Investigations at the Paducah Gaseous Diffusion Plant and Surrounding Area, McCracken County, Kentucky, Volume V: Floodplain Investigation, Part A: Results of Field Survey* (COE 1994). PGDP and the surrounding area have not had changes that would invalidate the findings of these reports since they were finalized.

4.9.1 Terrestrial Systems

The terrestrial component of the PGDP ecosystem includes the plants and animals that use the upland habitats for food, reproduction, and protection. The upland vegetative communities consist primarily of grassland, forest, and thicket habitats with agricultural areas. Important crops grown in the PGDP area include soybeans, corn, tobacco, and sorghum.

Most of the area in the vicinity of PGDP has been cleared of vegetation at some time, and much of the grassland habitat currently is mowed by PGDP personnel. A large percentage of the adjacent WKWMA is managed to promote native prairie vegetation by burning, mowing, and various other techniques. These areas have the greatest potential for restoration and for establishment of a sizeable prairie preserve in the Jackson Purchase area (KSNPC 1991).

Dominant overstory species of the forested areas include oaks, hickories, maples, elms, and sweetgum. Understory species include snowberry, poison ivy, trumpet creeper, Virginia creeper, and Solomon's seal.

Thicket areas consist predominantly of maples, black locust, sumac, persimmon, and forest species in the sapling stage with herbaceous ground cover similar to that of the forest understory.

Wildlife commonly found in the PGDP area consists of species indigenous to open grassland, thicket, and forest habitats. The species documented to occur in the area are discussed in the following paragraphs.

Small mammal surveys conducted on WKWMA documented the presence of southern short-tailed shrew, prairie vole, house mouse, rice rat, and deer mouse (KSNPC 1991). Large mammals commonly present in the area include coyote, eastern cottontail, opossum, groundhog, whitetail deer, raccoon, and gray squirrel.

Typical birds of the area include European starling, cardinal, red-winged blackbird, mourning dove, bobwhite quail, turkey, killdeer, American robin, eastern meadowlark, eastern bluebird, bluejay, red-tail hawk, and great horned owl.

Amphibians and reptiles present include cricket frog, Fowler's toad, common snapping turtle, green tree frog, chorus frog, southern leopard frog, eastern fence lizard, and red-eared slider (KSNPC 1991).

Mist netting activities in the area have captured red bat, little brown bat, Indiana bat, northern long-eared bat, evening bat, and eastern pipistrelle (KSNPC 1991).

4.9.2 Aquatic Systems

The aquatic communities in and around the PGDP area that could be impacted by plant discharges include two perennial streams (Bayou Creek and LBC), the NSDD, a marsh located at the confluence of Bayou Creek and LBC, and other smaller drainage areas. The dominant taxa in all surface waters include several species of sunfish, especially bluegill and green sunfish, as well as bass and catfish. Shallow streams, characteristic of the two main area creeks, are dominated by bluegill, green and longear sunfish, and stonerollers.

4.9.3 Wetlands and Floodplains

Wetlands were identified during the 1994 U.S. Army Corps of Engineers (COE) environmental investigations of 11,719 acres surrounding PGDP. These investigations identified 1,083 separate wetland areas and grouped them into 16 vegetative cover types encompassing forested, scrub/shrub, and emergent wetlands (COE 1994). Wetland vegetation consists of species such as sedges, rushes, spike rushes, and various other grasses and forbs in the emergent portions; red maple, sweet gum, oaks, and hickories in the forested portions; and black willow and various other saplings of forested species in the thicket portions.

At the PGDP, three bodies of water cause most area flooding: the Ohio River, Bayou Creek, and LBC. A floodplain analysis performed by COE (1994) found that much of the built-up portions of the plant lie outside the 100- and 500-year floodplains of these streams. In addition, this analysis reports that ditches within the plant area can contain the expected 100- and 500-year discharge. It should be noted that precipitation frequency estimates for the 100- and 500-year events were updated in 2004 in the NOAA's Atlas 14. For example, the mean precipitation estimate for the 100-year, 24-hour event in Atlas 14 for the Paducah area is 10.1% to 15% greater than the mean estimate in previous publications. As stated in Atlas 14, in many cases, the mean precipitation estimate used previously still is within the confidence limits of that provided in Atlas 14; therefore, it is assumed the plant ditches still will contain the 100- and 500-year discharges.

THIS PAGE INTENTIONALLY LEFT BLANK

5. CHARACTERIZATION OF SITE/PREVIOUS ANALYTICAL DATA

Several documents have been produced containing data pertinent to the various SWMUs/AOCs within the SOU. Additionally, data were downloaded from the Paducah Oak Ridge Environmental Information System (OREIS) database in March 2008. These data were binned for several statistical comparison scenarios.

The historical data set was used to compile various risk-screening tables required by the Risk Methods Document for scoping activities. Historical data is provided in Appendix C of this document. Historical information summarized in this section highlights the background of each SWMU/AOC. Some of the SWMUs/AOCs are under multiple OUs; this is noted in applicable area descriptions. For SWMUs/AOCs that are assigned to multiple OUs, only the portion of the SWMU/AOC that is 0 to 10 ft bgs or 16 ft bgs, where infrastructure (e.g., pipelines) is present, is addressed by this work plan. If data gathered during implementation of this work plan indicate that contamination extends beyond the bounds of this work plan, the data will be utilized in the other OUs.

Risk assessment results, which are included in the Previous Investigation Results, are documented as they were originally reported, consistent with the *DRAFT Methods for Conducting Risk Assessments and Risk Evaluations at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, Volume 1: Human Health, Volume 2: Ecological* (DOE 2009b).

Soil sample depth descriptions are as follows:

| <u>Description</u> | <u>Depth</u> |
|--------------------|--------------------|
| Surface Soil | 0 ft to 1 ft bgs |
| Shallow Soil | 1ft to 16 ft bgs |
| Subsurface Soil | 0 ft to 10 ft bgs |
| Vadose Zone | 0 ft to watertable |

5.1 EXISTING DATA/SITE DESCRIPTION

5.1.1 Group 1–Former Facility Site

SWMU 1 (C-747-C Oil Landfarm)

Area description

The C-747-C Oil Landfarm (SWMU 1) is located in the extreme west-central portion of the plant. This SWMU is part of the SOU and the GWOU.

Process history

SWMU 1 was used from 1975 to 1979 for the biodegradation of waste oils contaminated with trichloroethene (TCE), PCBs, 1,1,1-trichloroethane (TCA), and uranium. It is estimated that approximately 5,000 gal of waste oil were applied to the landfarm during its period of operation (DOE 1999a). These waste oils were believed to have been derived from a variety of plant processes. The

landfarm consisted of two 1,125 ft² plots that were plowed to 1 to 2 ft depth. Waste oils were spread on the surface every 3 to 4 months, then limed and fertilized. The area now is mowed regularly as part of PGDP maintenance operations.

Previous investigation results

Investigations that have collected data on SWMU 1 include the Phase I and Phase II SI (CH2M HILL 1991; 1992). Additional sampling was performed to support the WAG 23 FS (DOE 1996a), the WAG 23 Proposed Remedial Action Plan (DOE 1998c), the WAG 27 RI (DOE 1999a), and the Southwest Plume SI (DOE 2004g). These investigations and actions identified solvents, PCBs, dioxins, semivolatiles organic compounds (SVOCs), heavy metals, and radionuclides as potential COCs (DOE 1999a).

A summary of conclusions from the WAG 23 effort is as follows:

Following the removal action at WAG 23 sites, the residual PCB ELCR based on a 250 day/year exposure scenario is 2×10^{-6} at SWMUs 56 and 80 and below *de minimis* (i.e., 1×10^{-6}) at SWMUs 57 and 81. In addition, the PCB ELCR at SWMU 1 also are below *de minimis*. These risk levels are well within the EPA's acceptable risk range of 1×10^{-4} to 1×10^{-6} , as required by the NCP.

The WAG 27 RI found TCE in SWMU 1 soils. The areal extent of TCE contamination in the vadose (vadose zone is defined as extending from the top of the ground surface to the water table) zone soils on the north side of the site is approximately 175 x 115 ft. The TCE-impacted soil was found to extend from 5 ft bgs to the top of the water table at 50 ft bgs. Metals also were detected in the subsurface soils at concentrations that were 27 times (silver) background levels. The metals are widely dispersed throughout the SWMU, but the highest metal concentrations generally are restricted to the upper 20 ft of vadose soil.

The primary COCs identified in WAG 27 RI are beryllium and lead for surface and subsurface soils. Scenarios that were assessed in the WAG 27 baseline risk assessment (BRA) are current on-site industrial worker, future on-site industrial worker, future on-site excavation worker, future on-site recreational user, future off-site recreational user, future on-site rural resident, and future off-site rural resident. The following is an excerpt on land use scenarios from WAG 27 RI:

At SWMU 1 and SWMU 91 all scenarios assessed are a land use scenario of concern for both systemic toxicity and ELCR.

The maximum volume of soil contaminated by metals covers an area that is 290 x 200 x 28 ft for a volume of over 1,624,000 ft³.

Table 5.1 is a summary of historical data followed by a map of historical sample locations (Figure 5.1).

Area utilities

No recirculating water lines or sewers were associated with the operation of this facility. Storm sewers and recirculating water lines are coincidentally located within the boundary of the SWMU. Average depths to these utilities are 3 and 13 ft bgs, respectively. The storm sewer is a 60-inch reinforced concrete pipe, while the recirculating water lines are 36-inch pipe.

Data Gap Determination

No additional samples are needed at this location.

Table 5.1. Summary of Surface and Subsurface Historical Data at SWMU 1

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|---|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Dioxins/Furans (mg/kg) | | | | | | | | | | | | |
| 1,2,3,4,6,7,8-Heptachlorodibenzofuran | 7.00E-06 | 1.30E-04 | 4.52E-05 | | 5.00E-05 | 1.00E-03 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin | 7.00E-06 | 3.05E-03 | 6.11E-04 | 6/6 | 1.00E-03 | 1.00E-03 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,4,7,8,9-Heptachlorodibenzofuran | 3.00E-06 | 8.00E-06 | 5.50E-06 | 2/6 | 1.60E-04 | 1.00E-03 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,4,7,8-Hexachlorodibenzofuran | 3.00E-06 | 5.00E-05 | 2.10E-05 | 3/6 | 1.60E-04 | 1.00E-03 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,6,7,8-Hexachlorodibenzofuran | 1.00E-05 | 8.00E-05 | 3.60E-05 | 5/6 | 1.00E-03 | 1.00E-03 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin | 1.00E-05 | 8.00E-05 | 4.00E-05 | 5/6 | 1.00E-03 | 1.00E-03 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin | 1.00E-05 | 1.00E-05 | 1.00E-05 | 1/6 | 1.60E-04 | 1.00E-03 | n/a | n/a | 0/6 | 3.39E-02 | 0/6 | 5.07E-05 |
| 1,2,3,7,8-Pentachlorodibenzofuran | 2.00E-05 | 9.00E-05 | 5.40E-05 | 5/6 | 1.00E-03 | 1.00E-03 | n/a | n/a | 0/6 | 2.81E-03 | 5/6 | 1.24E-05 |
| 1,2,3,7,8-Pentachlorodibenzo-p-dioxin | 4.00E-05 | 1.20E-04 | 7.60E-05 | 5/6 | 4.00E-05 | 1.00E-03 | n/a | n/a | n/a | n/a | n/a | n/a |
| 2,3,4,7,8-Pentachlorodibenzofuran | 1.00E-05 | 5.00E-05 | 3.00E-05 | 2/6 | 6.00E-05 | 1.00E-03 | n/a | n/a | 0/6 | 2.81E-02 | 0/6 | 1.24E-04 |
| 2,3,7,8-Tetrachlorodibenzofuran | 1.00E-05 | 1.10E-04 | 4.20E-05 | 5/10 | 1.00E-04 | 1.00E-03 | n/a | n/a | 0/10 | 1.40E-02 | 1/10 | 6.19E-05 |
| 2,3,7,8-Tetrachlorodibenzo-p-dioxin | 1.00E-05 | 1.43E-03 | 2.67E-04 | 7/12 | 6.00E-05 | 1.00E-03 | n/a | n/a | 1/12 | 6.19E-04 | 7/12 | 6.19E-06 |
| Heptachloro-dibenzo[b,e][1,4]dioxin | 5.35E-03 | 5.35E-03 | 5.35E-03 | 1/7 | 3.00E-04 | 2.00E-03 | n/a | n/a | 0/7 | 6.19E-02 | 1/7 | 6.19E-04 |
| Octachloro-dibenzo[b,e][1,4]dioxin | 4.00E-05 | 3.93E-02 | 5.79E-03 | 11/12 | 1.00E-03 | 4.00E-03 | n/a | n/a | 0/12 | 6.19E-01 | 1/12 | 6.19E-03 |
| Octachlorodibenzofuran | 1.00E-05 | 1.80E-03 | 4.20E-04 | 7/12 | 1.00E-04 | 1.00E-03 | n/a | n/a | 0/12 | 1.40E+00 | 0/12 | 6.19E-03 |
| Tetrachloro-dibenzo[b,e][1,4]dioxin | 1.38E-03 | 8.82E-03 | 5.10E-03 | 2/7 | 1.00E-04 | 1.00E-03 | n/a | n/a | n/a | n/a | n/a | n/a |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 4.29E+03 | 1.24E+04 | 7.90E+03 | 23/23 | 1.31E+00 | 1.95E+01 | 1/23 | 1.30E+04 | 0/23 | 1.00E+05 | 22/23 | 4.64E+03 |
| Antimony | 3.20E+00 | 3.20E+00 | 3.20E+00 | 1/28 | 3.60E-01 | 1.23E+01 | 1/28 | 2.10E-01 | 0/28 | 4.63E+02 | 1/28 | 3.79E-01 |
| Arsenic | 3.17E+00 | 9.00E+00 | 5.70E+00 | 20/28 | 8.27E-02 | 4.83E+00 | 2/28 | 1.20E+01 | 0/28 | 3.15E+02 | 20/28 | 5.23E-01 |
| Barium | 3.74E+01 | 1.59E+02 | 9.07E+01 | 28/28 | 2.42E-02 | 2.44E+00 | 0/28 | 2.00E+02 | 0/28 | 1.00E+05 | 0/28 | 2.29E+02 |
| Beryllium | 4.67E-01 | 1.05E+01 | 1.97E+00 | 18/23 | 1.88E-02 | 6.00E-01 | 6/23 | 6.70E-01 | 0/23 | 1.28E+03 | 4/23 | 9.48E-01 |
| Cadmium | 7.90E-01 | 6.50E+00 | 3.20E+00 | 5/28 | 4.89E-02 | 1.95E+00 | 5/28 | 2.10E-01 | 0/28 | 7.05E+01 | 0/28 | 2.13E+01 |
| Calcium | 2.29E+01 | 4.60E+04 | 6.77E+03 | 23/23 | 5.00E-03 | 9.75E+01 | 7/23 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 4.50E+00 | 2.58E+02 | 2.52E+01 | 28/28 | 1.33E-01 | 2.44E+00 | n/a | n/a | n/a | n/a | 0/28 | 3.56E+02 |
| Cobalt | 3.40E+00 | 1.37E+01 | 6.73E+00 | 23/23 | 8.47E-02 | 3.00E+00 | 2/23 | 1.40E+01 | 0/23 | 1.00E+05 | 0/23 | 1.92E+03 |
| Copper | 6.70E+00 | 2.31E+02 | 2.19E+01 | 23/23 | 1.07E-01 | 2.44E+00 | 2/23 | 1.90E+01 | 0/23 | 1.00E+05 | 0/23 | 4.93E+02 |
| Iron | 9.13E+03 | 1.83E+04 | 1.35E+04 | 23/23 | 6.68E-01 | 1.95E+01 | 0/23 | 2.80E+04 | 0/23 | 1.00E+05 | 23/23 | 2.07E+03 |
| Lead | 1.02E-01 | 3.23E+02 | 3.01E+01 | 19/28 | 2.40E-03 | 1.95E+01 | 1/28 | 3.60E+01 | 0/28 | 1.25E+03 | 1/28 | 5.00E+01 |
| Magnesium | 8.34E+02 | 1.12E+04 | 1.75E+03 | 23/23 | 3.75E+00 | 4.88E+01 | 1/23 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 4.39E+00 | 1.06E+03 | 5.13E+02 | 23/23 | 3.00E-04 | 2.44E+00 | 2/23 | 1.50E+03 | 0/23 | 4.64E+04 | 22/23 | 4.52E+01 |
| Mercury | 1.99E-02 | 7.70E+00 | 8.78E-01 | 10/28 | 7.80E-03 | 1.30E-01 | 5/28 | 2.00E-01 | 0/28 | 8.25E+02 | 1/28 | 9.82E-01 |
| Molybdenum | 1.42E+01 | 1.42E+01 | 1.42E+01 | 1/7 | 4.49E+00 | 4.88E+00 | n/a | n/a | 0/7 | 2.50E+04 | 0/7 | 8.30E+01 |
| Nickel | 4.95E+00 | 1.16E+02 | 2.34E+01 | 23/28 | 1.28E-01 | 6.80E+00 | 6/28 | 2.10E+01 | 0/28 | 9.30E+04 | 0/28 | 2.42E+02 |
| Potassium | 6.20E+00 | 1.29E+03 | 5.34E+02 | 21/23 | 2.05E-02 | 3.82E+02 | 1/23 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Selenium | 1.71E-01 | 9.80E-01 | 3.84E-01 | 8/28 | 8.91E-02 | 1.95E+01 | 1/28 | 8.00E-01 | 0/28 | 2.56E+04 | 0/28 | 9.49E+01 |
| Silver | 4.25E+01 | 4.25E+01 | 4.25E+01 | 1/28 | 1.80E-01 | 3.20E+00 | 1/28 | 2.30E+00 | 0/28 | 2.07E+04 | 1/28 | 4.11E+01 |
| Sodium | 4.46E+01 | 1.81E+02 | 8.84E+01 | 15/23 | 2.73E+00 | 9.75E+01 | 0/23 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Thallium | 3.70E-01 | 3.70E-01 | 3.70E-01 | 1/28 | 2.40E-01 | 1.95E+01 | 1/28 | 2.10E-01 | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.1. Summary of Surface and Subsurface Historical Data at SWMU 1 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | 1.79E+00 | 1.59E+01 | 5.54E+00 | | 1.30E-01 | 9.70E-01 | | | | | | |
| Uranium | 2.53E-01 | 4.21E+01 | 2.06E+01 | 23/23 | 1.40E-03 | 2.44E+00 | 1/23 | 3.80E+01 | 0/23 | 4.47E+03 | 22/23 | 3.32E+00 |
| Vanadium | 2.31E+01 | 3.90E+02 | 5.86E+01 | 23/23 | 8.06E-02 | 1.95E+01 | 4/23 | 6.50E+01 | 0/23 | 1.00E+05 | 0/23 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 1.20E-01 | 1.71E+01 | 1.96E+00 | 13/88 | 1.10E-01 | 1.00E+00 | n/a | n/a | 0/88 | 4.25E+01 | 10/88 | 1.99E-01 |
| PCB-1242 | 2.70E-01 | 6.10E-01 | 4.70E-01 | 4/150 | 5.00E-02 | 1.10E+00 | n/a | n/a | 0/150 | 4.25E+01 | 4/150 | 1.99E-01 |
| PCB-1248 | 2.00E-02 | 3.50E+01 | 1.99E+00 | 21/148 | 8.50E-02 | 1.10E+00 | n/a | n/a | 0/148 | 4.25E+01 | 7/148 | 1.99E-01 |
| PCB-1254 | 9.30E-02 | 1.40E+00 | 3.11E-01 | 15/148 | 8.00E-02 | 2.30E+00 | n/a | n/a | 0/148 | 1.82E+01 | 9/148 | 1.99E-01 |
| PCB-1260 | 1.00E-01 | 1.10E+01 | 1.29E+00 | 10/149 | 9.00E-02 | 2.30E+00 | n/a | n/a | 0/149 | 4.25E+01 | 5/149 | 1.99E-01 |
| PCB-1268 | 4.20E+00 | 5.60E+00 | 4.90E+00 | 2/79 | 7.00E-02 | 8.00E-02 | n/a | n/a | n/a | n/a | n/a | n/a |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 6.00E-05 | 8.05E+02 | 2.67E+01 | 81/88 | 8.10E-01 | 9.51E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Americium-241 | 9.92E-02 | 7.83E+00 | 2.91E+00 | 6/18 | 3.00E-02 | 5.00E-02 | n/a | n/a | 0/18 | 5.16E+02 | 2/18 | 5.16E+00 |
| Beta activity | 1.00E-05 | 6.60E+02 | 3.49E+01 | 85/88 | 8.00E-01 | 1.81E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | -5.80E-01 | 7.24E+01 | 2.72E+00 | 80/85 | 5.00E-02 | 2.20E+00 | 51/85 | 4.90E-01 | 5/85 | 8.58E+00 | 68/85 | 8.58E-02 |
| Neptunium-237 | 2.00E-02 | 1.22E+01 | 1.50E+00 | 10/27 | 3.00E-02 | 5.00E-01 | 6/27 | 1.00E-01 | 0/27 | 2.71E+01 | 5/27 | 2.71E-01 |
| Plutonium-238 | 5.36E-02 | 1.11E-01 | 8.23E-02 | 2/7 | 2.00E-02 | 4.00E-02 | 1/7 | 7.30E-02 | 0/7 | 1.17E+03 | 0/7 | 1.17E+01 |
| Plutonium-239 | 1.70E-02 | 2.80E-01 | 8.45E-02 | 6/9 | 5.00E-02 | 6.00E-02 | 5/9 | 2.50E-02 | 0/9 | 1.15E+03 | 0/9 | 1.15E+01 |
| Plutonium-239/240 | 4.9E-02 | 2.68E+01 | 3.70E+00 | 11/17 | 2.00E-02 | 2.00E-02 | n/a | n/a | 0/17 | 1.15E+03 | 1/17 | 1.15E+01 |
| Technetium-99 | 1.58E+00 | 6.40E+02 | 5.49E+01 | 18/27 | 8.10E-01 | 8.70E+00 | 17/27 | 2.50E+00 | 0/27 | 3.62E+04 | 1/27 | 3.62E+02 |
| Thorium-228 | 2.52E-01 | 7.64E-01 | 4.55E-01 | 7/7 | 4.00E-02 | 1.60E-01 | 0/7 | 1.60E+00 | 0/7 | 2.80E+00 | 7/7 | 2.80E-02 |
| Thorium-230 | 2.10E-01 | 1.88E+02 | 1.18E+01 | 25/26 | 4.00E-02 | 2.10E-01 | 8/26 | 1.50E+00 | 0/26 | 1.49E+03 | 3/26 | 1.49E+01 |
| Thorium-232 | 1.59E-01 | 7.94E-01 | 4.96E-01 | 7/7 | 3.00E-02 | 5.00E-02 | 0/7 | 1.50E+00 | 0/7 | 1.35E+03 | 0/7 | 1.35E+01 |
| Uranium | 3.20E+00 | 2.95E+02 | 2.43E+01 | 47/68 | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 2.80E-01 | 1.20E+02 | 7.95E+00 | 21/21 | 8.00E-02 | 1.25E+00 | 6/21 | 2.50E+00 | 0/21 | 1.98E+03 | 1/21 | 1.98E+01 |
| Uranium-235 | 1.30E-02 | 4.20E+00 | 3.57E-01 | 16/18 | 2.00E-02 | 3.00E-02 | 5/18 | 1.40E-01 | 0/18 | 3.95E+01 | 1/18 | 3.95E-01 |
| Uranium-238 | -1.62E+01 | 2.90E+02 | 8.77E+00 | 86/88 | 4.00E-02 | 1.36E+01 | 62/88 | 1.20E+00 | 1/88 | 1.71E+02 | 62/88 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| 1,2-Benzenedicarboxylic acid | 2.00E-01 | 3.00E-01 | 2.50E-01 | 2/2 | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| 1-Octadecene | 7.00E-01 | 7.00E-01 | 7.00E-01 | 1/1 | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| 2,3,4-Trimethylhexane | 5.00E-01 | 5.00E-01 | 5.00E-01 | 1/1 | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| 2,4-Dimethylphenol | 1.50E+01 | 1.50E+01 | 1.50E+01 | 1/17 | 3.30E-01 | 4.60E-01 | n/a | n/a | 0/17 | 4.51E+04 | 0/17 | 2.25E+02 |
| 2-Methylnaphthalene | 9.00E-02 | 9.00E-02 | 9.00E-02 | 1/16 | 3.30E-01 | 4.60E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| 3- and 4- Methylphenol | 8.60E+00 | 8.60E+00 | 8.60E+00 | 1/5 | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| Benzo(a)anthracene | 5.70E-02 | 6.40E-02 | 6.05E-02 | 2/23 | 3.30E-01 | 5.00E-01 | n/a | n/a | 0/23 | 2.08E+02 | 0/23 | 2.12E-01 |
| Benzo(a)pyrene | 6.40E-02 | 7.80E-02 | 7.10E-02 | 2/23 | 3.30E-01 | 5.00E-01 | n/a | n/a | 0/23 | 2.08E+01 | 2/23 | 2.12E-02 |
| Benzo(b)fluoranthene | 8.70E-02 | 8.70E-01 | 3.62E-01 | 3/23 | 3.30E-01 | 5.00E-01 | n/a | n/a | 0/23 | 2.08E+02 | 1/23 | 2.12E-01 |
| Benzo(k)fluoranthene | 8.10E-02 | 8.30E-02 | 8.20E-02 | 2/23 | 3.30E-01 | 5.00E-01 | n/a | n/a | 0/23 | 2.08E+03 | 0/23 | 2.12E+00 |
| Bis(2-ethylhexyl)phthalate | 8.90E-02 | 5.50E-01 | 2.31E-01 | 6/16 | 3.30E-01 | 4.60E-01 | n/a | n/a | 0/16 | 7.40E+03 | 0/16 | 8.84E+00 |
| Chrysene | 8.40E-02 | 5.10E-01 | 2.30E-01 | 3/23 | 3.30E-01 | 5.00E-01 | n/a | n/a | 0/23 | 2.08E+04 | 0/23 | 2.12E+01 |
| Di-n-butyl phthalate | 5.70E-02 | 9.00E+00 | 3.04E+00 | 3/17 | 3.30E-01 | 4.60E-01 | n/a | n/a | 0/17 | 1.00E+05 | 0/17 | 2.13E+03 |
| Fluoranthene | 8.30E-02 | 6.20E-01 | 3.54E-01 | 4/23 | 3.30E-01 | 5.00E-01 | n/a | n/a | 0/23 | 6.50E+04 | 0/23 | 2.21E+02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.1. Summary of Surface and Subsurface Historical Data at SWMU 1 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | 6.30E-02 | 6.30E-02 | 6.30E-02 | | 5.70E-03 | 5.00E-01 | | | | | | |
| Naphthalene | 8.00E-01 | 8.00E-01 | 8.00E-01 | 1/25 | | n/a | n/a | 0/25 | 7.66E+02 | 0/25 | 2.36E+01 | |
| Octadecene | 4.50E-02 | 6.00E-01 | 2.33E+01 | 1/1 | | n/a | n/a | n/a | n/a | n/a | n/a | |
| Phenanthrene | 1.80E+00 | 2.30E+01 | 9.23E+00 | 3/18 | 3.30E-01 | n/a | n/a | 0/18 | 1.00E+05 | 0/18 | 1.16E+04 | |
| Pyrene | 9.50E-02 | 6.80E-01 | 3.46E+01 | 4/23 | 3.30E-01 | n/a | n/a | 0/23 | 4.87E+04 | 0/23 | 1.65E+02 | |
| Total Cresols | 8.60E+00 | 8.60E+00 | 8.60E+00 | 1/5 | | n/a | n/a | n/a | n/a | n/a | n/a | |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 5.00E-04 | 8.40E-03 | 4.45E-03 | 2/19 | 5.00E-03 | n/a | n/a | 0/19 | 9.38E+03 | 0/19 | 1.56E+02 | |
| 1,1,2-Trichloroethane | 2.40E-03 | 2.40E-03 | 2.40E-03 | 1/12 | 5.70E-03 | n/a | n/a | 0/12 | 1.69E+02 | 0/12 | 1.18E+00 | |
| 1,1-Dichloroethane | 2.40E-03 | 2.40E-03 | 2.40E-03 | 1/12 | 5.70E-03 | n/a | n/a | 0/12 | 5.52E+03 | 0/12 | 1.55E+02 | |
| 1,1-Dichloroethene | 8.30E-03 | 8.30E-03 | 8.30E-03 | 1/17 | 5.70E-03 | n/a | n/a | 0/17 | 1.21E+01 | 0/17 | 9.59E-02 | |
| 1-Methyl-2-propylcyclohexane | 1.60E-01 | 1.60E-01 | 1.60E-01 | 1/1 | | n/a | n/a | n/a | n/a | n/a | n/a | |
| 4-Methyl-3-penten-2-one | 2.90E-01 | 2.90E-01 | 2.90E-01 | 1/1 | | n/a | n/a | n/a | n/a | n/a | n/a | |
| Acetone | 7.70E-03 | 1.20E-02 | 9.85E-03 | 2/12 | 1.10E-02 | n/a | n/a | 0/12 | 1.91E+04 | 0/12 | 3.58E+02 | |
| Carbon disulfide | 1.00E-03 | 1.00E-03 | 1.00E-03 | 1/12 | 5.70E-03 | n/a | n/a | 0/12 | 3.17E+03 | 0/12 | 1.06E+02 | |
| Chloroform | 2.00E-04 | 4.00E-03 | 1.61E-03 | 3/17 | 5.70E-03 | n/a | n/a | 0/17 | 3.70E+00 | 0/17 | 1.23E-01 | |
| cis-1,2-Dichloroethene | 2.90E-02 | 4.70E-01 | 2.60E-01 | 3/3 | 5.70E-03 | n/a | n/a | 0/3 | 4.63E+02 | 0/3 | 1.34E+01 | |
| Ethylbenzene | 7.00E-03 | 7.00E-03 | 7.00E-03 | 1/12 | 5.70E-03 | n/a | n/a | 0/12 | 2.12E+03 | 0/12 | 2.12E+01 | |
| Methylene chloride | 3.50E-03 | 6.00E-03 | 4.53E-03 | 3/12 | 5.70E-03 | n/a | n/a | 0/12 | 2.16E+03 | 0/12 | 1.34E+01 | |
| Toluene | 4.00E-03 | 4.00E-03 | 4.00E-03 | 1/12 | 5.70E-03 | n/a | n/a | 0/12 | 7.28E+03 | 0/12 | 2.11E+02 | |
| trans-1,2-Dichloroethene | 4.50E-04 | 4.50E-04 | 4.50E-04 | 1/2 | 5.70E-03 | n/a | n/a | 0/2 | 7.43E+02 | 0/2 | 2.20E+01 | |
| Trichloroethene | 1.00E-03 | 1.30E+00 | 4.88E-01 | 8/25 | 1.00E-03 | n/a | n/a | 0/25 | 2.98E+02 | 0/25 | 2.51E+00 | |
| Trichlorofluoromethane | 1.40E-03 | 1.40E-03 | 1.40E-03 | 1/2 | 5.70E-03 | n/a | n/a | 0/2 | 4.73E+03 | 0/2 | 1.28E+02 | |
| Vinyl acetate | 5.70E-03 | 5.70E-03 | 5.70E-03 | 1/12 | 5.70E-03 | n/a | n/a | 0/12 | 4.42E+03 | 0/12 | 1.44E+02 | |
| Vinyl chloride | 4.50E-03 | 2.70E-01 | 1.14E-01 | 3/17 | 1.00E-03 | n/a | n/a | 0/17 | 4.14E+01 | 1/17 | 1.34E-01 | |
| Wetchem (mg/kg) | | | | | | | | | | | | |
| Cyanide | 7.10E-01 | 7.10E-01 | 7.10E-01 | 1/16 | 2.90E-01 | n/a | n/a | 0/16 | 2.02E+04 | 0/16 | 7.92E+01 | |
| Subsurface Soils | | | | | | | | | | | | |
| Dioxins/Furans (mg/kg) | | | | | | | | | | | | |
| Octachloro-dibenzof[b,e]p[1,4]dioxin | 1.60E-03 | 2.60E-03 | 2.00E-03 | 3/4 | 1.00E-04 | n/a | n/a | 0/4 | 6.19E-01 | 0/4 | 6.19E-03 | |
| Octachlorodibenzofuran | 2.00E-04 | 2.00E-04 | 2.00E-04 | 1/4 | 1.00E-04 | n/a | n/a | 0/4 | 1.40E+00 | 0/4 | 6.19E-03 | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 1.04E+03 | 1.62E+04 | 7.15E+03 | 108/109 | 1.31E+00 | 2/109 | 1.20E+04 | 0/109 | 1.00E+05 | 89/109 | 4.64E+03 | |
| Antimony | 1.30E-02 | 5.00E+00 | 1.33E+00 | 15/109 | 5.20E-03 | 14/109 | 2.10E-01 | 0/109 | 4.63E+02 | 14/109 | 3.79E-01 | |
| Arsenic | 7.60E-01 | 1.67E+01 | 4.35E+00 | 106/109 | 8.27E-02 | 7/109 | 7.90E+00 | 0/109 | 3.15E+02 | 106/109 | 5.23E-01 | |
| Barium | 1.27E+00 | 2.47E+02 | 9.53E+01 | 109/109 | 2.00E-04 | 6/109 | 1.70E+02 | 0/109 | 1.00E+05 | 1/109 | 2.29E+02 | |
| Beryllium | 5.94E-03 | 2.20E+00 | 5.17E-01 | 106/109 | 1.00E-04 | 21/109 | 6.90E-01 | 0/109 | 1.28E+03 | 3/109 | 9.48E-01 | |
| Cadmium | 4.33E-03 | 3.84E+00 | 1.53E+00 | 54/109 | 4.00E-04 | 39/109 | 2.10E-01 | 0/109 | 7.05E+01 | 0/109 | 2.13E+01 | |
| Calcium | 4.12E+02 | 5.31E+03 | 1.14E+03 | 109/109 | 1.00E-01 | 0/109 | 6.10E+03 | n/a | n/a | n/a | n/a | |
| Chromium | 1.29E-01 | 6.35E+01 | 1.57E+01 | 107/109 | 1.30E-03 | n/a | n/a | n/a | n/a | 0/109 | 3.56E+02 | |
| Cobalt | 5.76E-02 | 1.54E+01 | 5.59E+00 | 107/109 | 8.00E-04 | 5/109 | 1.30E+01 | 0/109 | 1.00E+05 | 0/109 | 1.92E+03 | |
| Copper | 2.09E-01 | 6.01E+01 | 9.55E+00 | 108/109 | 2.10E-03 | 1/109 | 2.50E+01 | 0/109 | 1.00E+05 | 0/109 | 4.93E+02 | |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.1. Summary of Surface and Subsurface Historical Data at SWMU 1 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Iron | 1.32E+02 | 3.14E+04 | 1.38E+04 | 109/109 | 7.00E-03 | 2.36E+01 | 2/109 | 2.80E+04 | 0/109 | 1.00E+05 | 105/109 | 2.07E+03 |
| Lead | 1.98E+00 | 7.04E+01 | 8.95E+00 | 107/109 | 2.00E-01 | 2.48E+00 | 2/109 | 2.30E+01 | 0/109 | 1.25E+03 | 1/109 | 5.00E+01 |
| Magnesium | 1.17E+02 | 2.63E+03 | 1.31E+03 | 109/109 | 1.00E-01 | 6.79E+00 | 10/109 | 2.10E+02 | n/a | n/a | n/a | n/a |
| Manganese | 3.04E+00 | 2.16E+03 | 3.75E+02 | 109/109 | 3.00E-04 | 2.01E-01 | 8/109 | 8.20E+02 | 0/109 | 4.64E+04 | 108/109 | 4.52E+01 |
| Mercury | 2.71E-04 | 2.80E-01 | 3.62E-02 | 79/109 | 0.00E+00 | 1.25E-01 | 2/109 | 1.30E-01 | 0/109 | 8.25E+02 | 0/109 | 9.82E-01 |
| Nickel | 2.98E-01 | 4.02E+01 | 1.18E+01 | 105/109 | 1.20E-03 | 8.00E+00 | 7/109 | 2.20E+01 | 0/109 | 9.30E+04 | 0/109 | 2.42E+02 |
| Potassium | 6.10E+01 | 7.34E+02 | 2.81E+02 | 83/109 | 2.00E+00 | 8.16E+02 | 0/109 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Selenium | 8.91E-02 | 5.90E-01 | 2.36E-01 | 25/109 | 8.00E-04 | 2.00E+00 | 0/109 | 7.00E-01 | 0/109 | 2.36E+04 | 0/109 | 9.49E+01 |
| Silver | 1.85E-03 | 7.39E+01 | 1.38E+01 | 7/109 | 1.70E-03 | 5.00E+00 | 5/109 | 2.70E+00 | 0/109 | 2.07E+04 | 1/109 | 4.11E+01 |
| Sodium | 5.22E+00 | 8.82E+02 | 2.96E+02 | 105/109 | 2.72E-02 | 1.21E+02 | 45/109 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Thallium | 1.17E-01 | 1.56E+00 | 2.11E-01 | 28/109 | 5.30E-03 | 9.30E+00 | 3/109 | 3.40E-01 | n/a | n/a | n/a | n/a |
| Vanadium | 2.31E-01 | 6.89E+01 | 2.40E+01 | 108/109 | 1.40E-03 | 6.02E-01 | 9/109 | 3.70E+01 | 0/109 | 4.47E+03 | 107/109 | 3.32E+00 |
| Zinc | 7.40E+00 | 1.65E+02 | 4.18E+01 | 109/109 | 8.06E-02 | 1.44E-01 | 20/109 | 6.00E+01 | 0/109 | 1.00E+05 | 0/109 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| 4,4'-DDT | 2.20E-02 | 2.20E-02 | 2.20E-02 | 1/31 | 1.70E-02 | 9.30E-01 | n/a | n/a | 0/31 | 7.55E+02 | 0/31 | 3.59E+00 |
| PCB, Total | 3.00E-01 | 3.00E-01 | 3.00E-01 | 1/135 | 1.70E-02 | 1.00E+00 | n/a | n/a | 0/135 | 4.25E+01 | 1/135 | 1.99E-01 |
| PCB-1248 | 2.40E-01 | 1.10E+01 | 3.85E+00 | 3/112 | 1.70E-02 | 4.70E+00 | n/a | n/a | 0/112 | 4.25E+01 | 3/112 | 1.99E-01 |
| PCB-1254 | 1.69E-01 | 1.69E-01 | 1.69E-01 | 1/111 | 1.70E-02 | 9.30E+00 | n/a | n/a | 0/111 | 1.82E+01 | 0/111 | 1.99E-01 |
| Tetrachlorobiphenyl | 4.00E-01 | 7.00E-01 | 5.50E-01 | 4/4 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 1.29E+00 | 1.07E+02 | 9.31E+00 | 187/208 | 1.30E+00 | 1.06E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Americium-241 | 8.00E-02 | 1.00E-01 | 9.00E-02 | 2/61 | | | n/a | n/a | 0/61 | 5.16E+02 | 0/61 | 5.16E+00 |
| Beta activity | 9.50E-01 | 2.70E+02 | 2.19E+01 | 191/208 | 8.00E-01 | 1.87E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 9.00E-02 | 5.10E-01 | 3.00E-01 | 2/61 | | | 1/61 | 2.80E-01 | 0/61 | 8.58E+00 | 2/61 | 8.58E-02 |
| Neptunium-237 | 1.70E-01 | 2.00E-01 | 1.85E-01 | 2/71 | 5.00E-01 | 5.00E-01 | n/a | n/a | 0/71 | 2.71E+01 | 0/71 | 2.71E-01 |
| Plutonium-239 | 2.30E-01 | 2.30E-01 | 2.30E-01 | 1/10 | 5.00E-02 | 5.00E-02 | n/a | n/a | 0/10 | 1.15E+03 | 0/10 | 1.15E+01 |
| Plutonium-239/240 | 6.00E-02 | 2.72E+00 | 1.39E+00 | 2/61 | | | n/a | n/a | 0/61 | 1.15E+03 | 0/61 | 1.15E+01 |
| Technetium-99 | 6.00E-01 | 9.90E+01 | 1.44E+01 | 9/73 | 4.00E-02 | 1.40E+00 | 5/73 | 2.80E+00 | 0/73 | 3.62E+04 | 0/73 | 3.62E+02 |
| Thorium-230 | 1.80E-01 | 1.84E+01 | 9.48E-01 | 43/71 | 3.00E-02 | 1.70E-01 | 2/71 | 1.40E+00 | 0/71 | 1.49E+03 | 1/71 | 1.49E+01 |
| Uranium | 1.50E+00 | 2.20E+01 | 3.33E+00 | 40/62 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 1.00E-01 | 7.10E+01 | 2.98E+00 | 50/71 | 2.00E-02 | 1.30E-01 | 8/71 | 2.40E+00 | 0/71 | 1.98E+03 | 1/71 | 1.98E+01 |
| Uranium-235 | 2.08E-02 | 3.60E+00 | 1.61E-01 | 42/65 | | | 5/65 | 1.40E-01 | 0/65 | 3.95E+01 | 2/65 | 3.95E-01 |
| Uranium-238 | 1.20E-01 | 1.90E+02 | 5.51E+00 | 50/71 | 2.00E-02 | 1.30E-01 | 25/71 | 1.20E+00 | 1/71 | 1.71E+02 | 13/71 | 1.71E+00 |
| Semivolatile (mg/kg) | | | | | | | | | | | | |
| 1,2-Benzenedicarboxylic acid | 1.00E-01 | 4.00E-01 | 2.90E-01 | 10/10 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2-Dichlorobenzene | 7.90E-02 | 1.20E-01 | 9.54E-02 | 5/120 | 3.30E-01 | 2.50E+00 | n/a | n/a | 0/120 | 1.29E+04 | 0/120 | 2.68E+02 |
| 1-Octadecene | 6.00E-01 | 6.00E-01 | 6.00E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 3- and 4- Methylphenol | 2.30E+00 | 2.30E+00 | 2.30E+00 | 1/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 4-alpha-Cumylphenol | 1.60E+00 | 1.60E+00 | 1.60E+00 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 4-Methylphenol | 8.50E-01 | 8.50E-01 | 8.50E-01 | 1/98 | 3.30E-01 | 4.50E-01 | n/a | n/a | 0/98 | 1.32E+04 | 0/98 | 7.18E+01 |
| Benzoic acid | 5.10E-02 | 3.80E+00 | 1.31E+00 | 3/116 | 1.65E+00 | 2.50E+00 | n/a | n/a | 0/116 | 1.00E+05 | 0/116 | 8.52E+04 |
| Bis(2-butoxyethyl) ether | 6.80E-01 | 6.80E-01 | 6.80E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.1. Summary of Surface and Subsurface Historical Data at SWMU 1 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|----------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Bis(2-ethylhexyl)phthalate | 3.90E-02 | 2.40E+00 | 3.49E-01 | 31/115 | 2.00E-02 | 2.50E+00 | n/a | n/a | 0/115 | 7.40E+03 | 0/115 | 8.84E+00 |
| Butyl benzyl phthalate | 2.00E-01 | 2.00E-01 | 2.00E-01 | 1/115 | 2.00E-02 | 2.50E+00 | n/a | n/a | 0/115 | 1.00E+05 | 0/115 | 2.71E+03 |
| Di-n-butyl phthalate | 4.80E-02 | 2.20E+01 | 2.72E+00 | 12/117 | 1.00E-02 | 2.50E+00 | n/a | n/a | 0/117 | 1.00E+05 | 0/117 | 2.13E+03 |
| Hexadecane | 1.80E-01 | 1.80E-01 | 1.80E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| N-Nitrosodiphenylamine | 4.80E-02 | 8.20E-02 | 6.42E-02 | 6/115 | 3.30E-01 | 2.50E+00 | n/a | n/a | 0/115 | 2.63E+04 | 0/115 | 3.30E+01 |
| n-Octacosane | 2.90E-01 | 3.50E-01 | 3.20E-01 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Octadecene | 6.00E-01 | 6.00E-01 | 6.00E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Penta-chlorophenol | 5.50E-02 | 1.10E-01 | 8.25E-02 | 2/117 | 4.00E-01 | 2.50E+00 | n/a | n/a | 0/117 | 2.56E+03 | 0/117 | 2.12E+00 |
| Phenol | 7.00E-01 | 1.70E+01 | 8.85E+00 | 2/116 | 3.30E-01 | 2.50E+00 | n/a | n/a | 0/116 | 1.00E+05 | 0/116 | 1.16E+04 |
| Total Cresols | 2.30E+00 | 4.40E+00 | 3.35E+00 | 2/19 | 2.50E+00 | 4.90E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 1.30E-02 | 1.30E-02 | 1.30E-02 | 1/40 | 2.00E-03 | 3.10E-02 | n/a | n/a | 0/40 | 9.38E+03 | 0/40 | 1.56E+02 |
| 1,1-Dichloroethane | 9.00E-02 | 4.30E+00 | 1.12E+00 | 5/58 | 2.00E-03 | 3.10E-02 | n/a | n/a | 0/58 | 5.52E+03 | 0/58 | 1.55E+02 |
| 1,2,4-Trimethylbenzene | 4.80E-02 | 4.80E-02 | 4.80E-02 | 1/1 | | | n/a | n/a | 0/1 | 1.00E+05 | 0/1 | 3.67E+02 |
| 2-Butanone | 5.00E-02 | 5.00E-02 | 5.00E-02 | 1/40 | 1.10E-02 | 5.00E-01 | n/a | n/a | 0/40 | 3.94E+04 | 0/40 | 1.03E+03 |
| 4-Methyl-2-pentanone | 8.10E-02 | 8.10E-02 | 8.10E-02 | 1/40 | 1.10E-02 | 2.50E-01 | n/a | n/a | 0/40 | 2.18E+03 | 0/40 | 6.51E+01 |
| 4-Methyl-3-penten-2-one | 1.80E-01 | 1.80E-01 | 1.80E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Acetone | 3.00E-03 | 8.00E-01 | 1.28E-01 | 19/40 | 6.00E-03 | 5.00E-01 | n/a | n/a | 0/40 | 1.91E+04 | 0/40 | 3.58E+02 |
| Benzene | 9.00E-03 | 9.00E-03 | 9.00E-03 | 1/40 | 2.00E-03 | 3.10E-02 | n/a | n/a | 0/40 | 7.45E+01 | 0/40 | 1.13E+02 |
| Carbon disulfide | 1.00E-03 | 2.00E-03 | 1.89E-03 | 9/40 | 2.00E-03 | 3.10E-02 | n/a | n/a | 0/40 | 3.17E+03 | 0/40 | 1.06E+02 |
| Chlorobenzene | 1.00E-03 | 1.00E-03 | 1.00E-03 | 1/40 | 2.00E-03 | 3.10E-02 | n/a | n/a | 0/40 | 1.64E+03 | 0/40 | 2.89E+01 |
| cis-1,2-Dichloroethene | 2.60E-02 | 2.40E+03 | 2.01E+02 | 12/169 | 2.00E-03 | 1.90E+01 | n/a | n/a | 1/169 | 4.63E+02 | 1/169 | 1.34E+01 |
| Decane | 9.70E-02 | 9.70E-02 | 9.70E-02 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Methylene chloride | 3.90E-02 | 1.40E-01 | 7.15E-02 | 12/40 | 2.00E-03 | 1.20E-01 | n/a | n/a | 0/40 | 2.16E+03 | 0/40 | 1.34E+01 |
| Toluene | 2.00E-03 | 3.00E-03 | 2.25E-03 | 4/40 | 2.00E-03 | 3.10E-02 | n/a | n/a | 0/40 | 7.28E+03 | 0/40 | 2.11E+02 |
| trans-1,2-Dichloroethene | 2.00E-02 | 1.60E+01 | 2.54E+00 | 22/167 | 1.00E-03 | 1.90E+01 | n/a | n/a | 0/167 | 7.43E+02 | 0/167 | 2.20E+01 |
| Trichloroethene | 6.00E-04 | 4.39E+02 | 1.53E+01 | 54/205 | 1.00E-03 | 1.90E+01 | n/a | n/a | 1/205 | 2.98E+02 | 13/205 | 2.51E+00 |
| Vinyl chloride | 3.30E-03 | 4.80E+00 | 1.07E+00 | 7/198 | 9.90E-04 | 1.90E+01 | n/a | n/a | 0/198 | 4.14E+01 | 6/198 | 1.34E-01 |
| Wetchem (mg/kg) | | | | | | | | | | | | |
| Total Organic Carbon (TOC) | 3.45E+02 | 4.55E+03 | 9.21E+02 | 83/83 | 1.00E+00 | 1.00E+00 | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.




Figure No. ISoilsOUSOU_SMMUs.apr
DATE 08-27-09

Figure 5.1. Soils Operable Unit: SWMUs 1 and 212

Soils Operable Unit: SWMUs 1 and 212

SWMU 99 (C-745 Kellogg Building Site)

Area description

The C-745 Kellogg Building Site (SWMU 99) is located in the east central portion of the plant site. Included in the SWMU are a former septic tank, leach field, and clay piping southeast of the former building location (concrete pad) and the gravel covered parking area. SWMU 99 totals approximately 2.7 acres.

Process history

The C-745 Kellogg Building Sites was constructed in 1951 as facilities for pipe fabrication and pipe cleaning activities during construction of the plant. The building was demolished in 1955, but the remaining concrete pads are used to store UF₆ cylinders and waste at the C-745-E Cylinder Storage Yard the C-746-D Scrap Yard (SWMU 16), respectively.

The area also contained a former septic tank and leach field used by the Kellogg Buildings. The tank and associated leach field were connected to the Kellogg Buildings by a vitreous clay drain line. The tank and the leaching field are believed to have been designed to receive sanitary waste from the buildings' operations; however, the actual configuration of the drainage system is unknown. No records exist as to what was done with the residual contents of the tank after the buildings were demolished or whether any closure or removal actions were taken. The lateral lines for the leaching field were found intact when they were encountered during construction activities in late 1994.

Previous investigation results

SWMU 99 was investigated during the Phase II SI (CH2M HILL 1992). VOCs (primarily TCE), metals, and radionuclides were reported in the groundwater samples collected.

The WAG 28 RI/FS (DOE 2000b) conducted in 1999 focused on potential metals contamination in soils of SWMU 99 based on previous studies and the process knowledge of the activities conducted in this area at the Kellogg Buildings. These studies noted the sporadic presence of some metals in soil at slightly above background levels for subsurface soils. These metals include antimony, barium, beryllium, cadmium, chromium, iron, lead, manganese, and vanadium.

The data from WAG 28 RI/FS was assessed for risk. The results are documented in *Remedial Investigation Report for Waste Area Grouping 28 at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky* (DOE 2000b). The SWMU was divided into two (2) sections, 99a (Kellogg Building Sites) and 99b (septic system/leach field), in the risk assessment.

Landuse scenarios evaluated for 99a are current on-site industrial worker, future on-site industrial worker, future on-site excavation worker, future on-site recreational user, future on-site rural resident, and future off-site rural resident. COCs listed were beryllium; lead; chromium; barium; benz(a)anthracene; benzo(a)pyrene; benzo(b)fluoranthene; dibenz(a,h)anthracene; indeno (1,2,3,-cd)pyrene; PCB-1016; PCB-1254; neptunium-237; technetium-99; thorium-234; uranium-234; uranium-238; trichloroethene; radon-222; aluminum; arsenic; iron; manganese; vanadium; 1,1 dichloroethane; trichloroethene; carbon tetrachloride; *cis*-1,2-dichloroethene; *trans*-1,2-dichloroethene; 1,1-dichloroethene; and lithium.

Landuse scenarios evaluated for 99b are future on-site industrial worker, future on-site excavation worker, future on-site rural resident, and future off-site rural resident. COCs for 99b are beryllium, TCE, lead, radon-222, and chromium.

Significant results of the BHHRA and baseline ecological risk assessment (BERA) pertinent to this investigation are as follows:

- Scenarios for which human health risk exceeds *de minimis* levels [i.e., a cumulative human health excess lifetime cancer risk of 1E-6 or a cumulative HI of 1]: future industrial worker exposure to RGA groundwater and McNairy groundwater; future on-site resident exposure to soil, RGA groundwater and McNairy groundwater; off-site resident exposure to groundwater; future excavation worker exposure to soil; current industrial worker exposure to soil; future industrial worker exposure to soil; future on-site residential exposure to soil; future recreational user exposure to soil; and future excavation worker exposure to soil.
- Although chromium and zinc exceed benchmarks for plants and soil invertebrates and barium exceeds benchmarks for plants, potential risks to plant and soil invertebrate communities from future exposure to surface soil at this site appear low.
- Estimated doses from exposure to radionuclides in soil are below recommended dose rate limits for wildlife, but dose rates for plants and soil invertebrates are higher than the recommended dose rate limit of 1 rad/day. Technetium-99 is the radionuclide of concern based on its occurrence in a single sample.

Table 5.2 is a summary of historical data followed by a map of historical sample locations (Figure 5.2).

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.

Data Gap Determination

Additional samples needed at this location.

Table 5.2. Summary of Surface and Subsurface Historical Data at SWMU 99

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 1.81E+03 | 9.79E+03 | 5.24E+03 | 10/10 | 1.92E+01 | 2.00E+01 | 0/10 | 1.30E+04 | 0/10 | 1.00E+05 | 5/10 | 4.64E+03 |
| Arsenic | 1.92E+00 | 8.04E+00 | 5.97E+00 | 5/10 | 9.60E-01 | 5.00E+00 | 1/10 | 1.20E+01 | 0/10 | 3.15E+02 | 5/10 | 5.23E-01 |
| Barium | 3.26E+01 | 2.47E+03 | 3.47E+02 | 10/10 | 1.00E+00 | 2.43E+00 | 2/10 | 2.00E+02 | 0/10 | 1.00E+05 | 2/10 | 2.29E+02 |
| Beryllium | 8.40E-01 | 8.90E-01 | 8.65E-01 | 2/10 | 4.80E-01 | 5.00E-01 | 2/10 | 6.70E-01 | 0/10 | 1.28E+03 | 0/10 | 9.48E-01 |
| Calcium | 8.76E+03 | 3.05E+05 | 1.72E+05 | 10/10 | 5.00E+01 | 2.50E+03 | 10/10 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 7.59E+00 | 4.57E+01 | 1.66E+01 | 10/10 | 2.00E+00 | 2.43E+00 | n/a | n/a | n/a | n/a | 0/10 | 3.56E+02 |
| Cobalt | 1.68E+00 | 9.67E+00 | 4.04E+00 | 8/10 | 1.00E+00 | 2.43E+00 | 0/10 | 1.40E+01 | 0/10 | 1.00E+05 | 0/10 | 1.92E+03 |
| Copper | 4.37E+00 | 9.28E+00 | 6.24E+00 | 8/10 | 2.00E+00 | 2.43E+00 | 0/10 | 1.90E+01 | 0/10 | 1.00E+05 | 0/10 | 4.93E+02 |
| Iron | 1.45E+03 | 2.33E+04 | 1.06E+04 | 10/10 | 5.00E+00 | 1.94E+01 | 0/10 | 2.80E+04 | 0/10 | 1.00E+05 | 9/10 | 2.07E+03 |
| Lithium | 4.52E+00 | 1.29E+01 | 8.88E+00 | 7/7 | 2.00E+00 | 2.00E+00 | n/a | n/a | 0/7 | 1.00E+05 | 0/7 | 6.41E+02 |
| Magnesium | 1.20E+03 | 2.73E+04 | 9.55E+03 | 10/10 | 4.81E+00 | 7.50E+02 | 7/10 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 3.93E+01 | 4.30E+02 | 1.95E+02 | 10/10 | 1.00E+00 | 2.43E+00 | 0/10 | 1.50E+03 | 0/10 | 4.64E+04 | 9/10 | 4.52E+01 |
| Molybdenum | 5.88E+00 | 1.60E+01 | 1.09E+01 | 2/3 | 4.81E+00 | 4.86E+00 | n/a | n/a | 0/3 | 2.50E+04 | 0/3 | 8.30E+01 |
| Nickel | 5.47E+00 | 2.16E+01 | 8.77E+00 | 6/10 | 4.81E+00 | 5.00E+00 | 1/10 | 2.10E+01 | 0/10 | 9.30E+04 | 0/10 | 2.42E+02 |
| Potassium | 3.44E+02 | 1.12E+03 | 5.94E+02 | 10/10 | 9.61E+01 | 1.00E+02 | 1/10 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Sodium | 2.97E+02 | 3.66E+02 | 3.18E+02 | 4/10 | 9.61E+01 | 2.00E+02 | 1/10 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Strontium | 1.46E+01 | 5.14E+02 | 3.00E+02 | 7/7 | 2.00E+00 | 2.00E+00 | n/a | n/a | 0/7 | 1.00E+05 | 0/7 | 5.45E+03 |
| Uranium | 1.40E+00 | 4.53E+00 | 2.96E+00 | 4/6 | 1.20E-01 | 9.70E-01 | 0/6 | 4.90E+00 | 0/6 | 3.34E+03 | 0/6 | 2.02E+01 |
| Vanadium | 4.48E+00 | 3.55E+01 | 1.54E+01 | 10/10 | 2.00E+00 | 2.43E+00 | 0/10 | 3.80E+01 | 0/10 | 4.47E+03 | 10/10 | 3.32E+00 |
| Zinc | 4.47E+01 | 1.14E+02 | 7.51E+01 | 10/10 | 1.50E+01 | 1.94E+01 | 8/10 | 6.50E+01 | 0/10 | 1.00E+05 | 0/10 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 1.80E-01 | 1.90E-01 | 1.85E-01 | 2/44 | 1.00E-01 | 1.30E-01 | n/a | n/a | 0/44 | 4.25E+01 | 0/44 | 1.99E-01 |
| PCB-1254 | 1.90E-01 | 1.90E-01 | 1.90E-01 | 1/51 | 8.00E-02 | 1.18E-01 | n/a | n/a | 0/51 | 1.82E+01 | 0/51 | 1.99E-01 |
| PCB-1260 | 6.00E-02 | 1.80E-01 | 1.13E-01 | 4/51 | 9.00E-02 | 1.18E-01 | n/a | n/a | 0/51 | 4.25E+01 | 0/51 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 4.38E+00 | 2.85E+01 | 1.31E+01 | 8/13 | 7.60E-01 | 9.69E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 6.33E+00 | 3.66E+01 | 1.95E+01 | 8/13 | 8.90E-01 | 7.10E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | -3.50E-01 | 7.70E-01 | 2.02E-01 | 40/48 | 4.00E-02 | 3.50E+00 | 12/48 | 4.90E-01 | 0/48 | 8.58E+00 | 27/48 | 8.58E-02 |
| Technetium-99 | 3.41E+00 | 5.12E+00 | 4.09E+00 | 3/10 | 2.81E+00 | 4.48E+00 | 3/10 | 2.50E+00 | 0/10 | 3.62E+04 | 0/10 | 3.62E+02 |
| Thorium-228 | 2.68E-01 | 3.33E-01 | 3.01E-01 | 2/3 | 5.00E-02 | 1.60E-01 | 0/3 | 1.60E+00 | 0/3 | 2.80E+00 | 2/3 | 2.80E-02 |
| Thorium-230 | 2.69E-01 | 3.02E-01 | 2.86E-01 | 2/3 | 2.00E-01 | 2.00E-01 | 0/3 | 1.50E+00 | 0/3 | 1.49E+03 | 0/3 | 1.49E+01 |
| Thorium-232 | 6.19E-02 | 3.00E-01 | 2.16E-01 | 3/3 | 4.00E-02 | 4.00E-02 | 0/3 | 1.50E+00 | 0/3 | 1.35E+03 | 0/3 | 1.35E+01 |
| Uranium-234 | 1.53E-01 | 5.06E-01 | 3.21E-01 | 3/3 | 8.00E-02 | 1.50E-01 | 0/3 | 2.50E+00 | 0/3 | 1.98E+03 | 0/3 | 1.98E+01 |
| Uranium-235 | 4.25E-02 | 4.25E-02 | 4.25E-02 | 1/10 | 1.00E-02 | 7.50E+00 | 0/10 | 1.40E-01 | 0/10 | 3.95E+01 | 0/10 | 3.95E-01 |
| Uranium-238 | -1.15E+01 | 1.46E+01 | 2.65E+00 | 41/41 | 4.00E-02 | 1.73E+01 | 26/41 | 1.20E+00 | 0/41 | 1.71E+02 | 19/41 | 1.71E+00 |
| Semivolatile (mg/kg) | | | | | | | | | | | | |
| Benzo(b)fluoranthene | 1.70E-01 | 3.00E-01 | 2.23E-01 | 3/10 | 4.70E-01 | 5.00E-01 | n/a | n/a | 0/10 | 2.08E+02 | 1/10 | 2.12E-01 |
| Fluoranthene | 1.40E-01 | 1.40E-01 | 1.40E-01 | 1/10 | 4.70E-01 | 5.00E-01 | n/a | n/a | 0/10 | 6.50E+04 | 0/10 | 2.21E+02 |
| Pyrene | 1.30E-01 | 1.30E-01 | 1.30E-01 | 1/10 | 4.70E-01 | 5.00E-01 | n/a | n/a | 0/10 | 4.87E+04 | 0/10 | 1.65E+02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.2. Summary of Surface and Subsurface Historical Data at SWMU 99 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Subsurface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 5.31E+03 | 1.50E+04 | 9.97E+03 | 36/36 | 2.00E+01 | 2.00E+01 | 6/36 | 1.20E+04 | 0/36 | 1.00E+05 | 36/36 | 4.64E+03 |
| Antimony | 2.90E+00 | 2.90E+00 | 2.90E+00 | 1/36 | 1.70E+00 | 2.00E+01 | 1/36 | 2.10E-01 | 0/36 | 4.63E+02 | 1/36 | 3.79E-01 |
| Arsenic | 1.40E+00 | 8.20E+00 | 3.95E+00 | 11/36 | 5.00E+00 | 5.00E+00 | 1/36 | 7.90E+00 | 0/36 | 3.15E+02 | 11/36 | 5.23E-01 |
| Barium | 1.29E+01 | 2.13E+02 | 5.53E+01 | 36/36 | 1.00E+00 | 1.00E+00 | 2/36 | 1.70E+02 | 0/36 | 1.00E+05 | 0/36 | 2.29E+02 |
| Beryllium | 2.20E-01 | 1.25E+00 | 6.09E-01 | 24/36 | 5.00E-01 | 5.00E-01 | 7/36 | 6.90E-01 | 0/36 | 1.28E+03 | 2/36 | 9.48E-01 |
| Calcium | 5.03E+02 | 7.17E+03 | 1.66E+03 | 36/36 | 5.00E+01 | 5.00E+01 | 1/36 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 6.90E+00 | 5.77E+01 | 1.45E+01 | 36/36 | 2.00E+00 | 2.00E+00 | n/a | n/a | n/a | n/a | 0/36 | 3.56E+02 |
| Cobalt | 1.08E+00 | 1.19E+01 | 4.37E+00 | 35/36 | 1.00E+00 | 1.00E+00 | 0/36 | 1.30E+01 | 0/36 | 1.00E+05 | 0/36 | 1.92E+03 |
| Copper | 2.41E+00 | 1.64E+01 | 6.29E+00 | 36/36 | 2.00E+00 | 2.00E+00 | 0/36 | 2.50E+01 | 0/36 | 1.00E+05 | 0/36 | 4.93E+02 |
| Iron | 4.79E+03 | 2.21E+04 | 1.25E+04 | 36/36 | 5.00E+00 | 2.50E+02 | 0/36 | 2.80E+04 | 0/36 | 1.00E+05 | 36/36 | 2.07E+03 |
| Lead | 7.00E+00 | 4.73E+01 | 1.51E+01 | 12/36 | 2.00E+01 | 2.00E+01 | 1/36 | 2.30E+01 | 0/36 | 1.25E+03 | 0/36 | 5.00E+01 |
| Lithium | 2.62E+00 | 1.14E+01 | 5.72E+00 | 21/25 | 2.00E+00 | 2.00E+00 | n/a | n/a | 0/25 | 1.00E+05 | 0/25 | 6.41E+02 |
| Magnesium | 3.63E+02 | 2.61E+03 | 1.15E+03 | 36/36 | 1.50E+01 | 1.50E+01 | 4/36 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 8.29E+00 | 1.46E+03 | 1.96E+02 | 36/36 | 1.00E+00 | 1.00E+00 | 2/36 | 8.20E+02 | 0/36 | 4.64E+04 | 20/36 | 4.52E+01 |
| Nickel | 2.50E+00 | 2.90E+01 | 1.04E+01 | 24/36 | 5.00E+00 | 5.00E+00 | 4/36 | 2.20E+01 | 0/36 | 9.30E+04 | 0/36 | 2.42E+02 |
| Potassium | 1.39E+02 | 8.87E+02 | 3.78E+02 | 36/36 | 1.00E+02 | 1.00E+02 | 0/36 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Sodium | 6.63E+01 | 4.05E+02 | 2.72E+02 | 21/36 | 2.00E+02 | 2.00E+02 | 6/36 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Strontium | 2.66E+00 | 2.22E+01 | 8.61E+00 | 25/25 | 2.00E+00 | 2.00E+00 | n/a | n/a | 0/25 | 1.00E+05 | 0/25 | 5.45E+03 |
| Vanadium | 7.83E+00 | 6.61E+01 | 2.30E+01 | 36/36 | 2.00E+00 | 2.00E+00 | 2/36 | 3.70E+01 | 0/36 | 4.47E+03 | 36/36 | 3.32E+00 |
| Zinc | 5.00E+00 | 5.70E+01 | 2.48E+01 | 27/36 | 1.50E+01 | 1.50E+01 | 0/36 | 6.00E+01 | 0/36 | 1.00E+05 | 0/36 | 2.73E+03 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 2.31E+00 | 2.40E+01 | 1.10E+01 | 46/48 | 6.10E-01 | 9.80E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 2.03E+00 | 2.30E+01 | 1.11E+01 | 48/48 | 7.90E-01 | 8.20E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Thorium-230 | 3.30E-01 | 6.70E-01 | 5.55E-01 | 4/4 | | | 0/4 | 1.40E+00 | 0/4 | 1.49E+03 | 0/4 | 1.49E+01 |
| Uranium-234 | 8.00E-02 | 5.40E-01 | 3.10E-01 | 4/4 | | | 0/4 | 2.40E+00 | 0/4 | 1.98E+03 | 0/4 | 1.98E+01 |
| Uranium-235 | 7.20E-03 | 4.10E-02 | 2.41E-02 | 2/31 | 1.80E+00 | 1.40E+01 | 0/31 | 1.40E-01 | 0/31 | 3.95E+01 | 0/31 | 3.95E-01 |
| Uranium-238 | 9.00E-02 | 2.40E+00 | 8.08E-01 | 4/4 | | | 1/4 | 1.20E+00 | 0/4 | 1.71E+02 | 1/4 | 1.71E+00 |
| Semivolatile (mg/kg) | | | | | | | | | | | | |
| Acenaphthene | 1.20E+00 | 1.20E+00 | 1.20E+00 | 1/41 | 3.60E-01 | 5.00E-01 | n/a | n/a | 0/41 | 6.67E+04 | 0/41 | 3.16E+02 |
| Anthracene | 1.40E+00 | 1.40E+00 | 1.40E+00 | 1/41 | 3.60E-01 | 5.00E-01 | n/a | n/a | 0/41 | 1.00E+05 | 0/41 | 3.79E+03 |
| Benz(a)anthracene | 7.50E-01 | 7.50E-01 | 7.50E-01 | 1/41 | 3.60E-01 | 5.00E-01 | n/a | n/a | 0/41 | 2.08E+02 | 1/41 | 2.12E-01 |
| Benzo(a)pyrene | 1.84E-01 | 1.84E-01 | 1.84E-01 | 1/41 | 3.60E-01 | 5.00E-01 | n/a | n/a | 0/41 | 2.08E+01 | 1/41 | 2.12E-02 |
| Benzo(b)fluoranthene | 1.40E+00 | 1.40E+00 | 1.40E+00 | 1/41 | 3.60E-01 | 5.00E-01 | n/a | n/a | 0/41 | 2.08E+02 | 1/41 | 2.12E-01 |
| Bis(2-ethylhexyl)phthalate | 7.10E-02 | 2.20E-01 | 1.37E-01 | 10/41 | 3.60E-01 | 5.00E-01 | n/a | n/a | 0/41 | 7.40E+03 | 0/41 | 8.84E+00 |
| Chrysene | 8.10E-01 | 8.10E-01 | 8.10E-01 | 1/41 | 3.60E-01 | 5.00E-01 | n/a | n/a | 0/41 | 2.08E+04 | 0/41 | 2.12E+01 |
| Dibenzofuran | 6.40E-01 | 6.40E-01 | 6.40E-01 | 1/41 | 3.60E-01 | 5.00E-01 | n/a | n/a | 0/41 | 9.02E+03 | 0/41 | 1.86E+01 |
| Di-n-butyl phthalate | 4.80E-02 | 9.50E-01 | 4.99E-01 | 2/41 | 3.60E-01 | 5.00E-01 | n/a | n/a | 0/41 | 1.00E+05 | 0/41 | 2.13E+03 |
| Fluoranthene | 1.20E+00 | 2.40E+00 | 1.80E+00 | 2/41 | 3.60E-01 | 5.00E-01 | n/a | n/a | 0/41 | 6.50E+04 | 0/41 | 2.21E+02 |
| Fluorene | 1.60E+00 | 1.60E+00 | 1.60E+00 | 1/41 | 3.60E-01 | 5.00E-01 | n/a | n/a | 0/41 | 7.09E+04 | 0/41 | 3.39E+02 |
| Indeno(1,2,3-cd)pyrene | 1.30E-01 | 1.30E-01 | 1.30E-01 | 1/41 | 3.60E-01 | 5.00E-01 | n/a | n/a | 0/41 | 2.08E+02 | 0/41 | 2.12E-01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.

Table 5.2. Summary of Surface and Subsurface Historical Data at SWMU 99 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| Phenanthrene | 1.40E+00 | 2.10E+00 | 1.75E+00 | 2/41 | 3.60E-01 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 7.60E-01 | 1.90E+00 | 1.33E+00 | 2/41 | 3.60E-01 | 5.00E-01 | n/a | n/a | 0/41 | 4.87E+04 | 0/41 | 1.65E+02 |
| <i>Volatiles (mg/kg)</i> | | | | | | | | | | | | |
| 2-Butanone | 6.00E-03 | 6.00E-03 | 6.00E-03 | 1/63 | 1.00E-02 | 1.20E+00 | n/a | n/a | 0/63 | 3.94E+04 | 0/63 | 1.03E+03 |
| Acetone | 1.10E-02 | 1.40E+00 | 1.64E-01 | 12/63 | 1.00E-02 | 1.20E+00 | n/a | n/a | 0/63 | 1.91E+04 | 0/63 | 3.58E+02 |
| Methylene chloride | 2.00E-03 | 1.40E-02 | 6.71E-03 | 7/63 | 6.00E-03 | 1.20E+00 | n/a | n/a | 0/63 | 2.16E+03 | 0/63 | 1.34E+01 |
| Total Xylene | 4.00E-03 | 4.00E-03 | 4.00E-03 | 1/11 | 6.00E-03 | 6.00E-03 | n/a | n/a | 0/11 | 2.20E+04 | 0/11 | 7.24E+02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.2. Soils Operable Unit: SWMUs 16 and 99

SWMU 172 (C-726 Sandblasting Facility)

Area description

The C-726 Sandblasting Facility (SWMU 172) is located in the central portion of the plant site. SWMU 172 is approximately 45 ft long by 40 ft wide. This SWMU is part of the SOU and the D&D OU.

Process history

The original facility was a concrete pad with a roof, and it was used for cleaning and sandblasting of plant equipment. The facility was shutdown in 1989; it was restarted in March of 1991 and modified to meet air emissions requirements. Modifications included partial enclosure and installation of an air filtering system. The facility has not undergone D&D. Process knowledge indicates that activities may have included cleaning radiologically contaminated equipment.

Previous investigation results

No previous investigations are available.

Table 5.3 is a summary of historical data followed by a map of historical sample locations (Figure 5.3).

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.

Data Gap Determination

Additional samples are needed at this location. This location has not undergone D&D; consequently, no samples can be taken at this time.

Table 5.3. Summary of Surface and Subsurface Historical Data at SWMU 172

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 2.40E-01 | 1.04E+00 | 6.40E-01 | 2/3 | 1.20E-01 | 1.30E-01 | n/a | n/a | 0/3 | 4.25E+01 | 2/3 | 1.99E-01 |
| PCB-1254 | 8.10E-01 | 8.10E-01 | 8.10E-01 | 1/3 | 9.00E-02 | 9.00E-02 | n/a | n/a | 0/3 | 1.82E+01 | 1/3 | 1.99E-01 |
| PCB-1260 | 2.30E-01 | 2.40E-01 | 2.35E-01 | 2/3 | 9.00E-02 | 1.00E-01 | n/a | n/a | 0/3 | 4.25E+01 | 2/3 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Cesium-137 | 1.13E+00 | 4.93E+00 | 2.42E+00 | 3/3 | 2.20E-01 | 5.00E-01 | 3/3 | 4.90E-01 | 0/3 | 8.58E+00 | 3/3 | 8.58E-02 |
| Uranium-238 | 3.86E+00 | 1.71E+01 | 9.88E+00 | 3/3 | 2.18E+00 | 7.01E+00 | 3/3 | 1.20E+00 | 0/3 | 1.71E+02 | 3/3 | 1.71E+00 |
| Subsurface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 1.46E+04 | 1.47E+04 | 1.47E+04 | 2/2 | 1.00E+02 | 1.00E+02 | 2/2 | 1.20E+04 | 0/2 | 1.00E+05 | 2/2 | 4.64E+03 |
| Antimony | 7.00E-01 | 7.00E-01 | 7.00E-01 | 1/2 | 3.90E-01 | 6.00E-01 | 1/2 | 2.10E+01 | 0/2 | 4.63E+02 | 1/2 | 3.79E-01 |
| Arsenic | 8.30E+00 | 1.08E+01 | 9.55E+00 | 2/2 | 7.00E-02 | 7.00E-02 | 2/2 | 7.90E+00 | 0/2 | 3.15E+02 | 2/2 | 5.23E-01 |
| Barium | 1.03E+02 | 1.66E+02 | 1.35E+02 | 2/2 | 2.00E-02 | 2.00E-02 | 0/2 | 1.70E+02 | 0/2 | 1.00E+05 | 0/2 | 2.29E+02 |
| Beryllium | 9.80E-01 | 1.68E+01 | 8.89E+00 | 2/2 | 1.00E-02 | 1.00E-02 | 2/2 | 6.90E-01 | 0/2 | 1.28E+03 | 2/2 | 9.48E-01 |
| Cadmium | 1.40E+00 | 1.40E+00 | 1.40E+00 | 1/2 | 2.00E-02 | 2.00E-02 | 1/2 | 2.10E-01 | 0/2 | 7.05E+01 | 0/2 | 2.13E+01 |
| Calcium | 7.20E+03 | 7.71E+03 | 7.46E+03 | 2/2 | 1.00E-01 | 1.00E-01 | 2/2 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 2.06E+01 | 2.30E+01 | 2.18E+01 | 2/2 | 9.00E-02 | 9.00E-02 | n/a | n/a | n/a | n/a | 0/2 | 3.56E+02 |
| Cobalt | 8.30E+00 | 1.09E+01 | 9.60E+00 | 2/2 | 1.00E-01 | 1.00E-01 | 0/2 | 1.30E+01 | 0/2 | 1.00E+05 | 0/2 | 1.92E+02 |
| Copper | 1.23E+01 | 1.58E+01 | 1.41E+01 | 2/2 | 1.00E-01 | 1.00E-01 | 0/2 | 2.50E+01 | 0/2 | 1.00E+05 | 0/2 | 4.93E+02 |
| Iron | 1.90E+04 | 2.29E+04 | 2.29E+04 | 2/2 | 1.00E+02 | 1.00E+02 | 0/2 | 2.80E+04 | 0/2 | 1.00E+05 | 2/2 | 2.07E+02 |
| Lead | 1.65E+01 | 1.74E+01 | 1.70E+01 | 2/2 | 2.00E-01 | 2.00E-01 | 0/2 | 2.30E+01 | 0/2 | 1.25E+03 | 0/2 | 5.00E+01 |
| Magnesium | 2.05E+03 | 2.10E+03 | 2.08E+03 | 2/2 | 1.00E-01 | 1.00E-01 | 0/2 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 5.22E+02 | 8.52E+02 | 6.87E+02 | 2/2 | 1.00E-01 | 1.00E-01 | 1/2 | 8.20E+02 | 0/2 | 4.64E+04 | 2/2 | 4.52E+01 |
| Mercury | 1.68E-02 | 1.00E-01 | 5.84E-02 | 2/2 | 9.70E-03 | 9.70E-03 | 0/2 | 1.30E-01 | 0/2 | 8.25E+02 | 0/2 | 9.82E-01 |
| Nickel | 1.72E+01 | 2.56E+01 | 2.14E+01 | 2/2 | 1.00E-01 | 1.00E-01 | 1/2 | 2.20E+01 | 0/2 | 9.30E+04 | 0/2 | 2.42E+02 |
| Potassium | 3.22E+02 | 9.53E+02 | 6.38E+02 | 2/2 | 2.00E+00 | 2.00E+00 | 1/2 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Selenium | 9.00E-01 | 9.00E-01 | 9.00E-01 | 1/2 | 2.00E-01 | 2.20E-01 | 1/2 | 7.00E-01 | 0/2 | 2.56E+04 | 0/2 | 9.49E+01 |
| Silver | 1.40E+00 | 1.40E+00 | 1.40E+00 | 1/2 | 9.00E-02 | 9.00E-02 | 0/2 | 2.70E+00 | 0/2 | 2.07E+04 | 0/2 | 4.11E+01 |
| Sodium | 3.01E+02 | 3.52E+02 | 3.27E+02 | 2/2 | 1.00E+00 | 1.00E+00 | 1/2 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Thallium | 3.00E-01 | 3.00E-01 | 3.00E-01 | 1/2 | 3.00E+00 | 3.00E+00 | 1/2 | 3.40E-01 | n/a | n/a | n/a | n/a |
| Vanadium | 3.14E+01 | 3.60E+01 | 3.37E+01 | 2/2 | 3.00E+00 | 3.00E+00 | 0/2 | 3.70E+01 | 0/2 | 4.47E+03 | 2/2 | 3.32E+00 |
| Zinc | 4.52E+01 | 6.10E+01 | 5.31E+01 | 2/2 | 1.00E-01 | 1.00E-01 | 1/2 | 6.00E+01 | 0/2 | 1.00E+05 | 0/2 | 2.73E+03 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 5.00E+00 | 3.24E+01 | 1.86E+01 | 3/3 | 8.50E+00 | 8.50E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Americium-241 | 1.00E-01 | 1.00E-01 | 1.00E-01 | 1/1 | 1.66E+01 | 1.66E+01 | n/a | n/a | 0/1 | 5.16E+02 | 0/1 | 5.16E+00 |
| Beta activity | 2.20E+01 | 4.76E+01 | 3.10E+01 | 3/3 | 1.66E+01 | 1.66E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 1.00E-01 | 1.00E-01 | 1.00E-01 | 1/1 | | | 0/1 | 2.80E-01 | 0/1 | 8.58E+00 | 1/1 | 8.58E-02 |
| Neptunium-237 | 1.00E-01 | 1.00E-01 | 1.00E-01 | 1/1 | | | n/a | n/a | 0/1 | 2.71E+01 | 0/1 | 2.71E-01 |
| Plutonium-239 | 1.00E-01 | 1.00E-01 | 1.00E-01 | 1/1 | | | n/a | n/a | 0/1 | 1.15E+03 | 0/1 | 1.15E+01 |
| Technetium-99 | 3.00E-01 | 3.00E-01 | 3.00E-01 | 1/1 | | | 0/1 | 2.80E+00 | 0/1 | 3.62E+04 | 0/1 | 3.62E+02 |
| Thorium-230 | 1.20E+00 | 1.20E+00 | 1.20E+00 | 1/1 | | | 0/1 | 1.40E+00 | 0/1 | 1.49E+03 | 0/1 | 1.49E+01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.3. Summary of Surface and Subsurface Historical Data at SWMU 172 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Uranium | 8.00E-01 | 8.00E-01 | 8.00E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 9.00E-01 | 9.00E-01 | 9.00E-01 | 1/1 | | | 0/1 | 2.40E+00 | 0/1 | 1.98E+03 | 0/1 | 1.98E+01 |
| Uranium-235 | 1.00E-01 | 1.00E-01 | 1.00E-01 | 1/1 | | | 0/1 | 1.40E-01 | 0/1 | 3.95E+01 | 0/1 | 3.95E-01 |
| Uranium-238 | 1.10E+00 | 1.10E+00 | 1.10E+00 | 1/1 | | | 0/1 | 1.20E+00 | 0/1 | 1.71E+02 | 0/1 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Bis(2-ethylhexyl)phthalate | 4.00E-02 | 4.00E-02 | 4.00E-02 | 1/3 | 4.30E-01 | 8.20E-01 | n/a | n/a | 0/3 | 7.40E+03 | 0/3 | 8.84E+00 |
| Di-n-butyl phthalate | 1.64E+00 | 1.64E+00 | 1.64E+00 | 1/3 | 4.30E-01 | 8.20E-01 | n/a | n/a | 0/3 | 1.00E+05 | 0/3 | 2.13E+03 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| cis-1,2-Dichloroethene | 4.40E-03 | 4.40E-03 | 4.40E-03 | 1/2 | 6.00E-03 | 1.00E+00 | n/a | n/a | 0/2 | 4.63E+02 | 0/2 | 1.34E+01 |
| Trichloroethene | 3.10E-03 | 3.10E-03 | 3.10E-03 | 1/3 | 6.00E-03 | 1.00E+00 | n/a | n/a | 0/3 | 2.98E+02 | 0/3 | 2.51E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.3. Soils Operable Unit: SWMUs 26, 47, 165, 172, 200, 221, and 483

SWMU 194 [McGraw Construction Facilities (South Side)]

Area description

The McGraw Construction Facilities (South Side) (SWMU 194) is an open field located southwest of the plant site. SWMU 194 is approximately 540,000 ft² (600 ft x 900 ft). This SWMU is part of the SOU and the D&D OU.

Process history

The McGraw Construction Facility was constructed in 1951 as buildings for support of original plant construction. Buildings located in this area included an administration building, a cafeteria, a boiler house, guard headquarters, a hospital, and a purchasing building. The facilities were demolished following completion of PGDP construction. The area was graded and has been maintained as a grassy area since that time. A portion of the site east of the Hobbs access road and south of the C-100 Parking Lot is the location of the depleted uranium hexafluoride (DUF₆) Conversion Facility. Concrete footers and debris possibly may remain below grade, although no known disposal of hazardous constituents have occurred.

Previous investigation results

The Northeast Plume Investigation (DOE 1995c) was conducted in 1995 to identify possible sources of contamination associated with various buildings and operations within SWMU 194. The results of this investigation indicated potential metal contamination. The WAG 28 RI conducted in 1999 focused on potential metals contamination of SWMU 194 based on the previous study and the process knowledge of the activities conducted in this area by the McGraw Construction Facilities. This study noted the sporadic presence of some metals at slightly above background levels. These metals include aluminum, beryllium, cadmium, calcium, iron, lead, magnesium, sodium, vanadium, and zinc (DOE 2000b).

Additional site characterization was conducted in 2000 in support of the DUF₆ Conversion Project. The results of this investigation are documented in *DUF₆ Conversion Facility Site Characterization Report, Paducah Gaseous Diffusion Plant, Paducah, Kentucky* (BJC 2001).

The data contained in the aforementioned studies have been assessed for risk. The results are documented in *Baseline Human Health Risk Assessment and Screening Ecological Risk Assessment for the Proposed Site of the UF₆ Conversion Facility, Including the Eastern Portion of SWMU 194, McGraw Construction Facilities (South Side), at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky* (DOE 2001b).

Significant results of the BHHRA and SERA were the soil at the proposed site of the UF₆ Conversion Facility and that portion of SWMU 194 overlain by the proposed site have been well characterized, the risks to the health of the most likely future users of the proposed site from exposure to soil containing site-related COCs fall within the acceptable risk range, and adverse impacts from contamination in soil to ecological receptors are not expected.

The risk assessment supports an NFA recommendation for the proposed site of the UF₆ Conversion Facility if the site is developed and maintained as an industrial area.

The SERA identified 12 inorganic chemicals and 14 organic compounds but no radionuclides in surface soil as contaminants of potential concern for ecological receptors. The inorganic chemicals were aluminum, arsenic, barium, beryllium, calcium, chromium, copper, lead, nickel, silver, vanadium, and zinc. The organic compounds included several polycyclic aromatic hydrocarbons (PAHs) and phthalates.

The SERA also determined that the proposed site (i.e., open grassy field) contained no critical habitat for wildlife found at the PGDP. The construction of the UF₆ Conversion Facility and supporting structures would cover the site surface and modify habitat to such an extent that the presence of these chemicals would be of little ecological concern.

Table 5.4 is a summary of historical data followed by a map of historical sample locations (Figure 5.4).

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.

Data Gap Determination

Additional samples are needed at this location.

Table 5.4. Summary of Surface and Subsurface Historical Data at SWMU 194

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 3.86E+03 | 1.13E+04 | 7.48E+03 | 12/12 | 2.00E+01 | 2.00E+01 | 0/12 | 1.30E+04 | 0/12 | 1.00E+05 | 10/12 | 4.64E+03 |
| Arsenic | 5.11E+00 | 6.72E+00 | 5.92E+00 | 2/12 | 5.00E+00 | 5.00E+00 | 0/12 | 1.20E+01 | 0/12 | 3.15E+02 | 2/12 | 5.23E-01 |
| Barium | 2.72E+01 | 1.00E+02 | 6.65E+01 | 12/12 | 5.00E+00 | 5.00E+00 | 0/12 | 2.00E+02 | 0/12 | 1.00E+05 | 0/12 | 2.29E+02 |
| Beryllium | 5.10E-01 | 9.80E-01 | 6.78E-01 | 4/12 | 5.00E-01 | 5.00E-01 | 2/12 | 6.70E-01 | 0/12 | 1.28E+03 | 1/12 | 9.48E-01 |
| Calcium | 1.04E+03 | 2.18E+05 | 6.31E+04 | 12/12 | 1.00E+02 | 1.00E+04 | 6/12 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 5.85E+00 | 6.75E+01 | 1.66E+01 | 11/12 | 2.50E+00 | 2.50E+00 | n/a | n/a | n/a | n/a | 0/12 | 3.56E+02 |
| Copper | 4.63E+00 | 3.86E+01 | 1.20E+01 | 12/12 | 2.50E+00 | 2.50E+00 | 2/12 | 1.90E+01 | 0/12 | 1.00E+05 | 0/12 | 4.93E+02 |
| Lead | 2.03E+01 | 2.38E+01 | 2.25E+01 | 3/12 | 2.00E+01 | 2.00E+02 | 2/12 | 3.60E+01 | 0/12 | 1.25E+03 | 0/12 | 5.00E+01 |
| Nickel | 7.12E+00 | 8.37E+01 | 1.60E+01 | 12/12 | 5.00E+00 | 5.00E+00 | 1/12 | 2.10E+00 | 0/12 | 9.30E+04 | 0/12 | 2.42E+02 |
| Silver | 4.30E+00 | 4.63E+00 | 4.47E+00 | 2/12 | 4.00E+00 | 4.00E+00 | 2/12 | 2.30E+00 | 0/12 | 2.07E+04 | 0/12 | 4.11E+01 |
| Uranium | 1.00E+00 | 1.00E+02 | 9.60E+00 | 25/25 | | | 2/25 | 4.90E+00 | 0/25 | 3.34E+03 | 2/25 | 2.02E+01 |
| Vanadium | 1.00E+01 | 6.30E+01 | 2.20E+01 | 12/12 | 2.50E+00 | 2.50E+00 | 1/12 | 3.80E+01 | 0/12 | 4.47E+03 | 12/12 | 3.32E+00 |
| Zinc | 3.04E+01 | 2.73E+02 | 7.23E+01 | 9/12 | 2.00E+01 | 2.00E+02 | 4/12 | 6.50E+01 | 0/12 | 1.00E+05 | 0/12 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 1.80E+01 | 1.80E+01 | 1.80E+01 | 1/13 | 1.00E-01 | 1.00E-01 | n/a | n/a | 0/13 | 4.25E+01 | 1/13 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 3.04E+00 | 9.47E+00 | 6.40E+00 | 9/12 | 8.20E-01 | 8.20E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 1.81E+00 | 1.32E+01 | 5.50E+00 | 10/12 | 8.10E-01 | 4.67E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 7.75E-02 | 1.06E+00 | 3.60E-01 | 11/13 | 2.48E-02 | 1.06E-01 | 5/13 | 4.90E-01 | 0/13 | 8.58E+00 | 10/13 | 8.58E-02 |
| Lead-212 | 6.60E-01 | 6.60E-01 | 6.60E-01 | 1/1 | 1.70E-01 | 1.70E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Lead-214 | 6.80E-01 | 6.80E-01 | 6.80E-01 | 1/1 | 1.50E-01 | 1.50E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Potassium-40 | 1.75E+00 | 1.40E+01 | 6.88E+00 | 13/13 | 2.13E-01 | 1.00E+00 | 0/13 | 1.60E+01 | n/a | n/a | n/a | n/a |
| Protactinium-234m | 1.66E+01 | 1.66E+01 | 1.66E+01 | 1/12 | 3.27E+00 | 1.25E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Radium-226 | 6.03E-01 | 8.58E-01 | 7.31E-01 | 2/12 | 9.43E-02 | 4.14E-01 | 0/12 | 1.50E+00 | 0/12 | 2.56E+00 | 2/12 | 2.56E-02 |
| Technetium-99 | 4.10E+00 | 4.10E+00 | 4.10E+00 | 1/13 | 2.50E+00 | 3.25E+00 | 1/13 | 2.50E+00 | 0/13 | 3.62E+04 | 0/13 | 3.62E+02 |
| Thorium-228 | 1.36E-01 | 5.14E-01 | 2.74E-01 | 12/12 | 8.68E-03 | 1.23E-01 | 0/12 | 1.60E+00 | 0/12 | 2.80E+00 | 12/12 | 2.80E-02 |
| Thorium-230 | 1.49E-01 | 6.05E-01 | 4.08E-01 | 12/12 | 2.19E-02 | 1.21E-01 | 0/12 | 1.50E+00 | 0/12 | 1.49E+03 | 0/12 | 1.49E+01 |
| Thorium-232 | 1.52E-01 | 4.73E-01 | 2.72E-01 | 12/12 | 1.88E-02 | 5.70E-02 | 0/12 | 1.50E+00 | 0/12 | 1.35E+03 | 0/12 | 1.35E+01 |
| Thorium-232 Daughters | 6.50E-01 | 6.50E-01 | 6.50E-01 | 1/1 | 2.50E-01 | 2.50E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium | 3.40E+01 | 3.40E+01 | 3.40E+01 | 1/12 | 1.15E+00 | 5.50E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 5.70E-01 | 1.51E+01 | 7.84E+00 | 2/13 | 8.00E-02 | 2.46E+00 | 1/13 | 2.50E+00 | 0/13 | 1.98E+03 | 0/13 | 1.98E+01 |
| Uranium-235 | 7.76E-01 | 7.76E-01 | 7.76E-01 | 1/13 | 2.95E-02 | 1.22E-01 | 1/13 | 1.40E-01 | 0/13 | 3.95E+01 | 1/13 | 3.95E-01 |
| Uranium-238 | 5.90E-01 | 1.82E+01 | 9.40E+00 | 2/13 | 8.00E-02 | 2.96E+00 | 1/13 | 1.20E+00 | 0/13 | 1.71E+02 | 1/13 | 1.71E+00 |
| Semivolatile (mg/kg) | | | | | | | | | | | | |
| Benz(a)anthracene | 9.80E-01 | 2.20E+00 | 1.59E+00 | 2/12 | 4.70E-01 | 5.00E-01 | n/a | n/a | 0/12 | 2.08E+02 | 2/12 | 2.12E-01 |
| Benzo(a)pyrene | 9.50E-01 | 2.20E+00 | 1.58E+00 | 2/12 | 4.70E-01 | 5.00E-01 | n/a | n/a | 0/12 | 2.08E+01 | 2/12 | 2.12E-02 |
| Benzo(b)fluoranthene | 4.90E-01 | 2.80E+00 | 1.46E+00 | 3/12 | 4.70E-01 | 5.00E-01 | n/a | n/a | 0/12 | 2.08E+02 | 3/12 | 2.12E-01 |
| Benzo(ghi)perylene | 4.80E-01 | 1.20E+00 | 8.40E-01 | 2/12 | 4.70E-01 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benzo(k)fluoranthene | 9.20E-01 | 1.80E+00 | 1.36E+00 | 2/12 | 4.70E-01 | 5.00E-01 | n/a | n/a | 0/12 | 2.08E+03 | 0/12 | 2.12E+00 |
| Chrysene | 5.50E-01 | 2.50E+00 | 1.42E+00 | 3/12 | 4.70E-01 | 5.00E-01 | n/a | n/a | 0/12 | 2.08E+04 | 0/12 | 2.12E+01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.4. Summary of Surface and Subsurface Historical Data at SWMU 194 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | 6.60E-01 | 2.60E+00 | 1.49E+00 | | 4.70E-01 | 5.00E-01 | | | | | | |
| Di-n-butyl phthalate | 5.40E-01 | 4.70E+00 | 2.09E+00 | 4/12 | 4.70E-01 | 5.00E-01 | n/a | n/a | 0/12 | 6.50E+04 | 0/12 | 2.21E+02 |
| Fluoranthene | 5.70E-01 | 1.40E+00 | 9.85E-01 | 2/12 | 4.70E-01 | 5.00E-01 | n/a | n/a | 0/12 | 2.08E+02 | 2/12 | 2.12E-01 |
| Indeno(1,2,3-cd)pyrene | 1.10E+00 | 2.20E+00 | 1.65E+00 | 3/12 | 4.70E-01 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Phenanthrene | 7.60E-01 | 3.40E+00 | 1.95E+00 | 3/12 | 4.70E-01 | 5.00E-01 | n/a | n/a | 0/12 | 4.87E+04 | 0/12 | 1.65E+02 |
| Subsurface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 3.94E+03 | 1.55E+04 | 8.74E+03 | 65/65 | 2.00E+01 | 2.00E+01 | 8/65 | 1.20E+04 | 0/65 | 1.00E+05 | 61/65 | 4.64E+03 |
| Arsenic | 4.40E+00 | 1.34E+01 | 6.94E+00 | 8/65 | 5.00E+00 | 5.00E+00 | 1/65 | 7.90E+00 | 0/65 | 3.15E+02 | 8/65 | 5.23E-01 |
| Barium | 1.46E+01 | 2.08E+02 | 7.03E+01 | 65/65 | 1.00E+00 | 5.00E+00 | 2/65 | 1.70E+02 | 0/65 | 1.00E+05 | 0/65 | 2.29E+02 |
| Beryllium | 5.00E-01 | 4.80E+00 | 8.93E-01 | 26/65 | 4.00E-01 | 5.00E-01 | 14/65 | 6.90E-01 | 0/65 | 1.28E+03 | 3/65 | 9.48E-01 |
| Cadmium | 8.55E+00 | 8.55E+00 | 8.55E+00 | 1/89 | 8.00E-01 | 2.00E+00 | 1/89 | 2.10E-01 | 0/89 | 7.05E+01 | 0/89 | 2.13E+01 |
| Calcium | 3.95E+02 | 1.32E+05 | 3.96E+03 | 65/65 | 5.00E+01 | 1.00E+03 | 4/65 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 3.57E+00 | 1.03E+02 | 1.89E+01 | 89/89 | 2.00E+00 | 2.50E+00 | n/a | n/a | n/a | n/a | 0/89 | 3.56E+02 |
| Cobalt | 1.45E+00 | 9.46E+00 | 4.53E+00 | 18/18 | 1.00E+00 | 1.40E+00 | 0/18 | 1.30E+01 | 0/18 | 1.00E+05 | 0/18 | 1.92E+03 |
| Copper | 2.41E+00 | 4.21E+01 | 8.04E+00 | 64/65 | 2.00E+00 | 2.50E+00 | 1/65 | 2.50E+01 | 0/65 | 1.00E+05 | 0/65 | 4.93E+02 |
| Iron | 6.41E+03 | 2.80E+04 | 1.29E+04 | 18/18 | 5.00E+00 | 5.00E+00 | 0/18 | 2.80E+04 | 0/18 | 1.00E+05 | 18/18 | 2.07E+03 |
| Lead | 5.03E+00 | 3.60E+02 | 2.61E+01 | 23/89 | 2.00E+01 | 2.00E+02 | 3/89 | 2.30E+01 | 0/89 | 1.25E+03 | 1/89 | 5.00E+01 |
| Lithium | 2.11E+00 | 9.00E+00 | 5.87E+00 | 15/17 | 2.00E+00 | 2.00E+00 | n/a | n/a | 0/17 | 1.00E+05 | 0/17 | 6.41E+02 |
| Magnesium | 3.90E+02 | 2.34E+03 | 1.06E+03 | 18/18 | 1.50E+01 | 1.50E+01 | 2/18 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 1.94E+01 | 6.91E+02 | 1.52E+02 | 18/18 | 1.00E+00 | 1.00E+00 | 0/18 | 8.20E+02 | 0/18 | 4.64E+04 | 11/18 | 4.52E+01 |
| Nickel | 5.74E+00 | 5.05E+01 | 1.09E+01 | 51/65 | 5.00E+00 | 8.50E+00 | 3/65 | 2.20E+01 | 0/65 | 9.30E+04 | 0/65 | 2.42E+02 |
| Potassium | 1.36E+02 | 6.32E+02 | 3.29E+02 | 18/18 | 1.00E+02 | 3.24E+02 | 0/18 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Sodium | 6.21E+01 | 3.69E+02 | 2.75E+02 | 12/18 | 2.00E+02 | 2.00E+02 | 5/18 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Strontium | 2.86E+00 | 2.60E+01 | 1.03E+01 | 17/17 | 2.00E+00 | 2.00E+00 | n/a | n/a | 0/17 | 1.00E+05 | 0/17 | 5.45E+03 |
| Vanadium | 9.61E+00 | 6.39E+01 | 2.43E+01 | 65/65 | 2.00E+00 | 2.50E+00 | 7/65 | 3.70E+01 | 0/65 | 4.47E+03 | 65/65 | 3.32E+00 |
| Zinc | 1.57E+01 | 1.23E+02 | 3.66E+01 | 42/65 | 1.50E+01 | 2.00E+02 | 3/65 | 6.00E+01 | 0/65 | 1.00E+05 | 0/65 | 2.73E+03 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 1.20E+00 | 1.02E+01 | 4.88E+00 | 81/83 | 8.20E-01 | 8.20E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 1.21E+00 | 3.14E+01 | 5.02E+00 | 77/83 | 8.00E-01 | 4.46E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Potassium-40 | 1.21E+00 | 1.29E+01 | 7.76E+00 | 45/47 | 4.26E-02 | 1.15E+00 | 0/47 | 1.60E+01 | n/a | n/a | n/a | n/a |
| Radium-226 | 2.07E-01 | 8.55E-01 | 4.92E-01 | 6/47 | 9.56E-02 | 4.13E-01 | 0/47 | 1.50E+00 | 0/47 | 2.56E+00 | 6/47 | 2.56E-02 |
| Technetium-99 | 3.56E+00 | 1.23E+01 | 6.58E+00 | 6/49 | 1.30E+00 | 3.25E+00 | 6/49 | 2.80E+00 | 0/49 | 3.62E+04 | 0/49 | 3.62E+02 |
| Thorium-228 | 1.21E-01 | 6.75E-01 | 3.44E-01 | 46/47 | 4.86E-03 | 1.31E-01 | 0/47 | 1.60E+00 | 0/47 | 2.80E+00 | 46/47 | 2.80E-02 |
| Thorium-230 | 1.06E-01 | 5.49E-01 | 3.13E-01 | 45/47 | 9.64E-03 | 1.27E-01 | 0/47 | 1.40E+00 | 0/47 | 1.49E+03 | 0/47 | 1.49E+01 |
| Thorium-232 | 8.17E-02 | 5.59E-01 | 3.42E-01 | 47/47 | 1.28E-02 | 5.57E-02 | 0/47 | 1.50E+00 | 0/47 | 1.35E+03 | 0/47 | 1.35E+01 |
| Uranium-235 | 5.53E-02 | 1.64E-01 | 1.07E-01 | 3/47 | 9.12E-05 | 9.02E-02 | 1/47 | 1.40E-01 | 0/47 | 3.95E+01 | 0/47 | 3.95E-01 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Bis(2-ethylhexyl)phthalate | 4.90E-01 | 2.50E+00 | 1.50E+00 | 2/48 | 4.60E-01 | 8.40E-01 | n/a | n/a | 0/48 | 7.40E+03 | 0/48 | 8.84E+00 |
| Di-n-butyl phthalate | 5.10E-01 | 2.20E+01 | 2.33E+00 | 28/48 | 4.20E-01 | 5.00E-01 | n/a | n/a | 0/48 | 1.00E+05 | 0/48 | 2.13E+03 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.4. Summary of Surface and Subsurface Historical Data at SWMU 194 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------|--------------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | <i>Volatiles (mg/kg)</i> | | | | | | | | | | | |
| 2-Butanone | 1.00E-02 | 1.00E-02 | 1.00E-02 | 1/48 | 1.00E-02 | 1.20E-02 | n/a | n/a | 0/48 | 3.94E+04 | 0/48 | 1.03E+03 |
| Acetone | 1.10E-02 | 4.10E-01 | 1.27E-01 | 12/48 | 1.00E-02 | 1.20E-02 | n/a | n/a | 0/48 | 1.91E+04 | 0/48 | 3.58E+02 |
| Ethylbenzene | 1.50E-02 | 1.50E-02 | 1.50E-02 | 1/68 | 6.00E-03 | 1.00E-02 | n/a | n/a | 0/68 | 2.12E+03 | 0/68 | 2.12E+01 |
| Total Xylene | 5.00E-03 | 5.00E-03 | 5.00E-03 | 1/68 | 6.00E-03 | 3.00E-02 | n/a | n/a | 0/68 | 2.20E+04 | 0/68 | 7.24E+02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure No. \SoilsOUSOU_SWMUs.apr
 DATE 08-27-09

Figure 5.4. Soils Operable Unit: SWMU 194

SWMU 196 (C-746-A Septic System)

Area description

The C-746-A Septic System (SWMU 196) is located in the northwest portion of the plant site. The C-746-A Septic System consists of two systems: System 1, on the northwest corner of C-746-A, is a 500-gal tank, and System 2, on the northeast corner of C-746-A, is a 950-gal concrete tank and a drainage field 60 ft by 20 ft.

Process history

Both systems were used to process the sanitary waste coming from C-746-A. The system was abandoned in place in 1980. The contents of the septic tanks were removed. The empty tanks were backfilled with clean sand and the site was graded to the surface.

Previous investigation results

Subsurface soil samples and groundwater samples were obtained during the WAG 27 RI/FS. The COCs from WAG 27 RI Report are lead, antimony, beryllium, and iron (DOE 1999a).

The area impacted by metals at the NE septic system is approximately 70 ft x 60 ft (includes septic tank and leachfield) and extends to approximately 10 ft bgs. The area impacted by the metals contamination along the NW drain lines is more extensive and is approximately 100 ft x 10 ft along the line extending north-south to the west of the building and 180 ft x 10 ft along the line extending east-west to the west of the septic tank. The contamination extends to approximately 10 ft bgs along both of these lines.

Scenarios that were assessed in the WAG 27 RI Report are current on-site industrial worker, future on-site industrial worker, future on-site excavation worker, future on-site recreational user, future off-site recreational user, future on-site rural resident, and future off-site rural resident. An excerpt on land use scenarios from WAG 27 RI Report follows:

At SWMU 196 for all scenarios assessed, including lead as a COPC, only the future recreational user exposure to soil for both systemic toxicity and ELCR is not of concern. Possible exceptions at SWMU 196 are the current and future industrial worker exposure to soil which has a total hazard index which falls below 1 if contribution from lead is not considered.

Table 5.5 is a summary of historical data followed by a map of historical sample locations (Figure 5.5).

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.

Data Gap Determination

No additional samples are needed at this location.

Table 5.5. Summary of Surface and Subsurface Historical Data at SWMU 196

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 6.06E+03 | 1.13E+04 | 8.68E+03 | 2/2 | 1.63E+00 | 1.63E+00 | 0/2 | 1.30E+04 | 0/2 | 1.00E+05 | 2/2 | 4.64E+03 |
| Antimony | 2.92E-01 | 3.74E-01 | 3.33E-01 | 2/2 | 2.30E-01 | 2.30E-01 | 2/2 | 2.10E-01 | 0/2 | 4.63E+02 | 0/2 | 3.79E-01 |
| Arsenic | 4.44E+00 | 7.33E+00 | 5.58E+00 | 4/8 | 8.27E-02 | 8.27E-02 | 0/8 | 1.20E+01 | 0/8 | 3.15E+02 | 4/8 | 5.23E-01 |
| Barium | 7.62E+01 | 2.02E+02 | 1.20E+02 | 8/8 | 1.71E-01 | 1.71E-01 | 1/8 | 2.00E+02 | 0/8 | 1.00E+05 | 0/8 | 2.29E+02 |
| Beryllium | 2.58E-01 | 2.58E-01 | 2.58E-01 | 1/2 | 1.81E-01 | 1.81E-01 | 0/2 | 6.70E-01 | 0/2 | 1.28E+03 | 0/2 | 9.48E-01 |
| Cadmium | 1.83E+00 | 2.53E+00 | 2.18E+00 | 2/8 | 2.45E-01 | 2.45E-01 | 2/8 | 2.10E-01 | 0/8 | 7.05E+01 | 0/8 | 2.13E+01 |
| Calcium | 3.67E+03 | 2.25E+04 | 1.31E+04 | 2/2 | 6.63E+00 | 6.63E+00 | 1/2 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 8.26E+00 | 2.07E+01 | 1.61E+01 | 8/8 | 3.83E-01 | 3.83E-01 | n/a | n/a | n/a | n/a | 0/8 | 3.56E+02 |
| Cobalt | 3.45E+00 | 6.53E+00 | 4.99E+00 | 2/2 | 3.73E-01 | 3.73E-01 | 0/2 | 1.40E+01 | 0/2 | 1.00E+05 | 0/2 | 1.92E+03 |
| Copper | 1.61E+01 | 2.09E+01 | 1.85E+01 | 2/2 | 2.11E-01 | 2.11E-01 | 1/2 | 1.90E+01 | 0/2 | 1.00E+05 | 0/2 | 4.93E+02 |
| Iron | 9.49E+03 | 1.49E+04 | 1.22E+04 | 2/2 | 6.68E-01 | 6.68E-01 | 0/2 | 2.80E+04 | 0/2 | 1.00E+05 | 2/2 | 2.07E+03 |
| Lead | 1.93E+01 | 2.75E+01 | 2.39E+01 | 3/8 | 2.48E+00 | 2.48E+00 | 2/8 | 3.60E+01 | 0/8 | 1.25E+03 | 0/8 | 5.00E+01 |
| Magnesium | 1.78E+03 | 1.86E+03 | 1.82E+03 | 2/2 | 6.79E+00 | 6.79E+00 | 0/2 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 2.64E+02 | 2.78E+02 | 2.71E+02 | 2/2 | 2.01E-01 | 2.01E-01 | 0/2 | 1.50E+03 | 0/2 | 4.64E+04 | 2/2 | 4.52E+01 |
| Mercury | 4.13E-02 | 5.21E-02 | 4.67E-02 | 2/8 | 7.80E-03 | 7.80E-03 | 0/8 | 2.00E-01 | 0/8 | 8.25E+02 | 0/8 | 9.82E-01 |
| Nickel | 3.17E+01 | 7.36E+01 | 5.27E+01 | 2/2 | 1.28E+00 | 1.28E+00 | 2/2 | 2.10E+01 | 0/2 | 9.30E+04 | 0/2 | 2.42E+02 |
| Potassium | 3.31E+02 | 7.50E+02 | 5.41E+02 | 2/2 | 1.07E+02 | 1.07E+02 | 0/2 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Selenium | 3.52E-01 | 3.52E-01 | 3.52E-01 | 1/8 | 8.91E-02 | 8.91E-02 | 0/8 | 8.00E-01 | 0/8 | 2.56E+04 | 0/8 | 9.49E+01 |
| Sodium | 3.22E+02 | 4.23E+02 | 3.73E+02 | 2/2 | 1.11E+01 | 1.11E+01 | 2/2 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Thallium | 1.47E-01 | 1.57E-01 | 1.52E-01 | 2/2 | 1.16E-01 | 1.16E-01 | 0/2 | 2.10E-01 | n/a | n/a | n/a | n/a |
| Vanadium | 1.54E+01 | 1.73E+01 | 1.64E+01 | 2/2 | 6.02E-01 | 6.02E-01 | 0/2 | 3.80E+01 | 0/2 | 4.47E+03 | 2/2 | 3.32E+00 |
| Zinc | 1.48E+02 | 2.22E+02 | 1.85E+02 | 2/2 | 1.44E-01 | 1.44E-01 | 2/2 | 6.50E+01 | 0/2 | 1.00E+05 | 0/2 | 2.73E+03 |
| Other Organics (mg/kg) | | | | | | | | | | | | |
| Diesel Range Organics | 1.34E+00 | 1.53E+00 | 1.44E+00 | 2/9 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 6.75E-01 | 1.51E+00 | 1.09E+00 | 2/13 | 1.30E-01 | 1.30E-01 | n/a | n/a | 0/13 | 4.25E+01 | 2/13 | 1.99E-01 |
| PCB-1242 | 6.75E-01 | 6.75E-01 | 6.75E-01 | 1/11 | 6.00E-02 | 6.00E-02 | n/a | n/a | 0/11 | 4.25E+01 | 1/11 | 1.99E-01 |
| PCB-1254 | 1.06E+00 | 1.06E+00 | 1.06E+00 | 1/11 | 9.00E-02 | 9.00E-02 | n/a | n/a | 0/11 | 1.82E+01 | 1/11 | 1.99E-01 |
| PCB-1260 | 4.50E-01 | 4.50E-01 | 4.50E-01 | 1/11 | 1.00E-01 | 1.00E-01 | n/a | n/a | 0/11 | 4.25E+01 | 1/11 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 2.70E+00 | 1.66E+01 | 7.45E+00 | 8/8 | 1.05E+01 | 1.05E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 1.26E+00 | 9.74E+01 | 3.28E+01 | 8/8 | 1.85E+01 | 1.86E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 4.00E-02 | 3.70E-01 | 1.98E-01 | 4/4 | 3.50E-01 | 3.60E-01 | 1/4 | 4.90E-01 | 0/4 | 8.58E+00 | 3/4 | 8.58E-02 |
| Neptunium-237 | 6.80E-01 | 6.80E-01 | 6.80E-01 | 1/2 | | | 1/2 | 1.00E-01 | 0/2 | 2.71E+01 | 1/2 | 2.71E-01 |
| Plutonium-239/240 | 3.70E-01 | 3.70E-01 | 3.70E-01 | 1/2 | | | n/a | n/a | 0/2 | 1.15E+03 | 0/2 | 1.15E+01 |
| Technetium-99 | 1.23E+01 | 3.34E+01 | 2.29E+01 | 2/2 | | | 2/2 | 2.50E+00 | 0/2 | 3.62E+04 | 0/2 | 3.62E+02 |
| Thorium-230 | 4.30E-01 | 5.60E-01 | 4.95E-01 | 2/2 | | | 0/2 | 1.50E+00 | 0/2 | 1.49E+03 | 0/2 | 1.49E+01 |
| Uranium | 3.90E+00 | 5.00E+00 | 4.45E+00 | 2/3 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 1.50E+00 | 1.80E+00 | 1.65E+00 | 2/2 | | | 0/2 | 2.50E+00 | 0/2 | 1.98E+03 | 0/2 | 1.98E+01 |
| Uranium-235 | 8.26E-02 | 1.03E-01 | 9.28E-02 | 2/2 | | | 0/2 | 1.40E-01 | 0/2 | 3.95E+01 | 0/2 | 3.95E-01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.5. Summary of Surface and Subsurface Historical Data at SWMU 196 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | -7.10E-01 | 4.50E+00 | 2.30E+00 | | 4.57E+00 | 6.57E+00 | | | | | | |
| Uranium-238 | | | | 4/4 | | | 3/4 | 1.20E+00 | 0/4 | 1.71E+02 | 3/4 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Acenaphthylene | 3.47E-01 | 3.47E-01 | 3.47E-01 | 1/17 | 1.70E-01 | 1.70E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Anthracene | 1.34E+00 | 1.34E+00 | 1.34E+00 | 1/17 | 1.70E-01 | 1.70E-01 | n/a | n/a | 0/17 | 1.00E+05 | 0/17 | 3.79E+03 |
| Dodecane | 7.72E-01 | 2.28E+00 | 1.53E+00 | 2/9 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Hexadecane | 7.09E-01 | 2.41E+00 | 1.56E+00 | 2/9 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Polycyclic aromatic hydrocarbons (PAH) | 6.80E-01 | 6.80E-01 | 6.80E-01 | 1/9 | | | n/a | n/a | 0/9 | 2.08E+01 | 1/9 | 2.12E-02 |
| Pyrene | 3.30E-01 | 3.30E-01 | 3.30E-01 | 1/17 | 1.70E-01 | 1.70E-01 | n/a | n/a | 0/17 | 4.87E+04 | 0/17 | 1.65E+02 |
| Tetradecane | 5.00E-02 | 1.82E+00 | 9.35E-01 | 2/9 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| Decane | 1.71E-01 | 1.71E-01 | 1.71E-01 | 1/9 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Subsurface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 6.21E+02 | 1.79E+04 | 8.59E+03 | 93/93 | 1.31E+00 | 2.70E+01 | 18/93 | 1.20E+04 | 0/93 | 1.00E+05 | 85/93 | 4.64E+03 |
| Antimony | 7.66E-01 | 1.21E+02 | 2.12E+01 | 26/93 | 2.30E-01 | 1.84E+01 | 26/93 | 2.10E-01 | 0/93 | 4.63E+02 | 26/93 | 3.79E-01 |
| Arsenic | 1.26E-01 | 1.05E+01 | 3.91E+00 | 91/93 | 8.27E-02 | 1.74E+01 | 4/93 | 7.90E+00 | 0/93 | 3.15E+02 | 90/93 | 5.23E-01 |
| Barium | 1.51E+01 | 3.89E+02 | 9.70E+01 | 93/93 | 2.42E-02 | 1.41E+00 | 8/93 | 1.70E+02 | 0/93 | 1.00E+05 | 2/93 | 2.29E+02 |
| Beryllium | 4.90E-02 | 1.13E+02 | 1.70E+00 | 91/91 | 1.88E-02 | 1.81E-01 | 8/91 | 6.90E-01 | 0/91 | 1.28E+03 | 2/91 | 9.48E-01 |
| Cadmium | 5.50E-02 | 1.16E+02 | 3.63E+00 | 39/93 | 4.89E-02 | 2.21E+00 | 21/93 | 2.10E-01 | 1/93 | 7.05E+01 | 1/93 | 2.13E+01 |
| Calcium | 2.57E+02 | 2.23E+05 | 1.74E+04 | 91/91 | 5.10E-01 | 6.63E+02 | 25/91 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 3.07E+00 | 1.12E+02 | 1.52E+01 | 93/93 | 1.33E-01 | 3.52E+00 | n/a | n/a | n/a | n/a | 0/93 | 3.56E+02 |
| Cobalt | 1.97E-01 | 1.12E+02 | 5.99E+00 | 91/91 | 8.47E-02 | 3.73E-01 | 4/91 | 1.30E+01 | 0/91 | 1.00E+05 | 0/91 | 1.92E+03 |
| Copper | 6.94E-01 | 1.12E+02 | 1.04E+01 | 91/91 | 1.07E-01 | 2.11E-01 | 3/91 | 2.50E+01 | 0/91 | 1.00E+05 | 0/91 | 4.93E+02 |
| Iron | 1.10E+02 | 3.02E+04 | 1.29E+04 | 91/91 | 6.68E-01 | 2.36E+01 | 2/91 | 2.80E+04 | 0/91 | 1.00E+05 | 88/91 | 2.07E+03 |
| Lead | 9.37E-01 | 1.16E+02 | 1.03E+01 | 92/93 | 2.40E-01 | 1.83E+01 | 2/93 | 2.30E+01 | 0/93 | 1.25E+03 | 1/93 | 5.00E+01 |
| Magnesium | 1.16E+02 | 1.00E+04 | 1.93E+03 | 93/93 | 3.75E-00 | 4.02E+01 | 30/93 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 8.29E+00 | 1.98E+03 | 3.17E+02 | 91/91 | 3.00E-02 | 2.01E-01 | 3/91 | 8.20E+02 | 0/91 | 4.64E+04 | 88/91 | 4.52E+01 |
| Mercury | 9.40E-03 | 1.43E-01 | 2.79E-02 | 89/93 | 7.80E-03 | 2.50E-02 | 1/93 | 1.30E-01 | 0/93 | 8.25E+02 | 0/93 | 9.82E-01 |
| Nickel | 1.74E+00 | 5.87E+02 | 2.61E+01 | 93/93 | 1.28E-01 | 4.95E+00 | 14/93 | 2.20E+01 | 0/93 | 9.30E+04 | 2/93 | 2.42E+02 |
| Potassium | 1.19E+02 | 6.43E+03 | 5.09E+02 | 88/91 | 2.05E+00 | 2.08E+02 | 6/91 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Selenium | 1.39E-03 | 6.29E+01 | 1.47E+00 | 53/93 | 8.00E-04 | 3.58E+01 | 3/93 | 7.00E-01 | 0/93 | 2.56E+04 | 0/93 | 9.49E+01 |
| Silver | 1.93E-01 | 6.54E+01 | 4.49E+00 | 16/93 | 1.80E-01 | 4.48E+00 | 1/93 | 2.70E+00 | 0/93 | 2.07E+04 | 1/93 | 4.11E+01 |
| Sodium | 8.71E+01 | 5.92E+03 | 2.88E+02 | 91/91 | 2.73E+00 | 1.11E+01 | 13/91 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Thallium | 1.23E-01 | 1.14E+02 | 1.45E+01 | 8/91 | 1.16E-01 | 5.34E-01 | 3/91 | 3.40E-01 | n/a | n/a | n/a | n/a |
| Vanadium | 2.49E+00 | 6.25E+01 | 2.19E+01 | 91/91 | 1.45E-01 | 6.02E-01 | 3/91 | 3.70E+01 | 0/91 | 4.47E+03 | 90/91 | 3.32E+00 |
| Zinc | 4.21E+00 | 1.65E+03 | 6.84E+01 | 93/93 | 8.06E-02 | 1.70E+00 | 22/93 | 6.00E+01 | 0/93 | 1.00E+05 | 0/93 | 2.73E+03 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 1.47E+00 | 2.11E+01 | 9.31E+00 | 112/121 | 8.49E+00 | 1.06E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Americium-241 | 1.80E-01 | 1.80E-01 | 1.80E-01 | 1/30 | | | n/a | n/a | 0/30 | 5.16E+02 | 0/30 | 5.16E+00 |
| Beta activity | 1.45E+00 | 1.24E+02 | 2.70E+01 | 121/121 | 1.78E+01 | 1.87E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 6.00E-02 | 6.00E-02 | 6.00E-02 | 1/30 | | | 0/30 | 2.80E-01 | 0/30 | 8.58E+00 | 0/30 | 8.58E-02 |
| Neptunium-237 | 6.00E-02 | 6.00E-02 | 6.00E-02 | 1/30 | | | n/a | n/a | 0/30 | 2.71E+01 | 0/30 | 2.71E-01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.5. Summary of Surface and Subsurface Historical Data at SWMU 196 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Plutonium-239/240 | 7.00E-02 | 1.90E-01 | 1.23E-01 | 3/30 | | | n/a | n/a | 0/30 | 1.15E+03 | 0/30 | 1.15E+01 |
| Technetium-99 | 5.00E+00 | 5.00E+00 | 5.00E+00 | 1/30 | | | 1/30 | 2.80E+00 | 0/30 | 3.62E+04 | 0/30 | 3.62E+02 |
| Thorium-230 | 2.60E-01 | 8.10E-01 | 4.03E-01 | 21/30 | | | 0/30 | 1.40E+00 | 0/30 | 1.49E+03 | 0/30 | 1.49E+01 |
| Uranium | 1.60E+00 | 5.00E+00 | 2.46E+00 | 19/30 | | | | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 1.50E-01 | 2.00E+00 | 8.96E-01 | 19/30 | | | 0/30 | 2.40E+00 | 0/30 | 1.98E+03 | 0/30 | 1.98E+01 |
| Uranium-235 | 1.93E-02 | 1.10E-01 | 5.08E-02 | 18/30 | | | 0/30 | 1.40E-01 | 0/30 | 3.95E+01 | 0/30 | 3.95E-01 |
| Uranium-238 | 8.00E-01 | 3.00E+00 | 1.52E+00 | 19/30 | | | 12/30 | 1.20E+00 | 0/30 | 1.71E+02 | 6/30 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Acenaphthene | 1.70E-01 | 1.50E+00 | 6.48E-01 | 6/14 | 1.70E-01 | 5.00E-01 | n/a | n/a | 0/14 | 6.67E+04 | 0/14 | 3.16E+02 |
| Acenaphthylene | 4.30E-01 | 4.30E-01 | 4.30E-01 | 1/14 | 1.70E-01 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Anthracene | 8.50E-01 | 2.90E+00 | 1.61E+00 | 4/14 | 1.70E-01 | 5.00E-01 | n/a | n/a | 0/14 | 1.00E+05 | 0/14 | 3.79E+03 |
| Benzo(a)anthracene | 2.20E-01 | 6.90E+00 | 3.06E+00 | 5/14 | 1.50E-01 | 5.00E-01 | n/a | n/a | 0/14 | 2.08E+02 | 5/14 | 2.12E-01 |
| Benzo(a)pyrene | 2.40E-01 | 7.00E+00 | 2.83E+00 | 5/14 | 1.70E-01 | 5.00E-01 | n/a | n/a | 0/14 | 2.08E+01 | 5/14 | 2.12E-02 |
| Benzo(b)fluoranthene | 3.40E-01 | 8.70E+00 | 3.73E+00 | 5/14 | 1.70E-01 | 5.00E-01 | n/a | n/a | 0/14 | 2.08E+02 | 5/14 | 2.12E-01 |
| Benzo(ghi)perylene | 4.40E-01 | 4.40E+00 | 1.76E+00 | 4/14 | 1.70E-01 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benzo(k)fluoranthene | 6.20E-01 | 3.10E+00 | 1.66E+00 | 4/14 | 1.70E-01 | 5.00E-01 | n/a | n/a | 0/14 | 2.08E+03 | 1/14 | 2.12E+00 |
| Chrysene | 2.50E-01 | 7.50E+00 | 3.21E+00 | 5/14 | 1.70E-01 | 5.00E-01 | n/a | n/a | 0/14 | 2.08E+04 | 0/14 | 2.12E+01 |
| Dibenz(a,h)anthracene | 1.40E-01 | 2.90E-01 | 2.13E-01 | 3/14 | 1.70E-01 | 5.00E-01 | n/a | n/a | 0/14 | 2.08E+01 | 3/14 | 2.12E-02 |
| Fluoranthene | 1.50E-01 | 1.80E+01 | 4.81E+00 | 10/14 | 1.70E-01 | 5.00E-01 | n/a | n/a | 0/14 | 6.50E+04 | 0/14 | 2.21E+02 |
| Fluorene | 2.50E-01 | 2.30E+00 | 1.05E+00 | 8/14 | 1.70E-01 | 5.00E-01 | n/a | n/a | 0/14 | 7.09E+04 | 0/14 | 3.39E+02 |
| Indeno(1,2,3-cd)pyrene | 4.80E-01 | 4.40E+00 | 1.90E+00 | 4/14 | 1.70E-01 | 5.00E-01 | n/a | n/a | 0/14 | 2.08E+02 | 4/14 | 2.12E-01 |
| Naphthalene | 4.30E-01 | 1.10E+00 | 7.65E-01 | 2/14 | 1.70E-01 | 5.00E-01 | n/a | n/a | 0/14 | 7.66E+02 | 0/14 | 2.36E+01 |
| Phenanthrene | 3.60E-01 | 1.40E+01 | 4.23E+00 | 8/14 | 1.70E-01 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 1.30E-01 | 1.60E+01 | 3.73E+00 | 10/14 | 1.70E-01 | 5.00E-01 | n/a | n/a | 0/14 | 4.87E+04 | 0/14 | 1.65E+02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.5. Soils Operable Unit: SWMUs 14, 15, 137, 196, 520 and 531

SWMU 211 (C-720 TCE Spill Site Northwest)

Area description

The C-720 TCE Spill Site Northwest (SWMU 211) is located northeast of the C-720 Building in the central portion of the plant site. This SWMU is part of the SOU and the GWOU.

Process history

Suspected past practices were to rinse and clean parts with TCE and to dispose of the solvent on the ground.

Previous investigation results

Subsurface soil borings and groundwater samples were collected and analyzed as part of the WAG 27 RI/FS for the C-720 complex. Results of the investigation detected the presence of arsenic, beryllium, and vinyl chloride in subsurface soils. WAG 27 stated that surface soils were not evaluated since most of the surface surrounding the C-720 was covered with asphalt and concrete. Conclusions from WAG 27 are the ELCR and systemic toxicity exceed KDEP and EPA accepted standards for future excavation worker (DOE 1999a).

Table 5.6 is a summary of historical data followed by a map of historical sample locations (Figure 5.6).

Area utilities

No recirculating water lines or sewers were associated with this SWMU. A recirculating water line is coincidentally located within the boundary of the SWMU. Depth to this 10-inch line is approximately 12 ft bgs.

Data Gap Determination

Additional samples are needed at this location.

Table 5.6. Summary of Surface and Subsurface Historical Data at SWMU 211

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB-1254 | 1.20E-02 | 2.30E-02 | 1.75E-02 | 4/14 | 2.00E-01 | 2.00E-01 | n/a | n/a | 0/14 | 1.82E+01 | 0/14 | 1.99E-01 |
| PCB-1260 | 2.00E-02 | 4.00E-02 | 3.20E-02 | 3/14 | 2.00E-01 | 2.00E-01 | n/a | n/a | 0/14 | 4.25E+01 | 0/14 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 2.50E+00 | 1.05E+01 | 5.03E+00 | 12/12 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 4.00E+00 | 1.20E+01 | 7.33E+00 | 12/12 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium | 2.50E+00 | 5.60E+00 | 4.04E+00 | 8/12 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| 1,2,4-Trimethylbenzene | 6.30E-04 | 6.30E-04 | 6.30E-04 | 1/1 | 5.60E-03 | 5.60E-03 | n/a | n/a | 0/1 | 1.00E+05 | 0/1 | 3.67E+02 |
| Acetone | 8.70E-03 | 8.70E-03 | 8.70E-03 | 1/3 | 1.20E-02 | 2.20E-02 | n/a | n/a | 0/3 | 1.91E+04 | 0/3 | 3.58E+02 |
| cis-1,2-Dichloroethene | 1.00E-03 | 1.00E-03 | 1.00E-03 | 1/2 | 5.60E-03 | 6.00E-03 | n/a | n/a | 0/2 | 4.63E+02 | 0/2 | 1.34E+01 |
| Trichloroethene | 1.10E-02 | 1.10E-02 | 1.10E-02 | 1/3 | 5.60E-03 | 6.00E-03 | n/a | n/a | 0/3 | 2.98E+02 | 0/3 | 2.51E+00 |
| Subsurface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 3.80E+03 | 9.08E+03 | 6.42E+03 | 6/6 | 1.31E+00 | 2.00E+01 | 0/6 | 1.20E+04 | 0/6 | 1.00E+05 | 5/6 | 4.64E+03 |
| Antimony | 5.30E-01 | 1.59E+00 | 1.06E+00 | 2/6 | 5.22E-01 | 1.00E+00 | 2/6 | 2.10E-01 | 0/6 | 4.63E+02 | 2/6 | 3.79E-01 |
| Arsenic | 9.64E-01 | 1.00E+01 | 4.47E+00 | 5/6 | 8.27E-02 | 1.00E+01 | 1/6 | 7.90E+00 | 0/6 | 3.15E+02 | 5/6 | 5.23E-01 |
| Barium | 1.13E+01 | 1.40E+02 | 5.54E+01 | 6/6 | 2.42E-02 | 2.50E+00 | 0/6 | 1.70E+02 | 0/6 | 1.00E+05 | 0/6 | 2.29E+02 |
| Beryllium | 3.96E-01 | 1.99E+00 | 8.22E-01 | 6/6 | 1.88E-02 | 5.00E-01 | 3/6 | 6.90E-01 | 0/6 | 1.28E+03 | 1/6 | 9.48E-01 |
| Calcium | 3.74E+02 | 1.29E+03 | 1.02E+03 | 6/6 | 5.10E-01 | 1.00E+02 | 0/6 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 9.06E+00 | 5.22E+01 | 2.34E+01 | 6/6 | 1.33E-01 | 2.50E+00 | n/a | n/a | n/a | n/a | 0/6 | 3.56E+02 |
| Cobalt | 1.83E+00 | 1.14E+01 | 6.07E+00 | 5/6 | 8.47E-02 | 1.00E+01 | 0/6 | 1.30E+01 | 0/6 | 1.00E+05 | 0/6 | 1.92E+03 |
| Copper | 2.88E+00 | 1.12E+01 | 7.17E+00 | 6/6 | 1.07E-01 | 2.50E+00 | 0/6 | 2.50E+01 | 0/6 | 1.00E+05 | 0/6 | 4.93E+02 |
| Iron | 2.29E+03 | 3.02E+04 | 1.30E+04 | 6/6 | 2.36E+00 | 2.36E+01 | 1/6 | 2.80E+04 | 0/6 | 1.00E+05 | 6/6 | 2.07E+03 |
| Lead | 5.33E+00 | 1.23E+01 | 8.38E+00 | 6/6 | 2.40E-01 | 1.00E+00 | 0/6 | 2.30E+01 | 0/6 | 1.25E+03 | 0/6 | 5.00E+01 |
| Magnesium | 1.76E+02 | 1.58E+02 | 7.34E+02 | 6/6 | 3.75E+00 | 5.00E+00 | 0/6 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 2.07E+01 | 3.20E+02 | 1.04E+02 | 6/6 | 3.00E-02 | 2.50E+00 | 0/6 | 8.20E+02 | 0/6 | 4.64E+04 | 3/6 | 4.52E+01 |
| Mercury | 2.32E-02 | 9.61E-01 | 3.43E-01 | 3/6 | 7.80E-03 | 2.00E-02 | 1/6 | 1.30E-01 | 0/6 | 8.25E+02 | 0/6 | 9.82E-01 |
| Nickel | 4.09E+00 | 1.37E+01 | 9.06E+00 | 4/6 | 1.28E-01 | 5.00E+00 | 0/6 | 2.20E+01 | 0/6 | 9.30E+04 | 0/6 | 2.42E+02 |
| Potassium | 7.69E+01 | 4.94E+02 | 2.17E+02 | 6/6 | 2.05E+00 | 1.00E+02 | 0/6 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Selenium | 1.76E-01 | 1.76E-01 | 1.76E-01 | 1/6 | 8.91E-02 | 1.00E+00 | 0/6 | 7.00E-01 | 0/6 | 2.56E+04 | 0/6 | 9.49E+01 |
| Silver | 2.74E+00 | 2.74E+00 | 2.74E+00 | 1/6 | 1.80E-01 | 1.00E+00 | 1/6 | 2.70E+00 | 0/6 | 2.07E+04 | 0/6 | 4.11E+01 |
| Sodium | 7.65E+01 | 2.84E+02 | 2.02E+02 | 4/6 | 2.73E+00 | 2.00E+02 | 0/6 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Thallium | 6.02E-01 | 6.02E-01 | 6.02E-01 | 1/6 | 5.34E-01 | 2.00E+00 | 1/6 | 3.40E-01 | n/a | n/a | n/a | n/a |
| Vanadium | 1.18E+01 | 6.33E+01 | 2.57E+01 | 6/6 | 1.45E-01 | 2.50E+00 | 1/6 | 3.70E+01 | 0/6 | 4.47E+03 | 6/6 | 3.32E+00 |
| Zinc | 1.09E+01 | 1.24E+02 | 6.69E+01 | 4/6 | 8.06E-02 | 2.00E+01 | 2/6 | 6.00E+01 | 0/6 | 1.00E+05 | 0/6 | 2.73E+03 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 1.84E+00 | 1.13E+01 | 6.28E+00 | 4/6 | 1.01E+00 | 9.48E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 1.74E+00 | 4.26E+01 | 1.82E+01 | 6/6 | 1.07E+00 | 1.81E+01 | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.

Table 5.6. Summary of Surface and Subsurface Historical Data at SWMU 211 (Continued)

| Analysis <i>Volatiles (mg/kg)</i> | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------------|------------------|----------|----------|---------------------------|-----------------|----------|-----------------|---------------|----------------------------|------------------------------|-----------------------------|---------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| 1,1-Dichloroethane | 9.50E-01 | 9.50E-01 | 9.50E-01 | 1/3 | 2.00E-03 | 1.80E-02 | n/a | n/a | 0/3 | 5.52E+03 | 0/3 | 1.55E+02 |
| Trichloroethene | 2.60E-02 | 5.00E+00 | 1.96E+00 | 4/9 | 2.00E-03 | 5.00E+00 | n/a | n/a | 0/9 | 2.98E+02 | 2/9 | 2.51E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure No. \SoilsOUSOU_SWMUs.apr
DATE 08-27-09

Figure 5.6. Soils Operable Unit: SWMUs 27, 31, 32, 170, 211, 219 and 220

SWMU 483 [Nitrogen Generating Facilities (Soils Under Facility)]

Area description

SWMU 483 is the area of soil located under the C-603 Nitrogen Facility in the central portion of the plant site.

Process history

Nitrogen was produced by a cryogenic generator located at C-603. This facility was abandoned in the late 1970s. In September 2002, a Generator Staging Area was established to house asbestos containing material during removal work on C-603 tanks. In October 2005, C-603-A, C, D, H, and I were decommissioned and removed as part of a maintenance action with a categorical exclusion for NEPA.

Previous investigation results

C-603 was removed by DOE in 2005 as part of a routine maintenance activity due to the detection of lead and PCBs in the paint. No soil samples have been collected from this site; however, paint chip samples were taken from the C-603 surfaces and analyzed for PCBs, metals, and radiological contaminants. These results indicated the presence of lead, chromium, and PCBs. During D&D, most paint chips (from the nitrogen tower) that fell onto soil surfaces around the C-603 facilities were collected for disposal. As a result, there is a potential for subsurface soil migration of paint chips that were too small to be collected or spotted by a walkover inspection.

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.

A map of historical sample locations is provided in Figure 5.7

Data Gap Determination

Additional samples are needed at this location.




Figure 5.7. Soils Operable Unit: SWMUs 26, 47, 165, 172, 200, 221, and 483

SWMU 489 (Septic Tank, North of C-710)

Area description

The Septic Tank, North of C-710 (SWMU 489), is constructed of cement blocks and located in the central portion of the plant site. SWMU 489 is approximately 200 ft³ (8 ft x 5 ft x 5ft). The tank is below a doublewide trailer.

Process history

Due to the construction materials and the manner in which it was constructed, it is believed that the septic tank was associated with the original construction activities of the PGDP in the early 1950s. SWMU 489 was discovered on June 1, 2001, as a result of a construction project for the DOE Material Storage Area (DMSA) trailers in the field north of the C-710 Laboratory. During excavation, what appeared to be an abandoned septic tank was discovered. The tank appeared to have had the top removed, contents removed, and backfilled with sand prior to burial in place. When the septic tank was uncovered, water was present in the interior of the tank from past rainfall events. A sample of the sand was obtained from the interior of the tank. The septic tank has been backfilled, compacted, and graded, and also has 9–10 inches of dense grade aggregate on top of the tank area.

Previous investigation results

In May 2001, radiological surveys of this area and materials were performed. Results of this survey indicate no radiological contamination is present. Additionally, a sample of the sand showed no results above background.

A map of historical sample locations is provided in Figure 5.8.

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.

Data Gap Determination

Additional samples are needed at this location.




Figure 5.8. Soils Operable Unit: SWMUs 488 and 489

SWMU 531 (Aluminum Slag Reacting Area)

Area description

The Aluminum Slag Reacting Area (SWMU 531) is a concrete pad located adjacent to the south side of C-746-A, Hazardous and Mixed Waste Storage Facility, which is located in the northwestern portion of PGDP. SWMU 531 is approximately 9,000 ft² (30 ft x 300 ft).

Process history

The Aluminum Slag Reacting Area was used for treatment of stored aluminum slag from the aluminum smelter. Aluminum slag was brought from a sweat furnace in the west end of C-746-B smelter. Water was slowly added to dumpsters and possibly drums to react with the aluminum slag. Slag was allowed to react with no agitation for several days. Hydrogen that was produced from the reaction escaped to the atmosphere. The slag was dewatered, and the resulting waste was placed in the C-746-F Landfill. It is unknown how long this operation was in practice.

Previous investigation results

From analyses of samples collected from SWMUs 139 and 196A, which are located near SWMU 531, some elevated concentrations of metals (aluminum, calcium, iron, and magnesium) in soils were noted as presented in the 1992 SWMU Assessment Report (SAR).

Table 5.7 is a summary of historical data followed by a map of historical sample locations (Figure 5.9).

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.


Data Gap Determination

Additional samples are needed at this location.

Table 5.7. Summary of Surface and Subsurface Historical Data at SWMU 531

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|-----------|-----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Cesium-137 | 2.30E-01 | 2.30E-01 | 2.30E-01 | 1/1 | 3.50E-01 | 3.50E-01 | 0/1 | 4.90E-01 | 0/1 | 8.58E+00 | 1/1 | 8.58E-02 |
| Uranium-238 | -7.10E-01 | -7.10E-01 | -7.10E-01 | 1/1 | 6.57E+00 | 6.57E+00 | 0/1 | 1.20E+00 | 0/1 | 1.71E+02 | 0/1 | 1.71E+00 |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 6.58E+03 | 1.65E+04 | 1.23E+04 | 11/11 | 1.31E+00 | 1.31E+01 | 7/11 | 1.20E+04 | 0/11 | 1.00E+05 | 11/11 | 4.64E+03 |
| Arsenic | 9.38E-01 | 7.00E+00 | 3.75E+00 | 11/11 | 8.27E-02 | 8.27E-02 | 0/11 | 7.90E+00 | 0/11 | 3.15E+02 | 11/11 | 5.23E-01 |
| Barium | 4.93E+01 | 1.94E+02 | 1.24E+02 | 11/11 | 2.42E-02 | 2.42E-02 | 3/11 | 1.70E+02 | 0/11 | 1.00E+05 | 0/11 | 2.29E+02 |
| Beryllium | 2.92E-01 | 6.72E-01 | 4.92E-01 | 11/11 | 1.88E-02 | 1.88E-02 | 1/11 | 6.90E-01 | 0/11 | 1.28E+03 | 0/11 | 9.48E-01 |
| Cadmium | 5.70E-02 | 5.70E-02 | 5.70E-02 | 11/11 | 4.89E-02 | 4.89E-02 | 0/11 | 2.10E-01 | 0/11 | 7.05E+01 | 0/11 | 2.13E+01 |
| Calcium | 6.25E+02 | 1.07E+04 | 2.83E+03 | 11/11 | 5.10E-01 | 5.10E-01 | 2/11 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 9.25E+00 | 1.81E+01 | 1.57E+01 | 11/11 | 1.33E-01 | 1.33E-01 | n/a | n/a | n/a | n/a | 0/11 | 3.56E+02 |
| Cobalt | 1.97E+00 | 1.43E+01 | 5.85E+00 | 11/11 | 8.47E-02 | 8.47E-02 | 1/11 | 1.30E+01 | 0/11 | 1.00E+05 | 0/11 | 1.92E+03 |
| Copper | 3.48E+00 | 1.55E+01 | 1.07E+01 | 11/11 | 1.07E-01 | 1.07E-01 | 0/11 | 2.50E+01 | 0/11 | 1.00E+05 | 0/11 | 4.93E+02 |
| Iron | 6.89E+03 | 2.31E+04 | 1.77E+04 | 11/11 | 2.36E+00 | 2.36E+01 | 0/11 | 2.80E+04 | 0/11 | 1.00E+05 | 11/11 | 2.07E+03 |
| Lead | 5.41E+00 | 1.51E+01 | 9.13E+00 | 11/11 | 2.40E-01 | 2.40E-01 | 0/11 | 2.30E+01 | 0/11 | 1.25E+03 | 0/11 | 5.00E+01 |
| Magnesium | 5.59E+02 | 3.43E+03 | 2.02E+03 | 11/11 | 3.75E+00 | 3.75E+00 | 7/11 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 1.16E+02 | 8.55E+02 | 3.73E+02 | 11/11 | 3.00E-02 | 3.00E-02 | 1/11 | 8.20E+02 | 0/11 | 4.64E+04 | 11/11 | 4.52E+01 |
| Mercury | 9.60E-03 | 4.50E-02 | 2.71E-02 | 11/11 | 7.80E-03 | 7.80E-03 | 0/11 | 1.30E-01 | 0/11 | 8.25E+02 | 0/11 | 9.82E-01 |
| Nickel | 3.74E+00 | 2.06E+01 | 1.23E+01 | 11/11 | 1.28E-01 | 1.28E-01 | 0/11 | 2.20E+01 | 0/11 | 9.30E+04 | 0/11 | 2.42E+02 |
| Potassium | 2.15E+02 | 1.09E+03 | 5.97E+02 | 11/11 | 2.05E+00 | 2.05E+00 | 1/11 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Selenium | 1.20E-01 | 2.45E-01 | 1.75E-01 | 4/11 | 8.91E-02 | 8.91E-02 | 0/11 | 7.00E-01 | 0/11 | 2.56E+04 | 0/11 | 9.49E+01 |
| Sodium | 1.09E+02 | 3.23E+02 | 2.63E+02 | 11/11 | 2.73E+00 | 2.73E+00 | 1/11 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Thallium | 5.60E-01 | 5.74E-01 | 5.67E-01 | 2/11 | 5.34E-01 | 5.34E-01 | 2/11 | 3.40E-01 | n/a | n/a | n/a | n/a |
| Vanadium | 1.15E+01 | 3.24E+01 | 2.50E+01 | 11/11 | 1.45E-01 | 1.45E-01 | 0/11 | 3.70E+01 | 0/11 | 4.47E+03 | 11/11 | 3.32E+00 |
| Zinc | 1.25E+01 | 7.74E+01 | 4.41E+01 | 11/11 | 8.06E-02 | 8.06E-02 | 2/11 | 6.00E+01 | 0/11 | 1.00E+05 | 0/11 | 2.73E+03 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 6.69E+00 | 1.96E+01 | 1.21E+01 | 11/11 | 9.42E+00 | 9.42E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 2.46E+01 | 5.44E+01 | 3.50E+01 | 11/11 | 1.80E+01 | 1.82E+01 | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.



Soils Operable Unit: SWMUs 14, 15, 137, 196, 520 and 531

Figure 5.9. Soils Operable Unit: SWMUs 14, 15, 137, 196, 520 and 531

5.1.2 Group 1–Storage Area

SWMU 47 (C-400 Technetium Storage Tank Area)

Area description

The C-400 ⁹⁹Tc Storage Tank Area (SWMU 47) is located west of the C-400 Building in the central portion of the plant site. Prior to dismantling and disposal, the 4,000 gal tank was located on a concrete pad.

Process history

From the early 1960s to 1986, the C-400 ⁹⁹Tc Storage Tank was used in the technetium recovery process to store a waste solution of chromium and technetium-99.

Previous investigation results

The tank was emptied of liquids (approximately 200 gal of solution) and removed in 1986. Soil boring and groundwater samples were obtained during the WAG 6 RI (DOE 1999b), which placed SWMU 47 into Sector 6 (refer to Section 5.1.3, SWMU 11, “*Previous Investigation Results*” for a definition of Sectors used in WAG 6 RI). Results of this sampling indicate the potential for radiological, chromium, and PAH contamination. Shallow surface soil samples collected at 4.5 ft bgs in this boring contained the highest concentration of many of the identified radionuclides, but no PAHs. The radioactivity of the soil decreased substantially below 4.5 ft bgs. TCE was reported at high levels between 4.5 and 29.5 ft bgs (the deepest sample collected). The level of TCE in the subsurface soils remained relatively constant from near surface to the total depth. Other borings drilled and sampled within Sector 6 to assess the utility corridors and C-400 Area perimeter contained no contaminants of concern, or exhibited only isolated occurrences of contaminant concentrations.

The summary table from the BRA for WAG 6, showing which human health risk exceed *de minimis*, is located in the “*Previous Investigation Results*” of Section 5.1.3.

Table 5.8 is a summary of historical data followed by a map of historical sample locations (Figure 5.10).

Area utilities

No current recirculating water lines or sewers are associated with this facility; none are within the boundary of the SWMU. An electrical conduit passes under the SWMU.

Data Gap Determination

Additional samples are needed at this location to help delineate extent of contamination from the building.

Table 5.8. Summary of Surface and Subsurface Historical Data at SWMU 47

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 6.55E+03 | 1.50E+04 | 1.19E+04 | 9/9 | 2.00E+01 | 1.00E+02 | 6/9 | 1.30E+04 | 0/9 | 1.00E+05 | 9/9 | 4.64E+03 |
| Antimony | 7.00E-01 | 9.00E-01 | 8.00E-01 | 3/9 | 5.00E-01 | 6.00E-01 | 3/9 | 2.10E-01 | 0/9 | 4.63E+02 | 3/9 | 3.79E-01 |
| Arsenic | 5.46E+00 | 4.52E+01 | 1.60E+01 | 9/9 | 7.00E-02 | 7.00E-01 | 5/9 | 1.20E+01 | 0/9 | 3.15E+02 | 9/9 | 5.23E-01 |
| Barium | 3.53E+01 | 1.27E+02 | 9.95E+01 | 9/9 | 2.00E-02 | 2.00E-02 | 0/9 | 2.00E+02 | 0/9 | 1.00E+05 | 0/9 | 2.29E+02 |
| Beryllium | 2.20E-01 | 6.40E-01 | 5.10E-01 | 9/9 | 1.00E-02 | 1.00E-02 | 0/9 | 6.70E-01 | 0/9 | 1.28E+03 | 0/9 | 9.48E-01 |
| Cadmium | 4.00E-02 | 4.25E+00 | 7.33E-01 | 7/9 | 2.00E-02 | 2.00E-02 | 4/9 | 2.10E-01 | 0/9 | 7.05E+01 | 0/9 | 2.13E+01 |
| Calcium | 2.18E+03 | 7.15E+04 | 1.35E+04 | 9/9 | 1.00E-01 | 1.00E+00 | 5/9 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 1.27E+01 | 4.58E+01 | 2.00E+01 | 9/9 | 7.00E-02 | 9.00E-02 | n/a | n/a | n/a | n/a | 0/9 | 3.56E+02 |
| Cobalt | 3.00E+00 | 1.43E+01 | 7.39E+00 | 9/9 | 8.00E-02 | 1.00E-01 | 1/9 | 1.40E+01 | 0/9 | 1.00E+05 | 0/9 | 1.92E+03 |
| Copper | 1.16E+01 | 2.79E+01 | 1.81E+01 | 9/9 | 9.00E-02 | 1.00E-01 | 3/9 | 1.90E+01 | 0/9 | 1.00E+05 | 0/9 | 4.93E+02 |
| Iron | 1.50E+04 | 2.49E+04 | 2.00E+04 | 9/9 | 2.00E+01 | 1.00E+02 | 0/9 | 2.80E+04 | 0/9 | 1.00E+05 | 0/9 | 2.07E+03 |
| Lead | 1.01E+01 | 1.52E+01 | 1.23E+01 | 9/9 | 2.00E-01 | 2.00E-01 | 0/9 | 3.60E+01 | 0/9 | 1.25E+03 | 0/9 | 5.00E+01 |
| Magnesium | 1.04E+03 | 4.17E+03 | 2.28E+03 | 9/9 | 1.00E-01 | 1.00E-01 | 5/9 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 1.65E+02 | 5.38E+02 | 3.62E+02 | 9/9 | 2.00E-02 | 2.00E-02 | 0/9 | 1.50E+03 | 0/9 | 4.64E+04 | 9/9 | 4.52E+01 |
| Mercury | 2.15E-02 | 6.76E-02 | 3.34E-02 | 9/9 | 8.00E-03 | 9.50E-03 | 0/9 | 2.00E-01 | 0/9 | 8.25E+02 | 0/9 | 9.82E-01 |
| Nickel | 1.06E+01 | 2.55E+01 | 1.68E+01 | 9/9 | 1.00E-01 | 1.00E-01 | 1/9 | 2.10E+01 | 0/9 | 9.30E+04 | 0/9 | 2.42E+02 |
| Potassium | 3.35E+02 | 1.00E+03 | 6.41E+02 | 9/9 | 2.00E+00 | 2.00E+00 | 1/9 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Selenium | 3.00E-01 | 3.00E-01 | 3.00E-01 | 2/9 | 2.00E-01 | 1.00E+00 | 0/9 | 8.00E+01 | 0/9 | 2.56E+04 | 0/9 | 9.49E+01 |
| Silver | 6.00E-01 | 6.00E-01 | 6.00E-01 | 1/9 | 7.00E-02 | 9.00E-02 | 0/9 | 2.30E+00 | 0/9 | 2.07E+04 | 0/9 | 4.11E+01 |
| Sodium | 1.80E+02 | 6.81E+02 | 5.13E+02 | 9/9 | 1.00E+00 | 1.00E+00 | 8/9 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Vanadium | 1.91E+01 | 3.34E+01 | 2.69E+01 | 9/9 | 1.00E-01 | 1.00E-01 | 0/9 | 3.80E+01 | 0/9 | 4.47E+03 | 9/9 | 3.32E+00 |
| Zinc | 3.30E+01 | 7.57E+01 | 5.25E+01 | 9/9 | 8.00E-02 | 1.00E-01 | 3/9 | 6.50E+01 | 0/9 | 1.00E+05 | 0/9 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCBs, Total | 7.70E-02 | 9.60E-01 | 3.86E-01 | 3/12 | 1.80E-02 | 1.00E+00 | n/a | n/a | 0/12 | 4.25E+01 | 1/12 | 1.99E-01 |
| PCB-1254 | 7.70E-02 | 9.60E-01 | 3.86E-01 | 3/3 | 1.80E-02 | 2.10E-01 | n/a | n/a | 0/3 | 1.82E+01 | 1/3 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 5.80E+00 | 1.75E+02 | 3.29E+01 | 20/22 | 1.27E+01 | 1.42E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Americium-241 | 1.00E-01 | 2.00E-01 | 1.22E-01 | 9/9 | | | n/a | n/a | 0/9 | 5.16E+02 | 0/9 | 5.16E+00 |
| Beta activity | 8.80E+00 | 2.48E+02 | 6.06E+01 | 22/22 | 1.93E+01 | 1.96E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 1.00E-01 | 1.50E+00 | 3.78E-01 | 9/9 | | | 3/9 | 4.90E-01 | 0/9 | 8.58E+00 | 9/9 | 8.58E-02 |
| Neptunium-237 | 2.00E-01 | 3.00E+00 | 7.90E-01 | 11/11 | | | 11/11 | 1.00E-01 | 0/11 | 2.71E+01 | 10/11 | 2.71E-01 |
| Plutonium-239 | 1.00E-01 | 1.70E+00 | 4.05E-01 | 11/11 | | | 11/11 | 2.50E-02 | 0/11 | 1.15E+03 | 0/11 | 1.15E+01 |
| Technetium-99 | 4.50E+00 | 1.40E+02 | 3.40E+01 | 11/11 | | | 11/11 | 2.50E+00 | 0/11 | 3.62E+04 | 0/11 | 3.62E+02 |
| Thorium-230 | 1.60E+00 | 1.09E+01 | 3.91E+00 | 11/11 | | | 11/11 | 1.50E+00 | 0/11 | 1.49E+03 | 0/11 | 1.49E+01 |
| Uranium | 5.70E+00 | 7.26E+01 | 1.58E+01 | 9/9 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 2.40E+00 | 3.11E+01 | 6.00E+00 | 11/11 | | | 9/11 | 2.50E+00 | 0/11 | 1.98E+03 | 1/11 | 1.98E+01 |
| Uranium-235 | 1.00E-01 | 1.90E+00 | 3.49E-01 | 11/11 | | | 8/11 | 1.40E-01 | 0/11 | 3.95E+01 | 2/11 | 3.95E-01 |
| Uranium-238 | 2.60E+00 | 3.95E+01 | 7.47E+00 | 11/11 | | | 11/11 | 1.20E+00 | 0/11 | 1.71E+02 | 11/11 | 1.71E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.8. Summary of Surface and Subsurface Historical Data at SWMU 47 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|--------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| <i>Semivolatiles (mg/kg)</i> | | | | | | | | | | | | |
| 2-Methylnaphthalene | 9.00E-01 | 9.00E-01 | 9.00E-01 | 1/17 | 7.39E-01 | 1.65E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Acenaphthene | 1.80E+00 | 7.07E+00 | 4.03E+00 | 5/17 | 7.39E-01 | 1.65E+01 | n/a | n/a | 0/17 | 6.67E+04 | 0/17 | 3.16E+02 |
| Anthracene | 3.59E-01 | 8.43E+01 | 1.19E+01 | 10/17 | 7.39E-01 | 1.65E+01 | n/a | n/a | 0/17 | 1.00E+05 | 0/17 | 3.79E+03 |
| Benzo(a)anthracene | 1.40E-01 | 3.92E+01 | 1.01E+01 | 12/17 | 7.39E-01 | 1.65E+01 | n/a | n/a | 0/17 | 2.08E+02 | 11/17 | 2.12E-01 |
| Benzo(a)pyrene | 1.30E-01 | 3.77E+01 | 9.31E+00 | 12/17 | 7.39E-01 | 1.65E+01 | n/a | n/a | 2/17 | 2.08E+01 | 12/17 | 2.12E-02 |
| Benzo(b)fluoranthene | 1.10E-01 | 6.24E+01 | 1.39E+01 | 11/17 | 7.39E-01 | 1.65E+01 | n/a | n/a | 0/17 | 2.08E+02 | 10/17 | 2.12E-01 |
| Benzo(ghi)perylene | 9.10E-02 | 8.84E+00 | 4.25E+00 | 7/17 | 7.39E-01 | 1.65E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benzo(k)fluoranthene | 1.30E-01 | 9.41E+01 | 1.39E+01 | 11/17 | 7.39E-01 | 1.65E+01 | n/a | n/a | 0/17 | 2.08E+03 | 7/17 | 2.12E+00 |
| Bis(2-ethylhexyl)phthalate | 1.00E-01 | 1.00E-01 | 1.00E-01 | 1/17 | 7.39E-01 | 1.65E+01 | n/a | n/a | 0/17 | 7.40E+03 | 0/17 | 8.84E+00 |
| Chrysene | 1.60E-01 | 4.27E+01 | 1.12E+01 | 12/17 | 7.39E-01 | 1.65E+01 | n/a | n/a | 0/17 | 2.08E+04 | 2/17 | 2.12E-02 |
| Dibenz(a,h)anthracene | 3.20E+00 | 4.37E+00 | 3.73E+00 | 2/17 | 7.20E-01 | 1.65E+01 | n/a | n/a | 0/17 | 2.08E+01 | 2/17 | 2.12E-02 |
| Dibenzofuran | 1.10E+00 | 3.60E+00 | 1.85E+00 | 4/17 | 7.39E-01 | 1.65E+01 | n/a | n/a | 0/17 | 9.02E+03 | 0/17 | 1.86E+01 |
| Di-n-butyl phthalate | 2.05E-01 | 2.05E-01 | 2.05E-01 | 1/17 | 7.39E-01 | 1.65E+01 | n/a | n/a | 0/17 | 1.00E+05 | 0/17 | 2.13E+03 |
| Fluoranthene | 3.50E-01 | 9.68E+01 | 2.25E+01 | 14/17 | 7.39E-01 | 1.65E+01 | n/a | n/a | 0/17 | 6.50E+04 | 0/17 | 2.21E+02 |
| Fluorene | 9.00E-01 | 4.54E+00 | 2.51E+00 | 5/17 | 7.39E-01 | 1.65E+01 | n/a | n/a | 0/17 | 7.09E+04 | 0/17 | 3.39E+02 |
| Indeno(1,2,3-cd)pyrene | 8.10E-02 | 9.69E+00 | 4.55E+00 | 7/17 | 7.39E-01 | 1.65E+01 | n/a | n/a | 0/17 | 2.08E+02 | 6/17 | 2.12E-01 |
| Naphthalene | 5.00E-01 | 1.90E+00 | 9.50E-01 | 4/17 | 7.39E-01 | 1.65E+01 | n/a | n/a | 0/17 | 7.66E+02 | 0/17 | 2.36E+01 |
| Phenanthrene | 2.30E-01 | 7.75E+01 | 1.69E+01 | 14/17 | 7.39E-01 | 1.65E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 1.99E-01 | 1.11E+02 | 1.88E+01 | 15/17 | 7.39E-01 | 1.65E+01 | n/a | n/a | 0/17 | 4.87E+04 | 0/17 | 1.65E+02 |
| Subsurface Soils | | | | | | | | | | | | |
| <i>Metals (mg/kg)</i> | | | | | | | | | | | | |
| Aluminum | 4.12E+03 | 1.40E+04 | 9.01E+03 | 10/10 | 1.00E+01 | 1.00E+02 | 2/10 | 1.20E+04 | 0/10 | 1.00E+05 | 9/10 | 4.64E+03 |
| Antimony | 7.00E-01 | 9.00E-01 | 8.00E-01 | 2/10 | 6.00E-01 | 1.30E+01 | 2/10 | 2.10E-01 | 0/10 | 4.63E+02 | 2/10 | 3.79E-01 |
| Arsenic | 4.56E-02 | 8.35E+00 | 3.52E+00 | 10/10 | 7.00E-04 | 4.00E-01 | 1/10 | 7.90E+00 | 0/10 | 3.15E+02 | 9/10 | 5.23E-01 |
| Barium | 1.33E+01 | 1.68E+02 | 8.37E+01 | 10/10 | 2.00E-02 | 2.00E-02 | 0/10 | 1.70E+02 | 0/10 | 1.00E+05 | 0/10 | 2.29E+02 |
| Beryllium | 3.70E-01 | 6.90E-01 | 5.57E-01 | 10/10 | 1.00E-02 | 1.00E-02 | 1/10 | 6.90E-01 | 0/10 | 1.28E+03 | 0/10 | 9.48E-01 |
| Cadmium | 5.00E-02 | 1.28E+01 | 3.91E+00 | 4/10 | 2.00E-02 | 8.90E-01 | 3/10 | 2.10E-01 | 0/10 | 7.05E+01 | 0/10 | 2.13E+01 |
| Calcium | 8.93E+02 | 1.26E+04 | 3.69E+03 | 9/10 | 1.00E-01 | 1.36E+03 | 2/10 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 3.30E+00 | 5.19E+01 | 2.11E+01 | 10/10 | 8.00E-02 | 9.00E-02 | n/a | n/a | n/a | n/a | 0/10 | 3.56E+02 |
| Cobalt | 5.10E+00 | 6.80E+00 | 6.00E+00 | 6/10 | 9.00E-02 | 7.40E+00 | 0/10 | 1.30E+01 | 0/10 | 1.00E+05 | 0/10 | 1.92E+03 |
| Copper | 4.70E+00 | 2.56E+01 | 1.18E+01 | 10/10 | 1.00E-01 | 1.00E-01 | 1/10 | 2.50E+01 | 0/10 | 1.00E+05 | 0/10 | 4.93E+02 |
| Iron | 1.32E+04 | 2.38E+04 | 1.74E+04 | 10/10 | 1.00E+01 | 1.00E+02 | 0/10 | 2.80E+04 | 0/10 | 1.00E+05 | 10/10 | 2.07E+03 |
| Lead | 4.80E+00 | 4.66E+01 | 1.43E+01 | 10/10 | 2.00E-01 | 2.00E-01 | 2/10 | 2.30E+01 | 0/10 | 1.25E+03 | 0/10 | 5.00E+01 |
| Magnesium | 4.76E+02 | 2.22E+03 | 1.42E+03 | 10/10 | 1.00E-01 | 1.00E-01 | 2/10 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 3.15E+01 | 7.69E+02 | 2.96E+02 | 10/10 | 2.00E-02 | 2.00E-02 | 0/10 | 8.20E+02 | 0/10 | 4.64E+04 | 9/10 | 4.52E+01 |
| Mercury | 1.88E-02 | 2.79E-02 | 2.27E-02 | 5/10 | 8.90E-03 | 1.10E-01 | 0/10 | 1.30E-01 | 0/10 | 8.25E+02 | 0/10 | 9.82E-01 |
| Nickel | 5.40E+00 | 2.24E+01 | 1.16E+01 | 8/10 | 1.00E-01 | 1.03E+01 | 1/10 | 2.20E+01 | 0/10 | 9.30E+04 | 0/10 | 2.42E+02 |
| Potassium | 1.37E+02 | 4.85E+02 | 3.26E+02 | 7/10 | 2.00E+00 | 2.64E+02 | 0/10 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Selenium | 4.00E-01 | 4.30E-01 | 4.15E-01 | 2/10 | 2.00E-01 | 3.20E-01 | 0/10 | 7.00E-01 | 0/10 | 2.56E+04 | 0/10 | 9.49E+01 |
| Silver | 1.30E-01 | 3.10E-01 | 2.37E-01 | 3/10 | 8.00E-02 | 2.30E+00 | 0/10 | 2.70E+00 | 0/10 | 2.07E+04 | 0/10 | 4.11E+01 |
| Sodium | 8.97E+01 | 4.95E+02 | 2.95E+02 | 6/10 | 1.00E+00 | 5.33E+02 | 3/10 | 3.40E+02 | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.


Table 5.8. Summary of Surface and Subsurface Historical Data at SWMU 47 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Vanadium | 1.16E+01 | 4.78E+01 | 2.88E+01 | 10/10 | 1.00E-01 | 1.00E-01 | 2/10 | 3.70E+01 | 0/10 | 4.47E+03 | 10/10 | 3.32E+00 |
| Zinc | 9.10E+00 | 4.88E+01 | 2.47E+01 | 10/10 | 9.00E-02 | 1.00E-01 | 0/10 | 6.00E+01 | 0/10 | 1.00E+05 | 0/10 | 2.73E+03 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 7.60E+00 | 3.89E+02 | 7.68E+01 | 11/13 | 1.24E+01 | 1.41E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Americium-241 | 1.00E-01 | 1.00E-01 | 1.00E-01 | 3/5 | | | n/a | n/a | 0/5 | 5.16E+02 | 0/5 | 5.16E+00 |
| Beta activity | 4.20E+00 | 7.56E+02 | 1.07E+02 | 13/13 | 1.78E+01 | 1.96E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 1.00E-01 | 1.00E-01 | 1.00E-01 | 3/5 | | | 0/5 | 2.80E-01 | 0/5 | 8.58E+00 | 3/5 | 8.58E-02 |
| Neptunium-237 | 1.00E-01 | 2.00E-01 | 1.67E-01 | 3/7 | | | n/a | n/a | 0/7 | 2.71E+01 | 0/7 | 2.71E-01 |
| Plutonium-239 | 1.00E-01 | 1.00E-01 | 1.00E-01 | 4/7 | | | n/a | n/a | 0/7 | 1.15E+03 | 0/7 | 1.15E+01 |
| Technetium-99 | 5.00E-01 | 8.20E+00 | 4.75E+00 | 4/7 | | | 2/7 | 2.80E+00 | 0/7 | 3.62E+04 | 0/7 | 3.62E+02 |
| Thorium-230 | 1.10E-01 | 3.40E+00 | 1.20E+00 | 7/7 | | | 1/7 | 1.40E+00 | 0/7 | 1.49E+03 | 0/7 | 1.49E+01 |
| Uranium | 1.10E+00 | 1.34E+02 | 2.79E+01 | 5/5 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 8.80E-02 | 4.17E+01 | 6.73E+00 | 7/7 | | | 1/7 | 2.40E+00 | 0/7 | 1.98E+03 | 1/7 | 1.98E+01 |
| Uranium-235 | 3.70E-03 | 2.20E+00 | 4.92E-01 | 5/7 | | | 1/7 | 1.40E-01 | 0/7 | 3.95E+01 | 1/7 | 3.95E-01 |
| Uranium-238 | 7.70E-02 | 4.28E+01 | 6.91E+00 | 7/7 | | | 2/7 | 1.20E+00 | 0/7 | 1.71E+02 | 2/7 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Benz(a)anthracene | 8.80E-02 | 8.80E-02 | 8.80E-02 | 1/12 | 3.60E-01 | 8.10E-01 | n/a | n/a | 0/12 | 2.08E+02 | 0/12 | 2.12E-01 |
| Benzo(a)pyrene | 7.20E-02 | 7.20E-02 | 7.20E-02 | 1/12 | 3.60E-01 | 8.10E-01 | n/a | n/a | 0/12 | 2.08E+01 | 1/12 | 2.12E-02 |
| Benzo(b)fluoranthene | 8.50E-02 | 8.50E-02 | 8.50E-02 | 1/12 | 3.60E-01 | 8.10E-01 | n/a | n/a | 0/12 | 2.08E+02 | 0/12 | 2.12E-01 |
| Benzo(ghi)perylene | 5.40E-02 | 5.40E-02 | 5.40E-02 | 1/12 | 3.60E-01 | 8.10E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benzo(k)fluoranthene | 8.40E-02 | 8.40E-02 | 8.40E-02 | 1/12 | 3.60E-01 | 8.10E-01 | n/a | n/a | 0/12 | 2.08E+03 | 0/12 | 2.12E+00 |
| Bis(2-ethylhexyl)phthalate | 5.00E-02 | 1.00E-01 | 7.33E-02 | 3/12 | 3.60E-01 | 8.10E-01 | n/a | n/a | 0/12 | 7.40E+03 | 0/12 | 8.84E+00 |
| Butyl benzyl phthalate | 1.30E-01 | 1.30E-01 | 1.30E-01 | 1/12 | 3.60E-01 | 8.10E-01 | n/a | n/a | 0/12 | 1.00E+05 | 0/12 | 2.71E+03 |
| Chrysene | 9.60E-02 | 9.60E-02 | 9.60E-02 | 1/12 | 3.60E-01 | 8.10E-01 | n/a | n/a | 0/12 | 2.08E+04 | 0/12 | 2.12E+01 |
| Di-n-butyl phthalate | 1.20E-01 | 3.60E+00 | 1.86E+00 | 2/12 | 3.60E-01 | 8.10E-01 | n/a | n/a | 0/12 | 1.00E+05 | 0/12 | 2.13E+03 |
| Fluoranthene | 4.00E-02 | 2.40E-01 | 1.40E-01 | 2/12 | 3.60E-01 | 8.10E-01 | n/a | n/a | 0/12 | 6.50E+04 | 0/12 | 2.21E+02 |
| Indeno(1,2,3-cd)pyrene | 5.10E-02 | 5.10E-02 | 5.10E-02 | 1/12 | 3.60E-01 | 8.10E-01 | n/a | n/a | 0/12 | 2.08E+02 | 0/12 | 2.12E-01 |
| Phenanthrene | 1.70E-01 | 1.70E-01 | 1.70E-01 | 1/12 | 3.60E-01 | 8.10E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 1.30E-01 | 1.30E-01 | 1.30E-01 | 1/12 | 3.60E-01 | 8.10E-01 | n/a | n/a | 0/12 | 4.87E+04 | 0/12 | 1.65E+02 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| 1,1-Dichloroethane | 6.00E-03 | 6.00E-03 | 6.00E-03 | 1/10 | 5.00E-03 | 6.00E-03 | n/a | n/a | 0/10 | 5.52E+03 | 0/10 | 1.55E+02 |
| 1,2-Dichloroethane | 1.00E-03 | 1.00E-03 | 1.00E-03 | 1/5 | 5.00E-03 | 6.00E-03 | n/a | n/a | 0/5 | 2.66E+04 | 0/5 | 6.60E+01 |
| 2-Propanol | 2.20E-01 | 2.20E-01 | 2.20E-01 | 1/5 | 6.00E-02 | 6.00E-02 | n/a | n/a | n/a | n/a | n/a | n/a |
| Acetone | 1.30E-02 | 1.60E-01 | 9.10E-02 | 3/10 | 1.10E-02 | 1.00E-01 | n/a | n/a | 0/10 | 1.91E+04 | 0/10 | 3.58E+02 |
| cis-1,2-Dichloroethene | 2.90E-03 | 8.20E-02 | 4.25E-02 | 2/10 | 6.00E-03 | 9.00E-01 | n/a | n/a | 0/10 | 4.63E+02 | 0/10 | 1.34E+01 |
| Methylene chloride | 1.40E-03 | 1.20E-01 | 3.87E-02 | 8/10 | 5.00E-03 | 6.00E-03 | n/a | n/a | 0/10 | 2.16E+03 | 0/10 | 1.34E+01 |
| Tetrachloroethene | 2.00E-03 | 2.00E-03 | 2.00E-03 | 1/10 | 5.00E-03 | 6.00E-03 | n/a | n/a | 0/10 | 1.46E+03 | 0/10 | 3.90E+00 |
| Toluene | 1.50E-03 | 5.60E-03 | 3.03E-03 | 3/10 | 5.00E-03 | 6.00E-03 | n/a | n/a | 0/10 | 7.28E+03 | 0/10 | 2.11E+02 |
| trans-1,2-Dichloroethene | 2.30E+00 | 2.50E+00 | 2.40E+00 | 2/10 | 6.00E-03 | 9.00E-01 | n/a | n/a | 0/10 | 7.43E+02 | 0/10 | 2.20E+01 |
| Trichloroethene | 9.00E-03 | 1.70E+00 | 6.29E-01 | 5/15 | 1.00E-03 | 9.00E-01 | n/a | n/a | 0/15 | 2.98E+02 | 0/15 | 2.51E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.



Soils Operable Unit: SWMUs 26, 47, 165, 172, 200, 221, and 483

Figure 5.10. Soils Operable Unit: SWMUs 26, 47, 165, 172, 200, 221, and 483

SWMU 200 (Soil Contamination South of TSCA Waste Storage Facility)

Area description

The Soil Contamination South of TSCA Waste Storage Facility (SWMU 200) is located in the central portion of the plant site. This area is approximately 282 ft wide by 304 ft long.

Process history

Past practices utilized the SWMU 200 area for placement of dredged material from the NSDD.

Previous investigation results

Site characterization sampling was performed prior to construction of a TSCA Waste Storage Facility. The surface sampling showed elevated levels of PCBs and radiological contaminants to be present.

Table 5.9 is a summary of historical data followed by a map of historical sample locations (Figure 5.11).

Area utilities

No current recirculating water lines or sewers are associated with this facility; none are within the boundary of the SWMU. A portion of the raw water line passes under the southeast corner of the facility.

Data Gap Determination

Additional samples are needed at this location.

Table 5.9. Summary of Surface and Subsurface Historical Data at SWMU 200

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|---------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 3.00E-01 | 2.60E+00 | 1.45E+00 | 2/3 | | | n/a | n/a | 0/3 | 4.25E+01 | 2/3 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Neptunium-237 | 2.52E+01 | 2.52E+01 | 2.52E+01 | 1/3 | | | 1/3 | 1.00E-01 | 0/3 | 2.71E+01 | 1/3 | 2.71E-01 |
| Plutonium-239 | 1.08E+01 | 1.08E+01 | 1.08E+01 | 1/3 | | | 1/3 | 2.50E-02 | 0/3 | 1.15E+03 | 0/3 | 1.15E+01 |
| Technetium-99 | 4.20E+01 | 4.20E+01 | 4.20E+01 | 1/3 | | | 1/3 | 2.50E+00 | 0/3 | 3.62E+04 | 0/3 | 3.62E+02 |
| Thorium-230 | 5.10E+01 | 5.10E+01 | 5.10E+01 | 1/3 | | | 1/3 | 1.50E+00 | 0/3 | 1.49E+03 | 1/3 | 1.49E+01 |
| Uranium | 6.90E+00 | 1.00E+02 | 4.70E+01 | 3/3 | | | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.11. Soils Operable Unit: SWMUs 26, 47, 165, 172, 200, 221, and 483

SWMU 212 (C-745-A Radiological Contamination Area)

Area description

The C-745-A Radiological Contamination Area (SWMU 212) is located in the west central portion of the plant site. The area is approximately 2,500 ft².

Process history

While the exact history is unknown, supposition is that the area may have been used as an unloading site near railroad tracks, and a release of radiological contaminants may have occurred.

Previous investigation results

Subsurface soil samples were obtained in support of the C-745-A Cylinder Storage Yard construction project. Results of the sampling effort indicated the following were detected contaminants: technetium-99, thorium-230, plutonium-239/240, americium-241, cesium-137, neptunium-237, uranium-234, uranium-235 and uranium-238.

Table 5.10 is a summary of historical data followed by a map of historical sample locations (Figure 5.12).

Area utilities

No recirculating water lines or sewers are associated with this contamination area; however several storm sewers are located within the boundary of the SWMU. These storm sewers are approximately 1 ft bgs.

Data Gap Determination

Additional samples are needed at this location.

Table 5.10. Summary of Surface and Subsurface Historical Data at SWMU 212


| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| Surface Soils | | | | | | | | | | | | |
| <i>Metals (mg/kg)</i> | | | | | | | | | | | | |
| Aluminum | 9.89E+03 | 9.89E+03 | 9.89E+03 | 1/1 | 1.31E+00 | 1.31E+00 | 0/1 | 1.30E+04 | 0/1 | 1.00E+05 | 1/1 | 4.64E+03 |
| Arsenic | 5.60E+00 | 5.60E+00 | 5.60E+00 | 1/1 | 8.27E-02 | 8.27E-02 | 0/1 | 1.20E+01 | 0/1 | 3.15E+02 | 1/1 | 5.23E-01 |
| Barium | 1.05E+02 | 1.05E+02 | 1.05E+02 | 1/1 | 2.42E-02 | 2.42E-02 | 0/1 | 2.00E+02 | 0/1 | 1.00E+05 | 0/1 | 2.29E+02 |
| Beryllium | 4.98E-01 | 4.98E-01 | 4.98E-01 | 1/1 | 1.88E-02 | 1.88E-02 | 0/1 | 6.70E-01 | 0/1 | 1.28E+03 | 0/1 | 9.48E-01 |
| Calcium | 1.69E+03 | 1.69E+03 | 1.69E+03 | 1/1 | 5.10E-01 | 5.10E-01 | 0/1 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 1.41E+01 | 1.41E+01 | 1.41E+01 | 1/1 | 1.33E-01 | 1.33E-01 | n/a | n/a | n/a | n/a | 0/1 | 3.50E+02 |
| Cobalt | 4.51E+00 | 4.51E+00 | 4.51E+00 | 1/1 | 8.47E-02 | 8.47E-02 | 0/1 | 1.40E+01 | 0/1 | 1.00E+05 | 0/1 | 1.92E+03 |
| Copper | 1.27E+01 | 1.27E+01 | 1.27E+01 | 1/1 | 1.07E-01 | 1.07E-01 | 0/1 | 1.90E+01 | 0/1 | 1.00E+05 | 0/1 | 4.93E+02 |
| Iron | 1.67E+04 | 1.67E+04 | 1.67E+04 | 1/1 | 6.68E-01 | 6.68E-01 | 0/1 | 2.80E+04 | 0/1 | 1.00E+05 | 1/1 | 2.07E+03 |
| Lead | 7.73E+00 | 7.73E+00 | 7.73E+00 | 1/1 | 2.40E-01 | 2.40E-01 | 0/1 | 3.60E+01 | 0/1 | 1.25E+03 | 0/1 | 5.00E+01 |
| Magnesium | 1.69E+03 | 1.69E+03 | 1.69E+03 | 1/1 | 3.75E+00 | 3.75E+00 | 0/1 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 1.75E+02 | 1.75E+02 | 1.75E+02 | 1/1 | 3.00E-02 | 3.00E-02 | 0/1 | 1.50E+03 | 0/1 | 4.64E+04 | 1/1 | 4.52E+01 |
| Mercury | 2.99E-02 | 2.99E-02 | 2.99E-02 | 1/1 | 7.80E-03 | 7.80E-03 | 0/1 | 2.00E-01 | 0/1 | 8.25E+02 | 0/1 | 9.82E-01 |
| Nickel | 1.19E+01 | 1.19E+01 | 1.19E+01 | 1/1 | 1.28E-01 | 1.28E-01 | 0/1 | 2.10E+01 | 0/1 | 9.30E+04 | 0/1 | 2.42E+02 |
| Potassium | 6.75E+02 | 6.75E+02 | 6.75E+02 | 1/1 | 2.05E+00 | 2.05E+00 | 0/1 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Sodium | 5.36E+01 | 5.36E+01 | 5.36E+01 | 1/1 | 2.73E+00 | 2.73E+00 | 0/1 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Vanadium | 2.45E+01 | 2.45E+01 | 2.45E+01 | 1/1 | 1.45E-01 | 1.45E-01 | 0/1 | 3.80E+01 | 0/1 | 4.47E+03 | 1/1 | 3.32E+00 |
| Zinc | 6.70E+01 | 6.70E+01 | 6.70E+01 | 1/1 | 8.06E-02 | 8.06E-02 | 1/1 | 6.50E+01 | 0/1 | 1.00E+05 | 0/1 | 2.73E+03 |
| <i>Radionuclides (pCi/g)</i> | | | | | | | | | | | | |
| Alpha activity | 8.30E+00 | 8.05E+02 | 2.40E+02 | 4/4 | 9.42E+00 | 9.42E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Americium-241 | 7.83E+00 | 7.83E+00 | 7.83E+00 | 1/1 | | | n/a | n/a | 0/1 | 5.16E+02 | 1/1 | 5.16E+00 |
| Beta activity | 9.00E+00 | 3.01E+02 | 9.68E+01 | 4/4 | 1.79E+01 | 1.79E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 2.30E-01 | 8.85E+00 | 2.60E+00 | 7/7 | 3.90E-01 | 2.20E+00 | 6/7 | 4.90E-01 | 1/7 | 8.58E+00 | 7/7 | 8.58E-02 |
| Neptunium-237 | 1.22E+01 | 1.22E+01 | 1.22E+01 | 1/1 | | | 1/1 | 1.00E-01 | 0/1 | 2.71E+01 | 1/1 | 2.71E-01 |
| Plutonium-239/240 | 2.68E+01 | 2.68E+01 | 2.68E+01 | 1/1 | | | n/a | n/a | 0/1 | 1.15E+03 | 1/1 | 1.15E+01 |
| Technetium-99 | 2.43E+01 | 2.43E+01 | 2.43E+01 | 1/1 | | | 1/1 | 2.50E+00 | 0/1 | 3.62E+04 | 0/1 | 3.62E+02 |
| Thorium-230 | 1.88E+02 | 1.88E+02 | 1.88E+02 | 1/1 | | | 1/1 | 1.50E+00 | 0/1 | 1.49E+03 | 1/1 | 1.49E+01 |
| Uranium | 8.10E+00 | 9.80E+00 | 8.95E+00 | 2/3 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 3.50E+00 | 3.50E+00 | 3.50E+00 | 1/1 | | | 1/1 | 2.50E+00 | 0/1 | 1.98E+03 | 0/1 | 1.98E+01 |
| Uranium-235 | 1.83E-01 | 1.83E-01 | 1.83E-01 | 1/1 | | | 1/1 | 1.40E-01 | 0/1 | 3.95E+01 | 0/1 | 3.95E-01 |
| Uranium-238 | 6.00E-01 | 1.50E+01 | 8.64E+00 | 7/7 | 3.35E+00 | 1.18E+01 | 6/7 | 1.20E+00 | 0/7 | 1.71E+02 | 6/7 | 1.71E+00 |
| Subsurface Soils | | | | | | | | | | | | |
| <i>Metals (mg/kg)</i> | | | | | | | | | | | | |
| Aluminum | 6.63E+03 | 9.47E+03 | 7.77E+03 | 4/4 | 1.31E+00 | 1.31E+00 | 0/4 | 1.20E+04 | 0/4 | 1.00E+05 | 4/4 | 4.64E+03 |
| Antimony | 5.52E-01 | 1.40E+00 | 1.02E+00 | 3/4 | 5.22E-01 | 5.22E-01 | 3/4 | 2.10E-01 | 0/4 | 4.63E+02 | 3/4 | 3.79E-01 |
| Arsenic | 1.62E+00 | 3.93E+00 | 2.64E+00 | 4/4 | 8.27E-02 | 8.27E-02 | 0/4 | 7.90E+00 | 0/4 | 3.15E+02 | 4/4 | 5.23E-01 |
| Barium | 2.77E+01 | 1.52E+02 | 7.16E+01 | 4/4 | 2.42E-02 | 2.42E-02 | 0/4 | 1.70E+02 | 0/4 | 1.00E+05 | 0/4 | 2.29E+02 |
| Beryllium | 4.54E-01 | 6.99E-01 | 5.73E-01 | 4/4 | 1.88E-02 | 1.88E-02 | 1/4 | 6.90E-01 | 0/4 | 1.28E+03 | 0/4 | 9.48E-01 |
| Cadmium | 1.27E-01 | 2.87E-01 | 1.96E-01 | 3/4 | 4.89E-02 | 4.89E-02 | 1/4 | 2.10E-01 | 0/4 | 7.05E+01 | 0/4 | 2.13E+01 |
| Calcium | 6.04E+02 | 1.64E+03 | 1.07E+03 | 4/4 | 5.10E-01 | 5.10E-01 | 0/4 | 6.10E+03 | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.

Table 5.10. Summary of Surface and Subsurface Historical Data at SWMU 212 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Chromium | 1.34E+01 | 5.62E+01 | 2.61E+01 | 4/4 | 1.33E-01 | 1.33E-01 | n/a | n/a | n/a | n/a | 0/4 | 3.56E+02 |
| Cobalt | 3.76E+00 | 9.87E+00 | 6.02E+00 | 4/4 | 8.47E-02 | 8.47E-02 | 0/4 | 1.30E-01 | 0/4 | 1.00E+05 | 0/4 | 1.92E+03 |
| Copper | 6.13E+00 | 1.35E+01 | 8.24E+00 | 4/4 | 1.07E-01 | 1.07E-01 | 0/4 | 2.50E+01 | 0/4 | 1.00E+05 | 0/4 | 4.93E+02 |
| Iron | 1.04E+04 | 2.35E+04 | 1.57E+04 | 4/4 | 6.68E-01 | 6.68E-01 | 0/4 | 2.80E+04 | 0/4 | 1.00E+03 | 4/4 | 2.07E+03 |
| Lead | 6.25E+00 | 1.02E+01 | 8.00E+00 | 4/4 | 2.40E-01 | 2.40E-01 | 0/4 | 2.30E+01 | 0/4 | 1.25E+03 | 0/4 | 5.00E+01 |
| Magnesium | 3.51E+02 | 2.16E+03 | 1.07E+03 | 4/4 | 3.75E+00 | 3.75E+00 | 1/4 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 9.12E+01 | 5.25E+02 | 2.75E+02 | 4/4 | 3.00E-02 | 3.00E-02 | 0/4 | 8.20E+02 | 0/4 | 4.64E+04 | 4/4 | 4.52E+01 |
| Mercury | 9.80E-03 | 2.46E-02 | 1.96E-02 | 3/4 | 7.80E-03 | 7.80E-03 | 0/4 | 1.30E-01 | 0/4 | 8.25E+02 | 0/4 | 9.82E-01 |
| Nickel | 3.07E+00 | 2.68E+01 | 1.05E+01 | 4/4 | 1.28E-01 | 1.28E-01 | 1/4 | 2.20E-01 | 0/4 | 9.30E+04 | 0/4 | 2.42E+02 |
| Potassium | 1.71E+02 | 5.01E+02 | 2.81E+02 | 4/4 | 2.05E+00 | 2.05E+00 | 0/4 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Selenium | 1.01E-01 | 1.01E-01 | 1.01E-01 | 1/4 | 8.91E-02 | 8.91E-02 | 0/4 | 7.00E-01 | 0/4 | 2.56E+04 | 0/4 | 9.49E+01 |
| Sodium | 8.21E+01 | 4.31E+02 | 2.59E+02 | 4/4 | 2.73E+00 | 2.73E+00 | 2/4 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Vanadium | 2.15E+01 | 5.33E+01 | 3.60E+01 | 4/4 | 1.45E-01 | 1.45E-01 | 2/4 | 3.70E+01 | 0/4 | 4.47E+03 | 4/4 | 3.32E+00 |
| Zinc | 1.92E+01 | 3.80E+01 | 2.47E+01 | 4/4 | 8.06E-02 | 1.44E-01 | 0/4 | 6.00E+01 | 0/4 | 1.00E+05 | 0/4 | 2.73E+03 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 4.97E+00 | 1.32E+01 | 7.83E+00 | 5/6 | 8.56E+00 | 1.06E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 2.63E+00 | 3.03E+01 | 1.73E+01 | 6/6 | 1.80E+01 | 1.87E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Technetium-99 | 4.50E+00 | 4.50E+00 | 4.50E+00 | 1/2 | | | 1/2 | 2.80E+00 | 0/2 | 3.62E+04 | 0/2 | 3.62E+02 |
| Thorium-230 | 3.00E-01 | 3.00E-01 | 3.00E-01 | 1/2 | | | 0/2 | 1.40E+00 | 0/2 | 1.49E+03 | 0/2 | 1.49E+01 |
| Uranium | 1.60E+00 | 1.60E+00 | 1.60E+00 | 1/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 6.00E-01 | 6.00E-01 | 6.00E-01 | 1/2 | | | 0/2 | 2.40E+00 | 0/2 | 1.98E+03 | 0/2 | 1.98E+01 |
| Uranium-235 | 3.24E-02 | 3.24E-02 | 3.24E-02 | 1/2 | | | 0/2 | 1.40E-01 | 0/2 | 3.95E+01 | 0/2 | 3.95E-01 |
| Uranium-238 | 1.00E+00 | 1.00E+00 | 1.00E+00 | 1/2 | | | 0/2 | 1.20E+00 | 0/2 | 1.71E+02 | 0/2 | 1.71E+00 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| Trichloroethene | 9.00E-03 | 9.00E-03 | 9.00E-03 | 1/7 | 5.00E-01 | 1.10E+00 | n/a | n/a | 0/7 | 2.98E+02 | 0/7 | 2.51E+00 |
| Wetchem (mg/kg) | | | | | | | | | | | | |
| Total Organic Carbon (TOC) | 3.95E+02 | 9.28E+02 | 7.59E+02 | 4/4 | 1.00E+00 | 1.00E+00 | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.



Soils Operable Unit: SWMUs 1 and 212

Figure 5.12. Soils Operable Unit: SWMUs 1 and 212

Figure No. ISoilsOUSOU_SMMUs.apr
DATE 08-27-09

SWMU 213 (DMSA OS-02)

Area description

DMSA OS-02 (SWMU 213) is located north of C-745-A in the west central portion of the plant site. SWMU 213 is approximately 7,000 ft².

Process history

SWMU 213 was used to store excess or unused material. Storage at this location included a spill storage tank; an old “drop test” cylinder with over pack, metal parts from forklifts, cranes, cylinder slings and carts; and wood to make cylinder saddles.

The spill tank has three closed valves located near the bottom. The tank was used extensively during a 1979 No. 2 fuel oil spill to “decant” the water from the fuel oil/water mixture and possibly utilized to contain other spills.

Previous investigation results

This DMSA now qualifies as a Phase 3 DMSA because it has been fully characterized and contains no fissionable material (DOE 2002a). The SWMU currently is empty.

The Final Inventory and Characterization Report (FI/CR) was submitted September 16, 2002, to the Kentucky Division of Waste Management and approved on July 21, 2005. RCRA closure was not required for this SWMU because no hazardous wastes were stored in this unit.

Table 5.11 is a summary of historical data followed by a map of historical sample locations (Figure 5.13).

Area utilities

No current recirculating water lines or sewers are associated with this DMSA; none are within the boundary of the SWMU.

Data Gap Determination

No additional sampling is required.

Table 5.11. Summary of Surface and Subsurface Historical Data at SWMU 213

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 2.81E+03 | 4.00E+03 | 3.41E+03 | 2/2 | 1.87E+01 | 1.88E+01 | 0/2 | 1.30E+04 | 0/2 | 1.00E+05 | 0/2 | 4.64E+03 |
| Barium | 5.76E+01 | 6.17E+01 | 5.97E+01 | 2/2 | 2.34E+00 | 2.35E+00 | 0/2 | 2.00E+05 | 0/2 | 1.00E+05 | 0/2 | 2.29E+02 |
| Calcium | 1.35E+03 | 2.53E+04 | 1.33E+04 | 2/2 | 9.37E+01 | 9.38E+01 | 1/2 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 4.10E+00 | 9.84E+00 | 6.97E+00 | 2/2 | 2.34E+00 | 2.35E+00 | n/a | n/a | n/a | n/a | 0/2 | 3.56E+02 |
| Cobalt | 4.54E+00 | 4.77E+00 | 4.66E+00 | 2/2 | 2.34E+00 | 2.35E+00 | 0/2 | 1.40E+01 | 0/2 | 1.00E+05 | 0/2 | 1.92E+03 |
| Copper | 5.77E+00 | 7.10E+00 | 6.44E+00 | 2/2 | 2.34E+00 | 2.35E+00 | 0/2 | 1.90E+01 | 0/2 | 1.00E+05 | 0/2 | 4.93E+02 |
| Iron | 5.43E+03 | 1.32E+04 | 9.32E+03 | 2/2 | 1.87E+01 | 1.88E+01 | 0/2 | 2.80E+04 | 0/2 | 1.00E+05 | 2/2 | 2.07E+03 |
| Magnesium | 3.17E+02 | 2.38E+03 | 1.35E+03 | 2/2 | 4.69E+00 | 4.69E+00 | 1/2 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 3.98E+02 | 5.41E+02 | 4.70E+02 | 2/2 | 2.34E+00 | 2.35E+00 | 0/2 | 1.50E+03 | 0/2 | 4.64E+04 | 2/2 | 4.52E+01 |
| Molybdenum | 8.48E+00 | 8.48E+00 | 8.48E+00 | 1/2 | 4.69E+00 | 4.69E+00 | n/a | n/a | 0/2 | 2.50E+04 | 0/2 | 8.30E+01 |
| Nickel | 7.75E+00 | 7.75E+00 | 7.75E+00 | 1/2 | 4.69E+00 | 4.69E+00 | 0/2 | 2.10E+01 | 0/2 | 9.30E+04 | 0/2 | 2.42E+02 |
| Potassium | 1.49E+02 | 1.93E+02 | 1.71E+02 | 2/2 | 9.37E+01 | 9.38E+01 | 0/2 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Sodium | 1.34E+02 | 1.34E+02 | 1.34E+02 | 1/2 | 9.37E+01 | 9.38E+01 | 0/2 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Uranium | 2.01E+00 | 5.57E+01 | 1.66E+01 | 4/4 | 1.30E+01 | 4.69E+00 | 2/4 | 4.90E+00 | 0/4 | 3.34E+03 | 1/4 | 2.02E+01 |
| Vanadium | 1.02E+01 | 2.36E+01 | 1.69E+01 | 2/2 | 2.34E+00 | 2.35E+00 | 0/2 | 3.80E+01 | 0/2 | 4.47E+03 | 2/2 | 3.32E+00 |
| Zinc | 5.74E+01 | 5.74E+01 | 5.74E+01 | 1/2 | 1.87E+01 | 1.88E+01 | 0/2 | 6.50E+01 | 0/2 | 1.00E+05 | 0/2 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 1.90E-01 | 1.90E-01 | 1.90E-01 | 2/23 | 1.20E-01 | 1.30E-01 | n/a | n/a | 0/23 | 4.25E+01 | 0/23 | 1.99E-01 |
| PCB-1254 | 1.00E-01 | 1.90E-01 | 1.45E-01 | 2/23 | 8.00E-02 | 9.00E-02 | n/a | n/a | 0/23 | 1.82E+01 | 0/23 | 1.99E-01 |
| PCB-1260 | 1.90E-01 | 1.90E-01 | 1.90E-01 | 1/23 | 9.00E-02 | 1.00E-01 | n/a | n/a | 0/23 | 4.25E+01 | 0/23 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 6.76E+00 | 1.59E+01 | 1.13E+01 | 2/2 | 1.18E+00 | 2.58E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 5.70E+00 | 8.73E+00 | 7.22E+00 | 2/2 | 1.04E+00 | 1.30E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | -4.10E-01 | 5.80E-01 | 8.89E-02 | 22/22 | 6.00E-02 | 9.60E-01 | 6/22 | 4.90E-01 | 0/22 | 8.58E+00 | 12/22 | 8.58E-02 |
| Plutonium-239/240 | 3.50E-02 | 3.50E-02 | 3.50E-02 | 1/2 | 2.00E-02 | 2.00E-02 | n/a | n/a | 0/2 | 1.15E+03 | 0/2 | 1.15E+01 |
| Technetium-99 | 3.31E+00 | 3.31E+00 | 3.31E+00 | 1/2 | 2.78E+00 | 2.78E+00 | 1/2 | 2.50E+00 | 0/2 | 3.62E+04 | 0/2 | 3.62E+02 |
| Thorium-228 | 2.20E-01 | 3.81E-01 | 3.01E-01 | 2/2 | 1.50E-01 | 1.60E-01 | 0/2 | 1.60E+00 | 0/2 | 2.80E+00 | 0/2 | 2.80E-02 |
| Thorium-230 | 5.59E-01 | 1.43E+00 | 9.95E-01 | 2/2 | 1.90E-01 | 1.90E-01 | 1/2 | 1.50E+00 | 0/2 | 1.49E+03 | 0/2 | 1.49E+01 |
| Thorium-232 | 2.43E-01 | 3.79E-01 | 3.11E-01 | 2/2 | 3.00E-02 | 3.00E-02 | 0/2 | 1.50E+00 | 0/2 | 1.35E+03 | 0/2 | 1.35E+01 |
| Uranium-234 | 5.70E-01 | 6.06E-01 | 5.88E-01 | 2/2 | 8.00E-02 | 8.00E-02 | 0/2 | 2.50E+00 | 0/2 | 1.98E+03 | 0/2 | 1.98E+01 |
| Uranium-235 | 3.35E-02 | 3.62E-02 | 3.49E-02 | 2/2 | 1.00E-02 | 1.00E-02 | 0/2 | 1.40E-01 | 0/2 | 3.95E+01 | 0/2 | 3.95E-01 |
| Uranium-238 | -2.22E+00 | 1.22E+01 | 3.39E+00 | 22/22 | 4.00E-02 | 4.22E+00 | 15/22 | 1.20E+00 | 0/22 | 1.71E+02 | 14/22 | 1.71E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.13. Soils Operable Unit: SWMU 213

SWMU 214 (DMSA OS-03)

Area description

DMSA OS-03 (SWMU 214) is located at C-611 west of the plant site. SWMU 214 is 384 ft² (16 ft x 24 ft).

Process history

This DMSA was created by PGDP Utilities Operations for storage of DOE materials upon transition from DOE to United States Enrichment Corporation (USEC) operations. Prior to 1994, the area was a partially gravel and grass covered area. The material stored is covered by a 16 ft x 24 ft aluminum carport type shed without walls. Materials stored within the SWMU are as follows:

- 55-gal drums of absorbent pads and other solid waste generated by PGDP Utilities Operations at C-611 and from a clean-up at KPDES Outfall 008;
- 55-gal drums of ferric sulfate marked for reuse;
- Fiberglass panels removed from either the C-611-C Flocculator or the C-611-U Chemical Storage Area in 1993;
- A small quantity of scrap metal banding material;
- One out-of-use fuel oil tank that was removed from the basement of C-611 that fed the back-up diesel generators (empty);
- One pole type electrical disconnect;
- Scrap pieces of lumber;
- Several wooden pallets;
- Several 55-gal drums marked empty; and
- Two empty plastic oil containment dikes

All RCRA-regulated items and other waste have been dispositioned properly (DOE 2002b).

Previous investigation results

There have been no known spills or releases of materials from this facility to the environment. A certified RCRA Closure report was approved by Kentucky on February 13, 2007, for this DMSA. The Division of Waste Management “determined that the characterization, removal and disposal of hazardous waste meets the applicable requirements of the approved Agreed Order Closure Plan for DMSAs, dated December 23, 2005” (Webb 2007). An NFA is pending. The Closure report documented that no sign of spill or release was found. There have been no known spills or releases of materials from this SWMU to the environment.


Map of area with historical sampling is represented in Figure 5.14.

Area utilities

No current recirculating water lines or sewers are associated with this DMSA, none are within the boundary of the SWMU.

Data Gap Determination

No additional sampling is required.



SWMU 215 (DMSA OS-04)

Area description

DMSA OS-04 (SWMU 215) included a rail tank car located west of the C-743 Trailer Complex in the west central portion of the plant site. The roped area defining SWMU 215 is approximately 480 ft² (40 ft x 12 ft).

Process history

The history of this railcar could not be definitively ascertained. It was likely brought on-site to deliver an acid compound. Subsequent uses may have included water storage for fire fighting, spill control (storage), and/or fire training. In August of 2005, as part of the DMSA characterization and remediation project, the railcar was removed.

Previous investigation results

The railcar, valves, and ground beneath the rail car were surveyed for radiological contamination in April 1999. Results indicated contamination on randomly selected rock from beneath the valve. In addition, results from sampling the liner of the railcar in February 2006 indicated uranium contamination. This DMSA now qualifies as a Phase 3 DMSA because it has been fully characterized and contains no fissionable material (DOE 2002c). As part of the DMSA characterization, soil samples were collected. Eight samples were collected from six sampling locations. Two of the locations were identified as hot spots on a Health Physics (HP) survey. Two samples at two separate depths were collected at these two hot spots. The other four locations were chosen to verify the HP survey results. The table below lists the sample numbers, grid location, and soil depth for samples collected and Figure 5.15 shows a grid of these sample locations. Table 5.12 is a summary of historical data from the FI/CR (DOE 2002c).

| Project ID | Grid location | Soil Depth (ft) |
|-------------------------|---------------|-----------------|
| OS04Z01CSSOIL0001 | 5'0" X 4'6" | 2 |
| OS04Z01CSSOIL0002 | 5'0" X 9'0" | 2 |
| OS04Z01CSSOIL0003* | 12'0" X 8'0" | 3 |
| OS04Z01CSSOIL0004* | 12'0" X 8'0" | 2 |
| OS04Z01CSSOIL0005* | 12'0" X 9'6" | 3 |
| OS04Z01CSSOIL0006* | 12'0" X 9'6" | 2 |
| OS04Z01CSSOIL0007 | 15'0" X 4'6" | 2 |
| OS04Z01CSSOIL0008 | 15'0" X 9'6" | 2 |
| * Hot spots from survey | | |

There are no Toxic Substances Control Act (TSCA) concerns for these samples. All bulk metals results were below the RCRA twenty times rule. The highest U-235 assay using the ICP/MS method was 0.882 wt. % for sample OS04Z01CSSOIL0003.

Area utilities

No current recirculating water lines or sewers are associated with this DMSA; none are within the boundary of the SWMU.

Data Gap Determination

No additional sampling is required.

Table 5.12. Summary of Surface and Subsurface Historical Data at SWMU 215

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Barium | 4.25E+01 | 8.16E+01 | 6.30E+01 | 10/10 | 2.50E+00 | 2.50E+00 | 0/10 | 2.00E+02 | 0/10 | 1.00E+05 | 0/10 | 2.29E+02 |
| Chromium | 1.00E+01 | 7.69E+01 | 1.89E+01 | 10/10 | 2.50E+00 | 2.50E+00 | n/a | n/a | n/a | n/a | 0/10 | 3.56E+02 |
| Uranium | 5.76E+03 | 6.05E+03 | 5.91E+03 | 2/2 | 4.39E+00 | 4.89E+00 | 2/2 | 4.90E+00 | 2/2 | 3.34E+03 | 2/2 | 2.02E+01 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB-1260 | 5.60E-01 | 1.08E+00 | 8.20E-01 | 2/2 | 4.80E-01 | 4.90E-01 | n/a | n/a | 0/2 | 4.25E+01 | 2/2 | 1.99E-01 |
| Polychlorinated biphenyl | 1.08E+00 | 1.08E+00 | 1.08E+00 | 1/2 | 6.20E-01 | 6.40E-01 | n/a | n/a | 0/2 | 4.25E+01 | 1/2 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 4.14E+00 | 2.64E+01 | 1.28E+01 | 10/10 | 1.93E+00 | 1.93E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 2.36E+00 | 1.28E+01 | 6.53E+00 | 9/10 | 2.05E+00 | 2.05E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 2.01E-02 | 2.01E-02 | 2.01E-02 | 1/12 | 1.48E-02 | 3.18E+00 | 0/12 | 4.90E-01 | 0/12 | 8.58E+00 | 0/12 | 8.58E-02 |
| Mass of U-235 | 5.00E+01 | 7.72E+01 | 6.25E+01 | 4/4 | 3.80E-02 | 2.70E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Neptunium-237 | 1.26E+00 | 1.26E+00 | 1.26E+00 | 1/12 | 2.53E-02 | 6.55E-01 | 1/12 | 1.00E-01 | 0/12 | 2.71E+01 | 1/12 | 2.71E-01 |
| Plutonium-239/240 | 1.06E+00 | 1.06E+00 | 1.06E+00 | 1/12 | 5.63E-02 | 2.14E-01 | n/a | n/a | 0/12 | 1.15E+03 | 0/12 | 1.15E+01 |
| Technetium-99 | 9.31E+02 | 1.21E+03 | 1.07E+03 | 2/12 | 3.57E+00 | 1.26E+01 | 2/12 | 2.50E+00 | 0/12 | 3.62E+04 | 2/12 | 3.62E+02 |
| Thorium-228 | 1.66E-01 | 3.30E-01 | 2.65E-01 | 10/12 | 8.67E-02 | 8.66E-01 | 0/12 | 1.60E+00 | 0/12 | 2.80E+00 | 10/12 | 2.80E-02 |
| Thorium-230 | 2.26E-01 | 7.29E+00 | 1.42E+00 | 12/12 | 1.19E-01 | 8.02E-01 | 2/12 | 1.50E+00 | 0/12 | 1.49E+03 | 0/12 | 1.49E+01 |
| Thorium-232 | 1.63E-01 | 3.34E-01 | 2.66E-01 | 10/12 | 4.31E-02 | 4.15E-01 | 0/12 | 1.50E+00 | 0/12 | 1.35E+03 | 0/12 | 1.35E+01 |
| Thorium-234 | 1.94E+03 | 2.97E+03 | 2.46E+03 | 2/2 | 2.74E+01 | 3.14E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium | 8.23E+00 | 4.38E+03 | 1.73E+03 | 5/12 | 2.85E-01 | 2.11E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 4.53E+00 | 2.28E+03 | 9.06E+02 | 5/12 | 1.07E-01 | 9.15E-01 | 5/12 | 2.50E+00 | 2/12 | 1.98E+03 | 2/12 | 1.98E+01 |
| Uranium-235 | 2.64E-02 | 1.67E+02 | 2.67E+01 | 12/12 | 1.86E-02 | 5.83E-01 | 7/12 | 1.40E-01 | 2/12 | 3.95E+01 | 3/12 | 3.95E-01 |
| Uranium-238 | 6.07E-01 | 1.93E+03 | 3.17E+02 | 12/12 | 1.54E-01 | 7.35E-01 | 9/12 | 1.20E+00 | 2/12 | 1.71E+02 | 8/12 | 1.71E+00 |
| Subsurface Soils | | | | | | | | | | | | |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Benzo(b)fluoranthene | 4.60E-01 | 4.60E-01 | 4.60E-01 | 1/10 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/10 | 2.08E+02 | 1/10 | 2.12E-01 |
| Di-n-butyl phthalate | 5.20E-01 | 9.90E-01 | 7.38E-01 | 5/10 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/10 | 1.00E+05 | 0/10 | 2.13E+03 |
| Fluoranthene | 6.00E-01 | 6.00E-01 | 6.00E-01 | 1/10 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/10 | 6.50E+04 | 0/10 | 2.21E+02 |
| Pyrene | 5.80E-01 | 5.80E-01 | 5.80E-01 | 1/10 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/10 | 4.87E+04 | 0/10 | 1.65E+02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Grid Map for OS-04 DMSA Sampling Event 2 (OS04-CH03-Z1)

| | 1ft | 2 ft | 3 ft | 4 ft | 5 ft | 6 ft | 7 ft | 8 ft | 9 ft | 10 ft | 11 ft |
|-------|-----|------|------|------|------|------|------|------------|------------|-------|-------|
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 5 ft | | | | # 9 | | | | | # 10 | | |
| | | | | | | | | | | | |
| 10 ft | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | # 11, # 12 | # 13, # 14 | | |
| 15 ft | | | | # 15 | | | | | # 16 | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 20 ft | | | | | | | | | | | |

Figure 5.15. Soils Operable Unit: SW/MU 215

SWMU 216 (DMSA OS-05)

Area description

DMSA OS-05 (SWMU 216) is located north of C-206 in the west central portion of the plant site. SWMU 216 is approximately 7,000 ft².

Process history

This area was controlled by Fire Services and used to store excess material and supplies, primarily fire extinguishers. The initiation of this area as a storage area for fire extinguishers is unknown; however, in 1997 or 1998, the majority of the fire extinguishers were placed in a covered metal bin located next to the roped portion of the DMSA.

Additional material stored within SWMU 216 include a motor, pallets, three 5-gal containers, three 55-gal drums (one labeled “metal-C-310”), wheels, and miscellaneous scrap metal and equipment. All RCRA-regulated items and other waste have been dispositioned properly (DOE 2002d).

Previous investigation results

No evidence of a release was found and process knowledge indicates none has occurred. Vegetation in the area is flourishing. A certified RCRA Closure report was approved by Kentucky on February 13, 2007, for this DMSA. The Division of Waste Management “determined that the characterization, removal and disposal of hazardous waste meets the applicable requirements of the approved Agreed Order Closure Plan for DMSAs, dated December 23, 2005” (Webb 2007). An NFA is pending. The closure report documented that no sign of spill or release was found. There have been no known spills or releases of materials from this SWMU to the environment.

Table 5.13 is a summary of historical data followed by a map of historical sample locations (Figure 5.16).

Area utilities

No current recirculating water lines or sewers are associated with this DMSA; none are within the boundary of the SWMU.

Data Gap Determination

No additional sampling is required.

Table 5.13. Summary of Surface and Subsurface Historical Data at SWMU 216

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 8.09E+03 | 8.09E+03 | 8.09E+03 | 1/1 | 1.98E+01 | 1.98E+01 | 0/1 | 1.30E+04 | 0/1 | 1.00E+05 | 1/1 | 4.64E+03 |
| Arsenic | 5.57E+00 | 5.57E+00 | 5.57E+00 | 1/1 | 4.95E+00 | 4.95E+00 | 0/1 | 1.20E+01 | 0/1 | 3.15E+02 | 1/1 | 5.23E-01 |
| Barium | 8.35E+01 | 8.35E+01 | 8.35E+01 | 1/1 | 2.48E+00 | 2.48E+00 | 0/1 | 2.00E+02 | 0/1 | 1.00E+05 | 0/1 | 2.29E+02 |
| Calcium | 1.82E+03 | 1.82E+03 | 1.82E+03 | 1/1 | 9.90E+01 | 9.90E+01 | 0/1 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 2.96E+01 | 2.96E+01 | 2.96E+01 | 1/1 | 2.48E+00 | 2.48E+00 | n/a | n/a | n/a | n/a | 0/1 | 3.56E+02 |
| Cobalt | 4.87E+00 | 4.87E+00 | 4.87E+00 | 1/1 | 2.48E+00 | 2.48E+00 | 0/1 | 1.40E+01 | 0/1 | 1.00E+05 | 0/1 | 1.92E+03 |
| Copper | 8.32E+00 | 8.32E+00 | 8.32E+00 | 1/1 | 2.48E+00 | 2.48E+00 | 0/1 | 1.90E+01 | 0/1 | 1.00E+05 | 0/1 | 4.93E+02 |
| Iron | 1.23E+04 | 1.23E+04 | 1.23E+04 | 1/1 | 1.98E+01 | 1.98E+01 | 0/1 | 2.80E+04 | 0/1 | 1.00E+05 | 1/1 | 2.07E+03 |
| Magnesium | 1.25E+03 | 1.25E+03 | 1.25E+03 | 1/1 | 4.95E+00 | 4.95E+00 | 0/1 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 5.47E+02 | 5.47E+02 | 5.47E+02 | 1/1 | 2.48E+00 | 2.48E+00 | 0/1 | 1.50E+03 | 0/1 | 4.64E+04 | 1/1 | 4.52E+01 |
| Nickel | 6.31E+00 | 6.31E+00 | 6.31E+00 | 1/1 | 4.95E+00 | 4.95E+00 | 0/1 | 2.10E+01 | 0/1 | 9.30E+04 | 0/1 | 2.42E+02 |
| Potassium | 5.68E+02 | 5.68E+02 | 5.68E+02 | 1/1 | 9.90E+01 | 9.90E+01 | 0/1 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Sodium | 1.24E+02 | 1.24E+02 | 1.24E+02 | 1/1 | 9.90E+01 | 9.90E+01 | 0/1 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Uranium | 1.89E+00 | 2.58E+00 | 2.24E+00 | 2/2 | 4.60E-01 | 9.90E-01 | 0/2 | 4.90E+00 | 0/2 | 3.34E+03 | 0/2 | 2.02E+01 |
| Vanadium | 2.21E+01 | 2.21E+01 | 2.21E+01 | 1/1 | 2.48E+00 | 2.48E+00 | 0/1 | 3.80E+01 | 0/1 | 4.47E+03 | 1/1 | 3.32E+00 |
| Zinc | 3.50E+01 | 3.50E+01 | 3.50E+01 | 1/1 | 1.98E+01 | 1.98E+01 | 0/1 | 6.50E+01 | 0/1 | 1.00E+05 | 0/1 | 2.73E+03 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 3.18E+00 | 3.18E+00 | 3.18E+00 | 1/1 | 8.60E-01 | 8.60E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 5.39E+00 | 5.39E+00 | 5.39E+00 | 1/1 | 9.90E-01 | 9.90E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | -2.30E-01 | 7.90E-01 | 3.60E-01 | 13/13 | 8.00E-02 | 1.27E+00 | 7/13 | 4.90E-01 | 0/13 | 8.58E+00 | 12/13 | 8.58E-02 |
| Technetium-99 | 3.43E+00 | 3.43E+00 | 3.43E+00 | 1/1 | 2.98E+00 | 2.98E+00 | 1/1 | 2.50E+00 | 0/1 | 3.62E+04 | 0/1 | 3.62E+02 |
| Thorium-228 | 3.71E-01 | 3.71E-01 | 3.71E-01 | 1/1 | 4.00E-02 | 4.00E-02 | 0/1 | 1.60E+00 | 0/1 | 2.80E+00 | 1/1 | 2.80E-02 |
| Thorium-230 | 5.20E-01 | 5.20E-01 | 5.20E-01 | 1/1 | 1.80E-01 | 1.80E-01 | 0/1 | 1.50E+00 | 0/1 | 1.49E+03 | 0/1 | 1.49E+01 |
| Thorium-232 | 3.51E-01 | 3.51E-01 | 3.51E-01 | 1/1 | 3.00E-02 | 3.00E-02 | 0/1 | 1.50E+00 | 0/1 | 1.35E+03 | 0/1 | 1.35E+01 |
| Uranium-234 | 5.42E-01 | 5.42E-01 | 5.42E-01 | 1/1 | 1.30E-01 | 1.30E-01 | 0/1 | 2.50E+00 | 0/1 | 1.98E+03 | 0/1 | 1.98E+01 |
| Uranium-235 | 3.56E-02 | 3.56E-02 | 3.56E-02 | 1/1 | 2.00E-02 | 2.00E-02 | 0/1 | 1.40E-01 | 0/1 | 3.95E+01 | 0/1 | 3.95E-01 |
| Uranium-238 | -3.60E+00 | 8.54E+00 | 8.72E-01 | 13/13 | 1.50E-01 | 1.03E+01 | 5/13 | 1.20E+00 | 0/13 | 1.71E+02 | 5/13 | 1.71E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.




Figure 5.16. Soils Operable Unit: SWMUs 216, 217, and 218

SWMU 217 (DMSA OS-06)

Area description

DMSA OS-06 (SWMU 217) is located at C-740 in the west central portion of the plant site. SWMU 217 is approximately 57,600 ft².

Process history

Beginning in the late 1970s, this area originally was used as an excess material and/or staging area for C-720. Over time, DMSA OS-06 became a storage area for excess materials from various areas within the plant. In 2001, DOE began characterization and remediation of the materials in the DMSA. Material stored within the SWMU includes rechargeable batteries, nickel arc-welding rods, wood pallets, hoses, empty buckets and containers, scrap metal, water heaters, a wash basin, commodes, grass seeder, ingots, motors, gear boxes, piping, paint color mix machine, jib crane boom, scaffolding, a sand blasting tank, and sump pumps. All RCRA-regulated items and other waste have been dispositioned properly (DOE 2004a). DMSA OS-06 currently is used as a hot shop and loading area. It is set up for size reducing large equipment and loading and staging shipping containers.

Previous investigation results

There are no known releases associated with this SWMU. A certified RCRA Closure Report was approved by Kentucky on February 13, 2007, for this DMSA. The Division of Waste Management “determined that the characterization, removal and disposal of hazardous waste meets the applicable requirements of the approved Agreed Order Closure Plan for DMSAs, dated December 23, 2005” (Webb 2007). An NFA is pending. The Closure Report documented that no sign of spill or release was found. There have been no known spills or releases of materials from this SWMU to the environment.

The area is a Radiological Material Area and has a posted Contamination Area inside.

Table 5.14 is a summary of historical data followed by a map of historical sample locations (Figure 5.17).

Area utilities

No current recirculating water lines or sewers are associated with this DMSA; however, storm sewers are present within the boundary of the SWMU. These storm sewers are approximately 4-8 ft bgs.

Data Gap Determination

Additional sampling is required.

Table 5.14. Summary of Surface and Subsurface Historical Data at SWMU 217

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Anions (mg/kg) | | | | | | | | | | | | |
| Sulfate | 9.72E+02 | 9.72E+02 | 9.72E+02 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 2.58E+03 | 7.24E+03 | 4.56E+03 | 4/4 | 1.91E+01 | 1.91E+01 | 0/4 | 1.30E+04 | 0/4 | 1.00E+05 | 1/4 | 4.64E+03 |
| Antimony | 1.70E+00 | 1.70E+00 | 1.70E+00 | 1/4 | 9.53E+00 | 9.53E+00 | 1/4 | 2.10E-01 | 0/4 | 4.63E+02 | 1/4 | 3.79E-01 |
| Arsenic | 2.70E+00 | 6.10E+00 | 4.49E+00 | 4/4 | 4.77E+00 | 4.77E+00 | 0/4 | 1.20E+01 | 0/4 | 3.15E+02 | 4/4 | 5.23E-01 |
| Barium | 2.71E+01 | 7.24E+01 | 4.62E+01 | 4/4 | 2.38E+00 | 2.38E+00 | 0/4 | 2.00E+02 | 0/4 | 1.00E+05 | 0/4 | 2.29E+02 |
| Beryllium | 2.00E-01 | 4.30E-01 | 3.33E-01 | 3/4 | 4.70E-01 | 4.70E-01 | 0/4 | 6.70E-01 | 0/4 | 1.28E+03 | 0/4 | 9.48E-01 |
| Cadmium | 2.60E-01 | 2.49E+00 | 1.38E+00 | 2/4 | 1.91E+00 | 1.91E+00 | 2/4 | 2.10E-01 | 0/4 | 7.05E+01 | 0/4 | 2.13E+01 |
| Calcium | 7.59E+02 | 5.95E+04 | 2.19E+04 | 4/4 | 9.53E+02 | 9.53E+02 | 2/4 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 7.90E+00 | 2.90E+01 | 1.59E+01 | 4/4 | 2.38E+00 | 2.38E+00 | n/a | n/a | n/a | n/a | 0/4 | 3.56E+02 |
| Cobalt | 6.04E+00 | 2.70E+01 | 1.35E+01 | 4/4 | 2.38E+00 | 2.38E+00 | 2/4 | 1.40E+01 | 0/4 | 1.00E+05 | 0/4 | 1.92E+03 |
| Copper | 1.90E+00 | 6.00E+00 | 4.24E+00 | 4/4 | 2.38E+00 | 2.38E+00 | 0/4 | 1.90E+01 | 0/4 | 1.00E+05 | 0/4 | 4.93E+02 |
| Iron | 9.03E+03 | 2.13E+04 | 1.72E+04 | 4/4 | 1.91E+01 | 1.91E+01 | 0/4 | 2.80E+04 | 0/4 | 1.00E+05 | 4/4 | 2.07E+03 |
| Lead | 3.60E+00 | 6.50E+00 | 5.50E+00 | 3/4 | 1.91E+01 | 1.91E+01 | 0/4 | 3.60E+01 | 0/4 | 1.25E+03 | 0/4 | 5.00E+01 |
| Magnesium | 1.72E+02 | 9.26E+03 | 2.58E+03 | 4/4 | 4.77E+01 | 4.77E+01 | 1/4 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 2.61E+02 | 8.56E+02 | 5.34E+02 | 4/4 | 2.38E+00 | 2.38E+00 | 1/4 | 1.50E+03 | 0/4 | 4.64E+04 | 4/4 | 4.52E+01 |
| Molybdenum | 2.45E+01 | 2.45E+01 | 2.45E+01 | 1/1 | 4.77E+00 | 4.77E+00 | n/a | n/a | 0/1 | 2.50E+04 | 0/1 | 8.30E+01 |
| Nickel | 2.40E+00 | 9.41E+00 | 6.70E+00 | 4/4 | 4.77E+00 | 4.77E+00 | 0/4 | 2.10E+01 | 0/4 | 9.30E+04 | 0/4 | 2.42E+02 |
| Potassium | 1.15E+02 | 2.78E+02 | 1.97E+02 | 4/4 | 9.53E+01 | 9.53E+01 | 0/4 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Sodium | 3.69E+01 | 8.67E+01 | 6.13E+01 | 3/4 | 9.53E+01 | 9.53E+01 | 0/4 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Thallium | 1.40E-01 | 1.40E-01 | 1.40E-01 | 1/4 | 1.91E+01 | 1.91E+01 | 0/4 | 2.10E-01 | n/a | n/a | n/a | n/a |
| Uranium | 2.17E+00 | 2.27E+00 | 2.22E+00 | 2/2 | 4.80E-01 | 9.50E-01 | 0/2 | 4.90E+00 | 0/2 | 3.34E+03 | 0/2 | 2.02E+01 |
| Vanadium | 8.90E+00 | 2.43E+01 | 1.63E+01 | 4/4 | 2.38E+00 | 2.38E+00 | 0/4 | 3.80E+01 | 0/4 | 4.47E+03 | 4/4 | 3.32E+00 |
| Zinc | 1.02E+01 | 8.73E+01 | 3.50E+01 | 4/4 | 1.91E+01 | 1.91E+01 | 1/4 | 6.50E+01 | 0/4 | 1.00E+05 | 0/4 | 2.73E+03 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 4.44E+00 | 5.63E+00 | 4.94E+00 | 3/4 | 3.23E+00 | 3.23E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 4.54E+00 | 6.78E+00 | 5.91E+00 | 3/4 | 2.43E+00 | 2.43E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | -7.00E-02 | 1.07E+00 | 2.44E-01 | 10/10 | 4.00E-02 | 8.40E-01 | 3/10 | 4.90E-01 | 0/10 | 8.58E+00 | 6/10 | 8.58E-02 |
| Neptunium-237 | 3.93E-02 | 3.93E-02 | 3.93E-02 | 1/1 | 3.00E-02 | 3.00E-02 | 0/1 | 1.00E-01 | 0/1 | 2.71E+01 | 0/1 | 2.71E-01 |
| Technetium-99 | 6.20E-01 | 9.70E-01 | 7.95E-01 | 2/4 | 3.15E+00 | 3.15E+00 | 0/4 | 2.50E+00 | 0/4 | 3.62E+04 | 0/4 | 3.62E+02 |
| Thorium-228 | 1.41E-01 | 1.41E-01 | 1.41E-01 | 1/1 | 4.00E-02 | 4.00E-02 | 0/1 | 1.60E+00 | 0/1 | 2.80E+00 | 1/1 | 2.80E-02 |
| Thorium-230 | 3.67E-01 | 3.67E-01 | 3.67E-01 | 1/1 | 1.90E-01 | 1.90E-01 | 0/1 | 1.50E+00 | 0/1 | 1.49E+03 | 0/1 | 1.49E+01 |
| Thorium-232 | 1.66E-01 | 1.66E-01 | 1.66E-01 | 1/1 | 3.00E-02 | 3.00E-02 | 0/1 | 1.50E+00 | 0/1 | 1.35E+03 | 0/1 | 1.35E+01 |
| Uranium-234 | 4.80E-01 | 8.30E-01 | 6.08E-01 | 4/4 | 1.50E-01 | 1.50E-01 | 0/4 | 2.50E+00 | 0/4 | 1.98E+03 | 0/4 | 1.98E+01 |
| Uranium-235 | 3.00E-02 | 4.00E-02 | 3.50E-02 | 2/4 | 4.00E-02 | 4.00E-02 | 0/4 | 1.40E-01 | 0/4 | 3.95E+01 | 0/4 | 3.95E-01 |
| Uranium-238 | -2.07E+00 | 1.02E+01 | 2.18E+00 | 13/13 | 1.50E-01 | 9.60E+00 | 6/13 | 1.20E+00 | 0/13 | 1.71E+02 | 5/13 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Benz(a)anthracene | 3.80E-01 | 3.80E-01 | 3.80E-01 | 1/4 | 4.80E-01 | 4.80E-01 | n/a | n/a | 0/4 | 2.08E+02 | 1/4 | 2.12E-01 |
| Benz(a)pyrene | 5.20E-01 | 5.20E-01 | 5.20E-01 | 1/4 | 4.80E-01 | 4.80E-01 | n/a | n/a | 0/4 | 2.08E+01 | 1/4 | 2.12E-02 |
| Benz(b)fluoranthene | 6.40E-01 | 6.40E-01 | 6.40E-01 | 1/4 | 4.80E-01 | 4.80E-01 | n/a | n/a | 0/4 | 2.08E+02 | 1/4 | 2.12E-01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.14. Summary of Surface and Subsurface Historical Data at SWMU 217 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|----------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Benzo(ghi)perylene | 2.70E-01 | 2.70E-01 | 2.70E-01 | 1/4 | 4.80E-01 | 4.80E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benzo(k)fluoranthene | 2.30E-01 | 2.30E-01 | 2.30E-01 | 1/4 | 4.80E-01 | 4.80E-01 | n/a | n/a | 0/4 | 2.08E+03 | 0/4 | 2.12E+00 |
| Chrysene | 4.50E-01 | 4.50E-01 | 4.50E-01 | 1/4 | 4.80E-01 | 4.80E-01 | n/a | n/a | 0/4 | 2.08E+04 | 0/4 | 2.12E+01 |
| Dibenz(a,h)anthracene | 8.10E-02 | 8.10E-02 | 8.10E-02 | 1/4 | 4.80E-01 | 4.80E-01 | n/a | n/a | 0/4 | 2.08E+01 | 1/4 | 2.12E-02 |
| Di-n-butyl phthalate | 2.20E-01 | 2.20E-01 | 2.20E-01 | 1/3 | | | n/a | n/a | 0/3 | 1.00E+05 | 0/3 | 2.13E+03 |
| Fluoranthene | 3.40E-01 | 3.40E-01 | 3.40E-01 | 1/4 | 4.80E-01 | 4.80E-01 | n/a | n/a | 0/4 | 6.50E+04 | 0/4 | 2.21E+02 |
| Indeno(1,2,3-cd)pyrene | 3.10E-01 | 3.10E-01 | 3.10E-01 | 1/4 | 4.80E-01 | 4.80E-01 | n/a | n/a | 0/4 | 2.08E+02 | 1/4 | 2.12E-01 |
| Phenanthrene | 7.90E-02 | 7.90E-02 | 7.90E-02 | 1/4 | 4.80E-01 | 4.80E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 2.80E-01 | 2.80E-01 | 2.80E-01 | 1/4 | 4.80E-01 | 4.80E-01 | n/a | n/a | 0/4 | 4.87E+04 | 0/4 | 1.65E+02 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| Benzene | 2.00E-03 | 2.00E-03 | 2.00E-03 | 1/3 | | | n/a | n/a | 0/3 | 7.45E+01 | 0/3 | 1.13E+00 |
| Trichloroethene | 4.00E-03 | 4.00E-03 | 4.00E-03 | 1/4 | 5.00E-03 | 5.00E-03 | n/a | n/a | 0/4 | 2.98E+02 | 0/4 | 2.51E+00 |
| Wetchem (mg/kg) | | | | | | | | | | | | |
| Ammonia as Nitrogen | 9.90E-01 | 9.90E-01 | 9.90E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Cyanide | 3.73E-01 | 4.53E-01 | 4.13E-01 | 2/3 | | | n/a | n/a | 0/3 | 2.02E+04 | 0/3 | 7.92E+01 |
| Kjeldahl Nitrogen | 3.20E+00 | 3.20E+00 | 3.20E+00 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Total Organic Carbon (TOC) | 5.55E+02 | 5.55E+02 | 5.55E+02 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Subsurface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 3.78E+03 | 1.59E+04 | 8.87E+03 | 35/35 | | | 7/35 | 1.20E+04 | 0/35 | 1.00E+05 | 30/35 | 4.64E+03 |
| Antimony | 1.50E+00 | 3.10E+00 | 2.28E+00 | 8/35 | | | 8/35 | 2.10E-01 | 0/35 | 4.63E+02 | 8/35 | 3.79E-01 |
| Arsenic | 7.10E-01 | 5.40E+00 | 2.79E+00 | 17/35 | | | 0/35 | 7.90E+00 | 0/35 | 3.15E+02 | 17/35 | 5.23E-01 |
| Barium | 1.75E+01 | 1.53E+02 | 5.78E+01 | 35/35 | | | 0/35 | 1.70E+02 | 0/35 | 1.00E+05 | 0/35 | 2.29E+02 |
| Beryllium | 1.60E-01 | 8.80E-01 | 4.38E-01 | 32/35 | | | 2/35 | 6.90E-01 | 0/35 | 1.28E+03 | 0/35 | 9.48E-01 |
| Cadmium | 2.70E-01 | 4.30E-01 | 3.50E-01 | 2/35 | | | 2/35 | 2.10E-01 | 0/35 | 7.05E+01 | 0/35 | 2.13E+01 |
| Calcium | 4.84E+02 | 2.64E+03 | 1.05E+03 | 35/35 | | | 0/35 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 5.20E+00 | 2.18E+01 | 1.34E+01 | 35/35 | | | n/a | n/a | n/a | n/a | n/a | 3.56E+02 |
| Cobalt | 1.70E+00 | 1.72E+01 | 4.52E+00 | 33/35 | | | 1/35 | 1.30E+01 | 0/35 | 1.00E+05 | 0/35 | 1.92E+03 |
| Copper | 2.20E+00 | 1.74E+01 | 5.06E+00 | 35/35 | | | 0/35 | 2.50E+01 | 0/35 | 1.00E+05 | 0/35 | 4.93E+02 |
| Iron | 2.54E+03 | 3.02E+04 | 1.29E+04 | 35/35 | | | 2/35 | 2.80E+04 | 0/35 | 1.00E+05 | 35/35 | 2.07E+03 |
| Lead | 4.30E+00 | 1.29E+01 | 7.81E+00 | 35/35 | | | 0/35 | 2.30E+01 | 0/35 | 1.25E+03 | 0/35 | 5.00E+01 |
| Magnesium | 3.32E+02 | 2.05E+03 | 9.53E+02 | 35/35 | | | 0/35 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 1.82E+01 | 6.40E+02 | 1.43E+02 | 34/35 | | | 0/35 | 8.20E+02 | 0/35 | 4.64E+04 | 26/35 | 4.52E+01 |
| Mercury | 3.90E-01 | 3.20E+00 | 1.33E+00 | 3/35 | | | 0/35 | 1.30E-01 | 0/35 | 8.25E+02 | 1/35 | 9.82E-01 |
| Nickel | 1.80E+00 | 2.01E+01 | 6.41E+00 | 35/35 | | | 0/35 | 2.20E+01 | 0/35 | 9.30E+04 | 0/35 | 2.42E+02 |
| Potassium | 9.35E+01 | 6.46E+02 | 3.42E+02 | 35/35 | | | 0/35 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Selenium | 1.20E-01 | 1.10E+00 | 4.79E-01 | 14/35 | | | 4/35 | 7.00E-01 | 0/35 | 2.56E+04 | 0/35 | 9.49E+01 |
| Sodium | 5.32E+01 | 6.30E+02 | 1.81E+02 | 35/35 | | | 2/35 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Vanadium | 6.20E+00 | 4.60E+01 | 2.18E+01 | 34/35 | | | 2/35 | 3.70E+01 | 0/35 | 4.47E+03 | 34/35 | 3.32E+00 |
| Zinc | 4.90E+00 | 4.01E+01 | 1.57E+01 | 35/35 | | | 0/35 | 6.00E+01 | 0/35 | 1.00E+05 | 0/35 | 2.73E+03 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.14. Summary of Surface and Subsurface Historical Data at SWMU 217 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|---------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 3.32E+00 | 1.38E+01 | 8.43E+00 | 35/35 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 5.32E+00 | 2.63E+01 | 1.16E+01 | 35/35 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Technetium-99 | 4.70E-01 | 8.80E-01 | 6.75E-01 | 6/35 | | | 0/35 | 2.80E+00 | 0/35 | 3.62E+04 | 0/35 | 3.62E+02 |
| Uranium-234 | 3.80E-01 | 9.70E-01 | 6.72E-01 | 35/35 | | | 0/35 | 2.40E+00 | 0/35 | 1.98E+03 | 0/35 | 1.98E+01 |
| Uranium-235 | 2.00E-02 | 1.90E-01 | 6.00E-02 | 19/35 | | | 1/35 | 1.40E-01 | 0/35 | 3.95E+01 | 0/35 | 3.95E-01 |
| Uranium-238 | 3.90E-01 | 9.70E-01 | 7.09E-01 | 35/35 | | | 0/35 | 1.20E+00 | 0/35 | 1.71E+02 | 0/35 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Bis(2-ethylhexyl)phthalate | 1.00E-01 | 1.00E-01 | 1.00E-01 | 1/35 | | | n/a | n/a | 0/35 | 7.40E+03 | 0/35 | 8.84E+00 |
| Di-n-butyl phthalate | 2.60E-01 | 2.60E-01 | 2.60E-01 | 1/35 | | | n/a | n/a | 0/35 | 1.00E+05 | 0/35 | 2.13E+03 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 6.10E-01 | 6.10E-01 | 6.10E-01 | 1/35 | | | n/a | n/a | 0/35 | 9.38E+03 | 0/35 | 1.56E+02 |
| 1,1-Dichloroethene | 1.50E-02 | 3.00E-02 | 2.25E-02 | 2/35 | | | n/a | n/a | 0/35 | 1.21E+01 | 0/35 | 9.59E-02 |
| 1,2-Dichloroethane | 1.20E-02 | 1.20E-02 | 1.20E-02 | 1/35 | | | n/a | n/a | 0/35 | 6.39E+01 | 0/35 | 5.28E-01 |
| Acetone | 2.30E-02 | 8.20E-02 | 5.14E-02 | 5/35 | | | n/a | n/a | 0/35 | 1.91E+04 | 0/35 | 3.58E+02 |
| Benzene | 2.00E-03 | 1.00E-02 | 4.40E-03 | 5/35 | | | n/a | n/a | 0/35 | 7.45E+01 | 0/35 | 1.13E+00 |
| Ethylbenzene | 2.00E-03 | 2.00E-03 | 2.00E-03 | 1/35 | | | n/a | n/a | 0/35 | 2.12E+03 | 0/35 | 2.12E+01 |
| Methylene chloride | 1.20E-02 | 1.20E-02 | 1.20E-02 | 1/35 | | | n/a | n/a | 0/35 | 2.16E+03 | 0/35 | 1.34E+01 |
| Toluene | 7.00E-03 | 7.00E-03 | 7.00E-03 | 1/35 | | | n/a | n/a | 0/35 | 7.28E+03 | 0/35 | 2.11E+02 |
| Total Xylene | 1.70E-02 | 1.70E-02 | 1.70E-02 | 1/35 | | | n/a | n/a | 0/35 | 2.20E+04 | 0/35 | 7.24E+02 |
| Trichloroethene | 2.00E-03 | 1.40E-02 | 8.00E-03 | 2/35 | | | n/a | n/a | 0/35 | 2.98E+02 | 0/35 | 2.51E+00 |
| Wetchem (mg/kg) | | | | | | | | | | | | |
| Cyanide | 2.83E-01 | 6.38E-01 | 4.55E-01 | 12/35 | | | n/a | n/a | 0/35 | 2.02E+04 | 0/35 | 7.92E+01 |
| Kjeldahl Nitrogen | 2.27E+01 | 2.27E+01 | 2.27E+01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.17. Soils Operable Unit: SWMUs 216, 217, and 218

SWMU 218 (DMSA OS-07)

Area description

DMSA OS-07 (SWMU 218) is located west of the C-741 Equipment Storage Shed in the west central portion of the plant site. SWMU 218 is approximately 6,000 ft².

Process history

Beginning in 1993, the C-720 shops segregated material during the transition operations to be returned to DOE, (i.e., not leased by USEC). In 2001, DOE began characterization and remediation of the materials in the DMSAs. Material stored within the SWMU included fuses, fluorescent light bulbs, nickel cadmium batteries, sealed beam headlight, 55-gal drum of carburizing material, container of water mixed with oil and grease, circuit boards, light bulbs, vacuum tubes, wooden pallets, drums of miscellaneous materials (i.e., metal parts, steel, concrete, personal protective equipment, trash, asbestos containing materials, oily rags, paper, plastic, etc.), a dumpster, metal storage cabinets, motors, and miscellaneous equipment/parts. All RCRA-regulated items and other waste have been dispositioned properly (DOE 2004b).

This SWMU currently houses a break trailer for field crews and also is used to store equipment utilized by the DMSA field teams.

Previous investigation results

There is no evidence of any historical releases that may pose a threat to the environment. A certified RCRA Closure report was approved by Kentucky on February 13, 2007, for this DMSA. The Division of Waste Management “determined that the characterization, removal and disposal of hazardous waste meets the applicable requirements of the approved Agreed Order Closure Plan for DMSAs, dated December 23, 2005” (Webb 2007). An NFA is pending. The Closure Report documented that no sign of spill or release was found. There have been no known spills or releases of materials from this SWMU to the environment.

The area is a Radiological Material Area and has a posted Contamination Area. Figure 5.18 is the area historical map.

Area utilities

No current recirculating water lines or sewers are associated with this DMSA; none are within the boundary of the SWMU.

Data Gap Determination

Additional sampling is required.




Figure 5.18. Soils Operable Unit: SWMUs 216, 217, and 218

SWMU 220 (DMSA OS-09)

Area description

DMSA OS-09 (SWMU 220) is located south of C-409 in the central portion of the plant site. SWMU 220 is approximately 10,500 ft².

Process history

Beginning in 1993, this area was used to store vehicles and equipment not being transitioned to USEC. Most of the vehicles themselves had been excess prior to then. In 2001, DOE began characterization and remediation of the materials in the DMSAs. Material previously contained within this SWMU include a fluorescent light starter, fuses, a battery post connector, sealed beam headlights, indicator lamps, collection drums of antifreeze, various light bulbs and vehicle bulbs, wheel weights, scrap Cushmans and golf carts, tires, metal, an industrial washing machine, wooden pallets, eight passenger vehicles, one tow motor, and fluids that had been drained from the vehicles. This DMSA is located outside and formerly contained vehicles that had been drained of fluids. All materials previously located in SWMU 220 have been properly disposed or currently are located in permitted storage (DOE 2002e). This SWMU is currently being utilized to store Sealands and other shipping containers that are pending disposition.

Previous investigation results

A certified RCRA Closure report was approved by Kentucky on February 13, 2007, for this DMSA. The Division of Waste Management “determined that the characterization, removal and disposal of hazardous waste meets the applicable requirements of the approved Agreed Order Closure Plan for DMSAs, dated December 23, 2005” (Webb 2007). An NFA is pending. The Closure Report documented that no sign of spill or release was found. There have been no known spills or releases of materials from this SWMU to the environment.

Area has concrete surface and is posted as a Fixed Contamination Area. Figure 5.19 shows the area historical map.

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.

Data Gap Determination

Additional sampling is required.




Figure 5.19. Soils Operable Unit: SWMUs 27, 31, 32, 170, 211, 219, and 220

SWMU 221 (DMSA OS-10)

Area description

DMSA OS-10 (SWMU 221) is a 750 ft² area located east of the C-635 Recirculating Cooling Water (RCW) Pump House in the central portion of the plant site.

Process history

This DMSA initially was classified as a Phase I DMSA (expected to have no fissionable material, but not fully characterized). The area contained approximately 414 ft³ of scrap metal and an empty sulfuric acid tank. The items were properly characterized and dispositioned.

Previous investigation results

This DMSA now qualifies as a Phase 3 DMSA because it has been fully characterized and contains no fissionable material. There have been no known spills or releases of materials from this SWMU to the environment. Radiological survey of the area did not find anything above background levels (DOE 2002f). The Closure Report documented that no sign of spill or release was found. The FI/CR was submitted September 18, 2002, to the Kentucky Division of Waste Management (KDWM). KDWM approved the FI/CR on April 15, 2004. RCRA closure was not required for this SWMU, because no hazardous wastes were stored in this unit. The area currently is empty.

Figure 5.20 shows the area historical map.

Area utilities

No current recirculating water lines or sewers are associated with this DMSA; however recirculating water lines are present within the boundary of the SWMU. These lines are approximately 4 ft bgs.

Data Gap Determination

No additional sampling is required.




Figure 5.20. Soils Operable Unit: SWMUs 26, 47, 165, 172, 200, 221, and 483

SWMU 222 (DMSA OS-11)

Area description

DMSA OS-11 consists of both SWMU 76 and SWMU 222 at the south and north ends, respectively. SWMU 222 is located east of the C-410 facility and west of the C-651 Pump House and Cooling Tower near the central portion of the plant site. SWMU 222 is approximately 1,738 ft².

Process history

This area was probably created around 1993 during the USEC/DOE transition. Miscellaneous materials were placed in this area, the majority of which were radiologically surveyed and sent to the scrap yards around 1998. In 2001, DOE began characterization and remediation of the materials in the DMSAs. Material found within this area included a light bulb base, a collection container for antifreeze, ladders, wooden pallets, railroad ties/pieces, hoses, waste water, a gasoline engine, a generator, a motor, and gasoline and fluids drained from equipment.

All materials previously located in SWMU 222 either have been properly disposed of, or currently are located in permitted storage (DOE 2002g).

Previous investigation results

A certified RCRA Closure report was approved by Kentucky on February 13, 2007, for this DMSA. The Division of Waste Management “determined that the characterization, removal and disposal of hazardous waste meets the applicable requirements of the approved Agreed Order Closure Plan for DMSAs, dated December 23, 2005” (Webb 2007). An NFA is pending.

Figure 5.21 shows the area historical map.

Area utilities

No recirculating water lines or sewers are associated with this DMSA; none are within the boundary of the SWMU.

Data Gap Determination

No additional sampling is required.




Figure 5.21. Soils Operable Unit: SWMUs 20, 76, 169, and 222

SWMU 223 (DMSA OS-12)

Area description

DMSA OS-12 (SWMU 223) is located in the east central portion of the plant site. The C-301 Building is located within the southern portion of the DMSA. SWMU 223 is approximately 11,120 ft².

Process history

The C-301 Building, located within the DMSA, was used as a Fire Services training facility until 1985. The area then became storage for excess electrical equipment and cooling tower wood. The excess electrical equipment included electrical motors, transformers, electrical supplies, asbestos, scrap metal and spill cleanup material. Waste Management also has utilized this area for the storage of low-level waste (LLW). Some of the LLW drums managed by Waste Operations were observed leaking during routine inspections. The drums were over-packed to prevent further release. None of the material from the drums came in contact with the storage pad (i.e., the leaks were observed on the side of the drum).

All RCRA-regulated items and other waste have been dispositioned properly (DOE 2004c).

Previous investigation results

A certified RCRA Closure report was approved by Kentucky on February 13, 2007, for this DMSA. The Division of Waste Management “determined that the characterization, removal and disposal of hazardous waste meets the applicable requirements of the approved Agreed Order Closure Plan for DMSAs, dated December 23, 2005” (Webb 2007). An NFA is pending.

Figure 5.22 shows the area historical map.

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.

Data Gap Determination

Additional samples are needed at this location.




Figure 5.22. Soils Operable Unit: SWMU 223

SWMU 224 (DMSA OS-13)

Area description

DMSA OS-13 (SWMU 224) is located south of C-340 in the east central portion of the plant site. SWMU 224 is approximately 800 ft².

Process history

Empty vendor drums used for the C-340 reroofing project were stored here, beginning in 1996. During 1997 or 1998, the drums were removed.

Previous investigation results

This DMSA now qualifies as a Phase 3 DMSA because it has been fully characterized and contains no fissionable material (DOE 2002h).

Table 5.15 is a summary of historical data followed by a map of historical sample locations (Figure 5.23).

Area utilities

No current recirculating water lines or sewers are associated with this DMSA; however, both sanitary and storm water sewers are present within the boundary of the SWMU. These lines are approximately 5 ft bgs.

Data Gap Determination

No additional samples are needed at this location.

Table 5.15. Summary of Surface and Subsurface Historical Data at SWMU 224

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|---|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Dioxins/Furans (mg/kg) | | | | | | | | | | | | |
| 1,2,3,4,6,7,8-Heptachlorodibenzofuran | 3.79E-05 | 3.79E-05 | 3.79E-05 | 1/1 | 2.77E-06 | 2.77E-06 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin | 7.53E-05 | 7.53E-05 | 7.53E-05 | 1/1 | 2.77E-06 | 2.77E-06 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,4,7,8,9-Heptachlorodibenzofuran | 6.70E-06 | 6.70E-06 | 6.70E-06 | 1/1 | 2.77E-06 | 2.77E-06 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,4,7,8-Hexachlorodibenzofuran | 1.55E-05 | 1.55E-05 | 1.55E-05 | 1/1 | 2.77E-06 | 2.77E-06 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin | 2.64E-06 | 2.64E-06 | 2.64E-06 | 1/1 | 2.77E-06 | 2.77E-06 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,6,7,8-Hexachlorodibenzofuran | 5.02E-06 | 5.02E-06 | 5.02E-06 | 1/1 | 2.77E-06 | 2.77E-06 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin | 3.44E-06 | 3.44E-06 | 3.44E-06 | 1/1 | 2.77E-06 | 2.77E-06 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,7,8,9-Hexachlorodibenzofuran | 3.46E-07 | 3.46E-07 | 3.46E-07 | 1/1 | 2.77E-06 | 2.77E-06 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin | 3.11E-06 | 3.11E-06 | 3.11E-06 | 1/1 | 2.77E-06 | 2.77E-06 | n/a | n/a | 0/1 | 3.39E-02 | 0/1 | 5.07E-05 |
| 1,2,3,7,8-Pentachlorodibenzofuran | 2.51E-06 | 2.51E-06 | 2.51E-06 | 1/1 | 1.11E-06 | 1.11E-06 | n/a | n/a | 0/1 | 2.81E-03 | 0/1 | 1.24E-05 |
| 2,3,4,6,7,8-Hexachlorodibenzofuran | 7.17E-06 | 7.17E-06 | 7.17E-06 | 1/1 | 2.77E-06 | 2.77E-06 | n/a | n/a | n/a | n/a | n/a | n/a |
| 2,3,4,7,8-Pentachlorodibenzofuran | 6.10E-06 | 6.10E-06 | 6.10E-06 | 1/1 | 1.11E-06 | 1.11E-06 | n/a | n/a | 0/1 | 2.81E-02 | 0/1 | 1.24E-04 |
| 2,3,7,8-Tetrachlorodibenzofuran | 1.24E-05 | 1.24E-05 | 1.24E-05 | 1/1 | 1.11E-06 | 1.11E-06 | n/a | n/a | 0/1 | 1.40E-02 | 0/1 | 6.19E-05 |
| Octachloro-dibenzo[b,e][1,4]dioxin | 7.08E-03 | 7.08E-03 | 7.08E-03 | 1/1 | 5.54E-06 | 5.54E-06 | n/a | n/a | 0/1 | 6.19E-01 | 1/1 | 6.19E-03 |
| Octachlorodibenzofuran | 3.54E-05 | 3.54E-05 | 3.54E-05 | 1/1 | 5.54E-06 | 5.54E-06 | n/a | n/a | 0/1 | 1.40E+00 | 0/1 | 6.19E-03 |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 2.56E+03 | 9.86E+03 | 6.75E+03 | 6/6 | 2.00E+01 | 2.00E+01 | 0/6 | 1.30E+04 | 0/6 | 1.00E+05 | 4/6 | 4.64E+03 |
| Barium | 1.20E+01 | 7.30E+01 | 4.51E+01 | 6/6 | 1.00E+00 | 1.00E+00 | 0/6 | 2.00E+02 | 0/6 | 1.00E+05 | 0/6 | 2.29E+02 |
| Beryllium | 6.30E-01 | 1.37E+00 | 1.00E+00 | 3/6 | 5.00E-01 | 5.00E-01 | 2/6 | 6.70E-01 | 0/6 | 1.28E+03 | 2/6 | 9.48E-01 |
| Calcium | 5.57E+04 | 2.91E+05 | 1.41E+05 | 6/6 | 5.00E+02 | 2.50E+03 | 6/6 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 1.88E+01 | 3.71E+02 | 1.20E+02 | 6/6 | 2.00E+00 | 2.00E+00 | n/a | n/a | n/a | n/a | 1/6 | 3.56E+02 |
| Cobalt | 1.24E+00 | 9.65E+00 | 5.53E+00 | 6/6 | 1.00E+00 | 1.00E+00 | 0/6 | 1.40E+01 | 0/6 | 1.00E+05 | 0/6 | 1.92E+03 |
| Copper | 6.64E+00 | 1.58E+02 | 5.55E+01 | 6/6 | 2.00E+00 | 2.00E+00 | 3/6 | 1.90E+01 | 0/6 | 1.00E+05 | 0/6 | 4.93E+02 |
| Iron | 3.58E+03 | 1.78E+04 | 1.23E+04 | 6/6 | 5.00E+00 | 5.00E+00 | 0/6 | 2.80E+04 | 0/6 | 1.00E+05 | 6/6 | 2.07E+03 |
| Lead | 2.14E+01 | 7.05E+01 | 5.33E+01 | 4/6 | 2.00E+01 | 2.00E+01 | 3/6 | 3.60E+01 | 0/6 | 1.25E+03 | 3/6 | 5.00E+01 |
| Lithium | 2.29E+00 | 8.52E+00 | 6.30E+00 | 5/6 | 2.00E+00 | 2.00E+00 | n/a | n/a | 0/6 | 1.00E+05 | 0/6 | 6.41E+02 |
| Magnesium | 2.08E+03 | 5.89E+03 | 4.35E+03 | 6/6 | 1.50E+01 | 1.50E+01 | 5/6 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 6.80E+01 | 5.94E+02 | 2.78E+02 | 6/6 | 1.00E+00 | 1.00E+00 | 0/6 | 1.50E+03 | 0/6 | 4.64E+04 | 6/6 | 4.52E+01 |
| Mercury | 4.30E-01 | 4.30E-01 | 4.30E-01 | 1/6 | 2.00E-01 | 2.00E-01 | 1/6 | 2.00E-01 | 0/6 | 8.25E+02 | 0/6 | 9.82E-01 |
| Nickel | 7.18E+00 | 3.82E+02 | 1.06E+02 | 6/6 | 5.00E+00 | 5.00E+00 | 3/6 | 2.10E+01 | 0/6 | 9.30E+04 | 1/6 | 2.42E+02 |
| Potassium | 3.56E+02 | 1.40E+03 | 8.15E+02 | 6/6 | 1.00E+02 | 1.00E+02 | 2/6 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Sodium | 2.50E+02 | 2.81E+02 | 2.67E+02 | 5/6 | 2.00E+02 | 2.00E+02 | 0/6 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Strontium | 7.03E+01 | 1.98E+02 | 1.21E+02 | 6/6 | 2.00E+00 | 2.00E+00 | n/a | n/a | 0/6 | 1.00E+05 | 0/6 | 5.45E+03 |
| Vanadium | 5.63E+00 | 2.26E+01 | 1.56E+01 | 6/6 | 2.00E+00 | 2.00E+00 | 0/6 | 3.80E+01 | 0/6 | 4.47E+03 | 6/6 | 3.32E+00 |
| Zinc | 6.51E+01 | 2.72E+02 | 1.78E+02 | 6/6 | 1.50E+01 | 1.50E+01 | 6/6 | 6.50E+01 | 0/6 | 1.00E+05 | 0/6 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 2.00E-01 | 2.00E-01 | 2.00E-01 | 4/4 | | | n/a | n/a | 0/4 | 4.25E+01 | 4/4 | 1.99E-01 |
| PCB-1248 | 7.04E+01 | 1.08E+03 | 5.69E+02 | 3/10 | 9.40E-02 | 1.92E+02 | n/a | n/a | 3/10 | 4.25E+01 | 3/10 | 1.99E-01 |
| PCB-1254 | 8.10E+00 | 8.36E+01 | 4.59E+01 | 2/10 | 1.04E-01 | 1.92E+02 | n/a | n/a | 1/10 | 1.82E+01 | 2/10 | 1.99E-01 |
| PCB-1260 | 1.06E-01 | 2.62E+01 | 5.88E+00 | 6/10 | 5.00E-04 | 1.92E+02 | n/a | n/a | 0/10 | 4.25E+01 | 4/10 | 1.99E-01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.15. Summary of Surface and Subsurface Historical Data at SWMU 224 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | |
| | | | | | | | | | | | |
| Radionuclides (pCi/g) | | | | | | | | | | | |
| Alpha activity | 1.10E+01 | 9.50E+03 | 2.44E+03 | 10/10 | 2.70E+00 | 5.40E+02 | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 9.00E+00 | 1.74E+04 | 4.19E+03 | 10/10 | 2.05E+00 | 2.10E+02 | n/a | n/a | n/a | n/a | n/a |
| Plutonium-239/240 | 7.91E-02 | 3.04E-01 | 1.92E-01 | 4/6 | 5.05E-02 | 6.51E-02 | n/a | 0/6 | 1.15E+03 | 0/6 | 1.15E+01 |
| Protactinium-234m | 8.80E+02 | 5.00E+03 | 2.76E+03 | 3/6 | 7.90E-01 | 6.89E+02 | n/a | n/a | n/a | n/a | n/a |
| Technetium-99 | 5.07E+00 | 1.05E+02 | 3.79E+01 | 4/6 | 4.08E+00 | 4.50E+00 | 4/6 | 2.50E+00 | 3.62E+04 | 0/6 | 3.62E+02 |
| Thorium-234 | 2.20E+01 | 2.89E+03 | 5.84E+02 | 11/12 | 9.38E-01 | 1.02E+02 | n/a | n/a | n/a | n/a | n/a |
| Uranium | 8.60E+00 | 3.16E+03 | 6.71E+02 | 7/12 | 2.12E+00 | 1.37E+01 | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 3.12E+00 | 3.79E+02 | 1.07E+02 | 6/6 | 3.15E-01 | 1.63E+00 | 6/6 | 2.50E+00 | 1.98E+03 | 4/6 | 1.98E+01 |
| Uranium-235 | 8.70E+00 | 4.90E+01 | 3.12E+01 | 3/6 | 4.90E+00 | 1.90E+01 | 3/6 | 1.40E-01 | 3.95E+01 | 3/6 | 3.95E-01 |
| Uranium-238 | 2.64E+01 | 2.74E+03 | 7.30E+02 | 6/6 | 1.72E+00 | 1.17E+01 | 6/6 | 1.20E+00 | 1.71E+02 | 6/6 | 1.71E+00 |
| Semivolatile (mg/kg) | | | | | | | | | | | |
| Acenaphthene | 1.65E+00 | 1.20E+01 | 5.64E+00 | 5/6 | 5.00E-01 | 5.00E-01 | n/a | n/a | 6.67E+04 | 0/6 | 3.16E+02 |
| Anthracene | 3.32E+00 | 4.50E+01 | 1.46E+01 | 6/6 | 5.00E-01 | 5.00E-01 | n/a | n/a | 1.00E+05 | 0/6 | 3.79E+03 |
| Benz(a)anthracene | 4.74E+00 | 9.00E+01 | 2.91E+01 | 6/6 | 5.00E-01 | 5.00E-01 | n/a | n/a | 2.08E+02 | 6/6 | 2.12E-01 |
| Benzo(a)pyrene | 8.77E+00 | 1.13E+02 | 3.43E+01 | 6/6 | 5.00E-01 | 5.00E-01 | n/a | n/a | 2.08E+01 | 6/6 | 2.12E-02 |
| Benzo(b)fluoranthene | 1.31E+01 | 1.21E+02 | 4.70E+01 | 6/6 | 5.00E-01 | 5.00E-01 | n/a | n/a | 2.08E+02 | 6/6 | 2.12E-01 |
| Benzo(ghi)perylene | 4.06E+00 | 8.40E+01 | 2.86E+01 | 5/5 | 5.00E-01 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a |
| Benzo(k)fluoranthene | 5.40E+00 | 9.30E+01 | 2.83E+01 | 6/6 | 5.00E-01 | 5.00E-01 | n/a | n/a | 2.08E+03 | 6/6 | 2.12E+00 |
| Chrysene | 8.15E+00 | 8.60E+01 | 2.98E+01 | 6/6 | 5.00E-01 | 5.00E-01 | n/a | n/a | 2.08E+04 | 3/6 | 2.12E+01 |
| Dibenz(a,h)anthracene | 5.40E+00 | 6.00E+01 | 3.27E+01 | 2/6 | 5.00E-01 | 5.00E-01 | n/a | n/a | 2.08E+01 | 1/6 | 2.12E-02 |
| Dibenzofuran | 1.00E+00 | 4.60E+00 | 3.08E+00 | 3/6 | 5.00E-01 | 5.00E-01 | n/a | n/a | 9.02E+03 | 0/6 | 1.86E+01 |
| Fluoranthene | 7.55E+00 | 7.10E+01 | 2.89E+01 | 6/6 | 5.00E-01 | 5.00E-01 | n/a | n/a | 6.50E+04 | 0/6 | 2.21E+02 |
| Fluorene | 1.61E+00 | 1.60E+01 | 6.54E+00 | 6/6 | 5.00E-01 | 5.00E-01 | n/a | n/a | 7.09E+04 | 0/6 | 3.39E+02 |
| Indeno(1,2,3-cd)pyrene | 4.75E+00 | 9.40E+01 | 4.15E+01 | 6/6 | 5.00E-01 | 5.00E-01 | n/a | n/a | 2.08E+02 | 6/6 | 2.12E-01 |
| Naphthalene | 6.00E-01 | 4.75E+00 | 2.51E+00 | 4/6 | 5.00E-01 | 5.00E-01 | n/a | n/a | 7.66E+02 | 0/6 | 2.36E+01 |
| Phenanthrene | 9.74E+00 | 7.20E+01 | 2.68E+01 | 6/6 | 5.00E-01 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 6.48E+00 | 1.08E+02 | 3.63E+01 | 6/6 | 5.00E-01 | 5.00E-01 | n/a | n/a | 4.87E+04 | 0/6 | 1.65E+02 |
| Subsurface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | |
| Aluminum | 4.83E+03 | 1.14E+04 | 8.12E+03 | 2/2 | 2.00E+01 | 2.00E+01 | 0/2 | 1.20E+04 | 1.00E+05 | 2/2 | 4.64E+03 |
| Barium | 1.22E+01 | 6.32E+01 | 3.77E+01 | 2/2 | 1.00E+00 | 1.00E+00 | 0/2 | 1.70E+02 | 1.00E+05 | 0/2 | 2.29E+02 |
| Beryllium | 6.70E-01 | 1.38E+00 | 1.03E+00 | 2/2 | 5.00E-01 | 5.00E-01 | 1/2 | 6.90E-01 | 1.28E+03 | 1/2 | 9.48E-01 |
| Calcium | 1.10E+03 | 1.33E+03 | 1.22E+03 | 2/2 | 5.00E+01 | 5.00E+01 | 0/2 | 6.10E+03 | n/a | n/a | n/a |
| Chromium | 2.22E+01 | 4.28E+01 | 3.25E+01 | 2/2 | 2.00E+00 | 2.00E+00 | n/a | n/a | n/a | 0/2 | 3.56E+02 |
| Cobalt | 2.86E+00 | 4.17E+00 | 3.52E+00 | 2/2 | 1.00E+00 | 1.00E+00 | 0/2 | 1.30E+01 | 1.00E+05 | 0/2 | 1.92E+03 |
| Copper | 2.77E+00 | 6.53E+00 | 4.65E+00 | 2/2 | 2.00E+00 | 2.00E+00 | 0/2 | 2.50E+01 | 1.00E+05 | 0/2 | 4.93E+02 |
| Iron | 1.53E+04 | 2.08E+04 | 1.81E+04 | 2/2 | 5.00E+00 | 5.00E+00 | 0/2 | 2.80E+04 | 1.00E+05 | 2/2 | 2.07E+03 |
| Lithium | 8.41E+00 | 8.41E+00 | 8.41E+00 | 1/2 | 2.00E+00 | 2.00E+00 | n/a | n/a | 1.00E+05 | 0/2 | 6.41E+02 |
| Magnesium | 2.96E+02 | 1.39E+03 | 8.43E+02 | 2/2 | 1.50E+01 | 1.50E+01 | 0/2 | 2.10E+03 | n/a | n/a | n/a |
| Manganese | 4.33E+01 | 1.99E+02 | 1.21E+02 | 2/2 | 1.00E+00 | 1.00E+00 | 0/2 | 8.20E+02 | 4.64E+04 | 1/2 | 4.52E+01 |
| Nickel | 1.48E+01 | 1.48E+01 | 1.48E+01 | 1/2 | 5.00E+00 | 5.00E+00 | 0/2 | 2.20E+01 | 9.50E+04 | 0/2 | 2.42E+02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.15. Summary of Surface and Subsurface Historical Data at SWMU 224 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| Potassium | 1.07E+02 | 3.53E+02 | 2.30E+02 | 2/2 | 1.00E+02 | 1.00E+02 | 0/2 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Sodium | 2.14E+02 | 2.14E+02 | 2.14E+02 | 1/2 | 2.00E+02 | 2.00E+02 | 0/2 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Strontium | 2.95E+00 | 8.75E+00 | 5.85E+00 | 2/2 | 2.00E+00 | 2.00E+00 | n/a | n/a | 0/2 | 1.00E+05 | 0/2 | 5.45E+03 |
| Vanadium | 3.17E+01 | 4.61E+01 | 3.89E+01 | 2/2 | 2.00E+00 | 2.00E+00 | 1/2 | 3.70E+01 | 0/2 | 4.47E+03 | 2/2 | 3.32E+00 |
| Zinc | 1.78E+01 | 2.36E+01 | 2.07E+01 | 2/2 | 1.50E+01 | 1.50E+01 | 0/2 | 6.00E+01 | 0/2 | 1.00E+05 | 0/2 | 2.73E+03 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 5.95E+00 | 2.22E+01 | 1.46E+01 | 3/3 | 6.90E+00 | 9.10E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 4.00E+00 | 1.82E+01 | 1.16E+01 | 3/3 | 4.40E+00 | 7.10E+00 | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure No. ISoilsOUSOU_SMMUs.apr
DATE 03-08-07

Figure 5.23. Soils Operable Unit: SWMUs 56, 80, and 224

SWMU 225 (DMSA OS-14)

Area description

DMSA OS-14 (SWMU 225) consists of four tanker cars, three empty flatbeds, and one flatbed with three tanks/containers on it located south of C-533-1, west of the C-633 Cooling Towers in the southeast portion of the plant site. The area containing SWMU 225 is approximately 7,800 ft² (390 ft x 20 ft).

Process history

Rail tank cars and liquid containers were used as material storage areas. The tanker cars may have been brought on-site containing acid product, lube oil, or Freon[®]. Some personnel recall the three containers on the flatbed being used to hold water for fire-fighting purposes.

Previous investigation results

This DMSA now qualifies as a Phase 3 DMSA because it has been fully characterized and contains no fissionable material (DOE 2001c).

Figure 5.24 shows the area historical map.

Area utilities

No current recirculating water lines or sewers are associated with this DMSA; however, both storm water sewers are present within the boundary of the SWMU. These lines are approximately 2 ft bgs.

Data Gap Determination

No additional samples are needed at this location.




Figure 5.24. Soils Operable Unit: SWMU 225

SWMU 226 (DMSA OS-15)

Area description

DMSA OS-15 (SWMU 226) is located north of C-745-B, in the west central portion of the plant site. SWMU 226 is approximately 10,170 ft² (339 ft x 30 ft).

Process history

This DMSA was used for the storage of process coolers and excess equipment, beginning during the Process Equipment Modification program: 1976-1979. In April 2000, during a routine inspection, two UF₆ tails cylinders stored within the SWMU were observed to have plugs missing. Green oxide material was observed on the ground under one of the cylinders. This material was sampled and found to be radioactive. These cylinders and all but two of the tails cylinders and one other cylinder with unknown contents were relocated. Excavation of the soil around the area where the UF₆ tails material contaminated the ground was completed in November 2000, as documented in the SAR issued on December 1, 2000.

Previous investigation results

Radiological surveys of the ground in 1995, prior to the discovery of the green oxide material, indicated soil contamination exists. This DMSA now qualifies as a Phase 3 DMSA because it has been fully characterized and contains no fissionable material (DOE 2004d).

Table 5.16 is a summary of historical data followed by a map of historical sample locations (Figure 5.25).

Area utilities

No recirculating water lines or sewers are associated with this DMSA; none are within the boundary of the SWMU.

Data Gap Determination

Additional samples are needed at this location.

Table 5.16. Summary of Surface and Subsurface Historical Data at SWMU 226

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 8.26E+03 | 9.04E+03 | 8.65E+03 | 2/2 | 1.90E+01 | 1.95E+01 | 0/2 | 1.30E+04 | 0/2 | 1.00E+05 | 2/2 | 4.64E+03 |
| Barium | 6.92E+01 | 7.02E+01 | 6.97E+01 | 2/2 | 2.38E+00 | 2.44E+00 | 0/2 | 2.00E+02 | 0/2 | 1.00E+05 | 0/2 | 2.29E+02 |
| Calcium | 6.77E+02 | 1.47E+03 | 1.07E+03 | 2/2 | 9.50E+01 | 9.74E+01 | 0/2 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 1.09E+01 | 1.14E+01 | 1.12E+01 | 2/2 | 2.38E+00 | 2.44E+00 | n/a | n/a | n/a | n/a | 0/2 | 3.56E+02 |
| Cobalt | 2.44E+00 | 2.76E+00 | 2.60E+00 | 2/2 | 2.38E+00 | 2.44E+00 | 0/2 | 1.40E+01 | 0/2 | 1.00E+05 | 0/2 | 1.92E+03 |
| Copper | 7.19E+00 | 7.19E+00 | 7.19E+00 | 1/2 | 2.38E+00 | 2.44E+00 | 0/2 | 1.90E+01 | 0/2 | 1.00E+05 | 0/2 | 4.93E+02 |
| Iron | 7.27E+03 | 9.04E+03 | 8.16E+03 | 2/2 | 1.90E+01 | 1.95E+01 | 0/2 | 2.80E+04 | 0/2 | 1.00E+05 | 2/2 | 2.07E+03 |
| Magnesium | 6.85E+02 | 8.05E+02 | 7.45E+02 | 2/2 | 4.75E+00 | 4.87E+00 | 0/2 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 1.88E+02 | 2.17E+02 | 2.03E+02 | 2/2 | 2.38E+00 | 2.44E+00 | 0/2 | 1.50E+03 | 0/2 | 4.64E+04 | 2/2 | 4.52E+01 |
| Nickel | 5.58E+00 | 7.18E+00 | 6.38E+00 | 2/2 | 4.75E+00 | 4.87E+00 | 0/2 | 2.10E+01 | 0/2 | 9.30E+04 | 0/2 | 2.42E+02 |
| Potassium | 5.01E+02 | 7.07E+02 | 6.04E+02 | 2/2 | 9.50E+01 | 9.74E+01 | 0/2 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Uranium | 3.12E+00 | 1.94E+01 | 9.70E+00 | 4/4 | 1.30E+01 | 4.75E+00 | 2/4 | 4.90E+00 | 0/4 | 3.34E+03 | 0/4 | 2.02E+01 |
| Vanadium | 1.71E+01 | 1.71E+01 | 1.71E+01 | 2/2 | 2.38E+00 | 2.44E+00 | 0/2 | 3.80E+01 | 0/2 | 4.47E+03 | 2/2 | 3.32E+00 |
| Zinc | 2.35E+01 | 2.77E+01 | 2.56E+01 | 2/2 | 1.90E+01 | 1.95E+01 | 0/2 | 6.50E+01 | 0/2 | 1.00E+05 | 0/2 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 4.90E-01 | 1.49E+00 | 8.25E-01 | 8/21 | 1.20E-01 | 1.30E-01 | n/a | n/a | 0/21 | 4.25E+01 | 8/21 | 1.99E-01 |
| PCB-1254 | 1.20E-01 | 1.00E+00 | 6.08E-01 | 9/21 | 8.00E-02 | 9.00E-02 | n/a | n/a | 0/21 | 1.82E+01 | 8/21 | 1.99E-01 |
| PCB-1260 | 2.20E-01 | 4.90E-01 | 3.13E-01 | 4/21 | 9.00E-02 | 1.00E-01 | n/a | n/a | 0/21 | 4.25E+01 | 4/21 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 4.36E+00 | 1.37E+01 | 9.03E+00 | 2/2 | 8.50E-01 | 8.60E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Americium-241 | 6.10E-02 | 6.10E-02 | 6.10E-02 | 1/2 | 3.00E-02 | 3.00E-02 | n/a | n/a | 0/2 | 5.16E+02 | 0/2 | 5.16E+00 |
| Beta activity | 5.14E+00 | 2.00E+01 | 1.26E+01 | 2/2 | 9.70E-01 | 9.80E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 1.61E-01 | 8.74E+00 | 2.05E+00 | 20/20 | 5.00E-02 | 9.80E-01 | 18/20 | 4.90E-01 | 1/20 | 8.58E+00 | 20/20 | 8.58E-02 |
| Neptunium-237 | 5.21E-01 | 5.21E-01 | 5.21E-01 | 1/2 | 3.00E-02 | 3.00E-02 | 1/2 | 1.00E-01 | 0/2 | 2.71E+01 | 1/2 | 2.71E-01 |
| Plutonium-239/240 | 4.04E-01 | 4.04E-01 | 4.04E-01 | 1/2 | 2.00E-02 | 2.00E-02 | n/a | n/a | 0/2 | 1.15E+03 | 0/2 | 1.15E+01 |
| Technetium-99 | 6.22E+00 | 6.22E+00 | 6.22E+00 | 1/2 | 3.19E+00 | 3.38E+00 | 1/2 | 2.50E+00 | 0/2 | 3.62E+04 | 0/2 | 3.62E+02 |
| Thorium-238 | 4.49E-01 | 6.32E-01 | 5.41E-01 | 2/2 | 1.60E-01 | 1.60E-01 | 0/2 | 1.60E+00 | 0/2 | 2.80E+00 | 2/2 | 2.80E-02 |
| Thorium-230 | 3.71E-01 | 4.33E+00 | 2.35E+00 | 2/2 | 2.00E-01 | 2.00E-01 | 1/2 | 1.50E+00 | 0/2 | 1.49E+03 | 0/2 | 1.49E+01 |
| Thorium-232 | 4.18E-01 | 6.64E-01 | 5.41E-01 | 2/2 | 4.00E-02 | 4.00E-02 | 0/2 | 1.50E+00 | 0/2 | 1.35E+03 | 0/2 | 1.35E+01 |
| Uranium-234 | 7.16E-01 | 3.72E+00 | 2.22E+00 | 2/2 | 8.00E-02 | 8.00E-02 | 1/2 | 2.50E+00 | 0/2 | 1.98E+03 | 0/2 | 1.98E+01 |
| Uranium-235 | 4.45E-02 | 2.12E-01 | 1.28E-01 | 2/2 | 2.00E-02 | 2.00E-02 | 1/2 | 1.40E-01 | 0/2 | 3.95E+01 | 0/2 | 3.95E-01 |
| Uranium-238 | 1.04E+00 | 7.71E+02 | 6.41E+01 | 20/20 | 4.00E-02 | 1.08E+01 | 19/20 | 1.20E+00 | 1/20 | 1.71E+02 | 18/20 | 1.71E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.




Figure 5.25. Soils Operable Unit: SWMU 226

SWMU 227 (DMSA OS-16)

Area description

DMSA OS-16 (SWMU 227) is located south of the C-746-B Warehouse, in the northwest portion of the plant site. SWMU 227 is approximately 37,000 ft².

Process history

This area was used for many years as a storage area for miscellaneous excess process equipment and UF₆ cylinders since the 1970s. Materials stored within this area included wood/metal pallets, stainless steel tanks, air conditioners, scrap metal, miscellaneous equipment/parts, office furniture, floor buffers, empty poly tanks, spools of wire and cable, incandescent light bulbs, fluorescent light tubes, a broken fluorescent light tube, and light bulb bases. In 2001, DOE began characterization and remediation of the materials in the DMSAs. All RCRA-regulated items and other waste have been dispositioned properly (DOE 2004e).

Previous investigation results

A certified RCRA Closure Report was approved by Kentucky on February 13, 2007, for this DMSA. The Division of Waste Management “determined that the characterization, removal and disposal of hazardous waste meets the applicable requirements of the approved Agreed Order Closure Plan for DMSAs, dated December 23, 2005” (Webb 2007). An NFA is pending.

Table 5.17 is a summary of historical data followed by a map of historical sample locations (Figure 5.26).

Area utilities

No current recirculating water lines or sewers are associated with this DMSA; however, both storm water sewers are present within the boundary of the SWMU. These lines are approximately 3 ft bgs.

Data Gap Determination

Additional samples are needed at this location.

Table 5.17. Summary of Surface and Subsurface Historical Data at SWMU 227

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 5.01E+03 | 9.29E+03 | 6.80E+03 | 12/12 | 1.81E+01 | 2.00E+01 | 0/12 | 1.30E+04 | 0/12 | 1.00E+05 | 12/12 | 4.64E+03 |
| Arsenic | 4.47E+00 | 5.17E+00 | 4.82E+00 | 2/12 | 9.90E-01 | 5.00E+00 | 0/12 | 1.20E+01 | 0/12 | 3.15E+02 | 2/12 | 5.23E-01 |
| Barium | 4.07E+01 | 9.51E+01 | 7.04E+01 | 12/12 | 1.00E+00 | 5.00E+00 | 0/12 | 2.00E+02 | 0/12 | 1.00E+05 | 0/12 | 2.29E+02 |
| Beryllium | 4.93E-01 | 5.40E-01 | 5.17E-01 | 2/12 | 4.50E-01 | 5.00E-01 | 0/12 | 6.70E-01 | 0/12 | 1.28E+03 | 0/12 | 9.48E-01 |
| Calcium | 1.02E+03 | 7.35E+04 | 1.35E+04 | 12/12 | 9.05E+01 | 5.00E+02 | 4/12 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 7.38E+00 | 4.35E+01 | 1.37E+01 | 12/12 | 2.00E+00 | 2.50E+00 | n/a | n/a | n/a | n/a | 0/12 | 3.50E+02 |
| Cobalt | 2.61E+00 | 1.48E+01 | 5.94E+00 | 11/12 | 1.00E+00 | 2.50E+00 | 1/12 | 1.40E+01 | 0/12 | 1.00E+05 | 0/12 | 1.92E+03 |
| Copper | 5.72E+00 | 1.98E+01 | 9.99E+00 | 12/12 | 2.00E+00 | 2.50E+00 | 1/12 | 1.90E+01 | 0/12 | 1.00E+05 | 0/12 | 4.93E+02 |
| Iron | 6.08E+03 | 1.56E+04 | 1.03E+04 | 12/12 | 5.00E+00 | 1.88E+02 | 0/12 | 7.70E+03 | 0/12 | 1.00E+05 | 12/12 | 2.07E+03 |
| Magnesium | 6.92E+02 | 2.72E+03 | 1.27E+03 | 12/12 | 4.52E+00 | 1.50E+01 | 2/12 | 2.80E+04 | n/a | n/a | n/a | n/a |
| Manganese | 1.11E+02 | 1.15E+03 | 3.82E+02 | 12/12 | 1.00E+00 | 1.00E+01 | 1/12 | 1.50E+03 | 0/12 | 4.64E+04 | 12/12 | 4.52E+01 |
| Molybdenum | 5.21E+00 | 5.21E+00 | 5.21E+00 | 1/9 | 2.35E+00 | 4.83E+00 | n/a | n/a | 0/9 | 2.50E+04 | 0/9 | 8.30E+01 |
| Nickel | 8.64E+00 | 2.07E+01 | 1.22E+01 | 11/12 | 4.52E+00 | 5.00E+00 | 0/12 | 2.10E+01 | 0/12 | 9.30E+04 | 0/12 | 2.42E+02 |
| Potassium | 2.18E+02 | 5.83E+02 | 4.05E+02 | 10/10 | 9.05E+01 | 1.00E+02 | 0/10 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Selenium | 1.37E+00 | 1.37E+00 | 1.37E+00 | 1/12 | 1.00E+00 | 1.99E+01 | 1/12 | 8.00E-01 | 0/12 | 2.56E+04 | 0/12 | 9.49E+01 |
| Sodium | 1.20E+02 | 2.07E+02 | 1.62E+02 | 4/10 | 9.05E+01 | 2.00E+02 | 0/10 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Uranium | 1.08E+00 | 1.88E+01 | 8.74E+00 | 14/20 | 1.30E-01 | 2.00E+02 | 8/20 | 4.90E+00 | 0/20 | 3.34E+03 | 0/20 | 2.02E+01 |
| Vanadium | 1.04E+01 | 2.78E+01 | 1.70E+01 | 12/12 | 2.00E+00 | 2.50E+00 | 0/12 | 3.80E+01 | 0/12 | 4.47E+03 | 12/12 | 3.32E+00 |
| Zinc | 2.16E+01 | 1.12E+02 | 5.51E+01 | 11/12 | 1.50E+01 | 2.00E+01 | 4/12 | 6.50E+01 | 0/12 | 1.00E+05 | 0/12 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 1.20E-01 | 1.26E+01 | 1.62E+00 | 54/85 | 6.00E-02 | 1.30E-01 | n/a | n/a | 0/85 | 4.25E+01 | 47/85 | 1.99E-01 |
| PCB-1254 | 1.20E-01 | 6.99E+00 | 1.82E+00 | 23/86 | 6.00E-02 | 1.02E-01 | n/a | n/a | 0/86 | 1.82E+01 | 22/86 | 1.99E-01 |
| PCB-1260 | 1.00E-01 | 5.65E+00 | 8.63E-01 | 53/86 | 9.00E-02 | 1.02E-01 | n/a | n/a | 0/86 | 4.25E+01 | 46/86 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 3.86E+00 | 1.52E+01 | 8.76E+00 | 10/10 | 7.60E-01 | 1.20E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 3.83E+00 | 3.78E+01 | 1.49E+01 | 10/10 | 9.20E-01 | 6.80E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | -3.50E-01 | 1.48E+00 | 2.10E-01 | 74/83 | 1.68E-02 | 2.02E+00 | 23/83 | 4.90E-01 | 0/83 | 8.58E+00 | 46/83 | 8.58E-02 |
| Neptunium-237 | 4.31E-02 | 5.84E-02 | 5.08E-02 | 2/11 | 2.00E-02 | 4.00E-02 | 0/11 | 1.00E-01 | 0/11 | 2.71E+01 | 0/11 | 2.71E-01 |
| Plutonium-239/240 | 6.99E-02 | 6.99E-02 | 6.99E-02 | 1/11 | 1.00E-02 | 4.23E-02 | n/a | n/a | 0/11 | 1.15E+03 | 0/11 | 1.15E+01 |
| Technetium-99 | 3.80E+00 | 2.58E+01 | 9.24E+00 | 7/12 | 2.64E+00 | 4.63E+00 | 7/12 | 2.50E+00 | 0/12 | 3.62E+04 | 0/12 | 3.62E+02 |
| Thorium-228 | 1.85E-01 | 5.24E-01 | 3.30E-01 | 11/11 | 6.00E-02 | 1.50E-01 | 0/11 | 1.60E+00 | 0/11 | 2.80E+00 | 11/11 | 2.80E-02 |
| Thorium-230 | 2.11E-01 | 2.98E+00 | 6.62E-01 | 10/11 | 1.90E-01 | 2.20E-01 | 1/11 | 1.50E+00 | 0/11 | 1.49E+03 | 0/11 | 1.49E+01 |
| Thorium-232 | 2.01E-01 | 5.46E-01 | 3.60E-01 | 11/11 | 3.00E-02 | 7.00E-02 | 0/11 | 1.50E+00 | 0/11 | 1.35E+03 | 0/11 | 1.35E+01 |
| Uranium-234 | 2.04E-01 | 4.40E+00 | 1.16E+00 | 9/11 | 8.00E-02 | 3.33E-01 | 1/11 | 2.50E+00 | 0/11 | 1.98E+03 | 0/11 | 1.98E+01 |
| Uranium-235 | 2.90E-02 | 2.28E-01 | 9.58E-02 | 7/12 | 2.00E-02 | 1.80E+00 | 2/12 | 1.40E-01 | 0/12 | 3.95E+01 | 0/12 | 3.95E-01 |
| Uranium-238 | -1.08E+01 | 1.83E+01 | 3.94E+00 | 82/82 | 4.00E-02 | 1.35E+01 | 55/82 | 1.20E+00 | 0/82 | 1.71E+02 | 54/82 | 1.71E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.17. Summary of Surface and Subsurface Historical Data at SWMU 227 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Benz(a)anthracene | 1.18E-01 | 7.50E-01 | 4.34E-01 | 2/13 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/13 | 2.08E+02 | 1/13 | 2.12E-01 |
| Benzo(a)pyrene | 2.77E-01 | 8.40E-01 | 5.59E-01 | 2/13 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/13 | 2.08E+01 | 2/13 | 2.12E-02 |
| Benzo(b)fluoranthene | 2.84E-01 | 1.70E+00 | 8.78E-01 | 3/13 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/13 | 2.08E+02 | 3/13 | 2.12E-01 |
| Benzo(ghi)perylene | 1.17E-01 | 5.50E-01 | 3.34E-01 | 2/13 | 4.60E-01 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benzo(k)fluoranthene | 4.50E-01 | 6.30E-01 | 5.40E-01 | 2/11 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/11 | 2.08E+03 | 0/11 | 2.12E+00 |
| Chrysene | 2.17E-01 | 1.20E+00 | 6.79E-01 | 3/13 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/13 | 2.08E+04 | 0/13 | 2.12E+01 |
| Di-n-butyl phthalate | 7.60E-01 | 7.60E-01 | 7.60E-01 | 1/2 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/2 | 1.00E+05 | 0/2 | 2.13E+03 |
| Fluoranthene | 2.49E-01 | 2.40E+00 | 1.12E+00 | 4/11 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/11 | 6.50E+04 | 0/11 | 2.21E+02 |
| Indeno(1,2,3-cd)pyrene | 1.59E-01 | 5.50E-01 | 3.55E-01 | 2/13 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/13 | 2.08E+02 | 1/13 | 2.12E-01 |
| Phenanthrene | 6.40E-01 | 1.10E+00 | 8.70E-01 | 2/13 | 4.60E-01 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 2.69E-01 | 1.90E+00 | 8.72E-01 | 4/13 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/13 | 4.87E+04 | 0/13 | 1.65E+02 |
| Wetchem (mg/kg) | | | | | | | | | | | | |
| Total Organic Carbon (TOC) | 1.10E+04 | 1.10E+04 | 1.10E+04 | 1/1 | 3.00E+02 | 3.00E+02 | n/a | n/a | n/a | n/a | n/a | n/a |
| Subsurface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 4.85E+03 | 1.17E+04 | 8.47E+03 | 8/8 | 2.00E+01 | 2.00E+01 | 0/8 | 1.20E+04 | 0/8 | 1.00E+05 | 8/8 | 4.64E+03 |
| Arsenic | 2.30E+00 | 4.60E+00 | 3.30E+00 | 4/8 | 6.00E-01 | 5.00E+00 | 0/8 | 7.90E+00 | 0/8 | 3.15E+02 | 4/8 | 5.23E-01 |
| Barium | 2.17E+01 | 1.97E+02 | 6.36E+01 | 8/8 | 1.00E+00 | 1.00E+00 | 1/8 | 1.70E+02 | 0/8 | 1.00E+05 | 0/8 | 2.29E+02 |
| Beryllium | 5.00E-01 | 9.00E-01 | 5.84E-01 | 7/8 | 4.00E-01 | 5.00E-01 | 1/8 | 6.90E-01 | 0/8 | 1.28E+03 | 0/8 | 9.48E-01 |
| Calcium | 6.04E+02 | 1.49E+04 | 3.31E+03 | 8/8 | 1.00E+02 | 1.00E+02 | 1/8 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 1.18E+01 | 2.30E+01 | 1.57E+01 | 8/8 | 2.00E+00 | 2.00E+00 | n/a | n/a | n/a | n/a | 0/8 | 3.56E+02 |
| Cobalt | 2.73E+00 | 8.70E+00 | 4.87E+00 | 7/8 | 2.00E+00 | 3.00E+00 | 0/8 | 1.30E+01 | 0/8 | 1.00E+05 | 0/8 | 1.92E+03 |
| Copper | 4.90E+00 | 1.13E+01 | 6.72E+00 | 8/8 | 2.00E+00 | 2.00E+00 | 0/8 | 2.50E+01 | 0/8 | 1.00E+05 | 0/8 | 4.93E+02 |
| Iron | 9.14E+03 | 1.59E+04 | 1.19E+04 | 8/8 | 5.00E+00 | 5.00E+00 | 0/8 | 2.80E+04 | 0/8 | 1.00E+05 | 8/8 | 2.07E+03 |
| Lead | 4.20E+00 | 1.28E+01 | 8.68E+00 | 4/8 | 2.00E+01 | 2.00E+01 | 0/8 | 2.30E+01 | 0/8 | 1.25E+03 | 0/8 | 5.00E+01 |
| Magnesium | 3.60E+02 | 2.37E+03 | 1.03E+03 | 8/8 | 1.50E+01 | 1.50E+01 | 1/8 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 8.10E+01 | 1.09E+03 | 2.70E+02 | 8/8 | 1.00E+01 | 1.00E+01 | 1/8 | 8.20E+02 | 0/8 | 4.64E+04 | 8/8 | 4.52E+01 |
| Nickel | 7.20E+00 | 2.18E+01 | 1.08E+01 | 6/8 | 5.00E+00 | 6.80E+00 | 1/8 | 2.20E+01 | 0/8 | 9.30E+04 | 0/8 | 2.42E+02 |
| Potassium | 2.15E+02 | 7.18E+02 | 3.81E+02 | 6/8 | 1.00E+02 | 4.04E+02 | 0/8 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Sodium | 5.19E+01 | 2.75E+02 | 1.78E+02 | 7/8 | 2.00E+02 | 2.00E+02 | 0/8 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Vanadium | 1.81E+01 | 3.92E+01 | 2.67E+01 | 8/8 | 2.00E+00 | 2.00E+00 | 1/8 | 3.70E+01 | 0/8 | 4.47E+03 | 8/8 | 3.32E+00 |
| Zinc | 9.90E+00 | 4.83E+01 | 2.39E+01 | 6/8 | 2.00E+01 | 2.00E+01 | 0/8 | 6.00E+01 | 0/8 | 1.00E+05 | 0/8 | 2.73E+03 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 1.50E+00 | 1.12E+01 | 4.33E+00 | 8/8 | 8.00E-01 | 1.58E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 3.40E+00 | 9.58E+00 | 5.71E+00 | 8/8 | 3.70E-01 | 8.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| 2,3-Dimethylheptane | 2.00E-01 | 2.00E-01 | 2.00E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 3-Methyloctane | 2.10E-01 | 2.10E-01 | 2.10E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Bis(2-ethylhexyl)phthalate | 3.80E-01 | 3.80E-01 | 3.80E-01 | 1/8 | 3.20E-01 | 6.50E-01 | n/a | n/a | 0/8 | 7.40E+03 | 0/8 | 8.84E+00 |
| Di-n-butyl phthalate | 7.40E-01 | 1.50E+00 | 1.01E+00 | 4/8 | 3.80E-01 | 4.70E-01 | n/a | n/a | 0/8 | 1.00E+05 | 0/8 | 2.13E+03 |

1 Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.17. Summary of Surface and Subsurface Historical Data at SWMU 227 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| <i>Volatiles (mg/kg)</i> | | | | | | | | | | | | |
| 2,5-Dimethylheptane | 1.70E-01 | 1.70E-01 | 1.70E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Acetone | 1.30E-02 | 1.30E-02 | 1.30E-02 | 1/8 | 1.00E-02 | 9.30E+00 | n/a | n/a | 0/8 | 1.91E+04 | 0/8 | 3.58E+02 |
| Benzene | 9.80E-01 | 9.80E-01 | 9.80E-01 | 1/8 | 6.00E-03 | 7.40E-01 | n/a | n/a | 0/8 | 7.45E+01 | 0/8 | 1.13E+00 |
| Toluene | 3.40E-01 | 3.60E-01 | 3.50E-01 | 2/10 | 6.00E-03 | 7.40E-01 | n/a | n/a | 0/10 | 7.28E+03 | 0/10 | 2.11E+02 |
| Trichloroethene | 1.10E-03 | 3.80E-03 | 2.73E-03 | 4/13 | 1.00E-03 | 7.40E-01 | n/a | n/a | 0/13 | 2.98E+02 | 0/13 | 2.51E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.26. Soils Operable Unit: SWMU 227

SWMU 228 (DMSA OS-17)

Area description

DMSA OS-17 (SWMU 228) is located west of C-747-B in the northwest portion of the plant site. SWMU 228 is approximately 10,800 ft².

Process history

SWMU 228 has been used for the storage of excess mobile industrial equipment, which originally was slated for auction. Equipment at this location includes forklifts, tow motors and miniature pump trucks, and concrete culverts. The equipment has remained in storage at this location since the termination of off-site property sales around 1985. The exact operational dates for this site are unknown, although the last equipment was probably placed in this area in 1996.

Previous investigation results

This DMSA now qualifies as a Phase 3 DMSA because it has been fully characterized and contains no fissionable material (DOE 2004f).

Table 5.18 is a summary of historical data followed by a map of historical sample locations (Figure 5.27).

Area utilities

No current recirculating water lines or sewers are associated with this DMSA, and none pass within the boundary of the SWMU. A sanitary water line lies within the boundary of the SWMU.

Data Gap Determination

Additional samples are needed at this location.

Table 5.18. Summary of Surface and Subsurface Historical Data at SWMU 228

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 5.01E+03 | 1.04E+04 | 7.79E+03 | 8/8 | 1.90E+01 | 2.00E+01 | 0/8 | 1.30E+04 | 0/8 | 1.00E+05 | 8/8 | 4.64E+03 |
| Arsenic | 4.47E+00 | 5.13E+00 | 4.80E+00 | 2/8 | 9.90E-01 | 5.00E+00 | 0/8 | 1.20E+01 | 0/8 | 3.15E+02 | 2/8 | 5.23E-01 |
| Barium | 5.14E+01 | 9.32E+01 | 7.76E+01 | 8/8 | 1.00E+00 | 5.00E+00 | 0/8 | 2.00E+02 | 0/8 | 1.00E+05 | 0/8 | 2.29E-02 |
| Beryllium | 5.40E-01 | 7.30E-01 | 6.18E-01 | 4/8 | 4.70E-01 | 5.00E-01 | 1/8 | 6.70E-01 | 0/8 | 1.28E+03 | 0/8 | 9.48E-01 |
| Calcium | 2.58E+03 | 8.09E+04 | 4.02E+04 | 8/8 | 5.00E+01 | 5.00E+02 | 6/8 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 7.38E+00 | 1.35E+01 | 9.77E+00 | 8/8 | 2.00E+00 | 2.50E+00 | n/a | n/a | n/a | n/a | 0/8 | 3.56E+02 |
| Cobalt | 2.61E+00 | 6.85E+00 | 5.16E+00 | 7/8 | 1.00E+00 | 2.50E+00 | 0/8 | 1.40E+01 | 0/8 | 1.00E+05 | 0/8 | 1.92E+03 |
| Copper | 6.39E+00 | 1.03E+01 | 8.06E+00 | 8/8 | 2.00E+00 | 2.50E+00 | 0/8 | 1.90E+01 | 0/8 | 1.00E+05 | 0/8 | 4.93E+02 |
| Iron | 6.08E+02 | 1.96E+04 | 1.23E+04 | 8/8 | 5.00E+00 | 2.00E+01 | 0/8 | 2.80E+04 | 0/8 | 1.00E+05 | 8/8 | 2.07E+03 |
| Magnesium | 7.00E+02 | 3.05E+03 | 2.02E+03 | 8/8 | 4.74E+00 | 1.50E+01 | 4/8 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 1.81E+02 | 6.64E+02 | 3.59E+02 | 8/8 | 1.00E+00 | 1.00E+01 | 0/8 | 1.50E+03 | 0/8 | 4.64E+04 | 8/8 | 4.52E+01 |
| Nickel | 6.58E+00 | 2.07E+01 | 1.19E+01 | 7/8 | 4.74E+00 | 5.00E+00 | 0/8 | 2.10E+01 | 0/8 | 9.30E+04 | 0/8 | 2.42E+02 |
| Potassium | 2.18E+02 | 8.21E+02 | 5.31E+02 | 7/7 | 9.48E+01 | 1.00E+02 | 0/7 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Selenium | 1.37E+00 | 1.37E+00 | 1.37E+00 | 1/8 | 1.00E+00 | 1.99E+01 | 1/8 | 8.00E-01 | 0/8 | 2.56E+04 | 0/8 | 9.49E+01 |
| Sodium | 2.02E+02 | 2.34E+02 | 2.19E+02 | 4/7 | 9.48E+01 | 2.00E+02 | 0/7 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Uranium | 2.02E+00 | 8.56E+00 | 4.63E+00 | 3/5 | 1.30E-01 | 2.00E+02 | 1/5 | 4.90E+00 | 0/5 | 3.34E+03 | 0/5 | 2.02E+01 |
| Vanadium | 1.04E+01 | 2.78E+01 | 2.01E+01 | 8/8 | 2.00E+00 | 2.50E+00 | 0/8 | 3.80E+01 | 0/8 | 4.47E+03 | 8/8 | 3.32E+00 |
| Zinc | 2.16E+01 | 6.37E+01 | 4.95E+01 | 7/8 | 1.50E+01 | 2.00E+01 | 1/8 | 6.50E+01 | 0/8 | 1.00E+05 | 0/8 | 2.73E+03 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 5.24E+00 | 1.86E+01 | 1.38E+01 | 7/7 | 1.39E+00 | 1.20E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 6.68E+00 | 3.78E+01 | 2.12E+01 | 7/7 | 1.17E+00 | 6.80E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | -8.00E-02 | 2.70E-01 | 6.02E-02 | 6/13 | 1.68E-02 | 2.20E+00 | 0/13 | 4.90E-01 | 0/13 | 8.58E+00 | 1/13 | 8.58E-02 |
| Technetium-99 | 6.47E+00 | 1.88E+01 | 1.16E+01 | 4/8 | 2.64E+00 | 5.77E+00 | 4/8 | 2.50E+00 | 0/8 | 3.62E+04 | 0/8 | 3.62E+02 |
| Thorium-228 | 2.29E-01 | 3.63E-01 | 3.14E-01 | 3/3 | 6.44E-02 | 1.50E-01 | 0/3 | 1.60E+00 | 0/3 | 2.80E+00 | 3/3 | 2.80E-02 |
| Thorium-230 | 2.11E-01 | 5.41E-01 | 3.76E-01 | 2/3 | 1.90E-01 | 2.00E-01 | 0/3 | 1.50E+00 | 0/3 | 1.49E+03 | 0/3 | 1.49E+01 |
| Thorium-232 | 3.41E-01 | 3.54E-01 | 3.49E-01 | 3/3 | 3.00E-02 | 4.44E-02 | 0/3 | 1.50E+00 | 0/3 | 1.35E+03 | 0/3 | 1.35E+01 |
| Uranium-234 | 3.14E-01 | 4.15E-01 | 3.65E-01 | 2/3 | 8.00E-02 | 2.77E-01 | 0/3 | 2.50E+00 | 0/3 | 1.98E+03 | 0/3 | 1.98E+01 |
| Uranium-235 | 2.90E-02 | 4.28E-02 | 3.59E-02 | 2/8 | 2.00E-02 | 7.60E+00 | 0/8 | 1.40E-01 | 0/8 | 3.95E+01 | 0/8 | 3.95E-01 |
| Uranium-238 | 5.07E-01 | 4.91E+00 | 1.95E+00 | 8/8 | 4.00E-02 | 4.24E+00 | 4/8 | 1.20E+00 | 0/8 | 1.71E+02 | 3/8 | 1.71E+00 |
| Semivolatile (mg/kg) | | | | | | | | | | | | |
| Benz(a)anthracene | 1.18E-01 | 1.10E+00 | 6.09E-01 | 2/10 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/10 | 2.08E+02 | 1/10 | 2.12E-01 |
| Benzo(a)pyrene | 2.77E-01 | 6.50E-01 | 4.64E-01 | 2/10 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/10 | 2.08E+01 | 2/10 | 2.12E-02 |
| Benzo(b)fluoranthene | 2.84E-01 | 8.00E-01 | 5.42E-01 | 2/10 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/10 | 2.08E+02 | 2/10 | 2.12E-01 |
| Benzo(ghi)perylene | 1.17E-01 | 1.17E-01 | 1.17E-01 | 1/10 | 4.60E-01 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benzo(k)fluoranthene | 4.50E-01 | 4.50E-01 | 4.50E-01 | 1/8 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/8 | 2.08E+03 | 0/8 | 2.12E+00 |
| Chrysene | 2.17E-01 | 1.40E+00 | 8.09E-01 | 2/10 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/10 | 2.08E+04 | 0/10 | 2.12E+01 |
| Di-n-butyl phthalate | 7.60E-01 | 7.60E-01 | 7.60E-01 | 1/6 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/6 | 1.00E+05 | 0/6 | 2.13E+03 |
| Fluoranthene | 2.49E-01 | 2.49E-01 | 2.49E-01 | 1/8 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/8 | 6.50E+04 | 0/8 | 2.21E+02 |
| Indeno(1,2,3-cd)pyrene | 1.59E-01 | 1.59E-01 | 1.59E-01 | 1/10 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/10 | 2.08E+02 | 0/10 | 2.12E-01 |
| Phenanthrene | 1.90E+00 | 1.90E+00 | 1.90E+00 | 1/10 | 4.60E-01 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.18. Summary of Surface and Subsurface Historical Data at SWMU 228 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| Pyrene | 2.69E-01 | 1.70E+00 | 9.85E-01 | 2/10 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/10 | 4.87E+04 | 0/10 | 1.65E+02 |
| Wetchem (mg/kg) | | | | | | | | | | | | |
| Total Organic Carbon (TOC) | 6.10E+03 | 1.10E+04 | 8.55E+03 | 2/2 | 3.00E+02 | 3.00E+02 | n/a | n/a | n/a | n/a | n/a | n/a |
| Subsurface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 3.51E+03 | 1.05E+04 | 7.51E+03 | 24/24 | 1.83E+01 | 2.00E+01 | 0/24 | 1.20E+04 | 0/24 | 1.00E+05 | 21/24 | 4.64E+03 |
| Arsenic | 1.10E+00 | 6.19E+00 | 3.22E+00 | 9/24 | 9.15E-01 | 5.00E+00 | 0/24 | 7.90E+00 | 0/24 | 3.15E+02 | 9/24 | 5.23E-01 |
| Barium | 1.27E+01 | 9.75E+01 | 5.29E+01 | 24/24 | 1.00E+00 | 2.47E+00 | 0/24 | 1.70E+02 | 0/24 | 1.00E+05 | 0/24 | 2.29E+02 |
| Beryllium | 5.00E-01 | 1.51E+00 | 7.69E-01 | 10/24 | 4.57E-01 | 5.00E-01 | 5/24 | 6.90E-01 | 0/24 | 1.28E+03 | 2/24 | 9.48E-01 |
| Calcium | 2.64E+02 | 1.49E+04 | 2.23E+03 | 24/24 | 5.00E+01 | 1.00E+02 | 2/24 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 4.32E+00 | 8.39E+01 | 2.01E+01 | 24/24 | 2.00E+00 | 2.47E+00 | n/a | n/a | n/a | n/a | 0/24 | 3.56E+02 |
| Cobalt | 1.96E+00 | 7.53E+00 | 3.51E+00 | 23/24 | 1.00E+00 | 2.47E+00 | 0/24 | 1.30E+01 | 0/24 | 1.00E+05 | 0/24 | 1.92E+02 |
| Copper | 2.02E+00 | 2.09E+01 | 6.03E+00 | 23/24 | 2.00E+00 | 2.47E+00 | 1/24 | 2.50E+01 | 0/24 | 1.00E+05 | 0/24 | 4.93E+02 |
| Iron | 4.16E+03 | 5.87E+04 | 1.29E+04 | 24/24 | 5.00E+00 | 5.00E+01 | 1/24 | 2.80E+04 | 0/24 | 1.00E+05 | 24/24 | 2.07E+03 |
| Lead | 5.91E+00 | 9.08E+00 | 7.38E+00 | 7/24 | 9.15E-01 | 2.00E+01 | 0/24 | 2.30E+01 | 0/24 | 1.25E+03 | 0/24 | 5.00E+01 |
| Magnesium | 1.96E+02 | 2.37E+03 | 8.71E+02 | 24/24 | 4.57E+00 | 1.50E+01 | 1/24 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 3.48E+01 | 3.09E+02 | 1.62E+02 | 24/24 | 1.00E+00 | 1.00E+01 | 0/24 | 8.20E+02 | 0/24 | 4.64E+04 | 23/24 | 4.52E+01 |
| Nickel | 6.42E+00 | 4.07E+01 | 1.53E+01 | 20/24 | 4.57E+00 | 5.00E+00 | 5/24 | 2.20E+01 | 0/24 | 9.30E+04 | 0/24 | 2.42E+02 |
| Potassium | 1.12E+02 | 4.07E+02 | 2.73E+02 | 15/17 | 1.00E+02 | 1.00E+02 | 0/17 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Sodium | 1.40E+02 | 1.18E+03 | 4.11E+02 | 18/24 | 9.15E+01 | 2.00E+02 | 6/24 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Uranium | 1.02E+00 | 1.02E+00 | 1.02E+00 | 1/7 | 9.15E-01 | 9.89E-01 | 0/7 | 4.60E+00 | 0/7 | 3.34E+03 | 0/7 | 2.02E+01 |
| Vanadium | 5.94E+00 | 7.91E+01 | 2.61E+01 | 24/24 | 2.00E+00 | 2.47E+00 | 4/24 | 3.70E+01 | 0/24 | 4.47E+03 | 24/24 | 3.32E+00 |
| Zinc | 1.68E+01 | 4.83E+01 | 2.62E+01 | 15/24 | 1.50E+01 | 2.00E+01 | 0/24 | 6.00E+01 | 0/24 | 1.00E+05 | 0/24 | 2.73E+03 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 2.48E+00 | 2.38E+01 | 7.65E+00 | 21/22 | 7.23E-01 | 9.60E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 2.24E+00 | 2.34E+01 | 9.82E+00 | 22/22 | 3.70E-01 | 7.80E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Thorium-228 | 3.03E-01 | 5.06E-01 | 3.64E-01 | 7/7 | 9.18E-02 | 2.28E-01 | 0/7 | 1.60E+00 | 0/7 | 2.80E+00 | 7/7 | 2.80E-02 |
| Thorium-230 | 2.00E-01 | 3.41E-01 | 2.68E-01 | 5/7 | 1.06E-01 | 2.57E-01 | 0/7 | 1.40E+00 | 0/7 | 1.49E+03 | 0/7 | 1.49E-01 |
| Thorium-232 | 2.75E-01 | 4.02E-01 | 3.28E-01 | 7/7 | 5.52E-02 | 1.32E-01 | 0/7 | 1.50E+00 | 0/7 | 1.35E+03 | 0/7 | 1.35E+01 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Di-n-butyl phthalate | 7.20E-01 | 5.30E+00 | 1.68E+00 | 7/18 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/18 | 1.00E+05 | 0/18 | 2.13E+03 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| Acetone | 1.30E-02 | 1.30E-02 | 1.30E-02 | 1/18 | 1.00E-02 | 1.00E-02 | n/a | n/a | 0/18 | 1.91E+04 | 0/18 | 3.58E+02 |
| Trichloroethene | 1.10E-03 | 3.80E-03 | 2.73E-03 | 4/39 | 1.00E-03 | 6.17E-01 | n/a | n/a | 0/39 | 2.98E+02 | 0/39 | 2.51E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.27. Soils Operable Unit: SWMUs 12, 13, 228, 229, and 518

SWMU 229 (DMSA OS-18)

Area description

DMSA OS-18 (SWMU 229) is located in the north of C-746-F in the northwest portion of the plant site. SWMU 229 is approximately 35,112 ft².

Process history

This area was established soon after plant construction to store excess railroad supplies, parts, components, etc. Later it became an area in which to store various excess material. Material found to have been stored within the SWMU includes scrap metal, concrete, fireproof safes, portable work platform, empty trash cans, empty 55-gal drums, miscellaneous equipment and parts, road signs, manhole covers, scaffolding, railroad ties, fans, chain link fencing, two small buildings, parts from railroad cars, oils, light bulbs, circuit boards, fuses, and batteries.

Previous investigation results

In 2001, DOE began characterization and remediation of the materials in the DMSAs. RCRA-regulated items have been removed from the SWMU and placed in proper storage. This DMSA now qualifies as a Phase 3 DMSA because it has been fully characterized and contains no fissionable material (DOE 2003a).

Table 5.19 is a summary of historical data followed by a map of historical sample locations (Figure 5.28).

Area utilities

No current recirculating water lines or sewers are associated with this DMSA and none pass within the boundary of the SWMU.

Data Gap Determination

Additional samples are needed at this location.

Table 5.19. Summary of Surface and Subsurface Historical Data at SWMU 229

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 2.43E+03 | 4.83E+03 | 3.63E+03 | 2/2 | 2.00E+01 | 2.00E+01 | 0/2 | 1.30E+04 | 0/2 | 1.00E+05 | 1/2 | 4.64E+03 |
| Arsenic | 7.01E+00 | 7.01E+00 | 7.01E+00 | 1/2 | 5.00E+00 | 5.00E+00 | 0/2 | 1.20E+01 | 0/2 | 3.15E+02 | 1/2 | 5.23E-01 |
| Barium | 3.83E+01 | 4.49E+01 | 4.16E+01 | 2/2 | 1.00E+00 | 5.00E+00 | 0/2 | 2.00E+02 | 0/2 | 1.00E+05 | 0/2 | 2.29E+02 |
| Beryllium | 7.40E-01 | 7.40E-01 | 7.40E-01 | 1/2 | 5.00E-01 | 5.00E-01 | 1/2 | 6.70E-01 | 0/2 | 1.28E+03 | 0/2 | 9.48E-01 |
| Calcium | 2.10E+04 | 4.27E+04 | 3.19E+04 | 2/2 | 2.00E+02 | 5.00E+02 | 2/2 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 7.29E+00 | 1.13E+01 | 9.30E+00 | 2/2 | 2.00E+00 | 2.50E+00 | n/a | n/a | n/a | n/a | 0/2 | 3.50E+02 |
| Cobalt | 5.91E+00 | 5.91E+00 | 5.91E+00 | 1/2 | 1.00E+00 | 2.50E+00 | 0/2 | 1.40E+01 | 0/2 | 1.00E+05 | 0/2 | 1.92E+03 |
| Copper | 2.66E+00 | 1.01E+01 | 6.38E+00 | 2/2 | 2.00E+00 | 2.50E+00 | 0/2 | 1.90E+01 | 0/2 | 1.00E+05 | 0/2 | 4.93E+02 |
| Iron | 8.34E+03 | 2.69E+04 | 1.76E+04 | 2/2 | 2.00E+01 | 5.00E+01 | 1/2 | 2.80E+03 | 0/2 | 1.00E+05 | 2/2 | 2.07E+03 |
| Magnesium | 1.36E+03 | 2.59E+03 | 1.98E+03 | 2/2 | 1.50E+01 | 1.50E+01 | 1/2 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 1.37E+02 | 3.95E+02 | 2.66E+02 | 2/2 | 1.00E+00 | 1.00E+01 | 0/2 | 1.50E+03 | 0/2 | 4.64E+04 | 2/2 | 4.52E+01 |
| Nickel | 9.72E+00 | 9.72E+00 | 9.72E+00 | 1/2 | 5.00E+00 | 5.00E+00 | 0/2 | 2.10E+01 | 0/2 | 9.30E+04 | 0/2 | 2.42E+02 |
| Potassium | 2.92E+02 | 2.92E+02 | 2.92E+02 | 1/1 | 1.00E+02 | 1.00E+02 | 0/1 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Vanadium | 1.45E+01 | 1.47E+01 | 1.46E+01 | 2/2 | 2.00E+00 | 2.50E+00 | 0/2 | 3.80E+01 | 0/2 | 4.47E+03 | 2/2 | 3.32E+00 |
| Zinc | 5.97E+01 | 5.97E+01 | 5.97E+01 | 1/2 | 1.50E+01 | 2.00E+01 | 0/2 | 6.50E+01 | 0/2 | 1.00E+05 | 0/2 | 2.73E+03 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Beta activity | 1.72E+01 | 1.72E+01 | 1.72E+01 | 1/1 | 7.70E+00 | 7.70E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 7.13E-02 | 4.60E-01 | 2.70E-01 | 3/4 | 1.53E-02 | 7.70E-01 | 1/4 | 4.90E-01 | 0/4 | 8.58E+00 | 2/4 | 8.58E-02 |
| Technetium-99 | 7.85E+00 | 7.85E+00 | 7.85E+00 | 1/2 | 2.64E+00 | 4.52E+00 | 1/2 | 2.50E+00 | 0/2 | 3.62E+04 | 0/2 | 3.62E+02 |
| Thorium-228 | 3.36E-01 | 3.36E-01 | 3.36E-01 | 1/1 | 6.80E-02 | 6.80E-02 | 0/1 | 1.60E+00 | 0/1 | 2.80E+00 | 1/1 | 2.80E-02 |
| Thorium-230 | 7.28E-01 | 7.28E-01 | 7.28E-01 | 1/1 | 1.91E-01 | 1.91E-01 | 0/1 | 1.50E+00 | 0/1 | 1.49E+03 | 0/1 | 1.49E+01 |
| Thorium-232 | 3.20E-01 | 3.20E-01 | 3.20E-01 | 1/1 | 4.84E-02 | 4.84E-02 | 0/1 | 1.50E+00 | 0/1 | 1.35E+03 | 0/1 | 1.35E+01 |
| Uranium-235 | 6.66E-02 | 6.66E-02 | 6.66E-02 | 1/2 | 2.77E-02 | 3.80E+00 | 0/2 | 1.40E-01 | 0/2 | 3.95E+01 | 0/2 | 3.95E-01 |
| Uranium-238 | 9.30E-01 | 1.68E+00 | 1.24E+00 | 3/3 | 5.51E-01 | 3.29E+00 | 1/3 | 1.20E+00 | 0/3 | 1.71E+02 | 0/3 | 1.71E+00 |
| Semivolatile (mg/kg) | | | | | | | | | | | | |
| Acenaphthene | 6.00E-01 | 3.10E+01 | 6.95E+00 | 5/10 | 4.60E-01 | 2.40E+00 | n/a | n/a | 0/10 | 6.67E+04 | 0/10 | 3.16E+02 |
| Anthracene | 7.10E-01 | 4.00E+01 | 8.85E+00 | 5/10 | 4.60E-01 | 2.40E+00 | n/a | n/a | 0/10 | 1.00E+05 | 0/10 | 3.79E+03 |
| Benz(a)anthracene | 7.78E-01 | 1.10E+02 | 1.82E+01 | 7/10 | 4.60E-01 | 2.40E+00 | n/a | n/a | 0/10 | 2.08E+02 | 7/10 | 2.12E-01 |
| Benzo(a)pyrene | 3.89E-01 | 8.00E+01 | 1.35E+01 | 7/10 | 4.60E-01 | 2.40E+00 | n/a | n/a | 1/10 | 2.08E+01 | 7/10 | 2.12E-02 |
| Benzo(b)fluoranthene | 1.80E+00 | 1.70E+02 | 2.77E+01 | 7/10 | 4.60E-01 | 2.40E+00 | n/a | n/a | 0/10 | 2.08E+02 | 7/10 | 2.12E-01 |
| Benzo(ghi)perylene | 6.19E-01 | 2.80E+01 | 4.95E+00 | 7/10 | 4.60E-01 | 2.40E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benzo(k)fluoranthene | 4.79E-01 | 4.79E-01 | 4.79E-01 | 1/1 | 5.00E-01 | 5.00E-01 | n/a | n/a | 0/1 | 2.08E+03 | 0/1 | 2.12E+00 |
| Bis(2-ethylhexyl)phthalate | 4.70E+00 | 5.70E+00 | 5.03E+00 | 3/10 | 4.60E-01 | 2.40E+00 | n/a | n/a | 0/10 | 7.40E+03 | 0/10 | 8.84E+00 |
| Carbazole | 5.50E-01 | 3.70E+01 | 1.30E+01 | 3/10 | 4.60E-01 | 2.40E+00 | n/a | n/a | 0/10 | 1.28E+04 | 1/10 | 2.15E+01 |
| Chrysene | 1.07E+00 | 9.50E+01 | 1.66E+01 | 7/10 | 4.60E-01 | 2.40E+00 | n/a | n/a | 0/10 | 2.08E+04 | 1/10 | 2.12E+01 |
| Di-n-butyl phthalate | 1.70E+00 | 1.70E+00 | 1.70E+00 | 1/1 | 5.00E-01 | 5.00E-01 | n/a | n/a | 0/1 | 1.00E+05 | 0/1 | 2.13E+03 |
| Fluoranthene | 1.35E+00 | 1.35E+00 | 1.35E+00 | 1/1 | 5.00E-01 | 5.00E-01 | n/a | n/a | 0/1 | 6.50E+04 | 0/1 | 2.21E+02 |
| Fluorene | 5.90E-01 | 2.70E+01 | 7.35E+00 | 4/10 | 4.60E-01 | 2.40E+00 | n/a | n/a | 0/10 | 7.09E+04 | 0/10 | 3.39E+02 |
| Indeno(1,2,3-cd)pyrene | 6.55E-01 | 3.70E+01 | 6.44E+00 | 7/10 | 4.60E-01 | 2.40E+00 | n/a | n/a | 0/10 | 2.08E+02 | 7/10 | 2.12E-01 |
| Pentachlorophenol | 3.57E-01 | 3.57E-01 | 3.57E-01 | 1/10 | 4.60E-01 | 2.40E+00 | n/a | n/a | 0/10 | 2.56E+03 | 0/10 | 2.12E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.19. Summary of Surface and Subsurface Historical Data at SWMU 229 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ | | |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|------|----------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | | | |
| | 2.24E-01 | 4.70E+01 | 1.13E+01 | | 4.60E-01 | 2.40E+00 | | | | | | | | |
| Phenanthrene | 5.30E-01 | 1.50E+02 | 2.59E+01 | 7/10 | 4.60E-01 | 2.40E+00 | n/a | n/a | n/a | n/a | 0/10 | 4.87E+04 | n/a | 1.65E+02 |
| Pyrene | | | | | | | | | | | | | | |
| Subsurface Soils | | | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | | | |
| Aluminum | 3.72E+03 | 1.18E+04 | 8.12E+03 | 5/5 | 2.00E+01 | 2.00E+01 | 0/5 | 1.20E+04 | 0/5 | 1.00E+05 | 4/5 | 1.00E+05 | 4/5 | 4.64E+03 |
| Arsenic | 5.04E+00 | 5.64E+00 | 5.34E+00 | 2/5 | 5.00E+00 | 5.00E+00 | 0/5 | 7.90E+00 | 0/5 | 3.15E+02 | 2/5 | 3.15E+02 | 2/5 | 5.23E-01 |
| Barium | 1.84E+01 | 7.60E+01 | 4.92E+01 | 5/5 | 1.00E+00 | 1.00E+00 | 0/5 | 1.70E+02 | 0/5 | 1.00E+05 | 0/5 | 1.00E+05 | 0/5 | 2.29E+02 |
| Beryllium | 7.40E-01 | 9.60E-01 | 8.65E-01 | 4/5 | 5.00E-01 | 5.00E-01 | 4/5 | 6.90E-01 | 0/5 | 1.28E+03 | 1/5 | 1.28E+03 | 1/5 | 9.48E-01 |
| Calcium | 9.53E+02 | 1.23E+03 | 1.06E+03 | 5/5 | 5.00E+01 | 1.00E+02 | 0/5 | 6.10E+03 | n/a | n/a | n/a | n/a | n/a | n/a |
| Chromium | 1.46E+01 | 3.40E+01 | 2.06E+01 | 5/5 | 2.00E+00 | 2.00E+00 | n/a | n/a | n/a | n/a | 0/5 | n/a | 0/5 | 3.56E+02 |
| Cobalt | 2.04E+00 | 6.68E+00 | 4.51E+00 | 5/5 | 1.00E+00 | 2.00E+00 | 0/5 | 1.30E+01 | 0/5 | 1.00E+05 | 0/5 | 1.00E+05 | 0/5 | 1.92E+03 |
| Copper | 2.14E+00 | 7.23E+00 | 4.55E+00 | 5/5 | 2.00E+00 | 2.00E+00 | 0/5 | 2.50E+01 | 0/5 | 1.00E+05 | 0/5 | 1.00E+05 | 0/5 | 4.93E+02 |
| Iron | 9.44E+03 | 3.29E+04 | 1.83E+04 | 5/5 | 5.00E+00 | 5.00E+01 | 1/5 | 2.80E+04 | 0/5 | 1.00E+05 | 5/5 | 1.00E+05 | 5/5 | 2.07E+03 |
| Magnesium | 2.90E+02 | 1.18E+03 | 8.07E+02 | 5/5 | 1.50E+01 | 1.50E+01 | 0/5 | 2.10E+03 | n/a | n/a | n/a | n/a | n/a | n/a |
| Manganese | 2.46E+01 | 2.89E+02 | 1.44E+02 | 5/5 | 1.00E+00 | 1.00E+01 | 0/5 | 8.20E+02 | 0/5 | 4.64E+04 | 4/5 | 4.64E+04 | 4/5 | 4.52E+01 |
| Nickel | 6.97E+00 | 1.33E+01 | 1.05E+01 | 3/5 | 5.00E+00 | 5.00E+00 | 0/5 | 2.20E+01 | 0/5 | 9.30E+04 | 0/5 | 9.30E+04 | 0/5 | 2.42E+02 |
| Potassium | 1.19E+02 | 3.63E+02 | 2.25E+02 | 5/5 | 1.00E+02 | 1.00E+02 | 0/5 | 9.50E+02 | n/a | n/a | n/a | n/a | n/a | n/a |
| Sodium | 2.18E+02 | 3.89E+02 | 2.70E+02 | 4/5 | 2.00E+02 | 2.00E+02 | 1/5 | 3.40E+02 | n/a | n/a | n/a | n/a | n/a | n/a |
| Vanadium | 1.65E+01 | 4.24E+01 | 3.12E+01 | 5/5 | 2.00E+00 | 2.00E+00 | 1/5 | 3.70E+01 | 0/5 | 4.47E+03 | 5/5 | 4.47E+03 | 5/5 | 3.32E+00 |
| Zinc | 1.58E+01 | 3.28E+01 | 2.45E+01 | 4/5 | 1.50E+01 | 2.00E+01 | 0/5 | 6.00E+01 | 0/5 | 1.00E+05 | 0/5 | 1.00E+05 | 0/5 | 2.73E+03 |
| Radionuclides (pCi/g) | | | | | | | | | | | | | | |
| Alpha activity | 3.61E+00 | 1.83E+01 | 1.04E+01 | 5/5 | 1.23E+00 | 8.20E+00 | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 2.63E+00 | 1.78E+01 | 1.07E+01 | 5/5 | 4.00E-01 | 7.00E+00 | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| Semivolatiles (mg/kg) | | | | | | | | | | | | | | |
| Bis(2-ethylhexyl)phthalate | 6.40E-01 | 6.40E-01 | 6.40E-01 | 1/5 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/5 | 7.40E+03 | 0/5 | 7.40E+03 | 0/5 | 8.84E+00 |
| Di-n-butyl phthalate | 1.00E+00 | 5.40E+00 | 3.20E+00 | 2/5 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/5 | 1.00E+05 | 0/5 | 1.00E+05 | 0/5 | 2.13E+03 |
| Fluoranthene | 2.02E-01 | 2.02E-01 | 2.02E-01 | 1/5 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/5 | 6.50E+04 | 0/5 | 6.50E+04 | 0/5 | 2.21E+02 |
| Volatiles (mg/kg) | | | | | | | | | | | | | | |
| Trichloroethene | 2.60E-03 | 2.60E-03 | 2.60E-03 | 1/10 | 1.20E-03 | 3.87E-01 | n/a | n/a | 0/10 | 2.98E+02 | 0/10 | 2.98E+02 | 0/10 | 2.51E+00 |
| Wetchem (mg/kg) | | | | | | | | | | | | | | |
| Total Organic Carbon (TOC) | 5.90E+02 | 5.90E+02 | 5.90E+02 | 1/2 | 3.00E+02 | 3.00E+02 | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.28. Soils Operable Unit: SWMUs 12, 13, 228, 229, and 518

5.1.3 Group 2–Underground/Tank

SWMU 11 (C-400 Trichloroethene Leak Site, Southeast of C-400 Building)

Area description

The C-400 TCE Leak Site (SWMU 11) is located at the southeast corner of C-400, near the central portion of the plant. This SWMU is part of the SOU and the GWOU.

Process history

A leak of TCE from the sump in the C-400 degreaser area to the storm sewer was discovered in 1986. TCE was released at various times through broken pipes and joints in a leaking underground storm sewer pipe from the C-400 Building. It had not been known previously that the sump discharged to the sewer. After the leak was discovered, discharge lines from the sump in the basement of C-400 were disconnected from the storm sewer. TCE-contaminated soils were excavated from the area of the leak.

Previous investigation results


TCE concentrations as high as 700,000 µg/kg were reported in soil samples collected adjacent to and below the storm sewer line during removal of the contaminated soil in 1986 (EDGe 1988). Approximately 9,200 ft³ of contaminated soil and bedding material were excavated, containerized, and stored as hazardous waste for future treatment and disposal. Some of the contaminated soil is known to have been left in place because of concerns about the structural integrity of 11th Street and the TCE Tank Pad, located to the west between the spill site and the C-400 Building (CH2M HILL 1992). The excavated area was backfilled with clean fill material and capped with a layer of clay after excavation activities were completed.

The Trichloroethene Leak Site (SWMU 11) was investigated under the Phase I and Phase II SIs. The analytical results for the soil samples collected from the deep boring showed that TCE was detected in the soils at concentrations throughout the interval sampled (4 to 93 ft bgs) (DOE 1999b).

The WAG 6 RI (DOE 1999b) placed SWMU 11 in Sector 4 of its investigation. The conclusions of the WAG 6 RI are presented using geographically related sectors. The sectors and their definitions are as follows:

- Sector 1—the area under the C-400 Building.
- Sector 2—the area to the northeast of C-400 Building. This Sector contains the Neutralization Tank (SWMU 40).
- Sector 3—the area to the east of the C-400 Building. This Sector does not contain a SWMU.
- Sector 4—the area to the southeast of the C-400 Building. This Sector contains the Trichloroethene Leak Site (SWMU 11) and a TCE off-loading pump station.
- Sector 5—the area to the southwest of C-400 Building. This Sector does not contain a SWMU.
- Sector 6—the area to the west of C-400 Building. This Sector contains the Technetium Storage Tank (SWMU 47).

- Sector 7—the area to the northwest of the C-400 Building. This Sector contains the Waste Discard Sump (SWMU 203).
- Sector 8—the area to the far north and far northeast of the C-400 Building. This Sector contains the C-401 Transfer Line (SWMU 26).
- Sector 9—the area to the far east and far northeast of the C-400 Building. This Sector does not contain a SWMU.



Major borders of Sector 4 are formed by the East Sector (Sector 3) on the north, by 11th Street on the east, by Tennessee Avenue on the south, and by the C-400 Building on the west. In addition to SWMU 11, which is composed of an underground discharge line running from the C-400 Building and the associated soils, the Southeast Sector also contains the TCE Truck Unloading Pumps and storage tank, a parking lot, and a cylinder storage and handling area.

WAG 6 found a widespread TCE-impacted area located primarily between C-400 Building and 11th Street and north of Tennessee Avenue. In that area, a large zone of shallow soil contains greater than 225,000 µg/kg (5–9 ft bgs) TCE, indicating that the chlorinated solvent is present as a dense nonaqueous-phase liquid in the UCRS soil. The highest concentrations were found below the backfilled excavation at

SWMU 11 [8,208,600 µg/kg (28–31.5 ft bgs)] and adjacent to the TCE off-loading pumps [11,055,000 µg/kg (5–9 ft bgs)]. The high TCE concentrations in the shallow zone of soil that extends south of the off-loading pumps probably are due to migration of TCE along the bedding material of the utility line that runs north-south through SWMU 11. Other WAG 6 COCs were arsenic, beryllium, dichloroethene, PAHs, PCBs, vinyl chloride, cesium-137, aluminum, antimony, chromium, iron, manganese, and vanadium.

Summary table from the BRA for WAG 6 follows:

Table 6.1. Scenarios for which human health risk exceeds *de minimis* levels

| Scenario | WAG 6 | Location (Sector Number) | | | | | | | | |
|--|-------|--------------------------|---|---|---|---|---|---|---|---|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| Results for ELCR | | | | | | | | | | |
| Current Industrial Worker | X | – | X | X | X | X | X | X | X | X |
| Future Industrial Worker | | – | X | X | X | X | X | X | X | X |
| Exposure to Soil | X | | | | | | | | | |
| Exposure to Water ^a | X | | | | | | | | | |
| Future Excavation Worker | X | X | X | X | X | X | X | X | X | X |
| Future Recreational User | X | – | – | X | – | X | X | – | X | – |
| Future On-site Resident | | – | X | X | X | X | X | X | X | X |
| Exposure to Soil | X | | | | | | | | | |
| Exposure to Water ^a | X | | | | | | | | | |
| Results for systemic toxicity ^b | | | | | | | | | | |
| Current Industrial Worker | X | – | – | – | – | X | X | X | – | X |
| Future Industrial Worker | | – | – | – | – | X | X | X | – | X |
| Exposure to Soil | X | | | | | | | | | |
| Exposure to Water ^a | X | | | | | | | | | |
| Future Excavation Worker | X | X | X | – | X | X | X | X | X | X |
| Future Recreational User | – | – | – | – | – | – | – | – | – | – |
| Future On-site Resident | | – | X | X | X | X | X | X | X | X |
| Exposure to Soil | X | | | | | | | | | |
| Exposure to Water ^a | X | | | | | | | | | |

^aIn the BHHRA, the risk from exposure to water was assessed on a WAG 6 area basis; therefore, these risks are not summed with those from exposure to soil. Additionally, in the BHHRA, risks associated with use of water drawn from the RGA were assessed separately from risks associated with use of water drawn from the McNairy Formation. The value reported here is for use of water drawn from the RGA.

^bFor the future recreational user and the future on-site resident scenarios, the results for child exposure are presented.

Notes: Scenarios in which risk exceeded *de minimis* levels are marked with an “X”. Scenarios in which risk did not exceed *de minimis* levels are marked with a “–”.

Table 5.20 is a summary of historical data followed by a map of historical sample locations (Figure 5.29).

Area utilities

A storm sewer is associated with this leak site. Approximate depth to the sewer is 13 ft bgs.

Data Gap Determination

No additional samples are needed at this location.

Table 5.20. Summary of Surface and Subsurface Historical Data at SWMU 11

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Dioxins/Furans (mg/kg) | | | | | | | | | | | | |
| Octachloro-dibenzo[b,e][1,4]dioxin | 2.20E-03 | 2.20E-03 | 2.20E-03 | 1/1 | | | n/a | n/a | 0/1 | 6.19E-01 | 0/1 | 6.19E-03 |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 1.42E+03 | 2.27E+03 | 1.85E+03 | 2/2 | | | 0/2 | 1.30E+04 | 0/2 | 1.00E+05 | 0/2 | 4.64E+03 |
| Arsenic | 1.80E+00 | 2.20E+00 | 2.00E+00 | 2/2 | | | 0/2 | 1.20E+01 | 0/2 | 3.15E+02 | 2/2 | 5.23E-01 |
| Barium | 1.93E+01 | 3.48E+01 | 2.71E+01 | 2/2 | | | 0/2 | 2.00E+02 | 0/2 | 1.00E+05 | 0/2 | 2.29E+02 |
| Beryllium | 2.40E-01 | 3.40E-01 | 2.90E-01 | 2/2 | | | 0/2 | 6.70E-01 | 0/2 | 1.28E+03 | 0/2 | 9.48E-01 |
| Cadmium | 8.70E-01 | 1.20E+00 | 1.04E+00 | 2/2 | | | 2/2 | 2.10E-01 | 0/2 | 7.05E+01 | 0/2 | 2.13E+01 |
| Calcium | 1.11E+05 | 2.00E+05 | 1.56E+05 | 2/2 | | | 2/2 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 9.50E+00 | 1.84E+01 | 1.40E+01 | 2/2 | | | n/a | n/a | n/a | n/a | 0/2 | 3.56E+02 |
| Cobalt | 2.60E+00 | 4.30E+00 | 3.45E+00 | 2/2 | | | 0/2 | 1.40E+01 | 0/2 | 1.00E+05 | 0/2 | 1.92E+02 |
| Copper | 1.46E+01 | 2.10E+01 | 1.78E+01 | 2/2 | | | 1/2 | 1.90E+01 | 0/2 | 1.00E+05 | 0/2 | 4.93E+02 |
| Iron | 7.76E+03 | 7.85E+03 | 7.81E+03 | 2/2 | | | 0/2 | 2.80E+04 | 0/2 | 1.00E+05 | 2/2 | 2.07E+03 |
| Lead | 3.87E+01 | 5.20E+01 | 4.54E+01 | 2/2 | | | 2/2 | 3.60E+01 | 0/2 | 1.25E+03 | 1/2 | 5.00E+01 |
| Magnesium | 3.02E+03 | 5.04E+03 | 4.03E+03 | 2/2 | | | 2/2 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 1.13E+02 | 2.06E+02 | 1.60E+02 | 2/2 | | | 0/2 | 1.50E+03 | 0/2 | 4.64E+04 | 2/2 | 4.52E+01 |
| Nickel | 1.17E+01 | 2.15E+01 | 1.66E+01 | 2/2 | | | 1/2 | 2.10E+01 | 0/2 | 9.30E+04 | 0/2 | 2.42E+02 |
| Sodium | 1.37E+02 | 2.05E+02 | 1.71E+02 | 2/2 | | | 0/2 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Vanadium | 1.10E+01 | 1.15E+01 | 1.13E+01 | 2/2 | | | 0/2 | 3.80E+01 | 0/2 | 4.47E+03 | 2/2 | 3.32E+00 |
| Zinc | 1.97E+02 | 3.87E+02 | 2.92E+02 | 2/2 | | | 2/2 | 6.50E+01 | 0/2 | 1.00E+05 | 0/2 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB-1260 | 1.20E+01 | 1.20E+01 | 1.20E+01 | 1/2 | 1.70E+00 | 1.70E+00 | n/a | n/a | 0/2 | 4.25E+01 | 1/2 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 6.73E+00 | 1.80E+01 | 1.15E+01 | 3/3 | 7.62E+00 | 7.62E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 1.58E+01 | 6.70E+01 | 4.19E+01 | 3/3 | 1.76E+01 | 1.76E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Neptunium-237 | 2.50E-01 | 5.40E-01 | 3.95E-01 | 2/2 | | | 2/2 | 1.00E-01 | 0/2 | 2.71E+01 | 1/2 | 2.71E-01 |
| Plutonium-239 | 4.20E-01 | 5.70E-01 | 4.95E-01 | 2/2 | | | 2/2 | 2.50E-02 | 0/2 | 1.15E+03 | 0/2 | 1.15E+01 |
| Technetium-99 | 4.30E+01 | 6.50E+01 | 5.40E+01 | 2/2 | | | 2/2 | 2.50E+00 | 0/2 | 3.62E+04 | 0/2 | 3.62E+02 |
| Thorium-230 | 2.50E+00 | 3.60E+00 | 3.05E+00 | 2/2 | | | 2/2 | 1.50E+00 | 0/2 | 1.49E+03 | 0/2 | 1.49E+01 |
| Uranium-234 | 7.80E+00 | 1.00E+01 | 8.90E+00 | 2/2 | | | 2/2 | 2.50E+00 | 0/2 | 1.98E+03 | 0/2 | 1.98E+01 |
| Uranium-235 | 2.60E-01 | 4.20E-01 | 3.40E-01 | 2/2 | | | 2/2 | 1.40E-01 | 0/2 | 3.95E+01 | 1/2 | 3.95E-01 |
| Uranium-238 | 1.10E+01 | 1.40E+01 | 1.25E+01 | 2/2 | | | 2/2 | 1.20E+00 | 0/2 | 1.71E+02 | 2/2 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| 2,4-Dimethylphenol | 1.80E-01 | 2.20E-01 | 2.00E-01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 4.51E+04 | 0/2 | 2.25E+02 |
| 2-Methylnaphthalene | 6.30E+00 | 1.00E+01 | 8.15E+00 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| 2-Methylphenol | 9.90E-02 | 9.90E-02 | 9.90E-02 | 1/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 1.00E+05 | 0/2 | 5.62E+02 |
| 4-Methylphenol | 2.20E-01 | 2.30E-01 | 2.25E-01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 1.32E+04 | 0/2 | 7.18E+01 |
| Acenaphthene | 9.30E+00 | 1.70E+01 | 1.32E+01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 6.67E+04 | 0/2 | 3.16E+02 |
| Acenaphthylene | 2.60E+00 | 3.60E+00 | 3.10E+00 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Anthracene | 6.10E+00 | 2.30E+01 | 1.46E+01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 1.00E+05 | 0/2 | 3.79E+03 |
| Benz(a)anthracene | 1.60E+01 | 2.80E+01 | 2.20E+01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 2.08E+02 | 2/2 | 2.12E-01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.20. Summary of Surface and Subsurface Historical Data at SWMU 11 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Benzo(a)pyrene | 1.60E+01 | 2.90E+01 | 2.25E+01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 1/2 | 2.08E+01 | 2/2 | 2.12E-02 |
| Benzo(b)fluoranthene | 8.50E+00 | 1.60E+01 | 1.23E+01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 2.08E+02 | 2/2 | 2.12E-01 |
| Benzo(ghi)perylene | 3.40E+00 | 1.30E+01 | 8.20E+00 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benzo(k)fluoranthene | 1.10E+01 | 1.90E+01 | 1.50E+01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 2.08E+03 | 2/2 | 2.12E+00 |
| Chrysene | 1.70E+01 | 2.90E+01 | 2.30E+01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 2.08E+04 | 1/2 | 2.12E+01 |
| Dibenz(a,h)anthracene | 1.50E+00 | 4.30E+00 | 2.90E+00 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 2.08E+01 | 2/2 | 2.12E-02 |
| Dibenzofuran | 5.90E+00 | 9.10E+00 | 7.50E+00 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 9.02E+03 | 0/2 | 1.86E+01 |
| Dimethylnaphthalene | 3.00E+00 | 7.00E+00 | 4.75E+00 | 4/4 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Fluoranthene | 3.50E+01 | 6.00E+01 | 4.75E+01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 6.50E+04 | 0/2 | 2.21E+02 |
| Fluorene | 8.70E+00 | 1.70E+01 | 1.29E+01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 7.09E+04 | 0/2 | 3.39E+02 |
| Indeno(1,2,3-cd)pyrene | 3.80E+00 | 1.20E+01 | 7.90E+00 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 2.08E+02 | 2/2 | 2.12E-01 |
| Methylphenanthrene | 9.00E+00 | 1.00E+01 | 9.50E+00 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Naphthalene | 5.80E+00 | 1.60E+01 | 1.09E+01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 7.66E+02 | 0/2 | 2.36E+01 |
| Phenanthrene | 4.70E+01 | 6.30E+01 | 5.50E+01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 3.60E+01 | 4.10E+01 | 3.85E+01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 4.87E+04 | 0/2 | 1.65E+02 |
| Pyrene,1-methyl | 9.00E+00 | 1.00E+01 | 9.50E+00 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Trimethylnaphthalene | 8.00E+00 | 1.00E+01 | 9.00E+00 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 1.00E-03 | 1.00E-03 | 1.00E-03 | 1/2 | 6.00E-03 | 6.00E-03 | n/a | n/a | 0/2 | 9.38E+03 | 0/2 | 1.56E+02 |
| Tetrachloroethene | 3.00E-03 | 3.00E-03 | 3.00E-03 | 1/9 | 6.00E-03 | 6.00E-03 | n/a | n/a | 0/9 | 1.46E+03 | 0/9 | 3.90E+00 |
| Toluene | 3.00E-03 | 3.00E-03 | 3.00E-03 | 1/2 | 6.00E-03 | 6.00E-03 | n/a | n/a | 0/2 | 7.28E+03 | 0/2 | 2.11E+02 |
| Trichloroethene | 8.00E-04 | 1.72E+01 | 4.84E+00 | 8/9 | 1.00E-03 | 1.00E-03 | n/a | n/a | 0/9 | 2.98E+02 | 4/9 | 2.51E+00 |
| Subsurface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 2.54E+03 | 2.03E+04 | 9.02E+03 | 282/282 | 1.00E+01 | 1.00E+02 | 45/282 | 1.20E+04 | 0/282 | 1.00E+05 | 264/282 | 4.64E+03 |
| Antimony | 6.00E-01 | 1.70E+00 | 9.45E-01 | 11/38 | 6.00E-01 | 5.00E+00 | 11/38 | 2.10E+01 | 0/38 | 4.63E+02 | 11/38 | 3.79E-01 |
| Arsenic | 1.36E+00 | 2.29E+01 | 5.35E+00 | 63/282 | 7.00E-02 | 2.00E+01 | 7/282 | 7.90E+00 | 0/282 | 3.15E+02 | 63/282 | 5.23E-01 |
| Barium | 1.37E+01 | 1.62E+03 | 7.34E+01 | 282/282 | 2.00E-02 | 2.50E+01 | 11/282 | 1.70E+02 | 0/282 | 1.00E+05 | 3/282 | 2.29E+02 |
| Beryllium | 2.20E-01 | 8.50E-01 | 5.34E-01 | 38/38 | 1.00E-02 | 1.00E-02 | 4/38 | 6.90E-01 | 0/38 | 1.28E+03 | 0/38 | 9.48E-01 |
| Cadmium | 2.00E-02 | 1.10E+00 | 2.55E-01 | 22/38 | 2.00E-02 | 7.50E-01 | 7/38 | 2.10E-01 | 0/38 | 7.05E+01 | 0/38 | 2.13E+01 |
| Calcium | 2.40E+02 | 2.52E+05 | 5.16E+03 | 282/282 | 1.00E-01 | 2.00E+03 | 26/282 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 3.50E+00 | 1.17E+02 | 1.52E+01 | 281/282 | 8.00E-02 | 2.50E+00 | n/a | n/a | n/a | n/a | 0/282 | 3.56E+02 |
| Cobalt | 1.05E+00 | 1.61E+01 | 5.00E+00 | 38/38 | 9.00E-02 | 1.00E-01 | 2/38 | 1.30E+01 | 0/38 | 1.00E+05 | 0/38 | 1.92E+03 |
| Copper | 2.70E+00 | 1.44E+01 | 8.52E+00 | 38/38 | 1.00E-01 | 1.00E-01 | 0/38 | 2.50E+01 | 0/38 | 1.00E+05 | 0/38 | 4.93E+02 |
| Iron | 2.46E+03 | 5.51E+04 | 1.35E+04 | 282/282 | 7.00E+00 | 1.00E+02 | 6/282 | 2.80E+04 | 0/282 | 1.00E+05 | 282/282 | 2.07E+03 |
| Lead | 4.50E+00 | 1.07E+02 | 1.34E+01 | 43/282 | 2.00E-01 | 2.00E+01 | 5/282 | 2.30E+01 | 0/282 | 1.25E+03 | 1/282 | 5.00E+01 |
| Magnesium | 1.16E+02 | 7.84E+03 | 1.15E+03 | 282/282 | 1.00E-01 | 5.00E+00 | 12/282 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 4.60E+00 | 3.05E+03 | 2.46E+02 | 282/282 | 2.00E-02 | 5.00E+00 | 10/282 | 8.20E+02 | 0/282 | 4.64E+04 | 211/282 | 4.52E+01 |
| Mercury | 9.50E-03 | 5.70E-01 | 4.30E-02 | 25/282 | 8.60E-03 | 2.00E-01 | 1/282 | 1.30E-01 | 0/282 | 8.25E+02 | 0/282 | 9.82E-01 |
| Nickel | 2.30E+00 | 7.36E+01 | 9.49E+00 | 160/282 | 1.00E-01 | 5.00E+00 | 2/282 | 2.20E+01 | 0/282 | 9.30E+04 | 0/282 | 2.42E+02 |
| Potassium | 8.10E+01 | 1.07E+03 | 3.72E+02 | 263/282 | 2.00E+00 | 2.00E+02 | 2/282 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Selenium | 2.00E-01 | 1.84E+00 | 1.17E+00 | 23/282 | 1.30E-01 | 2.00E+01 | 21/282 | 7.00E-01 | 0/282 | 2.56E+04 | 0/282 | 9.49E+01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.20. Summary of Surface and Subsurface Historical Data at SWMU 11 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Silver | 1.80E-01 | 8.00E-01 | 4.60E-01 | 3/38 | 8.00E-02 | 2.70E+00 | 0/38 | 2.70E+00 | 0/38 | 2.07E+04 | 0/38 | 4.11E+01 |
| Sodium | 3.10E+00 | 3.47E+03 | 3.58E+02 | 180/282 | 1.00E+00 | 2.50E+02 | 92/282 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Thallium | 6.00E-01 | 1.10E+00 | 8.67E-01 | 3/38 | 1.80E-01 | 1.21E+00 | 3/38 | 3.40E-01 | n/a | n/a | n/a | n/a |
| Uranium | 1.02E+02 | 3.40E+02 | 1.64E+02 | 37/244 | 1.00E-02 | 1.00E+03 | 37/244 | 4.60E+00 | 0/244 | 3.34E+03 | 37/244 | 2.02E+01 |
| Vanadium | 5.26E+00 | 7.24E+01 | 2.31E+01 | 281/282 | 1.00E-01 | 2.50E+00 | 24/282 | 3.70E+01 | 0/282 | 4.47E+03 | 281/282 | 3.32E+00 |
| Zinc | 5.73E+00 | 4.94E+01 | 2.65E+01 | 38/38 | 8.00E-02 | 1.00E-01 | 0/38 | 6.00E+01 | 0/38 | 1.00E+05 | 0/38 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 7.30E-01 | 7.30E-01 | 7.30E-01 | 1/42 | 2.00E-02 | 1.00E+00 | n/a | n/a | 0/42 | 4.25E+01 | 1/42 | 1.99E-01 |
| PCB-1254 | 7.30E-01 | 7.30E-01 | 7.30E-01 | 1/19 | 1.90E-02 | 2.10E-01 | n/a | n/a | 0/19 | 1.82E+01 | 1/19 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 4.51E-01 | 3.52E+01 | 7.20E+00 | 309/322 | 1.35E-01 | 1.42E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Americium-241 | 1.00E-01 | 2.00E-01 | 1.23E-01 | 31/281 | 5.79E-02 | 3.01E-01 | n/a | n/a | 0/281 | 5.16E+02 | 0/281 | 5.16E+00 |
| Beta activity | 1.53E-01 | 4.56E+01 | 7.63E+00 | 309/322 | 1.05E-01 | 1.97E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 2.50E-02 | 5.00E-01 | 1.48E-01 | 49/281 | 1.48E-02 | 1.04E-01 | 10/281 | 2.80E-01 | 0/281 | 8.58E+00 | 38/281 | 8.58E-02 |
| Neptunium-237 | 1.00E-01 | 5.00E-01 | 1.99E-01 | 39/281 | 2.77E-02 | 1.62E-01 | n/a | n/a | 0/281 | 2.71E+01 | 12/281 | 2.71E-01 |
| Plutonium-239 | 1.00E-01 | 2.00E-01 | 1.05E-01 | 37/37 | 5.00E-02 | 7.31E-02 | n/a | n/a | 0/37 | 1.15E+03 | 0/37 | 1.15E+01 |
| Plutonium-239/240 | 5.94E-02 | 2.49E-01 | 9.97E-02 | 7/244 | 5.00E-02 | 7.31E-02 | n/a | n/a | 0/244 | 1.15E+03 | 0/244 | 1.15E+01 |
| Technetium-99 | 2.00E-01 | 1.53E+01 | 2.27E+00 | 45/283 | 5.00E-01 | 4.76E+00 | 20/283 | 2.80E+00 | 0/283 | 3.62E+04 | 0/283 | 3.62E+02 |
| Thorium-230 | 1.07E-01 | 1.85E+00 | 4.63E-01 | 255/281 | 8.52E-02 | 4.18E-01 | 8/281 | 1.40E+00 | 0/281 | 1.49E+03 | 0/281 | 1.49E+01 |
| Uranium | 7.00E-01 | 9.40E+00 | 1.98E+00 | 37/37 | 1.80E-02 | 1.80E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 4.00E-01 | 3.50E+00 | 1.23E+00 | 50/281 | 6.10E-02 | 1.80E+00 | 6/281 | 2.40E+00 | 0/281 | 1.98E+03 | 0/281 | 1.98E+01 |
| Uranium-235 | 1.64E-02 | 2.01E-01 | 6.62E-02 | 222/281 | 1.49E-02 | 1.03E-01 | 12/281 | 1.40E-01 | 0/281 | 3.95E+01 | 0/281 | 3.95E-01 |
| Uranium-238 | 3.00E-01 | 6.75E+00 | 1.28E+00 | 203/281 | 8.90E-03 | 2.34E+00 | 75/281 | 1.20E+00 | 0/281 | 1.71E+02 | 37/281 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| 1,2-Benzenedicarboxylic acid | 2.00E-01 | 4.00E-01 | 3.00E-01 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 2,3,3-Trimethylhexane | 1.70E-01 | 1.70E-01 | 1.70E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 2-methylheptane | 2.10E-01 | 2.10E-01 | 2.10E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Acenaphthene | 1.40E-01 | 1.40E-01 | 1.40E-01 | 1/55 | 3.80E-01 | 8.00E+00 | n/a | n/a | 0/55 | 6.67E+04 | 0/55 | 3.16E+02 |
| Anthracene | 2.90E-01 | 2.90E-01 | 2.90E-01 | 1/55 | 3.80E-01 | 8.00E+00 | n/a | n/a | 0/55 | 1.00E+05 | 0/55 | 3.79E+03 |
| Benz(a)anthracene | 5.00E-02 | 2.30E+00 | 6.35E-01 | 4/55 | 3.80E-01 | 8.00E+00 | n/a | n/a | 0/55 | 2.08E+02 | 1/55 | 2.12E-01 |
| Benzo(a)pyrene | 5.00E-02 | 2.40E+00 | 6.73E-01 | 4/55 | 3.80E-01 | 8.00E+00 | n/a | n/a | 0/55 | 2.08E+01 | 4/55 | 2.12E-02 |
| Benzo(b)fluoranthene | 8.00E-02 | 2.90E+00 | 1.04E+00 | 3/55 | 3.80E-01 | 8.00E+00 | n/a | n/a | 0/55 | 2.08E+02 | 1/55 | 2.12E-01 |
| Benzo(ghi)perylene | 6.50E-02 | 1.00E+00 | 4.05E-01 | 3/55 | 3.80E-01 | 8.00E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benzo(k)fluoranthene | 5.00E-02 | 1.20E+00 | 3.65E-01 | 4/55 | 3.80E-01 | 8.00E+00 | n/a | n/a | 0/55 | 2.08E+03 | 0/55 | 2.12E+00 |
| Bis(2-ethylhexyl)phthalate | 4.00E-02 | 4.47E-01 | 9.75E-02 | 20/55 | 3.80E-01 | 8.00E+00 | n/a | n/a | 0/55 | 7.40E+03 | 0/55 | 8.84E+00 |
| Chrysene | 5.00E-02 | 2.60E+00 | 7.15E-01 | 4/55 | 3.80E-01 | 8.00E+00 | n/a | n/a | 0/55 | 2.08E+04 | 0/55 | 2.12E+01 |
| Dibenz(a,h)anthracene | 4.60E-01 | 4.60E-01 | 4.60E-01 | 1/55 | 3.80E-01 | 8.00E+00 | n/a | n/a | 0/55 | 2.08E+01 | 1/55 | 2.12E-02 |
| Dibenzofuran | 4.00E-02 | 4.00E-02 | 4.00E-02 | 1/55 | 3.80E-01 | 8.00E+00 | n/a | n/a | 0/55 | 9.02E+03 | 0/55 | 1.86E+01 |
| Diethyl phthalate | 5.00E-02 | 4.90E+00 | 1.33E+00 | 6/55 | 3.80E-01 | 8.00E+00 | n/a | n/a | 0/55 | 1.00E+05 | 0/55 | 1.55E+04 |
| Di-n-butyl phthalate | 6.20E-02 | 1.77E+00 | 6.80E-01 | 14/55 | 3.80E-01 | 8.00E+00 | n/a | n/a | 0/55 | 1.00E+05 | 0/55 | 2.13E+03 |
| Fluoranthene | 9.00E-02 | 4.00E+00 | 1.11E+00 | 4/55 | 3.80E-01 | 8.00E+00 | n/a | n/a | 0/55 | 6.50E+04 | 0/55 | 2.21E+02 |
| Fluorene | 9.00E-02 | 9.00E-02 | 9.00E-02 | 1/55 | 3.80E-01 | 8.00E+00 | n/a | n/a | 0/55 | 7.09E+04 | 0/55 | 3.39E+02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.20. Summary of Surface and Subsurface Historical Data at SWMU 11 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|----------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Indeno(1,2,3-cd)pyrene | 1.30E-01 | 1.10E+00 | 6.15E-01 | 2/55 | 6.60E-02 | 8.00E+00 | n/a | n/a | 0/55 | 2.08E+02 | 1/55 | 2.12E-01 |
| N-Nitroso-di-n-propylamine | 4.47E-01 | 4.47E-01 | 4.47E-01 | 1/55 | 3.80E-01 | 8.00E+00 | n/a | n/a | 0/55 | 1.84E+01 | 1/55 | 2.31E-02 |
| Phenanthrene | 4.00E-02 | 1.50E+00 | 5.43E-01 | 3/55 | 3.80E-01 | 8.00E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 8.00E-02 | 3.30E+00 | 9.30E-01 | 4/55 | 3.80E-01 | 8.00E+00 | n/a | n/a | 0/55 | 4.87E+04 | 0/55 | 1.65E+02 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 3.30E-03 | 2.40E+00 | 6.09E-01 | 4/285 | 6.00E-03 | 1.20E+02 | n/a | n/a | 0/285 | 9.38E+03 | 0/285 | 1.56E+02 |
| 1,1,2-Trichloroethane | 3.10E-03 | 5.30E-01 | 9.87E-02 | 6/285 | 6.00E-03 | 1.20E+02 | n/a | n/a | 0/285 | 1.69E+02 | 0/285 | 1.18E+00 |
| 1,1-Dichloroethane | 1.50E-03 | 9.50E-01 | 1.41E-01 | 7/322 | 6.00E-03 | 6.32E+02 | n/a | n/a | 0/322 | 1.21E+01 | 1/322 | 9.59E-02 |
| 1,2-Dichloroethane | 2.30E-01 | 2.00E+01 | 4.73E+00 | 11/119 | 6.00E-03 | 2.40E+02 | n/a | n/a | 0/119 | 2.66E+04 | 0/119 | 6.60E+01 |
| 2,5-Dimethylhexane | 1.60E-01 | 1.60E-01 | 1.60E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 2-Hexanone | 8.40E-03 | 8.40E-03 | 8.40E-03 | 1/285 | 1.00E-02 | 1.20E+02 | n/a | n/a | n/a | n/a | n/a | n/a |
| Acetone | 9.50E-03 | 4.60E-01 | 5.82E-02 | 60/285 | 1.00E-02 | 1.20E+02 | n/a | n/a | 0/285 | 1.91E+04 | 0/285 | 3.58E+02 |
| Benzene | 1.70E-02 | 1.70E-02 | 1.70E-02 | 1/285 | 6.00E-03 | 1.20E+02 | n/a | n/a | 0/285 | 7.45E+01 | 0/285 | 1.13E+00 |
| Carbon tetrachloride | 2.00E-03 | 7.10E-01 | 1.87E-01 | 4/285 | 6.00E-03 | 1.20E+02 | n/a | n/a | 0/285 | 2.31E+01 | 1/285 | 4.08E-01 |
| Chloroform | 1.50E-03 | 1.80E-02 | 6.00E-03 | 5/285 | 6.00E-03 | 1.20E+02 | n/a | n/a | 0/285 | 3.70E+00 | 0/285 | 1.23E-01 |
| cis-1,2-Dichloroethene | 1.40E-03 | 2.50E+00 | 4.10E-01 | 36/204 | 1.33E-03 | 6.32E+02 | n/a | n/a | 0/204 | 4.63E+02 | 0/204 | 1.34E+01 |
| Methylene chloride | 1.30E-03 | 1.80E+00 | 4.47E-01 | 40/285 | 6.00E-03 | 1.20E+02 | n/a | n/a | 0/285 | 2.16E+03 | 0/285 | 1.34E+01 |
| Tetrachloroethene | 1.30E-03 | 6.90E-01 | 1.23E-01 | 6/293 | 6.00E-03 | 1.20E+02 | n/a | n/a | 0/293 | 1.46E+03 | 0/293 | 3.90E+00 |
| Toluene | 1.00E-03 | 1.90E+00 | 2.17E-01 | 9/285 | 6.00E-03 | 1.20E+02 | n/a | n/a | 0/285 | 7.28E+03 | 0/285 | 2.11E+02 |
| trans-1,2-Dichloroethene | 2.10E-03 | 1.02E+02 | 1.89E+01 | 12/204 | 6.00E-03 | 6.32E+02 | n/a | n/a | 0/204 | 7.43E+02 | 4/204 | 2.20E+01 |
| Trichloroethene | 6.00E-04 | 1.11E+04 | 9.79E+01 | 249/337 | 1.00E-03 | 6.32E+02 | n/a | n/a | 9/337 | 2.98E+02 | 119/337 | 2.51E+00 |
| Trichlorofluoromethane | 1.70E-03 | 1.70E-03 | 1.70E-03 | 1/37 | 6.00E-03 | 3.00E-02 | n/a | n/a | 0/37 | 4.73E+03 | 0/37 | 1.28E+02 |
| Vinyl chloride | 3.40E-03 | 2.90E+01 | 1.94E+00 | 17/323 | 1.00E-03 | 6.32E+02 | n/a | n/a | 0/323 | 4.14E+01 | 3/323 | 1.34E-01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.29. Soils Operable Unit: SWMUs 11 and 78

SWMU 26 (C-400 to C-404 4-inch Underground Transfer Line, 1,500 ft long)

Area description

The C-400 to C-404 Underground Transfer Line (SWMU 26) is located in the central portion of the plant site. SWMU 26 is a 4-inch steel line, approximately 1,500 ft long.

Process history

From 1951 to 1956, SWMU 26 was used to transfer uranium-contaminated solutions from C-400 to C-404 for settling prior to discharge. The transfer line was abandoned in 1957.

Previous investigation results

The area surrounding the line was sampled during the Phase II SI (CH2M HILL 1992) and the WAG 6 RI (DOE 1999b), which located SWMU 26 in Sector 8 (refer to Section 5.1.3, SWMU 11, “*Previous Investigation Results*”). Results of the investigation indicate metals, PAHs, and radionuclide contamination occurred from leaks in the pipeline.

Metals and radiological contaminants were found in high concentrations in soil samples collected directly beneath the pipeline, and nickel and copper were detected in a soil sample collected at 7.5 ft bgs in a boring adjacent to the excavated pipeline area. A shallow soil sample (4 to 8 ft bgs) at the western most boring exhibited an isolated occurrence of TCE and its degradation product, *cis*-1,2 dichloroethene, at a low concentration and high radioactivity. The surface soil did not contain elevated radionuclide activity, which implies that the impact may be the result of a subsurface release.

The summary table from the BRA for WAG 6, showing which human health risks exceed *de minimis*, is located in the “*Previous Investigation Results*” of Section 5.1.3.

Table 5.21 is a summary of historical data followed by a map of historical sample locations (Figure 5.30).

Area utilities

The SWMU itself was a utility. No current recirculating water lines or sewers are associated with this facility; none are within the boundary of the SWMU. The underground transfer line ranged from about 2 ft bgs to 5 ft bgs.

Data Gap Determination

Additional pipeline samples are needed at this location.

Table 5.21. Summary of Surface and Subsurface Historical Data at SWMU 26

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 2.99E+03 | 3.46E+04 | 1.04E+04 | 21/21 | 1.71E+01 | 3.57E+02 | 5/21 | 1.30E+04 | 0/21 | 1.00E+05 | 19/21 | 4.64E+03 |
| Antimony | 6.00E-01 | 1.40E+00 | 1.00E+00 | 2/21 | 5.00E-01 | 2.00E+01 | 2/21 | 2.10E+01 | 0/21 | 4.63E+02 | 2/21 | 3.79E-01 |
| Arsenic | 4.66E+00 | 1.30E+02 | 3.56E+01 | 16/32 | 6.00E-02 | 2.00E+01 | 13/32 | 1.20E+01 | 0/32 | 3.15E+02 | 16/32 | 5.23E-01 |
| Barium | 3.13E+01 | 8.15E+02 | 2.04E+02 | 32/32 | 2.00E-02 | 3.57E+02 | 9/32 | 2.00E+02 | 0/32 | 1.00E+05 | 8/32 | 2.29E+02 |
| Beryllium | 4.20E-01 | 1.57E+01 | 2.15E+00 | 16/21 | 1.00E-02 | 8.90E+00 | 7/21 | 6.70E-01 | 0/21 | 1.28E+03 | 4/21 | 9.48E-01 |
| Cadmium | 5.00E-02 | 2.50E+00 | 1.66E+00 | 6/32 | 2.00E-02 | 8.90E+00 | 5/32 | 2.10E-01 | 0/32 | 7.05E+01 | 0/32 | 2.13E+01 |
| Calcium | 1.47E+03 | 4.16E+04 | 1.27E+04 | 11/11 | 1.00E-01 | 8.92E+03 | 7/11 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 4.85E+00 | 1.32E+02 | 2.87E+01 | 32/32 | 7.00E-02 | 1.79E+01 | n/a | n/a | n/a | n/a | 0/32 | 3.56E+02 |
| Cobalt | 2.74E+00 | 9.05E+01 | 1.67E+01 | 11/11 | 9.00E-02 | 8.92E+01 | 4/11 | 1.40E+01 | 0/11 | 1.00E+05 | 0/11 | 1.92E+03 |
| Copper | 7.55E+00 | 4.14E+02 | 6.04E+01 | 21/21 | 1.00E-01 | 4.46E+01 | 11/21 | 1.90E+01 | 0/21 | 1.00E+05 | 0/21 | 4.93E+02 |
| Iron | 8.06E+03 | 8.51E+04 | 1.72E+04 | 21/21 | 1.71E+01 | 1.79E+02 | 1/21 | 2.80E+04 | 0/21 | 1.00E+05 | 21/21 | 2.07E+03 |
| Lead | 9.40E+00 | 4.11E+02 | 6.87E+01 | 11/32 | 2.00E-01 | 2.00E+01 | 9/32 | 3.60E+01 | 0/32 | 1.25E+03 | 4/32 | 5.00E+01 |
| Lithium | 5.03E+00 | 2.24E+01 | 1.10E+01 | 5/5 | 5.00E+00 | 5.00E+00 | n/a | n/a | 0/5 | 1.00E+05 | 0/5 | 6.41E+02 |
| Magnesium | 6.34E+02 | 3.66E+03 | 1.39E+03 | 11/11 | 1.00E-01 | 8.92E+03 | 1/11 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 8.75E+01 | 1.20E+03 | 4.16E+02 | 21/21 | 2.00E-02 | 2.68E+01 | 2/21 | 1.50E+03 | 0/21 | 4.64E+04 | 21/21 | 4.52E+01 |
| Mercury | 2.06E-02 | 9.00E-01 | 3.57E-01 | 10/32 | 8.30E-03 | 2.00E-01 | 7/32 | 2.00E-01 | 0/32 | 8.25E+02 | 0/32 | 9.82E-01 |
| Molybdenum | 6.01E+00 | 9.40E+00 | 7.71E+00 | 2/4 | 4.27E+00 | 7.14E+01 | n/a | n/a | 0/4 | 2.50E+04 | 0/4 | 8.30E+01 |
| Nickel | 5.90E+00 | 2.55E+02 | 3.71E+01 | 29/29 | 1.00E-01 | 7.14E+01 | 15/29 | 2.10E+01 | 0/29 | 9.30E+04 | 1/29 | 2.42E+02 |
| Potassium | 2.14E+02 | 4.77E+02 | 3.40E+02 | 5/6 | 2.00E+00 | 8.92E+03 | 0/6 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Selenium | 3.00E-01 | 1.36E+01 | 5.95E+00 | 10/32 | 2.00E-01 | 2.68E+01 | 9/32 | 8.00E-01 | 0/32 | 2.56E+04 | 0/32 | 9.49E+01 |
| Silicon | 2.42E+03 | 2.42E+03 | 2.42E+03 | 1/1 | 8.92E+02 | 8.92E+02 | n/a | n/a | n/a | n/a | n/a | n/a |
| Silver | 1.00E-01 | 8.33E+01 | 3.32E+01 | 8/32 | 7.00E-02 | 1.79E+01 | 6/32 | 2.30E+00 | 0/32 | 2.07E+04 | 2/32 | 4.11E+01 |
| Sodium | 1.23E+02 | 3.54E+02 | 2.56E+02 | 5/6 | 1.00E+00 | 8.92E+03 | 1/6 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Thallium | 6.00E-01 | 1.39E+01 | 7.25E+00 | 2/25 | 5.00E-01 | 2.00E+01 | 2/25 | 2.10E-01 | 0/36 | 3.34E+03 | 21/36 | 2.02E+01 |
| Uranium | 6.49E+00 | 3.00E+03 | 5.44E+02 | 30/36 | 1.20E-01 | 8.92E+02 | 25/36 | 4.90E+00 | 0/36 | 3.34E+03 | 21/36 | 2.02E+01 |
| Vanadium | 1.31E+01 | 1.06E+02 | 2.81E+01 | 21/21 | 1.00E-01 | 3.57E+01 | 3/21 | 3.80E+01 | 0/21 | 4.47E+03 | 21/21 | 3.32E+00 |
| Zinc | 1.97E+01 | 8.00E+02 | 1.17E+02 | 11/11 | 9.00E-02 | 3.57E+01 | 4/11 | 6.50E+01 | 0/11 | 1.00E+05 | 0/11 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 1.20E-01 | 1.10E+01 | 2.11E+00 | 48/156 | 1.80E-02 | 1.00E+00 | n/a | n/a | 0/156 | 4.25E+01 | 43/156 | 1.99E-01 |
| PCB-1248 | 3.10E-01 | 4.90E-01 | 3.80E-01 | 3/141 | 1.80E-02 | 2.50E+00 | n/a | n/a | 0/141 | 4.25E+01 | 3/141 | 1.99E-01 |
| PCB-1254 | 7.10E-02 | 5.43E+00 | 7.55E-01 | 26/141 | 1.80E-02 | 5.00E+00 | n/a | n/a | 0/141 | 1.82E+01 | 23/141 | 1.99E-01 |
| PCB-1260 | 4.40E-02 | 1.10E+01 | 9.14E-01 | 33/141 | 1.80E-02 | 1.00E-01 | n/a | n/a | 0/141 | 4.25E+01 | 24/141 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Actinium-228 | 1.69E+00 | 1.69E+00 | 1.69E+00 | 1/1 | 6.60E-01 | 6.60E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Alpha activity | 7.60E+00 | 6.90E+01 | 2.33E+01 | 15/19 | 1.37E+00 | 1.14E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Americium-241 | 1.00E-01 | 8.81E-01 | 3.66E-01 | 6/24 | 2.00E-02 | 3.89E-01 | n/a | n/a | 0/24 | 5.16E+02 | 0/24 | 5.16E+00 |
| Beta activity | 5.44E+00 | 2.40E+02 | 4.87E+01 | 17/19 | 1.07E+00 | 1.93E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | -1.10E-01 | 2.05E+01 | 3.34E+00 | 54/63 | 1.00E-02 | 1.95E+00 | 40/63 | 4.90E-01 | 8/63 | 8.58E+00 | 46/63 | 8.58E-02 |
| Lead-212 | 1.88E+00 | 1.88E+00 | 1.88E+00 | 1/1 | 4.40E-01 | 4.40E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Lead-214 | 2.60E+00 | 2.60E+00 | 2.60E+00 | 1/1 | 2.80E-01 | 2.80E-01 | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.21. Summary of Surface and Subsurface Historical Data at SWMU 26 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|-----------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Mass of U-235 (mg/kg) | 1.25E-02 | 9.07E-01 | 3.12E-01 | 3/3 | 1.88E-03 | 2.00E-02 | n/a | n/a | n/a | n/a | n/a | n/a |
| Neptunium-237 (mg/kg) | 5.10E-02 | 1.85E-01 | 1.07E-01 | 10/14 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Neptunium-237 | 5.20E-02 | 5.50E+01 | 1.00E+01 | 10/26 | 2.00E-02 | 5.00E-01 | 8/26 | 1.00E-01 | 2/26 | 2.71E+01 | 5/26 | 2.71E-01 |
| Plutonium-239 | 2.00E-01 | 4.00E+01 | 3.30E+01 | 3/4 | 1.00E-03 | 1.00E-01 | 3/4 | 2.50E-02 | 0/4 | 1.15E+03 | 0/4 | 1.15E+01 |
| Plutonium-239 (mg/kg) | 9.80E-04 | 4.46E-03 | 1.97E-03 | 10/14 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Plutonium-239/240 | 7.10E-02 | 2.42E+00 | 1.03E+00 | 9/22 | 1.00E-02 | 6.00E-02 | n/a | n/a | 0/22 | 1.15E+03 | 0/22 | 1.15E+01 |
| Potassium-40 | 1.37E+01 | 1.37E+01 | 1.37E+01 | 1/1 | 1.90E+00 | 1.90E+00 | 0/1 | 1.60E+01 | n/a | n/a | n/a | n/a |
| Protactinium-234m | 7.90E+01 | 7.90E+01 | 7.90E+01 | 1/1 | 2.50E+01 | 2.50E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Radium-228 | 1.69E+00 | 1.69E+00 | 1.69E+00 | 1/1 | 6.60E-01 | 6.60E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Technetium-99 (mg/kg) | 0.00E+00 | 2.23E+00 | 7.88E-01 | 12/12 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Technetium-99 | 3.10E+00 | 6.60E+02 | 9.47E+01 | 20/28 | 5.00E-01 | 3.26E+00 | 20/28 | 2.50E+00 | 0/28 | 3.62E+04 | 2/28 | 3.62E+02 |
| Thallium-208 | 8.20E-01 | 8.20E-01 | 8.20E-01 | 1/1 | 1.60E-01 | 1.60E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Thorium-228 | 1.55E-01 | 1.81E+00 | 5.64E-01 | 9/12 | 2.69E-02 | 5.00E-01 | 1/12 | 1.60E+00 | 0/12 | 2.80E+00 | 9/12 | 2.80E-02 |
| Thorium-230 (mg/kg) | 0.00E+00 | 8.32E-03 | 4.82E-03 | 12/12 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Thorium-230 | 2.81E-01 | 1.59E+01 | 3.17E+00 | 24/26 | 5.00E-02 | 3.02E-01 | 12/26 | 1.50E+00 | 0/26 | 1.49E+03 | 2/26 | 1.49E+01 |
| Thorium-232 | 1.96E-01 | 2.03E+00 | 6.69E-01 | 11/13 | 3.00E-02 | 6.60E-01 | 2/13 | 1.50E+00 | 0/13 | 1.35E+03 | 0/13 | 1.35E+01 |
| Thorium-234 | 7.48E+00 | 3.14E+02 | 9.98E+01 | 4/4 | 6.50E-01 | 5.00E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium (mg/kg) | 1.50E+03 | 3.00E+02 | 2.12E+03 | 30/36 | | | 5/36 | 4.90E+00 | n/a | n/a | n/a | n/a |
| Uranium | 1.02E+00 | 2.36E+02 | 4.51E+01 | 15/15 | 2.00E-02 | 4.06E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 2.00E-01 | 1.40E+02 | 1.61E+01 | 25/26 | 1.00E-02 | 1.00E+01 | 11/26 | 2.50E+00 | 0/26 | 1.98E+03 | 4/26 | 1.98E+01 |
| Uranium-235 | 2.70E-02 | 5.55E+00 | 1.28E+00 | 21/27 | 4.07E-03 | 2.00E+00 | 14/27 | 1.40E-01 | 0/27 | 3.95E+01 | 9/27 | 3.95E-01 |
| Uranium-238 | 2.30E-01 | 1.83E+03 | 5.42E+01 | 65/66 | 3.28E-03 | 1.00E+01 | 58/66 | 1.20E+00 | 2/66 | 1.71E+02 | 56/66 | 1.71E+00 |
| Semivolatile (mg/kg) | | | | | | | | | | | | |
| 1,2,4-Trichlorobenzene | 3.90E-03 | 3.90E-03 | 3.90E-03 | 1/12 | 6.60E-03 | 7.30E-01 | n/a | n/a | 0/12 | 1.79E+04 | 0/12 | 8.28E+01 |
| 1,2-Dichlorobenzene | 2.60E-03 | 2.60E-03 | 2.60E-03 | 1/12 | 6.60E-03 | 7.30E-01 | n/a | n/a | 0/12 | 1.29E+04 | 0/12 | 2.68E+02 |
| 1,3-Dichlorobenzene | 2.80E-03 | 2.80E-03 | 2.80E-03 | 1/12 | 6.60E-03 | 7.30E-01 | n/a | n/a | 0/12 | 2.66E+03 | 0/12 | 6.60E+00 |
| 1,4-Dichlorobenzene | 3.70E-03 | 3.70E-03 | 3.70E-03 | 1/12 | 6.60E-03 | 7.30E-01 | n/a | n/a | 0/12 | 8.30E+02 | 0/12 | 4.62E+00 |
| 2-Methylnaphthalene | 9.20E-01 | 6.60E+00 | 3.76E+00 | 2/9 | 4.70E-01 | 7.30E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Acenaphthene | 5.00E-02 | 5.00E-02 | 5.00E-02 | 1/28 | 4.00E-02 | 7.30E-01 | n/a | n/a | 0/28 | 6.67E+04 | 0/28 | 3.16E+02 |
| Anthracene | 1.60E-01 | 1.60E-01 | 1.60E-01 | 1/28 | 4.00E-02 | 7.30E-01 | n/a | n/a | 0/28 | 1.00E+05 | 0/28 | 3.79E+03 |
| Benz(a)anthracene | 3.40E-01 | 2.18E+00 | 9.65E-01 | 4/28 | 2.00E-02 | 7.30E-01 | n/a | n/a | 0/28 | 2.08E+02 | 4/28 | 2.12E-01 |
| Benz(o)a)pyrene | 2.20E-02 | 1.68E+00 | 6.73E-01 | 4/28 | 2.00E-02 | 7.30E-01 | n/a | n/a | 0/28 | 2.08E+01 | 4/28 | 2.12E-02 |
| Benz(o)b)fluoranthene | 3.00E-02 | 2.45E+00 | 9.03E-01 | 4/28 | 2.00E-02 | 7.30E-01 | n/a | n/a | 0/28 | 2.08E+02 | 3/28 | 2.12E-01 |
| Benz(o)ghi)perylene | 1.30E-01 | 1.30E-01 | 1.30E-01 | 1/26 | 4.00E-02 | 7.30E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benz(o)k)fluoranthene | 2.90E-01 | 2.90E-01 | 2.90E-01 | 1/23 | 2.00E-02 | 7.30E-01 | n/a | n/a | 0/23 | 2.08E+03 | 0/23 | 2.12E+00 |
| Bis(2-ethylhexyl)phthalate | 8.00E-02 | 8.00E-02 | 8.00E-02 | 1/9 | 4.70E-01 | 7.30E-01 | n/a | n/a | 0/9 | 7.40E+03 | 0/9 | 8.84E+00 |
| Chrysene | 2.20E-02 | 2.42E+00 | 8.84E-01 | 5/28 | 2.00E-02 | 7.30E-01 | n/a | n/a | 0/28 | 2.08E+04 | 0/28 | 2.12E+01 |
| Di-n-butyl phthalate | 4.00E-02 | 4.00E-02 | 4.00E-02 | 1/4 | 7.09E-01 | 7.30E-01 | n/a | n/a | 0/4 | 1.00E+05 | 0/4 | 2.13E+03 |
| Fluoranthene | 4.00E-02 | 5.98E+00 | 1.73E+00 | 4/23 | 4.00E-02 | 7.30E-01 | n/a | n/a | 0/23 | 6.50E+04 | 0/23 | 2.21E+02 |
| Fluorene | 5.00E-02 | 5.00E-02 | 5.00E-02 | 1/28 | 4.00E-02 | 7.30E-01 | n/a | n/a | 0/28 | 7.09E+04 | 0/28 | 3.39E+02 |
| Indeno(1,2,3-cd)pyrene | 3.30E-02 | 5.60E-01 | 2.44E-01 | 3/28 | 2.00E-02 | 7.30E-01 | n/a | n/a | 0/28 | 2.08E+02 | 1/28 | 2.12E-01 |
| Naphthalene | 4.80E-03 | 4.10E+00 | 1.55E+00 | 3/31 | 6.60E-03 | 7.30E-01 | n/a | n/a | 0/31 | 7.66E+02 | 0/31 | 2.36E+01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.21. Summary of Surface and Subsurface Historical Data at SWMU 26 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|-----------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Phenanthrene | 5.60E-01 | 4.32E+00 | 1.71E+00 | 6/28 | 4.00E-02 | 7.30E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 5.60E-02 | 5.66E+00 | 1.75E+00 | 5/28 | 4.00E-02 | 7.30E-01 | n/a | n/a | 0/28 | 4.87E+04 | 0/28 | 1.65E+02 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| (1,1-Dimethylethyl)benzene | 1.00E-03 | 1.00E-03 | 1.00E-03 | 1/3 | 6.60E-03 | 8.90E-03 | n/a | n/a | 0/3 | 5.54E+04 | 0/3 | 7.33E+01 |
| (1-Methylpropyl)benzene | 1.40E-03 | 1.40E-03 | 1.40E-03 | 1/3 | 6.60E-03 | 8.90E-03 | n/a | n/a | 0/3 | 5.54E+04 | 0/3 | 7.33E+01 |
| 1,1,1-Trichloroethane | 1.20E-03 | 1.20E-03 | 1.20E-03 | 1/15 | 5.00E-03 | 1.10E-02 | n/a | n/a | 0/15 | 9.38E+03 | 0/15 | 1.56E+02 |
| 1,2,4-Trimethylbenzene | 2.30E-03 | 2.30E-03 | 2.30E-03 | 1/3 | 6.60E-03 | 8.90E-03 | n/a | n/a | 0/3 | 1.00E+05 | 0/3 | 3.67E+02 |
| 1,2-Dimethylbenzene | 8.60E-04 | 8.60E-04 | 8.60E-04 | 1/8 | 6.60E-03 | 1.00E-02 | n/a | n/a | 0/8 | 1.00E+05 | 0/8 | 4.53E+03 |
| 1,3,5-Trimethylbenzene | 1.80E-03 | 1.80E-03 | 1.80E-03 | 1/3 | 6.60E-03 | 8.90E-03 | n/a | n/a | 0/3 | 1.00E+05 | 0/3 | 3.67E+02 |
| 1-Methyl-4-(1-methylethyl)benzene | 1.90E-03 | 1.90E-03 | 1.90E-03 | 1/3 | 6.60E-03 | 8.90E-03 | n/a | n/a | n/a | n/a | n/a | n/a |
| Acetone | 5.50E-03 | 1.30E-02 | 9.25E-03 | 2/12 | 1.00E-02 | 3.60E-02 | n/a | n/a | 0/12 | 1.91E+04 | 0/12 | 3.58E+02 |
| Benzene | 6.30E-04 | 6.30E-04 | 6.30E-04 | 1/12 | 6.60E-03 | 1.10E-02 | n/a | n/a | 0/12 | 7.45E+01 | 0/12 | 1.13E+00 |
| Butylbenzene | 2.10E-03 | 2.10E-03 | 2.10E-03 | 1/3 | 6.60E-03 | 8.90E-03 | n/a | n/a | 0/3 | 5.54E+04 | 0/3 | 7.33E+01 |
| Carbon disulfide | 9.80E-04 | 9.80E-04 | 9.80E-04 | 1/10 | 6.60E-03 | 1.10E-02 | n/a | n/a | 0/10 | 3.17E+03 | 0/10 | 1.06E+02 |
| cis-1,2-Dichloroethene | 3.10E-04 | 3.10E-04 | 3.10E-04 | 1/3 | 6.60E-03 | 8.90E-03 | n/a | n/a | 0/3 | 4.63E+02 | 0/3 | 1.34E+01 |
| Ethylbenzene | 1.00E-03 | 1.00E-03 | 1.00E-03 | 1/12 | 6.60E-03 | 1.10E-02 | n/a | n/a | 0/12 | 2.12E+03 | 0/12 | 2.12E+01 |
| m,p-Xylene | 1.90E-03 | 1.90E-03 | 1.90E-03 | 1/8 | 6.60E-03 | 2.00E-02 | n/a | n/a | 0/8 | 2.20E+04 | 0/8 | 7.24E+02 |
| Methylene chloride | 6.20E-02 | 6.20E-02 | 6.20E-02 | 1/12 | 6.60E-03 | 1.10E-02 | n/a | n/a | 0/12 | 2.16E+03 | 0/12 | 1.34E+01 |
| Propylbenzene | 2.00E-03 | 2.00E-03 | 2.00E-03 | 1/3 | 6.60E-03 | 8.90E-03 | n/a | n/a | 0/3 | 2.96E+04 | 0/3 | 7.33E+01 |
| Styrene | 9.90E-04 | 9.90E-04 | 9.90E-04 | 1/10 | 6.60E-03 | 1.10E-02 | n/a | n/a | 0/10 | 5.62E+04 | 0/10 | 8.58E+02 |
| Toluene | 7.00E-02 | 2.10E-01 | 1.40E-01 | 2/12 | 6.60E-03 | 1.00E-02 | n/a | n/a | 0/12 | 7.28E+03 | 0/12 | 2.11E+02 |
| Trichloroethene | 3.40E-03 | 3.40E-03 | 3.40E-03 | 1/15 | 5.00E-03 | 1.10E-02 | n/a | n/a | 0/15 | 2.98E+02 | 0/15 | 2.51E+00 |
| Subsurface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 2.72E+03 | 1.75E+04 | 1.04E+04 | 56/56 | 1.94E+01 | 1.00E+02 | 20/56 | 1.20E+04 | 0/56 | 1.00E+05 | 51/56 | 4.64E+03 |
| Antimony | 7.00E-01 | 1.90E+00 | 1.12E+00 | 9/56 | 3.90E-01 | 2.00E+01 | 9/56 | 2.10E-01 | 0/56 | 4.63E+02 | 9/56 | 3.79E-01 |
| Arsenic | 4.30E-01 | 3.01E+01 | 6.42E+00 | 39/56 | 7.00E-02 | 2.00E+01 | 13/56 | 7.90E+00 | 0/56 | 3.15E+02 | 37/56 | 5.23E-01 |
| Barium | 1.38E+01 | 4.13E+02 | 1.01E+02 | 56/56 | 2.00E-02 | 2.50E+00 | 4/56 | 1.70E+02 | 0/56 | 1.00E+05 | 3/56 | 2.29E+02 |
| Beryllium | 3.40E-01 | 2.49E+01 | 2.00E+00 | 46/56 | 1.00E-02 | 5.00E-01 | 17/56 | 6.90E-01 | 0/56 | 1.28E+03 | 10/56 | 9.48E-01 |
| Cadmium | 3.00E-02 | 3.00E+00 | 1.33E+00 | 13/56 | 2.00E-02 | 2.00E+00 | 9/56 | 2.10E-01 | 0/56 | 7.05E+01 | 0/56 | 2.13E+01 |
| Calcium | 5.55E+02 | 1.13E+05 | 5.84E+03 | 47/47 | 1.00E-01 | 2.00E+02 | 9/47 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 1.60E+00 | 4.61E+02 | 2.78E+01 | 56/56 | 8.00E-02 | 2.50E+00 | n/a | n/a | n/a | n/a | 1/56 | 3.56E+02 |
| Cobalt | 1.50E+00 | 1.62E+01 | 6.86E+00 | 44/47 | 9.00E-02 | 5.80E+00 | 5/47 | 1.30E+01 | 0/47 | 1.00E+05 | 0/47 | 1.92E+03 |
| Copper | 1.00E+00 | 9.52E+03 | 2.17E+02 | 56/56 | 1.00E-01 | 2.00E+01 | 16/56 | 2.50E+01 | 0/56 | 1.00E+05 | 2/56 | 4.93E+02 |
| Iron | 4.28E+03 | 5.17E+04 | 1.54E+04 | 56/56 | 8.00E+00 | 1.00E+02 | 3/56 | 2.80E+04 | 0/56 | 1.00E+05 | 56/56 | 2.07E+03 |
| Lead | 5.20E+00 | 1.19E+02 | 1.77E+01 | 39/56 | 2.00E-01 | 2.00E+01 | 6/56 | 2.30E+01 | 0/56 | 1.25E+03 | 2/56 | 5.00E+01 |
| Lithium | 5.93E+00 | 2.44E+01 | 1.09E+01 | 12/14 | 5.00E+00 | 5.00E+00 | n/a | n/a | 0/14 | 1.00E+05 | 0/14 | 6.41E+02 |
| Magnesium | 1.03E+02 | 4.09E+03 | 1.33E+03 | 47/47 | 1.00E-01 | 4.94E+00 | 3/47 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 9.40E+00 | 1.79E+03 | 3.31E+02 | 56/56 | 2.00E-02 | 2.50E+00 | 3/56 | 8.20E+02 | 0/56 | 4.64E+04 | 49/56 | 4.52E+01 |
| Mercury | 1.36E-02 | 1.23E+01 | 5.68E-01 | 25/56 | 8.90E-03 | 2.00E-01 | 4/56 | 1.30E-01 | 0/56 | 8.25E+02 | 1/56 | 9.82E-01 |
| Nickel | 2.70E+00 | 1.76E+04 | 3.84E+02 | 51/56 | 1.00E-01 | 1.00E+02 | 16/56 | 2.20E+01 | 0/56 | 9.30E+04 | 4/56 | 2.42E+02 |
| Potassium | 1.22E+02 | 1.19E+03 | 3.96E+02 | 30/31 | 2.00E+00 | 1.37E+02 | 4/31 | 9.50E+02 | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.21. Summary of Surface and Subsurface Historical Data at SWMU 26 (Continued)

| Analysis | Detected Results | | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|----------|------------------------|-----------------|---------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | Maximum | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | | |
| Selenium | 6.00E-01 | 1.63E+00 | 1.03E+00 | 2.00E+01 | 2.00E-01 | 2.00E+01 | 4/56 | 7.00E-01 | 0/56 | 2.56E+04 | 0/56 | 9.49E+01 | |
| Silver | 1.20E-01 | 4.46E+00 | 2.20E+00 | 2.50E+00 | 8.00E-02 | 2.50E+00 | 4/56 | 2.70E+00 | 0/56 | 2.07E+04 | 0/56 | 4.11E+01 | |
| Sodium | 1.64E+02 | 1.17E+03 | 3.41E+02 | 3.72E+02 | 1.00E+00 | 3.72E+02 | 14/33 | 3.40E+02 | n/a | n/a | n/a | n/a | |
| Sulfur | 4.00E-01 | 4.00E-01 | 4.00E-01 | 4.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | |
| Thallium | 3.00E-01 | 4.10E-01 | 3.55E-01 | 2.00E+01 | 2.40E-01 | 2.00E+01 | 2/56 | 3.40E-01 | n/a | n/a | n/a | n/a | |
| Tin | 1.10E+02 | 1.27E+02 | 1.16E+02 | 1.00E+02 | 1.00E+02 | 1.00E+02 | n/a | n/a | 0/14 | 1.00E+05 | 0/14 | 2.79E+03 | |
| Uranium | 1.78E+00 | 6.33E+02 | 2.13E+02 | 1.00E+02 | 9.71E-01 | 1.00E+02 | 4/25 | 4.60E+00 | 0/25 | 3.34E+03 | 4/25 | 2.02E+01 | |
| Vanadium | 8.60E+00 | 7.48E+01 | 2.51E+01 | 3.00E+00 | 1.00E-01 | 3.00E+00 | 5/56 | 3.70E+01 | 0/56 | 4.47E+03 | 56/56 | 3.32E+00 | |
| Zinc | 1.90E+00 | 1.81E+02 | 3.73E+01 | 1.98E+01 | 9.00E-02 | 1.98E+01 | 7/47 | 6.00E+01 | 0/47 | 1.00E+05 | 0/47 | 2.73E+03 | |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | | |
| PCB, Total | 3.20E-02 | 8.50E-01 | 2.47E-01 | 1.00E+00 | 1.90E-02 | 1.00E+00 | n/a | n/a | 0/51 | 4.25E+01 | 1/51 | 1.99E-01 | |
| PCB-1254 | 3.20E-02 | 3.20E-02 | 3.20E-02 | 2.10E-01 | 1.80E-02 | 2.10E-01 | n/a | n/a | 0/51 | 1.82E+01 | 0/51 | 1.99E-01 | |
| PCB-1260 | 6.30E-02 | 8.50E-01 | 3.01E-01 | 2.10E-01 | 1.80E-02 | 2.10E-01 | n/a | n/a | 0/51 | 4.25E+01 | 1/51 | 1.99E-01 | |
| Radionuclides (pCi/g) | | | | | | | | | | | | | |
| Alpha activity | 2.10E+00 | 8.78E+02 | 6.16E+01 | 1.25E+01 | 8.00E-01 | 1.25E+01 | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| Americium-241 | 1.00E-01 | 6.00E-01 | 2.22E-01 | 3.37E-01 | 2.21E-02 | 3.37E-01 | n/a | n/a | 0/33 | 5.16E+02 | 0/33 | 5.16E+00 | |
| Beta activity | 3.49E+00 | 8.08E+03 | 3.86E+02 | 1.92E+01 | 1.40E+00 | 1.92E+01 | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 3.65E-02 | 1.11E+01 | 1.13E+00 | 4.96E-02 | 2.15E-02 | 4.96E-02 | 5/33 | 2.80E-01 | 1/33 | 8.58E+00 | 12/33 | 8.58E-02 | |
| Neptunium-237 | 1.00E-01 | 5.26E+01 | 4.35E+00 | 9.39E-02 | 3.31E-02 | 9.39E-02 | n/a | n/a | 1/37 | 2.71E+01 | 11/37 | 2.71E-01 | |
| Plutonium-239 | 9.90E-02 | 1.12E+01 | 1.57E+00 | n/a | n/a | n/a | n/a | n/a | 0/12 | 1.15E+03 | 0/12 | 1.15E+01 | |
| Plutonium-239/240 | 3.99E-02 | 2.16E+00 | 3.70E-01 | 6.08E-02 | 1.80E-02 | 6.08E-02 | n/a | n/a | 0/25 | 1.15E+03 | 0/25 | 1.15E+01 | |
| Technetium-99 | 3.00E-01 | 4.84E+03 | 2.17E+02 | 3.26E+00 | 4.00E-01 | 3.26E+00 | 26/41 | 2.80E+00 | 0/41 | 3.62E+04 | 2/41 | 3.62E+02 | |
| Thorium-228 | 3.31E-01 | 6.30E-01 | 4.62E-01 | 7.88E-02 | 2.75E-02 | 7.88E-02 | 0/16 | 1.60E+00 | 0/16 | 2.80E+00 | 16/16 | 2.80E-02 | |
| Thorium-230 | 8.10E-02 | 2.60E+01 | 2.88E+00 | 2.38E-01 | 1.86E-01 | 2.38E-01 | 15/37 | 1.40E+00 | 0/37 | 1.49E+03 | 2/37 | 1.49E+01 | |
| Thorium-232 | 2.38E-01 | 6.81E-01 | 4.57E-01 | 1.67E-01 | 5.09E-02 | 1.67E-01 | 0/16 | 1.50E+00 | 0/16 | 1.35E+03 | 0/16 | 1.35E+01 | |
| Uranium | 6.00E-01 | 3.17E+02 | 4.05E+01 | 2.44E+00 | 2.47E-01 | 2.44E+00 | n/a | n/a | n/a | n/a | n/a | n/a | |
| Uranium-234 | 1.90E-02 | 1.02E+02 | 8.83E+00 | 9.76E-01 | 8.01E-02 | 9.76E-01 | 16/37 | 2.40E+00 | 0/37 | 1.98E+03 | 3/37 | 1.98E+01 | |
| Uranium-235 | 5.40E-03 | 4.90E+00 | 3.85E-01 | 5.73E-02 | 2.08E-02 | 5.73E-02 | 15/37 | 1.40E-01 | 0/37 | 3.95E+01 | 5/37 | 3.95E-01 | |
| Uranium-238 | 2.00E-01 | 1.42E+02 | 1.14E+01 | 1.41E+00 | 1.24E-01 | 1.41E+00 | 22/37 | 1.20E+00 | 0/37 | 1.71E+02 | 21/37 | 1.71E+00 | |
| Semivolatiles (mg/kg) | | | | | | | | | | | | | |
| 1,2-Benzenedicarboxylic acid | 1.00E-01 | 1.00E-01 | 1.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| 2,4-Dinitrotoluene | 4.57E-01 | 4.57E-01 | 4.57E-01 | 9.16E-01 | 3.60E-01 | 9.16E-01 | n/a | n/a | 0/60 | 4.18E+02 | 0/60 | 7.57E-01 | |
| 2,6-Dinitrotoluene | 4.32E-01 | 4.32E-01 | 4.32E-01 | 9.16E-01 | 3.60E-01 | 9.16E-01 | n/a | n/a | 0/60 | 4.18E+02 | 0/60 | 7.57E-01 | |
| 2-Methylnaphthalene | 1.70E+00 | 1.70E+00 | 1.70E+00 | 9.16E-01 | 3.60E-01 | 9.16E-01 | n/a | n/a | n/a | n/a | n/a | n/a | |
| Benzo(a)anthracene | 8.00E-02 | 1.40E-01 | 1.10E-01 | 9.16E-01 | 3.60E-01 | 9.16E-01 | n/a | n/a | 0/69 | 2.08E+02 | 0/69 | 2.12E-01 | |
| Benzo(a)pyrene | 8.00E-02 | 1.40E-01 | 1.10E-01 | 9.16E-01 | 3.60E-01 | 9.16E-01 | n/a | n/a | 0/69 | 2.08E+01 | 2/69 | 2.12E-02 | |
| Benzo(b)fluoranthene | 7.60E-02 | 1.30E-01 | 9.87E-02 | 9.16E-01 | 3.60E-01 | 9.16E-01 | n/a | n/a | 0/69 | 2.08E+02 | 0/69 | 2.12E-01 | |
| Benzo(ghi)perylene | 5.50E-02 | 9.20E-02 | 7.35E-02 | 9.16E-01 | 3.60E-01 | 9.16E-01 | n/a | n/a | n/a | n/a | n/a | n/a | |
| Benzo(k)fluoranthene | 7.00E-02 | 1.30E-01 | 1.00E-01 | 9.16E-01 | 3.60E-01 | 9.16E-01 | n/a | n/a | 0/57 | 2.08E+03 | 0/57 | 2.12E+00 | |
| Bis(2-ethylhexyl)phthalate | 4.00E-02 | 5.70E+00 | 5.51E-01 | 9.16E-01 | 3.60E-01 | 9.16E-01 | n/a | n/a | 0/60 | 7.40E+03 | 0/60 | 8.84E+00 | |
| Chrysene | 9.00E-02 | 1.40E-01 | 1.15E-01 | 9.16E-01 | 3.60E-01 | 9.16E-01 | n/a | n/a | 0/69 | 2.08E+04 | 0/69 | 2.12E+01 | |
| Cinsole | 2.40E-02 | 2.40E-02 | 2.40E-02 | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)


n/a = value not available

Only analyses with at least one detection are shown.

Table 5.21. Summary of Surface and Subsurface Historical Data at SWMU 26 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|----------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Dimethyl phthalate | 4.30E-01 | 4.30E-01 | 4.30E-01 | 1/48 | 3.60E-01 | 9.16E-01 | n/a | n/a | 0/48 | 1.00E+05 | 0/48 | 1.00E+05 |
| Di-n-butyl phthalate | 1.00E-01 | 1.86E+00 | 9.35E-01 | 10/48 | 3.60E-01 | 9.16E-01 | n/a | n/a | 0/48 | 1.00E+05 | 0/48 | 2.13E+03 |
| Ethanol, 2,2'-oxybis-, diacetate | 8.50E-01 | 2.40E+00 | 1.45E+00 | 6/6 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Fluoranthene | 4.40E-02 | 2.90E-01 | 1.75E-01 | 3/57 | 3.60E-01 | 9.16E-01 | n/a | n/a | 0/57 | 6.50E+04 | 0/57 | 2.21E+02 |
| Indeno(1,2,3-cd)pyrene | 5.00E-02 | 7.70E-02 | 6.35E-02 | 2/69 | 3.60E-01 | 9.16E-01 | n/a | n/a | 0/69 | 2.08E+02 | 0/69 | 2.12E-01 |
| Naphthalene | 1.10E+00 | 1.10E+00 | 1.10E+00 | 1/69 | 3.60E-01 | 9.16E-01 | n/a | n/a | 0/69 | 7.66E+02 | 0/69 | 2.36E+01 |
| N-Nitrosodiphenylamine | 8.23E-01 | 8.23E-01 | 8.23E-01 | 1/60 | 3.60E-01 | 9.16E-01 | n/a | n/a | 0/60 | 2.63E+04 | 0/60 | 3.30E+01 |
| Pentaclorophenol | 2.10E+00 | 2.10E+00 | 2.10E+00 | 1/60 | 4.10E-01 | 4.40E+00 | n/a | n/a | 0/60 | 2.56E+03 | 0/60 | 2.12E+00 |
| Phenanthrene | 1.10E-01 | 8.40E-01 | 3.70E-01 | 3/69 | 3.60E-01 | 9.16E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 6.90E-02 | 2.40E-01 | 1.53E-01 | 3/69 | 3.60E-01 | 9.16E-01 | n/a | n/a | 0/69 | 4.87E+04 | 0/69 | 1.65E+02 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| 1,4-Cineole | 3.30E-02 | 3.30E-02 | 3.30E-02 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Acetone | 2.10E-02 | 1.10E+00 | 1.58E-01 | 19/50 | 4.98E-03 | 9.00E-01 | n/a | n/a | 0/50 | 1.91E+04 | 0/50 | 3.58E+02 |
| Carbon disulfide | 1.00E-03 | 1.00E-03 | 1.00E-03 | 3/50 | 4.98E-03 | 4.00E-02 | n/a | n/a | 0/50 | 3.17E+03 | 0/50 | 1.06E+02 |
| Chloroform | 1.10E-02 | 1.10E-02 | 1.10E-02 | 1/38 | 4.98E-03 | 4.00E-02 | n/a | n/a | 0/38 | 3.70E+00 | 0/38 | 1.23E-01 |
| cis-1,2-Dichloroethene | 4.40E-03 | 1.50E-02 | 9.70E-03 | 2/33 | 4.98E-03 | 1.00E+00 | n/a | n/a | 0/33 | 4.63E+02 | 0/33 | 1.34E+01 |
| Diethyl ether | 1.00E-02 | 2.00E-02 | 1.50E-02 | 2/2 | | | n/a | n/a | 0/2 | 1.89E+04 | 0/2 | 4.51E+02 |
| Methylene chloride | 1.40E-03 | 2.40E-01 | 4.85E-02 | 22/50 | 4.98E-03 | 6.20E-02 | n/a | n/a | 0/50 | 2.16E+03 | 0/50 | 1.34E+01 |
| Toluene | 3.10E-01 | 3.20E-01 | 3.15E-01 | 2/50 | 4.98E-03 | 4.00E-02 | n/a | n/a | 0/50 | 7.28E+03 | 0/50 | 2.11E+02 |
| Trichloroethene | 5.00E-04 | 3.40E-02 | 7.93E-03 | 8/75 | 1.00E-03 | 5.00E+00 | n/a | n/a | 0/75 | 2.98E+02 | 0/75 | 2.51E+00 |
| Wetchem (mg/kg) | | | | | | | | | | | | |
| Total Organic Carbon (TOC) | 7.46E+02 | 7.46E+02 | 7.46E+02 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.



Soils Operable Unit: SWMUs 26, 47, 165, 172, 200, 221, and 483

Figure 5.30. Soils Operable Unit: SWMUs 26, 47, 165, 172, 200, 221, and 483

SWMU 27 (C-722 Acid Neutralization Tank)

Area description

The C-722 Acid Neutralization Tank (SWMU 27) is an underground concrete tank lined with an acid-resistant membrane and acid brick. SWMU 27 is located at the northeast corner of the C-720 Building in the central portion of the plant site. The tank is approximately 180 ft².

Process history

The C-722 Acid Neutralization Tank was designed as a hold-up tank for instrument shop effluent from the 1950s. All lines were capped from the instrument shop. All sludge and water were removed after the lines were capped. Discharge to the tank was stopped in 1992.

Previous investigation results

A sludge sample from 1989 indicated a high level of mercury. The area soils were further sampled as part of the SE for WAGs 9 and 11 (DOE 1999c), and it was determined that contamination present at SWMU 27 does not present risks that exceed *de minimis* levels to industrial workers, potential residential groundwater users, or non-human receptors. Direct contact risks are *de minimis* because contaminated media are not available for direct contact at SWMU 27. Risks from use of groundwater contaminated by the migration from soil are *de minimis* because the concentrations of all contaminants in soil were below the groundwater protection screening criteria. An NFA was proposed.

Table 5.22 is a summary of historical data followed by a map of historical sample locations (Figure 5.31).

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.

Data Gap Determination

No additional samples are needed at this location.

Table 5.22. Summary of Surface and Subsurface Historical Data at SWMU 27

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 1.04E+01 | 1.66E+01 | 1.37E+01 | 4/5 | 2.30E+00 | 7.43E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 2.93E+00 | 1.93E+01 | 9.13E+00 | 5/5 | 2.90E+00 | 3.53E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Subsurface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 4.37E+03 | 8.23E+03 | 6.43E+03 | 9/9 | | | 0/9 | 1.20E+04 | 0/9 | 1.00E+05 | 8/9 | 4.64E+03 |
| Arsenic | 2.30E+00 | 4.80E+00 | 3.23E+00 | 9/9 | | | 0/9 | 7.90E+00 | 0/9 | 3.15E+02 | 9/9 | 5.23E-01 |
| Barium | 2.69E+01 | 1.10E+02 | 6.18E+01 | 9/9 | | | 0/9 | 1.70E+02 | 0/9 | 1.00E+05 | 0/9 | 2.29E+02 |
| Beryllium | 2.50E-01 | 6.60E-01 | 3.99E-01 | 9/9 | | | 0/9 | 6.90E-01 | 0/9 | 1.28E+03 | 0/9 | 9.48E-01 |
| Calcium | 5.93E+02 | 2.62E+04 | 9.53E+03 | 9/9 | | | 5/9 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 6.10E+00 | 1.32E+01 | 1.07E+01 | 9/9 | | | n/a | n/a | n/a | n/a | 0/9 | 3.56E+02 |
| Cobalt | 2.80E+00 | 1.05E+01 | 5.70E+00 | 9/9 | | | 0/9 | 1.30E+01 | 0/9 | 1.00E+05 | 0/9 | 1.92E+03 |
| Copper | 2.20E+00 | 2.30E+01 | 8.81E+00 | 9/9 | | | 1/9 | 2.50E+01 | 0/9 | 1.00E+05 | 0/9 | 4.93E+02 |
| Iron | 7.45E+03 | 1.68E+04 | 1.01E+04 | 9/9 | | | 0/9 | 2.80E+04 | 0/9 | 1.00E+05 | 9/9 | 2.07E+03 |
| Lead | 4.70E+00 | 1.71E+01 | 7.62E+00 | 9/9 | | | 0/9 | 2.30E+01 | 0/9 | 1.25E+03 | 0/9 | 5.00E+01 |
| Magnesium | 3.38E+02 | 2.66E+03 | 1.12E+03 | 9/9 | | | 1/9 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 5.45E+01 | 5.19E+02 | 2.11E+02 | 9/9 | | | 0/9 | 8.20E+02 | 0/9 | 4.64E+04 | 9/9 | 4.52E+01 |
| Mercury | 3.20E-02 | 4.90E-02 | 4.05E-02 | 2/9 | | | 0/9 | 1.30E-01 | 0/9 | 8.25E+02 | 0/9 | 9.82E-01 |
| Nickel | 3.60E+00 | 3.97E+01 | 1.12E+01 | 9/9 | | | 1/9 | 2.20E+01 | 0/9 | 9.30E+04 | 0/9 | 2.42E+02 |
| Potassium | 1.22E+02 | 3.07E+02 | 2.33E+02 | 9/9 | | | 0/9 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Sodium | 4.58E+01 | 1.73E+02 | 8.79E+01 | 9/9 | | | 0/9 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Vanadium | 1.35E+01 | 2.44E+01 | 1.66E+01 | 9/9 | | | 0/9 | 3.70E+01 | 0/9 | 4.47E+03 | 9/9 | 3.32E+00 |
| Zinc | 1.13E+01 | 4.10E+01 | 2.45E+01 | 9/9 | | | 0/9 | 6.00E+01 | 0/9 | 1.00E+05 | 0/9 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 3.20E-02 | 7.20E-02 | 5.20E-02 | 2/9 | 1.00E-01 | 1.00E-01 | n/a | n/a | 0/9 | 4.25E+01 | 0/9 | 1.99E-01 |
| PCB-1016 | 1.30E-02 | 2.80E-02 | 1.90E-02 | 3/3 | | | n/a | n/a | 0/3 | 4.25E+01 | 0/3 | 1.99E-01 |
| PCB-1260 | 3.20E-02 | 4.40E-02 | 3.80E-02 | 2/2 | | | n/a | n/a | 0/2 | 4.25E+01 | 0/2 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 4.64E+00 | 4.64E+00 | 4.64E+00 | 1/2 | 4.44E+00 | 4.44E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Neptunium-237 | 3.53E-02 | 3.53E-02 | 3.53E-02 | 1/2 | 3.07E-02 | 3.18E-02 | n/a | n/a | 0/2 | 2.71E+01 | 0/2 | 2.71E-01 |
| Technetium-99 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 1/2 | 4.74E+00 | 4.74E+00 | 0/2 | 2.80E+00 | 0/2 | 3.62E+04 | 0/2 | 3.62E+02 |
| Uranium | 1.10E+00 | 1.72E+00 | 1.41E+00 | 2/2 | 2.44E-01 | 4.12E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 3.34E-01 | 9.00E-01 | 6.17E-01 | 2/2 | 7.36E-02 | 2.15E-01 | 0/2 | 2.40E+00 | 0/2 | 1.98E+03 | 0/2 | 1.98E+01 |
| Uranium-238 | 7.46E-01 | 7.83E-01 | 7.65E-01 | 2/2 | 1.62E-01 | 1.87E-01 | 0/2 | 1.20E+00 | 0/2 | 1.71E+02 | 0/2 | 1.71E+00 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 1.50E-02 | 1.50E-02 | 1.50E-02 | 1/9 | | | n/a | n/a | 0/9 | 9.38E+03 | 0/9 | 1.56E+02 |
| cis-1,2-Dichloroethane | 4.00E-03 | 4.00E-03 | 4.00E-03 | 1/9 | | | n/a | n/a | 0/9 | 4.63E+02 | 0/9 | 1.34E+01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.




Figure 5.31. Soils Operable Unit: SWMUs 27, 31, 32, 170, 211, 219, and 220

SWMU 31 (C-720 Compressor Pit Water Storage Tank)

Area description

The C-720 Compressor Pit Water Storage Tank (SWMU 31) is located at the northeast corner of the C-720 Building in the central portion of the plant site. The tank designated as SWMU 31 was approximately 1,000 gal.

Process history

The storage tank held waste water containing uranium from C-720 Compressor Shop operations. The dates of operation are unknown. In 1985, the tank leaked when the concrete block dike was damaged and some material spilled onto the ground. The tank was removed in the early 1990s.

Previous investigation results

Historical knowledge indicates that radiological contamination of soil exists at SWMU 31.

Table 5.23 is a summary of historical data followed by a map of historical sample locations (Figure 5.32).

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.

Data Gap Determination

Additional samples are needed at this location.


Table 5.23. Summary of Surface and Subsurface Historical Data at SWMU 31

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 1.04E+01 | 1.66E+01 | 1.35E+01 | 3/4 | 2.30E+00 | 7.43E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 2.93E+00 | 1.03E+01 | 6.59E+00 | 4/4 | 2.90E+00 | 3.53E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Subsurface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 4.37E+03 | 8.23E+03 | 6.60E+03 | 8/8 | | | 0/8 | 1.20E+04 | 0/8 | 1.00E+05 | 7/8 | 4.64E+03 |
| Arsenic | 2.30E+00 | 4.80E+00 | 3.31E+00 | 8/8 | | | 0/8 | 7.90E+00 | 0/8 | 3.15E+02 | 8/8 | 5.23E-01 |
| Barium | 2.69E+01 | 1.10E+02 | 6.13E+01 | 8/8 | | | 0/8 | 1.70E+02 | 0/8 | 1.00E+05 | 0/8 | 2.29E+02 |
| Beryllium | 2.50E-01 | 6.60E-01 | 4.03E-01 | 8/8 | | | 0/8 | 6.90E-01 | 0/8 | 1.28E+03 | 0/8 | 9.48E-01 |
| Calcium | 5.93E+02 | 2.06E+04 | 7.45E+03 | 8/8 | | | 4/8 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 6.10E+00 | 1.32E+01 | 1.08E+01 | 8/8 | | | n/a | n/a | n/a | n/a | 0/8 | 3.56E+02 |
| Cobalt | 2.80E+00 | 1.05E+01 | 5.83E+00 | 8/8 | | | 0/8 | 1.30E+01 | 0/8 | 1.00E+05 | 0/8 | 1.92E+03 |
| Copper | 2.20E+00 | 1.39E+01 | 7.04E+00 | 8/8 | | | 0/8 | 2.50E+01 | 0/8 | 1.00E+05 | 0/8 | 4.93E+02 |
| Iron | 7.45E+03 | 1.68E+04 | 1.02E+04 | 8/8 | | | 0/8 | 2.80E+04 | 0/8 | 1.00E+05 | 8/8 | 2.07E+03 |
| Lead | 4.70E+00 | 1.71E+01 | 7.50E+00 | 8/8 | | | 0/8 | 2.30E+01 | 0/8 | 1.25E+03 | 0/8 | 5.00E+01 |
| Magnesium | 3.38E+02 | 1.56E+03 | 9.31E+02 | 8/8 | | | 0/8 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 5.45E+01 | 5.19E+02 | 2.04E+02 | 8/8 | | | 0/8 | 8.20E+02 | 0/8 | 4.64E+04 | 8/8 | 4.52E+01 |
| Mercury | 4.90E-02 | 4.90E-02 | 4.90E-02 | 1/8 | | | 0/8 | 1.30E-01 | 0/8 | 8.25E+02 | 0/8 | 9.82E-01 |
| Nickel | 3.60E+00 | 1.30E+01 | 7.65E+00 | 8/8 | | | 0/8 | 2.20E+01 | 0/8 | 9.30E+04 | 0/8 | 2.42E+02 |
| Potassium | 1.22E+02 | 3.07E+02 | 2.29E+02 | 8/8 | | | 0/8 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Sodium | 4.58E+01 | 1.73E+02 | 8.90E+01 | 8/8 | | | 0/8 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Vanadium | 1.35E+01 | 2.44E+01 | 1.68E+01 | 8/8 | | | 0/8 | 3.70E+01 | 0/8 | 4.47E+03 | 8/8 | 3.32E+00 |
| Zinc | 1.13E+01 | 4.10E+01 | 2.45E+01 | 8/8 | | | 0/8 | 6.00E+01 | 0/8 | 1.00E+05 | 0/8 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 7.20E-02 | 7.20E-02 | 7.20E-02 | 1/8 | 1.00E-01 | 1.00E-01 | n/a | n/a | 0/8 | 4.25E+01 | 0/8 | 1.99E-01 |
| PCB-1016 | 1.30E-02 | 2.80E-02 | 1.90E-02 | 3/3 | | | n/a | n/a | 0/3 | 4.25E+01 | 0/3 | 1.99E-01 |
| PCB-1260 | 4.40E-02 | 4.40E-02 | 4.40E-02 | 1/1 | | | n/a | n/a | 0/1 | 4.25E+01 | 0/1 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 4.64E+00 | 4.64E+00 | 4.64E+00 | 1/2 | 4.44E+00 | 4.44E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Neptunium-237 | 3.53E-02 | 3.53E-02 | 3.53E-02 | 1/2 | 3.07E-02 | 3.18E-02 | n/a | n/a | 0/2 | 2.71E+01 | 0/2 | 2.71E-01 |
| Technetium-99 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 1/2 | 4.74E+00 | 4.74E+00 | 0/2 | 2.80E+00 | 0/2 | 3.62E+04 | 0/2 | 3.62E+02 |
| Uranium | 1.10E+00 | 1.72E+00 | 1.41E+00 | 2/2 | 2.44E-01 | 4.12E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 3.34E-01 | 9.00E-01 | 6.17E-01 | 2/2 | 7.36E-02 | 2.15E-01 | 0/2 | 2.40E+00 | 0/2 | 1.98E+03 | 0/2 | 1.98E+01 |
| Uranium-238 | 7.46E-01 | 7.83E-01 | 7.65E-01 | 2/2 | 1.62E-01 | 1.87E-01 | 0/2 | 1.20E+00 | 0/2 | 1.71E+02 | 0/2 | 1.71E+00 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 1.50E-02 | 1.50E-02 | 1.50E-02 | 1/8 | | | n/a | n/a | 0/8 | 9.38E+03 | 0/8 | 1.56E+02 |
| cis-1,2-Dichloroethane | 4.00E-03 | 4.00E-03 | 4.00E-03 | 1/8 | | | n/a | n/a | 0/8 | 4.63E+02 | 0/8 | 1.34E+01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.



Soils Operable Unit: SWMUs 27, 31, 32, 170, 211, 219, and 220

Figure 5.32. Soils Operable Unit: SWMUs 27, 31, 32, 170, 211, 219, and 220

SWMU 32 (C-728 2 Clean Waste Oil Tanks)

Area description

The C-728 Clean Waste Oil Tanks (SWMU 32) is located north of the C-720 Building in the central portion of the plant site. SWMU 32 consisted of two, aboveground tanks approximately 8,000 gal and 4,000 gal, respectively. The tanks have since been removed.

Process history

The C-728 Clean Waste Oil Tanks were used to store waste oil and motor cleaning solvents (mineral spirits).

Previous investigation results

Soil boring samples were obtained during the Phase I and Phase II SIs (CH2M HILL 1991; 1992) and during the WAG 23 RI Addendum (DOE 1994c). Results of these investigations indicate the presence of solvents and oil. COCs listed in the WAG 23 RI are PAHs, PCBs, dioxins, and uranium. The WAG 23 Remedial Action Report (RAR) (DOE 1998f) states that the average PCB concentration at SWMU 32 is 0.2 parts per million (ppm), and the PCB ELCR is below *de minimis* for current industrial and future industrial workers.

Table 5.24 is a summary of historical data followed by a map of historical sample locations (Figure 5.33).

Area utilities

No recirculating water lines or sewers are associated with these tanks; none are within the boundary of the SWMU.

Data Gap Determination

Additional samples are needed at this location.

Table 5.24. Summary of Surface and Subsurface Historical Data at SWMU 32

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 6.10E+03 | 6.69E+03 | 6.40E+03 | 2/2 | | | 0/2 | 1.30E+04 | 0/2 | 1.00E+05 | 2/2 | 4.64E+03 |
| Arsenic | 2.00E+00 | 4.00E+00 | 3.22E+00 | 6/6 | | | 0/6 | 1.20E+01 | 0/6 | 3.15E+02 | 6/6 | 5.23E-01 |
| Barium | 9.49E+01 | 2.21E+02 | 1.68E+02 | 6/6 | | | 4/6 | 2.00E+02 | 0/6 | 1.00E+05 | 0/6 | 2.29E+02 |
| Beryllium | 6.00E-01 | 8.00E-01 | 7.00E-01 | 2/2 | 4.00E-01 | 4.00E-01 | 1/2 | 6.70E-01 | 0/2 | 1.28E+03 | 0/2 | 9.48E-01 |
| Calcium | 3.75E+03 | 5.13E+03 | 4.44E+03 | 2/2 | | | 0/2 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 1.08E+01 | 2.87E+01 | 1.57E+01 | 6/6 | | | n/a | n/a | n/a | n/a | 0/6 | 3.56E+02 |
| Cobalt | 5.50E+00 | 6.50E+00 | 6.00E+00 | 2/2 | 1.40E+00 | 1.40E+00 | 0/2 | 1.40E+01 | 0/2 | 1.00E+05 | 0/2 | 1.92E+03 |
| Copper | 2.24E+01 | 4.27E+01 | 3.26E+01 | 2/2 | | | 2/2 | 1.90E+01 | 0/2 | 1.00E+05 | 0/2 | 4.93E+02 |
| Iron | 9.58E+03 | 1.02E+04 | 9.89E+03 | 2/2 | | | 0/2 | 2.80E+04 | 0/2 | 1.00E+05 | 2/2 | 2.07E+03 |
| Lead | 2.01E+01 | 3.55E+01 | 2.78E+01 | 2/6 | | | 1/6 | 3.60E+01 | 0/6 | 1.25E+03 | 0/6 | 5.00E+01 |
| Magnesium | 8.34E+02 | 9.36E+02 | 8.85E+02 | 2/2 | | | 0/2 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 2.15E+02 | 3.44E+02 | 2.80E+02 | 2/2 | | | 0/2 | 1.50E+03 | 0/2 | 4.64E+04 | 2/2 | 4.52E+01 |
| Nickel | 1.66E+01 | 2.15E+01 | 1.91E+01 | 2/6 | 6.80E+00 | 6.80E+00 | 1/6 | 2.10E+01 | 0/6 | 9.30E+04 | 0/6 | 2.42E+02 |
| Selenium | 3.20E-01 | 3.20E-01 | 3.20E-01 | 2/6 | 5.00E-01 | 5.00E-01 | 0/6 | 8.00E-01 | 0/6 | 2.56E+04 | 0/6 | 9.49E+01 |
| Uranium | 1.70E+00 | 1.10E+01 | 6.35E+00 | 4/4 | | | 2/4 | 4.90E+00 | 0/4 | 3.34E+03 | 0/4 | 2.02E+01 |
| Vanadium | 1.79E+01 | 1.85E+01 | 1.82E+01 | 2/2 | | | 0/2 | 3.80E+01 | 0/2 | 4.47E+03 | 2/2 | 3.32E+00 |
| Zinc | 5.16E+01 | 6.16E+01 | 5.66E+01 | 2/2 | | | 1/2 | 6.50E+01 | 0/2 | 1.00E+05 | 0/2 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| 2,2',3,4-Tetrachlorobiphenyl | 1.30E+00 | 1.30E+00 | 1.30E+00 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| PCB-1242 | 3.80E+01 | 3.80E+01 | 3.80E+01 | 1/13 | 9.90E-02 | 1.00E-01 | n/a | n/a | 0/13 | 4.25E+01 | 1/13 | 1.99E-01 |
| PCB-1254 | 1.20E-02 | 6.60E+01 | 3.30E+01 | 2/13 | 2.00E-01 | 2.00E-01 | n/a | n/a | 1/13 | 1.82E+01 | 1/13 | 1.99E-01 |
| PCB-1260 | 2.00E-02 | 5.55E+00 | 1.31E+00 | 5/13 | 2.00E-01 | 4.20E+00 | n/a | n/a | 0/13 | 4.25E+01 | 2/13 | 1.99E-01 |
| Polychlorinated biphenyls 132 | 9.30E-01 | 9.30E-01 | 9.30E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Polychlorinated biphenyls 31 | 4.70E-01 | 4.70E-01 | 4.70E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Polychlorinated biphenyls 99 | 9.00E-01 | 9.00E-01 | 9.00E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 3.00E+00 | 1.64E+01 | 6.72E+00 | 12/12 | 1.70E+00 | 2.60E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 4.00E+00 | 4.15E+01 | 1.39E+01 | 12/12 | 1.20E+00 | 1.80E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Technetium-99 | 1.94E+01 | 5.69E+01 | 3.82E+01 | 2/2 | 1.60E+00 | 3.30E+00 | 2/2 | 2.50E+00 | 0/2 | 3.62E+04 | 0/2 | 3.62E+02 |
| Uranium | 2.50E+00 | 1.19E+01 | 4.87E+00 | 7/10 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 1.66E+00 | 4.49E+00 | 3.08E+00 | 2/2 | 2.80E-01 | 6.40E-01 | 1/2 | 2.50E+00 | 0/2 | 1.98E+03 | 0/2 | 1.98E+01 |
| Uranium-238 | 2.11E+00 | 7.39E+00 | 4.75E+00 | 2/2 | 3.10E-01 | 8.20E-01 | 2/2 | 1.20E+00 | 0/2 | 1.71E+02 | 2/2 | 1.71E+00 |
| Semivolatile (mg/kg) | | | | | | | | | | | | |
| Benzo(b)fluoranthene | 6.80E-01 | 6.80E-01 | 6.80E-01 | 1/3 | 4.10E-01 | 4.40E-01 | n/a | n/a | 0/3 | 2.08E+02 | 1/3 | 2.12E-01 |
| Bis(2-ethylhexyl)phthalate | 3.10E-01 | 3.10E-01 | 3.10E-01 | 1/3 | 4.10E-01 | 4.40E-01 | n/a | n/a | 0/3 | 7.40E+03 | 0/3 | 8.84E+00 |
| Fluoranthene | 1.30E-01 | 1.30E-01 | 1.30E-01 | 1/3 | 4.10E-01 | 4.40E-01 | n/a | n/a | 0/3 | 6.50E+04 | 0/3 | 2.21E+02 |
| Pyrene | 1.30E-01 | 1.30E-01 | 1.30E-01 | 1/3 | 4.10E-01 | 4.40E-01 | n/a | n/a | 0/3 | 4.87E+04 | 0/3 | 1.65E+02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.24. Summary of Surface and Subsurface Historical Data at SWMU 32 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|-----------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Subsurface Soils | | | | | | | | | | | |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| 2,2',3,4-Tetrachlorobiphenyl | 4.70E-01 | 4.70E-01 | 4.70E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| PCB-1242 | 2.00E+00 | 7.30E+00 | 4.10E+00 | 3/8 | 9.80E-02 | 1.00E-01 | n/a | n/a | 0/8 | 4.25E+01 | 3/8 | 1.99E-01 |
| PCB-1254 | 4.20E+00 | 1.90E+01 | 9.67E+00 | 3/11 | 2.00E-01 | 2.10E-01 | n/a | n/a | 1/11 | 1.82E+01 | 3/11 | 1.99E-01 |
| PCB-1260 | 6.00E-03 | 1.69E+00 | 8.49E-01 | 2/11 | 2.00E-01 | 4.10E+00 | n/a | n/a | 0/11 | 4.25E+01 | 1/11 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 3.10E+00 | 1.21E+01 | 6.64E+00 | 8/8 | 1.40E+00 | 2.30E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 2.90E+00 | 2.62E+01 | 1.01E+01 | 8/8 | 1.00E+00 | 1.50E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Technetium-99 | 2.00E+00 | 2.30E+01 | 1.34E+01 | 5/5 | 5.00E-01 | 2.20E+00 | 4/5 | 2.80E+00 | 0/5 | 3.62E+04 | 0/5 | 3.62E+02 |
| Thorium-230 | 7.00E-02 | 4.90E-01 | 2.80E-01 | 2/5 | 3.00E-02 | 1.00E-01 | 0/5 | 1.40E+00 | 0/5 | 1.49E+03 | 0/5 | 1.49E+01 |
| Uranium | 2.10E+00 | 2.10E+00 | 2.10E+00 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 4.10E-01 | 1.88E+00 | 1.13E+00 | 4/5 | 5.00E-02 | 2.60E-01 | 0/5 | 2.40E+00 | 0/5 | 1.98E+03 | 0/5 | 1.98E+01 |
| Uranium-238 | 2.90E-01 | 3.40E+00 | 1.88E+00 | 4/5 | 5.00E-02 | 3.50E-01 | 3/5 | 1.20E+00 | 0/5 | 1.71E+02 | 2/5 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| 2,7,10-Trimethyldecane | 3.40E-01 | 3.40E-01 | 3.40E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 3,5-Dimethyl-Octane | 4.10E-01 | 5.80E-01 | 4.95E-01 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Bis(2-ethylhexyl)phthalate | 2.20E-01 | 8.80E-01 | 5.07E-01 | 3/8 | 4.00E-01 | 4.30E-01 | n/a | n/a | 0/8 | 7.40E+03 | 0/8 | 8.84E+00 |
| trans-Decahydronaphthalene | 3.90E-01 | 5.70E-01 | 4.80E-01 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| 1,2,4-Trimethylbenzene | 4.70E-01 | 1.10E+00 | 7.95E-01 | 4/4 | | | n/a | n/a | 0/4 | 1.00E+05 | 0/4 | 3.67E+02 |
| 1,2-Diethylbenzene | 3.60E-01 | 3.60E-01 | 3.60E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 1-Methyl-2-propylcyclohexane | 2.10E-01 | 7.40E-01 | 4.75E-01 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 1-Methyl-4-(1-methylethyl)benzene | 3.80E-01 | 8.50E-01 | 5.83E-01 | 4/4 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 4-Methyldecane | 7.20E-01 | 1.40E+00 | 1.06E+00 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Acetone | 5.00E-02 | 1.50E-01 | 9.24E-02 | 5/8 | 1.20E-02 | 1.30E-02 | n/a | n/a | 0/8 | 1.91E+04 | 0/8 | 3.58E+02 |
| Benzene | 1.60E-02 | 1.60E-02 | 1.60E-02 | 1/8 | 6.00E-03 | 6.00E-03 | n/a | n/a | 0/8 | 7.45E+01 | 0/8 | 1.13E+00 |
| Cumene | 3.50E-01 | 3.50E-01 | 3.50E-01 | 1/1 | | | n/a | n/a | 0/1 | 1.90E+04 | 0/1 | 3.52E+02 |
| Ethylbenzene | 4.20E-02 | 2.10E-01 | 1.26E-01 | 2/8 | 6.00E-03 | 6.00E-03 | n/a | n/a | 0/8 | 2.12E+03 | 0/8 | 2.12E+01 |
| Methylmethylbenzene | 1.00E+00 | 1.00E+00 | 1.00E+00 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Total Xylene | 1.40E-02 | 1.40E-02 | 1.40E-02 | 1/8 | 6.00E-03 | 6.00E-03 | n/a | n/a | 0/8 | 2.20E+04 | 0/8 | 7.24E+02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.33. Soils Operable Unit: SWMUs 27, 31, 32, 170, 211, 219, and 220

SWMU 40 (C-403 Neutralization Tank)

Area description

The C-403 Neutralization Tank (SWMU 40) is an in-ground concrete, open-top tank lined with two layers of acid bricks located northeast of the C-400 Building in the central portion of the plant site. The tank is approximately 25 ft square by 26 ft deep. This SWMU currently is listed in the *Action Memorandum for the Soils Operable Unit Inactive Facilities at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-0120&D2/R1.

Process history

The C-403 Neutralization Tank received influent from the C-400 Building for the storage and treatment (i.e., neutralization) of acidic, uranium-bearing waste solutions generated during cleaning operations. During treatment, lime slurry was added to the wastewater from the C-402 Lime House to raise the pH and precipitate out the uranium in the form of a low-level radioactive sludge. Once the pH was raised to the proper level (10 to 12), the effluent was discharged to the C-404 Holding Pond where the sludge was allowed to settle out of the solution.

In 1957, the discharge from the C-403 Neutralization Tank was routed to the NSDD, where it flowed to the LBC. In the late 1970s, flow from the NSDD was routed into the C-616-F Full Flow Lagoon, and direct discharge to LBC subsequently was discontinued. Although neutralization no longer was carried out at C-403 after 1957, low-level, uranium-bearing wastewater continued to be discharged to C-403 until 1990. These discharges included UF₆ cylinder hydrostatic-test water, overflow and runoff from cleaning tanks, discharge from floor drains, and other unknown sources. After 1990, the C-403 Neutralization Tank was removed from service.

Previous investigation results

Soil boring and groundwater samples obtained during the Phase II SI (CH2M HILL 1992) and WAG 6 RI (DOE 1999b) indicate the potential for radiological, PCB, metals, and PAH contamination.

In 1993, nine water and three sediment samples were collected from the C-403 Neutralization Tank. Analytical results indicated TCE concentrations in the nine water samples, and TCE concentrations in the three sediment samples (DOE 1999b). During the WAG 6 RI, a water line located near the C-403 tank broke, and subsurface water flowed into the tank from one of the still existing fill lines. Approximately 198 m³ (7,000 ft³) of water accumulated in the tank. Samples of the water from the tank were analyzed in 1997 and were found to contain TCE. Resampling in 1998 indicated that TCE concentrations in water exceed the risk-based action levels for the industrial worker exposure scenario (DOE 2000a).

The WAG 6 RI placed SWMU 40 into Sector 2 (refer to Section 5.1.3, SWMU 11, "*Previous Investigation Results*") for a definition of Sectors used in WAG 6 RI). Subsurface soil collected adjacent to the tank backfill at a depth of 30 ft bgs was found to be impacted by several radionuclides. Based upon available data, the extent of contamination around the C-403 Neutralization Tank appears to be limited to the area of the tank backfill. Elevated radioactivity also was detected at a few locations along the former storm sewer utility line that connects the C-403 Neutralization Tank to the HF Lagoon. High concentrations of two metals, silver and antimony, were associated with the area of elevated radioactivity detected along this line. Both metals were used in the plating process that was performed within the C-400 Building.

The summary table from the BRA for WAG 6, showing which human health risks exceed *de minimis*, is located in the Previous Investigation Results of Section 5.1.3.

Table 5.25 is a summary of historical data followed by a map of historical sample locations (Figure 5.34).

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.

Data Gap Determination

No additional samples are needed at this location.

Table 5.25. Summary of Surface and Subsurface Historical Data at SWMU 40

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| Surface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Uranium | 1.50E+03 | 3.00E+03 | 2.12E+03 | 20/20 | | | 10/20 | 4.90E+00 | 0/20 | 3.34E+03 | 10/20 | 2.02E+01 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 3.40E+00 | 1.10E+01 | 6.44E+00 | 20/20 | | | n/a | n/a | 0/20 | 4.25E+01 | 20/20 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Neptunium-237 (mg/kg) | 5.10E-02 | 1.85E-01 | 1.07E-01 | 20/20 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Plutonium-239 (mg/kg) | 9.80E-04 | 4.46E-03 | 1.97E-03 | 20/20 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Technetium-99 (mg/kg) | 1.00E-01 | 2.23E+00 | 9.46E-01 | 20/20 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Thorium-230 (mg/kg) | 2.04E-03 | 8.32E-03 | 5.78E-03 | 20/20 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium (mg/kg) | 1.50E+03 | 3.00E+03 | 2.12E+03 | 20/20 | | | 10/20 | 4.90E+00 | n/a | n/a | n/a | n/a |
| Subsurface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 4.58E+03 | 1.71E+04 | 9.93E+03 | 19/19 | | | 3/19 | 1.20E+04 | 0/19 | 1.00E+05 | 17/19 | 4.64E+03 |
| Antimony | 7.00E-01 | 1.90E+00 | 1.50E+00 | 3/19 | 6.00E-01 | 1.28E+01 | 3/19 | 2.10E-01 | 0/19 | 4.63E+02 | 3/19 | 3.79E-01 |
| Arsenic | 2.50E+00 | 8.83E+00 | 3.87E+00 | 19/19 | | | 2/19 | 7.90E+00 | 0/19 | 3.15E+02 | 19/19 | 5.23E-01 |
| Barium | 1.38E+01 | 1.62E+02 | 7.34E+01 | 19/19 | | | 0/19 | 1.70E+02 | 0/19 | 1.00E+05 | 0/19 | 2.29E+02 |
| Beryllium | 4.20E-01 | 7.50E-01 | 5.49E-01 | 19/19 | | | 2/19 | 6.90E-01 | 0/19 | 1.28E+03 | 0/19 | 9.48E-01 |
| Cadmium | 8.00E-02 | 3.00E+00 | 1.10E+00 | 8/19 | 2.00E-02 | 8.80E-01 | 4/19 | 2.10E-01 | 0/19 | 7.05E+01 | 0/19 | 2.13E+01 |
| Calcium | 7.80E+02 | 2.49E+03 | 1.59E+03 | 19/19 | | | 0/19 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 8.90E+00 | 2.20E+01 | 1.51E+01 | 19/19 | | | n/a | n/a | n/a | n/a | 0/19 | 3.56E+02 |
| Cobalt | 1.50E+00 | 7.90E+00 | 4.52E+00 | 17/19 | 5.80E+00 | 5.80E+00 | 0/19 | 1.30E+01 | 0/19 | 1.00E+05 | 0/19 | 1.92E+03 |
| Copper | 3.50E+00 | 5.21E+01 | 1.67E+01 | 19/19 | | | 6/19 | 2.50E+01 | 0/19 | 1.00E+05 | 0/19 | 4.93E+02 |
| Iron | 9.84E+03 | 1.80E+04 | 1.37E+04 | 19/19 | | | 0/19 | 2.80E+04 | 0/19 | 1.00E+05 | 19/19 | 2.07E+03 |
| Lead | 5.50E+00 | 1.62E+01 | 9.99E+00 | 19/19 | | | 0/19 | 2.30E+01 | 0/19 | 1.25E+03 | 0/19 | 5.00E+01 |
| Magnesium | 3.32E+02 | 2.35E+03 | 1.29E+03 | 19/19 | | | 3/19 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 9.40E+00 | 4.98E+02 | 2.18E+02 | 19/19 | | | 0/19 | 8.20E+02 | 0/19 | 4.64E+04 | 12/19 | 4.52E+01 |
| Mercury | 1.63E-02 | 7.00E-02 | 3.48E-02 | 18/19 | 8.70E-03 | 8.70E-03 | 0/19 | 1.30E-01 | 0/19 | 8.25E+02 | 0/19 | 9.82E-01 |
| Nickel | 3.20E+00 | 2.49E+01 | 1.14E+01 | 19/19 | | | 3/19 | 2.20E+01 | 0/19 | 9.30E+04 | 0/19 | 2.42E+02 |
| Potassium | 1.30E+01 | 1.08E+03 | 2.84E+02 | 19/19 | | | 2/19 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Sodium | 2.19E+02 | 6.19E+02 | 3.71E+02 | 17/19 | 3.72E+02 | 3.72E+02 | 12/19 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Vanadium | 1.90E+01 | 2.92E+01 | 2.49E+01 | 19/19 | | | 0/19 | 3.70E+01 | 0/19 | 4.47E+03 | 19/19 | 3.32E+00 |
| Zinc | 8.96E+00 | 4.31E+01 | 2.25E+01 | 19/19 | | | 0/19 | 6.00E+01 | 0/19 | 1.00E+05 | 0/19 | 2.73E+03 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 4.10E+00 | 3.28E+01 | 1.45E+01 | 17/17 | 1.23E+01 | 1.28E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Americium-241 | 1.00E-01 | 2.00E-01 | 1.50E-01 | 4/4 | | | n/a | n/a | 0/4 | 5.16E+02 | 0/4 | 5.16E+00 |
| Beta activity | 8.30E+00 | 4.81E+01 | 3.17E+01 | 17/17 | 1.76E+01 | 1.95E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 1.00E-01 | 1.00E-01 | 1.00E-01 | 4/4 | | | 0/4 | 2.80E-01 | 0/4 | 8.58E+00 | 4/4 | 8.58E-02 |
| Neptunium-237 | 1.00E-01 | 3.00E-01 | 1.50E-01 | 4/6 | | | n/a | n/a | 0/6 | 2.71E+01 | 1/6 | 2.71E-01 |
| Plutonium-239 | 1.00E-01 | 1.00E-01 | 1.00E-01 | 4/6 | | | n/a | n/a | 0/6 | 1.15E+03 | 0/6 | 1.15E+01 |
| Technetium-99 | 4.00E-01 | 4.00E+00 | 2.80E+00 | 3/6 | | | 2/6 | 2.80E+00 | 0/6 | 3.62E+04 | 0/6 | 3.62E+02 |
| Thorium-230 | 8.10E-02 | 1.90E+00 | 1.01E+00 | 6/6 | | | 2/6 | 1.40E+00 | 0/6 | 1.49E+03 | 0/6 | 1.49E+01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.25. Summary of Surface and Subsurface Historical Data at SWMU 40 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|----------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Uranium | 2.10E+00 | 9.80E+00 | 6.08E+00 | 4/4 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 1.90E-02 | 3.50E+00 | 1.39E+00 | 6/6 | | | 2/6 | 2.40E+00 | 0/6 | 1.98E+03 | 0/6 | 1.98E+01 |
| Uranium-235 | 1.00E-01 | 2.00E-01 | 1.50E-01 | 4/6 | | | 2/6 | 1.40E-01 | 0/6 | 3.95E+01 | 0/6 | 3.95E-01 |
| Uranium-238 | 4.00E-01 | 3.80E+00 | 2.18E+00 | 4/6 | | | 2/6 | 1.20E+00 | 0/6 | 1.71E+02 | 2/6 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| 2,6-Dinitrotoluene | 4.32E-01 | 4.32E-01 | 4.32E-01 | 2/28 | 3.80E-01 | 8.40E-01 | n/a | n/a | 0/28 | 4.18E+02 | 0/28 | 7.57E-01 |
| Bis(2-ethylhexyl)phthalate | 5.00E-02 | 2.80E-01 | 1.48E-01 | 6/28 | 3.80E-01 | 8.40E-01 | n/a | n/a | 0/28 | 7.40E+03 | 0/28 | 8.84E+00 |
| Di-n-butyl phthalate | 5.00E-02 | 9.78E-01 | 5.17E-01 | 4/28 | 3.80E-01 | 8.40E-01 | n/a | n/a | 0/28 | 1.00E+05 | 0/28 | 2.13E+03 |
| Ethanol, 2,2'-oxybis-, diacetate | 8.50E-01 | 2.40E+00 | 1.45E+00 | 6/6 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| N-Nitroso-di-n-propylamine | 4.84E-01 | 4.84E-01 | 4.84E-01 | 1/28 | 3.80E-01 | 8.40E-01 | n/a | n/a | 0/28 | 1.84E+01 | 1/28 | 2.31E-02 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| Acetone | 1.80E-02 | 1.00E-01 | 5.52E-02 | 12/17 | 1.20E-02 | 1.00E-01 | n/a | n/a | 0/17 | 1.91E+04 | 0/17 | 3.58E+02 |
| Methylene chloride | 1.80E-03 | 2.40E-01 | 5.12E-02 | 15/17 | 6.00E-03 | 6.00E-03 | n/a | n/a | 0/17 | 2.16E+03 | 0/17 | 1.34E+01 |
| Toluene | 1.60E-03 | 2.30E-03 | 1.90E-03 | 3/17 | 6.00E-03 | 6.00E-03 | n/a | n/a | 0/17 | 7.28E+03 | 0/17 | 2.11E+02 |
| Vinyl acetate | 1.30E-03 | 2.80E-02 | 1.47E-02 | 2/17 | 1.10E-02 | 6.00E-02 | n/a | n/a | 0/17 | 4.42E+03 | 0/17 | 1.44E+02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.34. Soils Operable Unit: SWMU 40

SWMU 76 (C-632-B Sulfuric Acid Storage Tank)

Area description

The C-632-B Sulfuric Acid Storage Tank (SWMU 76) is located in the central portion of the plant site. The tank itself is empty, but the unit includes a diked area surrounding the tank. This SWMU is located on the south end of DMSA OS-11, SWMU 222.

Process history

The tank was used for the storage of sulfuric acid. Spills of sulfuric acid inside the diked area are known to have occurred.

Previous investigation results

No previous samples have been taken at this location.

Figure 5.35 shows the area historical map.

Area utilities

No current recirculating water lines or sewers are associated with this facility; none are within the boundary of the SWMU.

Data Gap Determination

Additional samples are needed at this location.




Figure 5.35. Soils Operable Unit: SWMUs 20, 76, 169 and 222

SWMU 77 (C-634-B Sulfuric Acid Storage Tank)

Area description

The C-634-B Sulfuric Acid Storage Tank (SWMU 77) is located in the southeast portion of the plant site. The tank has been removed, but the concrete dike still is in place.

Process history

The tank was used for the storage of sulfuric acid. Spills and/or releases of sulfuric acid from the storage tank potentially occurred when the unit was in use.

Table 5.26 is a summary of historical data followed by a map of historical sample locations (Figure 5.36).

Previous investigation results

No previous samples have been taken at this location.

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.

Data Gap Determination

Additional samples are needed at this location.

Table 5.26. Summary of Surface and Subsurface Historical Data at SWMU 77

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|---------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 4.00E+00 | 4.00E+00 | 4.00E+00 | 1/6 | | | n/a | n/a | 0/6 | 4.25E+01 | 1/6 | 1.99E-01 |
| PCB-1254 | 4.00E+00 | 4.00E+00 | 4.00E+00 | 1/1 | | | n/a | n/a | 0/1 | 1.82E+01 | 1/1 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Americium-241 | 1.53E+00 | 1.53E+00 | 1.53E+00 | 1/6 | | | n/a | n/a | 0/6 | 5.16E+02 | 0/6 | 5.16E+00 |
| Cesium-137 | 8.00E-02 | 2.26E+00 | 5.90E-01 | 5/6 | | | 1/6 | 4.90E-01 | 0/6 | 8.58E+00 | 4/6 | 8.58E-02 |
| Cobalt-60 | 7.00E-02 | 1.70E+00 | 8.85E-01 | 2/6 | | | n/a | n/a | 0/6 | 1.77E+00 | 2/6 | 1.77E-02 |
| Neptunium-237 | 3.43E+01 | 2.69E+02 | 9.08E+01 | 5/6 | | | 5/6 | 1.00E-01 | 5/6 | 2.71E+01 | 5/6 | 2.71E-01 |
| Plutonium-239 | 4.70E-01 | 7.04E+01 | 1.46E+01 | 5/6 | | | 5/6 | 2.50E-02 | 0/6 | 1.15E+03 | 1/6 | 1.15E+01 |
| Technetium-99 | 6.95E+02 | 1.94E+05 | 3.96E+04 | 5/6 | | | 5/6 | 2.50E+00 | 1/6 | 3.62E+04 | 5/6 | 3.62E+02 |
| Thorium-230 | 8.00E-01 | 5.84E+01 | 2.03E+01 | 3/6 | | | 2/6 | 1.50E+00 | 0/6 | 1.49E+03 | 1/6 | 1.49E+01 |
| Uranium | 4.81E+02 | 1.12E+05 | 2.29E+04 | 5/6 | | | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.




Figure No. ISoilsOUISOU_SWMUs.apr
 DATE 08-27-09

Figure 5.36. Soils Operable Unit: SWMUs 75, 77, and 160

SWMU 165 (C-616-L Pipeline and Vault Soil Contamination)

Area description

The C-616-L Pipeline and Vault Soil Contamination (SWMU 165) are located in the central portion of the plant site. The SWMU dimensions consist of two areas: area 1 is 105 ft wide by 210 ft long; and area 2 is 30 ft wide by 130 ft long.

Process history

The C-616-L Vault historically served as an effluent collection system. The area collects runoff from the C-600 Coal Pile. This runoff was transferred to the NSDD.

Previous investigation results

Past sampling events occurred in 1989, 1990, 1991, 1994, and 1995. Analysis of soil samples detected low-levels of PCBs and radionuclides. Subsurface soil samples also were obtained and analyzed as part of the Site Evaluation (SE) for 9 and 11 (DOE 1999c). Characterization of the area has identified elevated levels of PCBs, uranium, and technetium-99.

Summary excerpts from the SE are as follows:

It is concluded that the contamination present at SWMU 165 does not present risks to industrial workers, potential residential groundwater users, or non-human receptors that exceed *de minimis* levels. Direct contact risks are regarded acceptably low even though a confirmatory sample determined that PAHs may be present at SWMU 165 at concentrations that exceed *de minimis* levels.

None of the PAHs was detected at a concentration that exceeds the systemic toxicity RBC calculated using a hazard index (HI) or the KYDEP soil screening value. However, six PAHs were detected at a concentration that exceeds the cancer risk RBC calculated using an excess lifetime cancer risk (ELCR) of 1×10^{-7} , and five of these six PAHs were detected at a concentration that exceeds the KYDEP soil screening value. Significantly, two PAHs, benzo(a)pyrene and dibenz(a,h)anthracene, were detected at concentrations that were greater than 100X the cancer risk RBC, or at a concentration that may result in risks to an unrestricted worker that approach 1×10^{-4} . However, of these two PAHs, one, benzo(a)pyrene, was reported detected at the detection limit.

Table 5.27 is a summary of historical data followed by a map of historical sample locations (Figure 5.37).

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.

Data Gap Determination

No additional samples are needed at this location.

Table 5.27. Summary of Surface and Subsurface Historical Data at SWMU 165

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 1.40E+00 | 1.40E+04 | 5.54E+03 | 5/5 | 1.96E+01 | 1.27E+04 | 1/5 | 1.30E+04 | 0/5 | 1.00E+05 | 3/5 | 4.64E+03 |
| Antimony | 2.20E+00 | 2.20E+00 | 2.20E+00 | 1/5 | 2.20E+00 | 2.00E+01 | 1/5 | 2.10E+01 | 0/5 | 4.63E+02 | 1/5 | 3.79E-01 |
| Arsenic | 5.50E-01 | 1.30E+02 | 4.26E+01 | 16/17 | 4.90E+00 | 3.95E+01 | 14/17 | 1.20E+01 | 0/17 | 3.15E+02 | 16/17 | 5.23E-01 |
| Barium | 1.10E-01 | 1.14E+03 | 4.59E+02 | 16/16 | 2.45E+00 | 5.10E+02 | 10/16 | 2.00E+02 | 0/16 | 1.00E+05 | 10/16 | 2.29E+02 |
| Beryllium | 1.10E-01 | 6.75E+00 | 1.71E+00 | 5/5 | 2.20E-01 | 5.70E+00 | 2/5 | 6.70E-01 | 0/5 | 1.28E+03 | 2/5 | 9.48E-01 |
| Cadmium | 2.20E-01 | 2.20E-01 | 2.20E-01 | 2/17 | 2.20E-01 | 2.00E+00 | 2/17 | 2.10E-01 | 0/17 | 7.05E+01 | 0/17 | 2.13E+01 |
| Calcium | 3.30E-01 | 8.30E+04 | 2.20E+04 | 4/4 | 2.00E+02 | 1.68E+05 | 1/4 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 2.20E-01 | 6.66E+01 | 2.54E+01 | 17/17 | 2.45E+00 | 2.36E+01 | n/a | n/a | n/a | n/a | 0/17 | 3.56E+02 |
| Cobalt | 3.30E-01 | 2.38E+01 | 7.52E+00 | 4/4 | 9.70E-01 | 1.60E+01 | 1/4 | 1.40E+01 | 0/4 | 1.00E+05 | 0/4 | 1.92E+03 |
| Copper | 2.20E-01 | 1.16E+02 | 4.44E+01 | 5/5 | 1.60E+00 | 8.29E+01 | 3/5 | 1.90E+01 | 0/5 | 1.00E+05 | 0/5 | 4.93E+02 |
| Iron | 2.20E-01 | 1.34E+04 | 7.15E+03 | 5/5 | 1.96E+01 | 9.58E+03 | 0/5 | 2.80E+04 | 0/5 | 1.00E+05 | 3/5 | 2.07E+03 |
| Lead | 2.20E-01 | 5.15E+01 | 2.21E+01 | 11/17 | 5.60E+00 | 2.00E+01 | 5/17 | 3.60E+01 | 0/17 | 1.25E+03 | 2/17 | 5.00E+01 |
| Lithium | 2.24E+01 | 2.24E+01 | 2.24E+01 | 1/1 | 5.00E+00 | 5.00E+00 | n/a | n/a | 0/1 | 1.00E+05 | 0/1 | 6.41E+02 |
| Magnesium | 1.90E+00 | 4.41E+03 | 1.49E+03 | 4/4 | 2.50E+00 | 3.50E+03 | 1/4 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 1.10E-01 | 4.34E+02 | 1.61E+02 | 5/5 | 2.45E+00 | 1.83E+02 | 0/5 | 1.50E+03 | 0/5 | 4.64E+04 | 3/5 | 4.52E+01 |
| Mercury | 1.50E-01 | 9.00E-01 | 5.34E-01 | 5/16 | 7.00E-02 | 2.00E-01 | 5/16 | 2.00E-01 | 0/16 | 8.25E+02 | 0/16 | 9.82E-01 |
| Nickel | 4.40E-01 | 3.92E+01 | 2.59E+01 | 17/17 | 1.30E+00 | 2.59E+01 | 11/17 | 2.10E+01 | 0/17 | 9.30E+04 | 0/17 | 2.42E+02 |
| Potassium | 2.78E+01 | 4.99E+02 | 1.85E+02 | 3/3 | 8.69E+01 | 2.36E+03 | 0/3 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Selenium | 1.10E-01 | 1.25E+01 | 3.88E+00 | 14/17 | 1.00E+00 | 2.00E+01 | 12/17 | 8.00E-01 | 0/17 | 2.56E+04 | 0/17 | 9.49E+01 |
| Silver | 2.20E-01 | 8.33E+01 | 3.79E+01 | 7/17 | 2.20E-01 | 2.50E+00 | 6/17 | 2.30E+00 | 0/17 | 2.07E+04 | 2/17 | 4.11E+01 |
| Sodium | 1.50E+00 | 3.33E+02 | 1.12E+02 | 3/3 | 6.90E+01 | 3.52E+02 | 1/3 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Thallium | 1.10E-01 | 1.10E-01 | 1.10E-01 | 2/13 | 2.80E-01 | 2.00E+01 | 0/13 | 2.10E-01 | n/a | n/a | n/a | n/a |
| Uranium | 4.00E+00 | 1.87E+02 | 2.18E+01 | 18/19 | 1.20E-01 | 1.00E+02 | 12/19 | 4.90E+00 | 0/19 | 3.34E+03 | 5/19 | 2.02E+01 |
| Vanadium | 1.10E-01 | 1.06E+02 | 2.91E+01 | 5/5 | 2.45E+00 | 7.45E+01 | 1/5 | 3.80E+01 | 0/5 | 4.47E+03 | 3/5 | 3.32E+00 |
| Zinc | 1.10E-01 | 1.22E+02 | 4.55E+01 | 4/4 | 1.00E+01 | 3.32E+01 | 1/4 | 6.50E+01 | 0/4 | 1.00E+05 | 0/4 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 2.00E-01 | 5.10E+01 | 4.52E+00 | 34/207 | 1.00E-01 | 2.00E+00 | n/a | n/a | 1/207 | 4.25E+01 | 34/207 | 1.99E-01 |
| PCB-1254 | 3.70E-01 | 3.70E-01 | 3.70E-01 | 1/22 | 6.00E-02 | 5.00E+00 | n/a | n/a | 0/22 | 1.82E+01 | 1/22 | 1.99E-01 |
| PCB-1260 | 3.80E-01 | 1.10E+01 | 5.23E+00 | 3/22 | 9.00E-02 | 1.00E-01 | n/a | n/a | 0/22 | 4.25E+01 | 3/22 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 1.52E+00 | 6.90E+01 | 2.32E+01 | 5/5 | 6.92E-03 | 9.00E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Americium-241 | 1.38E-01 | 1.38E-01 | 1.38E-01 | 1/3 | 2.00E-02 | 1.28E-01 | n/a | n/a | 0/3 | 5.16E+02 | 0/3 | 5.16E+00 |
| Beta activity | 1.68E+00 | 2.40E+02 | 6.46E+01 | 5/5 | 1.12E-02 | 1.00E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 2.13E+00 | 1.18E+01 | 5.30E+00 | 5/7 | 3.00E-02 | 6.40E-01 | 5/7 | 4.90E-01 | 1/7 | 8.58E+00 | 5/7 | 8.58E-02 |
| Neptunium-237 (mg/kg) | 5.00E-03 | 5.00E-03 | 5.00E-03 | 1/15 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Neptunium-237 | 6.00E-02 | 5.27E-01 | 3.13E-01 | 3/6 | 3.10E-04 | 5.00E-01 | 2/6 | 1.00E-01 | 0/6 | 2.71E+01 | 2/6 | 2.71E-01 |
| Plutonium-238 | 1.00E-02 | 1.00E-02 | 1.00E-02 | 1/3 | 2.60E-04 | 1.94E-01 | 0/3 | 7.30E-02 | 0/3 | 1.17E+03 | 0/3 | 1.17E+01 |
| Plutonium-239 | 3.90E-01 | 3.90E-01 | 3.90E-01 | 1/2 | 1.00E-03 | 1.00E-01 | 1/2 | 2.50E-02 | 0/2 | 1.15E+03 | 0/2 | 1.15E+01 |
| Plutonium-239/240 | 1.01E+00 | 1.01E+00 | 1.01E+00 | 1/4 | 2.00E-02 | 5.96E-02 | n/a | n/a | 0/4 | 1.15E+03 | 0/4 | 1.15E+01 |
| Plutonium-242 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 1/1 | 1.00E-05 | 1.00E-05 | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.

Table 5.27. Summary of Surface and Subsurface Historical Data at SWMU 165 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Technetium-99 (mg/kg) | 0.00E+00 | 0.00E+00 | 0.00E+00 | 2/12 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Technetium-99 | 5.30E-01 | 6.00E+01 | 3.06E+01 | 8/9 | 8.30E-04 | 3.06E+00 | 7/9 | 2.50E+00 | 0/9 | 3.62E+04 | 0/9 | 3.62E+02 |
| Thorium-228 | 2.70E-01 | 3.91E-01 | 3.46E-01 | 3/3 | 2.97E-03 | 1.50E-01 | 0/3 | 1.60E+00 | 0/3 | 2.80E+00 | 0/3 | 2.80E-02 |
| Thorium-230 | 2.20E-01 | 8.73E-01 | 2.43E+00 | 6/6 | 3.32E-03 | 3.02E-01 | 3/6 | 1.50E+00 | 0/6 | 1.49E+03 | 0/6 | 1.49E+01 |
| Thorium-230 (mg/kg) | 0.00E+00 | 1.00E-04 | 8.17E-05 | 12/12 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Thorium-232 | 2.20E-01 | 4.15E-01 | 3.47E-01 | 3/3 | 3.48E-03 | 5.26E-02 | 0/3 | 1.50E+00 | 0/3 | 1.35E+03 | 0/3 | 1.35E+01 |
| Uranium | 3.00E+00 | 2.00E+01 | 8.48E+00 | 9/9 | 1.36E+00 | 1.36E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 1.00E-02 | 1.40E+02 | 2.47E+01 | 7/7 | 1.45E-03 | 1.00E+01 | 3/7 | 2.50E+00 | 0/7 | 1.98E+03 | 1/7 | 1.98E+01 |
| Uranium-235 | 0.00E+00 | 4.70E+00 | 1.02E+00 | 7/7 | 1.20E-04 | 7.00E-01 | 4/7 | 1.40E-01 | 0/7 | 3.95E+01 | 3/7 | 3.95E-01 |
| Uranium-238 | 1.00E-02 | 1.50E+02 | 2.95E+01 | 11/11 | 2.37E-03 | 1.00E+01 | 9/11 | 1.20E+00 | 0/11 | 1.71E+02 | 9/11 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| 2-Methylnaphthalene | 3.70E-01 | 6.60E+00 | 3.49E+00 | 2/3 | 4.80E-01 | 6.20E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Acenaphthene | 3.70E-01 | 3.70E-01 | 3.70E-01 | 1/7 | 1.10E-01 | 5.00E-01 | n/a | n/a | 0/7 | 6.67E+04 | 0/7 | 3.16E+02 |
| Acenaphthylene | 3.60E-01 | 3.60E-01 | 3.60E-01 | 1/7 | 4.30E-02 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Anthracene | 3.60E-01 | 6.30E-01 | 4.53E-01 | 3/7 | 9.60E-02 | 5.00E-01 | n/a | n/a | 0/7 | 1.00E+05 | 0/7 | 3.79E+03 |
| Benz(a)anthracene | 3.60E-01 | 1.50E+00 | 6.50E-01 | 5/7 | 2.00E-01 | 5.00E-01 | n/a | n/a | 0/7 | 2.08E+02 | 5/7 | 2.12E-01 |
| Benzo(a)pyrene | 3.60E-01 | 1.40E+00 | 6.50E-01 | 4/7 | 2.50E-01 | 5.00E-01 | n/a | n/a | 0/7 | 2.08E+01 | 4/7 | 2.12E-02 |
| Benzo(b)fluoranthene | 3.60E-01 | 2.40E+00 | 9.20E-01 | 4/7 | 2.90E-01 | 5.00E-01 | n/a | n/a | 0/7 | 2.08E+02 | 4/7 | 2.12E-01 |
| Benzo(ghi)perylene | 3.70E-01 | 9.30E-01 | 6.27E-01 | 3/7 | 2.70E-01 | 9.30E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benzo(k)fluoranthene | 3.60E-01 | 8.40E-01 | 5.10E-01 | 4/6 | 1.20E-01 | 5.00E-01 | n/a | n/a | 0/6 | 2.08E+03 | 0/6 | 2.12E+00 |
| Butyl benzyl phthalate | 3.60E-01 | 3.60E-01 | 3.60E-01 | 1/3 | 7.10E-02 | 4.80E-01 | n/a | n/a | 0/3 | 1.00E+05 | 0/3 | 2.71E+03 |
| Carbazole | 3.70E-01 | 3.70E-01 | 3.70E-01 | 1/3 | 1.20E-01 | 4.80E-01 | n/a | n/a | 0/3 | 1.28E+04 | 0/3 | 2.15E+01 |
| Chrysene | 3.60E-01 | 1.90E+00 | 7.88E-01 | 5/7 | 1.80E-01 | 5.00E-01 | n/a | n/a | 0/7 | 2.08E+04 | 0/7 | 2.12E+01 |
| Dibenz(a,h)anthracene | 9.30E-01 | 9.30E-01 | 9.30E-01 | 1/6 | 4.70E-01 | 9.30E-01 | n/a | n/a | 0/6 | 2.08E+01 | 1/6 | 2.12E-02 |
| Dibenzofuran | 3.70E-01 | 3.70E-01 | 3.70E-01 | 1/2 | 2.80E-01 | 2.80E-01 | n/a | n/a | 0/2 | 9.02E+03 | 0/2 | 1.86E+01 |
| Di-n-butyl phthalate | 3.60E-01 | 3.70E-01 | 3.65E-01 | 2/2 | 4.50E-01 | 9.10E-01 | n/a | n/a | 0/2 | 1.00E+05 | 0/2 | 2.13E+03 |
| Fluoranthene | 3.60E-01 | 4.00E+00 | 1.40E+00 | 4/6 | 4.70E-01 | 9.10E-01 | n/a | n/a | 0/6 | 6.50E+04 | 0/6 | 2.21E+02 |
| Indeno(1,2,3-cd)pyrene | 3.70E-01 | 9.30E-01 | 6.60E-01 | 3/7 | 2.30E-01 | 9.30E-01 | n/a | n/a | 0/7 | 2.08E+02 | 3/7 | 2.12E-01 |
| Naphthalene | 3.70E-01 | 4.70E+00 | 2.72E+00 | 4/7 | 4.70E-01 | 5.00E-01 | n/a | n/a | 0/7 | 7.66E+02 | 0/7 | 2.36E+01 |
| Phenanthrene | 3.60E-01 | 3.80E+00 | 2.19E+00 | 5/7 | 9.70E-02 | 1.30E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 3.60E-01 | 2.90E+00 | 1.03E+00 | 5/7 | 3.40E-01 | 8.20E-01 | n/a | n/a | 0/7 | 4.87E+04 | 0/7 | 1.65E+02 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| Acetone | 1.10E-01 | 1.10E-01 | 1.10E-01 | 1/7 | 1.00E-02 | 9.10E-02 | n/a | n/a | 0/7 | 1.91E+04 | 0/7 | 3.58E+02 |
| Methylene chloride | 5.00E-03 | 6.00E-03 | 5.50E-03 | 2/7 | 8.00E-03 | 3.50E-02 | n/a | n/a | 0/7 | 2.16E+03 | 0/7 | 1.34E+01 |
| Toluene | 7.00E-02 | 2.10E-01 | 1.40E-01 | 2/7 | 8.00E-03 | 1.00E-02 | n/a | n/a | 0/7 | 7.28E+03 | 0/7 | 2.11E+02 |
| Wetchem (mg/kg) | | | | | | | | | | | | |
| Cyanide | 1.00E-02 | 1.00E-02 | 1.00E-02 | 1/2 | 2.00E-02 | 2.00E-02 | n/a | n/a | 0/2 | 2.02E+04 | 0/2 | 7.92E+01 |
| Subsurface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 1.10E+00 | 1.75E+04 | 7.42E+03 | 20/20 | 2.00E+01 | 8.32E+03 | 6/20 | 1.20E+04 | 0/20 | 1.00E+05 | 13/20 | 4.64E+03 |
| Antimony | 2.20E+00 | 2.70E+00 | 2.40E+00 | 3/21 | 2.20E+00 | 2.00E+01 | 3/21 | 2.10E-01 | 0/21 | 4.63E+02 | 3/21 | 3.79E-01 |
| Arsenic | 1.10E-01 | 3.01E+01 | 5.57E+00 | 21/21 | 1.40E+00 | 7.10E+00 | 6/21 | 7.90E+00 | 0/21 | 3.15E+02 | 14/21 | 5.23E-01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.27. Summary of Surface and Subsurface Historical Data at SWMU 165 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Barium | 1.10E-01 | 4.13E+02 | 9.37E+01 | 21/21 | 2.50E+00 | 8.78E+01 | 4/21 | 1.70E+02 | 0/21 | 1.00E+05 | 3/21 | 2.29E+02 |
| Beryllium | 1.10E-01 | 5.52E+00 | 1.07E+00 | 21/21 | 4.50E-01 | 7.50E-01 | 9/21 | 6.90E-01 | 0/21 | 1.28E+03 | 6/21 | 9.48E-01 |
| Cadmium | 2.20E-01 | 3.20E-01 | 2.70E-01 | 21/21 | 2.20E-01 | 2.00E+00 | 2/21 | 2.10E-01 | 0/21 | 7.05E+01 | 0/21 | 2.13E+01 |
| Calcium | 2.20E-01 | 1.59E+04 | 1.74E+03 | 21/21 | 2.00E+02 | 4.00E+04 | 1/21 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 2.20E-01 | 5.31E+01 | 1.61E+01 | 21/21 | 2.50E+00 | 2.23E+01 | n/a | n/a | n/a | n/a | 0/21 | 3.56E+02 |
| Cobalt | 2.20E-01 | 1.62E+01 | 5.83E+00 | 21/21 | 2.50E+00 | 2.74E+01 | 4/21 | 1.30E+01 | 0/21 | 1.00E+05 | 0/21 | 1.92E+03 |
| Copper | 2.20E-01 | 1.49E+02 | 2.95E+01 | 21/21 | 1.10E+00 | 8.50E+00 | 5/21 | 2.50E+01 | 0/21 | 1.00E+05 | 0/21 | 4.93E+02 |
| Iron | 2.20E-01 | 3.83E+04 | 1.15E+04 | 21/21 | 2.00E+01 | 2.10E+04 | 2/21 | 2.80E+04 | 0/21 | 1.00E+05 | 13/21 | 2.07E+03 |
| Lead | 5.30E-01 | 2.55E+01 | 8.05E+00 | 20/21 | 2.70E+00 | 2.00E+01 | 2/21 | 2.30E+01 | 0/21 | 1.25E+03 | 0/21 | 5.00E+01 |
| Lithium | 1.11E+01 | 2.44E+01 | 1.61E+01 | 5/5 | 5.00E+00 | 5.00E+00 | n/a | n/a | 0/5 | 1.00E+05 | 0/5 | 6.41E+02 |
| Magnesium | 1.90E+00 | 2.04E+02 | 7.85E+02 | 21/21 | 2.50E+00 | 7.15E+03 | 0/21 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 1.10E-01 | 6.96E+02 | 1.96E+02 | 21/21 | 2.50E+00 | 4.08E+02 | 0/21 | 8.20E+02 | 0/21 | 4.64E+04 | 13/21 | 4.52E+01 |
| Mercury | 9.70E-02 | 3.70E-01 | 2.39E-01 | 3/21 | 9.00E-02 | 2.00E-01 | 2/21 | 1.30E-01 | 0/21 | 8.25E+02 | 0/21 | 9.82E-01 |
| Nickel | 1.10E-01 | 4.96E+01 | 1.15E+01 | 21/21 | 3.50E+00 | 1.01E+01 | 5/21 | 2.20E+01 | 0/21 | 9.30E+04 | 0/21 | 2.42E+02 |
| Potassium | 4.40E+00 | 6.30E+02 | 1.85E+02 | 16/16 | 1.26E+02 | 4.25E+02 | 0/16 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Selenium | 1.10E-01 | 1.63E+00 | 8.03E-01 | 4/21 | 1.10E-01 | 1.00E+00 | 2/21 | 7.00E-01 | 0/21 | 2.56E+04 | 0/21 | 9.49E+01 |
| Sodium | 1.50E+00 | 5.73E+02 | 1.23E+02 | 16/16 | 6.97E+01 | 1.94E+02 | 2/16 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Vanadium | 1.10E-01 | 8.60E+01 | 2.80E+01 | 21/21 | 2.50E+00 | 3.22E+01 | 6/21 | 3.70E+01 | 0/21 | 4.47E+03 | 13/21 | 3.32E+00 |
| Zinc | 1.10E-01 | 7.38E+01 | 2.26E+01 | 19/21 | 6.90E+00 | 3.15E+01 | 2/21 | 6.00E+01 | 0/21 | 1.00E+05 | 0/21 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| Decachlorobiphenyl | 9.49E-02 | 9.49E-02 | 9.49E-02 | 1/8 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| PCB, Total | 3.00E-01 | 3.00E-01 | 3.00E-01 | 2/37 | 1.00E-01 | 1.00E-01 | n/a | n/a | 0/37 | 4.25E+01 | 2/37 | 1.99E-01 |
| Tetrachloro-m-xylene | 1.04E-01 | 1.04E-01 | 1.04E-01 | 1/8 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 1.05E+00 | 2.63E+01 | 5.87E+00 | 18/18 | 9.87E-04 | 2.20E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 1.41E+00 | 1.66E+01 | 5.73E+00 | 17/18 | 1.31E-03 | 1.70E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 3.65E-02 | 1.27E-01 | 8.18E-02 | 2/5 | 2.71E-02 | 3.87E-02 | 0/5 | 2.80E-01 | 0/5 | 8.58E+00 | 1/5 | 8.58E-02 |
| Neptunium-237 | 4.34E-01 | 4.73E-01 | 4.55E-01 | 2/5 | 4.28E-02 | 9.39E-02 | n/a | n/a | 0/5 | 2.71E+01 | 2/5 | 2.71E-01 |
| Plutonium-239/240 | 1.42E-01 | 2.16E+00 | 7.48E-01 | 4/5 | 5.70E-02 | 6.08E-02 | n/a | n/a | 0/5 | 1.15E+03 | 0/5 | 1.15E+01 |
| Technetium-99 | 5.20E-01 | 1.87E+02 | 4.68E+01 | 8/23 | 5.00E-04 | 3.06E+00 | 6/23 | 2.80E+00 | 0/23 | 3.62E+04 | 0/23 | 3.62E+02 |
| Thorium-228 | 4.49E-01 | 6.30E-01 | 5.60E-01 | 5/5 | 5.03E-02 | 5.22E-02 | 0/5 | 1.60E+00 | 0/5 | 2.80E+00 | 5/5 | 2.80E-02 |
| Thorium-230 | 6.31E-01 | 2.60E+01 | 8.52E+00 | 5/5 | 2.20E-01 | 2.21E-01 | 4/5 | 1.40E+00 | 0/5 | 1.49E+03 | 1/5 | 1.49E+01 |
| Thorium-232 | 4.70E-01 | 6.81E-01 | 5.39E-01 | 5/5 | 5.09E-02 | 5.20E-02 | 0/5 | 1.50E+00 | 0/5 | 1.35E+03 | 0/5 | 1.35E+01 |
| Uranium | 5.58E+00 | 2.38E+01 | 1.48E+01 | 5/5 | 1.11E+00 | 1.39E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-233/234 | 7.60E-01 | 1.10E+00 | 9.30E-01 | 2/2 | 4.10E-05 | 5.60E-05 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 1.00E-02 | 9.78E+00 | 1.71E+00 | 19/19 | 7.00E-06 | 5.06E-01 | 4/19 | 2.40E+00 | 0/19 | 1.98E+03 | 0/19 | 1.98E+01 |
| Uranium-235 | 1.00E-02 | 6.15E-01 | 1.44E-01 | 16/21 | 2.10E-05 | 4.73E-02 | 5/21 | 1.40E-01 | 0/21 | 3.95E+01 | 2/21 | 3.95E-01 |
| Uranium-238 | 1.00E-02 | 1.34E+01 | 2.40E+00 | 20/21 | 2.00E-05 | 8.68E-01 | 5/21 | 1.20E+00 | 0/21 | 1.71E+02 | 5/21 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| 2-Methylnaphthalene | 3.70E-01 | 1.70E+00 | 8.17E-01 | 3/21 | 5.90E-02 | 1.30E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benz(a)anthracene | 3.80E-01 | 3.80E-01 | 3.80E-01 | 1/21 | 4.10E-02 | 6.60E-01 | n/a | n/a | 0/21 | 2.08E+02 | 1/21 | 2.12E-01 |
| Bis(2-ethylhexyl)phthalate | 3.80E-01 | 1.10E+00 | 6.56E-01 | 5/21 | 8.30E-02 | 6.60E-01 | n/a | n/a | 0/21 | 7.40E+03 | 0/21 | 8.84E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.27. Summary of Surface and Subsurface Historical Data at SWMU 165 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Butyl benzyl phthalate | 3.80E-01 | 3.80E-01 | 3.80E-01 | 1/21 | 2.80E-01 | 6.60E-01 | n/a | n/a | 0/21 | 1.00E+05 | 0/21 | 2.71E+03 |
| Chrysene | 3.80E-01 | 3.80E-01 | 3.80E-01 | 1/21 | 5.80E-02 | 6.60E-01 | n/a | n/a | 0/21 | 2.08E+04 | 0/21 | 2.12E+01 |
| Cineole | 2.40E-02 | 2.40E-02 | 2.40E-02 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Dibenzofuran | 3.80E-01 | 3.80E-01 | 3.80E-01 | 1/18 | 7.70E-02 | 6.60E-01 | n/a | n/a | 0/18 | 9.02E+03 | 0/18 | 1.86E+01 |
| Di-n-butyl phthalate | 8.40E-02 | 4.10E-01 | 2.87E-01 | 12/18 | 1.00E-01 | 6.60E-01 | n/a | n/a | 0/18 | 1.00E+05 | 0/18 | 2.13E+03 |
| Fluoranthene | 3.70E-01 | 3.80E-01 | 3.75E-01 | 2/18 | 4.80E-02 | 6.60E-01 | n/a | n/a | 0/18 | 6.50E+04 | 0/18 | 2.21E+02 |
| Naphthalene | 3.80E-01 | 1.10E+00 | 7.40E-01 | 2/21 | 1.70E-01 | 6.60E-01 | n/a | n/a | 0/21 | 7.66E+02 | 0/21 | 2.36E+01 |
| Penta-chlorophenol | 2.10E+00 | 2.10E+00 | 2.10E+00 | 1/21 | 4.10E-01 | 3.30E+00 | n/a | n/a | 0/21 | 2.56E+03 | 0/21 | 2.12E+00 |
| Phenanthrene | 3.70E-01 | 8.40E-01 | 5.30E-01 | 3/21 | 6.50E-02 | 6.60E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 3.80E-01 | 3.80E-01 | 3.80E-01 | 1/21 | 8.10E-02 | 6.60E-01 | n/a | n/a | 0/21 | 4.87E+04 | 0/21 | 1.65E+02 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| 1,1,2-Trichloroethane | 6.00E-03 | 6.00E-03 | 6.00E-03 | 1/21 | 2.00E-03 | 1.00E-02 | n/a | n/a | 0/21 | 1.69E+02 | 0/21 | 1.18E+00 |
| 1,4-Cineole | 3.30E-02 | 3.30E-02 | 3.30E-02 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 1-Propanol | 3.00E-02 | 1.00E-01 | 8.17E-02 | 6/6 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 2-Butanone | 5.00E-03 | 1.20E-01 | 6.25E-02 | 2/23 | 7.00E-03 | 1.30E+00 | n/a | n/a | 0/23 | 3.94E+04 | 0/23 | 1.03E+03 |
| 2-Hexanone | 6.00E-02 | 6.10E-02 | 6.05E-02 | 2/21 | 1.00E-02 | 2.00E-02 | n/a | n/a | n/a | n/a | n/a | n/a |
| 2-Propanol | 1.00E-01 | 4.00E-01 | 2.00E-01 | 6/6 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 4-Methyl-2-pentanone | 6.00E-02 | 6.10E-02 | 6.05E-02 | 2/21 | 1.00E-02 | 1.40E-02 | n/a | n/a | 0/21 | 2.18E+03 | 0/21 | 6.51E+01 |
| Acetone | 1.80E-02 | 1.20E-01 | 8.15E-02 | 15/21 | 1.00E-02 | 3.50E-02 | n/a | n/a | 0/21 | 1.91E+04 | 0/21 | 3.58E+02 |
| Carbon disulfide | 6.00E-03 | 6.00E-03 | 6.00E-03 | 1/21 | 1.00E-03 | 1.00E-02 | n/a | n/a | 0/21 | 3.17E+03 | 0/21 | 1.06E+02 |
| Chlorobenzene | 6.00E-03 | 6.00E-03 | 6.00E-03 | 1/21 | 1.00E-03 | 1.00E-02 | n/a | n/a | 0/21 | 1.64E+03 | 0/21 | 2.89E+01 |
| Ethylbenzene | 6.00E-03 | 6.00E-03 | 6.00E-03 | 1/21 | 1.00E-03 | 1.00E-02 | n/a | n/a | 0/21 | 2.12E+03 | 0/21 | 2.12E+01 |
| Methylene chloride | 6.00E-03 | 7.40E-02 | 2.51E-02 | 14/21 | 5.00E-03 | 5.40E-02 | n/a | n/a | 0/21 | 2.16E+03 | 0/21 | 1.34E+01 |
| Tetrachloroethene | 6.00E-03 | 6.00E-03 | 6.00E-03 | 1/21 | 1.00E-03 | 1.00E-02 | n/a | n/a | 0/21 | 1.46E+03 | 0/21 | 3.90E+00 |
| Toluene | 6.00E-03 | 6.00E-03 | 6.00E-03 | 2/21 | 5.00E-03 | 4.30E-02 | n/a | n/a | 0/21 | 7.28E+03 | 0/21 | 2.11E+02 |
| Total Xylene | 6.00E-03 | 6.00E-03 | 6.00E-03 | 2/18 | 5.00E-03 | 7.00E-03 | n/a | n/a | 0/18 | 2.20E+04 | 0/18 | 7.24E+02 |
| Trichloroethene | 6.00E-03 | 6.00E-03 | 6.00E-03 | 2/21 | 2.00E-03 | 2.60E-02 | n/a | n/a | 0/21 | 2.98E+02 | 0/21 | 2.51E+00 |
| Wetchem (mg/kg) | | | | | | | | | | | | |
| Cyanide | 5.40E-01 | 5.60E-01 | 5.50E-01 | 2/16 | | | n/a | n/a | 0/16 | 2.02E+04 | 0/16 | 7.92E+01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.37. Soils Operable Unit: SWMUs 26, 47, 165, 172, 200, 221, and 483

SWMU 170 (C-729 Acetylene Building Drain Pits)

Area description

The C-729 Acetylene Building Drain Pits (SWMU 170) is located in the central portion of the plant site. The two pits are approximately 16 ft long by 8 ft wide by 3 ft deep.

Process history

The two pits were operational from 1954 to the mid 1970s. Acetylene was generated for maintenance activities by combining calcium carbide and water. The residual from the operation drained to two outside concrete pits. Standpipes in the pits allowed sediments to settle out with the effluent draining to the storm sewer system.

Previous investigation results

A sludge sample was obtained and analyzed from each of the pits in 1993. Results indicated a high pH, volatiles, and uranium contamination. Surface and subsurface sampling results from the WAGs 9 & 11 SE (DOE 1999c) showed no VOCs present. An excerpt from the SE is as follows: "From the SE for SWMU 170, it is concluded that the contamination present does not present risks to industrial workers, potential residential groundwater users, and non-human receptors that exceed *de minimis* levels. Direct contact risks are *de minimis* because contaminated media are not available for direct contact at SWMU 170. Risks from the use of groundwater where contamination has migrated from soil also are regarded acceptably low, though two detections of uranium-238 exceed background. These exceedances are deemed to be of little significance because the magnitude of the exceedance is minor (i.e., 1.40 and 2.55 pCi/g versus a background of 1.20 pCi/g) and because previous work has determined that uranium has limited mobility in the subsurface at PGDP."

Table 5.28 is a summary of historical data followed by a map of historical sample locations (Figure 5.38).

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.

Data Gap Determination

No additional samples are needed at this location.

Table 5.28. Summary of Surface and Subsurface Historical Data at SWMU 170

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| Surface Soils | | | | | | | | | | | | |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 6.25E+00 | 6.25E+00 | 6.25E+00 | 1/5 | 5.14E+00 | 7.87E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 3.18E+00 | 6.03E+00 | 4.99E+00 | 3/5 | 2.42E+00 | 3.18E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Thorium-230 | 4.00E+00 | 4.00E+00 | 4.00E+00 | 1/5 | | | 1/5 | 1.50E+00 | 0/5 | 1.49E+03 | 0/5 | 1.49E+01 |
| Uranium | 2.10E+00 | 9.50E+00 | 5.73E+00 | 4/5 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Subsurface Soils | | | | | | | | | | | | |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 4.77E+00 | 4.77E+00 | 4.77E+00 | 1/2 | 4.44E+00 | 4.44E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 4.47E+00 | 6.66E+00 | 5.57E+00 | 2/2 | 3.88E+00 | 3.88E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 1.54E-01 | 1.54E-01 | 1.54E-01 | 1/2 | 2.32E-02 | 2.91E-02 | 0/2 | 2.80E-01 | 0/2 | 8.58E+00 | 1/2 | 8.58E-02 |
| Neptunium-237 | 4.36E-02 | 4.36E-02 | 4.36E-02 | 1/2 | 4.24E-02 | 4.99E-02 | n/a | n/a | 0/2 | 2.71E+01 | 0/2 | 2.71E-01 |
| Technetium-99 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 2/2 | 4.74E+00 | 4.74E+00 | 0/2 | 2.80E+00 | 0/2 | 3.62E+04 | 0/2 | 3.62E+02 |
| Uranium | 2.39E+00 | 3.65E+00 | 3.02E+00 | 2/2 | 3.28E-01 | 4.69E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 9.38E-01 | 1.04E+00 | 9.89E-01 | 2/2 | 9.12E-02 | 1.83E-01 | 0/2 | 2.40E+00 | 0/2 | 1.98E+03 | 0/2 | 1.98E+01 |
| Uranium-238 | 1.40E+00 | 2.55E+00 | 1.98E+00 | 2/2 | 2.24E-01 | 2.71E-01 | 2/2 | 1.20E+00 | 0/2 | 1.71E+02 | 1/2 | 1.71E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.38. Soils Operable Unit: SWMUs 27, 31, 32, 170, 211, 219, and 220

5.1.4 Group 2–Chromium Areas

SWMU 158 (Chilled-Water System Leak Site)

Area description

The Chilled-Water System Leak Site (SWMU 158) is located in the central portion of the plant site, southeast of the C-720 Building. The SWMU consists of chilled waterlines located under the concrete pad near the C-720 Truck Alley. The SWMU 158 area is approximately 10 ft wide by 30 ft long.

Process history

The primary function of the system was to provide cooling water for computer systems and heating ventilation and air conditioning (HVAC) systems in various plant buildings. The site is an area where approximately 3,500 gal of chromated water from the chilled water system leaked into an adjacent electrical vault and spilled over to another connected vault. Suspected contamination is hexavalent chromium due to process knowledge.

Previous investigation results

No previous investigation results are available.

Table 5.29 is a summary of historical data followed by a map of historical sample locations (Figure 5.39).

Area utilities

No current recirculating water lines or sewers are associated with this leak site; however, both recirculating water lines and sanitary sewers are present within the boundary of the SWMU. These lines are approximately 11 and 4 ft bgs, respectively.

Data Gap Determination

Additional samples are needed at this location.

Table 5.29. Summary of Surface and Subsurface Historical Data at SWMU 158

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Subsurface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 3.45E+03 | 1.21E+04 | 6.32E+03 | 5/5 | 1.31E+00 | 6.57E+00 | 1/5 | 1.20E+04 | 0/5 | 1.00E+05 | 3/5 | 4.64E+03 |
| Arsenic | 8.57E-01 | 5.38E+00 | 2.37E+00 | 5/5 | 8.27E-02 | 8.27E-02 | 0/5 | 7.90E+00 | 0/5 | 3.15E+02 | 5/5 | 5.23E-01 |
| Barium | 3.06E+01 | 8.01E+01 | 4.84E+01 | 4/5 | 2.00E-02 | 1.71E-01 | 0/5 | 1.70E+02 | 0/5 | 1.00E+05 | 0/5 | 2.29E+02 |
| Beryllium | 5.30E-02 | 6.10E-01 | 4.54E-01 | 5/5 | 1.88E-02 | 1.81E-01 | 0/5 | 6.90E-01 | 0/5 | 1.28E+03 | 0/5 | 9.48E-01 |
| Cadmium | 2.49E-01 | 2.49E-01 | 2.49E-01 | 1/5 | 4.89E-02 | 2.45E-01 | 1/5 | 2.10E-01 | 0/5 | 7.05E+01 | 0/5 | 2.13E+01 |
| Calcium | 6.14E+02 | 1.17E+03 | 8.28E+02 | 4/5 | 5.10E-01 | 6.63E+00 | 0/5 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 4.48E+00 | 7.18E+01 | 2.91E+01 | 4/5 | 1.33E-01 | 3.83E-01 | n/a | n/a | n/a | n/a | 0/5 | 3.56E+02 |
| Cobalt | 1.15E+00 | 1.02E+01 | 4.83E+00 | 4/5 | 8.47E-02 | 3.73E-01 | 0/5 | 1.30E+01 | 0/5 | 1.00E+05 | 0/5 | 1.92E+03 |
| Copper | 3.02E+00 | 6.89E+00 | 4.82E+00 | 5/5 | 1.07E-01 | 2.11E-01 | 0/5 | 2.50E+01 | 0/5 | 1.00E+05 | 0/5 | 4.93E+02 |
| Iron | 6.21E+03 | 1.70E+04 | 1.27E+04 | 4/5 | 6.68E-01 | 2.36E+01 | 0/5 | 2.80E+04 | 0/5 | 1.00E+05 | 4/5 | 2.07E+03 |
| Lead | 3.33E+00 | 1.13E+01 | 6.87E+00 | 4/5 | 2.40E-01 | 2.48E+00 | 0/5 | 2.30E+01 | 0/5 | 1.25E+03 | 0/5 | 5.00E+01 |
| Magnesium | 2.91E+02 | 5.14E+02 | 4.00E+02 | 4/5 | 3.75E+00 | 6.79E+00 | 0/5 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 6.39E+00 | 1.55E+02 | 5.26E+01 | 4/5 | 3.00E-02 | 2.01E-01 | 0/5 | 8.20E+02 | 0/5 | 4.64E+04 | 1/5 | 4.52E+01 |
| Nickel | 3.93E+00 | 5.36E+00 | 4.51E+00 | 4/5 | 1.28E-01 | 1.28E+00 | 0/5 | 2.20E+01 | 0/5 | 9.30E+04 | 0/5 | 2.42E+02 |
| Potassium | 8.20E+01 | 1.73E+02 | 1.25E+02 | 4/5 | 2.00E+00 | 2.05E+00 | 0/5 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Selenium | 1.02E-01 | 1.83E-01 | 1.43E-01 | 2/5 | 8.91E-02 | 8.91E-02 | 0/5 | 7.00E-01 | 0/5 | 2.56E+04 | 0/5 | 9.49E+01 |
| Silver | 3.45E-01 | 3.45E-01 | 3.45E-01 | 1/5 | 1.80E-01 | 2.91E-01 | 0/5 | 2.70E+00 | 0/5 | 2.07E+04 | 0/5 | 4.11E+01 |
| Sodium | 2.12E+02 | 3.27E+02 | 2.76E+02 | 4/5 | 2.73E+00 | 1.11E+01 | 2/5 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Vanadium | 1.12E+01 | 3.53E+01 | 2.43E+01 | 4/5 | 1.45E-01 | 6.02E-01 | 0/5 | 3.70E+01 | 0/5 | 4.47E+03 | 4/5 | 3.32E+00 |
| Zinc | 6.91E+00 | 4.46E+01 | 1.88E+01 | 4/5 | 8.06E-02 | 8.06E-02 | 0/5 | 6.00E+01 | 0/5 | 1.00E+05 | 0/5 | 2.73E+03 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 1.02E+01 | 1.02E+01 | 1.02E+01 | 1/5 | 9.43E+00 | 9.51E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 1.34E+01 | 1.88E+01 | 1.54E+01 | 5/5 | 1.80E+01 | 1.82E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| Vinyl chloride | 4.00E-01 | 4.00E-01 | 4.00E-01 | 1/5 | 7.00E-01 | 1.00E+00 | n/a | n/a | 0/5 | 4.14E+01 | 1/5 | 1.34E-01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.




Figure 5.39. Soils Operable Unit: SWMU 158

SWMU 169 (C-410-E HF Vent Surge Protection Tank)

Area description

The C-410-E HF Vent Surge Protection Tank (SWMU 169) is located in the east central portion of the plant site. The tank has an approximate volume of 150 gals and was operated from 1952 to 1977.

Process history

The tank is an aboveground tank that was used for surge protection. It is part of a system that produced hydrogen fluoride for the feed facility. Visual observation of staining on the ground indicated probable release of materials from the tank.

The 1992 SAR indicates that sampling of the aboveground tank found chromium present.

Previous investigation results

No previous investigations are available.

Table 5.30 is a summary of historical data followed by a map of historical sample locations (Figure 5.40).

Area utilities

No recirculating water lines or sewers are associated with this facility; none are within the boundary of the SWMU.

Data Gap Determination

Additional samples are needed at this location.

Table 5.30. Summary of Surface and Subsurface Historical Data at SWMU 169

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 1.17E+04 | 1.17E+04 | 1.17E+04 | 1/1 | | | 0/1 | 1.30E+04 | 0/1 | 1.00E+05 | 1/1 | 4.64E+03 |
| Arsenic | 5.83E+00 | 5.83E+00 | 5.83E+00 | 1/1 | | | 0/1 | 1.20E+01 | 0/1 | 3.15E+02 | 1/1 | 5.23E-01 |
| Barium | 7.17E+01 | 7.17E+01 | 7.17E+01 | 1/1 | | | 0/1 | 2.00E+02 | 0/1 | 1.00E+05 | 0/1 | 2.29E+02 |
| Beryllium | 7.60E-01 | 7.60E-01 | 7.60E-01 | 1/1 | | | 1/1 | 6.70E-01 | 0/1 | 1.28E+03 | 0/1 | 9.48E-01 |
| Calcium | 1.79E+05 | 1.79E+05 | 1.79E+05 | 1/1 | | | 1/1 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 1.80E+01 | 1.80E+01 | 1.80E+01 | 1/1 | | | n/a | n/a | n/a | n/a | 0/1 | 3.56E+02 |
| Copper | 1.19E+01 | 1.19E+01 | 1.19E+01 | 1/1 | | | 0/1 | 1.90E+01 | 0/1 | 1.00E+05 | 0/1 | 4.93E+02 |
| Iron | 1.14E+04 | 1.14E+04 | 1.14E+04 | 1/1 | | | 0/1 | 2.80E+04 | 0/1 | 1.00E+05 | 1/1 | 2.07E+03 |
| Lead | 1.38E+01 | 1.38E+01 | 1.38E+01 | 1/1 | | | 0/1 | 3.60E+01 | 0/1 | 1.25E+03 | 0/1 | 5.00E+01 |
| Magnesium | 6.20E+03 | 6.20E+03 | 6.20E+03 | 1/1 | | | 1/1 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 3.63E+02 | 3.63E+02 | 3.63E+02 | 1/1 | | | 0/1 | 1.50E+03 | 0/1 | 4.64E+04 | 1/1 | 4.52E+01 |
| Nickel | 1.44E+01 | 1.44E+01 | 1.44E+01 | 1/1 | | | 0/1 | 2.10E+01 | 0/1 | 9.30E+04 | 0/1 | 2.42E+02 |
| Potassium | 1.47E+03 | 1.47E+03 | 1.47E+03 | 1/1 | | | 1/1 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Selenium | 4.00E-01 | 4.00E-01 | 4.00E-01 | 1/1 | | | 0/1 | 8.00E-01 | 0/1 | 2.56E+04 | 0/1 | 9.49E+01 |
| Sodium | 2.17E+02 | 2.17E+02 | 2.17E+02 | 1/1 | | | 0/1 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Vanadium | 2.28E+01 | 2.28E+01 | 2.28E+01 | 1/1 | | | 0/1 | 3.80E+01 | 0/1 | 4.47E+03 | 1/1 | 3.32E+00 |
| Zinc | 1.21E+02 | 1.21E+02 | 1.21E+02 | 1/1 | | | 1/1 | 6.50E+01 | 0/1 | 1.00E+05 | 0/1 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 3.20E+00 | 3.20E+00 | 3.20E+00 | 1/1 | 1.00E-01 | 1.00E-01 | n/a | n/a | 0/1 | 4.25E+01 | 1/1 | 1.99E-01 |
| PCB-1254 | 2.70E+00 | 2.70E+00 | 2.70E+00 | 1/1 | | | n/a | n/a | 0/1 | 1.82E+01 | 1/1 | 1.99E-01 |
| PCB-1260 | 5.00E-01 | 5.00E-01 | 5.00E-01 | 1/1 | | | n/a | n/a | 0/1 | 4.25E+01 | 1/1 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 7.41E+00 | 7.97E+00 | 7.69E+00 | 2/7 | 5.23E+00 | 1.00E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 3.87E+00 | 1.30E+01 | 8.63E+00 | 3/7 | 3.72E+00 | 8.57E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Subsurface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 5.47E+03 | 1.23E+04 | 9.29E+03 | 10/10 | | | 1/10 | 1.20E+04 | 0/10 | 1.00E+05 | 10/10 | 4.64E+03 |
| Arsenic | 2.10E+00 | 8.70E+00 | 5.51E+00 | 10/10 | | | 1/10 | 7.90E+00 | 0/10 | 3.15E+02 | 10/10 | 5.23E-01 |
| Barium | 7.86E+01 | 1.13E+02 | 9.06E+01 | 10/10 | | | 0/10 | 1.70E+02 | 0/10 | 1.00E+05 | 0/10 | 2.29E+02 |
| Beryllium | 3.00E-01 | 2.30E+00 | 6.55E-01 | 10/10 | | | 2/10 | 6.90E-01 | 0/10 | 1.28E+03 | 1/10 | 9.48E-01 |
| Cadmium | 1.80E-01 | 1.80E-01 | 1.80E-01 | 1/10 | | | 0/10 | 2.10E-01 | 0/10 | 7.05E+01 | 0/10 | 2.13E+01 |
| Calcium | 8.72E+02 | 1.43E+05 | 1.82E+04 | 10/10 | | | 3/10 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 1.05E+01 | 1.64E+01 | 1.34E+01 | 10/10 | | | n/a | n/a | n/a | n/a | 0/10 | 3.56E+02 |
| Cobalt | 3.30E+00 | 7.30E+00 | 5.63E+00 | 8/10 | | | 0/10 | 1.30E+01 | 0/10 | 1.00E+05 | 0/10 | 1.92E+03 |
| Copper | 5.90E+00 | 1.48E+01 | 1.18E+01 | 10/10 | | | 0/10 | 2.50E+01 | 0/10 | 1.00E+05 | 0/10 | 4.93E+02 |
| Iron | 8.66E+03 | 1.88E+04 | 1.47E+04 | 10/10 | | | 0/10 | 2.80E+04 | 0/10 | 1.00E+05 | 10/10 | 2.07E+03 |
| Lead | 6.80E+00 | 1.35E+01 | 9.67E+00 | 10/10 | | | 0/10 | 2.30E+01 | 0/10 | 1.25E+03 | 0/10 | 5.00E+01 |
| Magnesium | 1.19E+03 | 4.01E+03 | 2.26E+03 | 10/10 | | | 4/10 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 1.71E+02 | 3.79E+02 | 2.69E+02 | 10/10 | | | 0/10 | 8.20E+02 | 0/10 | 4.64E+04 | 10/10 | 4.52E+01 |
| Nickel | 1.01E+01 | 1.55E+01 | 1.33E+01 | 10/10 | | | 0/10 | 2.20E+01 | 0/10 | 9.30E+04 | 0/10 | 2.42E+02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.

Table 5.30. Summary of Surface and Subsurface Historical Data at SWMU 169 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Potassium | 2.78E+02 | 1.30E+03 | 5.74E+02 | 10/10 | | | 1/10 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Selenium | 2.70E-01 | 3.70E-01 | 3.13E-01 | 4/10 | | | 0/10 | 7.00E-01 | 0/10 | 2.56E+04 | 0/10 | 9.49E+01 |
| Sodium | 6.45E+01 | 3.54E+02 | 1.86E+02 | 10/10 | | | 1/10 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Vanadium | 1.72E+01 | 2.20E+01 | 1.94E+01 | 10/10 | | | 0/10 | 3.70E+01 | 0/10 | 4.47E+03 | 10/10 | 3.32E+00 |
| Zinc | 1.67E+01 | 1.36E+02 | 5.12E+01 | 10/10 | | | 1/10 | 6.00E+01 | 0/10 | 1.00E+05 | 0/10 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 3.00E-02 | 3.89E-01 | 1.39E-01 | 8/10 | 1.00E-01 | 1.00E-01 | n/a | n/a | 0/10 | 4.25E+01 | 2/10 | 1.99E-01 |
| PCB-1248 | 7.00E-03 | 7.00E-03 | 7.00E-03 | 1/1 | | | n/a | n/a | 0/1 | 4.25E+01 | 0/1 | 1.99E-01 |
| PCB-1254 | 3.50E-02 | 3.00E-01 | 1.29E-01 | 8/8 | | | n/a | n/a | 0/8 | 1.82E+01 | 3/8 | 1.99E-01 |
| PCB-1260 | 2.00E-02 | 8.90E-02 | 4.96E-02 | 7/7 | | | n/a | n/a | 0/7 | 4.25E+01 | 0/7 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 5.07E+00 | 7.08E+00 | 6.08E+00 | 2/2 | 1.64E+00 | 4.44E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 3.53E+00 | 3.53E+00 | 3.53E+00 | 1/2 | 8.50E-01 | 3.88E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Thorium-230 | 3.23E-01 | 3.23E-01 | 3.23E-01 | 1/1 | 2.31E-01 | 2.31E-01 | 0/1 | 1.40E+00 | 0/1 | 1.49E+03 | 0/1 | 1.49E+01 |
| Uranium | 2.80E+00 | 4.19E+00 | 3.50E+00 | 2/2 | 4.65E-01 | 5.02E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 1.29E+00 | 1.85E+00 | 1.57E+00 | 2/2 | 2.05E-01 | 2.31E-01 | 0/2 | 2.40E+00 | 0/2 | 1.98E+03 | 0/2 | 1.98E+01 |
| Uranium-238 | 1.45E+00 | 2.25E+00 | 1.85E+00 | 2/2 | 2.46E-01 | 2.57E-01 | 2/2 | 1.20E+00 | 0/2 | 1.71E+02 | 1/2 | 1.71E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.




Figure 5.40. Soils Operable Unit: SWMUs 20, 76, 169 and 222

SWMU 176 (C-331 Recirculating Water Leak Northwest NW Side)

Area description

The C-331 Recirculating Water (RCW) Leak Northwest Side (SWMU 176) is located in the central portion of the plant site. The SWMU dimensions are approximately 75 ft by 75 ft.

Process history

Chromated water from the recirculating cooling water system leaked from an underground vault. In the 1990s, the chromium-based corrosion inhibitor was replaced with a phosphate-based inhibitor in the RCW. An estimated 200 gal of RCW spilled, with an estimated 0.014 lbs of hexavalent chromium being released into the environment. Sampling data indicates the presence of chromium as noted in the 1992 SAR.

Previous investigation results

No previous investigations are available.

Table 5.31 is a summary of historical data followed by a map of historical sample locations (Figure 5.41).

Area utilities

A recirculating water line is associated with this leak; the line is approximately 3-6 ft bgs. Additionally, storm sewers are coincidentally located within the boundary of the SWMU. Approximate depth to the sewers is 9 ft bgs.

Data Gap Determination

Additional samples are needed at this location.

Table 5.31. Summary of Surface and Subsurface Historical Data at SWMU 176

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|-----------------------|------------------|----------|----------|------------------------|-----------------|---------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| <i>Metals (mg/kg)</i> | | | | | | | | | | | | |
| Uranium | 3.00E+00 | 3.00E+00 | 3.00E+00 | 1/1 | | | 0/1 | 4.90E+00 | 0/1 | 3.34E+03 | 0/1 | 2.02E+01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.41. Soils Operable Unit: SWMU 176

SWMU 177 (C-331 Leak East Side)

Area description

The C-331 Leak East Side (SWMU 177) is located in the east central portion of the plant site. The SWMU dimensions are approximately 100 ft long by 75 ft wide.

Process history

Chromated water from the RCW system leaked from an underground vault. In 1990s, the chromium-based corrosion inhibitor was replaced with a phosphate-based inhibitor in the RCW. Of the approximately 6,000 gal of RCW that was spilled, it was estimated that approximately 0.493 pounds of hexavalent chromium was released into the environment. The 1992 SAR indicates sampling that showed the presence of chromium.

Previous investigation results

No previous investigations are available.

Table 5.32 is a summary of historical data followed by a map of historical sample locations (Figure 5.42).

Area utilities

A recirculating water line is associated with this leak; the line is approximately 5 ft bgs.

Data Gap Determination

Additional samples are needed at this location.

Table 5.32. Summary of Surface and Subsurface Historical Data at SWMU 177

| Analysis | Detected Results | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|-----------------------|------------------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | | Minimum | Maximum | | | | | | |
| <i>Metals (mg/kg)</i> | | | | | | | | | | | |
| Uranium | 2.00E+00 | 2.00E+00 | 2.00E+00 | 2.00E+00 | 2.00E+00 | 0/1 | 4.90E+00 | 0/1 | 3.34E+03 | 0/1 | 2.02E+01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.42. Soils Operable Unit: SWMUs 154 and 177

5.1.5 Group 2–Soil/Rubble Pile

SWMU 19 (C-410-B HF Emergency Lagoon)

Area description

The C-410-B hydrogen fluoride (HF) Emergency Lagoon (SWMU 19) is a below-grade impoundment with an earth/clay floor and wire-reinforced grout walls. SWMU 19 is located north of the C-410 Building in the central portion of the plant site. SWMU 19 is approximately 1,900 ft² (38 ft x 51 ft) and 7 ft deep. This SWMU currently is listed in the *Action Memorandum for the Soils Operable Unit Inactive Facilities at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-0120&D2/R1.

Process history

SWMU 19 received effluent from the C-410-C Neutralization Building, where lime was used for the neutralization of HF cell electrolyte from lead-acid batteries. In addition, trucks transporting fly ash to the C-746-T inert landfill were rinsed in this impoundment. All processes in the C-410 Building ceased in the late 1970s.

Previous investigation results

In 1991, the C-410-B HF Neutralization Lagoon was investigated as part of the Phase II SI, and sediment and soil samples were collected from the lagoon (CH2M HILL 1992). Analytical results indicated low-level concentrations of PAHs in soil samples from a single soil boring. TCE was detected in soil samples from the upper 15 ft of the boring. Surface water samples collected from the lagoon indicated traces of PAHs. In addition, the surface water samples contained detectable concentrations of technetium-99, uranium-235, uranium-234, uranium-238, barium, and nickel. Surface soil samples contained PAHs, as well as detectable concentrations of arsenic, chromium, mercury, selenium, barium, lead, nickel, silver, technetium-99, uranium-234, uranium-235, and uranium-238. Sludge samples taken from the C-410-B Lagoon in July 1991 for waste characterization also indicated detectable concentrations of total uranium and technetium-99.

In 1999, the C-410-B HF Neutralization Lagoon was investigated using soil borings to 15 ft bgs during the WAGs 9 and 11 SE (DOE 1999c). The SE found detected concentrations of technetium-99, uranium-234, uranium-235, and uranium-238 that were about 10 times their background concentration. The SE concluded that additional analyses (i.e., risk assessment) are necessary to determine the extent of risks to industrial workers and non-human receptors. Several organic compounds and inorganic chemicals were detected at concentrations that exceed their direct contact screening criteria.

Table 5.33 is a summary of historical data followed by a map of historical sample locations (Figure 5.43).

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.

Data Gap Determination

No additional samples are needed at this location.

Table 5.33. Summary of Surface and Subsurface Historical Data at SWMU 19

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 4.37E+03 | 9.34E+03 | 7.35E+03 | 5/5 | | | 0/5 | 1.30E+04 | 0/5 | 1.00E+05 | 4/5 | 4.64E+03 |
| Arsenic | 3.20E+00 | 2.01E+01 | 7.86E+00 | 5/7 | 5.00E+00 | 5.00E+00 | 1/7 | 1.20E+01 | 0/7 | 3.15E+02 | 5/7 | 5.23E-01 |
| Barium | 4.26E+01 | 4.64E+02 | 1.26E+02 | 7/7 | 2.50E+00 | 2.50E+00 | 1/7 | 2.00E+02 | 0/7 | 1.00E+05 | 1/7 | 2.29E+02 |
| Beryllium | 2.30E-01 | 4.40E+00 | 1.33E+00 | 5/7 | 5.00E-01 | 5.00E-01 | 2/7 | 6.70E-01 | 0/7 | 1.28E+03 | 2/7 | 9.48E-01 |
| Cadmium | 1.20E+00 | 1.20E+00 | 1.20E+00 | 1/7 | 1.35E+00 | 2.00E+00 | 1/7 | 2.10E-01 | 0/7 | 7.05E+01 | 0/7 | 2.13E+01 |
| Calcium | 2.09E+03 | 2.67E+05 | 1.48E+05 | 5/5 | | | 4/5 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 1.20E+01 | 1.93E+01 | 1.47E+01 | 6/7 | 2.50E+00 | 2.50E+00 | n/a | n/a | n/a | n/a | 0/7 | 3.56E+02 |
| Cobalt | 1.56E+01 | 1.56E+01 | 1.56E+01 | 1/5 | | | 1/5 | 1.40E+01 | 0/5 | 1.00E+05 | 0/5 | 1.92E+03 |
| Copper | 5.80E+03 | 1.36E+02 | 3.87E+01 | 7/7 | 2.50E+00 | 2.50E+00 | 3/7 | 1.90E+01 | 0/7 | 1.00E+05 | 0/7 | 4.93E+02 |
| Iron | 3.84E+03 | 1.61E+04 | 1.13E+04 | 7/7 | 2.00E+01 | 2.00E+01 | 0/7 | 2.80E+04 | 0/7 | 1.00E+05 | 7/7 | 2.07E+03 |
| Lead | 9.60E+00 | 5.08E+01 | 2.24E+01 | 5/7 | 2.00E+01 | 2.00E+01 | 2/7 | 3.60E+01 | 0/7 | 1.25E+03 | 1/7 | 5.00E+01 |
| Magnesium | 1.18E+03 | 1.59E+04 | 6.26E+03 | 5/5 | | | 3/5 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 8.58E+01 | 7.23E+02 | 2.68E+02 | 5/5 | | | 0/5 | 1.50E+03 | 0/5 | 4.64E+04 | 5/5 | 4.52E+01 |
| Mercury | 2.30E-02 | 3.10E-01 | 1.19E-01 | 4/7 | 2.00E-01 | 2.00E-01 | 1/7 | 2.00E-01 | 0/7 | 8.25E+02 | 0/7 | 9.82E-01 |
| Nickel | 5.00E+00 | 6.88E+01 | 2.30E+01 | 5/7 | 5.00E+00 | 5.00E+00 | 1/7 | 2.10E+01 | 0/7 | 9.30E+04 | 0/7 | 2.42E+02 |
| Potassium | 4.04E+02 | 1.70E+03 | 1.05E+03 | 4/5 | | | 2/5 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Selenium | 4.20E-01 | 1.20E+00 | 8.10E-01 | 2/7 | 1.00E+00 | 1.00E+00 | 1/7 | 8.00E-01 | 0/7 | 2.56E+04 | 0/7 | 9.49E+01 |
| Silver | 7.92E+01 | 7.92E+01 | 7.92E+01 | 1/7 | 2.50E+00 | 2.50E+00 | 1/7 | 2.30E+00 | 0/7 | 2.07E+04 | 1/7 | 4.11E+01 |
| Sodium | 7.69E+01 | 4.32E+02 | 2.70E+02 | 5/5 | | | 2/5 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Thallium | 6.20E-01 | 9.80E-01 | 8.07E-01 | 3/7 | 1.43E+00 | 2.00E+01 | 3/7 | 2.10E-01 | n/a | n/a | n/a | n/a |
| Total Metals (mg/kg)s | 1.53E+04 | 1.58E+04 | 1.56E+04 | 2/2 | 5.00E+02 | 5.00E+02 | n/a | n/a | n/a | n/a | n/a | n/a |
| Vanadium | 6.20E+00 | 5.72E+01 | 2.48E+01 | 5/5 | | | 1/5 | 3.80E+01 | 0/5 | 4.47E+03 | 5/5 | 3.32E+00 |
| Zinc | 4.70E+00 | 2.03E+02 | 7.65E+01 | 7/7 | 1.00E+01 | 1.00E+01 | 4/7 | 6.50E+01 | 0/7 | 1.00E+05 | 0/7 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| 4,4'-DDT | 3.20E-02 | 3.20E-02 | 3.20E-02 | 1/1 | 2.80E-02 | 2.80E-02 | n/a | n/a | 0/1 | 7.55E+02 | 0/1 | 3.59E+00 |
| PCB, Total | 1.20E-01 | 1.20E-01 | 1.20E-01 | 1/2 | 1.00E-01 | 1.00E-01 | n/a | n/a | 0/2 | 4.25E+01 | 0/2 | 1.99E-01 |
| PCB-1254 | 1.20E-01 | 1.20E-01 | 1.20E-01 | 1/3 | 6.00E-02 | 2.80E-01 | n/a | n/a | 0/3 | 1.82E+01 | 0/3 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 1.14E+01 | 8.71E+01 | 3.50E+01 | 7/10 | 1.13E+00 | 3.71E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 4.31E+00 | 1.40E+02 | 4.12E+01 | 10/10 | 3.03E+00 | 1.41E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 2.90E-02 | 4.42E-02 | 3.66E-02 | 2/2 | 2.60E-02 | 2.66E-02 | 0/2 | 4.90E-01 | 0/2 | 8.58E+00 | 0/2 | 8.58E-02 |
| Technetium-99 | 8.02E+00 | 2.10E+02 | 7.60E+01 | 3/3 | 2.68E+00 | 2.68E+00 | 3/3 | 2.50E+00 | 0/3 | 3.62E+04 | 0/3 | 3.62E+02 |
| Thorium-228 | 4.28E-01 | 5.54E-01 | 4.91E-01 | 2/2 | 6.32E-02 | 6.53E-02 | 0/2 | 1.60E+00 | 0/2 | 2.80E+00 | 2/2 | 2.80E-02 |
| Thorium-230 | 6.00E-01 | 7.27E-01 | 6.83E-01 | 3/3 | 1.88E-01 | 1.89E-01 | 0/3 | 1.50E+00 | 0/3 | 1.49E+03 | 0/3 | 1.49E-01 |
| Thorium-232 | 4.75E-01 | 6.39E-01 | 5.57E-01 | 2/2 | 4.50E-02 | 4.80E-02 | 0/2 | 1.50E+00 | 0/2 | 1.35E+03 | 0/2 | 1.35E+01 |
| Uranium | 9.37E+00 | 1.72E+01 | 1.33E+01 | 2/2 | 1.66E+00 | 1.71E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 4.50E+01 | 4.50E+01 | 4.50E+01 | 1/1 | | | 1/1 | 2.50E+00 | 0/1 | 1.98E+03 | 1/1 | 1.98E+01 |
| Uranium-235 | 2.26E-01 | 1.40E+00 | 6.75E-01 | 3/3 | 3.99E-02 | 4.09E-02 | 3/3 | 1.40E-01 | 0/3 | 3.95E+01 | 2/3 | 3.95E-01 |
| Uranium-238 | 4.55E+00 | 4.80E+01 | 2.05E+01 | 3/3 | 8.31E-01 | 8.59E-01 | 3/3 | 1.20E+00 | 0/3 | 1.71E+02 | 3/3 | 1.71E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.33. Summary of Surface and Subsurface Historical Data at SWMU 19 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Acenaphthene | 8.40E-02 | 8.40E-02 | 8.40E-02 | 1/5 | 6.60E-01 | 6.60E-01 | n/a | n/a | 0/5 | 6.67E+04 | 0/5 | 3.16E+02 |
| Anthracene | 1.40E-01 | 1.40E+00 | 7.70E-01 | 2/5 | 6.60E-01 | 6.60E-01 | n/a | n/a | 0/5 | 1.00E+05 | 0/5 | 3.79E+03 |
| Benz(a)anthracene | 4.80E-01 | 3.70E+00 | 1.56E+00 | 5/5 | 6.60E-01 | 6.60E-01 | n/a | n/a | 0/5 | 2.08E+02 | 5/5 | 2.12E-01 |
| Benz(a)pyrene | 4.30E-01 | 4.00E+00 | 1.71E+00 | 5/5 | 6.60E-01 | 6.60E-01 | n/a | n/a | 0/5 | 2.08E+01 | 5/5 | 2.12E-02 |
| Benzo(b)fluoranthene | 5.40E-01 | 5.80E+00 | 2.44E+00 | 5/5 | 6.60E-01 | 6.60E-01 | n/a | n/a | 0/5 | 2.08E+02 | 5/5 | 2.12E-01 |
| Benzo(ghi)perylene | 2.80E-01 | 2.10E+00 | 1.08E+00 | 5/5 | 6.60E-01 | 6.60E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benzo(k)fluoranthene | 4.20E-01 | 2.20E+00 | 1.18E+00 | 4/5 | 6.60E-01 | 6.60E-01 | n/a | n/a | 0/5 | 2.08E+03 | 1/5 | 2.12E+00 |
| Butyl benzyl phthalate | 2.70E+00 | 2.70E+00 | 2.70E+00 | 1/1 | 6.60E-01 | 6.60E-01 | n/a | n/a | 0/1 | 1.00E+05 | 0/1 | 2.71E+03 |
| Chrysene | 5.60E-01 | 4.40E+00 | 1.86E+00 | 5/5 | 6.60E-01 | 6.60E-01 | n/a | n/a | 0/5 | 2.08E+04 | 0/5 | 2.12E+01 |
| Dibenz(a,h)anthracene | 8.00E-02 | 8.00E-02 | 8.00E-02 | 1/5 | 6.60E-01 | 6.60E-01 | n/a | n/a | 0/5 | 2.08E+01 | 1/5 | 2.12E-02 |
| Di-n-butyl phthalate | 4.60E+00 | 4.60E+00 | 4.60E+00 | 1/1 | 6.60E-01 | 6.60E-01 | n/a | n/a | 0/1 | 1.00E+05 | 0/1 | 2.13E+03 |
| Fluoranthene | 9.10E-01 | 9.10E+00 | 3.40E+00 | 5/5 | 6.60E-01 | 6.60E-01 | n/a | n/a | 0/5 | 6.50E+04 | 0/5 | 2.21E+02 |
| Fluorene | 6.70E-02 | 6.70E-02 | 6.70E-02 | 1/5 | 6.60E-01 | 6.60E-01 | n/a | n/a | 0/5 | 7.09E+04 | 0/5 | 3.39E+02 |
| Indeno(1,2,3-cd)pyrene | 2.70E-01 | 2.50E+00 | 1.13E+00 | 5/5 | 6.60E-01 | 6.60E-01 | n/a | n/a | 0/5 | 2.08E+02 | 5/5 | 2.12E-01 |
| Naphthalene | 1.10E+00 | 1.10E+00 | 1.10E+00 | 1/5 | 6.60E-01 | 6.60E-01 | n/a | n/a | 0/5 | 7.66E+02 | 0/5 | 2.36E+01 |
| Phenanthrene | 5.80E-01 | 8.10E+00 | 2.55E+00 | 5/5 | 6.60E-01 | 6.60E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 1.10E+00 | 8.60E+00 | 3.80E+00 | 5/5 | 6.60E-01 | 6.60E-01 | n/a | n/a | 0/5 | 4.87E+04 | 0/5 | 1.65E+02 |
| Subsurface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 3.91E+03 | 1.67E+04 | 8.48E+03 | 25/25 | | | 1/25 | 1.20E+04 | 0/25 | 1.00E+05 | 23/25 | 4.64E+03 |
| Arsenic | 5.30E-01 | 1.01E+01 | 4.99E+00 | 25/25 | | | 4/25 | 7.90E+00 | 0/25 | 3.15E+02 | 25/25 | 5.23E-01 |
| Barium | 2.82E+01 | 1.40E+02 | 7.86E+01 | 25/25 | | | 0/25 | 1.70E+02 | 0/25 | 1.00E+05 | 0/25 | 2.29E+02 |
| Beryllium | 2.70E-01 | 1.40E+00 | 5.02E-01 | 25/25 | | | 2/25 | 6.90E-01 | 0/25 | 1.28E+03 | 1/25 | 9.48E-01 |
| Cadmium | 1.70E-01 | 5.70E+00 | 2.06E+00 | 3/25 | | | 2/25 | 2.10E-01 | 0/25 | 7.05E+01 | 0/25 | 2.13E+01 |
| Calcium | 6.09E+02 | 8.48E+04 | 1.34E+04 | 25/25 | | | 9/25 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 4.30E+00 | 2.89E+01 | 1.30E+01 | 24/25 | | | n/a | n/a | n/a | n/a | 0/25 | 3.56E+02 |
| Cobalt | 1.30E+00 | 1.35E+01 | 6.25E+00 | 22/25 | | | 1/25 | 1.30E+01 | 0/25 | 1.00E+05 | 0/25 | 1.92E+03 |
| Copper | 1.20E+00 | 1.80E+03 | 1.54E+02 | 25/25 | | | 4/25 | 2.50E+01 | 0/25 | 1.00E+05 | 2/25 | 4.93E+02 |
| Iron | 4.50E+03 | 1.95E+04 | 1.27E+04 | 25/25 | | | 0/25 | 2.80E+04 | 0/25 | 1.00E+05 | 25/25 | 2.07E+03 |
| Lead | 3.90E+00 | 3.31E+01 | 1.02E+01 | 25/25 | | | 1/25 | 2.30E+01 | 0/25 | 1.25E+03 | 0/25 | 5.00E+01 |
| Magnesium | 4.48E+02 | 3.40E+03 | 1.71E+03 | 25/25 | | | 7/25 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 6.40E+00 | 6.35E+02 | 2.82E+02 | 25/25 | | | 0/25 | 8.20E+02 | 0/25 | 4.64E+04 | 22/25 | 4.52E+01 |
| Mercury | 3.30E-02 | 6.90E-02 | 4.72E-02 | 5/25 | | | 0/25 | 1.10E-01 | 1.44E-01 | 8.25E+02 | 0/25 | 9.82E-01 |
| Nickel | 1.80E+00 | 4.38E+02 | 4.51E+01 | 25/25 | | | 4/25 | 2.20E+01 | 0/25 | 9.30E+04 | 2/25 | 2.42E+02 |
| Potassium | 2.05E+02 | 3.39E+03 | 6.57E+02 | 18/25 | | | 2/25 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Selenium | 2.40E-01 | 2.40E-01 | 2.40E-01 | 1/25 | | | 0/25 | 7.00E-01 | 0/25 | 2.56E+04 | 0/25 | 9.49E+01 |
| Silver | 1.10E+00 | 2.30E+00 | 1.63E+00 | 4/25 | | | 1/25 | 2.70E+00 | 0/25 | 2.07E+04 | 0/25 | 4.11E+01 |
| Sodium | 3.73E+01 | 8.90E+02 | 1.25E+02 | 25/25 | | | 1/25 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Thallium | 4.20E-01 | 8.20E-01 | 6.04E-01 | 7/25 | | | 7/25 | 3.40E-01 | n/a | n/a | n/a | n/a |
| Vanadium | 7.50E+00 | 3.83E+01 | 1.96E+01 | 25/25 | | | 1/25 | 3.70E+01 | 0/25 | 4.47E+03 | 25/25 | 3.32E+00 |
| Zinc | 2.20E+00 | 2.41E+02 | 3.66E+01 | 25/25 | | | 4/25 | 6.00E+01 | 0/25 | 1.00E+05 | 0/25 | 2.75E+03 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.33. Summary of Surface and Subsurface Historical Data at SWMU 19 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 5.55E+00 | 7.75E+01 | 1.91E+01 | 8/9 | 1.25E+00 | 4.44E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Americium-241 | 1.70E-01 | 1.70E-01 | 1.70E-01 | 1/7 | 1.10E-01 | 1.78E-01 | n/a | n/a | 0/7 | 5.16E+02 | 0/7 | 5.16E+00 |
| Beta activity | 3.75E+00 | 1.39E+02 | 2.93E+01 | 8/9 | 8.50E-01 | 3.88E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 3.73E-02 | 3.73E-02 | 3.73E-02 | 1/7 | 2.10E-02 | 2.68E-02 | 0/7 | 2.80E-01 | 0/7 | 8.58E+00 | 0/7 | 8.58E-02 |
| Technetium-99 | 0.00E+00 | 2.09E+01 | 5.41E+00 | 5/9 | 1.72E+00 | 4.74E+00 | 2/9 | 2.80E+00 | 0/9 | 3.62E+04 | 0/9 | 3.62E+02 |
| Thorium-230 | 7.90E-01 | 1.40E+00 | 1.10E+00 | 2/2 | | | 1/2 | 1.40E+00 | 0/2 | 1.49E+03 | 0/2 | 1.49E+01 |
| Uranium | 2.40E+00 | 5.64E+01 | 1.51E+01 | 7/7 | 3.11E-01 | 5.41E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 1.60E-01 | 2.67E+01 | 5.72E+00 | 9/9 | 1.00E-01 | 3.14E-01 | 3/9 | 2.40E+00 | 0/9 | 1.98E+03 | 1/9 | 1.98E+01 |
| Uranium-238 | 1.40E-01 | 2.84E+01 | 5.83E+00 | 9/9 | 1.99E-01 | 2.35E-01 | 7/9 | 1.20E+00 | 0/9 | 1.71E+02 | 4/9 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| 1,2-Benzenedicarboxylic acid | 2.00E-01 | 3.00E-01 | 2.17E-01 | 6/6 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Acenaphthene | 3.60E-01 | 3.60E-01 | 3.60E-01 | 1/25 | 4.10E-01 | 4.50E-01 | n/a | n/a | 0/25 | 6.67E+04 | 0/25 | 3.16E+02 |
| Anthracene | 1.80E-01 | 5.10E-01 | 3.45E-01 | 2/25 | 4.10E-01 | 4.50E-01 | n/a | n/a | 0/25 | 1.00E+05 | 0/25 | 3.79E+03 |
| Benz(a)anthracene | 4.20E-02 | 1.10E+00 | 5.72E-01 | 5/25 | 4.10E-01 | 4.50E-01 | n/a | n/a | 0/25 | 2.08E+02 | 3/25 | 2.12E-01 |
| Benz(a)pyrene | 8.10E-01 | 9.80E-01 | 9.13E-01 | 3/25 | 4.10E-01 | 4.50E-01 | n/a | n/a | 0/25 | 2.08E+01 | 3/25 | 2.12E-02 |
| Benzo(b)fluoranthene | 1.50E-01 | 1.40E+00 | 1.01E+00 | 4/25 | 4.10E-01 | 4.50E-01 | n/a | n/a | 0/25 | 2.08E+02 | 3/25 | 2.12E-01 |
| Benzo(ghi)perylene | 3.90E-01 | 6.70E-01 | 5.70E-01 | 3/25 | 4.10E-01 | 4.50E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benzo(k)fluoranthene | 5.00E-01 | 6.80E-01 | 5.97E-01 | 3/25 | 4.10E-01 | 4.50E-01 | n/a | n/a | 0/25 | 2.08E+03 | 0/25 | 2.12E+00 |
| Bis(2-ethylhexyl)phthalate | 9.90E-02 | 2.70E-01 | 1.62E-01 | 6/7 | 4.10E-01 | 4.50E-01 | n/a | n/a | 0/7 | 7.40E+03 | 0/7 | 8.84E+00 |
| Butyl benzyl phthalate | 7.50E-02 | 7.80E-02 | 7.65E-02 | 2/7 | 4.10E-01 | 4.50E-01 | n/a | n/a | 0/7 | 1.00E+05 | 0/7 | 2.71E+03 |
| Chrysene | 4.40E-02 | 1.10E+00 | 6.45E-01 | 5/25 | 4.10E-01 | 4.50E-01 | n/a | n/a | 0/25 | 2.08E+04 | 0/25 | 2.12E+01 |
| Dibenz(a,h)anthracene | 1.60E-01 | 1.70E-01 | 1.65E-01 | 2/25 | 4.10E-01 | 4.50E-01 | n/a | n/a | 0/25 | 2.08E+01 | 2/25 | 2.12E-02 |
| Di-n-butyl phthalate | 9.80E-02 | 1.40E-01 | 1.18E-01 | 5/7 | 4.10E-01 | 4.50E-01 | n/a | n/a | 0/7 | 1.00E+05 | 0/7 | 2.13E+03 |
| Fluoranthene | 4.50E-02 | 2.70E+00 | 5.63E-01 | 14/25 | 4.10E-01 | 4.50E-01 | n/a | n/a | 0/25 | 6.50E+04 | 0/25 | 2.21E+02 |
| Fluorene | 3.30E-01 | 3.30E-01 | 3.30E-01 | 1/25 | 4.10E-01 | 4.50E-01 | n/a | n/a | 0/25 | 7.09E+04 | 0/25 | 3.39E+02 |
| Indeno(1,2,3-cd)pyrene | 4.00E-01 | 7.80E-01 | 6.00E-01 | 3/25 | 4.10E-01 | 4.50E-01 | n/a | n/a | 0/25 | 2.08E+02 | 3/25 | 2.12E-01 |
| Phenanthrene | 4.40E-02 | 1.30E+00 | 5.56E-01 | 7/25 | 4.10E-01 | 4.50E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Phenol | 4.70E-02 | 5.60E-02 | 5.15E-02 | 2/7 | 4.10E-01 | 4.50E-01 | n/a | n/a | 0/7 | 1.00E+05 | 0/7 | 1.16E+04 |
| Pyrene | 1.40E-01 | 2.60E+00 | 6.72E-01 | 13/25 | 4.10E-01 | 4.50E-01 | n/a | n/a | 0/25 | 4.87E+04 | 0/25 | 1.65E+02 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| 1,2-Dichloroethene | 5.00E-03 | 1.40E-02 | 9.50E-03 | 2/7 | 6.00E-03 | 6.00E-03 | n/a | n/a | 0/7 | 2.66E+04 | 0/7 | 6.60E+01 |
| Acetone | 1.70E-02 | 3.70E-02 | 2.67E-02 | 6/7 | 1.90E-02 | 1.90E-02 | n/a | n/a | 0/7 | 1.91E+04 | 0/7 | 3.58E+02 |
| Methylene chloride | 3.90E-02 | 6.00E-02 | 5.45E-02 | 6/7 | 5.80E-02 | 5.80E-02 | n/a | n/a | 0/7 | 2.16E+03 | 0/7 | 1.34E+01 |
| Trichloroethene | 2.00E-03 | 2.60E-02 | 1.13E-02 | 3/25 | 1.00E-03 | 5.00E-03 | n/a | n/a | 0/25 | 2.98E+02 | 0/25 | 2.51E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.43. Soils Operable Unit: SWMU 19

U.S. DEPARTMENT OF ENERGY
DOE PORTSMOUTH/PADUCAH PROJECT OFFICE
PADUCAH GASEOUS DIFFUSION PLANT



Figure No. \SoilsOU\soil_swmus3.apr
DATE 08-11-09

SWMU 20 (C-410-E Emergency Holding Pond)

Area description

The C-410-E HF Emergency Lagoon (SWMU 20) has grout and wire-reinforced walls and floor. SWMU 20 is located east of the C-410 Building in the central portion of the plant site and is approximately 600 ft² (20 ft x 30 ft) and 7-ft deep.

Process history

The lagoon was constructed to contain possible releases for the HF tank farm, though none occurred. A scrubber located near the pond sprayed continuously during normal operations to dilute any possible release and discharged to this holding pond. The lagoon discharged to the site storm drainage system. The lagoon currently discharges storm water to the NSDD.

Previous investigation results

SWMU 20 was investigated and results are included in WAGs 9 and 11 SE (DOE 1999c). The SE determined that constituents that exceeded their systemic toxicity or cancer risk based screening value are aluminum, arsenic, beryllium, chromium, iron, manganese, vanadium, PCB-1254, PCB-1260, and Total PCBs.

The inorganic chemicals of Be and Cr were detected only at slightly above background concentrations (0.92 mg/kg versus 0.67 mg/kg, respectively, for Be; 28.8 mg/kg versus 16.0 mg/kg, respectively, for Cr). Of the organic compounds, the maximum cancer risk-based screening value to an unprotected industrial worker is between 1×10^{-6} and 1×10^{-5} .

A sample of sludge from the bottom of the pond also indicates the presence of radiological constituents, PCBs, and nickel.

The recommendation in the SE is for additional site-specific analyses (i.e., risk assessment) to determine if site risks due to direct contact really exceed *de minimis* levels.

Table 5.34 is a summary of historical data followed by a map of historical sample locations (Figure 5.44).

Area utilities

No recirculating water lines or sewers are associated with this holding pond; none are within the boundary of the SWMU.

Data Gap Determination

No additional samples are needed at this location.

Table 5.34. Summary of Surface and Subsurface Historical Data at SWMU 20

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|---------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 8.34E+03 | 1.27E+04 | 1.03E+04 | 4/4 | | | 1/4 | 1.30E+04 | 0/4 | 1.00E+05 | 4/4 | 4.64E+03 |
| Arsenic | 4.80E+00 | 6.70E+00 | 5.86E+00 | 4/4 | | | 0/4 | 1.20E+01 | 0/4 | 3.15E+02 | 4/4 | 5.23E-01 |
| Barium | 3.08E+01 | 8.82E+01 | 6.54E+01 | 4/4 | | | 0/4 | 2.00E+02 | 0/4 | 1.00E+05 | 0/4 | 2.29E+02 |
| Beryllium | 5.50E-01 | 9.20E-01 | 7.58E-01 | 4/4 | | | 3/4 | 6.70E-01 | 0/4 | 1.28E+03 | 0/4 | 9.48E-01 |
| Cadmium | 6.10E-01 | 6.10E-01 | 6.10E-01 | 1/4 | | | 1/4 | 2.10E-01 | 0/4 | 7.05E+01 | 0/4 | 2.13E+01 |
| Calcium | 3.86E+04 | 2.29E+05 | 1.55E+05 | 4/4 | | | 4/4 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 1.80E+01 | 2.88E+01 | 2.26E+01 | 3/4 | | | n/a | n/a | n/a | n/a | 0/4 | 3.56E+02 |
| Cobalt | 6.30E+00 | 6.30E+00 | 6.30E+00 | 1/4 | | | 0/4 | 1.40E+01 | 0/4 | 1.00E+05 | 0/4 | 1.92E+03 |
| Copper | 9.60E+00 | 2.81E+02 | 1.01E+02 | 4/4 | | | 2/4 | 1.90E+01 | 0/4 | 1.00E+05 | 0/4 | 4.93E+02 |
| Iron | 9.87E+03 | 1.97E+04 | 1.36E+04 | 4/4 | | | 0/4 | 2.80E+04 | 0/4 | 1.00E+05 | 4/4 | 2.07E+03 |
| Lead | 1.40E+00 | 2.40E+01 | 1.57E+01 | 4/4 | | | 2/4 | 3.60E+01 | 0/4 | 1.25E+03 | 0/4 | 5.00E+01 |
| Magnesium | 2.48E+03 | 9.87E+03 | 5.38E+03 | 4/4 | | | 4/4 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 2.54E+02 | 3.63E+02 | 3.20E+02 | 4/4 | | | 0/4 | 1.50E+03 | 0/4 | 4.64E+04 | 4/4 | 4.52E+01 |
| Nickel | 9.90E+00 | 1.09E+02 | 5.08E+01 | 4/4 | | | 2/4 | 2.10E+01 | 0/4 | 9.30E+04 | 0/4 | 2.42E+02 |
| Potassium | 8.07E+02 | 1.53E+03 | 1.27E+03 | 4/4 | | | 3/4 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Selenium | 3.60E-01 | 6.40E-01 | 4.67E-01 | 3/4 | | | 0/4 | 8.00E-01 | 0/4 | 2.56E+04 | 0/4 | 9.49E+01 |
| Sodium | 1.21E+02 | 2.64E+02 | 1.97E+02 | 4/4 | | | 0/4 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Thallium | 4.60E-01 | 7.90E-01 | 6.25E-01 | 2/4 | | | 2/4 | 2.10E-01 | n/a | n/a | n/a | n/a |
| Vanadium | 1.61E+01 | 2.94E+01 | 2.37E+01 | 4/4 | | | 0/4 | 3.80E-01 | 0/4 | 4.47E+03 | 4/4 | 3.32E+00 |
| Zinc | 8.89E+01 | 2.09E+02 | 1.37E+02 | 4/4 | | | 4/4 | 6.50E+01 | 0/4 | 1.00E+05 | 0/4 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 5.00E-01 | 3.20E+00 | 1.75E+00 | 4/4 | | | n/a | n/a | 0/4 | 4.25E+01 | 4/4 | 1.99E-01 |
| PCB-1254 | 4.00E-01 | 2.70E+00 | 1.38E+00 | 4/4 | | | n/a | n/a | 0/4 | 1.82E+01 | 4/4 | 1.99E-01 |
| PCB-1260 | 1.00E-01 | 6.00E-01 | 3.75E-01 | 4/4 | | | n/a | n/a | 0/4 | 4.25E+01 | 3/4 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 3.84E+00 | 1.03E+01 | 7.37E+00 | 3/10 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 3.87E+00 | 1.55E+01 | 9.48E+00 | 4/10 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Subsurface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 5.47E+03 | 2.06E+04 | 1.02E+04 | 17/17 | | | 3/17 | 1.20E+04 | 0/17 | 1.00E+05 | 17/17 | 4.64E+03 |
| Arsenic | 2.10E+00 | 8.70E+00 | 5.29E+00 | 17/17 | | | 1/17 | 7.90E+00 | 0/17 | 3.15E+02 | 17/17 | 5.23E-01 |
| Barium | 6.85E+01 | 1.62E+02 | 9.69E+01 | 17/17 | | | 0/17 | 1.70E+02 | 0/17 | 1.00E+05 | 0/17 | 2.29E+02 |
| Beryllium | 3.00E-01 | 2.30E+00 | 5.55E-01 | 17/17 | | | 2/17 | 6.90E-01 | 0/17 | 1.28E+03 | 1/17 | 9.48E-01 |
| Cadmium | 1.40E-01 | 1.80E-01 | 1.58E-01 | 4/17 | | | 0/17 | 2.10E-01 | 0/17 | 7.05E+01 | 0/17 | 2.13E+01 |
| Calcium | 8.97E+02 | 1.43E+05 | 1.62E+04 | 17/17 | | | 7/17 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 1.05E+01 | 3.31E+01 | 1.49E+01 | 17/17 | | | n/a | n/a | n/a | n/a | 0/17 | 3.56E+02 |
| Cobalt | 3.30E+00 | 1.29E+01 | 5.87E+00 | 15/17 | | | 0/17 | 1.30E+01 | 0/17 | 1.00E+05 | 0/17 | 1.92E+03 |
| Copper | 5.90E+00 | 4.28E+02 | 3.66E+01 | 17/17 | | | 2/17 | 2.50E+01 | 0/17 | 1.00E+05 | 0/17 | 4.93E+02 |
| Iron | 8.66E+03 | 1.88E+04 | 1.37E+04 | 17/17 | | | 0/17 | 2.80E+04 | 0/17 | 1.00E+05 | 17/17 | 2.07E+03 |
| Lead | 6.80E+00 | 2.79E+01 | 1.16E+01 | 17/17 | | | 1/17 | 2.30E+01 | 0/17 | 1.25E+03 | 0/17 | 5.00E+01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.

Table 5.34. Summary of Surface and Subsurface Historical Data at SWMU 20 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Magnesium | 1.19E+03 | 4.01E+03 | 2.11E+03 | 17/17 | | | 6/17 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 1.71E+02 | 4.27E+02 | 2.72E+02 | 17/17 | | | 0/17 | 8.20E+02 | 0/17 | 4.64E+04 | 17/17 | 4.52E+01 |
| Nickel | 1.01E+01 | 8.04E+02 | 5.98E+01 | 17/17 | | | 1/17 | 2.20E+01 | 0/17 | 9.30E+04 | 1/17 | 2.42E+02 |
| Potassium | 2.78E+02 | 5.44E+03 | 8.37E+02 | 17/17 | | | 2/17 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Selenium | 2.70E-01 | 3.70E-01 | 3.15E-01 | 6/17 | | | 0/17 | 7.00E-01 | 0/17 | 2.56E+04 | 0/17 | 9.49E+01 |
| Sodium | 4.19E+01 | 1.23E+03 | 2.26E+02 | 17/17 | | | 2/17 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Vanadium | 1.60E+01 | 3.51E+01 | 2.01E+01 | 17/17 | | | 0/17 | 3.70E+01 | 0/17 | 4.47E+03 | 17/17 | 3.32E+00 |
| Zinc | 1.67E+01 | 1.36E+02 | 4.48E+01 | 17/17 | | | 2/17 | 6.00E+01 | 0/17 | 1.00E+05 | 0/17 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 3.00E-02 | 7.00E-01 | 1.96E-01 | 14/17 | 1.00E-01 | 1.00E-01 | n/a | n/a | 0/17 | 4.25E+01 | 4/17 | 1.99E-01 |
| PCB-1242 | 2.20E-02 | 2.20E-02 | 2.20E-02 | 1/1 | | | n/a | n/a | 0/1 | 4.25E+01 | 0/1 | 1.99E-01 |
| PCB-1248 | 5.00E-03 | 1.10E-02 | 7.67E-03 | 3/3 | | | n/a | n/a | 0/3 | 4.25E+01 | 0/3 | 1.99E-01 |
| PCB-1254 | 2.10E-02 | 5.38E-01 | 1.62E-01 | 14/14 | | | n/a | n/a | 0/14 | 1.82E+01 | 5/14 | 1.99E-01 |
| PCB-1260 | 1.40E-02 | 1.90E-01 | 6.18E-02 | 12/12 | | | n/a | n/a | 0/12 | 4.25E+01 | 0/12 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 5.07E+00 | 8.11E+00 | 6.36E+00 | 4/4 | 1.64E+00 | 4.44E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 3.53E+00 | 4.89E+00 | 4.21E+00 | 2/4 | 8.50E-01 | 3.88E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Technetium-99 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 1/4 | 1.72E+00 | 4.74E+00 | 0/4 | 2.80E+00 | 0/4 | 3.62E+04 | 0/4 | 3.62E+02 |
| Thorium-230 | 2.95E-01 | 3.23E-01 | 3.09E-01 | 2/2 | 2.30E-01 | 2.31E-01 | 0/2 | 1.40E+00 | 0/2 | 1.49E+03 | 0/2 | 1.49E+01 |
| Uranium | 1.15E+00 | 4.19E+00 | 2.54E+00 | 4/4 | 2.00E-01 | 5.02E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 1.20E-01 | 1.85E+00 | 8.96E-01 | 4/4 | 1.40E-02 | 2.31E-01 | 0/4 | 2.40E+00 | 0/4 | 1.98E+03 | 0/4 | 1.98E+01 |
| Uranium-238 | 8.05E-01 | 2.25E+00 | 1.60E+00 | 4/4 | 1.84E-01 | 2.57E-01 | 3/4 | 1.20E+00 | 0/4 | 1.71E+02 | 2/4 | 1.71E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.




Figure 5.44. Soils Operable Unit: SWMUs 20, 76, 169 and 222

SWMU 138 (C-100 Southside Berm)

Area description

The C-100 Southside Berm (SWMU 138) is located south of the C-100 Building, south of the plant site. SWMU 138 consists of two soil berms, each approximately 10,000 ft² (200 ft x 50 ft).

Process history

In 1979, a landscaping project used sludge dredged from the C-611 Lagoon, the potable drinking water treatment plant, and C-615 Sewage Treatment Plant on the south side of C-100 Building to construct the berm.

Previous investigation results

Characterization was performed on preliminary soil samples collected in September and October 1991 for WAG 13, and a draft screening assessment was prepared showing that the primary COCs for this SWMU are PCBs, radionuclides, mercury, and lead (Jacobs EM Team 1994).

Table 5.35 is a summary of historical data followed by a map of historical sample locations (Figure 5.45).

Area utilities

No recirculating water lines or sewers are associated with this contamination area. A sanitary sewer is coincidentally located within the boundary of the SWMU. Depth to this sewer is approximately 4 ft bgs.

Data Gap Determination

Additional samples are needed at this location.

Table 5.35. Summary of Surface and Subsurface Historical Data at SWMU 138

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|---------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Antimony | 7.34E+00 | 7.34E+00 | 7.34E+00 | 1/13 | | | 1/13 | 2.10E-01 | 0/13 | 4.63E+02 | 1/13 | 3.79E-01 |
| Arsenic | 3.68E+00 | 8.08E+00 | 6.14E+00 | 10/10 | | | 1/10 | 1.20E+01 | 0/10 | 3.15E+02 | 10/10 | 5.23E-01 |
| Barium | 6.59E+01 | 1.69E+02 | 1.14E+02 | 12/12 | | | 0/12 | 2.00E+02 | 0/12 | 1.00E+05 | 0/12 | 2.29E+02 |
| Cadmium | 5.00E+00 | 7.30E+00 | 5.86E+00 | 3/13 | | | 3/13 | 2.10E-01 | 0/13 | 7.05E+01 | 0/13 | 2.13E+01 |
| Chromium | 6.46E+00 | 4.46E+01 | 2.49E+01 | 11/13 | | | n/a | n/a | n/a | n/a | 0/13 | 3.56E+02 |
| Lead | 7.20E+00 | 2.81E+02 | 1.21E+02 | 13/13 | | | 12/13 | 3.60E+01 | 0/13 | 1.25E+03 | 9/13 | 5.00E+01 |
| Mercury | 2.16E+00 | 2.13E+01 | 8.18E+00 | 13/13 | | | 13/13 | 2.00E-01 | 0/13 | 8.25E+02 | 13/13 | 9.82E-01 |
| Nickel | 6.05E+00 | 1.86E+01 | 1.22E+01 | 9/13 | | | 0/13 | 2.10E+01 | 0/13 | 9.30E+04 | 0/13 | 2.42E+02 |
| Selenium | 5.48E-01 | 1.66E+00 | 9.95E-01 | 11/13 | | | 8/13 | 8.00E-01 | 0/13 | 2.56E+04 | 0/13 | 9.49E+01 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 4.00E-01 | 5.00E-01 | 4.20E-01 | 5/13 | | | n/a | n/a | 0/13 | 4.25E+01 | 5/13 | 1.99E-01 |
| PCB-1260 | 9.20E-02 | 9.20E-02 | 9.20E-02 | 1/3 | | | n/a | n/a | 0/3 | 4.25E+01 | 0/3 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Thorium-230 | 3.00E+00 | 3.00E+00 | 3.00E+00 | 1/13 | | | 1/13 | 1.50E+00 | 0/13 | 1.49E+03 | 0/13 | 1.49E+01 |
| Uranium | 1.60E+00 | 5.90E+00 | 2.41E+00 | 11/16 | | | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.




Figure No. \SoilsOUSOU_SWMUs.apr
DATE 08-27-09

Figure 5.45. Soils Operable Unit: SWMU 138

SWMU 180 (Outdoor Firing Range Western Kentucky Wildlife Management Area)

Area description

The Outdoor Firing Range WKWMA (SWMU 180) is located in the WKWMA, southwest of the plant site.

Process history

The Outdoor Firing Range is controlled by the WKWMA. It is used by the Kentucky State Police as a firing range. Lead bullets are present in the berm.

The unit is not used by PGDP.

Previous investigation results

No sampling data is available.

Figure 46 shows the area historical map.

Area utilities

No recirculating water lines or sewers are associated with this facility; none are within the boundary of the SWMU.

Data Gap Determination

Additional samples are needed at this location.




Figure 5.46. Soils Operable Unit: SWMU 180

SWMU 181 Outdoor Firing Range PGDP

Area description

The Firing Range (SWMU 181) is located west of the plant site. This SWMU currently is listed in the *Action Memorandum for the Soils Operable Unit Inactive Facilities at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/LX/07-0120&D2/R1*.

Process history

SWMU 181 was operational from the early 1980s until 1992 when it was shut down and classified as a SWMU. The plant force security used the facility as a training ground for small arms target practice during the facility's operational lifetime. Suspected contaminants include lead and other potential metals.

Previous investigation results

In April of 1993, the surface soil from the Firing Range was sampled for TSCA, RCRA bulk metals, and radiological components. Bulk lead concentrations in the samples ranged from 1,774.2 mg/kg to 14,880.0 mg/kg.

Characterization of the C-218 Firing Range occurred during soil pile sampling in 2008. Soil was tested for radiological, metals, and PCBs. Ten locations were sampled based upon 50 ft centers, with one surface sample and multiple subsurface samples to be collected at three ft intervals (e.g., 1 to 4 ft) to grade. Preliminary results for surface samples show all analytes detected above background are less than there no action values; therefore, risk is $<1E-06$ for all receptors. Preliminary results for subsurface samples show analytes detected and above nonzero background are Ca and Mg and the Total PCB hit is near the detection limit and below 1 ppm. Pending removal of the lead contaminated soil on the berm face as part of the Soil Inactive Removal Action, the berm appears to pose no risk.

Table 5.36 is a summary of historical data followed by a map of historical sample locations (Figure 5.47).

Area utilities

No recirculating water lines or sewers are associated with this facility, none are within the boundary of the SWMU.

Data Gap Determination

No additional samples are needed at this location.

Table 5.36. Summary of Surface and Subsurface Historical Data at SWMU 181

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|-----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 3.70E+03 | 9.47E+03 | 7.34E+03 | 18/18 | 1.70E+01 | 1.99E+02 | 0/18 | 1.30E+04 | 0/18 | 1.00E+05 | 17/18 | 4.64E+03 |
| Antimony | 1.90E-01 | 5.00E-01 | 2.83E-01 | 6/21 | 1.00E+00 | 9.62E+00 | 5/21 | 2.10E-01 | 0/21 | 4.63E+02 | 1/21 | 3.79E-01 |
| Arsenic | 2.60E+00 | 7.50E+00 | 5.41E+00 | 17/21 | 8.52E-01 | 4.97E+00 | 0/21 | 1.20E+01 | 0/21 | 3.15E+02 | 17/21 | 5.23E-01 |
| Barium | 6.01E+01 | 1.41E+02 | 1.08E+02 | 21/21 | 2.10E+00 | 2.67E+01 | 0/21 | 2.00E+02 | 0/21 | 1.00E+05 | 0/21 | 2.29E+02 |
| Beryllium | 3.80E-01 | 4.80E-01 | 4.48E-01 | 6/18 | 1.70E-01 | 5.00E-01 | 0/18 | 6.70E-01 | 0/18 | 1.28E+03 | 0/18 | 9.48E-01 |
| Cadmium | 4.60E-01 | 6.95E-01 | 5.64E-01 | 9/21 | 4.26E-01 | 2.49E+00 | 9/21 | 2.10E-01 | 0/21 | 7.05E+01 | 0/21 | 2.13E+01 |
| Calcium | 1.64E+03 | 1.82E+05 | 1.29E+05 | 18/18 | 4.25E+02 | 9.94E+02 | 17/18 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 6.65E+00 | 3.22E+01 | 1.58E+01 | 21/21 | 4.20E-01 | 2.49E+00 | n/a | n/a | n/a | n/a | 0/21 | 3.56E+02 |
| Cobalt | 3.30E+00 | 8.40E+00 | 6.99E+00 | 18/18 | 4.20E-01 | 5.00E+00 | 0/18 | 1.40E+01 | 0/18 | 1.00E+05 | 0/18 | 1.92E+03 |
| Copper | 6.10E+00 | 4.47E+01 | 3.07E+01 | 18/18 | 2.41E+00 | 1.24E+01 | 16/18 | 1.90E+01 | 0/18 | 1.00E+05 | 0/18 | 4.93E+02 |
| Iron | 8.13E+03 | 2.46E+04 | 1.82E+04 | 18/18 | 1.00E+01 | 6.55E+01 | 0/18 | 2.80E+04 | 0/18 | 1.00E+05 | 18/18 | 2.07E+03 |
| Lead | 6.70E+00 | 1.49E+04 | 9.55E+02 | 20/21 | 3.00E-01 | 1.92E+01 | 16/21 | 3.60E+01 | 3/21 | 1.25E+03 | 3/21 | 5.00E+01 |
| Magnesium | 5.04E+02 | 4.06E+03 | 2.86E+03 | 18/18 | 4.26E+00 | 5.00E+02 | 17/18 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 3.33E+02 | 5.49E+02 | 4.40E+02 | 18/18 | 4.20E-01 | 2.49E+00 | 0/18 | 1.50E+03 | 0/18 | 4.64E+04 | 18/18 | 4.52E+01 |
| Mercury | 4.60E-02 | 1.30E-01 | 9.26E-02 | 17/21 | 1.50E-02 | 8.00E-02 | 0/21 | 2.00E-01 | 0/21 | 8.25E+02 | 0/21 | 9.82E-01 |
| Molybdenum | 2.30E-01 | 2.48E+01 | 1.25E+01 | 2/13 | 4.00E+00 | 4.97E+00 | n/a | n/a | 0/13 | 2.50E+04 | 0/13 | 8.30E+01 |
| Nickel | 5.60E+00 | 1.19E+01 | 8.98E+00 | 20/21 | 8.50E-01 | 4.97E+00 | 0/21 | 2.10E+01 | 0/21 | 9.30E+04 | 0/21 | 2.42E+02 |
| Potassium | 3.02E+02 | 7.57E+02 | 6.54E+02 | 6/7 | 9.62E-01 | 5.00E+02 | 0/7 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Selenium | 4.00E-01 | 4.00E-01 | 4.00E-01 | 1/21 | 5.00E-01 | 1.92E+01 | 0/21 | 8.00E-01 | 0/21 | 2.56E+04 | 0/21 | 9.49E+01 |
| Silicon | 1.60E+03 | 1.60E+03 | 1.60E+03 | 1/1 | 5.00E+01 | 5.00E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Silver | 1.00E-01 | 2.39E+01 | 4.09E+00 | 6/21 | 4.20E-01 | 2.41E+00 | 1/21 | 2.30E+00 | 0/21 | 2.07E+04 | 0/21 | 4.11E+01 |
| Sodium | 3.09E+01 | 2.54E+02 | 1.90E+02 | 7/18 | 9.62E-01 | 1.09E+03 | 0/18 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Thallium | 3.20E-01 | 6.63E+01 | 3.22E+01 | 5/21 | 1.00E+00 | 1.92E+01 | 5/21 | 2.10E-01 | n/a | n/a | n/a | n/a |
| Uranium | 2.06E+00 | 2.06E+00 | 2.06E+00 | 2/14 | 8.52E-01 | 5.00E+01 | 0/14 | 4.90E+00 | 0/14 | 3.34E+03 | 0/14 | 2.02E+01 |
| Vanadium | 1.15E+01 | 2.50E+01 | 1.65E+01 | 18/18 | 8.50E-01 | 5.00E+00 | 0/18 | 3.80E+01 | 0/18 | 4.47E+03 | 18/18 | 3.32E+00 |
| Zinc | 2.13E+01 | 8.55E+01 | 6.14E+01 | 18/18 | 1.70E+00 | 1.99E+01 | 8/18 | 6.50E+01 | 0/18 | 1.00E+05 | 0/18 | 2.73E+03 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 1.01E+01 | 1.01E+01 | 1.01E+01 | 1/1 | 3.84E+00 | 3.84E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 5.94E+00 | 5.94E+00 | 5.94E+00 | 1/1 | 2.36E+00 | 2.36E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | -2.60E-01 | 9.53E-02 | -7.63E-03 | 8/27 | 4.67E-02 | 8.90E-01 | 0/27 | 4.90E-01 | 0/27 | 8.58E+00 | 2/27 | 8.58E-02 |
| Technetium-99 | 7.75E-01 | 1.18E+00 | 9.31E-01 | 7/24 | 6.52E-01 | 3.70E+00 | 0/24 | 2.50E+00 | 0/24 | 3.62E+04 | 0/24 | 3.62E+02 |
| Thorium-228 | 2.20E-01 | 3.79E-01 | 2.84E-01 | 12/12 | 6.33E-02 | 1.60E-01 | 0/12 | 1.60E+00 | 0/12 | 2.80E+00 | 12/12 | 2.80E-02 |
| Thorium-230 | 1.87E-01 | 4.16E-01 | 2.79E-01 | 12/23 | 5.78E-02 | 1.90E-01 | 0/23 | 1.50E+00 | 0/23 | 1.49E+03 | 0/23 | 1.49E+01 |
| Thorium-232 | 1.64E-01 | 3.08E-01 | 2.35E-01 | 12/12 | 3.60E-02 | 4.61E-02 | 0/12 | 1.50E+00 | 0/12 | 1.35E+03 | 0/12 | 1.35E+01 |
| Uranium | 2.56E-01 | 1.80E+00 | 8.61E-01 | 10/22 | 2.22E-01 | 2.37E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium (mg/kg) | 1.26E+00 | 1.26E+00 | 1.26E+00 | 2/14 | 4.60E-01 | 4.60E-01 | 0/14 | 4.90E+00 | n/a | n/a | n/a | n/a |
| Uranium-234 | 1.35E-01 | 1.64E+00 | 2.92E-01 | 12/13 | 4.00E-02 | 1.20E-01 | 0/13 | 2.50E+00 | 0/13 | 1.98E+03 | 0/13 | 1.98E+01 |
| Uranium-235 | 1.24E-02 | 3.08E-02 | 1.88E-02 | 3/13 | 1.09E-02 | 9.70E-02 | 0/13 | 1.40E-01 | 0/13 | 3.95E+01 | 0/13 | 3.95E-01 |
| Uranium-238 | 1.05E-01 | 1.56E+01 | 2.42E+00 | 15/17 | 8.00E-02 | 9.52E+00 | 5/17 | 1.20E+00 | 0/17 | 1.71E+02 | 5/17 | 1.71E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.36. Summary of Surface and Subsurface Historical Data at SWMU 181 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Subsurface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 5.22E+03 | 1.05E+04 | 7.46E+03 | 42/42 | 1.78E+01 | 2.00E+02 | 0/42 | 1.20E+04 | 0/42 | 1.00E+05 | 42/42 | 4.64E+03 |
| Arsenic | 3.88E+00 | 6.99E+00 | 4.88E+00 | 32/42 | 9.17E-01 | 4.99E+00 | 0/42 | 7.90E+00 | 0/42 | 3.15E+02 | 32/42 | 5.23E-01 |
| Barium | 9.07E+01 | 1.14E+02 | 1.03E+02 | 42/42 | 2.14E+00 | 2.50E+00 | 0/42 | 1.70E+02 | 0/42 | 1.00E+05 | 0/42 | 2.29E+02 |
| Beryllium | 4.54E-01 | 5.21E-01 | 4.87E-01 | 9/42 | 4.28E-01 | 4.99E-01 | 0/42 | 6.90E-01 | 0/42 | 1.28E+03 | 0/42 | 9.48E-01 |
| Cadmium | 5.28E-01 | 7.07E-01 | 6.29E-01 | 15/42 | 4.58E-01 | 2.50E+00 | 15/42 | 2.10E-01 | 0/42 | 7.05E+01 | 0/42 | 2.13E+01 |
| Calcium | 7.98E+04 | 1.52E+05 | 1.29E+05 | 42/42 | 8.57E+02 | 9.98E+02 | 42/42 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 9.99E+00 | 4.79E+01 | 1.60E+01 | 42/42 | 2.14E+00 | 2.50E+00 | n/a | n/a | n/a | n/a | 0/42 | 3.56E+02 |
| Cobalt | 5.81E+00 | 8.70E+00 | 7.12E+00 | 42/42 | 9.17E-01 | 4.99E+00 | 0/42 | 1.30E+01 | 0/42 | 1.00E+05 | 0/42 | 1.92E+03 |
| Copper | 1.88E+01 | 4.00E+01 | 2.90E+01 | 42/42 | 1.07E+01 | 1.25E+01 | 41/42 | 2.50E+01 | 0/42 | 1.00E+05 | 0/42 | 4.93E+02 |
| Iron | 1.36E+04 | 2.28E+04 | 1.74E+04 | 42/42 | 1.71E+01 | 2.00E+01 | 0/42 | 2.80E+04 | 0/42 | 1.00E+05 | 42/42 | 2.07E+03 |
| Lead | 1.92E+01 | 3.46E+01 | 2.46E+01 | 42/42 | 9.97E-01 | 4.99E+00 | 32/42 | 2.30E+01 | 0/42 | 1.25E+03 | 0/42 | 5.00E+01 |
| Magnesium | 2.39E+03 | 3.58E+03 | 2.95E+03 | 42/42 | 4.28E+00 | 4.99E+00 | 42/42 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 3.78E+02 | 5.51E+02 | 4.32E+02 | 42/42 | 2.14E+00 | 2.50E+00 | 0/42 | 8.20E+02 | 0/42 | 4.64E+04 | 42/42 | 4.52E+01 |
| Mercury | 7.00E-02 | 1.40E-01 | 9.52E-02 | 42/42 | 1.50E-02 | 1.70E-02 | 2/42 | 1.30E-01 | 0/42 | 8.25E+02 | 0/42 | 9.82E-01 |
| Nickel | 7.26E+00 | 1.01E+01 | 8.66E+00 | 42/42 | 4.28E+00 | 4.99E+00 | 0/42 | 2.20E+01 | 0/42 | 9.30E+04 | 0/42 | 2.42E+02 |
| Uranium | 1.05E+00 | 1.05E+00 | 1.05E+00 | 1/42 | 9.17E-01 | 4.99E+00 | 0/42 | 4.60E+00 | 0/42 | 3.34E+03 | 0/42 | 2.02E+01 |
| Vanadium | 1.16E+01 | 2.52E+01 | 1.55E+01 | 42/42 | 2.14E+00 | 2.50E+00 | 0/42 | 3.70E+01 | 0/42 | 4.47E+03 | 42/42 | 3.32E+00 |
| Zinc | 4.62E+01 | 7.35E+01 | 6.05E+01 | 42/42 | 1.71E+01 | 2.00E+01 | 25/42 | 6.00E+01 | 0/42 | 1.00E+05 | 0/42 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 1.70E-01 | 1.70E-01 | 1.70E-01 | 1/42 | 1.30E-01 | 1.30E-01 | n/a | n/a | 0/42 | 4.25E+01 | 0/42 | 1.99E-01 |
| PCB-1260 | 1.10E-01 | 1.70E-01 | 1.40E-01 | 2/42 | 1.00E-01 | 1.00E-01 | n/a | n/a | 0/42 | 4.25E+01 | 0/42 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Cesium-137 | 5.81E-02 | 1.25E-01 | 9.28E-02 | 19/42 | 4.97E-02 | 1.07E-01 | 0/42 | 2.80E-01 | 0/42 | 8.58E+00 | 12/42 | 8.58E-02 |
| Plutonium-239/240 | 1.67E-02 | 1.67E-02 | 1.67E-02 | 1/42 | 1.20E-02 | 1.42E-02 | n/a | n/a | 0/42 | 1.15E+03 | 0/42 | 1.15E+01 |
| Technetium-99 | 6.58E-01 | 1.57E+00 | 1.01E+00 | 20/42 | 6.52E-01 | 6.71E-01 | 0/42 | 2.80E+00 | 0/42 | 3.62E+04 | 0/42 | 3.62E+02 |
| Thorium-228 | 1.90E-01 | 3.69E-01 | 2.77E-01 | 42/42 | 6.35E-02 | 8.86E-02 | 0/42 | 1.60E+00 | 0/42 | 2.80E+00 | 42/42 | 2.80E-02 |
| Thorium-230 | 1.61E-01 | 3.62E-01 | 2.66E-01 | 42/42 | 5.77E-02 | 7.31E-02 | 0/42 | 1.40E+00 | 0/42 | 1.49E+03 | 0/42 | 1.49E+01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.


Table 5.36. Summary of Surface and Subsurface Historical Data at SWMU 181 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|-------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Thorium-232 | 1.83E-01 | 3.49E-01 | 2.50E-01 | 42/42 | 3.54E-02 | 5.16E-02 | 0/42 | 1.50E+00 | 0/42 | 1.35E+03 | 0/42 | 1.35E+01 |
| Uranium | 2.39E-01 | 6.84E-01 | 3.83E-01 | 25/42 | 2.23E-01 | 2.42E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 1.19E-01 | 3.29E-01 | 2.00E-01 | 36/42 | 1.11E-01 | 1.16E-01 | 0/42 | 2.40E+00 | 0/42 | 1.98E+03 | 0/42 | 1.98E+01 |
| Uranium-235 | 1.57E-02 | 1.57E-02 | 1.57E-02 | 1/42 | 1.16E-02 | 2.23E-02 | 0/42 | 1.40E-01 | 0/42 | 3.95E+01 | 0/42 | 3.95E-01 |
| Uranium-238 | 1.07E-01 | 4.17E-01 | 1.75E-01 | 39/42 | 1.00E-01 | 1.08E-01 | 0/42 | 1.20E+00 | 0/42 | 1.71E+02 | 0/42 | 1.71E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.



U.S. DEPARTMENT OF ENERGY
DOE PORTSMOUTH/PADUCAH PROJECT OFFICE
PADUCAH GASEOUS DIFFUSION PLANT



Figure No. \SoilsOU\soil_swmur3.apr
DATE 08-11-09

Figure 5.47. Soils Operable Unit: SWMU 181

SWMU 195 (Curlee Road Contaminated Soil Mounds)

Area description

The Curlee Road Contaminated Soil Mounds (SWMU 195) is located in the southwest portion of the plant site. The site consists of two mounds of soil approximately 10–15 ft in height and covers 370,000 ft² in area. Historical knowledge indicates that potential COCs for SWMU 195 are radionuclides.

Process history

The area was created during original construction of the plant. The soil was unusable for fill due to its characteristics and was placed in this location. Some soil also came from excavation of drainage ditches and cleaning of the ditches.

Previous investigation results

No previous investigations are available.

Table 5.37 is a summary of historical data followed by a map of historical sample locations (Figure 5.48).

Area utilities

No recirculating water lines or sewers are associated with these soil mounds; none are within the boundary of the SWMU.

Data Gap Determination

Additional samples are needed at this location.

Table 5.37. Summary of Surface and Subsurface Historical Data at SWMU 195

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|---------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 8.64E+03 | 1.29E+04 | 1.03E+04 | 3/3 | | | 1/3 | 1.30E+04 | 0/3 | 1.00E+05 | 3/3 | 4.64E+03 |
| Arsenic | 1.55E+00 | 6.89E+00 | 3.07E+00 | 24/24 | | | 0/24 | 1.20E+01 | 0/24 | 3.15E+02 | 24/24 | 5.23E-01 |
| Barium | 2.01E+01 | 3.67E+02 | 5.82E+01 | 27/27 | | | 1/27 | 2.00E+02 | 0/27 | 1.00E+05 | 1/27 | 2.29E+02 |
| Beryllium | 8.00E-01 | 8.00E-01 | 8.00E-01 | 1/3 | | | 1/3 | 6.70E-01 | 0/3 | 1.28E+03 | 0/3 | 9.48E-01 |
| Cadmium | 7.20E-01 | 1.04E+01 | 5.37E+00 | 6/27 | | | 6/27 | 2.10E-01 | 0/27 | 7.05E+01 | 0/27 | 2.13E+01 |
| Calcium | 2.99E+03 | 1.38E+04 | 8.35E+03 | 3/3 | | | 2/3 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 1.80E+01 | 7.70E+01 | 3.40E+01 | 27/27 | | | n/a | n/a | n/a | n/a | 0/27 | 3.56E+02 |
| Cobalt | 5.80E+00 | 1.04E+01 | 7.88E+00 | 3/3 | | | 0/3 | 1.40E+01 | 0/3 | 1.00E+05 | 0/3 | 1.92E+03 |
| Copper | 1.84E+01 | 2.37E+01 | 2.19E+01 | 3/3 | | | 2/3 | 1.90E+01 | 0/3 | 1.00E+05 | 0/3 | 4.93E+02 |
| Iron | 1.62E+04 | 2.07E+04 | 1.80E+04 | 3/3 | | | 0/3 | 2.80E+04 | 0/3 | 1.00E+05 | 3/3 | 2.07E+02 |
| Lead | 1.46E+00 | 1.89E+02 | 1.98E+01 | 19/27 | | | 1/27 | 3.60E+01 | 0/27 | 1.25E+03 | 1/27 | 5.00E+01 |
| Lithium | 5.20E+00 | 8.54E+00 | 6.85E+00 | 3/3 | | | n/a | n/a | 0/3 | 1.00E+05 | 0/3 | 6.41E+02 |
| Magnesium | 1.12E+03 | 1.44E+03 | 1.31E+03 | 3/3 | | | 0/3 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 3.32E+02 | 3.89E+02 | 3.58E+02 | 3/3 | | | 0/3 | 1.50E+03 | 0/3 | 4.64E+04 | 3/3 | 4.52E+01 |
| Molybdenum | 2.00E+00 | 2.00E+00 | 2.00E+00 | 1/3 | | | n/a | n/a | 0/3 | 2.50E+04 | 0/3 | 8.30E+01 |
| Nickel | 6.48E+00 | 2.37E+01 | 1.32E+01 | 25/27 | | | 4/27 | 2.10E+01 | 0/27 | 9.30E+04 | 0/27 | 2.42E+02 |
| Potassium | 4.00E+02 | 9.87E+02 | 6.91E+02 | 3/3 | | | 1/3 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Ruthenium | 2.09E+01 | 2.09E+01 | 2.09E+01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Selenium | 7.40E-01 | 2.25E+00 | 1.50E+00 | 4/24 | | | 4/24 | 8.00E-01 | 0/24 | 2.56E+04 | 0/24 | 9.49E+01 |
| Silicon | 1.37E+02 | 1.45E+03 | 5.98E+02 | 3/3 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Silver | 2.40E+00 | 3.29E+01 | 1.29E+01 | 12/27 | | | 12/27 | 2.30E+00 | 0/27 | 2.07E+04 | 0/27 | 4.11E+01 |
| Sodium | 4.94E+01 | 1.42E+02 | 9.36E+01 | 3/3 | | | 0/3 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Strontium | 1.42E+01 | 2.18E+01 | 1.75E+01 | 3/3 | | | n/a | n/a | 0/3 | 1.00E+05 | 0/3 | 5.45E+03 |
| Tantalum | 4.75E+00 | 1.34E+01 | 9.08E+00 | 2/3 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Thallium | 8.80E+00 | 8.80E+00 | 8.80E+00 | 1/3 | | | 1/3 | 2.10E-01 | n/a | n/a | n/a | n/a |
| Thorium | 4.40E+00 | 1.04E+01 | 6.55E+00 | 3/3 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Titanium | 2.12E+02 | 2.60E+02 | 2.28E+02 | 3/3 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Tungsten | 8.34E+01 | 8.34E+01 | 8.34E+01 | 1/3 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium | 1.00E+00 | 1.00E+01 | 3.53E+00 | 27/27 | | | 3/27 | 4.90E+00 | 0/27 | 3.34E+03 | 0/27 | 2.02E+01 |
| Zinc | 5.68E+01 | 7.34E+01 | 6.71E+01 | 3/3 | | | 2/3 | 6.50E+01 | 0/3 | 1.00E+05 | 0/3 | 2.73E+03 |
| Zirconium | 5.80E+00 | 1.08E+01 | 8.70E+00 | 3/3 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 3.00E-01 | 6.00E-01 | 4.29E-01 | 7/29 | | | n/a | n/a | 0/29 | 4.25E+01 | 7/29 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Cesium-137 | 8.40E-02 | 2.67E-01 | 1.55E-01 | 3/3 | | | 0/3 | 4.90E-01 | 0/3 | 8.58E+00 | 2/3 | 8.58E-02 |
| Cobalt-60 | 3.51E-02 | 3.51E-02 | 3.51E-02 | 1/1 | | | n/a | n/a | 0/1 | 1.77E+00 | 1/1 | 1.77E-02 |
| Neptunium-237 | 3.24E-02 | 1.46E-01 | 7.58E-02 | 3/3 | | | 1/3 | 1.00E-01 | 0/3 | 2.71E+01 | 0/3 | 2.71E-01 |
| Plutonium-239 | 6.10E-02 | 1.78E-01 | 1.12E-01 | 3/3 | | | 3/3 | 2.50E-02 | 0/3 | 1.15E+03 | 0/3 | 1.15E+01 |
| Potassium-40 | 7.19E+00 | 9.48E+00 | 8.16E+00 | 3/3 | | | 0/3 | 1.60E+01 | n/a | n/a | n/a | n/a |
| Technetium-99 | 3.90E+00 | 9.47E+00 | 5.81E+00 | 3/3 | | | 3/3 | 2.50E+00 | 0/3 | 3.62E+04 | 0/3 | 3.62E+02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.

Table 5.37. Summary of Surface and Subsurface Historical Data at SWMU 195 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|-------------------------------|------------------|----------|----------|------------------------|-----------------|---------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| Thorium-230 | 5.60E-01 | 2.34E+00 | 1.17E+00 | 3/3 | | | 1/3 | 1.50E+00 | 0/3 | 1.49E+03 | 0/3 | 1.49E+01 |
| Uranium-234 | 1.40E+00 | 1.40E+00 | 1.40E+00 | 1/1 | | | 0/1 | 2.50E+00 | 0/1 | 1.98E+03 | 0/1 | 1.98E+01 |
| Uranium-238 | 1.81E+00 | 1.81E+00 | 1.81E+00 | 1/1 | | | 1/1 | 1.20E+00 | 0/1 | 1.71E+02 | 1/1 | 1.71E+00 |
| <i>Wetchem (mg/kg)</i> | | | | | | | | | | | | |
| Iodide | 1.18E+01 | 1.18E+01 | 1.18E+01 | 1/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Total Phosphate as Phosphorus | 3.24E+02 | 4.32E+02 | 3.83E+02 | 3/3 | | | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.48. Soils Operable Unit: SWMUs 195 and 215

AOC 204 (Dyke Road Historical Staging Area)

Area description

The Dyke Road Historical Staging Area (AOC 204) is located between the eastern boundary of the plant and Dyke Road and between Outfalls 010 and 011. AOC 204 is a mounded area with heavy vegetation and several trees consisting of approximately 3 acres. A small ditch (approximately 4 ft wide and 3 ft deep) is situated across the mound from north to south.

Process history

During construction of the PGDP, (approximately 1951 through the mid 1950s), AOC 204 is suspected of having been a staging area or construction debris burial ground.

Previous investigation results

The types of debris identified on the mound include asphalt, concrete, telephone poles, railroad ties, and cable. Debris was not reported in subsurface samples collected during the drilling of WAG 28 (DOE 2000b) borings within the mound. A geophysical survey conducted during the SI using electro magnetometers indicated four anomalies in the AOC 204 area, but not the presence of a landfill.

The AOC was sampled during the SE (DOE 1995b) at KPDES Outfalls 010, 011, and 012 in September 1995 and again as part of the WAG 28 RI/FS in 1999, which shows TCE is of concern at this location.

A BHHRA was performed on AOC 204. It was evaluated under different scenarios for which human health risk exceeds *de minimis* levels (i.e., a cumulative human health ELCR of 1E-6 or a cumulative HI of 1). Results from the BHHRA indicated the following scenarios were exceeded: industrial worker exposure to RGA groundwater; future on-site resident exposure to RGA groundwater; off-site resident exposure to groundwater; future industrial worker exposure to RGA groundwater; industrial worker exposure to RGA groundwater resident exposure to RGA groundwater; future off-site resident exposure to groundwater; and future excavation worker exposure to soil. A BERA ecological evaluation was not required due to the potential source of contamination being contained within the subsurface.

Table 5.38 is a summary of historical data followed by a map of historical sample locations (Figure 5.49).

Area utilities

No recirculating water lines or sewers were associated with this area. Storm sewers are coincidentally located within the boundary of the SWMU. Approximate depth to the sewers is 13-15 ft bgs.

Data Gap Determination

No additional samples are needed at this location.

Table 5.38. Summary of Surface and Subsurface Historical Data at SWMU 204

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 3.75E+03 | 1.71E+04 | 9.33E+03 | 27/27 | 1.80E+01 | 4.83E+01 | 5/27 | 1.30E+04 | 0/27 | 1.00E+05 | 25/27 | 4.64E+03 |
| Antimony | 4.00E-01 | 1.10E+00 | 8.67E-01 | 3/27 | 1.00E+00 | 2.00E+01 | 3/27 | 2.10E-01 | 0/27 | 4.63E+02 | 3/27 | 3.79E-01 |
| Arsenic | 2.10E+00 | 1.04E+01 | 6.43E+00 | 12/24 | 1.00E+00 | 5.00E+00 | 5/24 | 1.20E+01 | 0/24 | 3.15E+02 | 12/24 | 5.23E-01 |
| Barium | 2.99E+01 | 2.15E+02 | 7.90E+01 | 27/27 | 2.25E+00 | 4.83E+01 | 1/27 | 2.00E+02 | 0/27 | 1.00E+05 | 0/27 | 2.29E+02 |
| Beryllium | 3.00E-01 | 1.93E+00 | 8.70E-01 | 13/30 | 4.50E-01 | 1.20E+00 | 7/30 | 6.70E-01 | 0/30 | 1.28E+03 | 4/30 | 9.48E-01 |
| Cadmium | 5.80E-01 | 3.64E+00 | 1.68E+00 | 9/27 | 5.00E-01 | 2.00E+00 | 9/27 | 2.10E-01 | 0/27 | 7.05E+01 | 0/27 | 2.13E+01 |
| Calcium | 9.20E+02 | 1.45E+05 | 9.96E+03 | 27/27 | 9.00E+01 | 1.21E+03 | 8/27 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 8.43E+00 | 1.75E+02 | 3.41E+01 | 30/30 | 1.00E+00 | 2.50E+00 | n/a | n/a | n/a | n/a | 0/30 | 3.56E+02 |
| Cobalt | 2.85E+00 | 2.51E+01 | 7.36E+00 | 26/27 | 2.25E+00 | 1.21E+01 | 4/27 | 1.40E+01 | 0/27 | 1.00E+05 | 0/27 | 1.92E+03 |
| Copper | 6.55E+00 | 2.02E+02 | 2.57E+01 | 27/27 | 6.00E+00 | 6.00E+00 | 9/27 | 1.90E+01 | 0/27 | 1.00E+05 | 0/27 | 4.93E+02 |
| Iron | 5.43E+03 | 4.48E+04 | 1.65E+04 | 27/27 | 1.00E+01 | 2.42E+01 | 4/27 | 2.80E+04 | 0/27 | 1.00E+05 | 27/27 | 2.07E+03 |
| Lead | 5.80E+00 | 6.20E+01 | 2.68E+01 | 11/27 | 3.00E-01 | 2.00E+01 | 4/27 | 3.60E+01 | 0/27 | 1.25E+03 | 1/27 | 5.00E+01 |
| Lithium | 8.00E+00 | 1.16E+01 | 9.33E+00 | 3/3 | | | n/a | n/a | 0/3 | 1.00E+05 | 0/3 | 6.41E+02 |
| Magnesium | 5.96E+02 | 2.94E+03 | 1.50E+03 | 27/27 | 4.50E+00 | 1.21E+03 | 5/27 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 5.97E+01 | 1.78E+03 | 3.87E+02 | 27/27 | 1.50E+00 | 1.00E+01 | 2/27 | 1.50E+03 | 0/27 | 4.64E+04 | 27/27 | 4.52E+01 |
| Mercury | 6.00E-02 | 1.50E-01 | 1.06E-01 | 7/30 | 3.30E-02 | 2.00E-01 | 1/30 | 2.00E-01 | 0/30 | 8.25E+02 | 0/30 | 9.82E-01 |
| Molybdenum | 3.60E-01 | 8.31E+00 | 2.06E+00 | 7/27 | 4.00E+00 | 9.70E+00 | n/a | n/a | 0/27 | 2.50E+04 | 0/27 | 8.30E+01 |
| Nickel | 4.97E+00 | 2.20E+01 | 1.04E+01 | 26/27 | 4.00E+00 | 9.70E+00 | 1/27 | 2.10E+01 | 0/27 | 9.30E+04 | 0/27 | 2.42E+02 |
| Potassium | 2.96E+02 | 1.40E+03 | 6.89E+02 | 27/27 | 9.00E+01 | 1.21E+03 | 6/27 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Selenium | 5.10E-01 | 5.10E-01 | 5.10E-01 | 1/24 | 5.00E-01 | 1.98E+01 | 0/24 | 8.00E-01 | 0/24 | 2.56E+04 | 0/24 | 9.49E+01 |
| Silicon | 1.25E+02 | 1.51E+03 | 5.14E+02 | 8/13 | 5.00E+01 | 5.00E+02 | n/a | n/a | n/a | n/a | n/a | n/a |
| Silver | 1.60E+00 | 1.60E+00 | 1.60E+00 | 1/27 | 1.00E+00 | 4.00E+00 | 0/27 | 2.30E+00 | 0/27 | 2.07E+04 | 0/27 | 4.11E+01 |
| Sodium | 5.53E+01 | 2.24E+02 | 1.32E+02 | 18/27 | 9.00E+01 | 1.21E+03 | 0/27 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Strontium | 1.90E+01 | 2.22E+01 | 2.09E+01 | 3/3 | | | n/a | n/a | 0/3 | 1.00E+05 | 0/3 | 5.45E+03 |
| Tantalum | 1.25E+01 | 1.46E+01 | 1.36E+01 | 2/3 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Thallium | 2.20E-01 | 2.20E-01 | 2.20E-01 | 1/27 | 1.00E+00 | 2.00E+01 | 1/27 | 2.10E-01 | n/a | n/a | n/a | n/a |
| Thorium | 2.03E+01 | 3.66E+01 | 2.94E+01 | 3/3 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Titanium | 2.43E+02 | 3.06E+02 | 2.69E+02 | 3/3 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Tungsten | 1.09E+02 | 1.09E+02 | 1.09E+02 | 1/3 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium | 1.14E+00 | 1.31E+04 | 5.23E+02 | 31/35 | 5.20E-02 | 5.00E+01 | 22/35 | 4.90E+00 | 1/35 | 3.34E+03 | 8/35 | 2.02E+01 |
| Vanadium | 8.11E+00 | 7.55E+01 | 2.67E+01 | 25/27 | 2.25E+00 | 1.21E+01 | 5/27 | 3.80E+01 | 0/27 | 4.47E+03 | 25/27 | 3.32E+00 |
| Zinc | 2.71E+01 | 7.64E+02 | 1.11E+02 | 27/27 | 2.00E+00 | 2.00E+01 | 12/27 | 6.50E+01 | 0/27 | 1.00E+05 | 0/27 | 2.73E+03 |
| Zirconium | 9.20E+00 | 1.74E+01 | 1.33E+01 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCBs, Total | 1.00E-01 | 7.90E+01 | 5.23E+00 | 29/128 | 1.00E-01 | 2.70E+00 | n/a | n/a | 1/128 | 4.25E+01 | 24/128 | 1.99E-01 |
| PCB-1242 | 2.80E+01 | 2.80E+01 | 2.80E+01 | 1/127 | 4.40E-02 | 2.70E+00 | n/a | n/a | 0/127 | 4.25E+01 | 1/127 | 1.99E-01 |
| PCB-1248 | 1.63E+00 | 1.63E+00 | 1.63E+00 | 1/127 | 4.40E-02 | 1.00E-01 | n/a | n/a | 0/127 | 4.25E+01 | 1/127 | 1.99E-01 |
| PCB-1254 | 4.20E-02 | 2.40E+01 | 3.03E+00 | 14/145 | 4.40E-02 | 2.70E+00 | n/a | n/a | 1/145 | 1.82E+01 | 11/145 | 1.99E-01 |
| PCB-1260 | 9.00E-02 | 2.70E+01 | 2.36E+00 | 32/145 | 4.40E-02 | 2.70E+00 | n/a | n/a | 0/145 | 4.25E+01 | 23/145 | 1.99E-01 |
| PCB-1268 | 1.00E+00 | 1.00E+00 | 1.00E+00 | 1/127 | 4.40E-02 | 1.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.38. Summary of Surface and Subsurface Historical Data at SWMU 204 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Actinium-228 | 8.42E-01 | 9.79E-01 | 9.11E-01 | 2/3 | 1.17E-01 | 4.58E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Alpha activity | 2.27E+00 | 4.30E+03 | 2.34E+02 | 20/22 | 6.30E-01 | 4.81E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 2.86E+00 | 7.71E+03 | 3.90E+02 | 22/22 | 8.80E-01 | 5.18E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Bismuth-212 | 8.07E-01 | 8.13E-01 | 8.10E-01 | 2/3 | 2.62E-01 | 1.36E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Bismuth-214 | 7.39E-01 | 1.04E+00 | 9.00E-01 | 3/3 | 6.13E-02 | 3.06E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 4.30E-01 | 1.38E+00 | 1.81E-01 | 108/117 | 3.88E-02 | 1.46E+00 | 24/117 | 4.90E-01 | 0/117 | 8.38E+00 | 74/117 | 8.58E-02 |
| Cobalt-60 | 3.51E-02 | 3.51E-02 | 3.51E-02 | 1/18 | 2.66E-02 | 1.10E-01 | n/a | n/a | 0/18 | 1.77E+00 | 1/18 | 1.77E-02 |
| Lead-212 | 7.16E-01 | 7.68E-01 | 7.40E-01 | 3/3 | 4.93E-02 | 2.35E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Lead-214 | 8.32E-01 | 8.65E-01 | 8.48E-01 | 2/3 | 5.79E-02 | 2.84E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Neptunium-237 | 1.20E-02 | 6.10E-02 | 2.64E-02 | 4/23 | 8.00E-03 | 2.64E-01 | 0/23 | 1.00E-01 | 0/23 | 2.71E+01 | 0/23 | 2.71E-01 |
| Plutonium-239 | 0.00E+00 | 3.50E-03 | 1.83E-03 | 3/3 | 9.00E-03 | 9.00E-02 | 0/3 | 2.50E-02 | 0/3 | 1.15E+03 | 0/3 | 1.15E+01 |
| Plutonium-239/240 | 3.44E-02 | 9.80E-02 | 6.39E-02 | 3/25 | 8.00E-03 | 9.00E-02 | n/a | n/a | 0/25 | 1.15E+03 | 0/25 | 1.15E+01 |
| Potassium-40 | 2.68E+00 | 1.40E+01 | 9.29E+00 | 6/6 | 2.84E-01 | 7.96E-01 | 0/6 | 1.60E+01 | n/a | n/a | n/a | n/a |
| Protactinium-231 | 3.65E+01 | 3.65E+01 | 3.65E+01 | 1/3 | 3.34E-01 | 2.44E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Protactinium-234m | 8.13E+00 | 4.38E+03 | 8.87E+02 | 5/7 | 5.33E-01 | 5.20E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Radium-228 | 9.62E-01 | 9.62E-01 | 9.62E-01 | 1/3 | 2.85E-01 | 3.79E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Strontium-90 | 4.70E+00 | 4.70E+00 | 4.70E+00 | 1/3 | 1.00E+00 | 1.30E+00 | 0/3 | 4.70E+00 | 0/3 | 7.44E+02 | 0/3 | 7.44E+00 |
| Technetium-99 | 8.20E-01 | 1.03E+01 | 4.69E+00 | 16/25 | 2.96E-01 | 4.25E+00 | 12/25 | 2.50E+00 | 0/25 | 3.62E+04 | 0/25 | 3.62E+02 |
| Thallium-208 | 2.34E-01 | 2.34E-01 | 2.34E-01 | 1/3 | 3.27E-02 | 1.71E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Thorium-228 | 1.94E-01 | 4.43E-01 | 3.21E-01 | 17/20 | 4.00E-02 | 2.52E-01 | 0/20 | 1.60E+00 | 0/20 | 2.80E+00 | 17/20 | 2.80E-02 |
| Thorium-230 | 2.40E-01 | 1.60E+00 | 6.14E-01 | 16/20 | 1.30E-01 | 2.10E-01 | 2/20 | 1.50E+00 | 0/20 | 1.49E+03 | 0/20 | 1.49E+01 |
| Thorium-232 | 1.60E-01 | 5.15E-01 | 3.22E-01 | 18/20 | 3.00E-02 | 1.80E-01 | 0/20 | 1.50E+00 | 0/20 | 1.35E+03 | 0/20 | 1.35E+01 |
| Thorium-234 | 2.14E+00 | 1.01E+01 | 5.20E+00 | 4/7 | 3.25E-01 | 1.68E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium | 1.45E+01 | 3.68E+03 | 1.24E+03 | 3/3 | 1.43E+00 | 1.19E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 2.20E-01 | 4.45E+02 | 2.99E+01 | 25/26 | 4.35E-03 | 7.10E+00 | 4/26 | 2.50E+00 | 0/26 | 1.98E+03 | 2/26 | 1.98E+01 |
| Uranium-235 | 3.22E-02 | 5.70E+01 | 2.94E+00 | 20/23 | 5.85E-03 | 1.50E+00 | 5/23 | 1.40E-01 | 1/23 | 3.95E+01 | 1/23 | 3.95E-01 |
| Uranium-238 | 1.65E+01 | 4.39E+03 | 7.33E+01 | 121/122 | 4.33E-03 | 1.69E+01 | 95/122 | 1.20E+00 | 2/122 | 1.71E+02 | 85/122 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Acenaphthene | 2.80E+00 | 5.30E+00 | 4.05E+00 | 2/14 | 4.60E-01 | 5.60E-01 | n/a | n/a | 0/14 | 6.67E+04 | 0/14 | 3.16E+02 |
| Acenaphthylene | 4.60E-01 | 4.60E-01 | 4.60E-01 | 1/14 | 4.60E-01 | 5.60E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Anthracene | 5.90E+00 | 1.10E+01 | 8.45E+00 | 2/14 | 4.60E-01 | 5.60E-01 | n/a | n/a | 0/14 | 1.00E+05 | 0/14 | 3.79E+03 |
| Benz(a)anthracene | 1.30E+00 | 3.90E+01 | 1.67E+01 | 4/14 | 4.60E-01 | 5.60E-01 | n/a | n/a | 0/14 | 2.08E+02 | 4/14 | 2.12E-01 |
| Benz(a)pyrene | 1.20E+00 | 4.00E+01 | 1.72E+01 | 4/14 | 4.60E-01 | 5.60E-01 | n/a | n/a | 2/14 | 2.08E+01 | 4/14 | 2.12E-02 |
| Benz(b)fluoranthene | 2.40E+00 | 6.70E+01 | 3.12E+01 | 4/14 | 4.60E-01 | 5.60E-01 | n/a | n/a | 0/14 | 2.08E+02 | 4/14 | 2.12E-01 |
| Benzo(ghi)perylene | 8.00E+00 | 1.80E+01 | 1.30E+01 | 2/14 | 4.60E-01 | 5.60E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benzo(k)fluoranthene | 1.00E+00 | 2.50E+01 | 1.08E+01 | 4/14 | 4.60E-01 | 5.60E-01 | n/a | n/a | 0/14 | 2.08E+03 | 2/14 | 2.12E+00 |
| Chrysene | 1.60E+00 | 4.10E+01 | 1.74E+01 | 4/14 | 4.60E-01 | 5.60E-01 | n/a | n/a | 0/14 | 2.08E+04 | 2/14 | 2.12E+01 |
| Dibenz(a,h)anthracene | 2.50E+00 | 5.30E+00 | 3.90E+00 | 2/14 | 4.60E-01 | 5.60E-01 | n/a | n/a | 0/14 | 2.08E+01 | 2/14 | 2.12E-02 |
| Fluoranthene | 3.20E+00 | 5.20E+01 | 2.49E+01 | 4/14 | 4.60E-01 | 5.60E-01 | n/a | n/a | 0/14 | 6.50E+04 | 0/14 | 2.21E+02 |
| Fluorene | 2.50E+00 | 4.40E+00 | 3.45E+00 | 2/14 | 4.60E-01 | 5.60E-01 | n/a | n/a | 0/14 | 7.09E+04 | 0/14 | 3.39E+02 |
| Indeno(1,2,3-cd)pyrene | 5.80E-01 | 2.00E+01 | 7.77E+00 | 4/14 | 4.60E-01 | 5.60E-01 | n/a | n/a | 0/14 | 2.08E+02 | 4/14 | 2.12E-01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.38. Summary of Surface and Subsurface Historical Data at SWMU 204 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|-------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Naphthalene | 8.80E-01 | 2.80E+00 | 1.84E+00 | 2/14 | 4.60E-01 | 5.60E-01 | n/a | n/a | 0/14 | 7.66E+02 | 0/14 | 2.36E+01 |
| Phenanthrene | 1.90E+00 | 5.30E+01 | 2.17E+01 | 4/14 | 4.60E-01 | 5.60E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 2.40E+00 | 1.30E+02 | 4.91E+01 | 4/14 | 4.60E-01 | 5.60E-01 | n/a | n/a | 0/14 | 4.87E+04 | 0/14 | 1.65E+02 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| Tetrachloroethene | 8.00E-03 | 8.00E-03 | 8.00E-03 | 1/7 | | | n/a | n/a | 0/7 | 1.46E+03 | 0/7 | 3.90E+00 |
| Trichloroethene | 1.50E-02 | 5.34E+00 | 2.68E+00 | 2/21 | 5.00E-03 | 5.00E-03 | n/a | n/a | 0/21 | 2.98E+02 | 1/21 | 2.51E+00 |
| Wetchem (mg/kg) | | | | | | | | | | | | |
| Iodide | 2.60E+01 | 2.60E+01 | 2.60E+01 | 1/3 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Total Phosphate as Phosphorus | 9.80E+02 | 1.11E+03 | 1.03E+03 | 3/3 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Subsurface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 4.18E+03 | 1.70E+04 | 8.22E+03 | 8/8 | 2.00E+01 | 3.24E+01 | 1/8 | 1.20E+04 | 0/8 | 1.00E+05 | 6/8 | 4.64E+03 |
| Antimony | 1.72E+01 | 3.03E+01 | 2.22E+01 | 3/8 | 1.39E+01 | 2.00E+01 | 3/8 | 2.10E-01 | 0/8 | 4.63E+02 | 3/8 | 3.79E-01 |
| Arsenic | 6.89E+00 | 8.05E+00 | 7.47E+00 | 2/8 | 5.00E+00 | 3.90E+01 | 1/8 | 7.90E+00 | 0/8 | 3.15E+02 | 2/8 | 5.23E-01 |
| Barium | 1.40E+01 | 1.56E+02 | 8.51E+01 | 8/8 | 7.53E-01 | 1.00E+00 | 0/8 | 1.70E+02 | 0/8 | 1.00E+05 | 0/8 | 2.29E+02 |
| Beryllium | 4.77E-01 | 7.28E-01 | 5.83E-01 | 6/8 | 1.84E-01 | 5.00E-01 | 1/8 | 6.90E-01 | 0/8 | 1.28E+03 | 0/8 | 9.48E-01 |
| Calcium | 7.26E+02 | 9.07E+04 | 2.96E+04 | 8/8 | 1.52E+01 | 5.00E+01 | 3/8 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 5.24E+00 | 2.13E+01 | 1.35E+01 | 8/8 | 2.00E+00 | 4.35E+00 | n/a | n/a | n/a | n/a | 0/8 | 3.56E+02 |
| Cobalt | 1.20E+00 | 6.36E+00 | 3.71E+00 | 7/8 | 1.00E+00 | 4.09E+00 | 0/8 | 1.30E+01 | 0/8 | 1.00E+05 | 0/8 | 1.92E+02 |
| Copper | 5.37E+00 | 1.63E+01 | 1.01E+01 | 6/8 | 2.00E+00 | 3.09E+00 | 0/8 | 2.50E+01 | 0/8 | 1.00E+05 | 0/8 | 4.93E+02 |
| Iron | 3.07E+03 | 2.05E+04 | 1.21E+04 | 8/8 | 3.49E+00 | 5.00E+00 | 0/8 | 2.80E+04 | 0/8 | 1.00E+05 | 8/8 | 2.07E+03 |
| Lithium | 5.29E+00 | 1.27E+01 | 8.09E+00 | 6/8 | 1.44E+00 | 2.00E+00 | n/a | n/a | 0/8 | 1.00E+05 | 0/8 | 6.41E+02 |
| Magnesium | 3.72E+02 | 7.15E+03 | 2.71E+03 | 8/8 | 1.50E+01 | 3.11E+01 | 4/8 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 7.07E+00 | 5.54E+02 | 2.49E+02 | 8/8 | 6.94E-01 | 1.00E+00 | 0/8 | 8.20E+02 | 0/8 | 4.64E+04 | 6/8 | 4.52E+01 |
| Nickel | 1.57E+01 | 2.19E+01 | 1.78E+01 | 3/8 | 5.00E+00 | 9.66E+00 | 1/8 | 2.20E+01 | 0/8 | 9.30E+04 | 0/8 | 2.42E+02 |
| Potassium | 1.19E+02 | 1.04E+03 | 4.20E+02 | 5/5 | 1.00E+02 | 1.00E+02 | 1/5 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Sodium | 3.09E+02 | 3.09E+02 | 3.09E+02 | 1/5 | 2.00E+02 | 2.00E+02 | 0/5 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Strontium | 3.22E+00 | 2.17E+01 | 1.07E+01 | 5/5 | 2.00E+00 | 2.00E+00 | n/a | n/a | 0/5 | 1.00E+05 | 0/5 | 5.45E+03 |
| Tin | 2.03E+01 | 2.03E+01 | 2.03E+01 | 1/3 | 1.31E+01 | 1.31E+01 | n/a | n/a | 0/3 | 1.00E+05 | 0/3 | 2.79E+03 |
| Uranium | 1.88E+00 | 2.04E+00 | 1.97E+00 | 3/3 | 6.08E-02 | 2.51E-01 | 0/3 | 4.60E+00 | 0/3 | 3.34E+03 | 0/3 | 2.02E+01 |
| Vanadium | 3.66E+00 | 3.13E+01 | 2.01E+01 | 8/8 | 2.00E+00 | 3.09E+00 | 0/8 | 3.70E+01 | 0/8 | 4.47E+03 | 8/8 | 3.32E+00 |
| Zinc | 1.87E+01 | 6.86E+01 | 4.49E+01 | 6/8 | 1.69E+00 | 1.50E+01 | 1/8 | 6.00E+01 | 0/8 | 1.00E+05 | 0/8 | 2.73E+03 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 7.92E+00 | 2.14E+01 | 1.54E+01 | 17/18 | 6.23E+00 | 9.90E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Americium-241 | 1.02E-01 | 1.02E-01 | 1.02E-01 | 1/19 | 9.38E-02 | 9.20E+00 | n/a | n/a | 0/19 | 5.16E+02 | 0/19 | 5.16E+00 |
| Beta activity | 9.22E+00 | 2.91E+01 | 1.84E+01 | 17/18 | 3.90E+00 | 8.90E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Technetium-99 | 2.42E-01 | 3.58E-01 | 2.91E-01 | 3/19 | 9.86E-02 | 4.77E+00 | 0/19 | 2.80E+00 | 0/19 | 3.62E+04 | 0/19 | 3.62E+02 |
| Thorium-228 | 4.50E-01 | 8.02E-01 | 6.72E-01 | 3/3 | 1.20E-01 | 1.94E-01 | 0/3 | 1.60E+00 | 0/3 | 2.80E+00 | 3/3 | 2.80E-02 |
| Thorium-230 | 5.63E-01 | 8.31E-01 | 6.71E-01 | 3/3 | 1.08E-01 | 1.98E-01 | 0/3 | 1.40E+00 | 0/3 | 1.49E+03 | 0/3 | 1.49E+01 |
| Thorium-232 | 5.91E-01 | 7.46E-01 | 6.70E-01 | 3/3 | 7.65E-02 | 8.66E-02 | 0/3 | 1.50E+00 | 0/3 | 1.35E+03 | 0/3 | 1.35E+01 |
| Uranium-233/234 | 5.67E-01 | 6.59E-01 | 5.98E-01 | 3/3 | 5.06E-02 | 1.02E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-235 | 3.89E-02 | 3.89E-02 | 3.89E-02 | 1/19 | 2.11E-02 | 9.00E+00 | 0/19 | 1.40E-01 | 0/19 | 3.95E+01 | 0/19 | 3.95E-01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.38 Summary of Surface and Subsurface Historical Data at SWMU 204 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | 1.80E-02 | 1.80E-02 | 1.80E-02 | | 9.75E-03 | 3.24E-02 | | | | | | |
| Uranium-235 (mg/kg) | 1.80E-02 | 1.80E-02 | 1.80E-02 | 1/3 | 9.75E-03 | 3.24E-02 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-238 | 6.26E-01 | 6.82E-01 | 6.58E-01 | 3/3 | 1.71E-02 | 7.33E-02 | 0/3 | 1.20E+00 | 0/3 | 1.71E+02 | 0/3 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Di-n-butyl phthalate | 1.40E+00 | 1.40E+00 | 1.40E+00 | 1/6 | 4.30E-01 | 5.00E-01 | n/a | n/a | 0/6 | 1.00E+05 | 0/6 | 2.13E+03 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 1.10E-02 | 2.40E-02 | 1.64E-02 | 10/101 | 2.00E-03 | 1.20E+00 | n/a | n/a | 0/101 | 9.38E+03 | 0/101 | 1.56E+02 |
| Acetone | 2.80E-01 | 5.50E-01 | 4.15E-01 | 2/22 | 1.00E-02 | 1.20E+00 | n/a | n/a | 0/22 | 1.91E+04 | 0/22 | 3.58E+02 |
| cis-1,2-Dichloroethene | 3.70E-01 | 3.70E-01 | 3.70E-01 | 1/48 | 1.00E-02 | 1.20E+00 | n/a | n/a | 0/48 | 4.63E+02 | 0/48 | 1.34E+01 |
| Tetrachloroethene | 5.00E-03 | 5.00E-03 | 5.00E-03 | 1/89 | 2.00E-03 | 1.20E+00 | n/a | n/a | 0/89 | 1.46E+03 | 0/89 | 3.90E+00 |
| Trichloroethene | 2.10E-02 | 8.80E+00 | 1.73E+00 | 8/118 | 2.00E-03 | 1.20E+00 | n/a | n/a | 0/118 | 2.98E+02 | 2/118 | 2.51E+00 |
| Wetchem (mg/kg) | | | | | | | | | | | | |
| Total Organic Carbon (TOC) | 3.30E+02 | 3.30E+02 | 3.30E+02 | 1/1 | 3.00E+02 | 3.00E+02 | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure No. \SoilsOU\SOU_SWMUs.apr
 DATE 08-27-09

Figure 5.49. Soils Operable Unit: AOC 204

AOC 492 (Contaminated Soil Area, North of Outfall 10)

Area description

The contaminated soil area, north of Outfall 11 (AOC 492) is located east of the plant site. SWMU 492 is approximately 450 ft² (15 ft x 30 ft).

Process history

AOC 492 was discovered during routine radiological surveys in support of sampling activities. This area likely was generated from past plant maintenance activities.

Previous investigation results

An area with elevated radiological readings was detected on July 30, 2001. This area was sampled (surface) and analytical results received on August 29, 2001, indicated the presence of elevated levels of PCBs and radiological constituents. Data from three locations sampled in the AOC were evaluated. Analytical results indicate the presence of metals (chromium); PCBs; and radionuclides (uranium-238). The area also was sampled in 2008 by the Kentucky Research Consortium for Energy and Environment and as part of the *Addendum I-B to the Sampling and Analysis Plan for Soil Piles at the Paducah Gaseous Diffusion Plant*, DOE/LX/07-0015/B.

Table 5.39 is a summary of historical data followed by a map of historical sample locations (Figure 5.50).

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.

Data Gap Determination

No additional samples are needed at this location.

Table 5.39. Summary of Surface and Subsurface Historical Data at SWMU 492

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 3.04E+03 | 9.92E+03 | 6.07E+03 | 13/14 | 2.00E+01 | 2.00E+01 | 0/14 | 1.30E+04 | 0/14 | 1.00E+05 | 10/14 | 4.64E+03 |
| Arsenic | 5.07E+00 | 1.47E+01 | 8.94E+00 | 6/13 | 5.00E+00 | 2.00E+01 | 3/13 | 1.20E+01 | 0/13 | 3.15E+02 | 6/13 | 5.23E-01 |
| Barium | 3.53E+01 | 1.02E+02 | 5.74E+01 | 13/13 | 2.50E+00 | 5.00E+00 | 0/13 | 2.00E+02 | 0/13 | 1.00E+05 | 0/13 | 2.29E+02 |
| Beryllium | 5.07E-01 | 1.04E+01 | 2.39E+00 | 11/17 | 5.00E-01 | 5.00E-01 | 5/17 | 6.70E-01 | 0/17 | 1.28E+03 | 4/17 | 9.48E-01 |
| Cadmium | 3.00E-02 | 3.14E+00 | 1.69E+00 | 7/16 | 2.00E+00 | 2.00E+00 | 6/16 | 2.10E-01 | 0/16 | 7.05E+01 | 0/16 | 2.13E+01 |
| Calcium | 5.30E+02 | 2.49E+03 | 1.24E+03 | 14/14 | 1.00E+02 | 2.00E+02 | 0/14 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 1.25E+01 | 1.04E+03 | 1.22E+02 | 15/16 | 2.00E+00 | 2.50E+00 | n/a | n/a | n/a | n/a | 1/16 | 3.56E+02 |
| Cobalt | 2.93E+00 | 1.07E+01 | 5.54E+00 | 14/14 | 2.50E+00 | 2.50E+00 | 0/14 | 1.40E+01 | 0/14 | 1.00E+05 | 0/14 | 1.92E+03 |
| Copper | 3.34E+00 | 8.47E+01 | 1.69E+01 | 14/16 | 2.00E+00 | 5.00E+00 | 3/16 | 1.90E+01 | 0/16 | 1.00E+05 | 0/16 | 4.93E+02 |
| Iron | 5.56E+03 | 1.69E+04 | 1.04E+04 | 14/14 | 1.00E+01 | 2.00E+01 | 0/14 | 2.80E+04 | 0/14 | 1.00E+05 | 14/14 | 2.07E+03 |
| Lead | 4.05E+00 | 2.80E+01 | 1.42E+01 | 6/16 | 2.00E+01 | 2.00E+01 | 2/16 | 3.60E+01 | 0/16 | 1.25E+03 | 0/16 | 5.00E+01 |
| Magnesium | 3.21E+02 | 1.25E+03 | 6.03E+02 | 14/14 | 2.50E+00 | 1.50E+01 | 0/14 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 5.92E+01 | 4.26E+02 | 2.01E+02 | 14/14 | 2.50E+00 | 1.00E+01 | 0/14 | 1.50E+03 | 0/14 | 4.64E+04 | 14/14 | 4.52E+01 |
| Nickel | 6.52E+00 | 2.71E+01 | 1.15E+01 | 12/17 | 5.00E+00 | 5.00E+00 | 1/17 | 2.10E+01 | 0/17 | 9.30E+04 | 0/17 | 2.42E+02 |
| Potassium | 1.47E+02 | 5.24E+02 | 2.69E+02 | 14/14 | 1.00E+02 | 2.00E+02 | 0/14 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Selenium | 3.40E-01 | 6.50E-01 | 4.95E-01 | 2/9 | 1.00E+00 | 2.00E+01 | 0/9 | 8.00E-01 | 0/9 | 2.56E+04 | 0/9 | 9.49E+01 |
| Silver | 1.20E-01 | 1.23E-01 | 1.23E-01 | 2/17 | 1.30E+00 | 4.00E+00 | 0/17 | 2.30E+00 | 0/17 | 2.07E+04 | 0/17 | 4.11E+01 |
| Sodium | 4.04E+01 | 3.05E+02 | 1.76E+02 | 3/13 | 2.52E+01 | 3.00E+02 | 0/13 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Uranium | 1.17E+01 | 1.77E+03 | 3.14E+02 | 9/20 | 1.00E-01 | 2.00E+02 | 9/20 | 4.90E+00 | 0/20 | 3.34E+03 | 7/20 | 2.02E+01 |
| Vanadium | 1.09E+01 | 4.32E+01 | 2.24E+01 | 13/13 | 2.00E+00 | 2.50E+00 | 1/13 | 3.80E+01 | 0/13 | 4.47E+03 | 13/13 | 3.32E+00 |
| Zinc | 1.23E+01 | 6.62E+02 | 8.38E+01 | 16/16 | 1.00E+01 | 2.00E+01 | 3/16 | 6.50E+01 | 0/16 | 1.00E+05 | 0/16 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| 2,4'-DDE | 1.50E-02 | 1.50E-02 | 1.50E-02 | 1/5 | 2.10E-03 | 9.80E-03 | n/a | n/a | n/a | n/a | n/a | n/a |
| 4,4'-DDD | 2.80E-03 | 3.50E-03 | 3.15E-03 | 2/7 | 1.10E-02 | 5.00E-02 | n/a | n/a | 0/7 | 1.07E+03 | 0/7 | 5.09E+00 |
| 4,4'-DDE | 1.40E-03 | 6.20E-03 | 4.43E-03 | 3/7 | 1.10E-02 | 5.00E-02 | n/a | n/a | 0/7 | 7.55E+02 | 0/7 | 3.59E+00 |
| 4,4'-DDT | 2.20E-02 | 2.20E-02 | 2.20E-02 | 1/7 | 1.10E-02 | 5.00E-02 | n/a | n/a | 0/7 | 7.55E+02 | 0/7 | 3.59E+00 |
| alpha-Chlordane | 4.90E-03 | 4.90E-03 | 4.90E-03 | 2/7 | 1.10E-02 | 1.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| delta-BHC | 1.50E-03 | 7.50E-03 | 4.50E-03 | 2/7 | 1.00E-02 | 5.00E-02 | n/a | n/a | n/a | n/a | n/a | n/a |
| Dieldrin | 2.50E-02 | 2.50E-02 | 2.50E-02 | 1/7 | 1.10E-02 | 5.00E-02 | n/a | n/a | 0/7 | 1.32E+01 | 1/7 | 1.97E-02 |
| Endosulfan I | 1.70E-03 | 1.70E-03 | 1.70E-03 | 1/7 | 1.00E-02 | 5.00E-02 | n/a | n/a | n/a | n/a | n/a | n/a |
| Endosulfan II | 1.90E-03 | 3.10E-03 | 2.50E-03 | 2/7 | 1.10E-02 | 5.00E-02 | n/a | n/a | n/a | n/a | n/a | n/a |
| Endosulfan sulfate | 6.50E-03 | 1.00E-02 | 8.25E-03 | 2/7 | 1.10E-02 | 5.00E-02 | n/a | n/a | n/a | n/a | n/a | n/a |
| PCB, Total | 2.00E-01 | 4.41E+01 | 7.41E+00 | 12/15 | 9.00E-02 | 9.00E-01 | n/a | n/a | 1/15 | 4.25E+01 | 12/15 | 1.99E-01 |
| PCB-1242 | 2.00E-01 | 2.00E-01 | 2.00E-01 | 1/14 | 6.00E-02 | 1.00E-01 | n/a | n/a | 0/14 | 4.25E+01 | 1/14 | 1.99E-01 |
| PCB-1248 | 1.00E-02 | 1.87E+01 | 2.76E+00 | 15/23 | 8.00E-02 | 8.00E-01 | n/a | n/a | 0/23 | 4.25E+01 | 8/23 | 1.99E-01 |
| PCB-1254 | 5.00E-03 | 1.54E+01 | 1.50E+00 | 14/25 | 6.00E-02 | 6.00E-01 | n/a | n/a | 0/25 | 1.82E+01 | 9/25 | 1.99E-01 |
| PCB-1260 | 2.00E-03 | 1.00E+01 | 1.44E+00 | 19/25 | 9.00E-02 | 9.00E-01 | n/a | n/a | 0/25 | 4.25E+01 | 11/25 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Cesium-137 | 1.40E-02 | 3.46E-01 | 1.16E-01 | 7/12 | 8.15E-03 | 6.91E-02 | 2/12 | 4.90E-01 | 0/12 | 8.38E+00 | 2/12 | 8.58E-02 |
| Neptunium-237 | 2.09E-01 | 2.09E-01 | 2.09E-01 | 1/14 | 1.55E-02 | 1.05E-01 | 1/14 | 1.00E-01 | 0/14 | 2.71E+01 | 0/14 | 2.71E-01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.

Table 5.39. Summary of Surface and Subsurface Historical Data at SWMU 492 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Plutonium-239/240 | 3.23E-02 | 5.31E-02 | 4.27E-02 | 2/12 | 7.66E-03 | 1.23E-02 | n/a | n/a | 0/12 | 1.15E+03 | 0/12 | 1.15E+01 |
| Potassium-40 | 1.55E+00 | 7.76E+00 | 3.70E+00 | 12/12 | 6.65E-02 | 4.22E-01 | 0/12 | 1.60E+01 | n/a | n/a | n/a | n/a |
| Protactinium-234m | 1.92E+02 | 5.37E+02 | 3.65E+02 | 2/2 | 4.25E+00 | 5.44E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Radium-226 | 5.74E-01 | 5.74E-01 | 5.74E-01 | 1/2 | 1.40E-01 | 2.58E-01 | 0/2 | 1.50E+00 | 0/2 | 2.56E+00 | 1/2 | 2.56E-02 |
| Technetium-99 | 1.76E-01 | 6.91E+00 | 1.05E+00 | 11/14 | 1.10E-01 | 1.92E-01 | 1/14 | 2.50E+00 | 0/14 | 3.62E+04 | 0/14 | 3.62E+02 |
| Thorium-232 | 6.64E-01 | 7.38E-01 | 7.01E-01 | 2/2 | 9.84E-03 | 1.29E-02 | 0/2 | 1.60E+00 | 0/2 | 2.80E+00 | 2/2 | 2.80E-02 |
| Thorium-230 | 2.00E-01 | 9.71E-01 | 3.29E-01 | 14/14 | 1.75E-02 | 6.00E-02 | 0/14 | 1.50E+00 | 0/14 | 1.49E+03 | 0/14 | 1.49E+01 |
| Thorium-232 | 6.37E-01 | 7.03E-01 | 6.70E-01 | 2/2 | 1.34E-02 | 1.40E-02 | 0/2 | 1.50E+00 | 0/2 | 1.35E+03 | 0/2 | 1.35E+01 |
| Thorium-234 | 1.32E+02 | 3.75E+02 | 2.54E+02 | 2/2 | 9.18E-01 | 1.56E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 2.62E-01 | 1.56E+00 | 8.15E-01 | 8/14 | 2.25E-01 | 4.92E-01 | 0/14 | 2.50E+00 | 0/14 | 1.98E+03 | 0/14 | 1.98E+01 |
| Uranium-235 | 4.30E-02 | 5.72E+00 | 8.61E-01 | 10/14 | 5.39E-02 | 8.14E-02 | 5/14 | 1.40E-01 | 0/14 | 3.95E+01 | 2/14 | 3.95E-01 |
| Uranium-238 | 3.91E+00 | 3.83E+02 | 6.10E+01 | 10/14 | 1.99E+00 | 3.49E+00 | 10/14 | 1.20E+00 | 1/14 | 1.71E+02 | 10/14 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Acenaphthene | 1.30E-02 | 1.30E-02 | 1.30E-02 | 1/12 | 2.80E-02 | 4.90E-01 | n/a | n/a | 0/12 | 6.67E+04 | 0/12 | 3.16E+02 |
| Anthracene | 1.30E-02 | 1.90E-02 | 1.60E-02 | 2/12 | 2.80E-02 | 4.90E-01 | n/a | n/a | 0/12 | 1.00E+05 | 0/12 | 3.79E+03 |
| Benzo(a)anthracene | 2.70E-02 | 1.20E-01 | 7.70E-02 | 5/12 | 2.80E-02 | 4.90E-01 | n/a | n/a | 0/12 | 2.08E+02 | 0/12 | 2.12E-01 |
| Benzo(a)pyrene | 4.00E-02 | 1.20E-01 | 6.66E-02 | 5/12 | 2.80E-02 | 4.90E-01 | n/a | n/a | 0/12 | 2.08E+01 | 5/12 | 2.12E-02 |
| Benzo(b)fluoranthene | 6.30E-02 | 1.60E-01 | 1.17E-01 | 5/12 | 2.80E-02 | 4.90E-01 | n/a | n/a | 0/12 | 2.08E+02 | 0/12 | 2.12E-01 |
| Benzo(e)pyrene | 2.10E-02 | 1.40E-01 | 7.64E-02 | 5/5 | 2.80E-02 | 6.50E-02 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benzo(ghi)perylene | 2.80E-02 | 3.80E-02 | 3.30E-02 | 2/12 | 2.80E-02 | 4.90E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benzo(k)fluoranthene | 4.40E-02 | 1.10E-01 | 7.58E-02 | 5/12 | 2.80E-02 | 4.90E-01 | n/a | n/a | 0/12 | 2.08E+03 | 0/12 | 2.12E+00 |
| Chrysene | 3.00E-02 | 1.10E-01 | 7.14E-02 | 5/12 | 2.80E-02 | 4.90E-01 | n/a | n/a | 0/12 | 2.08E+04 | 0/12 | 2.12E+01 |
| Di-n-butyl phthalate | 1.20E+00 | 1.20E+00 | 1.20E+00 | 1/7 | 4.10E-01 | 4.90E-01 | n/a | n/a | 0/7 | 1.00E+05 | 0/7 | 2.13E+03 |
| Docosane | 1.00E-02 | 2.20E-02 | 1.63E-02 | 3/5 | 2.80E-01 | 7.50E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Dotriacontane | 4.20E-02 | 1.30E-01 | 9.73E-02 | 3/5 | 2.80E-01 | 7.50E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Eicosane | 4.00E-03 | 1.00E-02 | 7.67E-03 | 3/5 | 2.80E-01 | 7.50E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Fluoranthene | 6.60E-02 | 2.20E-01 | 1.57E-01 | 5/12 | 2.80E-02 | 4.90E-01 | n/a | n/a | 0/12 | 6.50E+04 | 0/12 | 2.21E+02 |
| Fluorene | 1.10E-02 | 1.10E-02 | 1.10E-02 | 1/12 | 2.80E-02 | 4.90E-01 | n/a | n/a | 0/12 | 7.09E+04 | 0/12 | 3.39E+02 |
| Henicosane | 7.00E-03 | 1.90E-02 | 1.40E-02 | 3/5 | 2.80E-01 | 7.50E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| heptacosane | 8.70E-02 | 1.10E+00 | 4.89E-01 | 5/5 | 2.80E-01 | 7.50E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Heptadecane | 9.00E-03 | 2.00E-02 | 1.40E-02 | 3/5 | 2.80E-01 | 7.50E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Hexacosane | 3.80E-02 | 1.10E-01 | 6.63E-02 | 4/5 | 2.80E-01 | 7.50E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Hexadecane | 6.00E-03 | 1.70E-02 | 1.10E-02 | 3/5 | 2.80E-01 | 7.50E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Indeno(1,2,3-cd)pyrene | 1.40E-02 | 4.70E-02 | 3.38E-02 | 5/12 | 2.80E-02 | 4.90E-01 | n/a | n/a | 0/12 | 2.08E+02 | 0/12 | 2.12E-01 |
| n-Hentriacontane | 4.20E-01 | 3.90E+00 | 2.27E+00 | 5/5 | 2.80E-01 | 7.50E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| n-Octacosane | 3.70E-02 | 1.80E-01 | 9.52E-02 | 5/5 | 2.80E-01 | 7.50E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Nonacosane | 3.80E-01 | 3.60E+00 | 2.10E+00 | 5/5 | 2.80E-01 | 7.50E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Nonadecane | 6.00E-03 | 2.50E-02 | 1.67E-02 | 3/5 | 2.80E-01 | 7.50E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| n-Pentacosane | 8.80E-02 | 2.60E-01 | 1.47E-01 | 4/5 | 2.80E-01 | 7.50E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| n-Tetracosane | 2.60E-02 | 5.00E-02 | 3.57E-02 | 3/5 | 2.80E-01 | 7.50E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| n-Triacontane | 5.20E-02 | 2.60E-01 | 1.41E-01 | 4/5 | 2.80E-01 | 7.50E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| n-Tricosane | 3.40E-02 | 8.00E-02 | 5.05E-02 | 4/5 | 2.80E-01 | 7.50E-01 | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.


Table 5.39. Summary of Surface and Subsurface Historical Data at SWMU 492 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | 8.50E-02 | 6.70E-01 | 3.55E-01 | | 2.80E-01 | 7.50E-01 | | | | | | |
| n-Tritriacontane | 7.00E-03 | 1.40E-02 | 1.00E-02 | 3/5 | 2.80E-01 | 7.50E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Octadecane | 9.00E-03 | 3.80E-02 | 2.12E-02 | 5/5 | 2.80E-02 | 6.50E-02 | n/a | n/a | n/a | n/a | n/a | n/a |
| Perylene | 3.80E-02 | 1.50E-01 | 9.94E-02 | 5/12 | 2.80E-02 | 4.90E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Phenanthrene | 4.20E-02 | 1.80E-01 | 1.12E-01 | 5/12 | 2.80E-02 | 4.90E-01 | n/a | n/a | 0/12 | 4.87E+04 | 0/12 | 1.65E+02 |
| Pyrene | 6.00E-03 | 1.10E-02 | 8.33E-03 | 3/5 | 2.80E-01 | 7.50E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Tetradecane | 9.00E-03 | 9.00E-03 | 9.00E-03 | 1/5 | 2.80E-01 | 7.50E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Tetraacontane | | | | | | | | | | | | |
| <i>Semivolatiles (mg/kg)</i> | | | | | | | | | | | | |
| Pentadecane | 5.00E-03 | 1.40E-02 | 1.07E-02 | 3/5 | 2.80E-01 | 7.50E-01 | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.



Soils Operable Unit: SWMUs 492

Figure 5.50. Soils Operable Unit: AOC 492

SWMU 493 (Concrete Rubble Piles Near Outfall 001)

Area description

The concrete rubble piles near Outfall 001 (SWMU 493) are two concrete rubble piles located west of the plant site. The two piles making up SWMU 493 are approximately 450 ft² and 270 ft², respectively.

Process history

Two concrete rubble piles were found during a site inspection for the construction of the Scrap Yard Infrastructure Storm Water Collection Basin in November 2001. The concrete rubble piles appear to have been placed along the bank for erosion control. It is unknown where the concrete originated, but it is assumed to be from the PGDP.

Previous investigation results

After being surveyed by HP, the concrete debris and soil near the concrete debris were found to be clean. In order for construction of the Scrap Yard Infrastructure Storm Water Collection Basin to continue, the concrete was relocated to SWMU 474. Per a request from Kentucky, the first ft of soil under the concrete was excavated, relocated to SWMU 474, and placed on plastic. After removal of the concrete, excavation and relocation of the first ft of soil began; the excavated soil was surveyed routinely throughout the excavation. Pieces of metal shavings and filings, such as that from a machine shop, and other pieces of scrap metal, along with a few gaskets and litter, were discovered in the relocated soil. Some fixed radiological activity was present on these materials, but was below release limits. These items were surveyed, packaged, and placed into proper storage. As a result of this discovery, the excavation of the area was discontinued and the site inspected visually. Minute amounts of metal shavings, filings, and litter were observed on the ground. In addition, a valve cap was discovered at this location during this inspection. Fixed radiological contamination was detected on the valve cap. The valve cap was removed from the area, packaged, and placed into proper storage. The area was radiologically posted.

Data obtained during a preliminary soil sampling event from locations near the SWMU did not indicate the presence of any contamination by hazardous or radiological constituents. After discovery of the concrete rubble piles, the piles were radiologically scanned and determined to be clean prior to removal to SWMU 474. Other materials found were radiologically surveyed, removed, and placed in appropriate storage.

Table 5.40 is a summary of historical data followed by a map of historical sample locations (Figure 5.51).

Area utilities

No recirculating water lines or sewers are associated with these piles; none are within the boundary of the SWMU.

Data Gap Determination

Additional samples are needed at this location.

Table 5.40. Summary of Surface and Subsurface Historical Data at SWMU 493

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 4.82E+03 | 1.44E+04 | 9.51E+03 | 22/22 | 1.75E+01 | 2.00E+01 | 3/22 | 1.30E+04 | 0/22 | 1.00E+05 | 22/22 | 4.64E+03 |
| Arsenic | 1.06E+00 | 1.18E+01 | 7.32E+00 | 12/22 | 9.40E-01 | 5.00E+00 | 5/22 | 1.20E+01 | 0/22 | 3.15E+02 | 12/22 | 5.23E-01 |
| Barium | 4.05E+01 | 4.04E+02 | 9.00E+01 | 22/22 | 2.19E+00 | 5.00E+00 | 1/22 | 2.00E+02 | 0/22 | 1.00E+05 | 1/22 | 2.29E+02 |
| Beryllium | 5.22E-01 | 9.91E-01 | 7.19E-01 | 9/22 | 4.30E-01 | 5.00E-01 | 4/22 | 6.70E-01 | 0/22 | 1.28E+03 | 2/22 | 9.48E-01 |
| Calcium | 1.15E+03 | 1.56E+05 | 2.41E+04 | 22/22 | 8.77E+01 | 2.00E+03 | 9/22 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 7.38E+00 | 6.61E+01 | 1.57E+01 | 22/22 | 2.19E+00 | 2.50E+00 | n/a | n/a | n/a | n/a | 0/22 | 3.56E+02 |
| Cobalt | 2.61E+00 | 3.79E+01 | 5.72E+00 | 21/22 | 2.19E+00 | 2.50E+00 | 1/22 | 1.40E+01 | 0/22 | 1.00E+05 | 0/22 | 1.92E+03 |
| Copper | 4.41E+00 | 9.87E+01 | 1.29E+01 | 22/22 | 2.19E+00 | 2.50E+00 | 2/22 | 1.90E+01 | 0/22 | 1.00E+05 | 0/22 | 4.93E+02 |
| Iron | 5.78E+03 | 2.41E+04 | 1.27E+04 | 22/22 | 1.75E+01 | 2.00E+01 | 0/22 | 2.80E+04 | 0/22 | 1.00E+05 | 22/22 | 2.07E+03 |
| Lead | 3.61E+01 | 4.79E+01 | 4.20E+01 | 2/22 | 1.75E+01 | 2.00E+02 | 2/22 | 3.60E+01 | 0/22 | 1.25E+03 | 0/22 | 5.00E+01 |
| Lithium | 7.03E+00 | 1.42E+01 | 9.24E+00 | 10/20 | 5.00E+00 | 1.00E+01 | n/a | n/a | 0/20 | 1.00E+05 | 0/20 | 6.41E+02 |
| Magnesium | 7.65E+02 | 8.60E+03 | 1.77E+03 | 22/22 | 2.50E+00 | 1.50E+01 | 4/22 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 3.13E+01 | 3.55E+03 | 4.29E+02 | 22/22 | 2.19E+00 | 1.00E+01 | 1/22 | 1.50E+03 | 0/22 | 4.64E+04 | 21/22 | 4.52E+01 |
| Mercury | 2.60E-01 | 2.60E-01 | 2.60E-01 | 1/22 | 9.00E-02 | 2.00E-01 | 1/22 | 2.00E-01 | 0/22 | 8.25E+02 | 0/22 | 9.82E-01 |
| Nickel | 4.49E+00 | 2.13E+02 | 2.24E+01 | 22/22 | 4.39E+00 | 5.00E+00 | 2/22 | 2.10E+01 | 0/22 | 9.30E+04 | 0/22 | 2.42E+02 |
| Potassium | 4.25E+02 | 4.39E+02 | 4.32E+02 | 2/2 | 8.77E+01 | 9.49E+01 | 0/2 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Selenium | 1.06E+00 | 1.31E+00 | 1.15E+00 | 5/22 | 1.00E+00 | 1.90E+01 | 5/22 | 8.00E-01 | 0/22 | 2.56E+04 | 0/22 | 9.49E+01 |
| Sodium | 1.79E+02 | 1.93E+02 | 1.86E+02 | 2/2 | 8.77E+01 | 9.49E+01 | 0/2 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Uranium | 1.21E+00 | 6.44E+00 | 3.56E+00 | 4/24 | 4.80E-01 | 2.00E+03 | 2/24 | 4.90E+00 | 0/24 | 3.34E+03 | 0/24 | 2.02E+01 |
| Vanadium | 9.37E+00 | 4.05E+01 | 2.36E+01 | 22/22 | 2.19E+00 | 2.50E+00 | 1/22 | 3.80E+01 | 0/22 | 4.47E+03 | 22/22 | 3.32E+00 |
| Zinc | 2.02E+01 | 7.59E+01 | 3.62E+01 | 19/22 | 1.00E+01 | 2.00E+02 | 1/22 | 6.50E+01 | 0/22 | 1.00E+05 | 0/22 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 1.80E-01 | 2.60E-01 | 2.20E-01 | 2/27 | 6.00E-02 | 1.30E-01 | n/a | n/a | 0/27 | 4.25E+01 | 1/27 | 1.99E-01 |
| PCB-1248 | 1.10E-01 | 1.10E-01 | 1.10E-01 | 1/27 | 8.00E-02 | 1.00E-01 | n/a | n/a | 0/27 | 4.25E+01 | 0/27 | 1.99E-01 |
| PCB-1254 | 7.00E-02 | 2.60E-01 | 1.65E-01 | 2/27 | 6.00E-02 | 9.00E-02 | n/a | n/a | 0/27 | 1.82E+01 | 1/27 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 2.40E+00 | 4.52E+00 | 3.46E+00 | 2/2 | 7.20E-01 | 7.40E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 3.40E+00 | 1.51E+01 | 9.25E+00 | 2/2 | 9.10E-01 | 9.20E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | -2.00E-01 | 9.60E-01 | 1.32E-01 | 23/26 | 1.94E-02 | 1.24E+00 | 3/26 | 4.90E-01 | 0/26 | 8.58E+00 | 9/26 | 8.58E-02 |
| Plutonium-239/240 | 4.00E-02 | 4.31E-02 | 4.16E-02 | 2/15 | 1.00E-02 | 4.36E-02 | n/a | n/a | 0/15 | 1.15E+03 | 0/15 | 1.15E+01 |
| Technetium-99 | 3.22E+00 | 3.86E+01 | 9.71E+00 | 7/15 | 3.05E+00 | 3.62E+00 | 7/15 | 2.50E+00 | 0/15 | 3.62E+04 | 0/15 | 3.62E+02 |
| Thorium-228 | 1.74E-01 | 4.19E-01 | 3.43E-01 | 15/15 | 3.02E-02 | 7.00E-02 | 0/15 | 1.60E+00 | 0/15 | 2.80E+00 | 15/15 | 2.80E-02 |
| Thorium-230 | 3.15E-01 | 5.55E-01 | 3.90E-01 | 14/15 | 1.40E-01 | 2.30E-01 | 0/15 | 1.50E+00 | 0/15 | 1.49E+03 | 0/15 | 1.49E+01 |
| Thorium-232 | 2.11E-01 | 4.74E-01 | 3.52E-01 | 15/15 | 4.00E-02 | 1.10E-01 | 0/15 | 1.50E+00 | 0/15 | 1.35E+03 | 0/15 | 1.35E+01 |
| Uranium | 8.03E+00 | 8.03E+00 | 8.03E+00 | 1/13 | 2.33E-01 | 1.14E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 3.17E-01 | 2.37E+00 | 1.36E+00 | 3/15 | 6.93E-02 | 5.58E-01 | 0/15 | 2.50E+00 | 0/15 | 1.98E+03 | 0/15 | 1.98E+01 |
| Uranium-235 | 2.62E-02 | 1.65E-01 | 6.01E-02 | 14/15 | 2.27E-02 | 3.35E-02 | 1/15 | 1.40E-01 | 0/15 | 3.95E+01 | 0/15 | 3.95E-01 |
| Uranium-238 | -1.04E+01 | 1.51E+01 | 2.34E+00 | 26/26 | 1.32E-01 | 5.10E+00 | 18/26 | 1.20E+00 | 0/26 | 1.71E+02 | 10/26 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Di-n-butyl phthalate | 7.80E-01 | 9.80E-01 | 8.80E-01 | 4/10 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/10 | 1.00E+05 | 0/10 | 2.13E+03 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.


Table 5.40 Summary of Surface and Subsurface Historical Data at SWMU 493 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| Methylene chloride | 3.20E-02 | 3.20E-02 | 3.20E-02 | 1/13 | 1.00E-02 | 1.00E-02 | n/a | n/a | 0/13 | 2.16E+03 | 0/13 | 1.34E+01 |
| Subsurface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 6.62E+03 | 6.62E+03 | 6.62E+03 | 1/1 | 1.87E+01 | 1.87E+01 | 0/1 | 1.20E+04 | 0/1 | 1.00E+05 | 1/1 | 4.64E+03 |
| Arsenic | 2.55E+01 | 2.55E+01 | 2.55E+01 | 1/1 | 4.69E+00 | 4.69E+00 | 1/1 | 7.90E+00 | 0/1 | 3.15E+02 | 1/1 | 5.23E-01 |
| Barium | 1.45E+02 | 1.45E+02 | 1.45E+02 | 1/1 | 2.34E+00 | 2.34E+00 | 0/1 | 1.70E+02 | 0/1 | 1.00E+05 | 0/1 | 2.29E+02 |
| Beryllium | 1.41E+00 | 1.41E+00 | 1.41E+00 | 1/1 | 4.60E-01 | 4.60E-01 | 1/1 | 6.90E-01 | 0/1 | 1.28E+03 | 1/1 | 9.48E-01 |
| Cadmium | 3.60E+00 | 3.60E+00 | 3.60E+00 | 1/1 | 1.87E+00 | 1.87E+00 | 1/1 | 2.10E-01 | 0/1 | 7.05E+01 | 0/1 | 2.13E+01 |
| Calcium | 1.32E+03 | 1.32E+03 | 1.32E+03 | 1/1 | 9.37E+01 | 9.37E+01 | 0/1 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 2.00E+01 | 2.00E+01 | 2.00E+01 | 1/1 | 2.34E+00 | 2.34E+00 | n/a | n/a | n/a | n/a | 0/1 | 3.56E+02 |
| Cobalt | 2.89E+01 | 2.89E+01 | 2.89E+01 | 1/1 | 2.34E+00 | 2.34E+00 | 1/1 | 1.30E+01 | 0/1 | 1.00E+05 | 0/1 | 1.92E+02 |
| Copper | 1.78E+01 | 1.78E+01 | 1.78E+01 | 1/1 | 2.34E+00 | 2.34E+00 | 0/1 | 2.50E+01 | 0/1 | 1.00E+05 | 0/1 | 4.93E+02 |
| Iron | 3.31E+04 | 3.31E+04 | 3.31E+04 | 1/1 | 1.87E+01 | 1.87E+01 | 1/1 | 2.80E+04 | 0/1 | 1.00E+05 | 1/1 | 2.07E+03 |
| Lead | 3.01E+01 | 3.01E+01 | 3.01E+01 | 1/1 | 1.87E+01 | 1.87E+01 | 1/1 | 2.30E+01 | 0/1 | 1.25E+03 | 0/1 | 5.00E+01 |
| Magnesium | 7.16E+02 | 7.16E+02 | 7.16E+02 | 1/1 | 4.69E+00 | 4.69E+00 | 0/1 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 8.61E+02 | 8.61E+02 | 8.61E+02 | 1/1 | 2.34E+00 | 2.34E+00 | 1/1 | 8.20E+02 | 0/1 | 4.64E+04 | 1/1 | 4.52E+01 |
| Nickel | 2.25E+01 | 2.25E+01 | 2.25E+01 | 1/1 | 4.69E+00 | 4.69E+00 | 1/1 | 2.20E+01 | 0/1 | 9.30E+04 | 0/1 | 2.42E+02 |
| Potassium | 4.32E+02 | 4.32E+02 | 4.32E+02 | 1/1 | 9.37E+01 | 9.37E+01 | 0/1 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Sodium | 2.22E+02 | 2.22E+02 | 2.22E+02 | 1/1 | 9.37E+01 | 9.37E+01 | 0/1 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Uranium | 6.44E+00 | 1.51E+01 | 1.08E+01 | 2/2 | 4.90E-01 | 9.30E-01 | 2/2 | 4.60E+00 | 0/2 | 3.34E+03 | 0/2 | 2.02E+01 |
| Vanadium | 5.95E+01 | 5.95E+01 | 5.95E+01 | 1/1 | 2.34E+00 | 2.34E+00 | 1/1 | 3.70E+01 | 0/1 | 4.47E+03 | 1/1 | 3.32E+00 |
| Zinc | 2.98E+01 | 2.98E+01 | 2.98E+01 | 1/1 | 1.87E+01 | 1.87E+01 | 0/1 | 6.00E+01 | 0/1 | 1.00E+05 | 0/1 | 2.73E+03 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 6.46E+00 | 6.46E+00 | 6.46E+00 | 1/1 | 7.40E-01 | 7.40E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 1.56E+01 | 1.56E+01 | 1.56E+01 | 1/1 | 9.20E-01 | 9.20E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 9.49E-02 | 9.49E-02 | 9.49E-02 | 1/1 | 7.00E-02 | 7.00E-02 | 0/1 | 2.80E-01 | 0/1 | 8.58E+00 | 1/1 | 8.58E-02 |
| Neptunium-237 | 5.99E-02 | 5.99E-02 | 5.99E-02 | 1/1 | 3.00E-02 | 3.00E-02 | n/a | n/a | 0/1 | 2.71E+01 | 0/1 | 2.71E-01 |
| Plutonium-239/240 | 2.43E-02 | 2.43E-02 | 2.43E-02 | 1/1 | 1.00E-02 | 1.00E-02 | n/a | n/a | 0/1 | 1.15E+03 | 0/1 | 1.15E+01 |
| Technetium-99 | 5.50E+00 | 5.50E+00 | 5.50E+00 | 1/1 | 3.08E+00 | 3.08E+00 | 1/1 | 2.80E+00 | 0/1 | 3.62E+04 | 0/1 | 3.62E+02 |
| Thorium-228 | 2.04E-01 | 2.04E-01 | 2.04E-01 | 1/1 | 6.00E-02 | 6.00E-02 | 0/1 | 1.60E+00 | 0/1 | 2.80E+00 | 1/1 | 2.80E-02 |
| Thorium-230 | 3.66E-01 | 3.66E-01 | 3.66E-01 | 1/1 | 2.20E-01 | 2.20E-01 | 0/1 | 1.40E+00 | 0/1 | 1.49E+03 | 0/1 | 1.49E+01 |
| Thorium-232 | 2.46E-01 | 2.46E-01 | 2.46E-01 | 1/1 | 4.00E-02 | 4.00E-02 | 0/1 | 1.50E+00 | 0/1 | 1.35E+03 | 0/1 | 1.35E+01 |
| Uranium-234 | 3.01E+00 | 3.01E+00 | 3.01E+00 | 1/1 | 1.40E-01 | 1.40E-01 | 1/1 | 2.40E+00 | 0/1 | 1.98E+03 | 0/1 | 1.98E+01 |
| Uranium-235 | 1.85E-01 | 1.85E-01 | 1.85E-01 | 1/1 | 3.00E-02 | 3.00E-02 | 1/1 | 1.40E-01 | 0/1 | 3.95E+01 | 0/1 | 3.95E-01 |
| Uranium-238 | 5.04E+00 | 5.04E+00 | 5.04E+00 | 1/1 | 1.60E-01 | 1.60E-01 | 1/1 | 1.20E+00 | 0/1 | 1.71E+02 | 1/1 | 1.71E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.



U.S. DEPARTMENT OF ENERGY
DOE PORTSMOUTH-PADUCAH PROJECT OFFICE
PADUCAH GASEOUS DIFFUSION PLANT

PADUCAH
Remediation Services
A Portage Show Joint Venture Company

Figure No. ISoilsOUI5OU_SWMUs.apr
DATE 08-27-09

Soils Operable Unit: SWMUs 493 and 517

Figure 5.51. Soils Operable Unit: SWMU 493

SWMU 517 (Rubble and Debris Erosion Control Fill Area)

Area description

The rubble and debris erosion control fill area (SWMU 517) is a rubble pile located west of the plant site. SWMU 517 is approximately 653 ft².

Process history

The fill area is believed to have used rubble and debris for erosion control.

Previous investigation results

Prior to the beginning of construction of the Scrap Yard Infrastructure Storm Water Collection Basin, a magnetometer survey was performed via a metal detector, which resulted in the discovery of several anomalies at the construction site. A drainage pipe excavation was to be performed at the location of one of the anomalies, now identified as SWMU 517. During the excavation of this area, concrete rubble was found. The concrete rubble was surveyed by HP and was determined to be uncontaminated. In accordance with a request by DOE that was approved by Kentucky, the concrete was to be excavated, relocated to SWMU 474, and placed on plastic. After removal of the concrete, excavation of the area continued. During removal of the first bucket of the second truckload, additional concrete debris was discovered. The soil and debris were surveyed by HP and were found to be contaminated. Small pieces of radiologically contaminated concrete and soil were removed from the SWMU by HP personnel and placed in appropriate storage. The remaining soil and debris in the bucket were placed back in the SWMU. The excavation was discontinued. The area was graded and backfilled with gravel before being posted as radiological and covered with plastic.

Data obtained during a preliminary soil sampling event from locations near the SWMU did not indicate the presence of any contamination of hazardous or radiological constituents. Additional surface sampling of the excavated soils occurred on February 9, 2002. The sampling analyses from this event indicated four COCs [nickel, zinc, neptunium-237, and uranium-238] greater than twice background that may pose some risk.

Table 5.41 is a summary of historical data followed by a map of historical sample locations (Figure 5.52).

Area utilities

No recirculating water lines or sewers are associated with this pile; none are within the boundary of the SWMU.

Data Gap Determination

Additional samples are needed at this location.

Table 5.41. Summary of Surface and Subsurface Historical Data at SWMU 517

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 5.19E+03 | 1.20E+04 | 9.27E+03 | | 1.90E+01 | 2.00E+01 | 0/6 | 1.30E+04 | 0/6 | 1.00E+05 | 6/6 | 4.64E+03 |
| Arsenic | 6.47E+00 | 2.22E+01 | 1.18E+01 | 3/6 | 4.75E+00 | 5.00E+00 | 1/6 | 1.20E+01 | 0/6 | 3.15E+02 | 3/6 | 5.23E-01 |
| Barium | 5.90E+01 | 1.13E+02 | 8.68E+01 | 6/6 | 2.37E+00 | 5.00E+00 | 0/6 | 2.00E+02 | 0/6 | 1.00E+05 | 0/6 | 2.29E+02 |
| Beryllium | 5.04E-01 | 7.39E-01 | 5.94E-01 | 3/6 | 4.70E-01 | 5.00E-01 | 1/6 | 6.70E-01 | 0/6 | 1.28E+03 | 0/6 | 9.48E-01 |
| Calcium | 1.70E+03 | 5.61E+04 | 1.50E+04 | 6/6 | 2.00E+02 | 9.49E+02 | 3/6 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 1.32E+01 | 4.91E+01 | 2.11E+01 | 6/6 | 2.37E+00 | 2.50E+00 | n/a | n/a | n/a | n/a | 0/6 | 3.50E+02 |
| Cobalt | 3.52E+00 | 5.33E+00 | 4.25E+00 | 6/6 | 2.37E+00 | 2.50E+00 | 0/6 | 1.40E+01 | 0/6 | 1.00E+05 | 0/6 | 1.92E+03 |
| Copper | 8.17E+00 | 3.37E+01 | 1.40E+01 | 6/6 | 2.37E+00 | 2.50E+00 | 1/6 | 1.90E+01 | 0/6 | 1.00E+05 | 0/6 | 4.93E+02 |
| Iron | 6.00E+03 | 2.08E+04 | 1.33E+04 | 6/6 | 1.90E+01 | 2.00E+01 | 0/6 | 2.80E+04 | 0/6 | 1.00E+05 | 6/6 | 2.07E+03 |
| Lead | 3.22E+01 | 3.22E+01 | 3.22E+01 | 1/6 | 1.90E+01 | 2.00E+01 | 1/6 | 3.60E+01 | 0/6 | 1.25E+03 | 0/6 | 5.00E+01 |
| Lithium | 6.55E+00 | 1.19E+01 | 9.50E+00 | 4/5 | 5.00E+00 | 1.00E+01 | n/a | n/a | 0/5 | 1.00E+05 | 0/5 | 6.41E+02 |
| Magnesium | 8.76E+02 | 3.10E+03 | 1.63E+03 | 6/6 | 2.50E+00 | 1.50E+01 | 1/6 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 2.16E+02 | 5.13E+02 | 3.23E+02 | 6/6 | 2.37E+00 | 1.00E+01 | 0/6 | 1.50E+03 | 0/6 | 4.64E+04 | 6/6 | 4.52E+01 |
| Molybdenum | 2.12E+01 | 2.12E+01 | 2.12E+01 | 1/1 | 4.75E+00 | 4.75E+00 | n/a | n/a | 0/1 | 2.50E+04 | 0/1 | 8.30E+01 |
| Nickel | 1.43E+01 | 1.72E+02 | 4.82E+01 | 5/6 | 4.75E+00 | 5.00E+00 | 2/6 | 2.10E+01 | 0/6 | 9.30E+04 | 0/6 | 2.42E+02 |
| Potassium | 3.72E+02 | 3.72E+02 | 3.72E+02 | 1/1 | 9.49E+01 | 9.49E+01 | 0/1 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Sodium | 2.65E+02 | 2.65E+02 | 2.65E+02 | 1/1 | 9.49E+01 | 9.49E+01 | 0/1 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Uranium | 1.38E+00 | 1.38E+00 | 1.38E+00 | 1/7 | 4.90E-01 | 2.00E+02 | 0/7 | 4.90E+00 | 0/7 | 3.34E+03 | 0/7 | 2.02E+01 |
| Vanadium | 1.17E+01 | 2.72E+01 | 2.39E+01 | 6/6 | 2.37E+00 | 2.50E+00 | 0/6 | 3.80E+01 | 0/6 | 4.47E+03 | 6/6 | 3.32E+00 |
| Zinc | 3.22E+01 | 1.25E+03 | 2.72E+02 | 6/6 | 1.00E+01 | 2.00E+01 | 4/6 | 6.50E+01 | 0/6 | 1.00E+05 | 0/6 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 2.30E-01 | 5.00E-01 | 3.65E-01 | 2/15 | 6.00E-02 | 1.30E-01 | n/a | n/a | 0/15 | 4.25E+01 | 2/15 | 1.99E-01 |
| PCB-1254 | 5.00E-01 | 5.00E-01 | 5.00E-01 | 1/15 | 6.00E-02 | 9.00E-02 | n/a | n/a | 0/15 | 1.82E+01 | 1/15 | 1.99E-01 |
| PCB-1260 | 2.30E-01 | 2.30E-01 | 2.30E-01 | 1/15 | 9.00E-02 | 1.00E-01 | n/a | n/a | 0/15 | 4.25E+01 | 1/15 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 7.10E+00 | 7.10E+00 | 7.10E+00 | 1/1 | 3.04E+00 | 3.04E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 6.05E+00 | 6.05E+00 | 6.05E+00 | 1/1 | 2.15E+00 | 2.15E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | -1.20E-01 | 5.00E-01 | 1.32E-01 | 15/15 | 2.26E-02 | 8.10E-01 | 2/15 | 4.90E-01 | 0/15 | 8.58E+00 | 8/15 | 8.58E-02 |
| Neptunium-237 | 1.07E+00 | 1.07E+00 | 1.07E+00 | 1/6 | 3.00E-02 | 4.79E-02 | 1/6 | 1.00E-01 | 0/6 | 2.71E+01 | 1/6 | 2.71E-01 |
| Plutonium-239/240 | 2.85E-02 | 1.78E-01 | 1.03E-01 | 2/6 | 1.00E-02 | 4.37E-02 | n/a | n/a | 0/6 | 1.15E+03 | 0/6 | 1.15E+01 |
| Technetium-99 | 4.33E+00 | 8.32E+01 | 2.43E+01 | 4/6 | 3.05E+00 | 3.62E+00 | 4/6 | 2.50E+00 | 0/6 | 3.62E+04 | 0/6 | 3.62E+02 |
| Thorium-228 | 2.02E-01 | 4.19E-01 | 3.17E-01 | 6/6 | 2.92E-02 | 8.00E-02 | 0/6 | 1.60E+00 | 0/6 | 2.80E+00 | 6/6 | 2.80E-02 |
| Thorium-230 | 3.85E-01 | 6.26E-01 | 4.56E-01 | 6/6 | 1.38E-01 | 2.50E-01 | 0/6 | 1.50E+00 | 0/6 | 1.49E+03 | 0/6 | 1.49E+01 |
| Thorium-232 | 3.14E-01 | 4.77E-01 | 3.72E-01 | 5/6 | 4.14E-02 | 1.60E-01 | 0/6 | 1.50E+00 | 0/6 | 1.35E+03 | 0/6 | 1.35E+01 |
| Uranium | 6.52E+00 | 6.52E+00 | 6.52E+00 | 1/5 | 6.23E-01 | 1.24E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 2.87E-01 | 2.48E+00 | 1.38E+00 | 2/6 | 1.40E-01 | 4.68E-01 | 1/6 | 2.50E+00 | 0/6 | 1.98E+03 | 0/6 | 1.98E+01 |
| Uranium-235 | 3.07E-02 | 1.60E-01 | 6.48E-02 | 5/6 | 2.35E-02 | 3.69E-02 | 1/6 | 1.40E-01 | 0/6 | 3.95E+01 | 0/6 | 3.95E-01 |
| Uranium-238 | -9.22E+00 | 5.63E+00 | 1.59E+00 | 15/15 | 1.60E-01 | 7.81E+00 | 9/15 | 1.20E+00 | 0/15 | 1.71E+02 | 6/15 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Di-n-butyl phthalate | 1.20E+00 | 2.00E+00 | 1.60E+00 | 2/4 | 4.70E-01 | 4.90E-01 | n/a | n/a | 0/4 | 1.00E+05 | 0/4 | 2.13E+03 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.


Table 5.41. Summary of Surface and Subsurface Historical Data at SWMU 517 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | 6.70E-01 | 6.70E-01 | 6.70E-01 | | 4.70E-01 | 4.90E-01 | | | | | | |
| Fluoranthene | 6.70E-01 | 6.70E-01 | 6.70E-01 | 1/5 | 4.70E-01 | 4.90E-01 | n/a | n/a | 0/5 | 6.50E+04 | 0/5 | 2.21E+02 |
| Pyrene | 5.40E-01 | 5.40E-01 | 5.40E-01 | 1/6 | 4.70E-01 | 4.90E-01 | n/a | n/a | 0/6 | 4.87E+04 | 0/6 | 1.65E+02 |
| <i>Volatiles (mg/kg)</i> | | | | | | | | | | | | |
| Methylene chloride | 1.10E-02 | 1.10E-02 | 1.10E-02 | 1/5 | 1.00E-02 | 1.00E-02 | n/a | n/a | 0/5 | 2.16E+03 | 0/5 | 1.34E+01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.



Soils Operable Unit: SWMUs 493 and 517

Figure 5.52. Soils Operable Unit: SWMU 517

AOC 541 (Contaminated Area by Outfall 011)

Area description

The Contaminated Soil Area South of Outfall 011 (AOC 541) is located in an area of heavy undergrowth, approximately 75 ft from the south bank of Outfall 011. AOC 541 is located east of PGDP, is outside of the secure area, and is approximately 100,800 ft² (480 ft x 210 ft).

Process history

AOC 541 was discovered during routine radiological surveys in support of sampling activities. The area contained soil piles that likely were generated as a result of past maintenance activities.

Previous investigation results

This area was sampled in September 2002. Analytical results indicate the presence of sampled metals (chromium); PCBs; semivolatiles; and radionuclides (uranium-238). The area also was sampled during the winter of 2008, with findings presented in *Site Evaluation Report for Addendum I-B Soil Piles at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-0225&D1. Findings were summarized in the SAR as follows:

During 2002, the area was surveyed upon initial discovery. Fixed beta/gamma measurements ranging from approximately 26,000 dpm/100 cm² to over 300,000 dpm/100 cm² were recorded. Highest readings were obtained in a significantly small, localized area (approximately 1 acre) with several small mounds of soil. Data from locations sampled in the AOC were reviewed. Metals, polychlorinated biphenyls (PCBs), semivolatiles, volatiles, and radionuclides were analyzed in soils. Analytical results indicate the presence of metals, PCBs, semivolatiles, and radionuclides. No metals results exceeded the Resource Conservation and Recovery Act (RCRA) Metals levels (401 KAR 31:030 Section 4 incorporating 40 CFR 261.24). All samples had detectable PCB. Some sampling points exceeded 50 ppm. Significant levels of uranium (greater than 1,000 pCi/g) were measured at five sampling points. All other sampling points showed uranium greater than background. There were some points with detectable technetium-99, plutonium-239/240, and radium-226. There were no RCRA issues identified with the semivolatile results.

In December 2008, 242 soil samples were collected for field screening, with 24 samples being sent to a fixed-base laboratory for analysis. As a result of the 2008 sampling event, additional areas within the AOC were determined to have similar levels of PCBs and uranium, as did the original five sample results collected in 2002. The most elevated Total PCB concentration was 38.2 mg/kg from the subsurface sample at location LBCSOOB162. The surface soil sample with the most elevated concentration of Total PCBs (31.1 mg/kg) was from location LBCSOOB55. The most elevated concentration of uranium in a surface soil sample (3,600 mg/kg as a metal and 1,020 pCi/g as uranium-238) was from location LBCSOOB169 and the most elevated concentration of uranium in a subsurface soil sample (3,430 mg/kg as a metal and 1,660 pCi/g as uranium-238) was from location LBCSOOB162.

Table 5.42 is a summary of historical data followed by a map of historical sample locations (Figure 5.53).

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.

Data Gap Determination

No additional samples are needed at this location.

Table 5.42. Summary of Surface and Subsurface Historical Data at SWMU 541

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 4.91E+02 | 1.92E+04 | 9.42E+03 | 62/62 | 1.70E+01 | 1.99E+02 | 2.3/62 | 1.30E+04 | 0/62 | 1.00E+05 | 48/62 | 4.64E+03 |
| Arsenic | 5.21E-01 | 1.25E+01 | 5.14E+00 | 42/59 | 8.48E-01 | 5.00E+00 | 4/59 | 1.20E+01 | 0/59 | 3.15E+02 | 40/59 | 5.23E-01 |
| Barium | 5.57E+00 | 5.48E+02 | 2.78E+02 | 287/304 | 1.00E+00 | 2.50E+00 | 208/304 | 2.00E+02 | 0/304 | 1.00E+05 | 189/304 | 2.29E-02 |
| Beryllium | 1.80E-01 | 7.40E+00 | 1.06E+00 | 26/62 | 4.24E-01 | 5.00E-01 | 10/62 | 6.70E-01 | 0/62 | 1.28E+03 | 6/62 | 9.48E-01 |
| Bismuth | 1.32E+01 | 1.32E+01 | 1.32E+01 | 2/13 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Cadmium | 5.02E-01 | 2.75E+00 | 1.06E+00 | 18/62 | 4.24E-01 | 2.49E+00 | 18/62 | 2.10E-01 | 0/62 | 7.05E+01 | 0/62 | 2.13E+01 |
| Calcium | 7.90E+01 | 2.38E+04 | 2.45E+03 | 60/62 | 5.00E+01 | 2.00E+02 | 3/62 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 1.40E+00 | 3.35E+03 | 1.27E+02 | 192/304 | 2.00E+00 | 2.50E+00 | n/a | n/a | n/a | n/a | 14/304 | 3.56E+02 |
| Cobalt | 1.10E+00 | 1.57E+01 | 6.32E+00 | 50/62 | 8.48E-01 | 4.97E+00 | 1/62 | 1.40E+01 | 0/62 | 1.00E+05 | 0/62 | 1.92E+03 |
| Copper | 1.00E-01 | 1.61E+02 | 2.24E+01 | 51/62 | 2.00E+00 | 1.25E+01 | 15/62 | 1.90E+01 | 0/62 | 1.00E+05 | 0/62 | 4.93E+02 |
| Iron | 1.44E+03 | 2.96E+04 | 1.16E+04 | 62/62 | 5.00E+00 | 2.00E+01 | 2/62 | 2.80E+04 | 0/62 | 1.00E+05 | 58/62 | 2.07E+03 |
| Lead | 5.91E+00 | 1.11E+02 | 1.71E+01 | 264/304 | 8.48E-01 | 2.00E+01 | 29/304 | 3.60E+01 | 0/304 | 1.25E+03 | 9/304 | 5.00E+01 |
| Lithium | 9.80E-01 | 1.30E+01 | 5.39E+00 | 14/16 | 5.00E+00 | 5.00E+00 | n/a | n/a | 0/16 | 1.00E+05 | 0/16 | 6.41E+02 |
| Magnesium | 4.99E+01 | 4.42E+03 | 1.38E+03 | 60/62 | 2.50E+00 | 1.50E+01 | 9/62 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 3.33E+01 | 8.21E+02 | 2.91E+02 | 62/62 | 1.00E+00 | 2.50E+00 | 1/62 | 1.50E+03 | 0/62 | 4.64E+04 | 60/62 | 4.52E+01 |
| Mercury | 1.60E-02 | 2.30E-01 | 4.36E-02 | 22/62 | 1.20E-02 | 2.00E-01 | 2/62 | 2.00E-01 | 0/62 | 8.25E+02 | 0/62 | 9.82E-01 |
| Molybdenum | 4.00E-01 | 3.98E+00 | 2.19E+00 | 4/35 | 4.24E+00 | 5.00E+00 | n/a | n/a | 0/35 | 2.50E+04 | 0/35 | 8.30E+01 |
| Nickel | 1.20E+00 | 5.72E+01 | 1.21E+01 | 50/62 | 4.24E+00 | 5.00E+00 | 6/62 | 2.10E+01 | 0/62 | 9.30E+04 | 0/62 | 2.42E+02 |
| Niobium | 8.00E-01 | 8.00E-01 | 8.00E-01 | 2/11 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Phosphorous | 1.67E+02 | 3.29E+02 | 2.24E+02 | 6/6 | | | n/a | n/a | 6/6 | 8.58E+01 | 6/6 | 1.82E-01 |
| Potassium | 9.04E+01 | 1.78E+03 | 6.95E+02 | 25/33 | 1.00E+02 | 2.00E+02 | 7/33 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Ruthenium | 3.10E+01 | 2.39E+02 | 1.70E+02 | 3/5 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Selenium | 1.70E-01 | 2.00E+00 | 1.26E+00 | 10/49 | 1.60E-01 | 4.97E+00 | 9/49 | 8.00E-01 | 0/49 | 2.56E+04 | 0/49 | 9.49E+01 |
| Silicon | 4.38E+01 | 1.03E+03 | 3.27E+02 | 11/11 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Silver | 2.42E+01 | 2.42E+01 | 2.42E+01 | 2/62 | 1.40E+00 | 4.00E+00 | 2/62 | 2.30E+00 | 0/62 | 2.07E+04 | 0/62 | 4.11E+01 |
| Sodium | 6.46E+01 | 2.63E+02 | 1.47E+02 | 11/57 | 1.70E+02 | 2.50E+02 | 0/57 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Strontium | 2.60E+00 | 3.00E+01 | 1.16E+01 | 9/11 | | | n/a | n/a | 0/11 | 1.00E+05 | 0/11 | 5.45E+03 |
| Tantalum | 2.94E+00 | 1.52E+01 | 9.07E+00 | 2/9 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Thallium | 2.00E+01 | 3.66E+01 | 3.11E+01 | 3/62 | 2.80E-01 | 2.00E+01 | 3/62 | 2.10E-01 | n/a | n/a | n/a | n/a |
| Thorium | 8.20E+00 | 2.12E+01 | 1.24E+01 | 5/9 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Tin | 2.00E+01 | 1.63E+02 | 1.00E+02 | 7/18 | 1.00E+02 | 1.00E+02 | n/a | n/a | 0/18 | 1.00E+05 | 0/18 | 2.79E+03 |
| Titanium | 6.25E+01 | 3.68E+02 | 1.60E+02 | 11/11 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Tungsten | 4.32E+00 | 1.93E+01 | 1.10E+01 | 5/11 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium | 3.10E-01 | 2.02E+04 | 7.53E+02 | 298/340 | 8.89E-01 | 2.14E+02 | 276/340 | 4.90E+00 | 14/340 | 3.34E+03 | 255/340 | 2.02E+01 |
| Vanadium | 2.84E+00 | 4.97E+01 | 2.34E+01 | 53/61 | 2.00E+00 | 2.50E+00 | 4/61 | 3.80E+01 | 0/61 | 4.47E+03 | 51/61 | 3.32E+00 |
| Zinc | 2.20E+00 | 1.09E+03 | 1.11E+02 | 56/62 | 1.00E+01 | 2.00E+01 | 21/62 | 6.50E+01 | 0/62 | 1.00E+05 | 0/62 | 2.73E+03 |
| Zirconium | 3.44E+00 | 1.80E+01 | 8.12E+00 | 9/11 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 1.00E-01 | 9.40E+01 | 1.62E+01 | 113/410 | 9.00E-02 | 6.50E-01 | n/a | n/a | 21/410 | 4.25E+01 | 110/410 | 1.99E-01 |
| PCB-1242 | 6.00E-01 | 1.00E+00 | 8.00E-01 | 4/55 | 6.00E-02 | 5.60E-01 | n/a | n/a | 0/55 | 4.25E+01 | 4/55 | 1.99E-01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.42. Summary of Surface and Subsurface Historical Data at SWMU 541 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|-----------|-----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| PCB-1248 | 1.60E-01 | 1.40E+01 | 4.11E+00 | 33/61 | 8.00E-02 | 6.00E-01 | n/a | n/a | 0/61 | 4.25E+01 | 31/61 | 1.99E-01 |
| PCB-1254 | 1.60E-02 | 4.60E+01 | 4.31E+00 | 60/76 | 6.00E-02 | 1.10E+00 | n/a | n/a | 2/76 | 1.82E+01 | 56/76 | 1.99E-01 |
| PCB-1260 | 1.20E-01 | 4.80E+01 | 4.61E+00 | 59/72 | 9.00E-02 | 1.10E+00 | n/a | n/a | 1/72 | 4.25E+01 | 57/72 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 5.74E-01 | 2.08E+03 | 1.30E+02 | 94/100 | 7.36E-01 | 6.74E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 0.00E+00 | 7.18E+03 | 4.41E+02 | 64/100 | 7.73E-01 | 2.52E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | -2.00E-03 | 2.33E+00 | 2.10E-01 | 194/313 | 7.78E-03 | 5.30E-01 | 34/313 | 4.90E-01 | 0/313 | 8.38E+00 | 162/313 | 8.58E-02 |
| Cobalt-60 | -5.40E-03 | -5.40E-03 | -5.40E-03 | 1/34 | 9.01E-03 | 1.06E-01 | n/a | n/a | 0/34 | 1.77E+00 | 0/34 | 1.77E-02 |
| Neptunium-237 | -3.10E-02 | 2.70E-02 | 4.17E-03 | 7/86 | 2.00E-02 | 3.61E-01 | 0/86 | 1.00E-01 | 0/86 | 2.71E+01 | 0/86 | 2.71E-01 |
| Plutonium-239 | -4.00E-03 | 2.79E-02 | 8.56E-03 | 9/39 | 4.93E-03 | 1.33E-02 | 2/39 | 2.50E-02 | 0/39 | 1.15E+03 | 0/39 | 1.15E+01 |
| Plutonium-239/240 | 1.09E-02 | 1.56E-01 | 5.75E-02 | 9/47 | 9.97E-03 | 7.77E-02 | n/a | n/a | 0/47 | 1.15E+03 | 0/47 | 1.15E+01 |
| Potassium-40 | 3.20E-01 | 1.17E+01 | 5.87E+00 | 31/31 | 7.00E-02 | 1.01E+00 | 0/31 | 1.60E+01 | n/a | n/a | n/a | n/a |
| Protactinium-234m | 5.12E+01 | 6.83E+03 | 1.41E+03 | 12/12 | 2.92E+00 | 1.53E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Radium-226 | 6.14E-01 | 9.50E-01 | 7.82E-01 | 2/12 | 1.75E-01 | 7.63E-01 | 0/12 | 1.50E+00 | 0/12 | 2.56E+00 | 2/12 | 2.56E-02 |
| Technetium-99 | 1.39E-01 | 3.65E+01 | 4.06E+00 | 59/88 | 1.40E-01 | 3.87E+00 | 18/88 | 2.50E+00 | 0/88 | 3.62E+04 | 0/88 | 3.62E+02 |
| Thorium-228 | 3.03E-01 | 7.56E-01 | 4.67E-01 | 41/41 | 4.12E-02 | 2.08E-01 | 0/41 | 1.60E+00 | 0/41 | 2.80E+00 | 41/41 | 2.80E-02 |
| Thorium-230 (mg/kg) | 6.00E-05 | 6.00E-05 | 6.00E-05 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Thorium-230 | 2.72E-02 | 2.40E+00 | 3.81E-01 | 76/86 | 2.00E-02 | 2.43E-01 | 1/86 | 1.50E+00 | 0/86 | 1.49E+03 | 0/86 | 1.49E+01 |
| Thorium-232 | 2.69E-02 | 7.28E-01 | 4.23E-01 | 45/45 | 3.73E-02 | 1.31E-01 | 0/45 | 1.50E+00 | 0/45 | 1.35E+03 | 0/45 | 1.35E+01 |
| Thorium-234 | 3.63E-01 | 4.36E+03 | 9.46E+02 | 12/12 | 7.24E-01 | 7.37E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium | 2.10E+00 | 5.32E+03 | 3.79E+02 | 49/55 | 2.33E-01 | 1.53E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium (mg/kg) | 6.30E+01 | 1.03E+03 | 2.40E+02 | 298/340 | 1.00E+00 | 1.00E+00 | 12/340 | 4.90E+00 | n/a | n/a | n/a | n/a |
| Uranium-234 | 6.20E-02 | 7.13E+02 | 4.39E+01 | 51/52 | 1.02E-01 | 2.05E+00 | 33/52 | 2.50E+00 | 0/52 | 1.98E+03 | 14/52 | 1.98E+01 |
| Uranium-235 | 3.00E-03 | 6.51E+01 | 5.41E+00 | 49/51 | 1.21E-02 | 2.33E-01 | 36/51 | 1.40E-01 | 2/51 | 3.95E+01 | 29/51 | 3.95E-01 |
| Uranium-238 | 7.00E-02 | 5.57E+03 | 2.95E+02 | 257/294 | 1.07E-01 | 1.31E+01 | 248/294 | 1.20E+00 | 86/294 | 1.71E+02 | 248/294 | 1.71E+00 |
| Semivolatile (mg/kg) | | | | | | | | | | | | |
| Acenaphthene | 2.50E-01 | 2.00E+00 | 9.13E-01 | 4/45 | 4.60E-01 | 5.20E-01 | n/a | n/a | 0/45 | 6.67E+04 | 0/45 | 3.16E+02 |
| Anthracene | 4.60E-01 | 2.60E+00 | 1.12E+00 | 6/45 | 4.60E-01 | 5.20E-01 | n/a | n/a | 0/45 | 1.00E+05 | 0/45 | 3.79E+03 |
| Benz(a)anthracene | 2.40E-01 | 6.40E+00 | 2.06E+00 | 12/45 | 4.60E-01 | 5.20E-01 | n/a | n/a | 0/45 | 2.08E+02 | 12/45 | 2.12E-01 |
| Benzo(a)pyrene | 1.70E-01 | 5.10E+00 | 1.99E+00 | 11/45 | 4.60E-01 | 5.20E-01 | n/a | n/a | 0/45 | 2.08E+01 | 11/45 | 2.12E-02 |
| Benzo(b)fluoranthene | 1.90E-01 | 1.10E+01 | 3.14E+00 | 12/45 | 4.60E-01 | 9.70E-01 | n/a | n/a | 0/45 | 2.08E+02 | 11/45 | 2.12E-01 |
| Benzo(ghi)perylene | 4.60E-01 | 1.80E+00 | 1.06E+00 | 9/45 | 4.60E-01 | 5.20E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benzo(k)fluoranthene | 5.30E-01 | 3.90E+00 | 2.01E+00 | 10/40 | 4.60E-01 | 5.20E-01 | n/a | n/a | 0/40 | 2.08E+03 | 5/40 | 2.12E+00 |
| Carbazole | 3.00E-01 | 1.00E+00 | 6.47E-01 | 3/20 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/20 | 1.28E+04 | 0/20 | 2.15E+01 |
| Chrysene | 2.50E-01 | 6.70E+00 | 2.41E+00 | 12/45 | 4.60E-01 | 5.20E-01 | n/a | n/a | 0/45 | 2.08E+04 | 0/45 | 2.12E+01 |
| Dibenz(a,h)anthracene | 5.20E-01 | 5.20E-01 | 5.20E-01 | 1/45 | 4.60E-01 | 5.20E-01 | n/a | n/a | 0/45 | 2.08E+01 | 1/45 | 2.12E-02 |
| Dibenzofuran | 1.50E-01 | 6.00E-01 | 3.75E-01 | 2/17 | 4.60E-01 | 5.20E-01 | n/a | n/a | 0/17 | 9.02E+03 | 0/17 | 1.86E+01 |
| Di-n-butyl phthalate | 6.40E-01 | 1.87E+01 | 4.82E+00 | 9/16 | 4.60E-01 | 5.20E-01 | n/a | n/a | 0/16 | 1.00E+05 | 0/16 | 2.13E+03 |
| Fluoranthene | 4.60E-01 | 2.40E+01 | 4.57E+00 | 15/40 | 4.60E-01 | 1.90E+00 | n/a | n/a | 0/40 | 6.50E+04 | 0/40 | 2.21E+02 |
| Fluorene | 2.40E-01 | 1.50E+00 | 8.50E-01 | 3/45 | 4.60E-01 | 5.20E-01 | n/a | n/a | 0/45 | 7.09E+04 | 0/45 | 3.39E+02 |
| Indeno(1,2,3-cd)pyrene | 5.30E-01 | 2.30E+00 | 1.29E+00 | 9/45 | 4.60E-01 | 5.20E-01 | n/a | n/a | 0/45 | 2.08E+02 | 9/45 | 2.12E-01 |
| Naphthalene | 2.10E-01 | 1.80E+00 | 9.10E-01 | 3/45 | 4.60E-01 | 5.20E-01 | n/a | n/a | 0/45 | 7.66E+02 | 0/45 | 2.36E+01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.42. Summary of Surface and Subsurface Historical Data at SWMU 541 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| Phenanthrene | 4.60E-01 | 1.90E+01 | 4.02E+00 | 13/45 | 4.60E-01 | 9.70E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Polycyclic aromatic hydrocarbons (PAH) | 2.00E-05 | 1.45E+00 | 4.28E-01 | 26/242 | 2.00E-01 | 2.00E-01 | n/a | n/a | 0/242 | 2.08E+01 | 24/242 | 2.12E-02 |
| Pyrene | 4.80E-01 | 1.40E+01 | 3.98E+00 | 13/45 | 4.60E-01 | 9.70E-01 | n/a | n/a | 0/45 | 4.87E+04 | 0/45 | 1.65E+02 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| Methylene chloride | 9.00E-03 | 1.30E-02 | 1.13E-02 | 4/14 | 7.00E-03 | 1.00E-02 | n/a | n/a | 0/14 | 2.16E+03 | 0/14 | 1.34E+01 |
| Wetchem (mg/kg) | | | | | | | | | | | | |
| Iodide | 2.20E+01 | 2.20E+01 | 2.20E+01 | 1/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Total Organic Carbon (TOC) | 2.40E+02 | 2.50E+03 | 1.32E+03 | 4/6 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Total Phosphate as Phosphorus | 1.26E+02 | 5.49E+02 | 3.17E+02 | 5/5 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Subsurface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 8.59E+03 | 1.58E+04 | 1.28E+04 | 26/26 | 1.71E+01 | 1.97E+02 | 17/26 | 1.20E+04 | 0/26 | 1.00E+05 | 26/26 | 4.64E+03 |
| Arsenic | 1.87E+00 | 2.33E+01 | 6.56E+00 | 22/26 | 8.53E-01 | 5.00E+00 | 4/26 | 7.90E+00 | 0/26 | 3.15E+02 | 22/26 | 5.23E-01 |
| Barium | 4.44E+01 | 5.15E+02 | 2.84E+02 | 186/201 | 2.13E+00 | 2.50E+00 | 144/201 | 1.70E+02 | 0/201 | 1.00E+05 | 128/201 | 2.29E+02 |
| Beryllium | 4.60E-01 | 9.57E-01 | 6.57E-01 | 11/26 | 4.27E-01 | 5.00E-01 | 5/26 | 6.90E-01 | 0/26 | 1.28E+03 | 1/26 | 9.48E-01 |
| Cadmium | 4.96E-01 | 9.90E-01 | 7.18E-01 | 14/26 | 4.27E-01 | 2.46E+00 | 14/26 | 2.10E-01 | 0/26 | 7.05E+01 | 0/26 | 2.13E+01 |
| Calcium | 6.82E+02 | 5.92E+04 | 4.76E+03 | 26/26 | 8.53E-01 | 8.77E+02 | 2/26 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 1.60E+01 | 2.96E+03 | 1.42E+02 | 140/201 | 2.13E+00 | 2.50E+00 | n/a | n/a | n/a | n/a | 8/201 | 3.56E+02 |
| Cobalt | 3.26E+00 | 1.08E+01 | 6.00E+00 | 26/26 | 8.53E-01 | 4.92E+00 | 0/26 | 1.30E+01 | 0/26 | 1.00E+05 | 0/26 | 1.92E+03 |
| Copper | 8.34E+00 | 3.46E+01 | 1.62E+01 | 26/26 | 2.13E+00 | 1.23E+01 | 7/26 | 2.50E+01 | 0/26 | 1.00E+05 | 0/26 | 4.93E+02 |
| Iron | 9.91E+03 | 2.87E+04 | 1.45E+04 | 26/26 | 1.71E+01 | 2.00E+01 | 1/26 | 2.80E+04 | 0/26 | 1.00E+05 | 26/26 | 2.07E+03 |
| Lead | 7.05E+00 | 7.34E+01 | 1.71E+01 | 187/201 | 8.53E-01 | 2.00E+01 | 28/201 | 2.30E+01 | 0/201 | 1.25E+03 | 5/201 | 5.00E+01 |
| Magnesium | 9.98E+02 | 2.28E+03 | 1.55E+03 | 26/26 | 2.50E+00 | 4.99E+00 | 3/26 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 1.04E+02 | 6.38E+02 | 2.94E+02 | 26/26 | 2.13E+00 | 2.50E+00 | 0/26 | 8.20E+02 | 0/26 | 4.64E+04 | 26/26 | 4.52E+01 |
| Mercury | 1.70E-02 | 6.70E-01 | 5.43E-02 | 21/26 | 1.10E-02 | 2.00E-01 | 1/26 | 1.30E-01 | 0/26 | 8.25E+02 | 0/26 | 9.82E-01 |
| Molybdenum | 5.62E+00 | 5.62E+00 | 5.62E+00 | 1/22 | 4.27E-00 | 4.99E+00 | n/a | n/a | 0/22 | 2.50E+04 | 0/22 | 8.30E+01 |
| Nickel | 7.40E+02 | 1.53E+01 | 1.00E+01 | 26/26 | 4.27E-00 | 5.00E+00 | 0/26 | 2.20E+01 | 0/26 | 9.30E+04 | 0/26 | 2.42E+02 |
| Potassium | 6.52E+02 | 9.55E+02 | 7.47E+02 | 4/4 | 2.00E+02 | 2.00E+02 | 1/4 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Selenium | 1.08E+00 | 1.10E+00 | 1.09E+00 | 2/26 | 8.53E-01 | 4.92E+00 | 2/26 | 7.00E-01 | 0/26 | 2.56E+04 | 0/26 | 9.49E+01 |
| Uranium | 1.17E+01 | 8.52E+03 | 7.77E+02 | 190/201 | 9.51E-01 | 2.43E+02 | 190/201 | 4.60E+00 | 10/201 | 3.34E+03 | 178/201 | 2.02E+01 |
| Vanadium | 1.63E+01 | 5.17E+01 | 2.79E+01 | 26/26 | 2.13E+00 | 2.50E+00 | 4/26 | 3.70E+01 | 0/26 | 4.47E+03 | 26/26 | 3.32E+00 |
| Zinc | 2.36E+01 | 1.82E+02 | 6.83E+01 | 26/26 | 1.00E+01 | 2.00E+01 | 10/26 | 6.00E+01 | 0/26 | 1.00E+05 | 0/26 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 5.10E-01 | 5.00E+01 | 2.97E+01 | 48/201 | 1.00E-01 | 1.29E+00 | n/a | n/a | 25/201 | 4.25E+01 | 48/201 | 1.99E-01 |
| PCB-1248 | 1.50E-01 | 2.05E+01 | 2.96E+00 | 19/26 | 1.00E-01 | 1.00E+00 | n/a | n/a | 0/26 | 4.25E+01 | 18/26 | 1.99E-01 |
| PCB-1254 | 1.60E-01 | 1.12E+01 | 2.73E+00 | 23/26 | 9.00E-02 | 9.00E-01 | n/a | n/a | 0/26 | 1.82E+01 | 22/26 | 1.99E-01 |
| PCB-1260 | 2.00E-01 | 1.26E+01 | 2.37E+00 | 23/26 | 1.00E-01 | 1.00E+00 | n/a | n/a | 0/26 | 4.25E+01 | 23/26 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 6.21E+01 | 4.90E+02 | 2.20E+02 | 4/4 | 9.95E-01 | 9.95E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 1.03E+02 | 8.67E+02 | 4.20E+02 | 4/4 | 7.73E-01 | 7.73E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 0.00E+00 | 7.20E-01 | 1.76E-01 | 111/202 | 1.38E-03 | 1.82E-01 | 15/202 | 2.80E-01 | 0/202 | 8.58E+00 | 92/202 | 8.58E-02 |
| Plutonium-239/240 | 1.57E-02 | 1.84E-02 | 1.74E-02 | 3/26 | 1.22E-02 | 5.53E-02 | n/a | n/a | 0/26 | 1.15E+03 | 0/26 | 1.15E+01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)


n/a = value not available

Only analyses with at least one detection are shown.

Table 5.42. Summary of Surface and Subsurface Historical Data at SWMU 541 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Potassium-40 | 8.81E+00 | 1.02E+01 | 9.53E+00 | 4/4 | 1.82E-01 | 3.59E-01 | 0/4 | 1.60E+01 | n/a | n/a | n/a | n/a |
| Protactinium-234m | 7.47E+01 | 7.19E+02 | 2.82E+02 | 4/4 | 2.75E+00 | 5.66E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Technetium-99 | 5.98E-01 | 4.80E+00 | 1.84E+00 | 20/26 | 5.36E-01 | 3.13E+00 | 5/26 | 2.80E+00 | 0/26 | 3.62E+04 | 0/26 | 3.62E+02 |
| Thorium-228 | 3.57E-01 | 9.08E-01 | 5.12E-01 | 26/26 | 4.00E-02 | 2.08E-01 | 0/26 | 1.60E+00 | 0/26 | 2.80E+00 | 26/26 | 2.80E-02 |
| Thorium-230 | 3.05E-01 | 7.58E-01 | 4.44E-01 | 26/26 | 6.19E-02 | 2.26E-01 | 0/26 | 1.40E+00 | 0/26 | 1.49E+03 | 0/26 | 1.49E+01 |
| Thorium-232 | 3.74E-01 | 8.73E-01 | 4.88E-01 | 26/26 | 3.78E-02 | 1.31E-01 | 0/26 | 1.50E+00 | 0/26 | 1.35E+03 | 0/26 | 1.35E+01 |
| Thorium-234 | 4.90E+01 | 5.08E+02 | 1.91E+02 | 4/4 | 6.05E-01 | 1.68E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium | 6.23E+00 | 1.79E+03 | 1.90E+02 | 21/26 | 2.37E-01 | 4.41E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 3.09E-01 | 7.96E+01 | 1.27E+01 | 22/26 | 1.02E-01 | 4.73E-01 | 16/26 | 2.40E+00 | 0/26 | 1.98E+03 | 3/26 | 1.98E+01 |
| Uranium-235 | 1.06E-01 | 5.48E+01 | 4.04E+00 | 25/26 | 1.37E-02 | 9.19E-02 | 22/26 | 1.40E-01 | 1/26 | 3.95E+01 | 20/26 | 3.95E-01 |
| Uranium-238 | 0.00E+00 | 4.49E+03 | 3.16E+02 | 179/202 | 1.07E-01 | 3.84E+00 | 178/202 | 1.20E+00 | 69/202 | 1.71E+02 | 177/202 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Acenaphthene | 9.30E-01 | 9.30E-01 | 9.30E-01 | 1/26 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/26 | 6.67E+04 | 0/26 | 3.16E+02 |
| Anthracene | 1.40E+00 | 1.40E+00 | 1.40E+00 | 1/26 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/26 | 1.00E+05 | 0/26 | 3.79E+03 |
| Benz(a)anthracene | 6.20E-01 | 4.40E+00 | 1.82E+00 | 4/26 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/26 | 2.08E+02 | 4/26 | 2.12E-01 |
| Benzo(a)pyrene | 7.20E-01 | 3.70E+00 | 1.84E+00 | 3/26 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/26 | 2.08E+01 | 3/26 | 2.12E-02 |
| Benzo(b)fluoranthene | 8.40E-01 | 7.10E+00 | 2.71E+00 | 4/26 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/26 | 2.08E+02 | 4/26 | 2.12E-01 |
| Benzo(ghi)perylene | 5.30E-01 | 1.20E+00 | 8.65E-01 | 2/26 | 4.60E-01 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benzo(k)fluoranthene | 5.00E-01 | 2.10E+00 | 1.30E+00 | 4/26 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/26 | 2.08E+03 | 0/26 | 2.12E+00 |
| Chrysene | 8.20E-01 | 4.70E+00 | 2.11E+00 | 4/26 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/26 | 2.08E+04 | 0/26 | 2.12E+01 |
| Di-n-butyl phthalate | 7.80E-01 | 1.20E+00 | 9.90E-01 | 2/4 | 4.90E-01 | 5.00E-01 | n/a | n/a | 0/4 | 1.00E+05 | 0/4 | 2.13E+03 |
| Fluoranthene | 9.10E-01 | 1.20E+01 | 4.14E+00 | 5/26 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/26 | 6.50E+04 | 0/26 | 2.21E+02 |
| Fluorene | 5.50E-01 | 5.50E-01 | 5.50E-01 | 1/26 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/26 | 7.09E+04 | 0/26 | 3.39E+02 |
| Indeno(1,2,3-cd)pyrene | 7.00E-01 | 1.60E+00 | 1.15E+00 | 2/26 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/26 | 2.08E+02 | 2/26 | 2.12E-01 |
| Naphthalene | 5.00E-01 | 5.00E-01 | 5.00E-01 | 1/26 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/26 | 7.66E+02 | 0/26 | 2.36E+01 |
| Phenanthrene | 6.70E-01 | 7.40E+00 | 2.71E+00 | 5/26 | 4.60E-01 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Polycyclic aromatic hydrocarbons (PAH) | 3.00E-05 | 4.34E+00 | 5.79E-01 | 24/175 | 2.00E-01 | 2.00E-01 | n/a | n/a | 0/175 | 2.08E+01 | 20/175 | 2.12E-02 |
| Pyrene | 5.30E-01 | 9.90E+00 | 3.21E+00 | 5/26 | 4.60E-01 | 5.00E-01 | n/a | n/a | 0/26 | 4.87E+04 | 0/26 | 1.65E+02 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| Methylene chloride | 1.00E-02 | 1.20E-02 | 1.10E-02 | 4/4 | 1.00E-02 | 1.00E-02 | n/a | n/a | 0/4 | 2.16E+03 | 0/4 | 1.34E+01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.



U.S. DEPARTMENT OF ENERGY
DOE PORTSMOUTH/PADUCAH PROJECT OFFICE
PADUCAH GASEOUS DIFFUSION PLANT



Figure No. \SoilsOU\soil_swmustr3.apr
DATE 08-11-09

Figure 5.53. Soils Operable Unit: AOC 541

SWMU 561 (Soil Pile I)

Area description

This SWMU was identified on November 2, 2006, as noted in the SWMU notification letter dated February 16, 2007. This SWMU is located east of the PGDP fence and is adjacent to LBC between McCaw Road and Outfall 002 ditch. The dimensions of this SWMU cover approximately 7 acres. The footprint of the soil piles within the 7 acre area is approximately 30 ft wide x 700 ft long by an average of 8 ft tall along Outfall ditch 002 and 30 ft wide x 700 ft long by an average of 8 ft tall along LBC for an estimated total volume of ~12,000 yd³.

Process history

There appears to be no function for the soil piles within the SWMU; however, the piles most likely were dredged material produced as a result of maintenance activities performed within/along the ditch and creek.

A key potential source of contaminants in the PGDP surface water drainage system is the C-340 facility. Historical leaks and spills at C-340 likely resulted in releases that traveled from floor drains through the storm sewer system, into Outfall 011, and discharged to LBC. Recorded spills and releases from C-340 include COPCs such as PCB oil, as documented in Occurrence Reporting and Processing System (ORPS) reports, Plant Shift Superintendent (PSS) logs, and Annual Site Environmental Reports.

Primary processes in the C-340 Reduction and Metals Facility were the reduction of UF₆ to UF₄ and the conversion of UF₄ to metallic uranium. The facility became operational in 1956 and continued operating until 1977, when shut down of primary processes began. After shutdown, C-340 was used as a training school, a valve test facility, a pilot plant for the study of liquid/gas scrubber systems, and a waste pilot plant for the stabilization of uranium chips. A uranium metal remolding project was conducted in the mid-1980s at C-340. The building was closed in 1991.

The following are the primary chemicals employed at C-340 during active operations: UF₆, hydrogen, magnesium fluoride, magnesium, and TCE. PCBs were used in electrical and hydraulic systems.

Outfall 010 is likely a primary source of historical releases to LBC and may have contributed to observed conditions at Soil Pile I. Its associated ditches drain several PGDP facilities including the following: C-331 Process Building, C-531 Complex, and C-617-B Lagoon.

In general, COPCs carried through internal ditches to Outfall 010 mirror those transported throughout the PGDP surface water management system. Key COPCs include radionuclides, VOCs, SVOCs, and heavy metals.

Previous investigation results

The soil piles along LBC contain uranium and PCBs.

On November 2, 2006, Paducah Remediation Services, LLC, radiological control technicians (RCTs) observed and completed a radiological survey on Soil Pile I. Field radioactivity measurements greater than twice area background were observed in several of the soil piles, ranging from twice to more than seven times area background.

Similarly in 2006, following the discovery of the soil piles and subsequent completion of a gamma walkover survey, biased surface samples were acquired from Soil Pile I. The samples were collected from the five locations exhibiting the highest field radioactivity measurements. Initial sampling was completed in this way, to provide a “worst-case” picture of conditions at Soil Pile I.

The following are the results from the 2007 evaluation.

Distribution of constituents that can be directly attributed to PGDP processes, including the majority of the radionuclides and PCBs, is found along LBC and primarily is confined to the soil pile itself. Uranium and uranium daughters show more widespread distribution, with elevated levels along LBC. Levels at or above NALs for recreational users are generally confined to the northern half of the soil pile along LBC. Similarly, PCBs exceeding the high occupancy without restriction TSCA limit are confined to the northern half of the soil pile along LBC, with two results at the high occupancy limit in the southern third of the LCB soil pile.

At locations where COPCs were measured at levels of concern in surface samples, levels generally decrease with depth, decreasing to de minimis levels below the 4 ft interval in most cases. Elevated concentrations of plant-related COPCs diminish to the 1-4 ft interval and below regulatory and/or risk-based action/NALs beyond the upper 4 ft of Soil Pile I.

Table 5.43 is a summary of historical data followed by a map of historical sample locations (Figure 5.54).

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.

Data Gap Determination

No additional samples are needed at this location.

Table 5.43. Summary of Surface and Subsurface Historical Data at SWMU 561

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 4.47E+03 | 1.01E+04 | 7.36E+03 | 121/121 | 5.80E+00 | 4.68E+01 | 0/121 | 1.30E+04 | 0/121 | 1.00E+05 | 117/121 | 4.64E+03 |
| Antimony | 8.40E-02 | 2.20E+01 | 1.71E+00 | 99/121 | 5.80E-01 | 1.40E+01 | 42/121 | 2.10E-01 | 0/121 | 4.63E+02 | 31/121 | 3.79E-01 |
| Arsenic | 2.40E+00 | 3.96E+01 | 9.16E+00 | 107/121 | 1.20E+00 | 2.00E+01 | 37/121 | 1.20E+01 | 0/121 | 3.15E+02 | 107/121 | 5.23E-01 |
| Barium | 4.28E+01 | 6.06E+02 | 2.80E+02 | 417/417 | 2.25E+00 | 4.68E+01 | 293/417 | 2.00E+02 | 0/417 | 1.00E+05 | 276/417 | 2.29E+02 |
| Beryllium | 3.10E-01 | 1.50E+00 | 5.65E-01 | 103/121 | 1.20E-01 | 1.20E+00 | 16/121 | 6.70E-01 | 0/121 | 1.28E+03 | 5/121 | 9.48E-01 |
| Boron | 2.90E+00 | 7.10E+00 | 4.72E+00 | 18/34 | 2.39E+01 | 4.68E+01 | n/a | n/a | 0/34 | 1.00E+05 | 0/34 | 1.74E+03 |
| Cadmium | 2.70E-02 | 1.20E+00 | 1.51E-01 | 87/121 | 5.80E-02 | 2.00E+00 | 11/121 | 2.10E-01 | 0/121 | 7.05E+01 | 0/121 | 2.13E+01 |
| Calcium | 3.51E+02 | 2.31E+03 | 1.24E+03 | 121/121 | 5.83E+01 | 1.17E+03 | 0/121 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 1.00E+01 | 1.37E+03 | 1.83E+02 | 126/417 | 1.20E+00 | 2.49E+00 | n/a | n/a | n/a | n/a | 14/417 | 3.56E+02 |
| Cobalt | 3.00E+00 | 3.10E+01 | 7.50E+00 | 121/121 | 2.30E-01 | 1.17E+01 | 7/121 | 1.40E+01 | 0/121 | 1.00E+05 | 0/121 | 1.92E+03 |
| Copper | 5.20E+00 | 6.25E+01 | 1.59E+01 | 121/121 | 1.20E+00 | 5.90E+00 | 26/121 | 1.90E+01 | 0/121 | 1.00E+05 | 0/121 | 4.93E+02 |
| Iron | 6.38E+03 | 4.85E+04 | 1.35E+04 | 121/121 | 5.80E+00 | 2.34E+01 | 1/121 | 2.80E+04 | 0/121 | 1.00E+05 | 121/121 | 2.07E+03 |
| Lead | 8.50E+00 | 5.84E+01 | 1.96E+01 | 234/417 | 3.50E-01 | 2.00E+01 | 38/417 | 3.60E+01 | 0/417 | 1.25E+03 | 4/417 | 5.00E+01 |
| Magnesium | 4.92E+02 | 1.46E+03 | 9.64E+02 | 121/121 | 4.51E+00 | 1.17E+03 | 0/121 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 6.33E+01 | 2.23E+03 | 4.96E+02 | 121/121 | 2.40E-01 | 3.50E+00 | 14/121 | 1.50E+03 | 0/121 | 4.64E+04 | 121/121 | 4.52E+01 |
| Mercury | 8.60E-03 | 9.20E-02 | 3.44E-02 | 90/121 | 3.70E-02 | 9.70E-02 | 0/121 | 2.00E-01 | 0/121 | 8.25E+02 | 0/121 | 9.82E-01 |
| Molybdenum | 2.20E-01 | 2.40E+00 | 6.79E-01 | 73/103 | 5.80E-01 | 9.40E+00 | n/a | n/a | 0/103 | 2.50E+04 | 0/103 | 8.30E+01 |
| Nickel | 5.70E+00 | 2.07E+01 | 9.58E+00 | 121/121 | 5.80E-01 | 9.40E+00 | 0/121 | 2.10E+01 | 0/121 | 9.30E+04 | 0/121 | 2.42E+02 |
| Potassium | 3.50E+02 | 7.19E+02 | 5.60E+02 | 48/52 | 9.02E+01 | 1.17E+03 | 0/52 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Selenium | 1.60E-01 | 1.10E+00 | 4.36E-01 | 58/121 | 5.80E-01 | 2.00E+01 | 6/121 | 8.00E-01 | 0/121 | 2.56E+04 | 0/121 | 9.49E+01 |
| Silicon | 6.97E+02 | 1.66E+03 | 1.18E+03 | 34/34 | 5.97E+01 | 1.17E+02 | n/a | n/a | n/a | n/a | n/a | n/a |
| Silver | 3.20E-02 | 2.54E+00 | 1.24E-01 | 71/121 | 2.30E-01 | 2.49E+00 | 2/121 | 2.30E+00 | 0/121 | 2.07E+04 | 0/121 | 4.11E+01 |
| Sodium | 1.45E+01 | 2.23E+02 | 4.13E+01 | 96/121 | 2.33E+01 | 1.17E+03 | 0/121 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Thallium | 1.00E-01 | 1.20E+00 | 2.73E-01 | 85/121 | 2.30E-01 | 2.00E+01 | 27/121 | 2.10E-01 | n/a | n/a | n/a | n/a |
| Uranium | 1.30E+00 | 6.41E+03 | 4.82E+02 | 211/417 | 1.17E+01 | 1.17E+02 | 194/417 | 4.90E+00 | 8/417 | 3.34E+03 | 181/417 | 2.02E+01 |
| Vanadium | 1.31E+01 | 8.69E+01 | 2.91E+01 | 121/121 | 1.20E+00 | 4.70E+00 | 23/121 | 3.80E+01 | 0/121 | 4.47E+03 | 121/121 | 3.32E+00 |
| Zinc | 2.27E+01 | 1.13E+03 | 1.69E+02 | 121/121 | 2.30E+00 | 2.00E+01 | 65/121 | 6.50E+01 | 0/121 | 1.00E+05 | 0/121 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 8.90E-02 | 7.90E+01 | 1.25E+01 | 41/386 | 4.00E-02 | 1.28E+00 | n/a | n/a | 6/386 | 4.25E+01 | 31/386 | 1.99E-01 |
| PCB-1248 | 4.90E-02 | 5.70E+01 | 8.81E+00 | 55/133 | 3.70E-02 | 2.10E+00 | n/a | n/a | 2/133 | 4.25E+01 | 44/133 | 1.99E-01 |
| PCB-1254 | 4.90E-02 | 1.60E+01 | 2.94E+00 | 78/133 | 3.70E-02 | 2.10E+00 | n/a | n/a | 0/133 | 1.82E+01 | 57/133 | 1.99E-01 |
| PCB-1260 | 4.50E-02 | 6.40E+00 | 1.39E+00 | 90/129 | 3.70E-02 | 2.10E+00 | n/a | n/a | 0/129 | 4.25E+01 | 59/129 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Actinium-228 | 7.00E-01 | 1.07E+00 | 8.26E-01 | 20/20 | 2.90E-01 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Alpha activity | 2.61E+00 | 9.87E+02 | 1.18E+02 | 101/101 | 1.10E+00 | 6.00E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Americium-241 | 1.62E-02 | 1.62E-02 | 1.62E-02 | 2/81 | 1.13E-02 | 1.04E+00 | n/a | n/a | 0/81 | 5.16E+02 | 0/81 | 5.16E+00 |
| Beta activity | 3.28E+00 | 2.49E+03 | 2.55E+02 | 101/101 | 1.25E+00 | 3.20E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Bismuth-212 | 8.10E-01 | 8.10E-01 | 8.10E-01 | 4/4 | 7.00E-01 | 7.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Bismuth-214 | 8.00E-01 | 9.90E-01 | 8.86E-01 | 20/20 | 2.00E-01 | 2.70E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 9.77E-04 | 1.01E+00 | 2.74E-01 | 286/398 | 6.96E-04 | 7.61E-01 | 109/398 | 4.90E-01 | 0/398 | 8.58E+00 | 280/398 | 8.58E-02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.

Table 5.43. Summary of Surface and Subsurface Historical Data at SWMU 561 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Lead-212 | 1.13E+00 | 1.55E+00 | 1.36E+00 | 20/20 | 1.50E-01 | 2.90E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Lead-214 | 8.20E-01 | 1.04E+00 | 9.54E-01 | 20/20 | 1.60E-01 | 2.60E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Neptunium-237 | 2.32E-02 | 1.90E-01 | 8.21E-02 | 15/105 | 1.95E-02 | 1.41E+00 | 4/105 | 1.00E-01 | 0/105 | 2.71E+01 | 0/105 | 2.71E-01 |
| Plutonium-239/240 | 9.73E-03 | 5.10E-02 | 2.94E-02 | 15/101 | 8.95E-03 | 4.11E-01 | n/a | n/a | 0/101 | 1.15E+03 | 0/101 | 1.15E+01 |
| Potassium-40 | 6.00E+00 | 9.30E+00 | 8.08E+00 | 28/38 | 8.00E-01 | 1.05E+01 | 0/38 | 1.60E+01 | n/a | n/a | n/a | n/a |
| Protactinium-234m | 1.90E+01 | 1.02E+02 | 7.03E+01 | 12/12 | 1.30E+01 | 1.50E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Radium-226 | 5.47E-01 | 9.70E-01 | 8.17E-01 | 63/63 | 6.83E-02 | 3.34E-01 | 0/63 | 1.50E+00 | 0/63 | 2.56E+00 | 63/63 | 2.56E-02 |
| Technetium-99 | 7.70E-01 | 8.38E+00 | 1.47E+00 | 39/97 | 6.40E-01 | 2.70E+00 | 1/97 | 2.50E+00 | 0/97 | 3.62E+04 | 0/97 | 3.62E+02 |
| Thallium-208 | 2.60E-01 | 4.60E-01 | 3.73E-01 | 20/20 | 1.00E-01 | 1.30E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Thorium-228 | 1.90E-01 | 4.86E-01 | 3.30E-01 | 63/63 | 4.78E-02 | 6.78E-02 | 0/63 | 1.60E+00 | 0/63 | 2.80E+00 | 63/63 | 2.80E-02 |
| Thorium-230 | 1.47E-01 | 2.23E+00 | 3.84E-01 | 67/81 | 6.60E-02 | 1.93E+00 | 4/81 | 1.50E+00 | 0/81 | 1.49E+03 | 0/81 | 1.49E+01 |
| Thorium-232 | 2.29E-01 | 4.77E-01 | 3.46E-01 | 63/63 | 3.42E-02 | 5.90E-02 | 0/63 | 1.50E+00 | 0/63 | 1.35E+03 | 0/63 | 1.35E+01 |
| Thorium-234 | 1.52E+00 | 1.55E+03 | 7.67E+01 | 83/83 | 4.09E-01 | 8.31E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium | 3.66E-01 | 1.49E+03 | 1.91E+02 | 77/81 | 1.34E-01 | 1.11E+02 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 1.07E-01 | 1.36E+02 | 2.22E+01 | 125/125 | 5.00E-02 | 2.48E+01 | 64/125 | 2.50E+00 | 0/125 | 1.98E+03 | 47/125 | 1.98E+01 |
| Uranium-235 | 2.12E-02 | 1.96E+01 | 3.70E+00 | 114/133 | 1.34E-02 | 3.56E+01 | 86/133 | 1.40E-01 | 0/133 | 3.95E+01 | 63/133 | 3.95E-01 |
| Uranium-238 | 0.00E+00 | 2.18E+03 | 1.78E+02 | 193/422 | 3.00E-02 | 8.99E+01 | 169/422 | 1.20E+00 | 57/422 | 1.71E+02 | 168/422 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Acenaphthene | 1.10E-01 | 2.70E+00 | 1.84E+00 | 6/77 | 3.80E-01 | 4.90E-01 | n/a | n/a | 0/77 | 6.67E+04 | 0/77 | 3.16E+02 |
| Anthracene | 2.00E-01 | 4.90E+00 | 3.33E+00 | 6/77 | 3.80E-01 | 4.90E-01 | n/a | n/a | 0/77 | 1.00E+05 | 0/77 | 3.79E+03 |
| Benz(a)anthracene | 4.30E-02 | 1.00E+01 | 3.28E+00 | 14/77 | 3.80E-01 | 4.90E-01 | n/a | n/a | 0/77 | 2.08E+02 | 10/77 | 2.12E-01 |
| Benzo(a)pyrene | 5.60E-02 | 8.80E+00 | 2.87E+00 | 14/77 | 3.80E-01 | 4.90E-01 | n/a | n/a | 0/77 | 2.08E+01 | 14/77 | 2.12E-02 |
| Benzo(b)fluoranthene | 5.50E-02 | 1.10E+01 | 3.66E+00 | 14/81 | 3.80E-01 | 4.90E-01 | n/a | n/a | 0/81 | 2.08E+02 | 10/81 | 2.12E-01 |
| Benzo(ghi)perylene | 5.80E-02 | 4.90E+00 | 1.75E+00 | 13/77 | 3.80E-01 | 4.90E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benzo(k)fluoranthene | 4.60E-02 | 3.90E+00 | 1.40E+00 | 14/77 | 3.80E-01 | 4.90E-01 | n/a | n/a | 0/77 | 2.08E+03 | 4/77 | 2.12E+00 |
| Benzoic acid | 6.40E-01 | 7.30E-01 | 6.85E-01 | 8/77 | 4.60E-01 | 2.20E+00 | n/a | n/a | 0/77 | 1.00E+05 | 0/77 | 8.52E+04 |
| Bis(2-ethylhexyl)phthalate | 4.30E-02 | 5.20E-02 | 4.75E-02 | 2/69 | 3.80E-01 | 4.40E-01 | n/a | n/a | 0/69 | 7.40E+03 | 0/69 | 8.84E+00 |
| Carbazole | 1.40E+00 | 1.40E+00 | 1.40E+00 | 4/8 | 4.90E-01 | 4.90E-01 | n/a | n/a | 0/8 | 1.28E+04 | 0/8 | 2.15E+01 |
| Chrysene | 6.40E-02 | 8.80E+00 | 2.96E+00 | 14/77 | 3.80E-01 | 4.90E-01 | n/a | n/a | 0/77 | 2.08E+04 | 0/77 | 2.12E+01 |
| Dibenz(a,h)anthracene | 7.10E-02 | 5.00E-01 | 3.57E-01 | 6/73 | 3.80E-01 | 4.90E-01 | n/a | n/a | 0/73 | 2.08E+01 | 6/73 | 2.12E-02 |
| Dibenzofuran | 5.50E-02 | 1.10E+00 | 7.52E-01 | 6/77 | 3.80E-01 | 4.90E-01 | n/a | n/a | 0/77 | 9.02E+03 | 0/77 | 1.86E+01 |
| Diethyl phthalate | 7.20E-02 | 7.20E-02 | 7.20E-02 | 1/77 | 3.80E-01 | 4.90E-01 | n/a | n/a | 0/77 | 1.00E+05 | 0/77 | 1.55E+04 |
| Di-n-butyl phthalate | 4.40E-02 | 1.40E+00 | 1.01E+00 | 5/77 | 3.80E-01 | 4.90E-01 | n/a | n/a | 0/77 | 1.00E+05 | 0/77 | 2.13E+03 |
| Fluoranthene | 4.60E-02 | 2.20E+01 | 4.98E+00 | 21/85 | 3.80E-01 | 4.90E-01 | n/a | n/a | 0/85 | 6.50E+04 | 0/85 | 2.31E+02 |
| Fluorene | 9.50E-02 | 2.20E+00 | 1.50E+00 | 6/77 | 3.80E-01 | 4.90E-01 | n/a | n/a | 0/77 | 7.09E+04 | 0/77 | 3.39E+02 |
| Indeno(1,2,3-cd)pyrene | 6.70E-02 | 5.20E+00 | 1.88E+00 | 13/77 | 3.80E-01 | 4.90E-01 | n/a | n/a | 0/77 | 2.08E+02 | 10/77 | 2.12E-01 |
| Naphthalene | 5.50E-01 | 5.50E-01 | 5.50E-01 | 4/77 | 3.80E-01 | 4.90E-01 | n/a | n/a | 0/77 | 7.66E+02 | 0/77 | 2.36E+01 |
| Phenanthrene | 1.20E-01 | 1.70E+01 | 5.75E+00 | 14/77 | 3.80E-01 | 4.90E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 4.40E-02 | 2.20E+01 | 5.30E+00 | 19/81 | 3.80E-01 | 4.90E-01 | n/a | n/a | 0/81 | 4.87E+04 | 0/81 | 1.65E+02 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| Methylene chloride | 3.50E-03 | 1.60E-02 | 1.27E-02 | 11/20 | 5.00E-03 | 5.90E-03 | n/a | n/a | 0/20 | 2.16E+03 | 0/20 | 1.34E+01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.43. Summary of Surface and Subsurface Historical Data at SWMU 561 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Subsurface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 5.02E+03 | 1.76E+04 | 9.23E+03 | 61/61 | 5.50E+00 | 3.08E+01 | 8/61 | 1.20E+04 | 0/61 | 1.00E+05 | 61/61 | 4.64E+03 |
| Antimony | 8.00E-02 | 2.30E-01 | 1.42E-01 | 61/61 | 5.50E-01 | 6.20E-01 | 3/61 | 2.10E-01 | 0/61 | 4.63E+02 | 0/61 | 3.79E-01 |
| Arsenic | 2.60E+00 | 1.76E+01 | 6.58E+00 | 61/61 | 1.10E+00 | 1.30E+00 | 16/61 | 7.90E+00 | 0/61 | 3.15E+02 | 61/61 | 5.23E-01 |
| Barium | 4.47E+01 | 5.65E+02 | 3.23E+02 | 190/190 | 2.20E+00 | 1.16E+01 | 129/190 | 1.70E+02 | 0/190 | 1.00E+05 | 128/190 | 2.29E+02 |
| Beryllium | 2.70E-01 | 7.20E-01 | 4.66E-01 | 61/61 | 1.10E-01 | 5.90E-01 | 1/61 | 6.90E-01 | 0/61 | 1.28E+03 | 0/61 | 9.48E-01 |
| Cadmium | 1.50E-02 | 1.10E-01 | 5.65E-02 | 61/61 | 5.50E-02 | 6.20E-02 | 0/61 | 2.10E-01 | 0/61 | 7.05E+01 | 0/61 | 2.13E+01 |
| Calcium | 3.28E+02 | 1.26E+03 | 8.00E+02 | 61/61 | 5.53E+01 | 6.24E+01 | 0/61 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 7.80E+00 | 2.50E+02 | 3.76E+01 | 61/190 | 1.10E+00 | 5.80E+00 | n/a | n/a | n/a | n/a | 0/190 | 3.56E+02 |
| Cobalt | 3.20E+00 | 1.84E+01 | 6.13E+00 | 61/61 | 2.20E-01 | 2.50E-01 | 1/61 | 1.30E+01 | 0/61 | 1.00E+05 | 0/61 | 1.92E+03 |
| Copper | 4.80E+00 | 1.92E+01 | 9.98E+00 | 61/61 | 1.10E+00 | 6.00E+00 | 1/61 | 2.50E+01 | 0/61 | 1.00E+05 | 0/61 | 4.93E+02 |
| Iron | 7.07E+03 | 1.98E+04 | 1.28E+04 | 61/61 | 5.50E+00 | 2.90E+01 | 0/61 | 2.80E+04 | 0/61 | 1.00E+05 | 61/61 | 2.07E+03 |
| Lead | 6.80E+00 | 4.07E+01 | 1.77E+01 | 118/190 | 3.30E-01 | 1.70E+00 | 21/190 | 2.30E+01 | 0/190 | 1.25E+03 | 0/190 | 5.00E+01 |
| Magnesium | 6.84E+02 | 2.19E+03 | 1.15E+03 | 61/61 | 5.53E+01 | 2.96E+02 | 2/61 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 9.57E+01 | 2.64E+03 | 5.01E+02 | 61/61 | 2.20E-01 | 1.20E+00 | 6/61 | 8.20E+02 | 0/61 | 4.64E+04 | 61/61 | 4.52E+01 |
| Mercury | 7.50E-03 | 1.39E-01 | 4.65E-02 | 60/61 | 3.33E-02 | 4.16E-02 | 1/61 | 1.30E-01 | 0/61 | 8.25E+02 | 0/61 | 9.82E-01 |
| Molybdenum | 2.40E-01 | 1.10E+00 | 5.45E-01 | 61/61 | 5.50E-01 | 6.20E-01 | n/a | n/a | 0/61 | 2.50E+04 | 0/61 | 8.30E+01 |
| Nickel | 7.40E+00 | 2.28E+01 | 1.14E+01 | 61/61 | 5.50E-01 | 3.00E+00 | 2/61 | 2.20E+01 | 0/61 | 9.30E+04 | 0/61 | 2.42E+02 |
| Selenium | 1.90E-01 | 4.50E-01 | 2.73E-01 | 29/61 | 5.50E-01 | 6.20E-01 | 0/61 | 7.00E-01 | 0/61 | 2.56E+04 | 0/61 | 9.49E+01 |
| Silver | 3.30E-02 | 1.10E-01 | 6.27E-02 | 59/61 | 2.20E-01 | 1.20E+00 | 0/61 | 2.70E+00 | 0/61 | 2.07E+04 | 0/61 | 4.11E+01 |
| Sodium | 2.21E+01 | 2.42E+02 | 9.38E+01 | 55/61 | 2.21E+01 | 1.18E+02 | 0/61 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Thallium | 9.10E-02 | 3.10E-01 | 1.67E-01 | 59/61 | 2.20E-01 | 1.20E+00 | 7/61 | 3.40E-01 | n/a | n/a | n/a | n/a |
| Uranium | 1.10E+00 | 5.02E+02 | 7.29E+01 | 108/190 | 1.10E-01 | 6.00E-01 | 75/190 | 4.60E+00 | 0/190 | 3.34E+03 | 69/190 | 2.02E+01 |
| Vanadium | 1.40E+01 | 3.69E+01 | 2.46E+01 | 61/61 | 1.10E+00 | 5.90E+00 | 0/61 | 3.70E+01 | 0/61 | 4.47E+03 | 61/61 | 3.32E+00 |
| Zinc | 1.84E+01 | 9.17E+01 | 3.95E+01 | 61/61 | 2.20E+00 | 1.18E+01 | 10/61 | 6.00E+01 | 0/61 | 1.00E+05 | 0/61 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 9.60E-02 | 5.70E+00 | 1.01E+00 | 30/190 | 3.30E-01 | 3.70E-01 | n/a | n/a | 0/190 | 4.25E+01 | 22/190 | 1.99E-01 |
| PCB-1248 | 4.60E-02 | 3.80E+00 | 7.26E-01 | 19/61 | 3.60E-02 | 3.80E-01 | n/a | n/a | 0/61 | 4.25E+01 | 10/61 | 1.99E-01 |
| PCB-1254 | 4.70E-02 | 1.80E+00 | 4.28E-01 | 22/61 | 3.60E-02 | 4.10E-02 | n/a | n/a | 0/61 | 1.82E+01 | 12/61 | 1.99E-01 |
| PCB-1260 | 6.60E-02 | 9.90E-01 | 2.51E-01 | 33/61 | 3.60E-02 | 4.10E-02 | n/a | n/a | 0/61 | 4.25E+01 | 13/61 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 3.05E+00 | 1.30E+02 | 2.03E+01 | 67/67 | 1.14E+00 | 1.78E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 2.64E+00 | 2.22E+02 | 3.24E+01 | 67/67 | 1.19E+00 | 1.50E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 0.00E+00 | 4.28E-01 | 1.83E-01 | 80/196 | 4.11E-04 | 4.95E-01 | 9/196 | 2.80E-01 | 0/196 | 8.58E+00 | 75/196 | 8.58E-02 |
| Radium-226 | 7.75E-01 | 1.29E+00 | 9.53E-01 | 67/67 | 9.71E-02 | 1.81E-01 | 0/67 | 1.50E+00 | 0/67 | 2.56E+00 | 67/67 | 2.56E-02 |
| Technetium-99 | 9.23E-01 | 1.85E+00 | 1.12E+00 | 15/67 | 8.78E-01 | 9.21E-01 | 0/67 | 2.80E+00 | 0/67 | 3.62E+04 | 0/67 | 3.62E+02 |
| Thorium-228 | 2.78E-01 | 5.84E-01 | 4.03E-01 | 67/67 | 5.54E-02 | 6.42E-02 | 0/67 | 1.60E+00 | 0/67 | 2.80E+00 | 67/67 | 2.80E-02 |
| Thorium-230 | 1.95E-01 | 5.70E-01 | 3.42E-01 | 67/67 | 6.17E-02 | 7.60E-02 | 0/67 | 1.40E+00 | 0/67 | 1.49E+03 | 0/67 | 1.49E+01 |
| Thorium-232 | 2.99E-01 | 6.29E-01 | 4.25E-01 | 67/67 | 3.04E-02 | 5.08E-02 | 0/67 | 1.50E+00 | 0/67 | 1.35E+03 | 0/67 | 1.35E+01 |
| Thorium-234 | 1.43E+00 | 1.41E+02 | 1.89E+01 | 66/67 | 5.82E-01 | 2.82E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium | 2.69E-01 | 1.49E+02 | 1.89E+01 | 59/67 | 1.26E-01 | 5.35E-01 | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.


Table 5.43. Summary of Surface and Subsurface Historical Data at SWMU 561 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Uranium-234 | 1.06E-01 | 1.48E+01 | 1.75E+00 | 67/67 | 6.26E-02 | 2.04E-01 | 11/67 | 2.40E+00 | 0/67 | 1.98E+03 | 0/67 | 1.98E+01 |
| Uranium-235 | 1.56E-02 | 2.03E+00 | 3.18E-01 | 53/67 | 1.11E-02 | 1.68E-01 | 27/67 | 1.40E-01 | 0/67 | 3.95E+01 | 11/67 | 3.95E-01 |
| Uranium-238 | 0.00E+00 | 1.61E+02 | 2.31E+01 | 92/196 | 4.37E-02 | 8.88E+01 | 55/196 | 1.20E+00 | 0/196 | 1.71E+02 | 52/196 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| 2-Methylnaphthalene | 6.20E-02 | 6.20E-02 | 6.20E-02 | 1/61 | 3.60E-01 | 4.10E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Acenaphthene | 6.10E-01 | 6.10E-01 | 6.10E-01 | 1/61 | 3.60E-01 | 4.10E-01 | n/a | n/a | 0/61 | 6.67E+04 | 0/61 | 3.16E+02 |
| Anthracene | 9.10E-01 | 9.10E-01 | 9.10E-01 | 1/61 | 3.60E-01 | 4.10E-01 | n/a | n/a | 0/61 | 1.00E+05 | 0/61 | 3.79E+03 |
| Benzo(a)anthracene | 6.60E-02 | 1.90E+00 | 4.47E-01 | 5/61 | 3.60E-01 | 4.10E-01 | n/a | n/a | 0/61 | 2.08E+02 | 1/61 | 2.12E-01 |
| Benzo(a)pyrene | 5.30E-02 | 1.70E+00 | 3.97E-01 | 5/61 | 3.60E-01 | 4.10E-01 | n/a | n/a | 0/61 | 2.08E+01 | 5/61 | 2.12E-02 |
| Benzo(b)fluoranthene | 3.80E-02 | 1.80E+00 | 3.52E-01 | 6/61 | 3.60E-01 | 4.10E-01 | n/a | n/a | 0/61 | 2.08E+02 | 1/61 | 2.12E-01 |
| Benzo(ghi)perylene | 5.10E-02 | 1.40E+00 | 4.34E-01 | 3/61 | 3.60E-01 | 4.10E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benzo(k)fluoranthene | 5.10E-02 | 1.40E+00 | 3.33E-01 | 5/61 | 3.60E-01 | 4.10E-01 | n/a | n/a | 0/61 | 2.08E+03 | 0/61 | 2.12E+00 |
| Benzoic acid | 4.70E-01 | 4.70E-01 | 4.70E-01 | 1/61 | 1.80E+00 | 2.00E+00 | n/a | n/a | 0/61 | 1.00E+05 | 0/61 | 8.52E+04 |
| Bis(2-ethylhexyl)phthalate | 7.20E-02 | 5.10E+00 | 1.03E+00 | 6/61 | 3.60E-01 | 4.10E-01 | n/a | n/a | 0/61 | 7.40E+03 | 0/61 | 8.84E+00 |
| Butyl benzyl phthalate | 1.80E-01 | 1.80E-01 | 1.80E-01 | 1/61 | 3.60E-01 | 4.10E-01 | n/a | n/a | 0/61 | 1.00E+05 | 0/61 | 2.71E+03 |
| Chrysene | 3.90E-02 | 2.10E+00 | 3.22E-01 | 8/61 | 3.60E-01 | 4.10E-01 | n/a | n/a | 0/61 | 2.08E+04 | 0/61 | 2.12E+01 |
| Dibenz(a,h)anthracene | 4.20E-01 | 4.20E-01 | 4.20E-01 | 1/61 | 3.60E-01 | 4.10E-01 | n/a | n/a | 0/61 | 2.08E+01 | 1/61 | 2.12E-02 |
| Dibenzofuran | 3.20E-01 | 3.20E-01 | 3.20E-01 | 1/61 | 3.60E-01 | 4.10E-01 | n/a | n/a | 0/61 | 9.02E+03 | 0/61 | 1.86E+01 |
| Di-n-butyl phthalate | 4.40E-02 | 6.80E-02 | 5.60E-02 | 2/61 | 3.60E-01 | 4.10E-01 | n/a | n/a | 0/61 | 1.00E+05 | 0/61 | 2.13E+03 |
| Fluoranthene | 4.30E-02 | 5.30E+00 | 6.33E-01 | 10/61 | 3.60E-01 | 4.10E-01 | n/a | n/a | 0/61 | 6.50E+04 | 0/61 | 2.21E+02 |
| Fluorene | 5.20E-01 | 5.20E-01 | 5.20E-01 | 1/61 | 3.60E-01 | 4.10E-01 | n/a | n/a | 0/61 | 7.09E+04 | 0/61 | 3.39E+02 |
| Indeno(1,2,3-cd)pyrene | 5.90E-02 | 1.20E+00 | 4.39E-01 | 3/61 | 3.60E-01 | 4.10E-01 | n/a | n/a | 0/61 | 2.08E+02 | 1/61 | 2.12E-01 |
| Naphthalene | 1.00E-01 | 1.00E-01 | 1.00E-01 | 1/61 | 3.60E-01 | 4.10E-01 | n/a | n/a | 0/61 | 7.66E+02 | 0/61 | 2.36E+01 |
| Phenanthrene | 4.40E-02 | 4.90E+00 | 7.88E-01 | 7/61 | 3.60E-01 | 4.10E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 4.50E-02 | 4.70E+00 | 6.07E-01 | 9/61 | 3.60E-01 | 4.10E-01 | n/a | n/a | 0/61 | 4.87E+04 | 0/61 | 1.65E+02 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| Acetone | 7.80E-03 | 7.80E-03 | 7.80E-03 | 1/11 | 2.20E-02 | 2.50E-02 | n/a | n/a | 0/11 | 1.91E+04 | 0/11 | 3.58E+02 |
| Ethylbenzene | 5.70E-04 | 9.00E-04 | 7.35E-04 | 2/11 | 5.50E-03 | 6.20E-03 | n/a | n/a | 0/11 | 2.12E+03 | 0/11 | 2.12E+01 |
| m,p-Xylene | 1.20E-03 | 1.60E-03 | 1.40E-03 | 2/11 | 5.50E-03 | 6.20E-03 | n/a | n/a | 0/11 | 2.20E+04 | 0/11 | 7.24E+02 |
| Toluene | 6.10E-04 | 6.60E-02 | 1.86E-02 | 6/11 | 5.50E-03 | 6.20E-03 | n/a | n/a | 0/11 | 7.28E+03 | 0/11 | 2.11E+02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.



U.S. DEPARTMENT OF ENERGY
DOE PORTSMOUTH/PADUCAH PROJECT OFFICE
PADUCAH GASEOUS DIFFUSION PLANT



Figure No. \SoilsOU\soil_swmusr3.apr
DATE 08-11-09

Figure 5.54. Soils Operable Unit: SWMU 561

AOC 562 (Addendum I-B Soil Piles D, H and J)

In December 2006, initial field reconnaissance, field radioactivity measurements, and limited sampling at Addendum 1-B Soil Piles were completed. The results of these efforts indicated radioactivity exceeding background. Addendum 1-B Soil Piles include 40 discrete piles covering an approximate area of 2.3 acres. Forty piles were identified; 34 along LBC east of PGDP and 6 along the NSDD north of PGDP, and they vary in size and shape, ranging from approximately 1 to 10 ft in height. Included are AOCs 492 and 541, also known as soil piles AR and O, respectively, and K013 (for a new total of 41 piles). The field investigation was completed between October and December 2008.

Area description

Field reconnaissance of Addendum 1-B Soil Piles identified 40 piles along LBC. The majority of the soil piles are located east of PGDP industrialized area and are on DOE-owned property. The soil piles are distributed along LBC and generally are bounded by PGDP industrialized area to the west, WKWMA/DOE boundary to the east, and the DOE boundary to the north and south. The Addendum 1-B Soil Piles vary in size and shape, ranging from approximately 5 to 250 ft in length and from 1 to 10 ft in height. The soil piles are widely dispersed and often occur as clusters. Vegetative regrowth on and adjacent to the piles is very dense, indicating the soil piles have been in their present locations for years.

Process history

Historical research was performed to attempt to determine the origin of the piles. The origin of the Addendum 1-B Soil Piles remains unknown; however, available information indicates that many of the PGDP-related soil piles may have originated from excavations associated with the creation, periodic dredging, and cleanout of the outfalls, ditches, and creeks that comprise the PGDP surface water management system. The Addendum 1-B Soil Piles are not operational.

Previous investigation results

The COPCs at SWMU 562 are uranium-238 at piles H and J and PCBs at H, J, and D. The remaining chemicals were not recommended COPCs due to levels similar to background or the chemicals are considered ubiquitous (e.g., PAHs). None of these COPCs exceed action levels for the PGDP teen recreational user.

Table 5.44 is a summary of historical data followed by a map of historical sample locations (Figure 5.55).

Area utilities

No recirculating water lines or sewers are associated with these piles; none are within the boundary of the SWMU.

Data Gap Determination

No additional samples are needed at this location.

Table 5.44. Summary of Surface and Subsurface Historical Data at SWMU 562

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 5.79E+03 | 7.61E+03 | 7.10E+03 | 6/6 | 1.79E+01 | 1.97E+01 | 0/6 | 1.30E+04 | 0/6 | 1.00E+05 | 6/6 | 4.64E+03 |
| Arsenic | 2.10E+00 | 5.77E+00 | 4.07E+00 | 6/6 | 8.93E-01 | 9.86E-01 | 0/6 | 1.20E+01 | 0/6 | 3.15E+02 | 6/6 | 5.23E-01 |
| Barium | 5.58E+01 | 4.11E+02 | 2.45E+02 | 20/20 | 2.23E+00 | 2.47E+00 | 14/20 | 2.00E+02 | 0/20 | 1.00E+05 | 14/20 | 2.29E+02 |
| Cadmium | 4.87E-01 | 4.87E-01 | 4.87E-01 | 2/6 | 4.46E-01 | 4.93E-01 | 2/6 | 2.10E-01 | 0/6 | 7.05E+01 | 0/6 | 2.13E+01 |
| Calcium | 3.79E+02 | 1.23E+03 | 9.88E+02 | 6/6 | 8.93E+01 | 9.86E+01 | 0/6 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 1.34E+01 | 1.53E+02 | 7.45E+01 | 15/20 | 2.23E+00 | 2.47E+00 | n/a | n/a | n/a | n/a | 0/20 | 3.56E+02 |
| Cobalt | 3.20E+00 | 6.48E+00 | 5.09E+00 | 6/6 | 8.93E-01 | 9.86E-01 | 0/6 | 1.40E+01 | 0/6 | 1.00E+05 | 0/6 | 1.92E+03 |
| Copper | 4.31E+00 | 1.43E+01 | 1.02E+01 | 6/6 | 2.23E+00 | 2.47E+00 | 0/6 | 1.90E+01 | 0/6 | 1.00E+05 | 0/6 | 4.93E+02 |
| Iron | 7.43E+03 | 1.02E+04 | 9.05E+03 | 6/6 | 1.79E+01 | 1.97E+01 | 0/6 | 2.80E+04 | 0/6 | 1.00E+05 | 6/6 | 2.07E+03 |
| Lead | 6.41E+00 | 1.30E+01 | 1.01E+01 | 14/20 | 8.93E-01 | 9.86E-01 | 0/20 | 3.60E+01 | 0/20 | 1.25E+03 | 0/20 | 5.00E+01 |
| Magnesium | 6.14E+02 | 8.12E+02 | 7.31E+02 | 6/6 | 4.46E+00 | 4.93E+00 | 0/6 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 2.21E+02 | 3.83E+02 | 3.43E+02 | 6/6 | 2.23E+00 | 2.47E+00 | 0/6 | 1.50E+03 | 0/6 | 4.64E+04 | 6/6 | 4.52E+01 |
| Mercury | 1.70E-02 | 2.40E-02 | 2.05E-02 | 4/6 | 1.50E-02 | 1.60E-02 | 0/6 | 2.00E-01 | 0/6 | 8.25E+02 | 0/6 | 9.82E-01 |
| Nickel | 4.99E+00 | 7.01E+00 | 6.23E+00 | 5/6 | 4.46E+00 | 4.93E+00 | 0/6 | 2.10E+01 | 0/6 | 9.30E+04 | 0/6 | 2.42E+02 |
| Uranium | 5.96E+00 | 2.08E+02 | 8.52E+01 | 18/20 | 9.48E-01 | 4.76E+01 | 18/20 | 4.90E+00 | 0/20 | 3.34E+03 | 14/20 | 2.02E+01 |
| Vanadium | 1.33E+01 | 1.79E+01 | 1.57E+01 | 6/6 | 2.23E+00 | 2.47E+00 | 0/6 | 3.80E+01 | 0/6 | 4.47E+03 | 6/6 | 3.32E+00 |
| Zinc | 2.05E+01 | 8.36E+01 | 5.16E+01 | 6/6 | 1.79E+01 | 1.97E+01 | 2/6 | 6.50E+01 | 0/6 | 1.00E+05 | 0/6 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 2.40E-01 | 9.50E-01 | 6.76E-01 | 5/20 | 1.30E-01 | 1.30E-01 | n/a | n/a | 0/20 | 4.25E+01 | 5/20 | 1.99E-01 |
| PCB-1254 | 1.00E-01 | 6.00E-01 | 3.68E-01 | 5/6 | 9.00E-02 | 9.00E-02 | n/a | n/a | 0/6 | 1.82E+01 | 4/6 | 1.99E-01 |
| PCB-1260 | 1.40E-01 | 3.50E-01 | 3.08E-01 | 5/6 | 1.00E-01 | 1.00E-01 | n/a | n/a | 0/6 | 4.25E+01 | 4/6 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Cesium-137 | 4.00E-02 | 1.49E-01 | 9.13E-02 | 11/20 | 7.12E-03 | 9.02E-02 | 0/20 | 4.90E-01 | 0/20 | 8.58E+00 | 5/20 | 8.58E-02 |
| Thorium-228 | 1.81E-01 | 3.90E-01 | 3.06E-01 | 6/6 | 1.17E-01 | 1.18E-01 | 0/6 | 1.60E+00 | 0/6 | 2.80E+00 | 6/6 | 2.80E-02 |
| Thorium-230 | 1.00E-01 | 2.54E-01 | 1.96E-01 | 6/6 | 8.31E-02 | 1.32E-01 | 0/6 | 1.50E+00 | 0/6 | 1.49E+03 | 0/6 | 1.49E+01 |
| Thorium-232 | 2.54E-01 | 4.09E-01 | 3.35E-01 | 6/6 | 4.48E-02 | 7.60E-02 | 0/6 | 1.50E+00 | 0/6 | 1.35E+03 | 0/6 | 1.35E+01 |
| Uranium | 1.91E+00 | 4.68E+01 | 3.19E+01 | 6/6 | 1.92E-01 | 2.46E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 2.00E-01 | 4.10E+00 | 2.94E+00 | 6/6 | 7.29E-02 | 1.19E-01 | 4/6 | 2.50E+00 | 0/6 | 1.98E+03 | 0/6 | 1.98E+01 |
| Uranium-235 | 4.18E-02 | 5.68E-01 | 4.10E-01 | 6/6 | 1.23E-02 | 1.82E-02 | 5/6 | 1.40E-01 | 0/6 | 3.95E+01 | 4/6 | 3.95E-01 |
| Uranium-238 | 1.67E+00 | 5.47E+01 | 3.09E+01 | 13/20 | 1.01E-01 | 1.82E+00 | 13/20 | 1.20E+00 | 0/20 | 1.71E+02 | 12/20 | 1.71E+00 |
| Semivolatile (mg/kg) | | | | | | | | | | | | |
| Benz(a)anthracene | 5.20E-01 | 5.20E-01 | 5.20E-01 | 1/6 | 4.90E-01 | 5.00E-01 | n/a | n/a | 0/6 | 2.08E+02 | 1/6 | 2.12E-01 |
| Benzo(b)fluoranthene | 7.00E-01 | 7.30E-01 | 7.10E-01 | 3/6 | 4.90E-01 | 5.00E-01 | n/a | n/a | 0/6 | 2.08E+02 | 3/6 | 2.12E-01 |
| Chrysene | 5.00E-01 | 5.60E-01 | 5.20E-01 | 3/6 | 4.90E-01 | 5.00E-01 | n/a | n/a | 0/6 | 2.08E+04 | 0/6 | 2.12E+01 |
| Fluoranthene | 1.10E+00 | 1.50E+00 | 1.37E+00 | 3/6 | 4.90E-01 | 5.00E-01 | n/a | n/a | 0/6 | 6.50E+04 | 0/6 | 2.21E+02 |
| Phenanthrene | 5.70E-01 | 1.10E+00 | 9.23E-01 | 3/6 | 4.90E-01 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Polycyclic aromatic hydrocarbons (PAH) | 2.20E-01 | 2.20E-01 | 2.20E-01 | 1/14 | 2.00E-01 | 2.00E-01 | n/a | n/a | 0/14 | 2.08E+01 | 1/14 | 2.12E-02 |
| Pyrene | 9.80E-01 | 1.10E+00 | 1.02E+00 | 3/6 | 4.90E-01 | 5.00E-01 | n/a | n/a | 0/6 | 4.87E+04 | 0/6 | 1.65E+02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.


Table 5.44. Summary of Surface and Subsurface Historical Data at SWMU 562 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Subsurface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 4.61E+03 | 9.34E+03 | 7.18E+03 | 11/11 | 1.83E+01 | 1.99E+01 | 0/11 | 1.20E+04 | 0/11 | 1.00E+05 | 10/11 | 4.64E+03 |
| Arsenic | 1.75E+00 | 6.65E+00 | 4.42E+00 | 11/11 | 9.16E-01 | 9.93E-01 | 0/11 | 7.90E+00 | 0/11 | 3.15E+02 | 11/11 | 5.23E-01 |
| Barium | 4.65E+01 | 3.86E+02 | 2.55E+02 | 45/45 | 2.29E+00 | 2.48E+00 | 33/45 | 1.70E+02 | 0/45 | 1.00E+05 | 33/45 | 2.29E+02 |
| Cadmium | 5.17E-01 | 6.23E-01 | 5.75E-01 | 5/11 | 4.58E-01 | 4.96E-01 | 5/11 | 2.10E-01 | 0/11 | 7.05E+01 | 0/11 | 2.13E+01 |
| Calcium | 4.97E+02 | 1.32E+03 | 9.00E+02 | 11/11 | 9.16E+01 | 9.93E+01 | 0/11 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 1.34E+01 | 1.27E+02 | 6.50E+01 | 35/45 | 2.29E+00 | 2.48E+00 | n/a | n/a | n/a | n/a | 0/45 | 3.50E+02 |
| Cobalt | 3.57E+00 | 9.29E+00 | 6.15E+00 | 11/11 | 9.16E-01 | 9.93E-01 | 0/11 | 1.30E+01 | 0/11 | 1.00E+05 | 0/11 | 1.92E+03 |
| Copper | 4.09E+00 | 1.13E+01 | 8.76E+00 | 11/11 | 2.29E+00 | 2.48E+00 | 0/11 | 2.50E+01 | 0/11 | 1.00E+05 | 0/11 | 4.93E+02 |
| Iron | 7.37E+03 | 1.29E+04 | 9.81E+03 | 11/11 | 1.83E+01 | 1.99E+01 | 0/11 | 2.80E+04 | 0/11 | 1.00E+05 | 11/11 | 2.07E+03 |
| Lead | 6.77E+00 | 3.57E+01 | 1.27E+01 | 39/45 | 9.16E+01 | 9.93E+01 | 1/45 | 2.30E+01 | 0/45 | 1.25E+03 | 0/45 | 5.00E+01 |
| Magnesium | 5.47E+02 | 8.72E+02 | 7.19E+02 | 11/11 | 4.58E+00 | 4.96E+00 | 0/11 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 2.85E+02 | 4.68E+02 | 3.78E+02 | 11/11 | 2.29E+00 | 2.48E+00 | 0/11 | 8.20E+02 | 0/11 | 4.64E+04 | 11/11 | 4.52E+01 |
| Mercury | 1.60E-02 | 2.10E-02 | 1.75E-02 | 6/11 | 1.50E-02 | 1.70E-02 | 0/11 | 1.30E-01 | 0/11 | 8.25E+02 | 0/11 | 9.82E-01 |
| Nickel | 4.94E+00 | 8.77E+00 | 6.71E+00 | 9/11 | 4.58E+00 | 4.96E+00 | 0/11 | 2.20E+01 | 0/11 | 9.30E+04 | 0/11 | 2.42E+02 |
| Uranium | 4.62E+00 | 2.27E+02 | 6.01E+01 | 39/45 | 9.54E-01 | 4.75E+01 | 39/45 | 4.60E+00 | 0/45 | 3.34E+03 | 33/45 | 2.02E+01 |
| Vanadium | 1.02E+01 | 2.53E+01 | 1.72E+01 | 11/11 | 2.29E+00 | 2.48E+00 | 0/11 | 3.70E+01 | 0/11 | 4.47E+03 | 11/11 | 3.32E+00 |
| Zinc | 1.94E+01 | 7.96E+01 | 4.83E+01 | 11/11 | 1.83E+01 | 1.99E+01 | 4/11 | 6.00E+01 | 0/11 | 1.00E+05 | 0/11 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 1.30E-01 | 2.01E+00 | 6.66E-01 | 10/45 | 1.30E-01 | 1.30E-01 | n/a | n/a | 0/45 | 4.25E+01 | 9/45 | 1.99E-01 |
| PCB-1254 | 1.20E-01 | 1.23E+00 | 3.69E-01 | 10/11 | 9.00E-02 | 9.00E-02 | n/a | n/a | 0/11 | 1.82E+01 | 6/11 | 1.99E-01 |
| PCB-1260 | 1.00E-01 | 7.80E-01 | 3.30E-01 | 9/11 | 1.00E-01 | 1.00E-01 | n/a | n/a | 0/11 | 4.25E+01 | 6/11 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Cesium-137 | 6.00E-02 | 1.70E-01 | 1.03E-01 | 10/45 | 7.53E-03 | 9.13E-02 | 0/45 | 2.80E-01 | 0/45 | 8.58E+00 | 7/45 | 8.58E-02 |
| Technetium-99 | 7.61E-01 | 7.61E-01 | 7.61E-01 | 2/11 | 6.17E-01 | 7.74E-01 | 0/11 | 2.80E+00 | 0/11 | 3.62E+04 | 0/11 | 3.62E+02 |
| Thorium-228 | 2.45E-01 | 3.92E-01 | 2.89E-01 | 11/11 | 1.17E-01 | 1.18E-01 | 0/11 | 1.60E+00 | 0/11 | 2.80E+03 | 11/11 | 2.80E-02 |
| Thorium-230 | 1.50E-01 | 3.30E-01 | 2.11E-01 | 11/11 | 8.41E-02 | 1.32E-01 | 0/11 | 1.40E+00 | 0/11 | 1.49E+03 | 0/11 | 1.49E+01 |
| Thorium-232 | 2.69E-01 | 4.47E-01 | 3.34E-01 | 11/11 | 4.58E-02 | 7.54E-02 | 0/11 | 1.50E+00 | 0/11 | 1.35E+03 | 0/11 | 1.35E+01 |
| Uranium | 2.01E+00 | 4.95E+01 | 1.96E+01 | 11/11 | 1.84E-01 | 2.54E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 2.14E-01 | 4.68E+00 | 1.90E+00 | 11/11 | 7.06E-02 | 1.20E-01 | 3/11 | 2.40E+00 | 0/11 | 1.98E+03 | 0/11 | 1.98E+01 |
| Uranium-235 | 4.10E-02 | 5.91E-01 | 2.56E-01 | 11/11 | 1.34E-02 | 2.14E-02 | 8/11 | 1.40E-01 | 0/11 | 3.95E+01 | 3/11 | 3.95E-01 |
| Uranium-238 | 1.75E+00 | 5.32E+01 | 1.86E+01 | 31/45 | 9.90E-02 | 1.69E+00 | 31/45 | 1.20E+00 | 0/45 | 1.71E+02 | 31/45 | 1.71E+00 |
| Semivolatile (mg/kg) | | | | | | | | | | | | |
| Fluoranthene | 6.20E-01 | 6.20E-01 | 6.20E-01 | 2/11 | 4.70E-01 | 5.00E-01 | n/a | n/a | 0/11 | 6.50E+04 | 0/11 | 2.21E+02 |
| Polycyclic aromatic hydrocarbons (PAH) | 9.00E-05 | 9.00E-05 | 9.00E-05 | 1/34 | 2.00E-01 | 2.00E-01 | n/a | n/a | 0/34 | 2.08E+01 | 0/34 | 2.12E-02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.



U.S. DEPARTMENT OF ENERGY
DOE PORTSMOUTH/PADUCAH PROJECT OFFICE
PADUCAH GASEOUS DIFFUSION PLANT



Figure 5.55. Soils Operable Unit: AOC 562

Figure No. \SoilsOU\soil_swmus3.apr
DATE 08-11-09

AOC 563 (Addendum I-B Soil Piles 20 and BW)

In December 2006, initial field reconnaissance, field radioactivity measurements, and limited sampling at Addendum 1-B Soil Piles were completed. The results of these efforts indicated radioactivity exceeding background. Addendum 1-B Soil Piles include 40 discrete piles covering an approximate area of 2.3 acres. Forty piles were identified; 34 along LBC east of PGDP and 6 along the NSDD north of PGDP, and they vary in size and shape, ranging from approximately 1 to 10 ft in height. Included are AOCs 492 and 541, also known as soil piles AR and O, respectively, and K013 (for a new total of 41 piles). The field investigation was completed between October and December 2008.

Area description

Field reconnaissance of Addendum 1-B Soil Piles identified 40 piles along LBC. The majority of the soil piles are located east of PGDP industrialized area and are on DOE-owned property. The soil piles are distributed along LBC and generally are bounded by PGDP industrialized area to the west, WKWMA/DOE boundary to the east, and the DOE boundary to the north and south. The Addendum 1-B Soil Piles vary in size and shape, ranging from approximately 5 to 250 ft in length and from 1 to 10 ft in height. The soil piles are widely dispersed and often occur as clusters. Vegetative regrowth on and adjacent to the piles is very dense, indicating the soil piles have been in their present locations for years.

Process history

Historical research was performed to attempt to determine the origin of the piles. The origin of the Addendum 1-B Soil Piles remains unknown; however, available information indicates that many of the PGDP-related soil piles may have originated from excavations associated with the creation, periodic dredging, and cleanout of the outfalls, ditches, and creeks that comprise the PGDP surface water management system. The Addendum 1-B Soil Piles are not operational.

Previous investigation results

The COPCs at SWMU 563 are chromium was found in pile 20 and PCBs at BW. The remaining chemicals were not recommended COPCs due to levels similar to background or the chemicals are considered ubiquitous (e.g., PAHs). None of these COPCs exceed action levels for the PGDP teen recreational user.

Table 5.45 is a summary of historical data followed by a map of historical sample locations (Figure 5.56).

Area utilities

No recirculating water lines or sewers are associated with these piles; none are within the boundary of the SWMU.

Data Gap Determination

No additional samples are needed at this location.

Table 5.45. Summary of Surface and Subsurface Historical Data at SWMU 563

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 7.30E+03 | 9.50E+03 | 8.40E+03 | 2/2 | 1.84E+01 | 3.92E+01 | 0/2 | 1.30E+04 | 0/2 | 1.00E+05 | 2/2 | 4.64E+03 |
| Arsenic | 4.69E+00 | 7.40E+00 | 6.05E+00 | 2/2 | 9.20E-01 | 9.79E-01 | 0/2 | 1.20E+01 | 0/2 | 3.15E+02 | 2/2 | 5.23E-01 |
| Barium | 8.56E+01 | 3.72E+02 | 2.45E+02 | 6/6 | 2.30E+00 | 2.45E+00 | 4/6 | 2.00E+02 | 0/6 | 1.00E+05 | 4/6 | 2.29E+02 |
| Cadmium | 6.41E-01 | 8.96E-01 | 7.69E-01 | 2/2 | 4.60E-01 | 4.90E-01 | 2/2 | 2.10E-01 | 0/2 | 7.05E+01 | 0/2 | 2.13E+01 |
| Calcium | 1.38E+03 | 2.59E+03 | 1.99E+03 | 2/2 | 9.20E+01 | 9.79E+01 | 0/2 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 6.54E+01 | 2.85E+02 | 1.83E+02 | 5/6 | 2.30E+00 | 2.45E+00 | n/a | n/a | n/a | n/a | 0/6 | 3.56E+02 |
| Cobalt | 5.08E+00 | 8.91E+00 | 7.00E+00 | 2/2 | 9.20E-01 | 9.79E-01 | 0/2 | 1.40E+01 | 0/2 | 1.00E+05 | 0/2 | 1.92E+03 |
| Copper | 1.14E+01 | 1.58E+01 | 1.36E+01 | 2/2 | 2.30E+00 | 2.45E+00 | 0/2 | 1.90E+01 | 0/2 | 1.00E+05 | 0/2 | 4.93E+02 |
| Iron | 1.04E+04 | 1.35E+04 | 1.20E+04 | 2/2 | 1.84E+01 | 1.96E+01 | 0/2 | 2.80E+04 | 0/2 | 1.00E+05 | 2/2 | 2.07E+03 |
| Lead | 1.10E+01 | 2.12E+01 | 1.56E+01 | 6/6 | 9.20E-01 | 4.90E+00 | 0/6 | 3.60E+01 | 0/6 | 1.25E+03 | 0/6 | 5.00E+01 |
| Magnesium | 1.01E+03 | 1.04E+03 | 1.03E+03 | 2/2 | 4.60E+00 | 4.90E+00 | 0/2 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 2.81E+02 | 5.28E+02 | 4.05E+02 | 2/2 | 2.30E+00 | 2.45E+00 | 0/2 | 1.50E+03 | 0/2 | 4.64E+04 | 2/2 | 4.52E+01 |
| Mercury | 1.80E-02 | 3.10E-02 | 2.45E-02 | 2/2 | 1.60E-02 | 1.70E-02 | 0/2 | 2.00E-01 | 0/2 | 8.25E+02 | 0/2 | 9.82E-01 |
| Nickel | 6.63E+00 | 8.85E+00 | 7.74E+00 | 2/2 | 4.60E+00 | 4.90E+00 | 0/2 | 2.10E+01 | 0/2 | 9.30E+04 | 0/2 | 2.42E+02 |
| Uranium | 6.05E+00 | 1.51E+01 | 9.70E+00 | 3/6 | 9.20E-01 | 9.79E-01 | 3/6 | 4.90E+00 | 0/6 | 3.34E+03 | 0/6 | 2.02E+01 |
| Vanadium | 1.54E+01 | 2.53E+01 | 2.04E+01 | 2/2 | 2.30E+00 | 2.45E+00 | 0/2 | 3.80E+01 | 0/2 | 4.47E+03 | 2/2 | 3.32E+00 |
| Zinc | 8.25E+01 | 1.98E+02 | 1.40E+02 | 2/2 | 1.84E+01 | 1.96E+01 | 2/2 | 6.50E+01 | 0/2 | 1.00E+05 | 0/2 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 5.90E-01 | 7.40E-01 | 6.65E-01 | 2/6 | 1.30E-01 | 1.30E-01 | n/a | n/a | 0/6 | 4.25E+01 | 2/6 | 1.99E-01 |
| PCB-1254 | 3.60E-01 | 5.20E-01 | 4.40E-01 | 2/2 | 9.00E-02 | 9.00E-02 | n/a | n/a | 0/2 | 1.82E+01 | 2/2 | 1.99E-01 |
| PCB-1260 | 2.20E-01 | 2.30E-01 | 2.25E-01 | 2/2 | 1.00E-01 | 1.00E-01 | n/a | n/a | 0/2 | 4.25E+01 | 2/2 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Cesium-137 | 1.30E-01 | 2.03E-01 | 1.73E-01 | 4/6 | 9.00E-03 | 7.15E-02 | 0/6 | 4.90E-01 | 0/6 | 8.58E+00 | 4/6 | 8.58E-02 |
| Neptunium-237 | 5.94E-02 | 5.94E-02 | 5.94E-02 | 1/2 | 4.76E-02 | 5.14E-02 | 0/2 | 1.00E-01 | 0/2 | 2.71E+01 | 0/2 | 2.71E-01 |
| Technetium-99 | 9.41E-01 | 9.41E-01 | 9.41E-01 | 1/2 | 5.37E-01 | 5.37E-01 | 0/2 | 2.50E+00 | 0/2 | 3.62E+04 | 0/2 | 3.62E+02 |
| Thorium-228 | 3.30E-01 | 3.78E-01 | 3.54E-01 | 2/2 | 1.05E-01 | 1.05E-01 | 0/2 | 1.60E+00 | 0/2 | 2.80E+00 | 2/2 | 2.80E-02 |
| Thorium-230 | 2.56E-01 | 3.21E-01 | 2.89E-01 | 2/2 | 1.12E-01 | 1.16E-01 | 0/2 | 1.50E+00 | 0/2 | 1.49E+03 | 0/2 | 1.49E+01 |
| Thorium-232 | 3.49E-01 | 3.87E-01 | 3.68E-01 | 2/2 | 6.74E-02 | 7.08E-02 | 0/2 | 1.50E+00 | 0/2 | 1.35E+03 | 0/2 | 1.35E+01 |
| Uranium | 2.02E+00 | 3.70E+00 | 2.86E+00 | 2/2 | 2.44E-01 | 2.54E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 6.01E-01 | 8.77E-01 | 7.39E-01 | 2/2 | 1.21E-01 | 1.21E-01 | 0/2 | 2.50E+00 | 0/2 | 1.98E+03 | 0/2 | 1.98E+01 |
| Uranium-235 | 3.96E-02 | 6.76E-02 | 5.36E-02 | 2/2 | 1.35E-02 | 2.14E-02 | 0/2 | 1.40E-01 | 0/2 | 3.95E+01 | 0/2 | 3.95E-01 |
| Uranium-238 | 1.38E+00 | 2.76E+00 | 2.07E+00 | 2/6 | 1.10E-01 | 1.43E+00 | 2/6 | 1.20E+00 | 0/6 | 1.71E+02 | 1/6 | 1.71E+00 |
| Subsurface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 7.11E+03 | 9.06E+03 | 8.02E+03 | 4/4 | 1.80E+01 | 2.00E+01 | 0/4 | 1.20E+04 | 0/4 | 1.00E+05 | 4/4 | 4.64E+03 |
| Arsenic | 3.42E+00 | 7.36E+00 | 5.84E+00 | 4/4 | 8.99E-01 | 9.98E-01 | 0/4 | 7.90E+00 | 0/4 | 3.15E+02 | 4/4 | 5.23E-01 |
| Barium | 7.60E+01 | 3.22E+02 | 1.87E+02 | 10/10 | 2.25E+00 | 2.50E+00 | 6/10 | 1.70E+02 | 0/10 | 1.00E+05 | 5/10 | 2.29E+02 |
| Cadmium | 6.17E-01 | 8.08E-01 | 7.25E-01 | 4/4 | 4.50E-01 | 4.99E-01 | 4/4 | 2.10E-01 | 0/4 | 7.05E+01 | 0/4 | 2.13E+01 |
| Calcium | 1.26E+03 | 2.68E+03 | 1.94E+03 | 4/4 | 8.99E-01 | 9.98E-01 | 0/4 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 4.08E+01 | 3.34E+02 | 1.63E+02 | 9/10 | 2.25E+00 | 2.50E+00 | n/a | n/a | n/a | n/a | 0/10 | 3.56E+02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.

Table 5.45. Summary of Surface and Subsurface Historical Data at SWMU 563 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Cobalt | 4.18E+00 | 8.61E+00 | 6.51E+00 | 4/4 | 8.99E-01 | 9.98E-01 | 0/4 | 1.30E+01 | 0/4 | 1.00E+05 | 0/4 | 1.92E+03 |
| Copper | 7.94E+00 | 1.90E+01 | 1.33E+01 | 4/4 | 2.25E+00 | 2.50E+00 | 0/4 | 2.50E+01 | 0/4 | 1.00E+05 | 0/4 | 4.93E+02 |
| Iron | 9.01E+03 | 1.27E+04 | 1.14E+04 | 4/4 | 8.99E-01 | 2.00E+01 | 0/4 | 2.80E+04 | 0/4 | 1.00E+05 | 4/4 | 2.07E+03 |
| Lead | 8.71E+00 | 2.48E+01 | 1.50E+01 | 10/10 | 8.99E-01 | 9.98E-01 | 1/10 | 2.30E+01 | 0/10 | 1.25E+03 | 0/10 | 5.00E+01 |
| Magnesium | 8.56E+02 | 9.74E+02 | 9.08E+02 | 4/4 | 4.50E+00 | 4.99E+00 | 0/4 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 1.91E+02 | 5.80E+02 | 3.85E+02 | 4/4 | 2.25E+00 | 2.50E+00 | 0/4 | 8.20E+02 | 0/4 | 4.64E+04 | 4/4 | 4.52E+01 |
| Mercury | 1.70E-02 | 3.50E-02 | 2.77E-02 | 3/4 | 1.60E-02 | 1.60E-02 | 0/4 | 1.30E-01 | 0/4 | 8.25E+02 | 0/4 | 9.82E-01 |
| Nickel | 5.31E+00 | 8.65E+00 | 7.29E+00 | 4/4 | 4.50E+00 | 4.99E+00 | 0/4 | 2.20E+01 | 0/4 | 9.30E+04 | 0/4 | 2.42E+02 |
| Uranium | 3.03E+00 | 1.24E+01 | 7.87E+00 | 6/10 | 8.99E-01 | 9.98E-01 | 4/10 | 4.60E+00 | 0/10 | 3.34E+03 | 0/10 | 2.02E+01 |
| Vanadium | 1.60E+01 | 2.48E+01 | 2.06E+01 | 4/4 | 2.25E+00 | 2.50E+00 | 0/4 | 3.70E+01 | 0/4 | 4.47E+03 | 4/4 | 3.32E+00 |
| Zinc | 4.83E+01 | 2.37E+02 | 1.35E+02 | 4/4 | 1.80E+01 | 2.00E+01 | 2/4 | 6.00E+01 | 0/4 | 1.00E+05 | 0/4 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 3.20E-01 | 3.54E+00 | 1.91E+00 | 4/10 | 1.30E-01 | 1.30E-01 | n/a | n/a | 0/10 | 4.25E+01 | 4/10 | 1.99E-01 |
| PCB-1248 | 1.78E+00 | 1.95E+00 | 1.87E+00 | 2/4 | 1.00E-01 | 1.00E-01 | n/a | n/a | 0/4 | 4.25E+01 | 2/4 | 1.99E-01 |
| PCB-1254 | 2.00E-01 | 1.16E+00 | 6.93E-01 | 4/4 | 9.00E-02 | 9.00E-02 | n/a | n/a | 0/4 | 1.82E+01 | 4/4 | 1.99E-01 |
| PCB-1260 | 1.20E-01 | 4.30E-01 | 2.88E-01 | 4/4 | 1.00E-01 | 1.00E-01 | n/a | n/a | 0/4 | 4.25E+01 | 2/4 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Cesium-137 | 5.00E-02 | 2.88E-01 | 2.01E-01 | 6/10 | 9.51E-03 | 8.48E-02 | 2/10 | 2.80E-01 | 0/10 | 8.58E+00 | 5/10 | 8.58E-02 |
| Neptunium-237 | 6.59E-02 | 1.20E-01 | 9.30E-02 | 2/4 | 4.81E-02 | 5.03E-02 | n/a | n/a | 0/4 | 2.71E+01 | 0/4 | 2.71E-01 |
| Plutonium-239/240 | 1.94E-02 | 3.07E-02 | 2.51E-02 | 2/4 | 1.21E-02 | 1.27E-02 | n/a | n/a | 0/4 | 1.15E+03 | 0/4 | 1.15E+01 |
| Technetium-99 | 1.24E+00 | 3.13E+00 | 2.19E+00 | 2/4 | 5.37E-01 | 6.57E-01 | 1/4 | 2.80E+00 | 0/4 | 3.62E+04 | 0/4 | 3.62E+02 |
| Thorium-228 | 3.48E-01 | 4.45E-01 | 3.94E-01 | 4/4 | 1.05E-01 | 1.17E-01 | 0/4 | 1.60E+00 | 0/4 | 2.80E+00 | 4/4 | 2.80E-02 |
| Thorium-230 | 2.45E-01 | 3.46E-01 | 2.88E-01 | 4/4 | 1.12E-01 | 1.31E-01 | 0/4 | 1.40E+00 | 0/4 | 1.49E+03 | 0/4 | 1.49E+01 |
| Thorium-232 | 3.19E-01 | 4.37E-01 | 3.96E-01 | 4/4 | 6.75E-02 | 7.46E-02 | 0/4 | 1.50E+00 | 0/4 | 1.35E+03 | 0/4 | 1.35E+01 |
| Uranium | 1.43E+00 | 4.06E+00 | 2.75E+00 | 4/4 | 2.44E-01 | 2.51E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 5.00E-01 | 1.03E+00 | 7.49E-01 | 4/4 | 1.19E-01 | 1.24E-01 | 0/4 | 2.40E+00 | 0/4 | 1.98E+03 | 0/4 | 1.98E+01 |
| Uranium-235 | 3.65E-02 | 7.87E-02 | 5.43E-02 | 4/4 | 1.36E-02 | 1.46E-02 | 0/4 | 1.40E-01 | 0/4 | 3.95E+01 | 0/4 | 3.95E-01 |
| Uranium-238 | 8.94E-01 | 6.70E+00 | 2.90E+00 | 5/10 | 1.10E-01 | 1.23E+00 | 3/10 | 1.20E+00 | 0/10 | 1.71E+02 | 3/10 | 1.71E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.56. Soils Operable Unit: AOC 563

U.S. DEPARTMENT OF ENERGY
DOE PORTSMOUTH/PADUCAH PROJECT OFFICE
PADUCAH GASEOUS DIFFUSION PLANT
PADUCAH Remediation Services
A Portage Shaw Joint Venture Company

AOC 564 (Addendum I-B Soil Pile AT)

In December 2006, initial field reconnaissance, field radioactivity measurements, and limited sampling at Addendum 1-B Soil Piles were completed. The results of these efforts indicated radioactivity exceeding background. Addendum 1-B Soil Piles include 40 discrete piles covering an approximate area of 2.3 acres. Forty piles were identified; 34 along LBC east of the PGDP and 6 along the NSDD north of PGDP, and they vary in size and shape, ranging from approximately 1 to 10 ft in height. Included are AOCs 492 and 541, also known as soil piles AR and O, respectively, and K013 (for a new total of 41 piles). The field investigation was completed between October and December 2008.

Area description

Field reconnaissance of Addendum 1-B Soil Piles identified 40 piles along LBC. The majority of the soil piles are located east of PGDP industrialized area and are on DOE-owned property. The soil piles are distributed along LBC and generally are bounded by PGDP industrialized area to the west, the WKWMA/DOE boundary to the east, and the DOE boundary to the north and south. The Addendum 1-B Soil Piles vary in size and shape, ranging from approximately 5 to 250 ft in length and from 1 to 10 ft in height. The soil piles are widely dispersed and often occur as clusters. Vegetative regrowth on and adjacent to the piles is very dense, indicating the soil piles have been in their present locations for years.

Process history

Historical research was performed to attempt to determine the origin of the piles. The origin of the Addendum 1-B Soil Piles remains unknown; however, available information indicates that many of the PGDP-related soil piles may have originated from excavations associated with the creation, periodic dredging, and cleanout of the outfalls, ditches, and creeks that comprise the PGDP surface water management system. The Addendum 1-B Soil Piles are not operational.

Previous investigation results

The COPCs at SWMU 564 are arsenic, beryllium, vanadium, uranium-238, and PCBs were found in pile AT. The remaining chemicals were not recommended COPCs due to levels similar to background or the chemicals are considered ubiquitous (e.g., PAHs). None of these COPCs exceed action levels for the PGDP teen recreational user.

Table 5.46 is a summary of historical data followed by a map of historical sample locations (Figure 5.57).

Area utilities

No recirculating water lines or sewers are associated with these piles; none are within the boundary of the SWMU.

Data Gap Determination

No additional samples are needed at this location.

Table 5.46. Summary of Surface and Subsurface Historical Data at SWMU 564

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 7.12E+03 | 1.10E+04 | 9.06E+03 | 2/2 | 1.95E+01 | 1.94E+02 | 0/2 | 1.30E+04 | 0/2 | 1.00E+05 | 2/2 | 4.64E+03 |
| Arsenic | 1.83E+01 | 4.30E+01 | 3.07E+01 | 2/2 | 9.75E-01 | 9.70E+00 | 2/2 | 1.20E+01 | 0/2 | 3.15E+02 | 2/2 | 5.23E-01 |
| Barium | 6.27E+01 | 2.91E+02 | 2.06E+02 | 7/7 | 2.43E+00 | 2.44E+00 | 5/7 | 2.00E+02 | 0/7 | 1.00E+05 | 4/7 | 2.29E+02 |
| Beryllium | 1.71E+00 | 2.12E+00 | 1.92E+00 | 2/2 | 4.85E-01 | 4.88E-01 | 2/2 | 6.70E-01 | 0/2 | 1.28E+03 | 2/2 | 9.48E-01 |
| Cadmium | 1.40E+00 | 1.96E+00 | 1.68E+00 | 2/2 | 4.85E-01 | 4.88E-01 | 2/2 | 2.10E-01 | 0/2 | 7.05E+01 | 0/2 | 2.13E+01 |
| Calcium | 1.03E+03 | 1.95E+03 | 1.49E+03 | 2/2 | 9.70E+01 | 9.75E+01 | 0/2 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 1.69E+01 | 7.49E+01 | 4.61E+01 | 7/7 | 2.43E+00 | 2.44E+00 | n/a | n/a | n/a | n/a | 0/7 | 3.56E+02 |
| Cobalt | 4.33E+00 | 5.54E+00 | 4.94E+00 | 2/2 | 9.70E-01 | 9.75E-01 | 0/2 | 1.40E+01 | 0/2 | 1.00E+05 | 0/2 | 1.92E+03 |
| Copper | 1.81E+04 | 4.63E+01 | 3.22E+01 | 2/2 | 2.44E+00 | 2.43E+01 | 1/2 | 1.90E+01 | 0/2 | 1.00E+05 | 0/2 | 4.93E+02 |
| Iron | 1.79E+04 | 2.38E+04 | 2.09E+04 | 2/2 | 1.94E+01 | 1.95E+01 | 0/2 | 2.80E+04 | 0/2 | 1.00E+05 | 2/2 | 2.07E+03 |
| Lead | 1.58E+01 | 4.09E+01 | 2.71E+01 | 7/7 | 9.75E-01 | 9.70E+00 | 5/7 | 3.60E+01 | 0/7 | 1.25E+03 | 0/7 | 5.00E+01 |
| Magnesium | 4.10E+02 | 7.45E+02 | 5.78E+02 | 2/2 | 4.85E+00 | 4.88E+00 | 0/2 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 2.58E+02 | 3.51E+02 | 3.05E+02 | 2/2 | 2.43E+00 | 2.44E+00 | 0/2 | 1.50E+03 | 0/2 | 4.64E+04 | 2/2 | 4.52E+01 |
| Mercury | 2.10E-01 | 2.30E-01 | 2.20E-01 | 2/2 | 1.60E-02 | 1.70E-02 | 2/2 | 2.00E-01 | 0/2 | 8.25E+02 | 0/2 | 9.82E-01 |
| Molybdenum | 6.51E+00 | 7.84E+00 | 7.18E+00 | 2/2 | 4.85E+00 | 4.88E+00 | n/a | n/a | 0/2 | 2.50E+04 | 0/2 | 8.30E+01 |
| Nickel | 1.40E+01 | 1.79E+01 | 1.60E+01 | 2/2 | 4.85E+00 | 4.88E+00 | 0/2 | 2.10E+01 | 0/2 | 9.30E+04 | 0/2 | 2.42E+02 |
| Selenium | 2.18E+00 | 2.82E+00 | 2.50E+00 | 2/2 | 9.70E-01 | 9.75E-01 | 2/2 | 8.00E-01 | 0/2 | 2.56E+04 | 0/2 | 9.49E+01 |
| Thallium | 2.36E+00 | 2.36E+00 | 2.36E+00 | 1/2 | 1.94E+00 | 1.95E+00 | 1/2 | 2.10E-01 | n/a | n/a | n/a | n/a |
| Uranium | 1.75E+01 | 5.83E+01 | 3.59E+01 | 7/7 | 9.75E-01 | 9.70E+00 | 7/7 | 4.90E+00 | 0/7 | 3.34E+03 | 6/7 | 2.02E+01 |
| Vanadium | 5.62E+01 | 7.40E+01 | 6.51E+01 | 2/2 | 2.43E+00 | 2.44E+00 | 2/2 | 3.80E+01 | 0/2 | 4.47E+03 | 2/2 | 3.32E+00 |
| Zinc | 7.58E+01 | 1.06E+02 | 9.09E+01 | 2/2 | 1.94E+01 | 1.95E+01 | 2/2 | 6.50E+01 | 0/2 | 1.00E+05 | 0/2 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 1.15E+00 | 1.93E+00 | 1.54E+00 | 2/7 | 1.30E-01 | 1.30E-01 | n/a | n/a | 0/7 | 4.25E+01 | 2/7 | 1.99E-01 |
| PCB-1254 | 1.06E+00 | 1.06E+00 | 1.06E+00 | 1/2 | 9.00E-02 | 9.00E-02 | n/a | n/a | 0/2 | 1.82E+01 | 1/2 | 1.99E-01 |
| PCB-1260 | 8.70E-01 | 1.15E+00 | 1.01E+00 | 2/2 | 1.00E-01 | 1.00E-01 | n/a | n/a | 0/2 | 4.25E+01 | 2/2 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Cesium-137 | 1.20E-01 | 4.00E-01 | 2.65E-01 | 7/7 | 1.23E-02 | 1.18E-01 | 4/7 | 4.90E-01 | 0/7 | 8.58E+00 | 7/7 | 8.58E-02 |
| Plutonium-239/240 | 2.09E-02 | 2.17E-02 | 2.13E-02 | 2/2 | 1.28E-02 | 1.43E-02 | n/a | n/a | 0/2 | 1.15E+03 | 0/2 | 1.15E+01 |
| Technetium-99 | 9.21E+00 | 9.21E+00 | 9.21E+00 | 1/2 | 6.62E-01 | 7.74E-01 | 1/2 | 2.50E+00 | 0/2 | 3.62E+04 | 0/2 | 3.62E+02 |
| Thorium-228 | 3.13E-01 | 3.53E-01 | 3.33E-01 | 2/2 | 8.49E-02 | 1.18E-01 | 0/2 | 1.60E+00 | 0/2 | 2.80E+00 | 2/2 | 2.80E-02 |
| Thorium-230 | 1.69E+00 | 1.87E+00 | 1.78E+00 | 2/2 | 5.55E-02 | 8.50E-02 | 2/2 | 1.50E+00 | 0/2 | 1.49E+03 | 0/2 | 1.49E+01 |
| Thorium-232 | 3.22E-01 | 3.24E-01 | 3.24E-01 | 2/2 | 3.46E-02 | 4.59E-02 | 0/2 | 1.50E+00 | 0/2 | 1.35E+03 | 0/2 | 1.35E+01 |
| Uranium | 9.69E+00 | 1.52E+01 | 1.24E+01 | 2/2 | 1.85E-01 | 2.31E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 4.18E+00 | 6.58E+00 | 5.38E+00 | 2/2 | 7.09E-02 | 1.14E-01 | 2/2 | 2.50E+00 | 0/2 | 1.98E+03 | 0/2 | 1.98E+01 |
| Uranium-235 | 2.43E-01 | 3.37E-01 | 2.90E-01 | 2/2 | 1.48E-02 | 1.67E-02 | 2/2 | 1.40E-01 | 0/2 | 3.95E+01 | 0/2 | 3.95E-01 |
| Uranium-238 | 5.27E+00 | 8.55E+00 | 7.38E+00 | 3/7 | 9.92E-02 | 1.50E+00 | 3/7 | 1.20E+00 | 0/7 | 1.71E+02 | 3/7 | 1.71E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.


Table 5.46. Summary of Surface and Subsurface Historical Data at SWMU 564 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Subsurface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 1.08E+04 | 1.08E+04 | 1.08E+04 | 1/1 | 1.94E+02 | 1.94E+02 | 0/1 | 1.20E+04 | 0/1 | 1.00E+05 | 1/1 | 4.64E+03 |
| Arsenic | 1.91E+01 | 1.91E+01 | 1.91E+01 | 1/1 | 9.68E-01 | 9.68E-01 | 1/1 | 7.90E+00 | 0/1 | 3.15E+02 | 1/1 | 5.23E-01 |
| Barium | 9.23E+01 | 3.80E+02 | 2.62E+02 | 6/6 | 2.42E+00 | 2.42E+00 | 5/6 | 1.70E+02 | 0/6 | 1.00E+05 | 4/6 | 2.29E+02 |
| Beryllium | 1.78E+00 | 1.78E+00 | 1.78E+00 | 1/1 | 4.84E-01 | 4.84E-01 | 1/1 | 6.90E-01 | 0/1 | 1.28E+03 | 1/1 | 9.48E-01 |
| Cadmium | 1.66E+00 | 1.66E+00 | 1.66E+00 | 1/1 | 4.84E-01 | 4.84E-01 | 1/1 | 2.10E-01 | 0/1 | 7.05E+01 | 0/1 | 2.13E+01 |
| Calcium | 1.68E+03 | 1.68E+03 | 1.68E+03 | 1/1 | 9.68E+01 | 9.68E+01 | 0/1 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 2.83E+01 | 8.32E+01 | 5.23E+01 | 4/6 | 2.42E+00 | 2.42E+00 | n/a | n/a | n/a | n/a | 0/6 | 3.56E+02 |
| Cobalt | 5.84E+00 | 5.84E+00 | 5.84E+00 | 1/1 | 9.68E-01 | 9.68E-01 | 0/1 | 1.30E+01 | 0/1 | 1.00E+05 | 0/1 | 1.92E+03 |
| Copper | 4.42E+04 | 4.42E+04 | 4.42E+04 | 1/1 | 1.94E+01 | 1.94E+01 | 0/1 | 2.50E+04 | 0/1 | 1.00E+05 | 0/1 | 4.93E+02 |
| Iron | 2.51E+04 | 2.51E+04 | 2.51E+04 | 1/1 | 9.68E+00 | 9.68E+00 | 2/6 | 2.30E+01 | 0/6 | 1.00E+05 | 1/1 | 2.07E+03 |
| Lead | 1.19E+01 | 4.01E+01 | 2.41E+01 | 6/6 | 9.68E+00 | 9.68E+00 | 0/1 | 2.10E+03 | n/a | n/a | 0/6 | 5.00E+01 |
| Magnesium | 7.51E+02 | 7.51E+02 | 7.51E+02 | 1/1 | 4.84E+00 | 4.84E+00 | 0/1 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 4.10E+02 | 4.10E+02 | 4.10E+02 | 1/1 | 2.42E+00 | 2.42E+00 | 0/1 | 8.20E+02 | 0/1 | 4.64E+04 | 1/1 | 4.52E+01 |
| Mercury | 1.70E-01 | 1.70E-01 | 1.70E-01 | 1/1 | 1.60E-02 | 1.60E-02 | 1/1 | 1.30E-01 | 0/1 | 8.25E+02 | 0/1 | 9.82E-01 |
| Molybdenum | 6.29E+00 | 6.29E+00 | 6.29E+00 | 1/1 | 4.84E+00 | 4.84E+00 | n/a | n/a | 0/1 | 2.50E+04 | 0/1 | 8.30E+01 |
| Nickel | 1.74E+01 | 1.74E+01 | 1.74E+01 | 1/1 | 4.84E+00 | 4.84E+00 | 0/1 | 2.20E+01 | 0/1 | 9.30E+04 | 0/1 | 2.42E+02 |
| Selenium | 2.74E+00 | 2.74E+00 | 2.74E+00 | 1/1 | 9.68E-01 | 9.68E-01 | 1/1 | 7.00E+01 | 0/1 | 2.56E+04 | 0/1 | 9.49E+01 |
| Uranium | 1.57E+01 | 5.45E+01 | 3.05E+01 | 5/6 | 9.68E+00 | 9.68E+00 | 5/6 | 4.60E+00 | 0/6 | 3.34E+03 | 3/6 | 2.02E+01 |
| Vanadium | 6.39E+01 | 6.39E+01 | 6.39E+01 | 1/1 | 2.42E+00 | 2.42E+00 | 1/1 | 3.70E+01 | 0/1 | 4.47E+03 | 1/1 | 3.32E+00 |
| Zinc | 9.70E+01 | 9.70E+01 | 9.70E+01 | 1/1 | 1.94E+01 | 1.94E+01 | 1/1 | 6.00E+01 | 0/1 | 1.00E+05 | 0/1 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 7.40E-01 | 7.40E-01 | 7.40E-01 | 1/6 | 1.30E-01 | 1.30E-01 | n/a | n/a | 0/6 | 4.25E+01 | 1/6 | 1.99E-01 |
| PCB-1260 | 7.40E-01 | 7.40E-01 | 7.40E-01 | 1/1 | 1.00E-01 | 1.00E-01 | n/a | n/a | 0/1 | 4.25E+01 | 1/1 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Cesium-137 | 7.00E-02 | 4.75E-01 | 2.59E-01 | 5/6 | 8.80E-03 | 1.38E-01 | 2/6 | 2.80E-01 | 0/6 | 8.58E+00 | 4/6 | 8.58E-02 |
| Plutonium-239/240 | 2.06E-02 | 2.06E-02 | 2.06E-02 | 1/1 | 1.29E-02 | 1.29E-02 | n/a | n/a | 0/1 | 1.15E+03 | 0/1 | 1.15E+01 |
| Thorium-232 | 3.39E-01 | 3.39E-01 | 3.39E-01 | 1/1 | 8.54E-02 | 8.54E-02 | 0/1 | 1.60E+00 | 0/1 | 2.80E+00 | 1/1 | 2.80E-02 |
| Thorium-230 | 1.39E+00 | 1.39E+00 | 1.39E+00 | 1/1 | 5.93E-02 | 5.93E-02 | 0/1 | 1.40E+00 | 0/1 | 1.49E+03 | 0/1 | 1.49E+01 |
| Thorium-232 | 3.63E-01 | 3.63E-01 | 3.63E-01 | 1/1 | 3.72E-02 | 3.72E-02 | 0/1 | 1.50E+00 | 0/1 | 1.35E+03 | 0/1 | 1.35E+01 |
| Uranium | 1.56E+01 | 1.56E+01 | 1.56E+01 | 1/1 | 2.29E-01 | 2.29E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 6.70E+00 | 6.70E+00 | 6.70E+00 | 1/1 | 1.14E-01 | 1.14E-01 | 1/1 | 2.40E+00 | 0/1 | 1.98E+03 | 0/1 | 1.98E+01 |
| Uranium-235 | 3.48E-01 | 3.48E-01 | 3.48E-01 | 1/1 | 1.57E-02 | 1.57E-02 | 1/1 | 1.40E-01 | 0/1 | 3.95E+01 | 0/1 | 3.95E-01 |
| Uranium-238 | 6.38E+00 | 8.54E+00 | 7.65E+00 | 4/6 | 9.99E-02 | 1.35E+00 | 4/6 | 1.20E+00 | 0/6 | 1.71E+02 | 4/6 | 1.71E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.



U.S. DEPARTMENT OF ENERGY
DOE PORTSMOUTH/PADUCAH PROJECT OFFICE
PADUCAH GASEOUS DIFFUSION PLANT



Figure No. \SoilsOU\soil_swmustr3.apr
DATE 08-11-09

Figure 5.57. Soils Operable Unit: AOC 564

5.1.6 Group 3–Scrap Yard

SWMU 12 (C-747-A UF₄ Drum Yard)

Area description

The C-747-A UF₄ Drum Yard (SWMU 12) is located in the northwest corner of the plant. SWMU 12, formerly known as “Drum Mountain,” is approximately 20,000 ft². SWMU 12 also is sited within C-747-A Burial Ground (SWMU 7); therefore, any scrap metal identified by the SOU RI found to be 10 ft bgs or below will be investigated under the BGOU.

Process history

Between 1978 and 2000, the C-747-A UF₄ Drum Yard was used for the storage of UF₄ drums generated in the pulverizer and screener operation at C-400. These drums had been emptied, rinsed, and frequently crushed prior to storage.

The UF₄ drum pile was placed over Pit G and was reported to contain noncombustible, contaminated, and uncontaminated trash and equipment of the SWMU 7 burial grounds.

These storage yards were emptied, as specified by the *Action Memorandum for Scrap Metal Disposition at the Paducah Gaseous Diffusion Plant* (DOE 2001a) and documented in the *Removal Action Report for the Scrap Metal Removal Action at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky* (DOE 2008a).

Previous investigation results

“Drum Mountain” was sampled in 1996 and 2000 for various constituents, such as metals, volatiles, semivolatiles, and radionuclides. The area also was investigated as part of the BGOU RI (January–May 2007). The results of the BGOU investigation concluded that metal exists to a depth of 16 ft bgs.

Table 5.47 is a summary of historical data followed by a map of historical sample locations (Figure 5.58).

Area utilities

No recirculating water lines or sewers are associated with this facility; none are within the boundary of the SWMU.

Data Gap Determination

Additional samples are needed at this location.

Table 5.47. Summary of Surface and Subsurface Historical Data at SWMU 12

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Anions (mg/kg) | | | | | | | | | | | | |
| Chloride | 2.20E+00 | 3.80E+00 | 3.07E+00 | 3/3 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Fluoride | 5.50E+00 | 8.10E+00 | 6.77E+00 | 3/3 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Nitrate/Nitrite | 3.50E+00 | 7.10E+00 | 5.67E+00 | 3/3 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Sulfate | 4.90E+00 | 8.00E+00 | 6.77E+00 | 3/3 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 4.60E+03 | 1.48E+04 | 9.02E+03 | 6/6 | | | 1/6 | 1.30E+04 | 0/6 | 1.00E+05 | 5/6 | 4.64E+03 |
| Antimony | 5.40E-01 | 9.00E-01 | 6.73E-01 | 4/6 | 3.30E-01 | 3.30E-01 | 4/6 | 2.10E-01 | 0/6 | 4.63E+02 | 4/6 | 3.79E-01 |
| Arsenic | 4.40E+00 | 1.60E+01 | 6.87E+00 | 6/6 | | | 1/6 | 1.20E+01 | 0/6 | 3.15E+02 | 6/6 | 5.23E-01 |
| Barium | 2.10E+01 | 8.90E+01 | 5.61E+01 | 6/6 | | | 0/6 | 2.00E+02 | 0/6 | 1.00E+05 | 0/6 | 2.29E+02 |
| Beryllium | 4.80E-01 | 2.44E+01 | 7.54E+00 | 6/6 | | | 3/6 | 6.70E-01 | 0/6 | 1.28E+03 | 3/6 | 9.48E-01 |
| Cadmium | 1.20E-01 | 3.30E+00 | 1.54E+00 | 4/6 | | | 2/6 | 2.10E-01 | 0/6 | 7.05E+01 | 0/6 | 2.13E+01 |
| Calcium | 2.38E+03 | 5.40E+03 | 4.39E+03 | 6/6 | | | 0/6 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 1.80E+01 | 4.04E+01 | 2.84E+01 | 6/6 | | | n/a | n/a | n/a | n/a | 0/6 | 3.56E+02 |
| Cobalt | 5.00E+00 | 9.60E+00 | 7.27E+00 | 6/6 | | | 0/6 | 1.40E+01 | 0/6 | 1.00E+05 | 0/6 | 1.92E+03 |
| Copper | 6.10E+00 | 2.48E+01 | 1.57E+01 | 6/6 | | | 1/6 | 1.90E+01 | 0/6 | 1.00E+05 | 0/6 | 4.93E+02 |
| Iron | 1.40E+04 | 2.80E+04 | 2.07E+04 | 6/6 | | | 0/6 | 2.80E+04 | 0/6 | 1.00E+05 | 6/6 | 2.07E+03 |
| Lead | 4.70E+02 | 2.40E+01 | 1.75E+01 | 6/6 | | | 1/6 | 3.60E+01 | 0/6 | 1.25E+03 | 0/6 | 5.00E+01 |
| Magnesium | 3.80E+02 | 1.10E+03 | 7.96E+02 | 6/6 | | | 0/6 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 1.60E+02 | 4.70E+02 | 3.00E+02 | 6/6 | | | 0/6 | 1.50E+03 | 0/6 | 4.64E+04 | 6/6 | 4.52E+01 |
| Mercury | 5.20E-02 | 8.30E-02 | 7.07E-02 | 3/6 | 1.00E-01 | 1.00E-01 | 0/6 | 2.00E-01 | 0/6 | 8.25E+02 | 0/6 | 9.82E-01 |
| Nickel | 7.10E+00 | 2.10E+01 | 1.46E+01 | 6/6 | | | 0/6 | 2.10E+01 | 0/6 | 9.30E+04 | 0/6 | 2.42E+02 |
| Potassium | 2.15E+02 | 5.83E+02 | 3.99E+02 | 2/6 | | | 0/6 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Selenium | 6.30E-01 | 8.80E-01 | 7.55E-01 | 2/6 | 1.10E-01 | 1.10E-01 | 1/6 | 8.00E-01 | 0/6 | 2.56E+04 | 0/6 | 9.49E+01 |
| Silver | 1.80E-01 | 1.60E+00 | 8.90E-01 | 2/6 | 1.10E+00 | 1.10E+00 | 0/6 | 2.30E+00 | 0/6 | 2.07E+04 | 0/6 | 4.11E+01 |
| Sodium | 2.10E+01 | 7.10E+01 | 4.44E+01 | 3/6 | | | 0/6 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Thallium | 2.80E-01 | 2.00E+00 | 1.28E+00 | 5/6 | 2.20E-01 | 2.20E-01 | 5/6 | 2.10E-01 | n/a | n/a | n/a | n/a |
| Tin | 3.30E+00 | 7.20E+00 | 5.43E+00 | 3/4 | | | n/a | n/a | 0/4 | 1.00E+05 | 0/4 | 2.79E+03 |
| Uranium | 9.40E+01 | 3.80E+02 | 1.69E+02 | 4/4 | | | 4/4 | 4.90E+00 | 0/4 | 3.34E+03 | 4/4 | 2.02E+01 |
| Vanadium | 1.90E+01 | 5.20E+01 | 2.88E+01 | 6/6 | | | 1/6 | 3.80E+01 | 0/6 | 4.47E+03 | 6/6 | 3.32E+00 |
| Zinc | 2.60E+01 | 1.00E+02 | 5.44E+01 | 6/6 | | | 2/6 | 6.50E+01 | 0/6 | 1.00E+05 | 0/6 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB-1260 | 2.70E-02 | 3.90E-01 | 1.95E-01 | 4/6 | 1.70E-01 | 1.80E-01 | n/a | n/a | 0/6 | 4.25E+01 | 2/6 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 9.17E+00 | 2.01E+02 | 9.23E+01 | 9/10 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 6.56E+00 | 6.90E+02 | 2.39E+02 | 9/10 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Neptunium-237 | 9.00E-02 | 4.76E-01 | 2.12E-01 | 4/6 | | | 3/6 | 1.00E-01 | 0/6 | 2.71E+01 | 1/6 | 2.71E-01 |
| Plutonium-239 | 1.30E-01 | 2.30E+00 | 7.94E-01 | 5/6 | | | 5/6 | 2.50E-02 | 0/6 | 1.15E+03 | 0/6 | 1.15E+01 |
| Technetium-99 | 1.54E+00 | 1.80E+01 | 6.41E+00 | 6/6 | | | 2/6 | 2.50E+00 | 0/6 | 3.62E+04 | 0/6 | 3.62E+02 |
| Thorium-230 | 8.30E-01 | 1.40E+01 | 4.12E+00 | 6/6 | | | 4/6 | 1.50E+00 | 0/6 | 1.49E+03 | 0/6 | 1.49E+01 |
| Uranium-234 | 8.92E+00 | 1.10E+02 | 4.31E+01 | 6/6 | | | 6/6 | 2.50E+00 | 0/6 | 1.98E+03 | 3/6 | 1.98E+01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.47. Summary of Surface and Subsurface Historical Data at SWMU 12 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | |
| | Bkgd Value | | | | | | | | | | |
| Uranium-235 | 4.50E+00 | 8.00E+00 | 6.25E+00 | 2/2 | | 2/2 | 1.40E-01 | 0/2 | 3.95E+01 | 2/2 | 3.95E-01 |
| Uranium-235/236 | 1.35E+00 | 4.87E+00 | 2.39E+00 | 4/4 | | n/a | n/a | 0/4 | 3.95E+01 | 4/4 | 3.95E-01 |
| Uranium-238 | 3.60E+01 | 5.30E+02 | 1.86E+02 | 6/6 | | 6/6 | 1.20E+00 | 2/6 | 1.71E+02 | 6/6 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | |
| Benz(a)anthracene | 2.60E-02 | 5.20E-02 | 3.90E-02 | 4/6 | 3.70E-01 | n/a | n/a | 0/6 | 2.08E+02 | 0/6 | 2.12E-01 |
| Benz(a)pyrene | 2.00E-02 | 7.50E-02 | 5.18E-02 | 4/6 | 3.70E-01 | n/a | n/a | 0/6 | 2.08E+01 | 3/6 | 2.12E-02 |
| Benz(b)fluoranthene | 3.40E-02 | 1.00E-01 | 6.98E-02 | 4/6 | 3.70E-01 | n/a | n/a | 0/6 | 2.08E+02 | 0/6 | 2.12E-01 |
| Benz(ghi)perylene | 7.60E-02 | 7.60E-02 | 7.60E-02 | 1/6 | 3.70E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benz(k)fluoranthene | 2.20E-02 | 4.40E-02 | 3.67E-02 | 3/6 | 3.70E-01 | n/a | n/a | 0/6 | 2.08E+03 | 0/6 | 2.12E+00 |
| Chrysene | 1.80E-02 | 4.50E-02 | 3.08E-02 | 4/6 | 3.70E-01 | n/a | n/a | 0/6 | 2.08E+04 | 0/6 | 2.12E+01 |
| Fluoranthene | 2.00E-02 | 3.90E-02 | 3.23E-02 | 4/6 | 3.70E-01 | n/a | n/a | 0/6 | 6.50E+04 | 0/6 | 2.21E+02 |
| Indeno(1,2,3-cd)pyrene | 7.10E-02 | 7.10E-02 | 7.10E-02 | 1/6 | 3.70E-01 | n/a | n/a | 0/6 | 2.08E+02 | 0/6 | 2.12E-01 |
| Phenanthrene | 1.50E-02 | 2.80E-02 | 2.20E-02 | 3/6 | 3.70E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 3.70E-02 | 7.40E-02 | 5.83E-02 | 4/6 | 3.70E-01 | n/a | n/a | 0/6 | 4.87E+04 | 0/6 | 1.65E+02 |
| Volatiles (mg/kg) | | | | | | | | | | | |
| Chloroform | 7.00E-03 | 7.00E-03 | 7.00E-03 | 1/2 | 5.00E-03 | n/a | n/a | 0/2 | 3.70E+00 | 0/2 | 1.23E-01 |
| Wetchem (mg/kg) | | | | | | | | | | | |
| Total Organic Carbon (TOC) | 1.90E+04 | 2.60E+04 | 2.23E+04 | 3/3 | | n/a | n/a | n/a | n/a | n/a | n/a |
| Subsurface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | |
| Aluminum | 6.60E+03 | 9.02E+03 | 7.62E+03 | 5/5 | 1.78E+01 | 2.00E+01 | 1.20E+04 | 0/5 | 1.00E+05 | 5/5 | 4.64E+03 |
| Arsenic | 1.59E+00 | 6.22E+00 | 2.98E+00 | 5/5 | 8.92E-01 | 9.99E-01 | 7.90E+00 | 0/5 | 3.15E+02 | 5/5 | 5.23E-01 |
| Barium | 5.01E+01 | 9.55E+01 | 7.05E+01 | 5/5 | 2.23E+00 | 2.50E+00 | 1.70E+02 | 0/5 | 1.00E+05 | 0/5 | 2.29E+02 |
| Calcium | 6.37E+02 | 1.28E+03 | 9.26E+02 | 5/5 | 8.92E+01 | 9.99E+01 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 7.71E+00 | 1.21E+01 | 1.03E+01 | 5/5 | 2.23E+00 | 2.50E+00 | n/a | n/a | n/a | 0/5 | 3.56E+02 |
| Cobalt | 2.41E+00 | 6.41E+00 | 3.98E+00 | 4/5 | 2.23E+00 | 2.50E+00 | 1.30E+01 | 0/5 | 1.00E+05 | 0/5 | 1.92E+03 |
| Copper | 5.43E+00 | 1.14E+01 | 8.71E+00 | 5/5 | 2.23E+00 | 2.50E+00 | 2.50E+01 | 0/5 | 1.00E+05 | 0/5 | 4.93E+02 |
| Iron | 6.58E+03 | 1.23E+04 | 9.85E+03 | 5/5 | 1.78E+01 | 2.00E+01 | 2.80E+04 | 0/5 | 1.00E+05 | 5/5 | 2.07E+03 |
| Lead | 5.72E+00 | 1.53E+01 | 8.36E+00 | 5/5 | 8.92E-01 | 9.99E-01 | 2.30E+01 | 0/5 | 1.25E+03 | 0/5 | 5.00E+01 |
| Magnesium | 5.23E+02 | 1.33E+03 | 1.00E+03 | 5/5 | 4.46E+00 | 5.00E+00 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 8.92E+01 | 2.56E+02 | 1.83E+02 | 5/5 | 2.23E+00 | 2.50E+00 | 8.20E+02 | 0/5 | 4.64E+04 | 5/5 | 4.52E+01 |
| Mercury | 1.80E-02 | 2.80E-02 | 2.20E-02 | 3/5 | 1.70E-02 | 2.00E-02 | 1.30E-01 | 0/5 | 8.25E+02 | 0/5 | 9.82E-01 |
| Nickel | 5.31E+00 | 1.34E+01 | 9.24E+00 | 5/5 | 4.46E+00 | 5.00E+00 | 2.20E+01 | 0/5 | 9.30E+04 | 0/5 | 2.42E+02 |
| Sodium | 1.54E+02 | 1.91E+02 | 1.71E+02 | 4/5 | 8.92E+01 | 9.99E+01 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Uranium | 9.62E-01 | 3.86E+00 | 2.41E+00 | 2/5 | 8.92E-01 | 9.99E-01 | 4.60E+00 | 0/5 | 3.34E+03 | 0/5 | 2.02E+01 |
| Vanadium | 4.50E+00 | 3.09E+01 | 1.79E+01 | 5/5 | 2.23E+00 | 2.50E+00 | 3.70E+01 | 0/5 | 4.47E+03 | 5/5 | 3.32E+00 |
| Zinc | 2.13E+01 | 3.36E+01 | 2.78E+01 | 4/5 | 1.78E+01 | 2.00E+01 | 6.00E+01 | 0/5 | 1.00E+05 | 0/5 | 2.73E+03 |
| Radionuclides (pCi/g) | | | | | | | | | | | |
| Alpha activity | 5.40E+00 | 8.18E+00 | 6.76E+00 | 5/5 | 1.26E+00 | 1.92E+00 | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 3.38E+00 | 1.06E+01 | 5.38E+00 | 5/5 | 1.32E+00 | 1.79E+00 | n/a | n/a | n/a | n/a | n/a |
| Technetium-99 | 2.55E+00 | 2.60E+00 | 2.58E+00 | 2/5 | 1.72E+00 | 1.74E+00 | 2.80E+00 | 0/5 | 3.62E+04 | 0/5 | 3.62E+02 |
| Thorium-228 | 3.26E-01 | 5.58E-01 | 3.84E-01 | 5/5 | 6.66E-02 | 9.35E-02 | 1.60E+00 | 0/5 | 2.80E+00 | 5/5 | 2.80E-02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.47. Summary of Surface and Subsurface Historical Data at SWMU 12 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Thorium-230 | 2.99E-01 | 5.21E-01 | 3.86E-01 | 5/5 | 1.10E-01 | 2.48E-01 | 0/5 | 1.40E+00 | 0/5 | 1.49E+03 | 0/5 | 1.49E+01 |
| Thorium-232 | 3.42E-01 | 4.54E-01 | 3.96E-01 | 5/5 | 4.87E-02 | 1.76E-01 | 0/5 | 1.50E+00 | 0/5 | 1.35E+03 | 0/5 | 1.35E+01 |
| Thorium-234 | 2.91E+00 | 3.25E+00 | 3.08E+00 | 2/5 | 9.92E-01 | 1.23E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium | 3.98E+00 | 3.98E+00 | 3.98E+00 | 1/5 | 3.00E-01 | 3.22E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 1.20E+00 | 1.20E+00 | 1.20E+00 | 1/5 | 1.34E-01 | 1.41E-01 | 0/5 | 2.40E+00 | 0/5 | 1.98E+03 | 0/5 | 1.98E+01 |
| Uranium-235 | 1.19E-01 | 1.19E-01 | 1.19E-01 | 1/5 | 3.66E-02 | 4.52E-02 | 0/5 | 1.40E-01 | 0/5 | 3.95E+01 | 0/5 | 3.95E-01 |
| Uranium-238 | 1.81E-01 | 2.66E+00 | 1.03E+00 | 3/5 | 1.24E-01 | 1.36E-01 | 1/5 | 1.20E+00 | 0/5 | 1.71E+02 | 1/5 | 1.71E+00 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 6.77E-02 | 1.59E-01 | 1.13E-01 | 2/5 | 4.97E-03 | 5.04E-03 | n/a | n/a | 0/5 | 9.38E+03 | 0/5 | 1.56E+02 |
| 1,1,2-Trichloroethane | 1.40E-01 | 1.49E-01 | 1.45E-01 | 2/5 | 4.97E-03 | 5.04E-03 | n/a | n/a | 0/5 | 1.69E+02 | 0/5 | 1.18E+00 |
| 1,1-Dichloroethane | 3.44E-01 | 3.78E-01 | 3.61E-01 | 2/5 | 4.97E-03 | 5.04E-03 | n/a | n/a | 0/5 | 5.52E+03 | 0/5 | 1.55E+02 |
| 1,1-Dichloroethene | 1.11E+00 | 1.66E+00 | 1.39E+00 | 2/5 | 4.97E-03 | 5.04E-03 | n/a | n/a | 0/5 | 1.21E+01 | 2/5 | 9.59E-02 |
| 1,2-Dichloroethane | 1.50E-02 | 1.63E-02 | 1.57E-02 | 2/5 | 4.97E-03 | 5.04E-03 | n/a | n/a | 0/5 | 6.39E+01 | 0/5 | 5.28E-01 |
| Acetone | 1.23E-02 | 1.23E-02 | 1.23E-02 | 1/5 | 4.97E-03 | 5.04E-03 | n/a | n/a | 0/5 | 1.91E+04 | 0/5 | 3.58E+02 |
| cis-1,2-Dichloroethene | 8.53E-03 | 8.97E-03 | 8.75E-03 | 2/5 | 4.97E-03 | 5.04E-03 | n/a | n/a | 0/5 | 4.63E+02 | 0/5 | 1.34E+01 |
| Tetrachloroethene | 6.20E-03 | 6.20E-03 | 6.20E-03 | 1/5 | 4.97E-03 | 5.04E-03 | n/a | n/a | 0/5 | 1.46E+03 | 0/5 | 3.90E+00 |
| Toluene | 9.26E-02 | 9.26E-02 | 9.26E-02 | 1/5 | 4.97E-03 | 5.04E-03 | n/a | n/a | 0/5 | 7.28E+03 | 0/5 | 2.11E+02 |
| Trichloroethene | 6.87E-03 | 8.08E-03 | 7.48E-03 | 2/5 | 4.97E-03 | 5.04E-03 | n/a | n/a | 0/5 | 2.98E+02 | 0/5 | 2.51E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.58. Soils Operable Unit: SWMUs 12, 13, 228, 229, and 518

SWMU 13 (C-746 P and P1 Scrap Yards)

Area description

The C-746-P and C-746-P1 Clean Scrap Yard (SWMU 13) are located in the northwest corner of plant site. SWMU 13 includes both scrap yards, C-746-P and C-746-P1, and is approximately 314,000 ft² (290 ft x 1,076 ft). This SWMU is part of the SOU and the BGOU.

Process history

SWMU 13, C-746-P Clean Scrap Yard, was an aboveground scrap yard used for storage from the 1950s to 2005 for clean scrap metal prior to sale to metal reclaimers. During the summer of 1989, some scrap at the yard was found to be contaminated by uranium. Based on this discovery, the site was divided into a contaminated scrap yard, comprising approximately the eastern two-thirds of the original waste management unit and designated as C-746-P, and a clean scrap yard, comprising approximately the western one-third of the original unit and designated C-746-P1. Suspected contaminants of the scrap metal include uranium and asbestos. The scrap yard also contained drums of “heels” of remnant fluids potentially contaminated by petroleum hydrocarbons and TCE.

These storage yards were emptied, as specified by the *Action Memorandum for Scrap Metal Disposition at the Paducah Gaseous Diffusion Plant* (DOE 2001a) and documented in the *Removal Action Report for the Scrap Metal Removal Action at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky* (DOE 2008a).

Previous investigation results

The Phase II Site Investigation (1991) sampled shallow soils in the area. Suspected contaminants of concern for the SWMU soils include semivolatiles, metals, and radionuclides.

SWMU 13 has had geophysics performed on areas inside the C-746-P and C-746-P1 Scrap Yards as part of the BGOU RI. Geophysics was performed on these areas to assess if scrap metal was buried in them. The results of the geophysics survey indicated there was metal found in three areas. Metals were found in two locations at a depth of 2 ft bgs and in one location at a depth of 2 ft bgs with a center trough of 4 to 6 ft bgs.

Table 5.48 is a summary of historical data followed by a map of historical sample locations (Figure 5.59).

Area utilities

No current recirculating water lines or sewers are associated with this facility; none are within the boundary of the SWMU. Only one fire water line is located with the SWMU.

Data Gap Determination

No additional samples are needed at this location.

Table 5.48. Summary of Surface and Subsurface Historical Data at SWMU 13

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Anions (mg/kg) | | | | | | | | | | | | |
| Chloride | 2.90E+00 | 2.90E+00 | 2.90E+00 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Fluoride | 3.20E+01 | 3.20E+01 | 3.20E+01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Sulfate | 4.40E+00 | 4.40E+00 | 4.40E+00 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 2.58E+03 | 1.60E+04 | 8.37E+03 | 17/17 | 2.00E+01 | 3.43E+01 | 3/17 | 1.30E+04 | 0/17 | 1.00E+05 | 16/17 | 4.64E+03 |
| Antimony | 4.70E-01 | 3.00E+00 | 1.21E+00 | 5/17 | 3.90E-01 | 2.00E+01 | 5/17 | 2.10E-01 | 0/17 | 4.63E+02 | 5/17 | 3.79E-01 |
| Arsenic | 4.10E+00 | 8.35E+00 | 5.59E+00 | 9/17 | 1.50E+00 | 5.00E+00 | 1/17 | 1.20E+01 | 0/17 | 3.15E+02 | 9/17 | 5.23E-01 |
| Barium | 2.33E+01 | 1.35E+02 | 8.55E+01 | 17/17 | 2.50E+00 | 3.43E+01 | 0/17 | 2.00E+02 | 0/17 | 1.00E+05 | 0/17 | 2.29E+02 |
| Beryllium | 1.70E-01 | 8.40E+00 | 1.63E+00 | 7/17 | 5.00E-01 | 8.60E-01 | 1/17 | 6.70E-01 | 0/17 | 1.28E+03 | 1/17 | 9.48E-01 |
| Cadmium | 1.20E+00 | 2.80E+00 | 1.78E+00 | 4/17 | 7.20E-01 | 2.00E+00 | 4/17 | 2.10E-01 | 0/17 | 7.05E+01 | 0/17 | 2.13E+01 |
| Calcium | 7.81E+02 | 2.93E+05 | 2.28E+04 | 17/17 | 2.00E+02 | 8.56E+02 | 3/17 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 3.30E+00 | 2.50E+01 | 1.34E+01 | 17/17 | 1.50E+00 | 2.50E+00 | n/a | n/a | n/a | n/a | 0/17 | 3.56E+02 |
| Cobalt | 3.10E+00 | 1.00E+01 | 4.89E+00 | 17/17 | 2.50E+00 | 8.60E+00 | 0/17 | 1.40E+01 | 0/17 | 1.00E+05 | 0/17 | 1.92E+03 |
| Copper | 4.20E+00 | 1.70E+02 | 2.98E+01 | 17/17 | 2.50E+00 | 4.30E+00 | 4/17 | 1.90E+01 | 0/17 | 1.00E+05 | 0/17 | 4.93E+02 |
| Iron | 4.68E+03 | 3.00E+04 | 1.24E+04 | 17/17 | 1.48E+01 | 2.00E+01 | 1/17 | 2.80E+04 | 0/17 | 1.00E+05 | 17/17 | 2.07E+03 |
| Lead | 6.50E+00 | 7.10E+01 | 3.01E+01 | 8/17 | 4.40E-01 | 2.00E+01 | 3/17 | 3.60E+01 | 0/17 | 1.25E+03 | 2/17 | 5.00E+01 |
| Lithium | 5.13E+00 | 8.59E+00 | 6.49E+00 | 6/9 | 5.00E+00 | 1.00E+01 | n/a | n/a | 0/9 | 1.00E+05 | 0/9 | 6.41E+02 |
| Magnesium | 4.30E+02 | 7.74E+03 | 1.41E+03 | 17/17 | 2.50E+00 | 8.56E+02 | 1/17 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 2.14E+02 | 1.12E+03 | 4.14E+02 | 17/17 | 2.20E+00 | 1.00E+01 | 1/17 | 1.50E+03 | 0/17 | 4.64E+04 | 17/17 | 4.52E+01 |
| Mercury | 3.90E-02 | 2.00E-01 | 1.20E-01 | 5/17 | 4.90E-02 | 2.00E-01 | 2/17 | 2.00E-01 | 0/17 | 8.25E+02 | 0/17 | 9.82E-01 |
| Molybdenum | 4.40E-01 | 5.50E-01 | 4.95E-01 | 2/6 | 5.90E+00 | 6.90E+00 | n/a | n/a | 0/6 | 2.50E+04 | 0/6 | 8.30E+01 |
| Nickel | 5.33E+00 | 5.70E+02 | 8.72E+01 | 16/17 | 5.00E+00 | 6.90E+00 | 6/17 | 2.10E+01 | 0/17 | 9.30E+04 | 2/17 | 2.42E+02 |
| Potassium | 2.00E+02 | 9.33E+02 | 5.62E+02 | 5/8 | 7.40E+02 | 8.56E+02 | 0/8 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Selenium | 1.60E-01 | 1.20E+00 | 5.68E-01 | 4/17 | 2.80E-01 | 1.00E+00 | 1/17 | 8.00E-01 | 0/17 | 2.56E+04 | 0/17 | 9.49E+01 |
| Silicon | 1.81E+03 | 2.54E+03 | 2.18E+03 | 2/2 | 7.40E+01 | 8.56E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Silver | 1.30E+00 | 1.30E+00 | 1.30E+00 | 1/17 | 6.20E-01 | 4.00E+00 | 0/17 | 2.30E+00 | 0/17 | 2.07E+04 | 0/17 | 4.11E+01 |
| Sodium | 2.02E+01 | 1.16E+02 | 6.24E+01 | 4/8 | 7.40E+02 | 8.56E+02 | 0/8 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Thallium | 1.80E+00 | 1.80E+00 | 1.80E+00 | 1/17 | 2.60E-01 | 2.00E+01 | 1/17 | 2.10E-01 | n/a | n/a | n/a | n/a |
| Tin | 8.00E+00 | 8.00E+00 | 8.00E+00 | 1/13 | 1.00E+02 | 1.00E+02 | n/a | n/a | 0/13 | 1.00E+05 | 0/13 | 2.79E+03 |
| Uranium | 1.20E+02 | 5.00E+02 | 3.08E+02 | 4/13 | 1.00E+02 | 2.00E+02 | 4/13 | 4.90E+00 | 0/13 | 3.34E+03 | 4/13 | 2.02E+01 |
| Vanadium | 4.60E+00 | 3.64E+01 | 2.24E+01 | 17/17 | 2.50E+00 | 8.60E+00 | 0/17 | 3.80E+01 | 0/17 | 4.47E+03 | 17/17 | 3.32E+00 |
| Zinc | 1.71E+01 | 7.50E+02 | 1.38E+02 | 17/17 | 3.00E+00 | 2.00E+01 | 6/17 | 6.50E+01 | 0/17 | 1.00E+05 | 0/17 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 4.00E-01 | 7.00E-01 | 5.50E-01 | 2/9 | 9.00E-02 | 1.00E-01 | n/a | n/a | 0/9 | 4.25E+01 | 2/9 | 1.99E-01 |
| PCB-1016 | 5.10E-02 | 5.10E-02 | 5.10E-02 | 1/15 | 6.00E-02 | 4.30E-01 | n/a | n/a | 0/15 | 4.25E+01 | 0/15 | 1.99E-01 |
| PCB-1254 | 3.00E-01 | 3.00E-01 | 3.00E-01 | 1/15 | 6.00E-02 | 8.70E-01 | n/a | n/a | 0/15 | 1.82E+01 | 1/15 | 1.99E-01 |
| PCB-1260 | 4.00E-01 | 3.10E+00 | 1.30E+00 | 5/15 | 9.00E-02 | 8.70E-01 | n/a | n/a | 0/15 | 4.25E+01 | 5/15 | 1.99E-01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.

Table 5.48. Summary of Surface and Subsurface Historical Data at SWMU 13 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 1.70E+01 | 1.45E+02 | 1.01E+02 | 5/9 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 1.90E+01 | 2.75E+02 | 1.63E+02 | 6/9 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 1.86E-01 | 1.86E-01 | 1.86E-01 | 1/9 | 1.05E-02 | 2.39E-02 | 0/9 | 4.90E-01 | 0/9 | 8.58E+00 | 1/9 | 8.58E-02 |
| Neptunium-237 | 7.00E-02 | 1.68E+00 | 8.28E-01 | 4/15 | 1.74E-02 | 3.83E-02 | 3/15 | 1.00E-01 | 0/15 | 2.71E+01 | 3/15 | 2.71E-01 |
| Plutonium-239 | 2.00E-02 | 5.50E-01 | 1.58E-01 | 5/6 | | | 3/6 | 2.50E-02 | 0/6 | 1.15E+03 | 0/6 | 1.15E+01 |
| Plutonium-239/240 | 5.37E-02 | 5.37E-02 | 5.37E-02 | 1/11 | 3.80E-02 | 1.60E-01 | n/a | n/a | 0/11 | 1.15E+03 | 0/11 | 1.15E+01 |
| Technetium-99 | 1.27E+00 | 3.60E+02 | 9.50E+01 | 8/17 | 2.64E+00 | 1.20E+01 | 7/17 | 2.50E+00 | 0/17 | 3.62E+04 | 0/17 | 3.62E+02 |
| Thorium-228 | 3.23E-01 | 5.48E-01 | 4.20E-01 | 9/9 | 6.28E-02 | 6.52E-02 | 0/9 | 1.60E+00 | 0/9 | 2.80E+00 | 9/9 | 2.80E-02 |
| Thorium-230 | 2.30E-01 | 1.64E+00 | 6.62E-01 | 14/15 | 1.88E-01 | 1.98E-01 | 1/15 | 1.50E+00 | 0/15 | 1.49E+03 | 0/15 | 1.49E+01 |
| Thorium-232 | 3.03E-01 | 5.11E-01 | 4.10E-01 | 9/9 | 4.38E-02 | 6.36E-02 | 0/9 | 1.50E+00 | 0/9 | 1.35E+03 | 0/9 | 1.35E+01 |
| Uranium-234 | 7.20E-01 | 1.10E+02 | 5.07E+01 | 8/17 | 9.00E-02 | 5.05E-01 | 7/17 | 2.50E+00 | 0/17 | 1.98E+03 | 5/17 | 1.98E+01 |
| Uranium-235 | 2.20E-02 | 5.10E+00 | 9.46E-01 | 12/13 | 1.33E-02 | 2.00E-01 | 3/13 | 1.40E-01 | 0/13 | 3.95E+01 | 3/13 | 3.95E-01 |
| Uranium-235/236 | 1.53E+00 | 1.17E+01 | 6.41E+00 | 4/4 | | | n/a | n/a | 0/4 | 3.95E+01 | 4/4 | 3.95E-01 |
| Uranium-238 | 9.44E-01 | 2.30E+02 | 5.06E+01 | 16/17 | 8.00E-02 | 5.33E-01 | 13/17 | 1.20E+00 | 2/17 | 1.71E+02 | 9/17 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Acenaphthene | 1.00E-02 | 1.00E-02 | 1.00E-02 | 1/15 | 3.60E-01 | 5.00E-01 | n/a | n/a | 0/15 | 6.67E+04 | 0/15 | 3.16E+02 |
| Acenaphthylene | 4.00E-02 | 9.10E-02 | 6.55E-02 | 2/15 | 3.60E-01 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Anthracene | 1.50E-02 | 5.20E-02 | 3.47E-02 | 3/15 | 3.60E-01 | 5.00E-01 | n/a | n/a | 0/15 | 1.00E+05 | 0/15 | 3.79E+03 |
| Benzo(a)anthracene | 5.60E-02 | 1.30E+00 | 8.85E-01 | 3/15 | 3.60E-01 | 5.00E-01 | n/a | n/a | 0/15 | 2.08E+02 | 2/15 | 2.12E-01 |
| Benzo(a)pyrene | 5.10E-02 | 1.70E+00 | 9.50E-01 | 3/15 | 3.60E-01 | 5.00E-01 | n/a | n/a | 0/15 | 2.08E+01 | 3/15 | 2.12E-02 |
| Benzo(b)fluoranthene | 9.60E-02 | 3.10E+00 | 1.80E+00 | 3/15 | 3.60E-01 | 5.00E-01 | n/a | n/a | 0/15 | 2.08E+02 | 2/15 | 2.12E-01 |
| Benzo(ghi)perylene | 5.80E-01 | 8.10E-01 | 6.95E-01 | 2/15 | 3.60E-01 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benzo(k)fluoranthene | 2.10E-02 | 9.90E-01 | 5.67E-01 | 3/6 | 3.60E-01 | 4.30E-01 | n/a | n/a | 0/6 | 2.08E+03 | 0/6 | 2.12E+00 |
| Bis(2-ethylhexyl)phthalate | 2.30E-01 | 6.20E-01 | 4.13E-01 | 3/15 | 3.60E-01 | 5.00E-01 | n/a | n/a | 0/15 | 7.40E+03 | 0/15 | 8.84E+00 |
| Chrysene | 6.00E-02 | 1.20E+00 | 8.20E-01 | 3/15 | 3.60E-01 | 5.00E-01 | n/a | n/a | 0/15 | 2.08E+04 | 0/15 | 2.12E-01 |
| Dibenz(a,h)anthracene | 1.80E-01 | 2.30E-01 | 2.05E-01 | 2/6 | 3.60E-01 | 4.30E-01 | n/a | n/a | 0/6 | 2.08E+01 | 2/6 | 2.12E-02 |
| Di-n-butyl phthalate | 8.70E-02 | 1.00E-01 | 9.35E-02 | 2/6 | 3.60E-01 | 4.30E-01 | n/a | n/a | 0/6 | 1.00E+05 | 0/6 | 2.13E+03 |
| Fluoranthene | 2.10E-02 | 1.10E+00 | 5.65E-01 | 4/6 | 3.60E-01 | 4.30E-01 | n/a | n/a | 0/6 | 6.50E+04 | 0/6 | 2.21E+02 |
| Indeno(1,2,3-cd)pyrene | 6.60E-01 | 9.90E-01 | 8.25E-01 | 2/15 | 3.60E-01 | 5.00E-01 | n/a | n/a | 0/15 | 2.08E+02 | 2/15 | 2.12E-01 |
| Phenanthrene | 4.50E-02 | 9.70E-02 | 7.33E-02 | 3/15 | 3.60E-01 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 4.80E-02 | 2.30E+00 | 1.01E+00 | 4/15 | 3.60E-01 | 5.00E-01 | n/a | n/a | 0/15 | 4.87E+04 | 0/15 | 1.65E+02 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| Chloroform | 6.00E-03 | 6.00E-03 | 6.00E-03 | 1/2 | 6.00E-03 | 7.00E-03 | n/a | n/a | 0/2 | 3.70E+00 | 0/2 | 1.23E-01 |
| Methylene chloride | 2.00E-03 | 2.00E-03 | 2.00E-03 | 1/11 | 7.00E-03 | 1.00E-02 | n/a | n/a | 0/11 | 2.16E+03 | 0/11 | 1.34E+01 |
| Wetchem (mg/kg) | | | | | | | | | | | | |
| Total Organic Carbon (TOC) | 7.70E+03 | 7.70E+03 | 7.70E+03 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Subsurface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 1.98E+03 | 1.09E+04 | 7.02E+03 | 37/37 | 1.72E+01 | 1.98E+01 | 0/37 | 1.20E+04 | 0/37 | 1.00E+05 | 30/37 | 4.64E+03 |
| Arsenic | 1.10E+00 | 4.70E+00 | 2.97E+00 | 7/37 | 1.72E+01 | 1.98E+01 | 0/37 | 7.90E+00 | 0/37 | 3.15E+02 | 7/37 | 5.23E-01 |
| Barium | 2.02E+01 | 1.89E+02 | 9.37E+01 | 37/37 | 2.15E+00 | 2.47E+00 | 2/37 | 1.70E+02 | 0/37 | 1.00E+05 | 0/37 | 2.29E+02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.48. Summary of Surface and Subsurface Historical Data at SWMU 13 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Beryllium | 2.60E-01 | 9.40E-01 | 5.78E-01 | 21/37 | 4.30E-01 | 4.95E-01 | 6/37 | 6.90E-01 | 0/37 | 1.28E+03 | 0/37 | 9.48E-01 |
| Cadmium | 1.80E+00 | 6.78E+00 | 3.08E+00 | 8/37 | 7.10E-01 | 1.98E+00 | 8/37 | 2.10E-01 | 0/37 | 7.05E+01 | 0/37 | 2.13E+01 |
| Calcium | 5.01E+02 | 9.63E+04 | 1.77E+04 | 36/37 | 8.60E+01 | 1.00E+03 | 19/37 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 9.90E-01 | 1.64E+02 | 1.63E+01 | 36/37 | 5.33E-01 | 2.47E+00 | n/a | n/a | n/a | n/a | 0/37 | 3.50E+02 |
| Cobalt | 1.70E+00 | 1.17E+01 | 5.69E+00 | 7/7 | | | 0/7 | 1.30E+01 | 0/7 | 1.00E+05 | 0/7 | 1.92E+03 |
| Copper | 1.50E+00 | 4.31E+01 | 1.09E+01 | 37/37 | 2.15E+00 | 2.47E+00 | 3/37 | 2.50E+01 | 0/37 | 1.00E+05 | 0/37 | 4.93E+02 |
| Iron | 3.83E+03 | 1.77E+04 | 1.10E+04 | 7/7 | | | 0/7 | 2.80E+04 | 0/7 | 1.00E+05 | 7/7 | 2.07E+03 |
| Lead | 5.50E+00 | 4.99E+01 | 1.77E+01 | 10/37 | 1.72E+01 | 1.98E+01 | 2/37 | 2.30E+01 | 0/37 | 1.25E+03 | 0/37 | 5.00E+01 |
| Magnesium | 2.87E+02 | 6.20E+03 | 1.96E+03 | 7/7 | | | 2/7 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 4.35E+01 | 8.28E+02 | 3.91E+02 | 7/7 | | | 1/7 | 8.20E+02 | 0/7 | 4.64E+04 | 6/7 | 4.52E+01 |
| Nickel | 2.00E+00 | 2.09E+01 | 9.10E+00 | 32/37 | 1.62E+00 | 4.95E+00 | 0/37 | 2.20E+01 | 0/37 | 9.30E+04 | 0/37 | 2.42E+02 |
| Potassium | 1.70E+02 | 1.08E+03 | 4.93E+02 | 5/7 | 1.45E+02 | 1.65E+02 | 1/7 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Silver | 1.00E+00 | 2.81E+00 | 1.91E+00 | 2/37 | 6.80E-01 | 2.47E+00 | 1/37 | 2.70E+00 | 0/37 | 2.07E+04 | 0/37 | 4.11E+01 |
| Sodium | 8.01E+01 | 3.05E+02 | 1.87E+02 | 7/7 | | | 0/7 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Vanadium | 8.40E+00 | 3.93E+01 | 2.01E+01 | 36/37 | 2.15E+00 | 1.26E+01 | 2/37 | 3.70E+01 | 0/37 | 4.47E+03 | 36/37 | 3.32E+00 |
| Zinc | 7.50E+00 | 1.37E+02 | 3.84E+01 | 32/37 | 1.72E+01 | 1.98E+01 | 5/37 | 6.00E+01 | 0/37 | 1.00E+05 | 0/37 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 1.20E-01 | 9.90E-01 | 4.00E-01 | 8/30 | 9.00E-02 | 1.30E-01 | n/a | n/a | 0/30 | 4.25E+01 | 6/30 | 1.99E-01 |
| PCB-1254 | 1.20E-01 | 9.90E-01 | 3.70E-01 | 6/37 | 9.00E-02 | 2.00E+00 | n/a | n/a | 0/37 | 1.82E+01 | 3/37 | 1.99E-01 |
| PCB-1260 | 1.00E-01 | 4.80E-01 | 2.45E-01 | 4/37 | 1.00E-01 | 2.00E+00 | n/a | n/a | 0/37 | 4.25E+01 | 2/37 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 1.70E+02 | 1.70E+02 | 1.70E+02 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 1.10E+03 | 1.10E+03 | 1.10E+03 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 3.59E-02 | 5.62E-01 | 1.72E-01 | 9/30 | 3.11E-02 | 3.86E-02 | 2/30 | 2.80E-01 | 0/30 | 8.58E+00 | 6/30 | 8.58E-02 |
| Cobalt-60 | 9.70E-02 | 9.70E-02 | 9.70E-02 | 1/30 | 2.90E-02 | 4.10E-02 | n/a | n/a | 0/30 | 1.77E+00 | 1/30 | 1.77E-02 |
| Mass of U-235 | 4.83E-02 | 9.38E-02 | 6.47E-02 | 4/30 | 1.97E-02 | 2.15E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Neptunium-237 | 9.33E-02 | 1.51E-01 | 1.16E-01 | 3/31 | 4.78E-02 | 5.88E-02 | n/a | n/a | 0/31 | 2.71E+01 | 0/31 | 2.71E-01 |
| Plutonium-239 | 2.40E-01 | 2.40E-01 | 2.40E-01 | 1/1 | | | n/a | n/a | 0/1 | 1.15E+03 | 0/1 | 1.15E+01 |
| Plutonium-239/240 | 8.33E-02 | 1.31E-01 | 1.07E-01 | 3/30 | 3.25E-02 | 9.26E-02 | n/a | n/a | 0/30 | 1.15E+03 | 0/30 | 1.15E+01 |
| Potassium-40 | 6.05E+00 | 1.16E+01 | 9.89E+00 | 30/30 | 2.30E-01 | 3.62E-01 | 0/30 | 1.60E+01 | n/a | n/a | n/a | n/a |
| Radium-226 | 3.79E-01 | 4.89E-01 | 4.34E-01 | 2/30 | 9.37E-02 | 1.97E-01 | 0/30 | 1.50E+00 | 0/30 | 2.56E+00 | 2/30 | 2.56E-02 |
| Technetium-99 | 1.84E+00 | 1.81E+01 | 5.27E+00 | 11/31 | 1.72E+00 | 1.78E+00 | 7/31 | 2.80E+00 | 0/31 | 3.62E+04 | 0/31 | 3.62E+02 |
| Thorium-230 | 4.87E-01 | 5.30E+01 | 4.97E+00 | 12/31 | 4.81E-01 | 5.09E-01 | 1/31 | 1.40E+00 | 0/31 | 1.49E+03 | 1/31 | 1.49E+01 |
| Thorium-232 | 2.26E-01 | 8.31E-01 | 4.17E-01 | 30/30 | 9.80E-02 | 2.30E-01 | 0/30 | 1.50E+00 | 0/30 | 1.35E+03 | 0/30 | 1.35E+01 |
| Uranium | 3.16E+00 | 9.23E+00 | 6.34E+00 | 7/30 | 8.71E-02 | 3.49E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 2.48E-01 | 2.20E+01 | 2.39E+00 | 16/31 | 3.45E-02 | 2.48E+00 | 3/31 | 2.40E+00 | 0/31 | 1.98E+03 | 1/31 | 1.98E+01 |
| Uranium-235 | 1.04E-01 | 1.80E+00 | 4.72E-01 | 5/31 | 4.25E-02 | 4.64E-01 | 2/31 | 1.40E-01 | 0/31 | 3.95E+01 | 1/31 | 3.95E-01 |
| Uranium-238 | 3.80E-01 | 1.60E+02 | 1.23E+01 | 16/31 | 1.02E-02 | 5.52E-01 | 9/31 | 1.20E+00 | 0/31 | 1.71E+02 | 8/31 | 1.71E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.


Table 5.48. Summary of Surface and Subsurface Historical Data at SWMU 13 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | |
| | | | | | | | | | | | |
| Semivolatiles (mg/kg) | | | | | | | | | | | |
| 1,2-Benzenedicarboxylic acid | 2.00E-01 | 6.00E-01 | 4.00E-01 | 2/2 | | | n/a | n/a | n/a | n/a | n/a |
| 1,2-Dichlorobenzene | 6.60E-02 | 7.90E-02 | 7.33E-02 | 4/37 | 4.10E-01 | 5.00E-01 | n/a | 0/37 | 1.29E+04 | 0/37 | 2.68E+02 |
| Benz(a)anthracene | 1.10E+00 | 1.10E+00 | 1.10E+00 | 1/37 | 4.10E-01 | 5.00E-01 | n/a | 0/37 | 2.08E+02 | 1/37 | 2.12E-01 |
| Benz(a)pyrene | 9.10E-01 | 9.10E-01 | 9.10E-01 | 1/37 | 4.10E-01 | 5.00E-01 | n/a | 0/37 | 2.08E+01 | 1/37 | 2.12E-02 |
| Benz(b)fluoranthene | 5.10E-01 | 1.50E+00 | 1.01E+00 | 2/37 | 4.10E-01 | 5.00E-01 | n/a | 0/37 | 2.08E+02 | 2/37 | 2.12E-01 |
| Benz(k)fluoranthene | 6.30E-01 | 1.70E+00 | 1.17E+00 | 2/37 | 4.10E-01 | 5.00E-01 | n/a | 0/37 | 2.08E+03 | 0/37 | 2.12E+00 |
| Chrysene | 5.70E-01 | 1.60E+00 | 1.09E+00 | 2/37 | 4.10E-01 | 5.00E-01 | n/a | 0/37 | 2.08E+04 | 0/37 | 2.12E+01 |
| Di-n-butyl phthalate | 4.70E-02 | 6.80E+00 | 1.71E+00 | 12/37 | 4.10E-01 | 5.00E-01 | n/a | 0/37 | 1.00E+05 | 0/37 | 2.13E+03 |
| Fluoranthene | 7.10E-01 | 1.40E+00 | 9.52E-01 | 5/37 | 4.10E-01 | 5.00E-01 | n/a | 0/37 | 6.50E+04 | 0/37 | 2.21E+02 |
| Indeno(1,2,3-cd)pyrene | 5.80E-01 | 5.80E-01 | 5.80E-01 | 1/37 | 4.10E-01 | 5.00E-01 | n/a | 0/37 | 2.08E+02 | 1/37 | 2.12E-01 |
| N-Nitrosodiphenylamine | 4.90E-02 | 6.90E-02 | 5.85E-02 | 4/37 | 4.10E-01 | 5.00E-01 | n/a | 0/37 | 2.63E+04 | 0/37 | 3.30E+01 |
| Phenanthrene | 5.40E-01 | 5.50E-01 | 5.45E-01 | 2/37 | 4.10E-01 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 5.80E-01 | 1.70E+00 | 9.04E-01 | 5/37 | 4.10E-01 | 5.00E-01 | n/a | 0/37 | 4.87E+04 | 0/37 | 1.65E+02 |
| Volatiles (mg/kg) | | | | | | | | | | | |
| 2-Butanone | 6.20E-03 | 4.20E-02 | 1.54E-02 | 22/37 | 5.00E-03 | 1.30E-02 | n/a | 0/37 | 3.94E+04 | 0/37 | 1.03E+03 |
| Acetone | 1.10E-02 | 9.80E-02 | 4.16E-02 | 25/37 | 5.00E-03 | 1.30E-02 | n/a | 0/37 | 1.91E+04 | 0/37 | 3.58E+02 |
| Carbon disulfide | 2.00E-03 | 7.60E-03 | 6.53E-03 | 32/37 | 5.00E-03 | 6.00E-03 | n/a | 0/37 | 3.17E+03 | 0/37 | 1.06E+02 |
| Diethyl ether | 7.00E-03 | 7.00E-03 | 7.00E-03 | 1/1 | | | n/a | 0/1 | 1.89E+04 | 0/1 | 4.51E+02 |
| Methylene chloride | 3.00E-03 | 4.70E-02 | 3.15E-02 | 6/37 | 5.00E-03 | 6.00E-03 | n/a | 0/37 | 2.16E+03 | 0/37 | 1.34E+01 |
| Tetrachloroethene | 2.00E-03 | 2.00E-03 | 2.00E-03 | 1/37 | 5.00E-03 | 6.00E-03 | n/a | 0/37 | 1.46E+03 | 0/37 | 3.90E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.



Soils Operable Unit: SWMUs 12, 13, 228, 229, and 518

Figure 5.59. Soils Operable Unit: SWMUs 12, 13, 228, 229, and 518

Figure No. \SoilsOUSOU_SWMUs.apr
 DATE 08-27-09

SWMU 14 (C-746-E E Scrap Yard)

Area description

The C-746-E Contaminated Scrap Yard (SWMU 14) is located in the northwest corner of plant site. SWMU 14 is approximately 265,000 ft².

Process history

C-746-E was used for the storage of uranium-contaminated scrap metal, including ferrous alloys, copper and copper alloys, nickel-plated steel, Monel[®], and aluminum from the 1950s through 2005. In addition, Burial Pit E is located under the northeastern section of C-746-E. Burial Pit E was investigated under the BGOU in conjunction with SWMU 7.

The storage yard was emptied as specified by the *Action Memorandum for Scrap Metal Disposition at the Paducah Gaseous Diffusion Plant* (DOE 2001a) and documented in the *Removal Action Report for the Scrap Metal Removal Action at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky* (DOE 2008a).

Previous investigation results

The Phase II SI (CH2M HILL 1992) sampled surface and shallow soils in the area. Contaminants of concern include metals and radionuclides.

Table 5.49 is a summary of historical data followed by a map of historical sample locations (Figure 5.60).

Area utilities

No current recirculating water lines or sewers are associated with this facility; none are within the boundary of the SWMU. Only one fire water line is located within the SWMU.

Data Gap Determination

Additional samples are needed at this location.

Table 5.49. Summary of Surface and Subsurface Historical Data at SWMU 14

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 2.58E+03 | 7.60E+03 | 4.45E+03 | | | | 0/3 | 1.30E+04 | 0/3 | 1.00E+05 | 1/3 | 4.64E+03 |
| Antimony | 8.10E-01 | 8.10E-01 | 8.10E-01 | 1/3 | 1.60E+00 | 3.59E+00 | 1/3 | 2.10E-01 | 0/3 | 4.63E+02 | 1/3 | 3.79E-01 |
| Arsenic | 2.50E+00 | 4.80E+00 | 3.67E+00 | 3/3 | | | 0/3 | 1.20E+01 | 0/3 | 3.15E+02 | 3/3 | 5.23E-01 |
| Barium | 2.33E+01 | 7.10E+01 | 5.28E+01 | 3/3 | | | 0/3 | 2.00E+02 | 0/3 | 1.00E+05 | 0/3 | 2.29E+02 |
| Beryllium | 1.70E-01 | 2.50E-01 | 2.10E-01 | 2/3 | | | 0/3 | 6.70E-01 | 0/3 | 1.28E+03 | 0/3 | 9.48E-01 |
| Calcium | 2.10E+03 | 2.93E+05 | 9.93E+04 | 3/3 | | | 1/3 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 3.30E+00 | 4.55E+01 | 2.26E+01 | 3/3 | | | n/a | n/a | n/a | n/a | 0/3 | 3.56E+02 |
| Cobalt | 3.30E+00 | 5.40E+00 | 4.03E+00 | 3/3 | | | 0/3 | 1.40E+01 | 0/3 | 1.00E+05 | 0/3 | 1.92E+03 |
| Copper | 4.20E+00 | 2.29E+01 | 1.20E+01 | 3/3 | | | 1/3 | 1.90E+01 | 0/3 | 1.00E+05 | 0/3 | 4.93E+02 |
| Iron | 4.68E+03 | 9.30E+03 | 6.90E+03 | 3/3 | | | 0/3 | 2.80E+04 | 0/3 | 1.00E+05 | 3/3 | 2.07E+03 |
| Lead | 9.80E+00 | 1.98E+01 | 1.40E+01 | 3/3 | | | 0/3 | 3.60E+01 | 0/3 | 1.25E+03 | 0/3 | 5.00E+01 |
| Magnesium | 5.02E+02 | 7.74E+03 | 2.96E+03 | 3/3 | | | 1/3 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 1.30E+02 | 3.43E+02 | 2.26E+02 | 3/3 | | | 0/3 | 1.50E+03 | 0/3 | 4.64E+04 | 3/3 | 4.52E+01 |
| Mercury | 1.47E-01 | 1.47E-01 | 1.47E-01 | 1/3 | 1.00E-01 | 1.00E-01 | 1/3 | 2.00E-01 | 0/3 | 8.25E+02 | 0/3 | 9.82E-01 |
| Nickel | 6.70E+00 | 1.52E+01 | 9.90E+00 | 3/3 | | | 0/3 | 2.10E+01 | 0/3 | 9.30E+04 | 0/3 | 2.42E+02 |
| Potassium | 9.33E+02 | 9.33E+02 | 9.33E+02 | 1/3 | 2.98E+02 | 2.98E+02 | 0/3 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Selenium | 7.40E-01 | 7.40E-01 | 7.40E-01 | 1/3 | 2.80E-01 | 2.80E-01 | 1/3 | 8.00E-01 | 0/3 | 2.56E+04 | 0/3 | 9.49E+01 |
| Silver | 4.40E-01 | 4.40E-01 | 4.40E-01 | 1/3 | 6.20E-01 | 9.60E-01 | 0/3 | 3.30E+00 | 0/3 | 2.07E+04 | 0/3 | 4.11E+01 |
| Sodium | 7.90E+01 | 1.16E+02 | 9.75E+01 | 2/3 | 5.02E+01 | 5.02E+01 | 0/3 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Thallium | 5.20E-01 | 5.20E-01 | 5.20E-01 | 1/3 | 5.10E-01 | 1.09E+01 | 1/3 | 2.10E-01 | n/a | n/a | n/a | n/a |
| Tin | 8.70E+00 | 8.70E+00 | 8.70E+00 | 1/1 | | | n/a | n/a | 0/1 | 1.00E+05 | 0/1 | 2.79E+03 |
| Vanadium | 4.60E+00 | 1.50E+01 | 8.97E+00 | 3/3 | | | 0/3 | 3.80E+01 | 0/3 | 4.47E+03 | 3/3 | 3.32E+00 |
| Zinc | 2.02E+01 | 1.02E+02 | 6.47E+01 | 3/3 | | | 2/3 | 6.50E+01 | 0/3 | 1.00E+05 | 0/3 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 5.00E-01 | 5.00E-01 | 5.00E-01 | 1/1 | 1.00E-01 | 1.00E-01 | n/a | n/a | 0/1 | 4.25E+01 | 1/1 | 1.99E-01 |
| PCB-1260 | 9.30E-02 | 5.00E-01 | 2.58E-01 | 3/4 | 1.00E-01 | 8.70E-01 | n/a | n/a | 0/4 | 4.25E+01 | 1/4 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 5.19E+00 | 7.42E+02 | 3.55E+02 | 4/6 | 1.89E+00 | 6.74E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 3.23E+00 | 1.03E+03 | 4.23E+02 | 5/6 | 8.30E-01 | 2.52E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 9.70E-02 | 9.70E-02 | 9.70E-02 | 1/1 | 4.45E-02 | 4.45E-02 | 0/1 | 4.90E-01 | 0/1 | 8.58E+00 | 1/1 | 8.58E-02 |
| Neptunium-237 | 2.60E-01 | 2.60E-01 | 2.60E-01 | 1/4 | 7.92E-02 | 7.92E-02 | 1/4 | 1.00E-01 | 0/4 | 2.71E+01 | 0/4 | 2.71E-01 |
| Plutonium-239 | 2.00E-02 | 5.50E-01 | 2.07E-01 | 3/3 | | | 2/3 | 2.50E-02 | 0/3 | 1.15E+03 | 0/3 | 1.15E+01 |
| Plutonium-239/240 | 2.83E-01 | 2.83E-01 | 2.83E-01 | 1/1 | 9.84E-03 | 9.84E-03 | n/a | n/a | 0/1 | 1.15E+03 | 0/1 | 1.15E+01 |
| Technetium-99 | 3.10E+00 | 4.06E+02 | 1.46E+02 | 4/4 | 2.33E-01 | 2.33E-01 | 4/4 | 2.50E+00 | 0/4 | 3.62E+04 | 1/4 | 3.62E+02 |
| Thorium-230 | 3.60E-01 | 3.94E+00 | 2.49E+00 | 3/4 | 2.64E-02 | 2.64E-02 | 2/4 | 1.50E+00 | 0/4 | 1.49E+03 | 0/4 | 1.49E+01 |
| Uranium | 4.73E+02 | 4.73E+02 | 4.73E+02 | 1/1 | 4.49E+00 | 4.49E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 7.20E-01 | 2.16E+01 | 8.44E+00 | 3/3 | | | 2/3 | 2.50E+00 | 0/3 | 1.98E+03 | 1/3 | 1.98E+01 |
| Uranium-235 | 2.20E-02 | 1.20E-01 | 7.10E-02 | 2/2 | | | 0/2 | 1.40E-01 | 0/2 | 3.95E+01 | 0/2 | 3.95E-01 |
| Uranium-235/236 | 2.87E+00 | 2.87E+00 | 2.87E+00 | 1/1 | | | n/a | n/a | 0/1 | 3.95E+01 | 1/1 | 3.95E-01 |
| Uranium-238 | 2.00E+00 | 3.70E+01 | 1.52E+01 | 3/3 | | | 3/3 | 1.20E+00 | 0/3 | 1.71E+02 | 3/3 | 1.71E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.49. Summary of Surface and Subsurface Historical Data at SWMU 14 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| 1,2-Benzenedicarboxylic acid | 2.00E-01 | 2.00E-01 | 2.00E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Bis(2-ethylhexyl)phthalate | 1.10E-01 | 1.10E-01 | 1.10E-01 | 1/3 | 3.60E-01 | 5.50E-01 | n/a | n/a | 0/3 | 7.40E+03 | 0/3 | 8.84E+00 |
| Di-n-butyl phthalate | 6.80E-02 | 6.80E-02 | 6.80E-02 | 1/3 | 3.60E-01 | 5.50E-01 | n/a | n/a | 0/3 | 1.00E+05 | 0/3 | 2.13E+03 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| Methylene chloride | 2.00E-03 | 2.00E-03 | 2.00E-03 | 1/2 | 6.00E-03 | 6.00E-03 | n/a | n/a | 0/2 | 2.16E+03 | 0/2 | 1.34E+01 |
| Trichloroethene | 5.00E-04 | 5.00E-04 | 5.00E-04 | 1/2 | 1.00E-03 | 6.00E-03 | n/a | n/a | 0/2 | 2.98E+02 | 0/2 | 2.51E+00 |
| Wetchem (mg/kg) | | | | | | | | | | | | |
| Cyanide | 1.80E-01 | 1.80E-01 | 1.80E-01 | 1/3 | 4.40E-01 | 6.48E-01 | n/a | n/a | 0/3 | 2.02E+04 | 0/3 | 7.92E+01 |
| Subsurface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 3.86E+03 | 1.23E+04 | 7.13E+03 | 12/12 | 1.59E+01 | 1.87E+01 | 1/12 | 1.20E+04 | 0/12 | 1.00E+05 | 9/12 | 4.64E+03 |
| Arsenic | 6.70E-01 | 1.13E+01 | 3.92E+00 | 10/12 | 9.11E-01 | 1.59E+01 | 1/12 | 7.90E+00 | 0/12 | 3.15E+02 | 10/12 | 5.23E-01 |
| Barium | 1.54E+01 | 1.50E+02 | 8.61E+01 | 12/12 | 1.99E+00 | 2.34E+00 | 0/12 | 1.70E+02 | 0/12 | 1.00E+05 | 0/12 | 2.29E+02 |
| Beryllium | 2.80E-01 | 7.20E-01 | 4.67E-01 | 7/12 | 3.30E-01 | 6.90E-01 | 1/12 | 6.90E-01 | 0/12 | 1.28E+03 | 0/12 | 9.48E-01 |
| Cadmium | 3.90E-01 | 1.67E+00 | 9.54E-01 | 5/12 | 1.90E-01 | 1.87E+00 | 5/12 | 2.10E-01 | 0/12 | 7.05E+01 | 0/12 | 2.13E+01 |
| Calcium | 7.10E+02 | 9.63E+04 | 2.45E+04 | 12/12 | 7.95E+01 | 9.35E+01 | 4/12 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 5.20E+00 | 2.47E+01 | 1.24E+01 | 12/12 | 1.99E+00 | 2.34E+00 | n/a | n/a | n/a | n/a | 0/12 | 3.56E+02 |
| Cobalt | 1.50E+00 | 7.85E+00 | 4.63E+00 | 10/11 | 2.28E+00 | 2.34E+00 | 0/11 | 1.30E+01 | 0/11 | 1.00E+05 | 0/11 | 1.92E+03 |
| Copper | 3.10E+00 | 1.61E+01 | 7.99E+00 | 12/12 | 1.99E+00 | 2.34E+00 | 0/12 | 2.50E+01 | 0/12 | 1.00E+05 | 0/12 | 4.93E+02 |
| Iron | 5.12E+03 | 2.68E+04 | 1.09E+04 | 11/11 | 1.82E+01 | 1.87E+01 | 0/11 | 2.80E+04 | 0/11 | 1.00E+05 | 11/11 | 2.07E+03 |
| Lead | 4.20E+00 | 2.63E+01 | 9.76E+00 | 11/12 | 9.11E-01 | 1.59E+01 | 1/12 | 2.30E+01 | 0/12 | 1.25E+03 | 0/12 | 5.00E+01 |
| Magnesium | 3.74E+02 | 6.20E+03 | 1.83E+03 | 11/11 | 4.55E+00 | 4.67E+00 | 3/11 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 1.32E+01 | 8.28E+02 | 3.00E+02 | 11/11 | 2.28E+00 | 2.34E+00 | 1/11 | 8.20E+02 | 0/11 | 4.64E+04 | 9/11 | 4.52E+01 |
| Nickel | 2.90E+00 | 2.09E+01 | 9.02E+00 | 12/12 | 3.97E+00 | 4.67E+00 | 0/12 | 2.20E+01 | 0/12 | 9.30E+04 | 0/12 | 2.42E+02 |
| Potassium | 2.76E+02 | 1.08E+03 | 5.81E+02 | 5/9 | 1.44E+02 | 3.20E+02 | 1/9 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Selenium | 1.50E-01 | 4.30E-01 | 2.64E-01 | 5/12 | 1.30E-01 | 1.59E+01 | 0/12 | 7.00E-01 | 0/12 | 2.56E+04 | 0/12 | 9.49E+01 |
| Silver | 9.60E-01 | 9.60E-01 | 9.60E-01 | 1/12 | 6.80E-01 | 2.34E+00 | 0/12 | 2.70E+00 | 0/12 | 2.07E+04 | 0/12 | 4.11E+01 |
| Sodium | 1.46E+02 | 2.47E+02 | 1.77E+02 | 4/11 | 6.70E+01 | 3.66E+02 | 0/11 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Vanadium | 6.75E+00 | 3.10E+01 | 1.75E+01 | 11/12 | 1.99E+00 | 2.34E+00 | 0/12 | 3.70E+01 | 0/12 | 4.47E+03 | 11/12 | 3.32E+00 |
| Zinc | 8.20E+00 | 4.79E+01 | 2.55E+01 | 11/12 | 1.59E+01 | 1.87E+01 | 0/12 | 6.00E+01 | 0/12 | 1.00E+05 | 0/12 | 2.73E+03 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 2.30E+00 | 6.10E+00 | 3.99E+00 | 7/7 | 1.00E+00 | 1.80E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 2.78E+00 | 1.55E+01 | 8.29E+00 | 7/7 | 1.20E+00 | 2.10E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Potassium-40 | 9.58E+00 | 9.58E+00 | 9.58E+00 | 1/1 | 2.24E-01 | 2.24E-01 | 0/1 | 1.60E+01 | n/a | n/a | n/a | n/a |
| Technetium-99 | 3.00E-01 | 2.10E+00 | 1.35E+00 | 4/5 | 2.00E-01 | 1.66E+00 | 0/5 | 2.80E+00 | 0/5 | 3.62E+04 | 0/5 | 3.62E+02 |
| Thorium-232 | 3.57E-01 | 5.06E-01 | 4.32E-01 | 2/3 | 8.57E-02 | 9.84E-01 | 0/3 | 1.60E+00 | 0/3 | 2.80E+00 | 2/3 | 2.80E-02 |
| Thorium-230 | 3.69E-01 | 7.28E-01 | 5.14E-01 | 3/3 | 2.41E-01 | 5.24E-01 | 0/3 | 1.40E+00 | 0/3 | 1.49E+03 | 0/3 | 1.49E+01 |
| Thorium-232 | 4.73E-01 | 5.36E-01 | 5.15E-01 | 3/3 | 1.35E-01 | 1.67E-01 | 0/3 | 1.50E+00 | 0/3 | 1.35E+03 | 0/3 | 1.35E+01 |
| Thorium-234 | 1.57E+00 | 1.57E+00 | 1.57E+00 | 1/2 | 6.69E-01 | 1.01E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 1.42E-01 | 3.00E-01 | 2.21E-01 | 2/3 | 2.48E-02 | 1.35E-01 | 0/3 | 2.40E+00 | 0/3 | 1.98E+03 | 0/3 | 1.98E+01 |
| Uranium-238 | 3.57E-01 | 3.57E-01 | 3.57E-01 | 1/3 | 2.47E-02 | 1.29E-01 | 0/3 | 1.20E+00 | 0/3 | 1.71E+02 | 0/3 | 1.71E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.49. Summary of Surface and Subsurface Historical Data at SWMU 14 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Bis(2-ethylhexyl)phthalate | 5.30E-02 | 1.50E-01 | 9.73E-02 | 4/12 | 1.10E-01 | 5.00E-01 | n/a | n/a | 0/12 | 7.40E+03 | 0/12 | 8.84E+00 |
| Decanoic acid | 2.00E-01 | 2.00E-01 | 2.00E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Diethyl phthalate | 1.30E-01 | 1.30E-01 | 1.30E-01 | 1/12 | 3.70E-01 | 5.00E-01 | n/a | n/a | 0/12 | 1.00E+05 | 0/12 | 1.55E+04 |
| Di-n-butyl phthalate | 4.90E-02 | 4.90E-02 | 4.90E-02 | 1/12 | 3.70E-01 | 5.00E-01 | n/a | n/a | 0/12 | 1.00E+05 | 0/12 | 2.13E+03 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| 2-Butanone | 7.00E-03 | 1.20E-02 | 9.50E-03 | 2/12 | 4.97E-03 | 6.30E-02 | n/a | n/a | 0/12 | 3.94E+04 | 0/12 | 1.03E+03 |
| Acetone | 3.60E-02 | 8.30E-01 | 2.39E-01 | 5/12 | 4.97E-03 | 6.30E-02 | n/a | n/a | 0/12 | 1.91E+04 | 0/12 | 3.58E+02 |
| Carbon disulfide | 6.90E-03 | 6.90E-03 | 6.90E-03 | 1/12 | 4.97E-03 | 3.20E-02 | n/a | n/a | 0/12 | 3.17E+03 | 0/12 | 1.06E+02 |
| Methylene chloride | 3.00E-03 | 1.80E-01 | 7.35E-02 | 6/12 | 4.97E-03 | 3.20E-02 | n/a | n/a | 0/12 | 2.16E+03 | 0/12 | 1.34E+01 |
| Trichloroethene | 7.00E-04 | 7.00E-04 | 7.00E-04 | 1/12 | 1.00E-03 | 3.20E-02 | n/a | n/a | 0/12 | 2.98E+02 | 0/12 | 2.51E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.60. Soils Operable Unit: SWMUs 14, 15, 137, 196, 520, and 531

SWMU 15 (C-746-C C Scrap Yard)

Area description

The C-746-C Scrap Yard (SWMU 15) is located in the northwest corner of plant site. SWMU 15 is approximately 250,000 ft².

Process history

The C-746-C Scrap Yard originally was used to store uncontaminated scrap metal prior to being shipped off-site; however, it subsequently was converted to long-term storage of scrap metal after off-site shipments were discontinued. It is divided into north and south areas to segregate the space into two different storage yards. A large portion of the south section was used for storage of ingots produced in C-746 smelting operations and turnings from the machine shop. Most of the north section was used in the construction of the C-616 Chromate Treatment Facility and clarifiers.

The storage yard was emptied as specified by the *Action Memorandum for Scrap Metal Disposition at the Paducah Gaseous Diffusion Plant* (DOE 2001a) and documented in the *Removal Action Report for the Scrap Metal Removal Action at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky* (DOE 2008a).

Previous investigation results

SWMU 15 is suspected to be a source of radiological and possibly metals contamination, though no documented release has occurred from the area.

Table 5.50 is a summary of historical data followed by a map of historical sample locations (Figure 5.61).

Area utilities

No current recirculating water lines or sewers are associated with this facility. A sanitary sewer is coincidentally located within the boundary of the SWMU. Approximate depth to the sewer is 4 ft bgs.

Data Gap Determination

Additional samples are needed at this location.

Table 5.50. Summary of Surface and Subsurface Historical Data at SWMU 15

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 3.30E+00 | 6.20E+00 | 4.75E+00 | 2/2 | | | n/a | n/a | 0/2 | 4.25E+01 | 2/2 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Neptunium-237 | 7.00E-01 | 7.00E-01 | 7.00E-01 | 1/2 | | | 1/2 | 1.00E-01 | 0/2 | 2.71E+01 | 1/2 | 2.71E-01 |
| Technetium-99 | 1.80E+01 | 1.80E+01 | 1.80E+01 | 1/2 | | | 1/2 | 2.50E+00 | 0/2 | 3.62E+04 | 0/2 | 3.62E+02 |
| Uranium | 8.00E+00 | 4.10E+01 | 2.45E+01 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Subsurface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 4.18E+03 | 7.34E+03 | 6.04E+03 | 15/15 | 1.29E+01 | 1.75E+01 | 0/15 | 1.20E+04 | 0/15 | 1.00E+05 | 14/15 | 4.64E+03 |
| Barium | 6.56E+01 | 9.37E+01 | 7.87E+01 | 15/15 | 1.61E+00 | 2.18E+00 | 0/15 | 1.70E+02 | 0/15 | 1.00E+05 | 0/15 | 2.29E+02 |
| Beryllium | 3.73E-01 | 5.50E-01 | 4.57E-01 | 10/15 | 3.22E-01 | 4.37E-01 | 0/15 | 6.90E-01 | 0/15 | 1.28E+03 | 0/15 | 9.48E-01 |
| Cadmium | 1.40E+00 | 1.89E+00 | 1.65E+00 | 6/15 | 1.29E+00 | 1.75E+00 | 6/15 | 2.10E-01 | 0/15 | 7.05E+01 | 0/15 | 2.13E+01 |
| Calcium | 9.78E+02 | 3.94E+03 | 1.50E+03 | 15/15 | 6.43E+01 | 8.73E+01 | 0/15 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 6.06E+00 | 2.95E+01 | 1.04E+01 | 15/15 | 1.61E+00 | 2.18E+00 | n/a | n/a | n/a | n/a | 0/15 | 3.56E+02 |
| Copper | 4.70E+00 | 1.32E+01 | 8.60E+00 | 15/15 | 1.61E+00 | 2.18E+00 | 0/15 | 2.50E+01 | 0/15 | 1.00E+05 | 0/15 | 4.93E+02 |
| Mercury | 1.20E+00 | 1.20E+00 | 1.20E+00 | 1/15 | 2.00E-01 | 2.00E-01 | 1/15 | 1.30E-01 | 0/15 | 8.25E+02 | 1/15 | 9.82E-01 |
| Nickel | 3.87E+00 | 2.83E+01 | 7.49E+00 | 15/15 | 3.22E+00 | 4.37E+00 | 1/15 | 2.20E+01 | 0/15 | 9.30E+04 | 0/15 | 2.42E+02 |
| Vanadium | 1.13E+01 | 3.49E+01 | 1.73E+01 | 15/15 | 1.61E+00 | 2.18E+00 | 0/15 | 3.70E+01 | 0/15 | 4.47E+03 | 15/15 | 3.32E+00 |
| Zinc | 1.82E+01 | 5.00E+01 | 2.66E+01 | 15/15 | 1.29E+01 | 1.75E+01 | 0/15 | 6.00E+01 | 0/15 | 1.00E+05 | 0/15 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 3.50E-01 | 4.70E-01 | 3.97E-01 | 3/15 | 9.00E-02 | 1.30E-01 | n/a | n/a | 0/15 | 4.25E+01 | 3/15 | 1.99E-01 |
| PCB-1254 | 2.10E-01 | 4.70E-01 | 3.50E-01 | 3/15 | 9.00E-02 | 9.00E-02 | n/a | n/a | 0/15 | 1.82E+01 | 3/15 | 1.99E-01 |
| PCB-1260 | 1.40E-01 | 1.40E-01 | 1.40E-01 | 1/15 | 1.00E-01 | 1.00E-01 | n/a | n/a | 0/15 | 4.25E+01 | 0/15 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Mass of U-235 | 1.56E-02 | 8.82E-02 | 3.72E-02 | 10/15 | 4.63E-03 | 2.07E-02 | n/a | n/a | n/a | n/a | n/a | n/a |
| Neptunium-237 | 1.08E-01 | 5.56E-01 | 3.32E-01 | 2/15 | 5.17E-02 | 2.02E-01 | n/a | n/a | 0/15 | 2.71E+01 | 1/15 | 2.71E-01 |
| Plutonium-239/240 | 7.30E-02 | 9.85E-02 | 8.58E-02 | 2/15 | 2.94E-02 | 8.98E-02 | n/a | n/a | 0/15 | 1.15E+03 | 0/15 | 1.15E+01 |
| Potassium-40 | 8.70E+00 | 1.13E+01 | 9.97E+00 | 15/15 | 1.77E-01 | 2.33E-01 | 0/15 | 1.60E+01 | n/a | n/a | n/a | n/a |
| Radium-226 | 6.93E-01 | 7.49E-01 | 7.19E-01 | 4/15 | 1.06E-01 | 1.93E-01 | 0/15 | 1.50E+00 | 0/15 | 2.56E+00 | 4/15 | 2.56E-02 |
| Technetium-99 | 2.10E+00 | 1.83E+02 | 2.82E+01 | 10/15 | 1.66E+00 | 1.66E+00 | 9/15 | 2.80E+00 | 0/15 | 3.62E+04 | 0/15 | 3.62E+02 |
| Thorium-230 | 5.60E-01 | 7.28E-01 | 6.53E-01 | 3/15 | 5.14E-01 | 5.24E-01 | 0/15 | 1.40E+00 | 0/15 | 1.49E+03 | 0/15 | 1.49E+01 |
| Thorium-232 | 3.05E-01 | 5.36E-01 | 4.37E-01 | 15/15 | 1.24E-01 | 1.35E-01 | 0/15 | 1.50E+00 | 0/15 | 1.35E+03 | 0/15 | 1.35E+01 |
| Uranium | 1.37E+00 | 8.13E+00 | 3.08E+00 | 10/15 | 3.14E-02 | 1.09E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 3.00E-01 | 3.28E+00 | 1.01E+00 | 15/15 | 8.65E-03 | 4.42E-02 | 1/15 | 2.40E+00 | 0/15 | 1.98E+03 | 0/15 | 1.98E+01 |
| Uranium-235 | 3.37E-02 | 1.91E-01 | 8.03E-02 | 10/15 | 1.00E-02 | 4.46E-02 | 1/15 | 1.40E-01 | 0/15 | 3.95E+01 | 0/15 | 3.95E-01 |
| Uranium-238 | 3.57E-01 | 4.66E+00 | 1.35E+00 | 15/15 | 8.08E-03 | 4.21E-02 | 6/15 | 1.20E+00 | 0/15 | 1.71E+02 | 4/15 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Di-n-butyl phthalate | 4.80E-01 | 4.50E+00 | 1.60E+00 | 10/15 | 4.80E-01 | 5.00E-01 | n/a | n/a | 0/15 | 1.00E+05 | 0/15 | 2.13E+03 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.50. Summary of Surface and Subsurface Historical Data at SWMU 15 (Continued)

| Analysis Volatiles (mg/kg) | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|-------------------------------|------------------|----------|----------|---------------------------|-----------------|----------|--------------------------|---------------|----------------------------|------------------------------|-----------------------------|---------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| 1,1-Dichloroethane | 6.10E-03 | 6.10E-03 | 6.10E-03 | 1/15 | 5.00E-03 | 5.00E-03 | n/a | n/a | 0/15 | 5.52E+03 | 0/15 | 1.55E+02 |
| 2-Butanone | 5.90E-03 | 3.60E-02 | 1.27E-02 | 6/15 | 5.00E-03 | 5.00E-03 | n/a | n/a | 0/15 | 3.94E+04 | 0/15 | 1.03E+03 |
| 2-Hexanone | 6.40E-03 | 6.40E-03 | 6.40E-03 | 1/15 | 5.00E-03 | 5.00E-03 | n/a | n/a | n/a | n/a | n/a | n/a |
| Acetone | 7.10E-03 | 3.60E-02 | 1.46E-02 | 9/15 | 5.00E-03 | 5.00E-03 | n/a | n/a | 0/15 | 1.91E+04 | 0/15 | 3.58E+02 |
| Carbon disulfide | 6.60E-03 | 6.90E-03 | 6.75E-03 | 15/15 | 5.00E-03 | 5.00E-03 | n/a | n/a | 0/15 | 3.17E+03 | 0/15 | 1.06E+02 |
| Dibromochloromethane | 8.30E-03 | 8.30E-03 | 8.30E-03 | 1/15 | 5.00E-03 | 5.00E-03 | n/a | n/a | 0/15 | 2.50E+02 | 0/15 | 1.10E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.61. Soils Operable Unit: SWMUs 14, 15, 137, 196, 520, and 531

SWMU 16 (C-746-D D Scrap Yard)

Area description

The C-746-D Scrap Yard (SWMU 16) is located in the east central portion of the plant site. SWMU 16 is approximately 59,400 ft² (180 ft x 330 ft).

Process history

The concrete pad upon which C-746-D rests originally was constructed as a cleaning facility for the construction of the plant, known as the Kellogg Building. After the Kellogg Building was removed, the concrete pad was used to store decontaminated scrap metal from the cascade operations, including steel and nickel-plated steel.

The storage yard was emptied, as specified by the *Action Memorandum for Scrap Metal Disposition at the Paducah Gaseous Diffusion Plant* (DOE 2001a) and documented in the *Removal Action Report for the Scrap Metal Removal Action at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky* (DOE 2008a).

Previous investigation results

Process knowledge indicates radiological contaminant exists at SWMU 16. Not all process materials from the cascade buildings were fully decontaminated, and it is suspected that some process materials penetrated surface soils. The subsurface soils under the concrete pad at SWMU 16 were investigated in conjunction with SWMU 99 (that abuts SWMU 16) during the WAG 28 RI (DOE 2000b), which states: "Sampling of the soils within SWMU 99 detected a limited suite of metals above screening criteria and isolated occurrences of VOAs in the surface soils." Also noted in the BRA: "For all sites, the cumulative human health ELCR and systemic toxicity exceed the accepted standards of the KDEP and the EPA for one or more scenarios when assessed using default exposure parameters."

Table 5.51 is a summary of historical data followed by a map of historical sample locations (Figure 5.62).

Area utilities

No current recirculating water lines or sewers are associated with this facility; none are within the boundary of the SWMU.

Data Gap Determination

Additional samples are needed at this location.

Table 5.51. Summary of Surface and Subsurface Historical Data at SWMU 16

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 1.80E+03 | 8.14E+03 | 5.33E+03 | 6/6 | 1.69E+01 | 2.00E+01 | 0/6 | 1.30E+04 | 0/6 | 1.00E+05 | 4/6 | 4.64E+03 |
| Arsenic | 5.55E+00 | 1.14E+01 | 7.52E+00 | 3/6 | 4.22E+00 | 5.00E+00 | 1/6 | 1.20E+01 | 0/6 | 3.15E+02 | 3/6 | 5.23E-01 |
| Barium | 2.08E+01 | 1.28E+02 | 6.31E+01 | 6/6 | 1.00E+00 | 2.39E+00 | 0/6 | 2.00E+02 | 0/6 | 1.00E+05 | 0/6 | 2.29E+02 |
| Beryllium | 8.40E-01 | 8.40E-01 | 8.40E-01 | 1/6 | 4.20E-01 | 5.00E-01 | 1/6 | 6.70E-01 | 0/6 | 1.28E+03 | 0/6 | 9.48E-01 |
| Calcium | 8.76E+03 | 3.06E+05 | 1.44E+05 | 6/6 | 5.00E+01 | 2.50E+03 | 6/6 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 7.00E+00 | 2.04E+01 | 1.19E+01 | 6/6 | 2.00E+00 | 2.39E+00 | n/a | n/a | n/a | n/a | 0/6 | 3.50E+02 |
| Cobalt | 1.70E+00 | 9.67E+00 | 4.68E+00 | 5/6 | 1.00E+00 | 2.39E+00 | 0/6 | 1.40E+01 | 0/6 | 1.00E+05 | 0/6 | 1.92E+03 |
| Copper | 4.97E+00 | 1.01E+01 | 7.29E+00 | 6/6 | 2.00E+00 | 2.39E+00 | 0/6 | 1.90E+01 | 0/6 | 1.00E+05 | 0/6 | 4.93E+02 |
| Iron | 2.79E+03 | 2.28E+04 | 1.05E+04 | 6/6 | 5.00E+00 | 1.91E+01 | 0/6 | 2.80E+04 | 0/6 | 1.00E+05 | 6/6 | 2.07E+03 |
| Lead | 2.25E+01 | 4.88E+01 | 3.54E+01 | 2/6 | 1.69E+01 | 2.00E+01 | 1/6 | 3.60E+01 | 0/6 | 1.25E+03 | 0/6 | 5.00E+01 |
| Lithium | 2.82E+00 | 4.88E+00 | 4.22E+00 | 4/4 | 2.00E+00 | 2.00E+00 | n/a | n/a | 0/4 | 1.00E+05 | 0/4 | 6.41E+02 |
| Magnesium | 1.53E+03 | 2.22E+04 | 7.78E+03 | 6/6 | 4.79E+00 | 7.50E+02 | 5/6 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 7.90E+01 | 7.36E+02 | 2.96E+02 | 6/6 | 1.00E+00 | 2.39E+00 | 0/6 | 1.50E+03 | 0/6 | 4.64E+04 | 6/6 | 4.52E+01 |
| Molybdenum | 2.00E+01 | 2.00E+01 | 2.00E+01 | 1/2 | 4.22E+00 | 4.79E+00 | n/a | n/a | 0/2 | 2.50E+04 | 0/2 | 8.30E+01 |
| Nickel | 6.18E+00 | 5.25E+01 | 2.35E+01 | 5/6 | 4.22E+00 | 5.00E+00 | 2/6 | 2.10E+01 | 0/6 | 9.30E+04 | 0/6 | 2.42E+02 |
| Potassium | 2.91E+02 | 9.61E+02 | 5.65E+02 | 6/6 | 8.43E-01 | 1.00E+02 | 1/6 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Sodium | 2.17E+02 | 3.08E+02 | 2.63E+02 | 2/6 | 8.43E-01 | 2.00E+02 | 0/6 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Strontium | 1.46E+01 | 2.69E+02 | 1.47E+02 | 4/4 | 2.00E+00 | 2.00E+00 | n/a | n/a | 0/4 | 1.00E+05 | 0/4 | 5.45E+03 |
| Uranium | 8.74E+00 | 1.78E+01 | 1.17E+01 | 4/4 | 4.90E-01 | 9.50E-01 | 4/4 | 4.90E+00 | 0/4 | 3.34E+03 | 0/4 | 2.02E+01 |
| Vanadium | 6.36E+00 | 3.55E+01 | 1.81E+01 | 6/6 | 2.00E+00 | 2.39E+00 | 0/6 | 3.80E+01 | 0/6 | 4.47E+03 | 6/6 | 3.32E+00 |
| Zinc | 1.14E+02 | 3.90E+02 | 2.05E+02 | 5/6 | 1.50E+01 | 1.91E+01 | 5/6 | 6.50E+01 | 0/6 | 1.00E+05 | 0/6 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 1.20E-01 | 1.41E+00 | 5.89E-01 | 7/16 | 1.00E-01 | 1.30E-01 | n/a | n/a | 0/16 | 4.25E+01 | 5/16 | 1.99E-01 |
| PCB-1016 | 1.87E+00 | 1.87E+00 | 1.87E+00 | 1/22 | 9.00E-02 | 5.45E-01 | n/a | n/a | 0/22 | 4.25E+01 | 1/22 | 1.99E-01 |
| PCB-1254 | 9.60E-02 | 1.41E+00 | 6.55E-01 | 5/22 | 8.00E-02 | 5.45E-01 | n/a | n/a | 0/22 | 1.82E+01 | 3/22 | 1.99E-01 |
| PCB-1260 | 1.10E-01 | 4.29E-01 | 2.00E-01 | 8/22 | 9.00E-02 | 5.45E-01 | n/a | n/a | 0/22 | 4.25E+01 | 2/22 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 6.61E+00 | 1.42E+02 | 3.19E+01 | 9/10 | 1.44E+00 | 3.50E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 6.43E+00 | 2.73E+03 | 3.10E+02 | 10/10 | 8.80E-01 | 9.30E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | -1.20E-01 | 4.41E+01 | 3.29E+00 | 17/22 | 6.00E-02 | 1.00E+00 | 11/22 | 4.90E-01 | 1/22 | 8.58E+00 | 13/22 | 8.58E-02 |
| Neptunium-237 | 6.69E-02 | 1.28E+01 | 5.18E+00 | 4/4 | 4.00E-02 | 1.41E-01 | 3/4 | 1.00E-01 | 0/4 | 2.71E+01 | 3/4 | 2.71E-01 |
| Technetium-99 | 7.77E+00 | 2.65E+03 | 5.15E+02 | 6/9 | 2.64E+00 | 4.01E+00 | 6/9 | 2.50E+00 | 0/9 | 3.62E+04 | 1/9 | 3.62E+02 |
| Thorium-228 | 8.44E-02 | 2.77E-01 | 1.91E-01 | 3/3 | 4.97E-02 | 8.00E-02 | 0/3 | 1.60E+00 | 0/3 | 2.80E+03 | 3/3 | 2.80E-02 |
| Thorium-230 | 2.79E-01 | 5.09E-01 | 3.97E-01 | 3/3 | 1.28E-01 | 2.30E-01 | 0/3 | 1.50E+00 | 0/3 | 1.49E+03 | 0/3 | 1.49E+01 |
| Thorium-232 | 2.01E-01 | 2.23E-01 | 2.12E-01 | 2/3 | 4.18E-02 | 7.00E-02 | 0/3 | 1.50E+00 | 0/3 | 1.35E+03 | 0/3 | 1.35E+01 |
| Thorium-234 | 4.47E+01 | 3.28E+02 | 1.42E+02 | 3/8 | 1.54E+00 | 1.90E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium | 6.92E+01 | 3.97E+02 | 2.33E+02 | 2/2 | 3.99E+00 | 4.05E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 1.17E+00 | 1.19E+02 | 3.44E+01 | 4/4 | 1.50E-01 | 1.19E+00 | 2/4 | 2.50E+00 | 0/4 | 1.98E+03 | 1/4 | 1.98E+01 |
| Uranium-235 | 8.85E-02 | 8.23E+00 | 2.81E+00 | 3/9 | 3.00E-02 | 9.90E+00 | 1/9 | 1.40E-01 | 0/9 | 3.95E+01 | 1/9 | 3.95E-01 |
| Uranium-238 | 2.00E-02 | 2.70E+02 | 2.34E+01 | 17/17 | 1.60E-01 | 1.73E+01 | 16/17 | 1.20E+00 | 1/17 | 1.71E+02 | 15/17 | 1.71E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.51. Summary of Surface and Subsurface Historical Data at SWMU 16 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Acenaphthene | 3.30E-01 | 3.30E-01 | 3.30E-01 | 1/7 | 4.80E-01 | 5.00E-01 | n/a | n/a | 0/7 | 6.67E+04 | 0/7 | 3.16E+02 |
| Acenaphthylene | 6.10E-01 | 6.10E-01 | 6.10E-01 | 1/7 | 4.80E-01 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Anthracene | 7.50E-01 | 7.50E-01 | 7.50E-01 | 1/7 | 4.80E-01 | 5.00E-01 | n/a | n/a | 0/7 | 1.00E+05 | 0/7 | 3.79E+03 |
| Benz(a)anthracene | 2.20E-01 | 1.70E+00 | 9.60E-01 | 2/7 | 4.80E-01 | 5.00E-01 | n/a | n/a | 0/7 | 2.08E+02 | 2/7 | 2.12E-01 |
| Benz(a)pyrene | 2.10E+00 | 2.10E+00 | 2.10E+00 | 1/7 | 4.80E-01 | 5.00E-01 | n/a | n/a | 0/7 | 2.08E+01 | 1/7 | 2.12E-02 |
| Benzo(b)fluoranthene | 8.00E-01 | 5.70E+00 | 3.25E+00 | 2/7 | 4.80E-01 | 5.00E-01 | n/a | n/a | 0/7 | 2.08E+02 | 2/7 | 2.12E-01 |
| Benzo(ghi)perylene | 5.50E-01 | 5.50E-01 | 5.50E-01 | 1/7 | 4.80E-01 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benzo(k)fluoranthene | 5.20E-01 | 7.90E-01 | 6.55E-01 | 2/7 | 4.80E-01 | 5.00E-01 | n/a | n/a | 0/7 | 2.08E+03 | 0/7 | 2.12E+00 |
| Chrysene | 5.40E-01 | 2.10E+00 | 1.32E+00 | 2/7 | 4.80E-01 | 5.00E-01 | n/a | n/a | 0/7 | 2.08E+04 | 0/7 | 2.12E+01 |
| Fluoranthene | 1.40E-01 | 2.30E+00 | 1.05E+00 | 4/7 | 4.80E-01 | 5.00E-01 | n/a | n/a | 0/7 | 6.50E+04 | 0/7 | 2.21E+02 |
| Indeno(1,2,3-cd)pyrene | 7.80E-01 | 7.80E-01 | 7.80E-01 | 1/7 | 4.80E-01 | 5.00E-01 | n/a | n/a | 0/7 | 2.08E+02 | 1/7 | 2.12E-01 |
| Phenanthrene | 8.50E-01 | 8.50E-01 | 8.50E-01 | 1/7 | 4.80E-01 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 5.90E-01 | 2.70E+00 | 1.35E+00 | 3/7 | 4.80E-01 | 5.00E-01 | n/a | n/a | 0/7 | 4.87E+04 | 0/7 | 1.65E+02 |
| Subsurface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 6.02E+03 | 1.41E+04 | 9.23E+03 | 18/18 | 2.00E+01 | 2.00E+01 | 1/18 | 1.20E+04 | 0/18 | 1.00E+05 | 18/18 | 4.64E+03 |
| Arsenic | 2.40E+00 | 6.30E+00 | 3.96E+00 | 7/18 | 5.00E+00 | 5.00E+00 | 0/18 | 7.90E+00 | 0/18 | 3.15E+02 | 7/18 | 5.23E-01 |
| Barium | 1.29E+01 | 2.43E+02 | 6.10E+01 | 18/18 | 1.00E+00 | 1.00E+00 | 2/18 | 1.70E+02 | 0/18 | 1.00E+05 | 1/18 | 2.29E+02 |
| Beryllium | 2.20E-01 | 1.23E+00 | 6.47E-01 | 13/18 | 5.00E-01 | 5.00E-01 | 5/18 | 6.90E-01 | 0/18 | 1.28E+03 | 1/18 | 9.48E-01 |
| Cadmium | 1.70E+00 | 1.70E+00 | 1.70E+00 | 1/18 | 7.50E-01 | 2.00E+00 | 1/18 | 2.10E-01 | 0/18 | 7.05E+01 | 0/18 | 2.13E+01 |
| Calcium | 7.86E+02 | 4.02E+03 | 1.61E+03 | 18/18 | 5.00E+01 | 5.00E+01 | 0/18 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 6.90E+00 | 2.47E+01 | 1.27E+01 | 18/18 | 2.00E+00 | 2.00E+00 | n/a | n/a | n/a | n/a | 0/18 | 3.56E+02 |
| Cobalt | 2.10E+00 | 2.73E+01 | 6.50E+00 | 18/18 | 1.00E+00 | 1.00E+00 | 1/18 | 1.30E+01 | 0/18 | 1.00E+05 | 0/18 | 1.92E+03 |
| Copper | 2.54E+00 | 5.52E+01 | 9.02E+00 | 18/18 | 2.00E+00 | 2.00E+00 | 1/18 | 2.50E+01 | 0/18 | 1.00E+05 | 0/18 | 4.93E+02 |
| Iron | 5.36E+03 | 3.03E+04 | 1.42E+04 | 18/18 | 5.00E+00 | 2.50E+02 | 1/18 | 2.80E+04 | 0/18 | 1.00E+05 | 18/18 | 2.07E+03 |
| Lead | 7.00E+00 | 4.73E+01 | 1.85E+01 | 10/18 | 2.00E+01 | 2.00E+01 | 3/18 | 2.30E+01 | 0/18 | 1.25E+03 | 0/18 | 5.00E+01 |
| Lithium | 2.38E+00 | 7.50E+00 | 4.05E+00 | 10/11 | 2.00E+00 | 2.00E+00 | n/a | n/a | 0/11 | 1.00E+05 | 0/11 | 6.41E+02 |
| Magnesium | 3.97E+02 | 2.28E+03 | 1.04E+03 | 18/18 | 1.50E+01 | 1.50E+01 | 1/18 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 2.33E+01 | 1.46E+03 | 3.02E+02 | 18/18 | 1.00E+00 | 1.00E+00 | 2/18 | 8.20E+02 | 0/18 | 4.64E+04 | 11/18 | 4.52E+01 |
| Mercury | 2.40E-02 | 2.40E-02 | 2.40E-02 | 1/18 | 8.00E-02 | 2.00E-01 | 0/18 | 1.30E-01 | 0/18 | 8.25E+02 | 0/18 | 9.82E-01 |
| Nickel | 2.50E+00 | 2.47E+01 | 8.72E+00 | 11/18 | 5.00E+00 | 5.00E+00 | 1/18 | 2.20E+01 | 0/18 | 9.30E+04 | 0/18 | 2.42E+02 |
| Potassium | 1.46E+02 | 8.87E+02 | 3.33E+02 | 18/18 | 1.00E+02 | 1.00E+02 | 0/18 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Sodium | 6.63E+01 | 3.46E+02 | 2.48E+02 | 11/18 | 2.00E+02 | 4.55E+02 | 1/18 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Strontium | 3.81E+00 | 1.44E+01 | 7.77E+00 | 11/11 | 2.00E+00 | 2.00E+00 | n/a | n/a | 0/11 | 1.00E+05 | 0/11 | 5.45E+03 |
| Vanadium | 8.37E+00 | 3.88E+01 | 2.43E+01 | 18/18 | 2.00E+00 | 2.00E+00 | 1/18 | 3.70E+01 | 0/18 | 4.47E+03 | 18/18 | 3.32E+00 |
| Zinc | 5.30E+00 | 5.40E+01 | 2.35E+01 | 12/18 | 1.50E+01 | 1.50E+01 | 0/18 | 6.00E+01 | 0/18 | 1.00E+05 | 0/18 | 2.73E+03 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 2.74E+00 | 2.37E+01 | 1.09E+01 | 19/21 | 6.10E-01 | 8.30E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 2.03E+00 | 2.30E+01 | 1.01E+01 | 21/21 | 7.90E-01 | 6.70E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Thorium-230 | 6.40E-01 | 6.70E-01 | 6.55E-01 | 2/2 | | | 0/2 | 1.40E+00 | 0/2 | 1.49E+03 | 0/2 | 1.49E+01 |
| Uranium-234 | 1.80E-01 | 5.40E-01 | 3.60E-01 | 2/2 | | | 0/2 | 2.40E+00 | 0/2 | 1.98E+03 | 0/2 | 1.98E+01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.51. Summary of Surface and Subsurface Historical Data at SWMU 16 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Uranium-235 | 7.20E-03 | 4.10E-02 | 2.41E-02 | 2/13 | 1.80E+00 | 1.10E+01 | 0/13 | 1.40E-01 | 0/13 | 3.95E+01 | 0/13 | 3.95E-01 |
| Uranium-238 | 2.30E-01 | 2.40E+00 | 1.32E+00 | 2/2 | | | 1/2 | 1.20E+00 | 0/2 | 1.71E+02 | 1/2 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Bis(2-ethylhexyl)phthalate | 8.70E-02 | 2.20E-01 | 1.47E-01 | 5/18 | 3.60E-01 | 5.00E-01 | n/a | n/a | 0/18 | 7.40E+03 | 0/18 | 8.84E+00 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| 2-Butanone | 6.00E-03 | 6.00E-03 | 6.00E-03 | 1/21 | 1.00E-02 | 1.20E+00 | n/a | n/a | 0/21 | 3.94E+04 | 0/21 | 1.03E+03 |
| Acetone | 1.20E-02 | 2.60E-02 | 1.77E-02 | 6/21 | 1.00E-02 | 1.20E+00 | n/a | n/a | 0/21 | 1.91E+04 | 0/21 | 3.58E+02 |
| Methylene chloride | 2.00E-03 | 7.00E+00 | 1.41E+00 | 5/21 | 6.00E-03 | 1.20E+00 | n/a | n/a | 0/21 | 2.16E+03 | 0/21 | 1.34E+01 |
| Total Xylene | 4.00E-03 | 4.00E-03 | 4.00E-03 | 1/7 | 6.00E-03 | 6.00E-03 | n/a | n/a | 0/7 | 2.20E+04 | 0/7 | 7.24E+02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.62. Soils Operable Unit: SWMUs 16 and 99

SWMU 518 (Field South of C-746-P1 Clean Scrap Yard)

Area description

The field south of the C-746-P1 Clean Scrap Yard (SWMU 518) is an open field located south of the C-746-P Yard in the northwestern portion of the plant. SWMU 518 is approximately 35,000 ft².

Process history

The field south C-746-P1 is believed to have been used as a temporary storage area for heavy equipment.

Previous investigation results

Analytical results from pre-characterization sampling, performed by collecting subsurface composite samples within four grid areas, indicated the presence of PAHs in three of the grids. A second round of sampling was conducted by collecting grab samples within the previously discussed grids. The presence of PAHs was confirmed.

A radiological walkover survey performed in the area indicated results ranging from 15,000 to 35,000 cpm.

Table 5.52 is a summary of historical data followed by a map of historical sample locations (Figure 5.63).

Area utilities

No current recirculating water lines or sewers are associated with this facility; none are within the boundary of the SWMU.

Data Gap Determination

No additional samples are needed at this location.

Table 5.52. Summary of Surface and Subsurface Historical Data at SWMU 518

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 3.17E+03 | 8.72E+03 | 5.81E+03 | 15/15 | 1.77E+01 | 2.00E+01 | 0/15 | 1.30E+04 | 0/15 | 1.00E+05 | 11/15 | 4.64E+03 |
| Arsenic | 2.79E+00 | 4.92E+00 | 4.94E+00 | 7/15 | 9.60E-01 | 5.00E+00 | 2/15 | 1.20E+01 | 0/15 | 3.15E+02 | 7/15 | 5.23E-01 |
| Barium | 3.33E+01 | 1.30E+02 | 7.11E+01 | 15/15 | 1.00E+00 | 5.00E+00 | 0/15 | 2.00E+02 | 0/15 | 1.00E+05 | 0/15 | 2.29E+02 |
| Beryllium | 3.50E-01 | 5.50E-01 | 4.53E-01 | 4/15 | 4.40E-01 | 5.00E-01 | 0/15 | 6.70E-01 | 0/15 | 1.28E+03 | 0/15 | 9.48E-01 |
| Calcium | 3.10E+03 | 2.07E+05 | 6.81E+04 | 15/15 | 5.00E+01 | 2.00E+03 | 12/15 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 2.70E+00 | 1.28E+01 | 8.15E+00 | 15/15 | 2.00E+00 | 2.50E+00 | n/a | n/a | n/a | n/a | 0/15 | 3.50E+02 |
| Cobalt | 2.50E+00 | 1.76E+01 | 5.00E+00 | 15/15 | 1.00E+00 | 2.50E+00 | 1/15 | 1.40E+01 | 0/15 | 1.00E+05 | 0/15 | 1.92E+03 |
| Copper | 2.50E+00 | 1.11E+01 | 6.97E+00 | 15/15 | 2.00E+00 | 2.50E+00 | 0/15 | 1.90E+01 | 0/15 | 1.00E+05 | 0/15 | 4.93E+02 |
| Iron | 4.50E+03 | 1.22E+04 | 8.50E+03 | 15/15 | 5.00E+00 | 2.00E+01 | 0/15 | 2.80E+04 | 0/15 | 1.00E+05 | 15/15 | 2.07E+03 |
| Lead | 6.90E+00 | 3.19E+01 | 1.86E+01 | 6/15 | 1.77E+01 | 2.00E+02 | 1/15 | 3.60E+01 | 0/15 | 1.25E+03 | 0/15 | 5.00E+01 |
| Magnesium | 6.31E+02 | 4.78E+03 | 2.25E+03 | 15/15 | 4.43E+00 | 1.50E+01 | 8/15 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 1.35E+02 | 5.67E+02 | 3.37E+02 | 15/15 | 1.00E+00 | 1.00E+01 | 0/15 | 1.50E+03 | 0/15 | 4.64E+04 | 15/15 | 4.52E+01 |
| Nickel | 5.80E+00 | 2.48E+01 | 1.02E+01 | 15/15 | 4.43E+00 | 5.00E+00 | 1/15 | 2.10E+01 | 0/15 | 9.30E+04 | 0/15 | 2.42E+02 |
| Potassium | 2.13E+02 | 5.67E+02 | 4.16E+02 | 8/8 | 8.85E+01 | 1.00E+02 | 0/8 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Selenium | 1.06E+00 | 1.06E+00 | 1.06E+00 | 1/15 | 2.90E-01 | 1.99E+01 | 1/15 | 8.00E-01 | 0/15 | 2.56E+04 | 0/15 | 9.49E+01 |
| Sodium | 4.31E+01 | 2.76E+02 | 1.54E+02 | 5/8 | 8.85E+01 | 2.00E+02 | 0/8 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Uranium | 5.48E+00 | 2.17E+02 | 3.72E+01 | 7/13 | 1.30E-01 | 2.00E+03 | 7/13 | 4.90E+00 | 0/13 | 3.34E+03 | 1/13 | 2.02E+01 |
| Vanadium | 6.80E+00 | 2.31E+01 | 1.50E+01 | 15/15 | 2.00E-01 | 2.50E+00 | 0/15 | 3.80E+01 | 0/15 | 4.47E+03 | 15/15 | 3.32E+00 |
| Zinc | 2.41E+01 | 7.61E+01 | 4.36E+01 | 10/15 | 1.50E+01 | 2.00E+02 | 3/15 | 6.50E+01 | 0/15 | 1.00E+05 | 0/15 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 2.60E-01 | 1.64E+00 | 8.38E-01 | 4/19 | 1.00E-01 | 1.30E-01 | n/a | n/a | 0/19 | 4.25E+01 | 4/19 | 1.99E-01 |
| PCB-1260 | 6.80E-02 | 1.64E+00 | 5.86E-01 | 6/24 | 9.00E-02 | 8.20E-01 | n/a | n/a | 0/24 | 4.25E+01 | 4/24 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 3.20E+00 | 1.82E+01 | 9.20E+00 | 6/7 | 1.22E+00 | 9.10E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 1.05E+01 | 4.14E+01 | 1.83E+01 | 7/7 | 1.13E+00 | 7.00E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | -1.80E-01 | 5.63E-01 | 1.44E-01 | 17/20 | 1.01E-02 | 7.40E-01 | 6/20 | 4.90E-01 | 0/20 | 8.58E+00 | 7/20 | 8.58E-02 |
| Neptunium-237 | 5.17E-02 | 6.36E-02 | 5.77E-02 | 2/12 | 2.14E-02 | 3.68E-02 | 0/12 | 1.00E-01 | 0/12 | 2.71E+01 | 0/12 | 2.71E-01 |
| Plutonium-239 | 7.50E-03 | 3.90E-01 | 1.99E-01 | 2/2 | | | 1/2 | 2.50E-02 | 0/2 | 1.15E+03 | 0/2 | 1.15E+01 |
| Plutonium-239/240 | 7.13E-02 | 9.19E-02 | 8.16E-02 | 2/10 | 2.00E-02 | 4.50E-02 | n/a | n/a | 0/10 | 1.15E+03 | 0/10 | 1.15E+01 |
| Technetium-99 | 3.26E+00 | 1.73E+01 | 7.94E+00 | 5/14 | 2.64E+00 | 4.52E+00 | 5/14 | 2.50E+00 | 0/14 | 3.62E+04 | 0/14 | 3.62E+02 |
| Thorium-228 | 2.13E-01 | 4.22E-01 | 2.95E-01 | 9/10 | 6.46E-02 | 1.60E-01 | 0/10 | 1.60E+00 | 0/10 | 2.80E+00 | 9/10 | 2.80E-02 |
| Thorium-230 | 2.35E-01 | 6.70E-01 | 3.81E-01 | 11/12 | 1.26E-01 | 2.10E-01 | 0/12 | 1.50E+00 | 0/12 | 1.49E+03 | 0/12 | 1.49E+01 |
| Thorium-232 | 1.64E-01 | 3.82E-01 | 3.01E-01 | 10/10 | 4.00E-02 | 6.52E-02 | 0/10 | 1.50E+00 | 0/10 | 1.35E+03 | 0/10 | 1.35E+01 |
| Uranium | 1.32E+00 | 1.32E+00 | 1.32E+00 | 1/7 | 5.33E-01 | 1.02E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 4.70E-01 | 2.06E+00 | 8.52E-01 | 6/12 | 8.00E-02 | 4.99E-01 | 0/12 | 2.50E+00 | 0/12 | 1.98E+03 | 0/12 | 1.98E+01 |
| Uranium-235 | 1.60E-02 | 9.25E-02 | 4.12E-02 | 12/14 | 1.00E-02 | 5.50E+00 | 0/14 | 1.40E-01 | 0/14 | 3.95E+01 | 0/14 | 3.95E-01 |
| Uranium-238 | 6.30E-01 | 1.09E+01 | 1.95E+00 | 20/20 | 4.00E-02 | 3.05E+00 | 11/20 | 1.20E+00 | 0/20 | 1.71E+02 | 8/20 | 1.71E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.52. Summary of Surface and Subsurface Historical Data at SWMU 518 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | |
| | | | | | | | | | | | |
| Semivolatiles (mg/kg) | | | | | | | | | | | |
| 2-Methylnaphthalene | 1.50E-01 | 7.30E+00 | 2.74E+00 | 3/33 | 3.60E-01 | 2.40E+00 | n/a | n/a | n/a | n/a | n/a |
| 3-Nitrobenzenamine | 9.45E+00 | 9.45E+00 | 9.45E+00 | 1/33 | 4.60E-01 | 2.40E+00 | n/a | n/a | n/a | n/a | n/a |
| Acenaphthene | 4.90E-01 | 3.20E+01 | 7.40E+00 | 13/36 | 3.60E-01 | 2.40E+00 | n/a | 0/36 | 6.67E+04 | 0/36 | 3.16E+02 |
| Acenaphthylene | 1.20E+00 | 9.45E+00 | 5.33E+00 | 2/36 | 3.60E-01 | 2.40E+00 | n/a | n/a | n/a | n/a | n/a |
| Anthracene | 5.50E-01 | 4.00E+01 | 7.95E+00 | 14/36 | 3.60E-01 | 2.00E+01 | n/a | 0/36 | 1.00E+05 | 0/36 | 3.79E+03 |
| Benz(a)anthracene | 6.00E-02 | 1.30E+02 | 1.70E+01 | 24/36 | 3.60E-01 | 2.40E+00 | n/a | 0/36 | 2.08E+02 | 23/36 | 2.12E-01 |
| Benz(a)pyrene | 6.70E-02 | 8.00E+01 | 1.33E+01 | 24/36 | 3.60E-01 | 2.40E+00 | n/a | 6/36 | 2.08E+01 | 24/36 | 2.12E-02 |
| Benzo(b)fluoranthene | 8.20E-02 | 1.70E+02 | 2.10E+01 | 24/36 | 3.60E-01 | 2.40E+00 | n/a | 0/36 | 2.08E+02 | 23/36 | 2.12E-01 |
| Benzo(ghi)perylene | 6.10E-02 | 2.80E+01 | 5.45E+00 | 20/37 | 3.60E-01 | 2.40E+00 | n/a | n/a | n/a | n/a | n/a |
| Benzo(k)fluoranthene | 5.10E-02 | 1.17E+01 | 3.72E+00 | 6/8 | 3.60E-01 | 5.00E-01 | n/a | 0/8 | 2.08E+03 | 3/8 | 2.12E+00 |
| Bis(2-ethylhexyl)phthalate | 4.40E+00 | 5.70E+00 | 4.93E+00 | 16/33 | 3.60E-01 | 2.40E+00 | n/a | 0/33 | 7.40E+03 | 0/33 | 8.84E+00 |
| Carbazole | 5.90E-01 | 7.10E+01 | 1.57E+01 | 9/30 | 4.60E-01 | 2.40E+00 | n/a | 0/30 | 1.28E+04 | 2/30 | 2.15E+01 |
| Chrysene | 6.70E-02 | 9.50E+01 | 1.20E+01 | 24/36 | 3.60E-01 | 2.40E+00 | n/a | 0/36 | 2.08E+04 | 5/36 | 2.12E+01 |
| Dibenz(a,h)anthracene | 1.60E+00 | 1.60E+00 | 1.60E+00 | 1/8 | 3.60E-01 | 5.00E-01 | n/a | 0/8 | 2.08E+01 | 1/8 | 2.12E-02 |
| Dibenzofuran | 8.30E-01 | 3.52E+00 | 2.00E+00 | 3/5 | 3.60E-01 | 5.00E-01 | n/a | 0/5 | 9.02E+03 | 0/5 | 1.86E+01 |
| Fluoranthene | 1.30E-01 | 5.33E+01 | 1.25E+01 | 6/8 | 3.60E-01 | 5.00E-01 | n/a | 0/8 | 6.50E+04 | 0/8 | 2.21E+02 |
| Fluorene | 6.60E-01 | 2.80E+01 | 7.80E+00 | 12/36 | 3.60E-01 | 2.40E+00 | n/a | 0/36 | 7.09E+04 | 0/36 | 3.39E+02 |
| Indeno(1,2,3-cd)pyrene | 5.40E-02 | 3.70E+01 | 6.51E+00 | 20/36 | 3.60E-01 | 2.40E+00 | n/a | 0/36 | 2.08E+02 | 19/36 | 2.12E-01 |
| Naphthalene | 1.90E-01 | 1.60E+01 | 4.41E+00 | 4/36 | 3.60E-01 | 2.40E+00 | n/a | 0/36 | 7.66E+02 | 0/36 | 2.36E+01 |
| Phenanthrene | 8.50E-02 | 6.40E+01 | 1.37E+01 | 24/36 | 3.60E-01 | 2.00E+01 | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 9.80E-02 | 1.50E+02 | 1.86E+01 | 27/36 | 3.60E-01 | 2.40E+00 | n/a | 0/36 | 4.87E+04 | 0/36 | 1.65E+02 |
| Volatiles (mg/kg) | | | | | | | | | | | |
| Methylene chloride | 5.00E-03 | 6.00E-03 | 5.50E-03 | 2/11 | 6.00E-03 | 1.30E-02 | n/a | 0/11 | 2.16E+03 | 0/11 | 1.34E+01 |
| Wetchem (mg/kg) | | | | | | | | | | | |
| Total Organic Carbon (TOC) | 7.80E+03 | 7.80E+03 | 7.80E+03 | 1/1 | 3.00E+02 | 3.00E+02 | n/a | n/a | n/a | n/a | n/a |
| Subsurface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | |
| Aluminum | 5.44E+03 | 1.17E+04 | 8.00E+03 | 7/7 | 2.00E+01 | 2.00E+01 | 0/7 | 1.20E+04 | 1.00E+05 | 7/7 | 4.64E+03 |
| Arsenic | 1.90E+00 | 9.30E+00 | 5.01E+00 | 6/7 | 5.00E+00 | 5.00E+00 | 1/7 | 7.90E+00 | 3.15E+02 | 6/7 | 5.23E-01 |
| Barium | 2.38E+01 | 2.50E+02 | 1.43E+02 | 7/7 | 1.00E+00 | 1.00E+00 | 3/7 | 1.70E+02 | 1.00E+05 | 2/7 | 2.29E+02 |
| Beryllium | 4.90E-01 | 1.40E+00 | 9.48E-01 | 5/7 | 3.20E-02 | 5.00E-01 | 3/7 | 6.90E-01 | 1.28E+03 | 2/7 | 9.48E-01 |
| Calcium | 6.62E+02 | 2.84E+03 | 1.64E+03 | 7/7 | 5.00E+01 | 5.00E+01 | 0/7 | 6.10E+03 | n/a | n/a | n/a |
| Chromium | 5.70E+00 | 3.41E+01 | 1.42E+01 | 7/7 | 2.00E+00 | 2.00E+00 | n/a | n/a | n/a | 0/7 | 3.56E+02 |
| Cobalt | 3.50E+00 | 2.47E+01 | 9.09E+00 | 7/7 | 1.00E+00 | 1.00E+00 | 1/7 | 1.30E+01 | 1.00E+05 | 0/7 | 1.92E+02 |
| Copper | 3.54E+00 | 3.71E+01 | 1.43E+01 | 7/7 | 2.00E+00 | 2.00E+00 | 1/7 | 2.50E+01 | 1.00E+05 | 0/7 | 4.93E+02 |
| Iron | 8.70E+03 | 3.31E+04 | 1.90E+04 | 7/7 | 5.00E+00 | 5.00E+00 | 2/7 | 2.80E+04 | 1.00E+05 | 7/7 | 2.07E+03 |
| Lead | 4.20E+00 | 1.71E+01 | 1.22E+01 | 6/7 | 2.00E+01 | 2.00E+01 | 0/7 | 2.30E+01 | 1.25E+03 | 0/7 | 5.00E+01 |
| Magnesium | 4.41E+02 | 1.81E+03 | 1.21E+03 | 7/7 | 1.50E+01 | 1.50E+01 | 0/7 | 2.10E+03 | n/a | n/a | n/a |
| Manganese | 1.17E+02 | 1.12E+03 | 5.41E+02 | 7/7 | 1.00E+00 | 1.00E+00 | 3/7 | 8.20E+02 | 4.64E+04 | 7/7 | 4.52E+01 |
| Mercury | 5.70E-02 | 6.20E-02 | 5.95E-02 | 2/7 | 1.00E-01 | 2.00E-01 | 0/7 | 1.30E-01 | 8.25E+02 | 0/7 | 9.82E-01 |
| Nickel | 6.10E+00 | 3.39E+01 | 1.70E+01 | 7/7 | 5.00E+00 | 5.00E+00 | 3/7 | 2.20E+01 | 9.30E+04 | 0/7 | 2.42E+02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.52. Summary of Surface and Subsurface Historical Data at SWMU 518 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|----------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Potassium | 7.86E+01 | 4.99E+02 | 3.38E+02 | 7/7 | 1.00E+02 | 1.00E+02 | 0/7 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Silver | 2.70E+00 | 2.80E+00 | 2.75E+00 | 2/7 | 6.60E-01 | 4.00E+00 | 2/7 | 2.70E+00 | 0/7 | 2.07E+04 | 0/7 | 4.11E+01 |
| Sodium | 9.37E+01 | 3.83E+02 | 2.40E+02 | 7/7 | 2.00E+02 | 2.00E+02 | 2/7 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Vanadium | 1.71E+01 | 4.14E+01 | 2.83E+01 | 7/7 | 2.00E+00 | 2.00E+00 | 1/7 | 3.70E+01 | 0/7 | 4.47E+03 | 7/7 | 3.32E+00 |
| Zinc | 1.73E+01 | 1.90E+02 | 5.33E+01 | 7/7 | 1.50E+01 | 1.50E+01 | 1/7 | 6.00E+01 | 0/7 | 1.00E+05 | 0/7 | 2.73E+03 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 1.89E+01 | 2.10E+01 | 2.00E+01 | 2/2 | 8.50E+00 | 9.10E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 1.34E+01 | 1.69E+01 | 1.52E+01 | 2/2 | 7.20E+00 | 7.90E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Acenaphthene | 5.60E-02 | 2.20E-01 | 1.45E-01 | 3/6 | 4.00E-01 | 4.40E-01 | n/a | n/a | 0/6 | 6.67E+04 | 0/6 | 3.16E+02 |
| Anthracene | 8.30E-02 | 3.10E-01 | 2.11E-01 | 3/6 | 4.00E-01 | 4.40E-01 | n/a | n/a | 0/6 | 1.00E+05 | 0/6 | 3.79E+03 |
| Benzo(a)anthracene | 1.90E-01 | 5.00E-01 | 3.73E-01 | 3/6 | 4.00E-01 | 4.40E-01 | n/a | n/a | 0/6 | 2.08E+02 | 2/6 | 2.12E-01 |
| Benzo(a)pyrene | 1.40E-01 | 4.40E-01 | 3.30E-01 | 3/6 | 4.00E-01 | 4.40E-01 | n/a | n/a | 0/6 | 2.08E+01 | 3/6 | 2.12E-02 |
| Benzo(b)fluoranthene | 1.40E-01 | 5.40E-01 | 3.50E-01 | 3/6 | 4.00E-01 | 4.40E-01 | n/a | n/a | 0/6 | 2.08E+02 | 2/6 | 2.12E-01 |
| Benzo(ghi)perylene | 2.60E-01 | 2.60E-01 | 2.60E-01 | 2/6 | 4.00E-01 | 4.40E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benzo(k)fluoranthene | 1.60E-01 | 5.80E-01 | 3.07E-01 | 3/6 | 4.00E-01 | 4.40E-01 | n/a | n/a | 0/6 | 2.08E+03 | 0/6 | 2.12E+00 |
| Bis(2-ethylhexyl)phthalate | 1.00E+00 | 1.50E+00 | 1.25E+00 | 2/6 | 4.00E-01 | 4.40E-01 | n/a | n/a | 0/6 | 7.40E+03 | 0/6 | 8.84E+00 |
| Bis(2-methoxyethyl)phthalate | 1.70E-01 | 1.70E-01 | 1.70E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Chrysene | 2.10E-01 | 5.60E-01 | 4.20E-01 | 3/6 | 4.00E-01 | 4.40E-01 | n/a | n/a | 0/6 | 2.08E+04 | 0/6 | 2.12E+01 |
| Dibenz(a,h)anthracene | 5.60E-02 | 5.60E-02 | 5.60E-02 | 1/6 | 4.00E-01 | 4.40E-01 | n/a | n/a | 0/6 | 2.08E+01 | 1/6 | 2.12E-02 |
| Dibenzofuran | 8.40E-02 | 8.70E-02 | 8.55E-02 | 2/6 | 4.00E-01 | 4.40E-01 | n/a | n/a | 0/6 | 9.02E+03 | 0/6 | 1.86E+01 |
| Dioctyl hexanedioate | 5.60E-01 | 5.60E-01 | 5.60E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Ethanol, 2,2'-oxybis-, diacetate | 1.80E+00 | 1.80E+00 | 1.80E+00 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Fluoranthene | 4.80E-01 | 1.30E+00 | 9.93E-01 | 3/6 | 4.00E-01 | 4.40E-01 | n/a | n/a | 0/6 | 6.50E+04 | 0/6 | 2.21E+02 |
| Fluorene | 1.40E-01 | 1.90E-01 | 1.65E-01 | 2/6 | 4.00E-01 | 4.40E-01 | n/a | n/a | 0/6 | 7.09E+04 | 0/6 | 3.39E+02 |
| Indeno(1,2,3-cd)pyrene | 2.30E-01 | 2.70E-01 | 2.50E-01 | 2/6 | 4.00E-01 | 4.40E-01 | n/a | n/a | 0/6 | 2.08E+02 | 2/6 | 2.12E-01 |
| Phenanthrene | 4.30E-01 | 1.30E+00 | 9.43E-01 | 3/6 | 4.00E-01 | 4.40E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 4.70E-01 | 1.30E+00 | 8.90E-01 | 3/6 | 4.00E-01 | 4.40E-01 | n/a | n/a | 0/6 | 4.87E+04 | 0/6 | 1.63E+02 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| Acetone | 4.30E-02 | 1.30E-01 | 8.10E-02 | 3/9 | 6.00E-03 | 1.30E-02 | n/a | n/a | 0/9 | 1.91E+04 | 0/9 | 3.58E+02 |
| Methylene chloride | 3.00E-03 | 5.40E-02 | 2.28E-02 | 4/9 | 6.00E-03 | 1.30E-02 | n/a | n/a | 0/9 | 2.16E+03 | 0/9 | 1.34E+01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.63. Soils Operable Unit: SWMUs 12, 13, 228, 229, and 518

SWMU 520 (Scrap Material West of C-746-A)

Area description

The Scrap Material west of C-746-A (SWMU 520) is located in the northwestern portion of PGDP. SWMU 520 is approximately 152,000 ft².

Process history

The area west of C-746-A has been used as a storage area for old equipment and materials since the 1970s. Material stored in this area include old pallets, old equipment, (such as tow motors, forklifts, welding rigs and fixtures, vehicles, and vehicle trailers), and wooden saddles from the cylinder yards.

Previous investigation results

Annual surveys of the perimeter of this area are performed. The area currently is posted as a radioactive materials area, although no known releases have occurred.

Table 5.53 is a summary of historical data followed by a map of historical sample locations (Figure 5.64).

Area utilities

No current recirculating water lines or sewers are associated with this facility. Utilities within the boundary are associated with SWMU 196. Additional information is found in Section 5.1.47.

Data Gap Determination

Additional samples are needed at this location.

Table 5.53. Summary of Surface and Subsurface Historical Data at SWMU 520

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 2.58E+03 | 1.13E+04 | 7.45E+03 | 15/15 | 1.63E+00 | 2.00E+01 | 0/15 | 1.30E+04 | 0/15 | 1.00E+05 | 12/15 | 4.64E+03 |
| Antimony | 2.92E-01 | 3.74E-01 | 3.33E-01 | 2/15 | 2.30E-01 | 2.00E+01 | 2/15 | 2.10E-01 | 0/15 | 4.63E+02 | 0/15 | 3.79E-01 |
| Arsenic | 1.81E+00 | 6.38E+00 | 4.18E+00 | 7/18 | 8.27E-02 | 5.00E+00 | 0/18 | 1.20E+01 | 0/18 | 3.15E+02 | 7/18 | 5.23E-01 |
| Barium | 2.33E+01 | 1.57E+02 | 8.36E+01 | 18/18 | 1.71E-01 | 2.50E+00 | 0/18 | 2.00E+02 | 0/18 | 1.00E+05 | 0/18 | 2.29E+02 |
| Beryllium | 1.70E-01 | 7.30E-01 | 4.92E-01 | 7/15 | 1.81E-01 | 5.00E-01 | 1/15 | 6.70E-01 | 0/15 | 1.28E+03 | 0/15 | 9.48E-01 |
| Cadmium | 1.83E+00 | 2.53E+00 | 2.18E+00 | 2/18 | 2.45E-01 | 2.00E+00 | 2/18 | 2.10E-01 | 0/18 | 7.05E+01 | 0/18 | 2.13E+01 |
| Calcium | 9.32E+02 | 2.93E+05 | 4.84E+04 | 15/15 | 6.63E+00 | 2.00E+03 | 11/15 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 3.30E+00 | 2.07E+01 | 1.07E+01 | 18/18 | 3.83E-01 | 2.50E+00 | n/a | n/a | n/a | n/a | 0/18 | 3.56E+02 |
| Cobalt | 2.49E+00 | 6.53E+00 | 4.18E+00 | 15/15 | 3.73E-01 | 2.50E+00 | 0/15 | 1.40E+01 | 0/15 | 1.00E+05 | 0/15 | 1.92E+03 |
| Copper | 4.20E+00 | 2.13E+01 | 1.04E+01 | 15/15 | 2.11E-01 | 2.50E+00 | 2/15 | 1.90E+01 | 0/15 | 1.00E+05 | 0/15 | 4.93E+02 |
| Iron | 4.68E+03 | 1.96E+04 | 1.07E+04 | 15/15 | 6.68E-01 | 1.86E+02 | 0/15 | 2.80E+04 | 0/15 | 1.00E+05 | 15/15 | 2.07E+03 |
| Lead | 1.23E+01 | 2.49E+01 | 1.99E+01 | 4/18 | 2.48E+00 | 2.00E+01 | 2/18 | 3.60E+01 | 0/18 | 1.25E+03 | 0/18 | 5.00E+01 |
| Lithium | 5.53E+00 | 8.08E+00 | 6.59E+00 | 6/6 | 5.00E+00 | 5.00E+00 | n/a | n/a | 0/6 | 1.00E+05 | 0/6 | 6.41E+02 |
| Magnesium | 3.89E+02 | 7.74E+03 | 2.20E+03 | 15/15 | 2.50E+00 | 1.50E+01 | 5/15 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 1.74E+02 | 5.34E+02 | 3.25E+02 | 15/15 | 2.01E-01 | 2.50E+00 | 0/15 | 1.50E+03 | 0/15 | 4.64E+04 | 15/15 | 4.52E+01 |
| Mercury | 4.13E-02 | 5.21E-02 | 4.67E-02 | 2/18 | 7.80E-03 | 2.00E-01 | 0/18 | 2.00E-01 | 0/18 | 8.25E+02 | 0/18 | 9.82E-01 |
| Nickel | 6.07E+00 | 7.36E+01 | 1.76E+01 | 14/15 | 1.28E+00 | 5.00E+00 | 4/15 | 2.10E+01 | 0/15 | 9.30E+04 | 0/15 | 2.42E+02 |
| Potassium | 1.66E+02 | 9.33E+02 | 5.57E+02 | 9/9 | 9.30E+01 | 1.07E+02 | 0/9 | 1.30E+03 | n/a | n/a | n/a | n/a |
| Selenium | 3.52E-01 | 3.52E-01 | 3.52E-01 | 1/18 | 8.91E-02 | 1.99E+01 | 0/18 | 8.00E-01 | 0/18 | 2.56E+04 | 0/18 | 9.49E+01 |
| Sodium | 1.16E+02 | 4.23E+02 | 2.54E+02 | 6/9 | 1.11E+01 | 2.00E+02 | 2/9 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Thallium | 1.47E-01 | 1.57E-01 | 1.52E-01 | 2/15 | 1.16E-01 | 2.00E+01 | 0/15 | 2.10E-01 | n/a | n/a | n/a | n/a |
| Uranium | 2.86E+00 | 1.14E+02 | 2.60E+01 | 5/12 | 1.30E-01 | 1.00E+03 | 3/12 | 4.90E+00 | 0/12 | 3.34E+03 | 1/12 | 2.02E+01 |
| Vanadium | 4.60E+00 | 2.48E+01 | 1.83E+01 | 15/15 | 6.02E-01 | 2.50E+00 | 0/15 | 3.80E+01 | 0/15 | 4.47E+03 | 15/15 | 3.32E+00 |
| Zinc | 1.94E+01 | 2.22E+02 | 6.13E+01 | 14/15 | 1.44E-01 | 1.99E+01 | 3/15 | 6.50E+01 | 0/15 | 1.00E+05 | 0/15 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 1.40E-01 | 1.51E+00 | 8.25E-01 | 2/22 | 1.00E-01 | 1.30E-01 | n/a | n/a | 0/22 | 4.25E+01 | 1/22 | 1.99E-01 |
| PCB-1254 | 1.40E-01 | 1.06E+00 | 6.00E-01 | 2/26 | 6.00E-02 | 8.70E-01 | n/a | n/a | 0/26 | 1.82E+01 | 1/26 | 1.99E-01 |
| PCB-1260 | 4.50E-01 | 4.50E-01 | 4.50E-01 | 1/26 | 9.00E-02 | 8.70E-01 | n/a | n/a | 0/26 | 4.25E+01 | 1/26 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 2.70E+00 | 2.07E+01 | 1.15E+01 | 12/13 | 1.08E+00 | 1.05E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 2.82E+00 | 9.74E+01 | 2.85E+01 | 13/13 | 1.09E+00 | 1.86E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 1.76E-02 | 3.70E-01 | 1.12E-01 | 17/22 | 1.66E-02 | 3.20E+00 | 1/22 | 4.90E-01 | 0/22 | 8.58E+00 | 8/22 | 8.58E-02 |
| Neptunium-237 | 4.40E-02 | 6.80E-01 | 2.72E-01 | 3/12 | 2.00E-02 | 4.83E-02 | 1/12 | 1.00E-01 | 0/12 | 2.71E+03 | 1/12 | 2.71E-01 |
| Plutonium-239 | 5.50E-01 | 5.50E-01 | 5.50E-01 | 1/1 | | | 1/1 | 2.50E-02 | 0/1 | 1.15E+03 | 0/1 | 1.15E+01 |
| Plutonium-239/240 | 3.70E-01 | 3.70E-01 | 3.70E-01 | 1/11 | 1.00E-02 | 7.24E-02 | n/a | n/a | 0/11 | 1.15E+03 | 0/11 | 1.15E+01 |
| Technetium-99 | 3.10E+00 | 3.34E+01 | 1.08E+01 | 6/15 | 2.57E+00 | 5.77E+00 | 6/15 | 2.50E+00 | 0/15 | 3.62E+04 | 0/15 | 3.62E+02 |
| Thorium-228 | 2.23E-01 | 4.06E-01 | 3.13E-01 | 9/9 | 6.00E-02 | 1.60E-01 | 0/9 | 1.60E+00 | 0/9 | 2.80E+00 | 9/9 | 2.80E-02 |
| Thorium-230 | 2.21E-01 | 5.60E-01 | 3.76E-01 | 10/12 | 1.72E-01 | 3.01E-01 | 0/12 | 1.50E+00 | 0/12 | 1.49E+03 | 0/12 | 1.49E+01 |
| Thorium-232 | 1.86E-01 | 4.57E-01 | 3.22E-01 | 9/9 | 4.00E-02 | 1.98E-01 | 0/9 | 1.50E+00 | 0/9 | 1.35E+03 | 0/9 | 1.35E+01 |
| Uranium | 3.90E+00 | 5.00E+00 | 4.45E+00 | 2/8 | 3.98E-01 | 1.59E+00 | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.53. Summary of Surface and Subsurface Historical Data at SWMU 520 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Uranium-234 | 1.40E-01 | 1.80E+00 | 9.30E-01 | 6/12 | 8.00E-02 | 9.20E-01 | 0/12 | 2.50E+00 | 0/12 | 1.98E+03 | 0/12 | 1.98E+01 |
| Uranium-235 | 2.20E-02 | 1.03E-01 | 5.34E-02 | 11/15 | 2.00E-02 | 6.80E+00 | 0/15 | 1.40E-01 | 0/15 | 3.95E+01 | 0/15 | 3.95E-01 |
| Uranium-238 | -7.10E-01 | 4.50E+00 | 1.40E+00 | 19/20 | 4.00E-02 | 6.57E+00 | 9/20 | 1.20E+00 | 0/20 | 1.71E+02 | 7/20 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Anthracene | 1.56E-01 | 1.56E-01 | 1.56E-01 | 1/21 | 1.70E-01 | 5.60E-01 | n/a | n/a | 0/21 | 1.00E+05 | 0/21 | 3.79E+03 |
| Benz(a)anthracene | 2.55E-01 | 1.20E+00 | 7.28E-01 | 2/21 | 1.50E-01 | 5.60E-01 | n/a | n/a | 0/21 | 2.08E+02 | 2/21 | 2.12E-01 |
| Benzo(a)pyrene | 4.02E-01 | 1.00E+00 | 7.01E-01 | 2/21 | 1.70E-01 | 5.60E-01 | n/a | n/a | 0/21 | 2.08E+01 | 2/21 | 2.12E-02 |
| Benzo(b)fluoranthene | 5.00E-01 | 1.80E+00 | 1.15E+00 | 2/21 | 1.70E-01 | 5.60E-01 | n/a | n/a | 0/21 | 2.08E+02 | 2/21 | 2.12E-01 |
| Benzo(ghi)perylene | 1.24E-01 | 8.00E-01 | 4.62E-01 | 2/17 | 1.70E-01 | 5.60E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benzo(k)fluoranthene | 5.00E-01 | 5.00E-01 | 5.00E-01 | 1/14 | 1.70E-01 | 5.60E-01 | n/a | n/a | 0/14 | 2.08E+03 | 0/14 | 2.12E+00 |
| Bis(2-ethylhexyl)phthalate | 4.20E-01 | 4.20E-01 | 4.20E-01 | 1/12 | 3.60E-01 | 5.00E-01 | n/a | n/a | 0/12 | 7.40E+03 | 0/12 | 8.84E+00 |
| Chrysene | 4.17E-01 | 2.00E+00 | 1.21E+00 | 2/21 | 1.70E-01 | 5.60E-01 | n/a | n/a | 0/21 | 2.08E+04 | 0/21 | 2.12E+01 |
| Di-n-butyl phthalate | 1.70E+00 | 1.70E+00 | 1.70E+00 | 1/5 | 3.60E-01 | 5.00E-01 | n/a | n/a | 0/5 | 1.00E+05 | 0/5 | 2.13E+03 |
| Fluoranthene | 6.36E-01 | 6.36E-01 | 6.36E-01 | 1/14 | 1.70E-01 | 5.60E-01 | n/a | n/a | 0/14 | 6.50E+04 | 0/14 | 2.21E+02 |
| Indeno(1,2,3-cd)pyrene | 1.38E-01 | 9.10E-01 | 5.24E-01 | 2/21 | 1.70E-01 | 5.60E-01 | n/a | n/a | 0/21 | 2.08E+02 | 1/21 | 2.12E-01 |
| Phenanthrene | 4.61E-01 | 6.10E-01 | 5.36E-01 | 2/21 | 1.70E-01 | 5.60E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 6.63E-01 | 2.40E+00 | 1.53E+00 | 2/21 | 1.70E-01 | 5.60E-01 | n/a | n/a | 0/21 | 4.87E+04 | 0/21 | 1.65E+02 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| Methylene chloride | 2.00E-03 | 2.00E-03 | 2.00E-03 | 1/8 | 1.00E-02 | 1.00E-02 | n/a | n/a | 0/8 | 2.16E+03 | 0/8 | 1.34E+01 |
| Wetchem (mg/kg) | | | | | | | | | | | | |
| Total Organic Carbon (TOC) | 1.10E+04 | 1.10E+04 | 1.10E+04 | 1/1 | 3.00E+02 | 3.00E+02 | n/a | n/a | n/a | n/a | n/a | n/a |
| Subsurface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 2.20E+03 | 1.65E+04 | 8.68E+03 | 39/39 | 1.31E+00 | 2.70E+01 | 7/39 | 1.20E+04 | 0/39 | 1.00E+05 | 36/39 | 4.64E+03 |
| Antimony | 9.00E-01 | 9.80E+00 | 2.93E+00 | 5/39 | 5.22E-01 | 2.00E+01 | 5/39 | 2.10E-01 | 0/39 | 4.63E+02 | 5/39 | 3.79E-01 |
| Arsenic | 1.26E-01 | 7.99E+00 | 3.60E+00 | 25/39 | 8.27E-02 | 1.74E+01 | 1/39 | 7.90E+00 | 0/39 | 3.15E+02 | 24/39 | 5.23E-01 |
| Barium | 1.41E+01 | 1.94E+02 | 8.15E+01 | 39/39 | 2.42E-02 | 2.39E+00 | 3/39 | 1.70E+02 | 0/39 | 1.00E+05 | 0/39 | 2.29E+02 |
| Beryllium | 1.66E-01 | 2.62E+00 | 6.48E-01 | 29/38 | 1.88E-02 | 5.00E-01 | 7/38 | 6.90E-01 | 0/38 | 1.28E+03 | 4/38 | 9.48E-01 |
| Cadmium | 5.50E-02 | 4.09E+00 | 1.19E+00 | 7/39 | 4.89E-02 | 2.21E+00 | 4/39 | 2.10E-01 | 0/39 | 7.05E+01 | 0/39 | 2.13E+01 |
| Calcium | 2.57E+02 | 9.63E+04 | 6.68E+03 | 38/38 | 5.10E-01 | 1.00E+02 | 7/38 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 4.93E+00 | 6.60E+01 | 1.78E+01 | 39/39 | 1.33E-01 | 3.52E+00 | n/a | n/a | n/a | n/a | 0/39 | 3.56E+02 |
| Cobalt | 4.57E-01 | 1.79E+01 | 5.12E+00 | 38/38 | 8.47E-02 | 2.39E+00 | 2/38 | 1.30E+01 | 0/38 | 1.00E+05 | 0/38 | 1.92E+03 |
| Copper | 6.94E-01 | 2.52E+01 | 8.34E+00 | 37/38 | 1.07E-01 | 2.39E+00 | 2/38 | 2.50E+01 | 0/38 | 1.00E+05 | 0/38 | 4.93E+02 |
| Iron | 2.58E+03 | 5.87E+04 | 1.58E+04 | 38/38 | 6.68E-01 | 5.00E+01 | 3/38 | 2.80E+04 | 0/38 | 1.00E+05 | 38/38 | 2.07E+03 |
| Lead | 1.32E+00 | 3.54E+01 | 1.05E+01 | 26/39 | 2.40E-01 | 2.00E+01 | 2/39 | 2.30E+01 | 0/39 | 1.25E+03 | 0/39 | 5.00E+01 |
| Magnesium | 1.16E+02 | 6.20E+03 | 1.44E+03 | 39/39 | 3.75E+00 | 4.02E+01 | 11/39 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 8.29E+00 | 1.55E+03 | 3.16E+02 | 38/38 | 3.00E-02 | 1.00E+01 | 3/38 | 8.20E+02 | 0/38 | 4.64E+04 | 36/38 | 4.52E+01 |
| Mercury | 9.60E-03 | 4.50E-02 | 2.62E-02 | 20/39 | 7.80E-03 | 2.00E-01 | 0/39 | 1.30E-01 | 0/39 | 8.25E+02 | 0/39 | 9.82E-01 |
| Nickel | 1.74E+00 | 5.44E+01 | 1.39E+01 | 32/39 | 1.28E-01 | 5.00E+00 | 3/39 | 2.20E+01 | 0/39 | 9.30E+04 | 0/39 | 2.42E+02 |
| Potassium | 1.12E+02 | 1.09E+03 | 4.10E+02 | 35/36 | 2.05E+00 | 1.00E+02 | 2/36 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Selenium | 1.20E-01 | 3.05E-01 | 2.08E-01 | 7/39 | 8.00E-04 | 3.58E+01 | 0/39 | 7.00E-01 | 0/39 | 2.56E+04 | 0/39 | 9.49E+01 |
| Sodium | 9.41E+01 | 1.18E+03 | 3.18E+02 | 37/38 | 2.73E+00 | 2.00E+02 | 11/38 | 3.40E+02 | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.53. Summary of Surface and Subsurface Historical Data at SWMU 520 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Thallium | 1.35E-01 | 5.74E-01 | 3.52E-01 | 4/38 | 1.16E-01 | 1.50E+01 | 2/38 | 3.40E-01 | n/a | n/a | n/a | n/a |
| Vanadium | 5.10E+00 | 7.91E+01 | 2.49E+01 | 38/38 | 1.45E-01 | 2.39E+00 | 4/38 | 3.70E+01 | 0/38 | 4.47E+03 | 38/38 | 3.32E+00 |
| Zinc | 5.35E+00 | 2.60E+02 | 4.42E+01 | 36/39 | 8.06E-02 | 2.00E+01 | 5/39 | 6.00E+01 | 0/39 | 1.00E+05 | 0/39 | 2.73E+03 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 1.63E+00 | 2.11E+01 | 1.05E+01 | 43/44 | 6.75E-01 | 1.06E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 1.73E+00 | 5.44E+01 | 2.30E+01 | 44/44 | 3.40E-01 | 1.87E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Neptunium-237 | 6.00E-02 | 6.00E-02 | 6.00E-02 | 1/10 | 4.01E-02 | 8.03E-02 | n/a | n/a | 0/10 | 2.71E+01 | 0/10 | 2.71E-01 |
| Radium-226 | 7.10E-01 | 7.41E-01 | 7.26E-01 | 2/4 | 3.35E-01 | 5.80E-01 | 0/4 | 1.50E+00 | 0/4 | 2.56E+00 | 2/4 | 2.56E-02 |
| Thorium-228 | 2.33E-01 | 3.38E-01 | 2.86E-01 | 2/2 | 9.20E-02 | 9.56E-02 | 0/2 | 1.60E+00 | 0/2 | 2.80E+00 | 2/2 | 2.80E-02 |
| Thorium-230 | 1.45E-01 | 5.90E-01 | 3.48E-01 | 5/6 | 1.06E-01 | 1.12E-01 | 0/6 | 1.40E+00 | 0/6 | 1.49E+03 | 0/6 | 1.49E+01 |
| Thorium-232 | 2.49E-01 | 3.73E-01 | 3.11E-01 | 2/2 | 5.49E-02 | 6.29E-02 | 0/2 | 1.50E+00 | 0/2 | 1.35E+03 | 0/2 | 1.35E+01 |
| Uranium | 1.60E+00 | 3.90E+00 | 2.75E+00 | 2/10 | 2.88E-01 | 7.68E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 5.00E-01 | 2.00E+00 | 1.25E+00 | 2/10 | 1.28E-01 | 3.45E-01 | 0/10 | 2.40E+00 | 0/10 | 1.98E+03 | 0/10 | 1.98E+01 |
| Uranium-235 | 3.04E-02 | 9.55E-02 | 6.30E-02 | 2/18 | 3.56E-02 | 1.00E+01 | 0/18 | 1.40E-01 | 0/18 | 3.95E+01 | 0/18 | 3.95E-01 |
| Uranium-238 | 1.00E+00 | 1.90E+00 | 1.45E+00 | 2/10 | 1.24E-01 | 3.79E-01 | 1/10 | 1.20E+00 | 0/10 | 1.71E+02 | 1/10 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Acenaphthene | 8.10E-01 | 1.50E+00 | 1.16E+00 | 2/17 | 1.70E-01 | 5.00E-01 | n/a | n/a | 0/17 | 6.67E+04 | 0/17 | 3.16E+02 |
| Acenaphthylene | 4.30E-01 | 4.30E-01 | 4.30E-01 | 1/17 | 1.70E-01 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Anthracene | 8.50E-01 | 2.90E+00 | 1.88E+00 | 2/17 | 1.70E-01 | 5.00E-01 | n/a | n/a | 0/17 | 1.00E+05 | 0/17 | 3.79E+03 |
| Benzo(a)anthracene | 2.0E-01 | 6.90E+00 | 3.17E+00 | 3/17 | 1.50E-01 | 5.00E-01 | n/a | n/a | 0/17 | 2.08E+02 | 3/17 | 2.12E-01 |
| Benzo(a)pyrene | 2.40E-01 | 7.00E+00 | 3.25E+00 | 3/17 | 1.70E-01 | 5.00E-01 | n/a | n/a | 0/17 | 2.08E+01 | 3/17 | 2.12E-02 |
| Benzo(b)fluoranthene | 3.40E-01 | 8.70E+00 | 4.21E+00 | 3/17 | 1.70E-01 | 5.00E-01 | n/a | n/a | 0/17 | 2.08E+02 | 3/17 | 2.12E-01 |
| Benzo(ghi)perylene | 1.10E+00 | 4.40E+00 | 2.75E+00 | 2/17 | 1.70E-01 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benzo(k)fluoranthene | 1.30E+00 | 3.10E+00 | 2.20E+00 | 2/17 | 1.70E-01 | 5.00E-01 | n/a | n/a | 0/17 | 2.08E+03 | 1/17 | 2.12E+00 |
| Chrysene | 2.50E-01 | 7.50E+00 | 3.45E+00 | 3/17 | 1.70E-01 | 5.00E-01 | n/a | n/a | 0/17 | 2.08E+04 | 0/17 | 2.12E+01 |
| Dibenz(a,h)anthracene | 2.10E-01 | 2.10E-01 | 2.10E-01 | 1/17 | 1.70E-01 | 5.00E-01 | n/a | n/a | 0/17 | 2.08E+01 | 1/17 | 2.12E-02 |
| Di-n-butyl phthalate | 6.70E-01 | 6.70E-01 | 6.70E-01 | 1/13 | 4.10E-01 | 5.00E-01 | n/a | n/a | 0/13 | 1.00E+05 | 0/13 | 2.13E+03 |
| Fluoranthene | 6.60E-01 | 1.80E+01 | 8.82E+00 | 3/17 | 1.70E-01 | 5.00E-01 | n/a | n/a | 0/17 | 6.50E+04 | 0/17 | 2.21E+02 |
| Fluorene | 1.20E+00 | 1.30E+00 | 1.25E+00 | 2/17 | 1.70E-01 | 5.00E-01 | n/a | n/a | 0/17 | 7.09E+04 | 0/17 | 3.39E+02 |
| Indeno(1,2,3-cd)pyrene | 1.30E+00 | 4.40E+00 | 2.85E+00 | 2/17 | 1.70E-01 | 5.00E-01 | n/a | n/a | 0/17 | 2.08E+02 | 2/17 | 2.12E-01 |
| Naphthalene | 1.10E+00 | 1.10E+00 | 1.10E+00 | 1/17 | 1.70E-01 | 5.00E-01 | n/a | n/a | 0/17 | 7.66E+02 | 0/17 | 2.36E+01 |
| Phenanthrene | 3.60E-01 | 1.40E+01 | 7.05E+00 | 3/17 | 1.70E-01 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 4.20E-01 | 1.60E+01 | 7.14E+00 | 3/17 | 1.70E-01 | 5.00E-01 | n/a | n/a | 0/17 | 4.87E+04 | 0/17 | 1.65E+02 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| 2-Butanone | 7.00E-03 | 7.00E-03 | 7.00E-03 | 1/19 | 1.00E-02 | 1.20E-02 | n/a | n/a | 0/19 | 3.94E+04 | 0/19 | 1.03E+03 |
| Acetone | 1.10E-02 | 1.10E-02 | 1.10E-02 | 1/19 | 1.00E-02 | 1.20E-02 | n/a | n/a | 0/19 | 1.91E+04 | 0/19 | 3.58E+02 |
| Methylene chloride | 3.00E-03 | 5.00E-03 | 4.00E-03 | 2/19 | 6.00E-03 | 1.00E-02 | n/a | n/a | 0/19 | 2.16E+03 | 0/19 | 1.34E+01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure No. \SoilsOUSOU_SMMUs.apr
 DATE 08-27-09

Figure 5.64. Soils Operable Unit: SWMUs 14, 15, 137, 196, 520, and 531

5.1.7 Group 3–PCBs

SWMU 56 (C-540-A PCB Staging Area)

Area description

The C-540-A PCB Staging Area (SWMU 56) is located in the west central portion of the plant site.

Process history

SWMU 56 is made up of leaks and spills of oils containing PCBs as a result of past operations that contaminated the soils.

Previous investigation results

Soil boring samples were obtained during the Phase I and Phase II SIs (CH2M HILL 1991; 1992) and during the WAG 23 RI (DOE 1994c). Results of these investigations indicate the presence of PCBs.

In 1997, as part of the WAG 23 (DOE 1998f) non-time-critical removal action, 23 yd³ of soil contaminated with dioxins and 72 yd³ of soil contaminated with PCBs were excavated for SWMUs 56 and 80. A summary of conclusions from the WAG 23 RAR, based on the future use scenario of unrestricted industrial, is as follows:

Following the removal action at WAG 23 sites, the residual PCB ELCR based on a 250 day/year exposure scenario is 2×10^{-6} at SWMUs 56 and 80 and below *de minimis* (i.e., 1×10^{-6}) at SWMUs 57 and 81. These risk levels are well within the EPA's acceptable risk range of 1×10^{-4} to 1×10^{-6} , as required by the NCP.

Table 5.54 is a summary of historical data followed by a map of historical sample locations (Figure 5.65).

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.

Data Gap Determination

No additional samples are needed at this location.

Table 5.54. Summary of Surface and Subsurface Historical Data at SWMU 56

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|---|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Dioxins/Furans (mg/kg) | | | | | | | | | | | | |
| 1,2,3,4,6,7,8-Heptachlorodibenzofuran | 6.00E-05 | 9.00E-05 | 7.33E-05 | 6/6 | 1.00E-05 | 3.70E-04 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin | 2.00E-05 | 1.70E-04 | 1.02E-04 | 6/6 | 1.00E-05 | 3.70E-04 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,4,7,8,9-Heptachlorodibenzofuran | 1.00E-05 | 3.00E-05 | 1.83E-05 | 6/6 | 1.00E-05 | 3.70E-04 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,4,7,8-Hexachlorodibenzofuran | 1.00E-05 | 1.20E-04 | 5.83E-05 | 6/6 | 1.00E-05 | 3.70E-04 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin | 4.87E-06 | 4.00E-05 | 1.47E-05 | 5/6 | 1.00E-05 | 3.50E-04 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,6,7,8-Hexachlorodibenzofuran | 2.10E-06 | 1.00E-05 | 8.64E-06 | 6/6 | 2.10E-06 | 3.70E-04 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin | 9.10E-06 | 5.00E-05 | 2.15E-05 | 6/6 | 9.10E-06 | 3.70E-04 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,7,8,9-Hexachlorodibenzofuran | 2.30E-06 | 1.00E-05 | 7.52E-06 | 4/6 | 2.30E-06 | 3.70E-04 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin | 9.15E-06 | 2.00E-05 | 1.38E-05 | 5/6 | 1.00E-05 | 3.70E-04 | n/a | n/a | 0/6 | 3.39E-02 | 0/6 | 5.07E-05 |
| 1,2,3,7,8-Pentachlorodibenzofuran | 5.77E-06 | 1.00E-05 | 8.36E-06 | 4/6 | 4.71E-06 | 1.40E-04 | n/a | n/a | 0/6 | 2.81E-03 | 0/6 | 1.24E-05 |
| 1,2,3,7,8-Pentachlorodibenzo-p-dioxin | 2.50E-06 | 1.90E-04 | 4.46E-05 | 5/6 | 4.10E-06 | 1.90E-04 | n/a | n/a | n/a | n/a | n/a | n/a |
| 2,3,4,6,7,8-Hexachlorodibenzofuran | 1.26E-06 | 1.00E-05 | 5.56E-06 | 5/6 | 1.00E-05 | 3.70E-04 | n/a | n/a | n/a | n/a | n/a | n/a |
| 2,3,4,7,8-Pentachlorodibenzofuran | 3.00E-05 | 3.00E-05 | 3.00E-05 | 6/6 | 4.71E-06 | 1.40E-04 | n/a | n/a | 0/6 | 2.81E-02 | 0/6 | 1.24E-04 |
| 2,3,7,8-Tetrachlorodibenzofuran | 2.00E-05 | 3.00E-05 | 2.17E-05 | 6/8 | 4.71E-06 | 1.00E-03 | n/a | n/a | 0/8 | 1.40E-02 | 0/8 | 6.19E-05 |
| 2,3,7,8-Tetrachlorodibenzo-p-dioxin | 1.38E-06 | 1.61E-03 | 4.60E-04 | 6/8 | 4.71E-06 | 2.92E-03 | n/a | n/a | 2/8 | 6.19E-04 | 4/8 | 6.19E-06 |
| Hexachloro-dibenzo[b,e][1,4]dioxin | 3.36E-03 | 3.36E-03 | 3.36E-03 | 1/2 | 1.10E-04 | 1.00E-03 | n/a | n/a | 0/2 | 6.19E-03 | 1/2 | 6.19E-05 |
| Hexachlorodibenzofuran | 5.20E-03 | 5.20E-03 | 5.20E-03 | 1/2 | 9.00E-05 | 1.00E-03 | n/a | n/a | 0/2 | 1.40E-02 | 1/2 | 6.19E-05 |
| Octachloro-dibenzo[b,e][1,4]dioxin | 1.60E-03 | 1.18E-02 | 4.92E-03 | 8/8 | 2.00E-05 | 1.00E-03 | n/a | n/a | 0/8 | 6.19E-01 | 3/8 | 6.19E-03 |
| Octachlorodibenzofuran | 1.00E-04 | 1.71E-03 | 3.87E-04 | 7/8 | 2.00E-05 | 1.00E-03 | n/a | n/a | 0/8 | 1.40E+00 | 0/8 | 6.19E-03 |
| Pentachloro-dibenzo[b,e][1,4]dioxin | 2.49E-02 | 2.49E-02 | 2.49E-02 | 1/2 | 1.30E-04 | 1.00E-03 | n/a | n/a | 1/2 | 1.24E-03 | 1/2 | 1.24E-05 |
| Pentachlorodibenzofuran | 3.50E-02 | 3.50E-02 | 3.50E-02 | 1/2 | 6.00E-05 | 1.00E-03 | n/a | n/a | n/a | n/a | n/a | n/a |
| Tetrachloro-dibenzo[b,e][1,4]dioxin | 3.72E-02 | 3.72E-02 | 3.72E-02 | 1/2 | 5.00E-05 | 1.00E-03 | n/a | n/a | n/a | n/a | n/a | n/a |
| Tetrachlorodibenzofuran | 2.11E-02 | 2.11E-02 | 2.11E-02 | 1/2 | 4.00E-05 | 1.00E-03 | n/a | n/a | n/a | n/a | n/a | n/a |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 1.05E+04 | 1.05E+04 | 1.05E+04 | 1/1 | | | 0/1 | 1.30E+04 | 0/1 | 1.00E+05 | 1/1 | 4.64E+03 |
| Arsenic | 7.10E+00 | 7.10E+00 | 7.10E+00 | 1/1 | | | 0/1 | 1.20E+01 | 0/1 | 3.15E+02 | 1/1 | 5.23E-01 |
| Barium | 6.64E+01 | 6.64E+01 | 6.64E+01 | 1/1 | | | 0/1 | 2.00E+02 | 0/1 | 1.00E+05 | 0/1 | 2.29E+02 |
| Beryllium | 4.90E-01 | 7.80E-01 | 6.35E-01 | 2/2 | 5.00E-01 | 5.00E-01 | 1/2 | 6.70E-01 | 0/2 | 1.28E+03 | 0/2 | 9.48E-01 |
| Cadmium | 8.00E-01 | 8.00E-01 | 8.00E-01 | 1/1 | | | 1/1 | 2.10E-01 | 0/1 | 7.05E+01 | 0/1 | 2.13E+01 |
| Calcium | 4.88E+03 | 4.88E+03 | 4.88E+03 | 1/1 | | | 0/1 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 1.59E+01 | 1.65E+02 | 9.05E+01 | 2/2 | 2.00E+00 | 2.00E+00 | n/a | n/a | n/a | n/a | 0/2 | 3.56E+02 |
| Cobalt | 6.50E+00 | 6.50E+00 | 6.50E+00 | 1/1 | | | 0/1 | 1.40E+01 | 0/1 | 1.00E+05 | 0/1 | 1.92E+02 |
| Copper | 1.31E+01 | 1.31E+01 | 1.31E+01 | 1/1 | | | 0/1 | 1.90E+01 | 0/1 | 1.00E+05 | 0/1 | 4.93E+03 |
| Iron | 1.69E+04 | 1.69E+04 | 1.69E+04 | 1/1 | | | 0/1 | 2.80E+04 | 0/1 | 1.00E+05 | 1/1 | 2.07E+03 |
| Lead | 1.22E+01 | 1.22E+01 | 1.22E+01 | 1/1 | | | 0/1 | 3.60E+01 | 0/1 | 1.25E+03 | 0/1 | 5.00E+01 |
| Magnesium | 1.39E+03 | 1.39E+03 | 1.39E+03 | 1/1 | | | 0/1 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 2.32E+02 | 2.32E+02 | 2.32E+02 | 1/1 | | | 0/1 | 1.50E+03 | 0/1 | 4.64E+04 | 1/1 | 4.52E+01 |
| Mercury | 4.50E-01 | 4.50E-01 | 4.50E-01 | 1/2 | 6.90E-02 | 2.00E-01 | 1/2 | 2.00E-01 | 0/2 | 8.25E+02 | 0/2 | 9.82E-01 |
| Nickel | 9.70E+00 | 9.70E+00 | 9.70E+00 | 1/1 | | | 0/1 | 2.10E+01 | 0/1 | 9.30E+04 | 0/1 | 2.42E+02 |
| Potassium | 3.70E+02 | 3.70E+02 | 3.70E+02 | 1/1 | | | 0/1 | 1.30E+03 | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.54. Summary of Surface and Subsurface Historical Data at SWMU 56 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|---------------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Selenium | 3.40E-01 | 3.40E-01 | 3.40E-01 | 1/1 | | | 0/1 | 8.00E-01 | 0/1 | 2.56E+04 | 0/1 | 9.49E+01 |
| Thallium | 2.60E-01 | 2.60E-01 | 2.60E-01 | 1/1 | | | 1/1 | 2.10E-01 | n/a | n/a | n/a | n/a |
| Uranium | 3.80E+01 | 5.72E+03 | 1.20E+03 | 5/5 | 1.00E+01 | 1.00E+01 | 5/5 | 4.90E+00 | 1/5 | 3.34E+03 | 5/5 | 2.02E+01 |
| Vanadium | 2.78E+01 | 2.78E+01 | 2.78E+01 | 1/1 | | | 0/1 | 3.80E+01 | 0/1 | 4.47E+03 | 1/1 | 3.32E+00 |
| Zinc | 3.45E+01 | 3.45E+01 | 3.45E+01 | 1/1 | | | 0/1 | 6.50E+01 | 0/1 | 1.00E+05 | 0/1 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 1.00E-01 | 1.26E+01 | 3.17E+00 | 23/30 | 2.80E+00 | 2.80E+00 | n/a | n/a | 0/30 | 4.25E+01 | 22/30 | 1.99E-01 |
| PCB-1242 | 1.40E+00 | 2.40E+00 | 1.77E+00 | 3/38 | 8.80E-02 | 7.30E+01 | n/a | n/a | 0/38 | 4.25E+01 | 3/38 | 1.99E-01 |
| PCB-1248 | 4.00E+00 | 5.50E+01 | 2.02E+01 | 6/39 | 8.80E-02 | 3.60E+01 | n/a | n/a | 1/39 | 4.25E+01 | 6/39 | 1.99E-01 |
| PCB-1254 | 4.70E-02 | 6.30E+00 | 2.77E+00 | 6/40 | 1.80E-01 | 3.60E+01 | n/a | n/a | 0/40 | 1.82E+01 | 5/40 | 1.99E-01 |
| PCB-1260 | 2.00E-02 | 1.50E+02 | 1.29E+01 | 44/48 | 5.00E-04 | 2.80E+00 | n/a | n/a | 4/48 | 4.25E+01 | 34/48 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 2.70E+00 | 9.43E+02 | 7.30E+01 | 36/38 | 9.00E-01 | 1.45E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 6.80E+00 | 4.34E+03 | 1.93E+02 | 38/38 | 9.00E-01 | 1.08E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Bismuth-214 | 6.33E-01 | 6.33E-01 | 6.33E-01 | 1/1 | 1.37E-01 | 1.37E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 2.71E-01 | 2.71E-01 | 2.71E-01 | 1/1 | 7.94E-02 | 7.94E-02 | 0/1 | 4.90E-01 | 0/1 | 8.58E+00 | 1/1 | 8.58E-02 |
| Neptunium-237 | 1.80E-01 | 5.05E-01 | 3.43E-01 | 2/2 | 3.50E-02 | 1.50E-01 | 2/2 | 1.00E-01 | 0/2 | 2.71E+01 | 1/2 | 2.71E-01 |
| Plutonium-239/240 | 3.90E-01 | 4.38E-01 | 4.14E-01 | 2/2 | 4.95E-02 | 9.60E-02 | n/a | n/a | 0/2 | 1.15E+03 | 0/2 | 1.15E+01 |
| Potassium-40 | 3.98E+00 | 3.98E+00 | 3.98E+00 | 1/1 | 2.90E-01 | 2.90E-01 | 0/1 | 1.60E+01 | n/a | n/a | n/a | n/a |
| Radium-228 | 3.38E-01 | 3.38E-01 | 3.38E-01 | 1/1 | 1.69E-01 | 1.69E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Strontium-90 | 6.70E+00 | 6.70E+00 | 6.70E+00 | 1/1 | 5.30E-01 | 5.30E-01 | 1/1 | 4.70E+00 | 0/1 | 7.44E+02 | 0/1 | 7.44E+00 |
| Technetium-99 | 1.90E+00 | 2.95E+01 | 1.57E+01 | 2/3 | 2.00E-01 | 4.07E+00 | 1/3 | 2.50E+00 | 0/3 | 3.62E+04 | 0/3 | 3.62E+02 |
| Thorium-228 | 1.87E-01 | 1.87E-01 | 1.87E-01 | 1/2 | 5.32E-02 | 1.49E-01 | 0/2 | 1.60E+00 | 0/2 | 2.80E+00 | 1/2 | 2.80E-02 |
| Thorium-230 | 4.40E+00 | 4.40E+00 | 4.40E+00 | 1/1 | 1.32E-01 | 1.32E-01 | 1/1 | 1.50E+00 | 0/1 | 1.49E+03 | 0/1 | 1.49E+01 |
| Thorium-232 | 1.79E-01 | 1.79E-01 | 1.79E-01 | 1/2 | 8.23E-02 | 9.53E-02 | 0/2 | 1.50E+00 | 0/2 | 1.35E+03 | 0/2 | 1.35E+01 |
| Uranium | 6.10E+00 | 1.71E+03 | 8.58E+01 | 36/43 | 8.32E+00 | 8.32E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 2.16E+02 | 2.29E+02 | 2.23E+02 | 2/2 | 1.05E+00 | 5.60E+00 | 2/2 | 2.50E+00 | 0/2 | 1.98E+03 | 2/2 | 1.98E+01 |
| Uranium-235 | 3.00E+01 | 3.00E+01 | 3.00E+01 | 1/1 | 3.70E+00 | 3.70E+00 | 1/1 | 1.40E-01 | 0/1 | 3.95E+01 | 1/1 | 3.95E-01 |
| Uranium-238 | 1.47E+03 | 1.92E+03 | 1.70E+03 | 2/2 | 3.50E+00 | 7.12E+00 | 2/2 | 1.20E+00 | 2/2 | 1.71E+02 | 2/2 | 1.71E+00 |
| Subsurface Soils | | | | | | | | | | | | |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 7.30E+01 | 7.30E+01 | 7.30E+01 | 1/11 | | | n/a | n/a | 1/11 | 4.25E+01 | 1/11 | 1.99E-01 |
| PCB-1260 | 5.00E-03 | 7.30E+01 | 9.87E+00 | 15/81 | 1.90E-01 | 2.00E-01 | n/a | n/a | 2/81 | 4.25E+01 | 7/81 | 1.99E-01 |
| Alpha activity | 1.10E+00 | 1.42E+01 | 6.54E+00 | 63/63 | 4.00E-01 | 1.00E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 8.20E-01 | 1.28E+01 | 3.78E+00 | 63/63 | 1.00E+00 | 1.00E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Technetium-99 | 5.00E-01 | 7.00E-01 | 6.00E-01 | 2/2 | 1.00E-01 | 2.00E-01 | 0/2 | 2.80E+00 | 0/2 | 3.62E+04 | 0/2 | 3.62E+02 |
| Uranium | 1.80E+00 | 2.30E+00 | 2.05E+00 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 1.10E-02 | 1.10E-02 | 1.10E-02 | 1/1 | | | n/a | n/a | 0/1 | 1.00E+05 | 0/1 | 8.42E+03 |
| Acetone | 1.10E-01 | 1.10E-01 | 1.10E-01 | 1/2 | 1.30E-02 | 1.30E-02 | n/a | n/a | 0/2 | 1.91E+04 | 0/2 | 3.58E+02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.65. Soils Operable Unit: SWMUs 56, 80, and 224

SWMU 57 (C-541-A PCB Waste Staging Area)

Area description

The C-541-A PCB Waste Staging Area (SWMU 57) is located in the northeast portion of the plant site.

Process history

SWMU 57 is made up of leaks and spills of oils containing PCBs as a result of past operations that contaminated the soils.

Previous investigation results

Soil boring samples were obtained during the Phase I and Phase II SIs (CH2M HILL 1991; 1992) and during the WAG 23 RI (DOE 1994c). Results of these investigations indicate the presence of PCBs.

In 1997, as part of the WAG 23 (DOE 1998f) non-time-critical removal action, 23 yd³ of soil contaminated with dioxins and 32 yd³ of soil contaminated with PCBs were excavated for SWMUs 57 and 81. A summary of conclusions from the WAG 23 RAR, based on the future use scenario of unrestricted industrial, is as follows:

Following the removal action at WAG 23 sites, the residual PCB ELCR based on a 250 day/year exposure scenario is 2×10^{-6} at SWMUs 56 and 80 and below *de minimis* (i.e., 1×10^{-6}) at SWMUs 57 and 81. These risk levels are well within the EPA's acceptable risk range of 1×10^{-4} to 1×10^{-6} , as required by the NCP.

Table 5.55 is a summary of historical data followed by a map of historical sample locations (Figure 5.66).

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.

Data Gap Determination

No additional samples are needed at this location.

Table 5.55. Summary of Surface and Subsurface Historical Data at SWMU 57

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|---|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Dioxins/Furans (mg/kg) | | | | | | | | | | | | |
| 1,03E-04 | 4.19E-04 | 2.61E-04 | 2/2 | 4.06E-04 | 4.06E-04 | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| 1.2,3,4,6,7,8-Heptachlorodibenzofuran | 2.03E-04 | 5.71E-04 | 3.87E-04 | 2/2 | 4.06E-04 | 4.06E-04 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin | 1.30E-05 | 1.60E-05 | 1.45E-05 | 2/2 | 4.06E-04 | 4.06E-04 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,4,7,8,9-Heptachlorodibenzofuran | 2.40E-05 | 2.80E-05 | 2.60E-05 | 2/2 | 4.06E-04 | 4.06E-04 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,4,7,8-Hexachlorodibenzofuran | 4.50E-05 | 2.37E-04 | 1.41E-04 | 2/2 | 4.06E-04 | 4.06E-04 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin | 5.40E-05 | 3.54E-04 | 2.04E-04 | 2/2 | 4.06E-04 | 4.06E-04 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin | 6.00E-06 | 1.50E-05 | 1.05E-05 | 2/2 | 4.06E-04 | 4.06E-04 | n/a | n/a | 0/2 | 3.39E-02 | 0/2 | 5.07E-05 |
| 1,2,3,7,8-Pentachlorodibenzofuran | 5.90E-05 | 1.58E-04 | 1.09E-04 | 2/2 | 1.62E-04 | 1.62E-04 | n/a | n/a | 0/2 | 2.81E-03 | 2/2 | 1.24E-05 |
| 1,2,3,7,8-Pentachlorodibenzo-p-dioxin | 4.39E-05 | 1.34E-04 | 8.90E-05 | 2/2 | 4.39E-05 | 1.62E-04 | n/a | n/a | n/a | n/a | n/a | n/a |
| 2,3,4,7,8-Pentachlorodibenzofuran | 8.10E-06 | 8.80E-06 | 8.45E-06 | 2/2 | 8.10E-06 | 8.80E-06 | n/a | n/a | 0/2 | 2.81E-02 | 0/2 | 1.24E-04 |
| 2,3,7,8-Tetrachlorodibenzofuran | 3.40E-05 | 6.20E-05 | 4.80E-05 | 2/2 | 1.62E-04 | 1.62E-04 | n/a | n/a | 0/2 | 1.40E-02 | 1/2 | 6.19E-05 |
| 2,3,7,8-Tetrachlorodibenzo-p-dioxin | 2.38E-04 | 4.72E-04 | 3.55E-04 | 2/2 | 2.38E-04 | 4.72E-04 | n/a | n/a | 0/2 | 6.19E-04 | 2/2 | 6.19E-06 |
| Octachloro-dibenzolb,e[1,4]dioxin | 2.14E-03 | 4.30E-03 | 3.05E-03 | 5/5 | 8.12E-04 | 1.00E-03 | n/a | n/a | 0/5 | 6.19E-01 | 0/5 | 6.19E-03 |
| Octachlorodibenzofuran | 1.88E-04 | 1.60E-03 | 8.95E-04 | 2/5 | 8.12E-04 | 1.00E-03 | n/a | n/a | 0/5 | 1.40E+00 | 0/5 | 6.19E-03 |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 9.18E+03 | 1.30E+04 | 1.12E+04 | 3/3 | | | 1/3 | 1.30E+04 | 0/3 | 1.00E+05 | 3/3 | 4.64E+03 |
| Arsenic | 9.10E+00 | 1.34E+01 | 1.08E+01 | 3/3 | | | 3/3 | 1.20E+01 | 0/3 | 3.15E+02 | 3/3 | 5.23E-01 |
| Barium | 7.88E+01 | 1.06E+02 | 9.18E+01 | 3/3 | | | 0/3 | 2.00E+02 | 0/3 | 1.00E+05 | 0/3 | 2.29E+02 |
| Beryllium | 7.00E-01 | 1.00E+00 | 9.00E-01 | 3/3 | 4.00E-01 | 4.00E-01 | 3/3 | 6.70E-01 | 0/3 | 1.28E+03 | 2/3 | 9.48E-01 |
| Calcium | 3.40E+03 | 5.20E+03 | 4.53E+03 | 3/3 | | | 0/3 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 1.20E+01 | 1.32E+01 | 1.25E+01 | 3/3 | | | n/a | n/a | n/a | n/a | 0/3 | 3.56E+02 |
| Cobalt | 6.20E+00 | 1.03E+01 | 7.60E+00 | 3/3 | 1.40E+00 | 1.40E+00 | 0/3 | 1.40E+01 | 0/3 | 1.00E+05 | 0/3 | 1.92E+03 |
| Copper | 1.50E+01 | 2.12E+01 | 1.90E+01 | 3/3 | | | 2/3 | 1.90E+01 | 0/3 | 1.00E+05 | 0/3 | 4.93E+02 |
| Iron | 1.80E+04 | 2.59E+04 | 2.30E+04 | 3/3 | | | 0/3 | 2.80E+04 | 0/3 | 1.00E+05 | 3/3 | 2.07E+03 |
| Lead | 1.72E+01 | 2.19E+01 | 1.92E+01 | 3/3 | | | 0/3 | 3.60E+01 | 0/3 | 1.25E+03 | 0/3 | 5.00E+01 |
| Magnesium | 2.14E+03 | 2.47E+03 | 2.31E+03 | 2/3 | 1.80E+03 | 1.80E+03 | 2/3 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 1.34E+02 | 1.55E+02 | 1.45E+02 | 2/3 | 7.14E+02 | 7.14E+02 | 0/3 | 1.50E+03 | 0/3 | 4.64E+04 | 2/3 | 4.52E+01 |
| Nickel | 1.45E+01 | 1.52E+01 | 1.48E+01 | 3/3 | 6.80E+00 | 6.80E+00 | 0/3 | 2.10E+01 | 0/3 | 9.30E+04 | 0/3 | 2.42E+02 |
| Silver | 2.30E+00 | 2.70E+00 | 2.47E+00 | 3/3 | 1.80E+00 | 1.80E+00 | 3/3 | 2.30E+00 | 0/3 | 2.07E+04 | 0/3 | 4.11E+01 |
| Sodium | 5.78E+01 | 6.40E+01 | 6.09E+01 | 2/3 | 1.11E+02 | 1.11E+02 | 0/3 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Uranium | 2.60E+03 | 6.00E+03 | 3.75E+03 | 12/12 | | | 12/12 | 4.90E+00 | 7/12 | 3.34E+03 | 12/12 | 2.02E+01 |
| Vanadium | 2.89E+01 | 2.98E+01 | 2.94E+01 | 2/3 | 2.74E+01 | 2.74E+01 | 0/3 | 3.80E+01 | 0/3 | 4.47E+03 | 2/3 | 3.32E+00 |
| Zinc | 6.68E+01 | 7.53E+01 | 7.11E+01 | 2/3 | 4.99E+01 | 4.99E+01 | 2/3 | 6.50E+01 | 0/3 | 1.00E+05 | 0/3 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| 2,2',3,4',5',6-Hexachloro-1,1'-biphenyl | 1.00E+00 | 1.00E+00 | 1.00E+00 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| PCB, Total | 1.00E-01 | 7.00E-01 | 3.00E-01 | 3/13 | | | n/a | n/a | 0/13 | 4.25E+01 | 1/13 | 1.99E-01 |
| PCB-1016 | 7.00E-01 | 7.00E-01 | 7.00E-01 | 1/9 | 1.00E-01 | 1.20E+01 | n/a | n/a | 0/9 | 4.25E+01 | 1/9 | 1.99E-01 |
| PCB-1260 | 1.50E-02 | 3.70E+02 | 2.16E+01 | 25/25 | 2.00E-01 | 2.40E+01 | n/a | n/a | 2/25 | 4.25E+01 | 16/25 | 1.99E-01 |
| Polychlorinated biphenyls 153 | 1.10E+00 | 1.10E+00 | 1.10E+00 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Polychlorinated biphenyls 170 | 8.10E-01 | 8.10E-01 | 8.10E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.55. Summary of Surface and Subsurface Historical Data at SWMU 57 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|----------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 2.20E+00 | 1.05E+01 | 4.85E+00 | 20/21 | 1.10E+00 | 2.10E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 4.00E+00 | 1.77E+01 | 6.49E+00 | 20/21 | 1.00E+00 | 1.20E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Thorium-230 | 1.83E+00 | 1.83E+00 | 1.83E+00 | 1/3 | 5.00E-02 | 1.30E-01 | 1/3 | 1.50E+00 | 0/3 | 1.49E+03 | 0/3 | 1.49E+01 |
| Uranium | 2.50E+00 | 4.00E+00 | 3.02E+00 | 5/13 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 2.30E-01 | 6.30E-01 | 4.30E-01 | 2/3 | 5.00E-02 | 1.30E-01 | 0/3 | 2.50E+00 | 0/3 | 1.98E+03 | 0/3 | 1.98E+01 |
| Uranium-238 | 3.00E-01 | 1.43E+00 | 8.65E-01 | 2/3 | 5.00E-02 | 1.10E-01 | 1/3 | 1.20E+00 | 0/3 | 1.71E+02 | 0/3 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| 2,5-Hexanedione | 2.00E-01 | 2.00E-01 | 2.00E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Bis(2-ethylhexyl)phthalate | 4.50E-01 | 4.50E-01 | 4.50E-01 | 1/3 | 5.30E-01 | 5.90E-01 | n/a | n/a | 0/3 | 7.40E+03 | 0/3 | 8.84E+00 |
| Hexachlorobiphenyl | 7.30E-01 | 1.10E+00 | 9.13E-01 | 4/4 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| Methyl Isobutyl Carbinol | 2.40E-01 | 2.40E-01 | 2.40E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Subsurface Soils | | | | | | | | | | | | |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| 2,2',3,3',5,6-Hexachlorobiphenyl | 4.20E-01 | 4.20E-01 | 4.20E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| PCB-1260 | 7.40E-01 | 1.25E+01 | 8.20E+00 | 4/26 | 2.00E-01 | 2.00E-01 | n/a | n/a | 0/26 | 4.25E+01 | 4/26 | 1.99E-01 |
| Polychlorinated biphenyls 153 | 3.50E-01 | 1.20E+00 | 7.75E-01 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Polychlorinated biphenyls 171 | 5.10E-01 | 5.10E-01 | 5.10E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Polychlorinated biphenyls 174 | 6.10E-01 | 6.10E-01 | 6.10E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Polychlorinated biphenyls 180 | 9.50E-01 | 9.50E-01 | 9.50E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 2.00E+00 | 1.04E+01 | 5.88E+00 | 21/21 | 1.20E+00 | 2.00E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 1.66E+00 | 1.05E+01 | 4.84E+00 | 21/21 | 9.00E-01 | 1.00E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Technetium-99 | 8.00E-01 | 7.70E+00 | 3.20E+00 | 3/5 | 2.00E-01 | 6.00E+00 | 1/5 | 2.80E+00 | 0/5 | 3.62E+04 | 0/5 | 3.62E+02 |
| Uranium | 2.60E+00 | 2.60E+00 | 2.60E+00 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 9.00E-02 | 1.70E+00 | 6.60E-01 | 4/5 | 5.00E-02 | 1.20E-01 | 0/5 | 2.40E+00 | 0/5 | 1.98E+03 | 0/5 | 1.98E+01 |
| Uranium-238 | 1.50E-01 | 1.60E+00 | 5.64E-01 | 5/5 | 5.00E-02 | 1.20E-01 | 1/5 | 1.20E+00 | 0/5 | 1.71E+02 | 0/5 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| 2,3-Dimethylheptane | 3.60E-01 | 5.10E-01 | 4.40E-01 | 3/3 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 2,4-Dimethylheptane | 6.80E-01 | 6.80E-01 | 6.80E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 2,6-Dimethylheptane | 2.60E-01 | 3.30E-01 | 2.93E-01 | 3/3 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 2-Methylotane | 6.00E-01 | 6.00E-01 | 6.00E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 3-Methylene-heptane | 2.00E-01 | 2.00E-01 | 2.00E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Diethyl hexanedioate | 5.70E-01 | 5.70E-01 | 5.70E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Hexachlorobiphenyl | 9.80E-01 | 1.20E+00 | 1.09E+00 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Octane | 1.90E-01 | 1.90E-01 | 1.90E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| 2,5-Dimethylheptane | 6.60E-01 | 8.50E-01 | 7.53E-01 | 3/3 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 2-Methyl-2-heptene | 1.90E-01 | 1.90E-01 | 1.90E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 2-Methyldecane | 2.50E-01 | 2.50E-01 | 2.50E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 3,4-Dimethylheptane | 2.20E-01 | 2.40E-01 | 2.30E-01 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.55. Summary of Surface and Subsurface Historical Data at SWMU 57 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|-------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| 4-Heptanone | 3.40E-01 | 3.70E-01 | 3.55E-01 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 4-Methyl-3-penten-2-one | 3.00E-01 | 3.40E-01 | 3.15E-01 | 4/4 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Acetone | 1.70E-01 | 1.70E-01 | 1.70E-01 | 1/5 | 9.00E-03 | 6.20E-02 | n/a | n/a | 0/5 | 1.91E+04 | 0/5 | 3.58E+02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.




Figure 5.66. Soils Operable Unit: SWMUs 57 and 81

SWMU 74 (C-340 PCB Transformer Spill Site)

Area description

The C-340 PCB Transformer Spill Site (SWMU 74) is located in the east central portion of the plant site.

Process history

SWMU 74 is the site of a PCB transformer spill.

Previous investigation results

Soil boring samples were obtained during the Phase I and Phase II SIs (CH2M HILL 1991; 1992) and during the WAG 23 RI (DOE 1994c). The WAG 23 FS (DOE 1996a) retained, for the current and future industrial workers, no COCs, stating that neither the total pathway ELCR nor the chronic HI exceeds risk-based EPA thresholds (total pathway risk exceeding 10^{-4} ELCR or an HI of 1) at the SWMU.

Table 5.56 is a summary of historical data followed by a map of historical sample locations (Figure 5.67).

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.

Data Gap Determination

Additional samples are needed at this location.

Table 5.56. Summary of Surface and Subsurface Historical Data at SWMU 74

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|---|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Dioxins/Furans (mg/kg) | | | | | | | | | | | | |
| 1,2,3,4,6,7,8-Heptachlorodibenzofuran | 6.37E-05 | 6.37E-05 | 6.37E-05 | 1/1 | 3.04E-06 | 3.04E-06 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin | 4.50E-04 | 4.50E-04 | 4.50E-04 | 1/1 | 3.04E-06 | 3.04E-06 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,4,7,8,9-Heptachlorodibenzofuran | 5.90E-06 | 5.90E-06 | 5.90E-06 | 1/1 | 3.04E-06 | 3.04E-06 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,4,7,8-Hexachlorodibenzofuran | 8.56E-06 | 8.56E-06 | 8.56E-06 | 1/1 | 3.04E-06 | 3.04E-06 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin | 6.60E-06 | 6.60E-06 | 6.60E-06 | 1/1 | 3.04E-06 | 3.04E-06 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,6,7,8-Hexachlorodibenzofuran | 4.39E-06 | 4.39E-06 | 4.39E-06 | 1/1 | 3.04E-06 | 3.04E-06 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin | 1.82E-05 | 1.82E-05 | 1.82E-05 | 1/1 | 3.04E-06 | 3.04E-06 | n/a | n/a | n/a | n/a | n/a | n/a |
| 1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin | 9.43E-06 | 9.43E-06 | 9.43E-06 | 1/1 | 3.04E-06 | 3.04E-06 | n/a | n/a | 0/1 | 3.39E-02 | 0/1 | 5.07E-05 |
| 2,3,4,7,8-Pentachlorodibenzofuran | 1.44E-05 | 1.44E-05 | 1.44E-05 | 1/1 | 1.22E-06 | 1.22E-06 | n/a | n/a | 0/1 | 2.81E-02 | 0/1 | 1.24E-04 |
| 2,3,7,8-Tetrachlorodibenzofuran | 1.20E-05 | 1.20E-05 | 1.20E-05 | 1/5 | 1.22E-06 | 4.00E-05 | n/a | n/a | 0/5 | 1.40E-02 | 0/5 | 6.19E-05 |
| Octachloro-dibenzofuran | 3.40E-03 | 2.53E-02 | 1.17E-02 | 5/5 | 6.08E-06 | 6.08E-06 | n/a | n/a | 0/5 | 6.19E-01 | 3/5 | 6.19E-03 |
| Octachlorodibenzofuran | 1.75E-04 | 1.75E-04 | 1.75E-04 | 1/5 | 6.08E-06 | 6.00E-05 | n/a | n/a | 0/5 | 1.40E+00 | 0/5 | 6.19E-03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB-1260 | 1.24E-01 | 6.00E+00 | 1.84E+00 | 7/7 | 1.14E-01 | 1.90E-01 | n/a | n/a | 0/7 | 4.25E+01 | 5/7 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 3.10E+00 | 1.22E+02 | 3.01E+01 | 5/5 | 1.20E+00 | 1.40E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 7.10E+00 | 2.18E+02 | 5.56E+01 | 5/5 | 1.30E+00 | 8.10E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Technetium-99 | 6.00E-01 | 6.00E-01 | 6.00E-01 | 1/5 | 5.00E-01 | 4.90E+00 | 0/5 | 2.50E+00 | 0/5 | 3.62E+04 | 0/5 | 3.62E+02 |
| Thorium-234 | 3.26E+01 | 1.22E+02 | 7.73E+01 | 2/2 | 8.31E-01 | 1.50E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium | 4.67E+01 | 4.67E+01 | 4.67E+01 | 1/1 | 1.69E+00 | 1.69E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 7.55E+00 | 7.55E+00 | 7.55E+00 | 1/1 | 2.69E-01 | 2.69E-01 | 1/1 | 2.50E+00 | 0/1 | 1.98E+03 | 0/1 | 1.98E+01 |
| Uranium-238 | 3.85E+01 | 3.85E+01 | 3.85E+01 | 1/1 | 1.37E+00 | 1.37E+00 | 1/1 | 1.20E+00 | 0/1 | 1.71E+02 | 1/1 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Acenaphthene | 3.50E-01 | 3.50E-01 | 3.50E-01 | 1/1 | 5.00E-01 | 5.00E-01 | n/a | n/a | 0/1 | 6.67E+04 | 0/1 | 3.16E+02 |
| Anthracene | 5.10E-01 | 5.10E-01 | 5.10E-01 | 1/1 | 5.00E-01 | 5.00E-01 | n/a | n/a | 0/1 | 1.00E+05 | 0/1 | 3.79E+03 |
| Benzo(a)anthracene | 1.30E+00 | 1.30E+00 | 1.30E+00 | 1/1 | 5.00E-01 | 5.00E-01 | n/a | n/a | 0/1 | 2.08E+02 | 1/1 | 2.12E-01 |
| Benzo(a)pyrene | 2.40E+00 | 2.40E+00 | 2.40E+00 | 1/1 | 5.00E-01 | 5.00E-01 | n/a | n/a | 0/1 | 2.08E+01 | 1/1 | 2.12E-02 |
| Benzo(b)fluoranthene | 5.00E+00 | 5.00E+00 | 5.00E+00 | 1/1 | 5.00E-01 | 5.00E-01 | n/a | n/a | 0/1 | 2.08E+02 | 1/1 | 2.12E-01 |
| Chrysene | 1.60E+00 | 1.60E+00 | 1.60E+00 | 1/1 | 5.00E-01 | 5.00E-01 | n/a | n/a | 0/1 | 2.08E+04 | 0/1 | 2.12E+01 |
| Dibenzofuran | 2.80E-01 | 2.80E-01 | 2.80E-01 | 1/1 | 5.00E-01 | 5.00E-01 | n/a | n/a | 0/1 | 9.02E+03 | 0/1 | 1.86E+01 |
| Fluoranthene | 1.70E+00 | 1.70E+00 | 1.70E+00 | 1/1 | 5.00E-01 | 5.00E-01 | n/a | n/a | 0/1 | 6.50E+04 | 0/1 | 2.21E+02 |
| Fluorene | 4.00E-01 | 4.00E-01 | 4.00E-01 | 1/1 | 5.00E-01 | 5.00E-01 | n/a | n/a | 0/1 | 7.09E+04 | 0/1 | 3.39E+02 |
| Indeno(1,2,3-cd)pyrene | 1.30E+00 | 1.30E+00 | 1.30E+00 | 1/1 | 5.00E-01 | 5.00E-01 | n/a | n/a | 0/1 | 2.08E+02 | 1/1 | 2.12E-01 |
| Naphthalene | 5.20E-01 | 5.20E-01 | 5.20E-01 | 1/1 | 5.00E-01 | 5.00E-01 | n/a | n/a | 0/1 | 7.66E+02 | 0/1 | 2.36E+01 |
| Phenanthrene | 1.20E+00 | 1.20E+00 | 1.20E+00 | 1/1 | 5.00E-01 | 5.00E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 1.70E+00 | 1.70E+00 | 1.70E+00 | 1/1 | 5.00E-01 | 5.00E-01 | n/a | n/a | 0/1 | 4.87E+04 | 0/1 | 1.65E+02 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| Acetone | 3.40E-02 | 1.40E+01 | 5.16E+00 | 4/4 | 1.10E-02 | 1.20E-02 | n/a | n/a | 0/4 | 1.91E+04 | 0/4 | 3.58E+02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.


Table 5.56. Summary of Surface and Subsurface Historical Data at SWMU 74 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Exceeds AL | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | |
| | Subsurface Soils | | | | | | | | | | |
| Radionuclides (pCi/g) | | | | | | | | | | | |
| Alpha activity | 5.95E+00 | 1.92E+01 | 1.30E+01 | 3/4 | 1.35E+00 | 9.60E+00 | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 2.27E+00 | 2.32E+01 | 1.44E+01 | 4/4 | 9.50E-01 | 8.00E+00 | n/a | n/a | n/a | n/a | n/a |
| Semivolatiles (mg/kg) | | | | | | | | | | | |
| Bis(2-ethylhexyl)phthalate | 5.40E-01 | 5.40E-01 | 5.40E-01 | 1/4 | 4.60E-01 | 5.00E-01 | n/a | 0/4 | 7.40E+03 | 0/4 | 8.84E+00 |
| Di-n-butyl phthalate | 1.60E+00 | 1.60E+00 | 1.60E+00 | 1/4 | 4.60E-01 | 5.00E-01 | n/a | 0/4 | 1.00E+05 | 0/4 | 2.13E+03 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.



U.S. DEPARTMENT OF ENERGY
DOE PORTSMOUTH-PADUCAH PROJECT OFFICE
PADUCAH GASEOUS DIFFUSION PLANT

PADUCAH
Remediation Services
A Portage Show Joint Venture Company

Figure No. ISoilsOUSOU_SWMUs.apr
DATE 08-27-09

Soils Operable Unit: SWMU 74

Figure 5.67. Soils Operable Unit: SWMU 74

SWMU 75 (C-633 PCB Spill Site)

Area description

The C-633 PCB Spill Site (SWMU 75) is located in the southeast portion of the plant site.

Process history

In 1998, a release of non-PCB oil (3.8 ppm) per TSCA occurred when a transformer located in the C-633 Pump House lost an estimated 50 to 100 gal of oil. As part of the general operations at C-633, the spill area was quickly contained, and cleanup commenced through removal of all visible traces of the spill from the affected area.

Previous investigation results

Soil boring samples were obtained during the Phase I and Phase II SIs (CH2M HILL 1991; 1992). Results of these investigations, which were conducted to assess the surface migration pathway only, indicate the presence of PCBs and oil. PCBs were detected in the surface soils at a maximum concentration of 1 ppm.

Table 5.57 is a summary of historical data followed by a map of historical sample locations (Figure 5.68).

Area utilities

No recirculating water lines or sewers were associated with this spill site. A storm sewer and a recirculating water line are coincidentally located within the boundary of the SWMU. Approximate depths to these utilities are 4 and 6 ft bgs, respectively.

Data Gap Determination

Additional samples are needed at this location.

Table 5.57. Summary of Surface and Subsurface Historical Data at SWMU 75

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|-------------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Dioxins/Furans (mg/kg) | | | | | | | | | | | | |
| Heptachloro-dibenzo[b,e][1,4]dioxin | 1.80E-03 | 5.10E-02 | 1.75E-02 | 4/4 | | | n/a | n/a | 0/4 | 6.19E-02 | 4/4 | 6.19E-04 |
| Heptachlorodibenzofuran | 5.30E-04 | 1.80E-02 | 5.53E-03 | 4/4 | | | n/a | n/a | 0/4 | 1.40E-01 | 3/4 | 6.19E-04 |
| Hexachloro-dibenzo[b,e][1,4]dioxin | 2.60E-04 | 4.30E-03 | 1.62E-03 | 3/4 | 7.00E-05 | 7.00E-05 | n/a | n/a | 0/4 | 6.19E-03 | 3/4 | 6.19E-05 |
| Hexachlorodibenzofuran | 2.30E-04 | 3.90E-03 | 1.46E-03 | 3/4 | 1.00E-04 | 1.00E-04 | n/a | n/a | 0/4 | 1.40E-02 | 3/4 | 6.19E-05 |
| Octachloro-dibenzo[b,e][1,4]dioxin | 9.70E-03 | 2.30E-01 | 7.04E-02 | 4/4 | | | n/a | n/a | 0/4 | 6.19E-01 | 4/4 | 6.19E-03 |
| Octachlorodibenzofuran | 3.70E-04 | 1.50E-02 | 4.33E-03 | 4/4 | | | n/a | n/a | 0/4 | 1.40E+00 | 1/4 | 6.19E-03 |
| Pentachloro-dibenzo[b,e][1,4]dioxin | 5.00E-04 | 5.00E-04 | 5.00E-04 | 1/4 | 2.00E-05 | 3.80E-04 | n/a | n/a | 0/4 | 1.24E-03 | 1/4 | 1.24E-05 |
| Pentachlorodibenzofuran | 5.20E-04 | 5.20E-04 | 5.20E-04 | 1/4 | 2.00E-05 | 3.30E-04 | n/a | n/a | n/a | n/a | n/a | n/a |
| Tetrachlorodibenzofuran | 1.40E-04 | 1.40E-04 | 1.40E-04 | 1/4 | 1.00E-05 | 6.00E-05 | n/a | n/a | n/a | n/a | n/a | n/a |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 2.10E+01 | 2.10E+01 | 2.10E+01 | 1/1 | | | n/a | n/a | 0/1 | 4.25E+01 | 1/1 | 1.99E-01 |
| PCB-1254 | 9.80E-02 | 2.10E+01 | 4.33E+00 | 5/6 | 5.00E-04 | 2.00E-01 | n/a | n/a | 1/6 | 1.82E+01 | 2/6 | 1.99E-01 |
| PCB-1260 | 7.80E-02 | 7.70E-01 | 2.62E-01 | 4/5 | 5.00E-04 | 2.00E-01 | n/a | n/a | 0/5 | 4.25E+01 | 1/5 | 1.99E-01 |
| Subsurface Soils | | | | | | | | | | | | |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB-1254 | 2.40E-02 | 2.40E-02 | 2.40E-02 | 1/4 | 5.00E-04 | 2.00E-01 | n/a | n/a | 0/4 | 1.82E+01 | 0/4 | 1.99E-01 |
| PCB-1260 | 2.00E-02 | 1.10E-01 | 6.50E-02 | 2/4 | 5.00E-04 | 2.00E-01 | n/a | n/a | 0/4 | 4.25E+01 | 0/4 | 1.99E-01 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| Acetone | 1.60E+01 | 1.60E+01 | 1.60E+01 | 1/1 | | | n/a | n/a | 0/1 | 1.91E+04 | 0/1 | 3.58E+02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.




Figure No. ISoilsOUISOU_SWMUs.apr
 DATE 08-27-09

Figure 5.68. Soils Operable Unit: SWMUs 75, 77, and 160

SWMU 78 (C-420 PCB Spill Site)

Area description

The C-420 PCB Spill Site (SWMU 78) is located in the central portion of the plant site and is approximately 5,000 ft².

Process history

C-420 PCB Spill Site is the result of a transformer rupture at the southwest corner of the C-420 Building in 1967. Some soils were excavated from the area at the time of the spill.

Previous investigation results

SWMU 78 was investigated as part of the Phase I and Phase II SIs (CH2M HILL 1991; 1992). Results of these investigations show PCBs were detected in the surface soils at a maximum concentration of 12 ppm. Also detected were metals, SVOCs, VOCs, and radiological constituents. The source of the SVOCs, VOCs, and radiological constituents is uncertain.

Table 5.58 is a summary of historical data followed by a map of historical sample locations (Figure 5.69).

Area utilities

No recirculating water lines or sewers were associated with this spill site. A storm sewer is coincidentally located within the boundary of the SWMU. Approximate depth to the sewer is 3 ft bgs.

Data Gap Determination

Additional samples are needed at this location.

Table 5-58. Summary of Surface and Subsurface Historical Data at SWMU 78

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Dioxins/Furans (mg/kg) | | | | | | | | | | | | |
| Octachloro-dibenzo[b,e][1,4]dioxin | 2.20E-03 | 2.20E-03 | 2.20E-03 | 1/1 | | | n/a | n/a | 0/1 | 6.19E-01 | 0/1 | 6.19E-03 |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 1.42E+03 | 2.27E+03 | 1.85E+03 | 2/2 | | | 0/2 | 1.30E+04 | 0/2 | 1.00E+05 | 0/2 | 4.64E+03 |
| Arsenic | 1.80E+00 | 2.20E+00 | 2.00E+00 | 2/6 | 5.00E+00 | 5.00E+00 | 0/6 | 1.20E+01 | 0/6 | 3.15E+02 | 2/6 | 5.23E-01 |
| Barium | 1.93E+01 | 9.31E+01 | 6.14E+01 | 6/6 | 2.50E+00 | 2.50E+00 | 0/6 | 2.00E+02 | 0/6 | 1.00E+05 | 0/6 | 2.29E+02 |
| Beryllium | 2.40E-01 | 3.40E-01 | 2.90E-01 | 2/3 | 5.00E-01 | 5.00E-01 | 0/3 | 6.70E-01 | 0/3 | 1.28E+03 | 0/3 | 9.48E-01 |
| Cadmium | 8.70E-01 | 2.36E+00 | 1.48E+00 | 3/6 | 2.00E+00 | 2.00E+00 | 3/6 | 2.10E-01 | 0/6 | 7.05E+01 | 0/6 | 2.13E+01 |
| Calcium | 1.11E+05 | 2.00E+05 | 1.56E+05 | 2/2 | | | 2/2 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 9.50E+00 | 3.75E+01 | 1.93E+01 | 6/6 | 2.50E+00 | 2.50E+00 | n/a | n/a | n/a | n/a | 0/6 | 3.56E+02 |
| Cobalt | 2.60E+00 | 4.30E+00 | 3.45E+00 | 2/2 | | | 0/2 | 1.40E+01 | 0/2 | 1.00E+05 | 0/2 | 1.92E+02 |
| Copper | 1.00E+01 | 2.10E+01 | 1.52E+01 | 3/3 | 2.50E+00 | 2.50E+00 | 1/3 | 1.90E+01 | 0/3 | 1.00E+05 | 0/3 | 4.93E+02 |
| Iron | 7.76E+03 | 1.18E+04 | 9.14E+03 | 3/3 | 2.00E+01 | 2.00E+01 | 0/3 | 2.80E+04 | 0/3 | 1.00E+05 | 3/3 | 2.07E+03 |
| Lead | 3.87E+01 | 5.20E+01 | 4.54E+01 | 2/6 | 2.00E+01 | 2.00E+01 | 2/6 | 3.60E+01 | 0/6 | 1.25E+03 | 1/6 | 5.00E+01 |
| Magnesium | 3.02E+03 | 5.04E+03 | 4.03E+03 | 2/2 | | | 2/2 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 1.13E+02 | 2.06E+02 | 1.60E+02 | 2/2 | | | 0/2 | 1.50E+03 | 0/2 | 4.64E+04 | 2/2 | 4.52E+01 |
| Nickel | 5.51E+00 | 2.15E+01 | 1.29E+01 | 3/3 | 5.00E+00 | 5.00E+00 | 1/3 | 2.10E+01 | 0/3 | 9.30E+04 | 0/3 | 2.42E+02 |
| Sodium | 1.37E+02 | 2.05E+02 | 1.71E+02 | 2/2 | | | 0/2 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Total Metals (mg/kg)s | 1.19E+04 | 1.19E+04 | 1.19E+04 | 1/1 | 5.00E+02 | 5.00E+02 | n/a | n/a | n/a | n/a | n/a | n/a |
| Vanadium | 1.10E+01 | 1.15E+01 | 1.13E+01 | 2/2 | | | 0/2 | 3.80E+01 | 0/2 | 4.47E+03 | 2/2 | 3.32E+00 |
| Zinc | 2.01E+01 | 3.87E+02 | 2.01E+02 | 3/3 | 1.00E+01 | 1.00E+01 | 2/3 | 6.50E+01 | 0/3 | 1.00E+05 | 0/3 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 2.00E-01 | 2.10E+00 | 1.15E+00 | 2/4 | 9.00E-02 | 1.00E-01 | n/a | n/a | 0/4 | 4.25E+01 | 2/4 | 1.99E-01 |
| PCB-1260 | 2.00E-01 | 1.20E+01 | 4.77E+00 | 3/6 | 9.00E-02 | 1.70E+00 | n/a | n/a | 0/6 | 4.25E+01 | 3/6 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 9.90E+00 | 1.80E+01 | 1.40E+01 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 4.30E+01 | 6.70E+01 | 5.50E+01 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 2.70E-02 | 2.70E-02 | 2.70E-02 | 1/4 | 1.91E-02 | 2.10E-02 | 0/4 | 4.90E-01 | 0/4 | 8.58E+00 | 0/4 | 8.58E-02 |
| Neptunium-237 | 2.50E-01 | 5.40E-01 | 3.95E-01 | 2/6 | 3.11E-02 | 4.01E-02 | 2/6 | 1.00E-01 | 0/6 | 2.71E+01 | 1/6 | 2.71E-01 |
| Plutonium-239 | 4.20E-01 | 5.70E-01 | 4.95E-01 | 2/2 | | | 2/2 | 2.50E-02 | 0/2 | 1.15E+03 | 0/2 | 1.15E+01 |
| Technetium-99 | 4.30E+01 | 6.50E+01 | 5.40E+01 | 2/6 | 2.68E+00 | 3.61E+00 | 2/6 | 2.50E+00 | 0/6 | 3.62E+04 | 0/6 | 3.62E+02 |
| Thorium-228 | 3.38E-01 | 4.20E-01 | 3.81E-01 | 4/4 | 6.42E-02 | 7.49E-02 | 0/4 | 1.60E+00 | 0/4 | 2.80E+00 | 4/4 | 2.80E-02 |
| Thorium-230 | 3.32E-01 | 3.60E+00 | 1.26E+00 | 6/6 | 1.22E-01 | 1.88E-01 | 2/6 | 1.50E+00 | 0/6 | 1.49E+03 | 0/6 | 1.49E+01 |
| Thorium-232 | 4.17E-01 | 4.24E-01 | 4.20E-01 | 4/4 | 4.38E-02 | 5.57E-02 | 0/4 | 1.50E+00 | 0/4 | 1.35E+03 | 0/4 | 1.35E+01 |
| Uranium | 1.09E+01 | 1.09E+01 | 1.09E+01 | 1/1 | 1.41E+00 | 1.41E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 7.80E+00 | 1.00E+01 | 8.90E+00 | 2/5 | 2.35E-01 | 2.95E-01 | 2/5 | 2.50E+00 | 0/5 | 1.98E+03 | 0/5 | 1.98E+01 |
| Uranium-235 | 2.60E-01 | 4.20E-01 | 3.15E-01 | 3/3 | 3.53E-02 | 3.53E-02 | 3/3 | 1.40E-01 | 0/3 | 3.95E+01 | 1/3 | 3.95E-01 |
| Uranium-238 | 1.39E+00 | 1.40E+01 | 5.83E+00 | 6/6 | 4.42E-01 | 6.82E-01 | 6/6 | 1.20E+00 | 0/6 | 1.71E+02 | 4/6 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| 2,4-Dimethylphenol | 1.80E-01 | 2.20E-01 | 2.00E-01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 4.51E+04 | 0/2 | 2.25E+02 |
| 2-Methylnaphthalene | 6.30E+00 | 1.00E+01 | 8.15E+00 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.58. Summary of Surface and Subsurface Historical Data at SWMU 78 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| 2-Methylphenol | 9.90E-02 | 9.90E-02 | 9.90E-02 | 1/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 1.00E+05 | 0/2 | 5.62E+02 |
| 4-Methylphenol | 2.20E-01 | 2.30E-01 | 2.25E-01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 1.32E+04 | 0/2 | 7.18E+01 |
| Acenaphthene | 9.30E+00 | 1.70E+01 | 1.32E+01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 6.67E+04 | 0/2 | 3.16E+02 |
| Acenaphthylene | 2.60E+00 | 3.60E+00 | 3.10E+00 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Anthracene | 6.10E+00 | 2.30E+01 | 1.46E+01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 1.00E+05 | 0/2 | 3.79E+03 |
| Benzo(a)anthracene | 1.60E+01 | 2.80E+01 | 2.20E+01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 2.08E+02 | 2/2 | 2.12E-01 |
| Benzo(a)pyrene | 1.60E+01 | 2.90E+01 | 2.25E+01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 1/2 | 2.08E+01 | 2/2 | 2.12E-02 |
| Benzo(b)fluoranthene | 8.50E+00 | 1.60E+01 | 1.23E+01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 2.08E+02 | 2/2 | 2.12E-01 |
| Benzo(ghi)perylene | 3.40E+00 | 1.30E+01 | 8.20E+00 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benzo(k)fluoranthene | 1.10E+01 | 1.90E+01 | 1.50E+01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 2.08E+03 | 2/2 | 2.12E+00 |
| Chrysene | 1.70E+01 | 2.90E+01 | 2.30E+01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 2.08E+04 | 1/2 | 2.12E-01 |
| Dibenz(a,h)anthracene | 1.50E+01 | 4.30E+01 | 2.90E+01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 2.08E+01 | 2/2 | 2.12E-02 |
| Dibenzofuran | 5.90E+00 | 9.10E+00 | 7.50E+00 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 9.02E+03 | 0/2 | 1.86E+01 |
| Dimethylnaphthalene | 3.00E+00 | 7.00E+00 | 4.75E+00 | 4/4 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Fluoranthene | 3.50E+01 | 6.00E+01 | 4.75E+01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 6.50E+04 | 0/2 | 2.21E+02 |
| Fluorene | 8.70E+00 | 1.70E+01 | 1.29E+01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 7.09E+04 | 0/2 | 3.39E+02 |
| Indeno(1,2,3-cd)pyrene | 3.80E+00 | 1.20E+01 | 7.90E+00 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 2.08E+02 | 2/2 | 2.12E-01 |
| Methylphenanthrene | 9.00E+00 | 1.00E+01 | 9.50E+00 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Naphthalene | 5.80E+00 | 1.60E+01 | 1.09E+01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 7.66E+02 | 0/2 | 2.36E+01 |
| Phenanthrene | 4.70E+01 | 6.30E+01 | 5.50E+01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 3.60E+01 | 4.10E+01 | 3.85E+01 | 2/2 | 4.00E-01 | 2.00E+00 | n/a | n/a | 0/2 | 4.87E+04 | 0/2 | 1.65E+02 |
| Pyrene, 1-methyl | 9.00E+00 | 1.00E+01 | 9.50E+00 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Trimethylnaphthalene | 8.00E+00 | 1.00E+01 | 9.00E+00 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 1.00E-03 | 1.00E-03 | 1.00E-03 | 1/2 | 6.00E-03 | 6.00E-03 | n/a | n/a | 0/2 | 9.38E+03 | 0/2 | 1.56E+02 |
| Tetrachloroethene | 3.00E-03 | 3.00E-03 | 3.00E-03 | 1/2 | 6.00E-03 | 6.00E-03 | n/a | n/a | 0/2 | 1.46E+03 | 0/2 | 3.90E+00 |
| Toluene | 3.00E-03 | 3.00E-03 | 3.00E-03 | 1/2 | 6.00E-03 | 6.00E-03 | n/a | n/a | 0/2 | 7.28E+03 | 0/2 | 2.11E+02 |
| Trichloroethene | 8.00E-04 | 8.00E-04 | 8.00E-04 | 1/2 | 1.00E-03 | 1.00E-03 | n/a | n/a | 0/2 | 2.98E+02 | 0/2 | 2.51E+00 |
| Subsurface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 4.74E+03 | 1.93E+04 | 1.17E+04 | 21/21 | 2.00E+01 | 1.00E+02 | 12/21 | 1.20E+04 | 0/21 | 1.00E+05 | 21/21 | 4.64E+03 |
| Antimony | 8.00E-01 | 1.40E+00 | 1.00E+00 | 3/21 | 6.00E-01 | 5.00E+00 | 3/21 | 2.10E-01 | 0/21 | 4.63E+02 | 3/21 | 3.79E-01 |
| Arsenic | 1.70E+00 | 9.93E+00 | 3.93E+00 | 21/21 | 7.00E-02 | 7.00E-02 | 1/21 | 7.90E+00 | 0/21 | 3.15E+02 | 21/21 | 5.23E-01 |
| Barium | 2.09E+01 | 1.77E+02 | 8.34E+01 | 21/21 | 1.00E-02 | 2.00E-02 | 2/21 | 1.70E+02 | 0/21 | 1.00E+05 | 0/21 | 2.29E+02 |
| Beryllium | 3.50E-01 | 6.90E-01 | 5.69E-01 | 21/21 | 1.00E-02 | 1.00E-02 | 2/21 | 6.90E-01 | 0/21 | 1.28E+03 | 0/21 | 9.48E-01 |
| Cadmium | 5.00E-02 | 1.10E+00 | 3.42E-01 | 13/21 | 2.00E-02 | 7.50E-01 | 4/21 | 2.10E-01 | 0/21 | 7.05E+01 | 0/21 | 2.13E+01 |
| Calcium | 7.70E+02 | 1.11E+04 | 2.09E+03 | 21/21 | 1.00E-01 | 1.00E-01 | 1/21 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 3.50E+00 | 2.98E+01 | 1.67E+01 | 21/21 | 8.00E-02 | 9.00E-02 | n/a | n/a | n/a | n/a | 0/21 | 3.56E+02 |
| Cobalt | 1.05E+00 | 1.61E+01 | 5.02E+00 | 21/21 | 9.00E-02 | 1.00E-01 | 2/21 | 1.30E+01 | 0/21 | 1.00E+05 | 0/21 | 1.92E+03 |
| Copper | 2.70E+00 | 1.41E+01 | 8.20E+00 | 21/21 | 1.00E-01 | 1.00E-01 | 0/21 | 2.50E+01 | 0/21 | 1.00E+05 | 0/21 | 4.93E+02 |
| Iron | 5.80E+03 | 2.06E+04 | 1.55E+04 | 21/21 | 2.00E+01 | 1.00E+02 | 0/21 | 2.80E+04 | 0/21 | 1.00E+05 | 21/21 | 2.07E+03 |
| Lead | 6.10E+00 | 1.37E+01 | 8.75E+00 | 21/21 | 2.00E-01 | 2.00E-01 | 0/21 | 2.30E+01 | 0/21 | 1.25E+03 | 0/21 | 5.00E+01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5-58. Summary of Surface and Subsurface Historical Data at SWMU 78 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Magnesium | 5.32E+02 | 2.15E+03 | 1.34E+03 | 21/21 | 1.00E-01 | 1.00E-01 | 1/21 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 9.17E+00 | 1.47E+03 | 2.72E+02 | 21/21 | 2.00E-02 | 2.00E-02 | 1/21 | 8.20E+02 | 0/21 | 4.64E+04 | 16/21 | 4.52E+01 |
| Mercury | 9.50E-03 | 3.75E-02 | 2.24E-02 | 9/21 | 8.60E-03 | 1.22E-01 | 0/21 | 1.30E-01 | 0/21 | 8.25E+02 | 0/21 | 9.82E-01 |
| Nickel | 2.40E+00 | 1.93E+01 | 9.56E+00 | 21/21 | 1.00E-01 | 1.00E-01 | 0/21 | 2.20E+00 | 0/21 | 9.30E+04 | 0/21 | 2.42E+02 |
| Potassium | 8.40E+01 | 7.37E+02 | 3.20E+02 | 21/21 | 2.00E+00 | 2.00E+00 | 0/21 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Silver | 1.20E-01 | 1.20E-01 | 1.20E-01 | 1/21 | 8.00E-02 | 2.70E+00 | 0/21 | 2.70E+00 | 0/21 | 2.07E+04 | 0/21 | 4.11E+01 |
| Sodium | 3.10E+00 | 8.06E+02 | 4.45E+02 | 21/21 | 1.00E+00 | 1.00E+00 | 16/21 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Thallium | 6.00E-01 | 7.00E-01 | 6.50E-01 | 2/21 | 1.80E-01 | 1.21E+00 | 2/21 | 3.40E-01 | n/a | n/a | n/a | n/a |
| Vanadium | 8.50E+00 | 3.83E+01 | 2.44E+01 | 21/21 | 1.00E-01 | 1.00E-01 | 1/21 | 3.70E+01 | 0/21 | 4.47E+03 | 21/21 | 3.32E+00 |
| Zinc | 6.40E+00 | 4.82E+01 | 2.30E+01 | 21/21 | 8.00E-02 | 1.00E-01 | 0/21 | 6.00E+01 | 0/21 | 1.00E+05 | 0/21 | 2.73E+03 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 2.40E+00 | 3.52E+01 | 1.73E+01 | 31/34 | 1.00E+00 | 1.41E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Americium-241 | 1.00E-01 | 2.00E-01 | 1.09E-01 | 11/15 | | | n/a | n/a | 0/15 | 5.16E+02 | 0/15 | 5.16E+00 |
| Beta activity | 5.80E+00 | 4.11E+01 | 2.13E+01 | 32/34 | 2.50E+00 | 1.95E+01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Cesium-137 | 1.00E-01 | 2.00E-01 | 1.14E-01 | 14/15 | | | 0/15 | 2.80E-01 | 0/15 | 8.58E+00 | 14/15 | 8.58E-02 |
| Neptunium-237 | 1.00E-01 | 5.00E-01 | 2.60E-01 | 15/15 | | | n/a | n/a | 0/15 | 2.71E+01 | 8/15 | 2.71E-01 |
| Plutonium-239 | 1.00E-01 | 1.00E-01 | 1.00E-01 | 15/15 | | | n/a | n/a | 0/15 | 1.15E+03 | 0/15 | 1.15E+01 |
| Technetium-99 | 3.00E-01 | 6.60E+00 | 1.06E+00 | 13/17 | 5.00E-01 | 9.00E-01 | 2/17 | 2.80E+00 | 0/17 | 3.62E+04 | 0/17 | 3.62E+02 |
| Thorium-230 | 5.00E-01 | 1.60E+00 | 1.04E+00 | 15/15 | | | 2/15 | 1.40E+00 | 0/15 | 1.49E+03 | 0/15 | 1.49E+01 |
| Uranium | 7.00E-01 | 9.40E+00 | 2.31E+00 | 15/15 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 7.00E-01 | 3.50E+00 | 1.03E+00 | 15/15 | | | 1/15 | 2.40E+00 | 0/15 | 1.98E+03 | 0/15 | 1.98E+01 |
| Uranium-235 | 1.00E-01 | 1.00E-01 | 1.00E-01 | 15/15 | | | 0/15 | 1.40E-01 | 0/15 | 3.95E+01 | 0/15 | 3.95E-01 |
| Uranium-238 | 6.00E-01 | 4.30E+00 | 1.05E+00 | 15/15 | | | 1/15 | 1.20E+00 | 0/15 | 1.71E+02 | 1/15 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| 1,2-Benzenedicarboxylic acid | 2.00E-01 | 4.00E-01 | 3.00E-01 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 2,3,3-Trimethylhexane | 1.70E-01 | 1.70E-01 | 1.70E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 2-methylheptane | 2.10E-01 | 2.10E-01 | 2.10E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Benz(a)anthracene | 8.00E-02 | 1.20E-01 | 1.00E-01 | 2/25 | 3.80E-01 | 8.19E-01 | n/a | n/a | 0/25 | 2.08E+02 | 0/25 | 2.12E-01 |
| Benz(a)pyrene | 9.00E-02 | 1.00E-01 | 9.50E-02 | 2/25 | 3.80E-01 | 8.19E-01 | n/a | n/a | 0/25 | 2.08E+01 | 2/25 | 2.12E-02 |
| Benz(b)fluoranthene | 8.00E-02 | 9.00E-02 | 8.50E-02 | 2/25 | 3.80E-01 | 8.19E-01 | n/a | n/a | 0/25 | 2.08E+02 | 0/25 | 2.12E-01 |
| Benz(ghi)perylene | 6.50E-02 | 6.50E-02 | 6.50E-02 | 1/25 | 6.30E-02 | 8.19E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Benz(k)fluoranthene | 8.00E-02 | 9.00E-02 | 8.50E-02 | 2/25 | 3.80E-01 | 8.19E-01 | n/a | n/a | 0/25 | 2.08E+03 | 0/25 | 2.12E+00 |
| Bis(2-ethylhexyl)phthalate | 5.00E-02 | 1.60E-01 | 9.40E-02 | 5/25 | 3.80E-01 | 8.19E-01 | n/a | n/a | 0/25 | 7.40E+03 | 0/25 | 8.84E+00 |
| Chrysene | 9.00E-02 | 1.20E-01 | 1.05E-01 | 2/25 | 3.80E-01 | 8.19E-01 | n/a | n/a | 0/25 | 2.08E+04 | 0/25 | 2.12E+03 |
| Di-n-butyl phthalate | 6.20E-02 | 1.23E+00 | 6.81E-01 | 3/25 | 3.80E-01 | 8.19E-01 | n/a | n/a | 0/25 | 1.00E+05 | 0/25 | 2.12E+01 |
| Fluoranthene | 7.00E-02 | 2.50E-01 | 1.63E-01 | 3/25 | 3.80E-01 | 8.19E-01 | n/a | n/a | 0/25 | 6.50E+04 | 0/25 | 2.21E+02 |
| N-Nitroso-di-n-propylamine | 4.47E-01 | 4.47E-01 | 4.47E-01 | 1/25 | 3.80E-01 | 8.19E-01 | n/a | n/a | 0/25 | 1.84E+01 | 1/25 | 2.31E-02 |
| Phenanthrene | 4.00E-02 | 1.90E-01 | 1.07E-01 | 3/25 | 3.80E-01 | 8.19E-01 | n/a | n/a | n/a | n/a | n/a | n/a |
| Pyrene | 6.00E-02 | 2.10E-01 | 1.40E-01 | 3/25 | 3.80E-01 | 8.19E-01 | n/a | n/a | 0/25 | 4.87E+04 | 0/25 | 1.65E+02 |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| 2,5-Dimethylhexane | 1.60E-01 | 1.60E-01 | 1.60E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 2-Propanol | 6.00E-02 | 6.00E-02 | 6.00E-02 | 1/15 | 6.00E-02 | 6.00E-02 | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.58. Summary of Surface and Subsurface Historical Data at SWMU 78 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd Value | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | | | | | | | | | | | | |
| Acetone | 1.00E-01 | 1.00E-01 | 1.00E-01 | 1/21 | 1.20E-02 | 1.00E-01 | n/a | n/a | 0/21 | 1.91E+04 | 0/21 | 3.58E+02 |
| <i>cis</i> -1,2-Dichloroethene | 2.50E-03 | 5.70E-02 | 3.09E-02 | 5/30 | 1.40E-03 | 8.00E-01 | n/a | n/a | 0/30 | 4.63E+02 | 0/30 | 1.34E+01 |
| Methylene chloride | 1.40E-03 | 9.00E-02 | 4.44E-02 | 7/21 | 6.00E-03 | 3.90E-02 | n/a | n/a | 0/21 | 2.16E+03 | 0/21 | 1.34E+01 |
| Tetrachloroethene | 1.30E-03 | 4.70E-02 | 3.00E-03 | 2/21 | 6.00E-03 | 6.00E-03 | n/a | n/a | 0/21 | 1.46E+03 | 0/21 | 3.90E+00 |
| Toluene | 1.00E-03 | 2.50E-03 | 1.88E-03 | 4/21 | 6.00E-03 | 6.00E-03 | n/a | n/a | 0/21 | 7.28E+03 | 0/21 | 2.11E+02 |
| Trichloroethene | 6.00E-04 | 5.72E+01 | 6.79E+00 | 13/36 | 1.00E-03 | 8.00E-01 | n/a | n/a | 0/36 | 2.98E+02 | 4/36 | 2.51E+00 |
| Vinyl chloride | 5.10E-03 | 1.40E-02 | 9.55E-03 | 2/36 | 1.00E-03 | 8.00E-01 | n/a | n/a | 0/36 | 4.14E+01 | 0/36 | 1.34E-01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.69. Soils Operable Unit: SWMUs 11 and 78

SWMU 79 (C-611 PCB Spill Site)

Area description

The C-611 PCB Spill Site (SWMU 79) is located within the C-611 Water Treatment Facility, west of the plant site.

Process history

The transformer bank for the C-611 water treatment plant may have released oils containing PCBs to the soils surrounding the transformers. The oils may have migrated downhill by gravity flow or contaminated soils may have been transported downhill in surface runoff during precipitation events. Some soils may have been carried as far as Bayou Creek and deposited in the creek sediments.

Previous investigation results

The C-611 PCB Spill Site was investigated during the Phase I and Phase II SIs (CH2M HILL 1991; 1992) and during the WAG 23 RI (DOE 1994c). The WAG 23 FS (DOE 1996a) retained for the current and future industrial workers no COCs, stating that neither the total pathway ELCR nor the chronic HI exceeds risk-based EPA thresholds (total pathway risk exceeding 10^{-4} ELCR or an HI of 1) at the SWMU.

Table 5.59 is a summary of historical data followed by a map of historical sample locations (Figure 5.70).

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.

Data Gap Determination

Additional samples are needed at this location.

Table 5-59. Summary of Surface and Subsurface Historical Data at SWMU 79

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|---|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB-1260 | 1.60E+00 | 1.60E+00 | 1.60E+00 | 1/1 | 9.30E-01 | 9.30E-01 | n/a | n/a | 0/1 | 4.25E+01 | 1/1 | 1.99E-01 |
| Subsurface Soils | | | | | | | | | | | | |
| Dioxins/Furans (mg/kg) | | | | | | | | | | | | |
| Octachloro-dibenzo[b,e][1,4]dioxin | 1.53E-03 | 8.69E-03 | 4.01E-03 | 3/3 | 1.00E-03 | 1.00E-03 | n/a | n/a | 0/3 | 6.19E-01 | 1/3 | 6.19E-03 |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 2.57E+03 | 9.46E+03 | 4.90E+03 | 3/3 | | | 0/3 | 1.20E+04 | 0/3 | 1.00E+05 | 1/3 | 4.64E+03 |
| Arsenic | 2.10E+00 | 6.30E+00 | 3.93E+00 | 3/3 | 6.00E-01 | 6.00E-01 | 0/3 | 7.90E+00 | 0/3 | 3.15E+02 | 3/3 | 5.23E-01 |
| Barium | 6.76E+01 | 2.31E+02 | 1.43E+02 | 3/3 | | | 1/3 | 1.70E+02 | 0/3 | 1.00E+05 | 1/3 | 2.29E+02 |
| Calcium | 7.87E+04 | 2.36E+05 | 1.53E+05 | 3/3 | | | 3/3 | 6.10E+03 | n/a | n/a | n/a | n/a |
| Chromium | 5.40E+00 | 2.52E+01 | 1.39E+01 | 3/3 | | | n/a | n/a | n/a | n/a | 0/3 | 3.56E+02 |
| Cobalt | 5.20E+00 | 5.20E+00 | 5.20E+00 | 1/3 | 3.00E+00 | 3.20E+00 | 0/3 | 1.30E+01 | 0/3 | 1.00E+05 | 0/3 | 1.92E+03 |
| Copper | 2.90E+00 | 1.41E+01 | 9.47E+00 | 3/3 | | | 0/3 | 2.50E+01 | 0/3 | 1.00E+05 | 0/3 | 4.93E+02 |
| Iron | 3.79E+03 | 1.39E+04 | 8.08E+03 | 3/3 | | | 0/3 | 2.80E+04 | 0/3 | 1.00E+05 | 3/3 | 2.07E+03 |
| Lead | 7.00E+00 | 8.40E+01 | 1.88E+01 | 9/9 | | | 1/9 | 2.30E+01 | 0/9 | 1.25E+03 | 1/9 | 5.00E+01 |
| Magnesium | 4.57E+03 | 1.26E+04 | 7.53E+03 | 3/3 | | | 3/3 | 2.10E+03 | n/a | n/a | n/a | n/a |
| Manganese | 1.53E+02 | 3.82E+02 | 2.50E+02 | 3/3 | | | 0/3 | 8.20E+02 | 0/3 | 4.64E+04 | 3/3 | 4.52E+01 |
| Nickel | 7.70E+00 | 1.34E+01 | 1.06E+01 | 2/3 | 6.80E+00 | 7.10E+00 | 0/3 | 2.20E+01 | 0/3 | 9.30E+04 | 0/3 | 2.42E+02 |
| Potassium | 3.77E+02 | 7.07E+02 | 5.60E+02 | 3/3 | 3.24E+02 | 3.24E+02 | 0/3 | 9.50E+02 | n/a | n/a | n/a | n/a |
| Sodium | 1.06E+02 | 1.76E+02 | 1.32E+02 | 3/3 | | | 0/3 | 3.40E+02 | n/a | n/a | n/a | n/a |
| Vanadium | 6.00E+00 | 2.42E+01 | 1.44E+01 | 3/3 | | | 0/3 | 3.70E+01 | 0/3 | 4.47E+03 | 3/3 | 3.32E+00 |
| Zinc | 2.90E+01 | 3.17E+02 | 1.35E+02 | 3/3 | | | 2/3 | 6.00E+01 | 0/3 | 1.00E+05 | 0/3 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| 2,2',3,4',5',6-Hexachloro-1,1'-biphenyl | 2.80E-01 | 2.80E-01 | 2.80E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| PCB-1260 | 1.20E+01 | 1.20E+01 | 1.20E+01 | 1/13 | 1.70E-01 | 2.30E-01 | n/a | n/a | 0/13 | 4.25E+01 | 1/13 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 1.70E+00 | 1.52E+01 | 6.70E+00 | 11/13 | 8.00E-01 | 1.50E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 1.80E+00 | 2.27E+01 | 9.92E+00 | 13/13 | 7.00E-01 | 1.20E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Neptunium-237 | 5.70E-02 | 5.70E-02 | 5.70E-02 | 1/7 | 5.00E-01 | 5.00E+00 | n/a | n/a | 0/7 | 2.71E+01 | 0/7 | 2.71E-01 |
| Plutonium-239 | 3.60E-01 | 3.60E-01 | 3.60E-01 | 1/7 | 5.00E-02 | 1.70E-01 | n/a | n/a | 0/7 | 1.15E+03 | 0/7 | 1.15E+01 |
| Technetium-99 | 7.00E-01 | 1.40E+00 | 9.80E-01 | 5/12 | 3.00E-01 | 8.00E-01 | 0/12 | 2.80E+00 | 0/12 | 3.62E+04 | 0/12 | 3.62E+02 |
| Thorium-228 | 9.08E-01 | 9.08E-01 | 9.08E-01 | 1/1 | | | 0/1 | 1.60E+00 | 0/1 | 2.80E+00 | 1/1 | 2.80E-02 |
| Thorium-230 | 1.50E-01 | 8.98E-01 | 7.00E-01 | 4/7 | 2.00E-02 | 1.40E-01 | 0/7 | 1.40E+00 | 0/7 | 1.49E+03 | 0/7 | 1.49E+01 |
| Thorium-232 | 8.37E-01 | 8.37E-01 | 8.37E-01 | 1/1 | | | 0/1 | 1.50E+00 | 0/1 | 1.35E+03 | 0/1 | 1.35E+01 |
| Uranium-234 | 7.00E-02 | 9.40E-01 | 5.46E-01 | 10/12 | 5.00E-02 | 5.00E-01 | 0/12 | 2.40E+00 | 0/12 | 1.98E+03 | 0/12 | 1.98E+01 |
| Uranium-235 | 2.00E-02 | 7.00E-02 | 4.60E-02 | 5/6 | | | 0/6 | 1.40E-01 | 0/6 | 3.95E+01 | 0/6 | 3.95E-01 |
| Uranium-238 | 9.00E-02 | 1.02E+00 | 5.48E-01 | 10/12 | 5.00E-02 | 1.00E-01 | 0/12 | 1.20E+00 | 0/12 | 1.71E+02 | 0/12 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| Di-n-butyl phthalate | 2.40E-01 | 4.40E-01 | 3.64E-01 | 5/13 | 3.50E-01 | 4.20E-01 | n/a | n/a | 0/13 | 1.00E+05 | 0/13 | 2.13E+03 |
| Hexachlorobiphenyl | 2.30E-01 | 2.80E-01 | 2.55E-01 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.


Table 5.59. Summary of Surface and Subsurface Historical Data at SWMU 79 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| <i>Volatiles (mg/kg)</i> | | | | | | | | | | | | |
| Acetone | 2.60E-02 | 4.50E-02 | 3.55E-02 | 2/7 | 1.00E-02 | 5.90E-02 | n/a | n/a | 0/7 | 1.91E+04 | 0/7 | 3.58E+02 |
| Benzene | 4.00E-03 | 5.00E-03 | 4.75E-03 | 4/13 | 5.00E-03 | 2.90E-02 | n/a | n/a | 0/13 | 7.45E+01 | 0/13 | 1.13E+00 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.



U.S. DEPARTMENT OF ENERGY
 DOE PORTSMOUTH/PADUCAH PROJECT OFFICE
 PADUCAH GASEOUS DIFFUSION PLANT

PADUCAH
 Remediation Services
A Portage Shaw Joint Venture Company

Figure No. \SoilsOUSOU_SWMUs.apr
 DATE 03-08-07

Figure 5.70. Soils Operable Unit: SWMUs 79 and 214

- Soils OU SWMU Boundary
- Soils OU Study Boundary
- SAMPLE LOCATION**
- ▲ SEDIMENT
- SOIL

SWMU 80 (C-540 PCB Spill Site)

Area description

The C-540 PCB Spill Site (SWMU 80) is located in the east central portion of the plant site.

Process history

SWMU 80 is made up of leaks and spills of oils containing PCBs as a result of past operations that contaminated the soils.

Previous investigation results

Soil boring samples were obtained during the Phase I and Phase II SIs (CH2M HILL 1991; 1992) and during the WAG 23 RI (DOE 1994c). Results of these investigations indicate the presence of PCBs.

In 1997, as part of the WAG 23 (1998f) non-time-critical removal action, 23 yd³ of soil contaminated with dioxins and 72 yd³ of soil contaminated with PCBs were excavated for SWMUs 56 and 80. A summary of conclusions from the WAG 23 RAR, based on the future use scenario of unrestricted industrial, is as follows:

Following the removal action at WAG 23 sites, the residual PCB ELCR based on a 250 day/year exposure scenario is 2×10^{-6} at SWMUs 56 and 80 and below *de minimis* (i.e., 1×10^{-6}) at SWMUs 57 and 81. In addition, the PCB ELCR at SWMU 1 also are below *de minimis*. These risk levels are well within the EPA's acceptable risk range of 1×10^{-4} to 1×10^{-6} , as required by the NCP.

Table 5.60 is a summary of historical data followed by a map of historical sample locations (Figure 5.71).

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.

Data Gap Determination

No additional samples are needed at this location.

Table 5.60. Summary of Surface and Subsurface Historical Data at SWMU 80

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| Surface Soils | | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Uranium | 3.80E+01 | 9.30E+01 | 7.13E+01 | 4/4 | | | 4/4 | 4.90E+00 | 0/4 | 3.34E+03 | 4/4 | 2.02E+01 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 1.00E-01 | 2.20E+00 | 1.17E+00 | 3/5 | | | n/a | n/a | 0/5 | 4.25E+01 | 2/5 | 1.99E-01 |
| PCB-1260 | 1.00E-01 | 1.11E+02 | 1.52E+01 | 10/10 | 5.00E-04 | 5.00E-04 | n/a | n/a | 1/10 | 4.25E+01 | 7/10 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 1.99E+01 | 3.98E+01 | 3.02E+01 | 5/5 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 1.60E+01 | 6.60E+01 | 4.50E+01 | 5/5 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium | 1.72E+01 | 3.30E+01 | 2.56E+01 | 4/5 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Subsurface Soils | | | | | | | | | | | | |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB-1260 | 5.00E-03 | 4.31E-01 | 1.47E-01 | 3/22 | | | n/a | n/a | 0/22 | 4.25E+01 | 1/22 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 4.11E+00 | 1.42E+01 | 7.26E+00 | 21/21 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 1.52E+00 | 9.71E+00 | 3.59E+00 | 21/21 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium | 1.80E+00 | 1.80E+00 | 1.80E+00 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.7.1. Soils Operable Unit: SWMUs 56, 80, and 224

SWMU 81 (C-541 PCB Spill Site)

Area description

The C-541 PCB Spill Site (SWMU 81) is located in the northeast portion of the plant site.

Process history

SWMU 81 is made up of leaks and spills of oils containing PCBs as a result of past operations that contaminated the soils.

Previous investigation results

Soil boring samples were obtained during the Phase I and Phase II SIs (CH2M HILL 1991; 1992) and during the WAG 23 RI (DOE 1994c). Results of these investigations indicate the presence of PCBs.

In 1997, as part of the WAG 23 (DOE 1998f) non-time-critical removal action, 23 yds³ of soil contaminated with dioxins and 32 yds³ of soil contaminated with PCBs were excavated for SWMUs 57 and 81. A summary of conclusions from the WAG 23 RAR, based on the future use scenario of unrestricted industrial, is as follows:

Following the removal action at WAG 23 sites, the residual PCB ELCR based on a 250 day/year exposure scenario is 2×10^{-6} at SWMUs 56 and 80 and below *de minimis* (i.e., 1×10^{-6}) at SWMUs 57 and 81. In addition, the PCB ELCR at SWMU 1 also are below *de minimis*. These risk levels are well within the EPA's acceptable risk range of 1×10^{-4} to 1×10^{-6} , as required by the NCP.

Table 5.61 is a summary of historical data followed by a map of historical sample locations (Figure 5.72).

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.

Data Gap Determination

No additional samples are needed at this location.

Table 5.61. Summary of Surface and Subsurface Historical Data at SWMU 81

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Dioxins/Furans (mg/kg) | | | | | | | | | | | | |
| Octachloro-dibenzo[b,e][1,4]dioxin | 2.14E-03 | 4.30E-03 | 3.21E-03 | 3/3 | 1.00E-03 | 1.00E-03 | n/a | n/a | 0/3 | 6.19E-01 | 0/3 | 6.19E-03 |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 9.18E+03 | 1.30E+04 | 1.12E+04 | 3/3 | | | 1/3 | 1.30E+04 | 0/3 | 1.00E+05 | 3/3 | 4.64E+03 |
| Arsenic | 9.10E+00 | 1.34E+01 | 1.08E+01 | 3/3 | | | 3/3 | 1.20E+01 | 0/3 | 3.15E+02 | 3/3 | 5.23E-01 |
| Barium | 7.88E+01 | 1.06E+02 | 9.18E+01 | 3/3 | | | 0/3 | 2.00E+02 | 0/3 | 1.00E+05 | 0/3 | 2.29E+02 |
| Beryllium | 7.00E-01 | 1.00E+00 | 9.00E-01 | 3/3 | 4.00E-01 | 4.00E-01 | 3/3 | 6.70E-01 | 0/3 | 1.28E+03 | 2/3 | 9.48E-01 |
| Calcium | 3.40E+03 | 5.20E+03 | 4.53E+03 | 3/3 | | | 0/3 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 1.20E+01 | 1.32E+01 | 1.25E+01 | 3/3 | | | n/a | n/a | n/a | n/a | 0/3 | 3.56E+02 |
| Cobalt | 6.20E+00 | 1.03E+01 | 7.60E+00 | 3/3 | 1.40E+00 | 1.40E+00 | 0/3 | 1.40E+01 | 0/3 | 1.00E+05 | 0/3 | 1.92E+03 |
| Copper | 1.50E+01 | 2.12E+01 | 1.90E+01 | 3/3 | | | 2/3 | 1.90E+01 | 0/3 | 1.00E+05 | 0/3 | 4.93E+02 |
| Iron | 1.80E+04 | 2.59E+04 | 2.30E+04 | 3/3 | | | 0/3 | 2.80E+04 | 0/3 | 1.00E+05 | 3/3 | 2.07E+02 |
| Lead | 1.72E+01 | 2.19E+01 | 1.92E+01 | 3/3 | | | 0/3 | 3.60E+01 | 0/3 | 1.25E+03 | 0/3 | 5.00E+01 |
| Magnesium | 2.14E+03 | 2.47E+03 | 2.31E+03 | 2/3 | 1.80E+03 | 1.80E+03 | 2/3 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 1.34E+02 | 1.55E+02 | 1.45E+02 | 2/3 | 7.14E+02 | 7.14E+02 | 0/3 | 1.50E+03 | 0/3 | 4.64E+04 | 2/3 | 4.52E+01 |
| Nickel | 1.45E+01 | 1.52E+01 | 1.48E+01 | 3/3 | 6.80E+00 | 6.80E+00 | 0/3 | 2.10E+01 | 0/3 | 9.30E+04 | 0/3 | 2.42E+02 |
| Silver | 2.30E+00 | 2.70E+00 | 2.47E+00 | 3/3 | 1.80E+00 | 1.80E+00 | 3/3 | 2.30E+00 | 0/3 | 2.07E+04 | 0/3 | 4.11E+01 |
| Sodium | 5.78E+01 | 6.40E+01 | 6.09E+01 | 2/3 | 1.11E+02 | 1.11E+02 | 0/3 | 3.20E+02 | n/a | n/a | n/a | n/a |
| Uranium | 2.80E+03 | 3.00E+03 | 2.90E+03 | 2/2 | | | 2/2 | 4.90E+00 | 0/2 | 3.34E+03 | 2/2 | 2.02E+01 |
| Vanadium | 2.89E+01 | 2.98E+01 | 2.94E+01 | 2/3 | 2.74E+01 | 2.74E+01 | 0/3 | 3.80E+01 | 0/3 | 4.47E+03 | 2/3 | 3.32E+00 |
| Zinc | 6.68E+01 | 7.53E+01 | 7.11E+01 | 2/3 | 4.99E+01 | 4.99E+01 | 2/3 | 6.50E+01 | 0/3 | 1.00E+05 | 0/3 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| 2,2',3,4',5',6'-Hexachloro-1,1'-biphenyl | 1.00E+00 | 1.00E+00 | 1.00E+00 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| PCB, Total | 7.00E-01 | 7.00E-01 | 7.00E-01 | 1/5 | | | n/a | n/a | 0/5 | 4.25E+01 | 1/5 | 1.99E-01 |
| PCB-1016 | 7.00E-01 | 7.00E-01 | 7.00E-01 | 1/4 | 2.00E+00 | 2.00E+00 | n/a | n/a | 0/4 | 4.25E+01 | 1/4 | 1.99E-01 |
| PCB-1260 | 3.50E-02 | 1.05E+02 | 2.16E+01 | 6/6 | | | n/a | n/a | 1/6 | 4.25E+01 | 4/6 | 1.99E-01 |
| Polychlorinated biphenyls 153 | 1.10E+00 | 1.10E+00 | 1.10E+00 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Polychlorinated biphenyls 170 | 8.10E-01 | 8.10E-01 | 8.10E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 2.20E+00 | 4.80E+00 | 3.58E+00 | 6/6 | 1.10E+00 | 2.10E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 4.00E+00 | 1.77E+01 | 9.28E+00 | 6/6 | 1.00E+00 | 1.20E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Thorium-230 | 1.83E+00 | 1.83E+00 | 1.83E+00 | 1/3 | 5.00E-02 | 1.30E-01 | 1/3 | 1.50E+00 | 0/3 | 1.49E+03 | 0/3 | 1.49E+01 |
| Uranium | 2.50E+00 | 2.50E+00 | 2.50E+00 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 2.30E-01 | 6.30E-01 | 4.30E-01 | 2/3 | 5.00E-02 | 1.30E-01 | 0/3 | 2.50E+00 | 0/3 | 1.98E+03 | 0/3 | 1.98E+01 |
| Uranium-238 | 3.00E-01 | 1.43E+00 | 8.65E-01 | 2/3 | 5.00E-02 | 1.10E-01 | 1/3 | 1.20E+00 | 0/3 | 1.71E+02 | 0/3 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| 2,5-Hexanedione | 2.00E-01 | 2.00E-01 | 2.00E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Bis(2-ethylhexyl)phthalate | 4.50E-01 | 4.50E-01 | 4.50E-01 | 1/3 | 5.30E-01 | 5.90E-01 | n/a | n/a | 0/3 | 7.40E+03 | 0/3 | 8.84E+00 |
| Hexachlorobiphenyl | 7.30E-01 | 1.10E+00 | 9.13E-01 | 4/4 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| Methyl Isobutyl Carbinol | 2.40E-01 | 2.40E-01 | 2.40E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.61. Summary of Surface and Subsurface Historical Data at SWMU 81 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|-----------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Subsurface Soils | | | | | | | | | | | |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| 2,2',3,3',5,6'-Hexachlorobiphenyl | 4.20E-01 | 4.20E-01 | 4.20E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| PCB-1260 | 7.40E-01 | 1.25E+01 | 8.20E+00 | 4/19 | 2.00E-01 | 2.00E-01 | n/a | n/a | 0/19 | 4.25E+01 | 4/19 | 1.99E-01 |
| Polychlorinated biphenyls 153 | 3.50E-01 | 1.20E+00 | 7.75E-01 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Polychlorinated biphenyls 171 | 5.10E-01 | 5.10E-01 | 5.10E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Polychlorinated biphenyls 174 | 6.10E-01 | 6.10E-01 | 6.10E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Polychlorinated biphenyls 180 | 9.50E-01 | 9.50E-01 | 9.50E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 2.00E+00 | 1.04E+01 | 5.87E+00 | 14/14 | 1.20E+00 | 2.00E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 2.40E+00 | 1.05E+01 | 5.68E+00 | 14/14 | 9.00E-01 | 1.00E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Technetium-99 | 8.00E+00 | 7.70E+00 | 3.20E+00 | 3/5 | 2.00E-01 | 6.00E+00 | 1/5 | 2.80E+00 | 0/5 | 3.62E+04 | 0/5 | 3.62E+02 |
| Uranium | 2.60E+00 | 2.60E+00 | 2.60E+00 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 9.00E-02 | 1.70E+00 | 6.60E-01 | 4/5 | 5.00E-02 | 1.20E-01 | 0/5 | 2.40E+00 | 0/5 | 1.98E+03 | 0/5 | 1.98E+01 |
| Uranium-238 | 1.50E-01 | 1.60E+00 | 5.64E-01 | 5/5 | 5.00E-02 | 1.20E-01 | 1/5 | 1.20E+00 | 0/5 | 1.71E+02 | 0/5 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| 2,3-Dimethylheptane | 3.60E-01 | 5.10E-01 | 4.40E-01 | 3/3 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 2,4-Dimethylheptane | 6.80E-01 | 6.80E-01 | 6.80E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 2,6-Dimethylheptane | 2.60E-01 | 3.30E-01 | 2.93E-01 | 3/3 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 2-Methyloctane | 6.00E-01 | 6.00E-01 | 6.00E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 3-Methylene-heptane | 2.00E-01 | 2.00E-01 | 2.00E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Dioctyl hexanedioate | 5.70E-01 | 5.70E-01 | 5.70E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Hexachlorobiphenyl | 9.80E-01 | 1.20E+00 | 1.09E+00 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Octane | 1.90E-01 | 1.90E-01 | 1.90E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| 2,5-Dimethylheptane | 6.60E-01 | 8.50E-01 | 7.53E-01 | 3/3 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 2-Methyl-2-heptene | 1.90E-01 | 1.90E-01 | 1.90E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 2-Methyldecane | 2.50E-01 | 2.50E-01 | 2.50E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 3,4-Dimethylheptane | 2.20E-01 | 2.40E-01 | 2.30E-01 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 4-Heptanone | 3.40E-01 | 3.70E-01 | 3.55E-01 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 4-Methyl-3-penten-2-one | 3.00E-01 | 3.40E-01 | 3.15E-01 | 4/4 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Acetone | 1.70E-01 | 1.70E-01 | 1.70E-01 | 1/5 | 9.00E-03 | 6.20E-02 | n/a | n/a | 0/5 | 1.91E+04 | 0/5 | 3.58E+02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.72. Soils Operable Unit: SWMUs 57 and 81

SWMU 135 (C-333 PCB Soil Contamination)

Area description

The C-333 PCB Soil Contamination (SWMU 135) is located north of the C-333 Building in the east central portion of the plant site.

Process history

It is unknown how this area experienced a PCB spill.

Previous investigation results

Surface soil sampling prior to a pavement construction project in 1991 detected the presence of PCBs at a maximum concentration of 220 ppm in one location (DOE 1997f). Other detections include arsenic, barium, chromium, lead, nickel, and uranium.

Table 5.62 is a summary of historical data followed by a map of historical sample locations (Figure 5.73).

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.


Data Gap Determination

No additional samples are needed at this location.

Table 5.62. Summary of Surface and Subsurface Historical Data at SWMU 135

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|---------|--------------|------------|------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Arsenic | 3.10E+00 | 3.70E+00 | 3.40E+00 | 2/2 | | | 0/2 | 1.20E+01 | 0/2 | 3.15E+02 | 2/2 | 5.23E-01 |
| Barium | 2.33E+01 | 3.68E+01 | 3.00E+01 | 2/2 | | | 0/2 | 2.00E+02 | 0/2 | 1.00E+05 | 0/2 | 2.29E+02 |
| Chromium | 9.75E+00 | 1.09E+01 | 1.03E+01 | 2/2 | | | n/a | n/a | n/a | n/a | 0/2 | 3.56E+02 |
| Lead | 9.31E+00 | 2.09E+01 | 1.51E+01 | 2/2 | | | 0/2 | 3.60E+01 | 0/2 | 1.25E+03 | 0/2 | 5.00E+01 |
| Nickel | 6.58E+00 | 6.67E+00 | 6.63E+00 | 2/2 | | | 0/2 | 2.10E+01 | 0/2 | 9.30E+04 | 0/2 | 2.42E+02 |
| Uranium | 1.00E+01 | 8.20E+01 | 4.60E+01 | 2/2 | | | 2/2 | 4.90E+00 | 0/2 | 3.34E+03 | 1/2 | 2.02E+01 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 3.00E-01 | 3.60E+02 | 5.80E+01 | 22/27 | | | n/a | n/a | 8/27 | 4.25E+01 | 22/27 | 1.99E-01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.



Soils Operable Unit: SWMU 135

SWMU 137 (C-746-A Inactive PCB Area)

Area description

The C-746-A Inactive PCB Area (SWMU 137) is a sump inside a concrete dike and is located in the northwest portion of the plant site.

Process history

This concrete dike was for a transformer, which has been removed. The valve to the sump was tagged caution on September 14, 1990, to prevent any possible PCB-contaminated water from being released to the sewer system. There is no documentation of such a release.

Previous investigation results

No sample data is available for the area. Figure 5.74 shows the location of SWMU 137.

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.

Data Gap Determination

Additional samples are needed at this location.




Figure 5.74. Soils Operable Unit: SWMUs 14, 15, 137, 196, 520, and 531

SWMU 153 (C-331 PCB Soil Contamination -West)

Area description

The C-331 PCB Soil Contamination (West) (SWMU 153) is located west of the C-331 Building in the west central portion of the plant site. The area is approximately 100 ft wide by 420 ft long.

Process history

The SWMU was used as a dust palliative area to reduce the amount of dust taken in by the C-331 Building ventilation systems.

Previous investigation results

SWMU 153 was part of WAGs 16 and 19. Information obtained in the scoping information package for WAGs 16 and 19 project identified surface sampling that detected PCBs at a maximum concentration of 0.6 mg/kg. Uranium also was detected (DOE 1997f).

Table 5.63 is a summary of historical data followed by a map of historical sample locations (Figure 5.75).

Area utilities

No recirculating water lines or sewers were associated with this soil contamination. Storm sewers are coincidentally located within the boundary of the SWMU. Approximate depth to the sewers are 2 ft bgs.

Data Gap Determination

Additional samples are needed at this location.

Table 5.63. Summary of Surface and Subsurface Historical Data at SWMU 153

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|---------|--------------|------------|------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| Surface Soils | | | | | | | | | | | | |
| <i>Metals (mg/kg)</i> | | | | | | | | | | | | |
| Uranium | 4.00E+00 | 4.00E+00 | 4.00E+00 | 1/1 | | | 0/1 | 4.90E+00 | 0/1 | 3.34E+03 | 0/1 | 2.02E+01 |
| <i>Pesticides/PCBs (mg/kg)</i> | | | | | | | | | | | | |
| PCB, Total | 6.00E-01 | 6.00E-01 | 6.00E-01 | 1/1 | | | n/a | n/a | 0/1 | 4.25E+01 | 1/1 | 1.99E-01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.75. Soils Operable Unit: SWMUs 153 and 156

SWMU 154 (C-331 PCB Soil Contamination-Southeast)

Area description

The C-331 PCB Soil Contamination (Southeast) (SWMU 154) is located southeast of the C-331 Building in the east central portion of the plant site. The area consists of three distinct areas: Area 1—south side, 100 ft wide by 160 ft long; Area 2—southeast corner, 100 ft wide by 160 ft long; and Area 3—east side, 100 ft wide by 210 ft long (all approximate dimensions).

Process history

The SWMU was used as a dust palliative area to reduce the amount of dust taken in by the C-331 Building ventilation systems.

Previous investigation results

SWMU 154 was part of WAGs 16 and 19. Information obtained in the scoping information package for WAGs 16 and 19 project identified surface samples detected PCBs at a maximum concentration of 3.2 mg/kg. Uranium also was detected (DOE 1997f).

Table 5.64 is a summary of historical data followed by a map of historical sample locations (Figure 5.76).

Area utilities

No recirculating water lines or sewers were associated with this soil contamination. Storm sewers, sanitary sewers, and recirculating water lines are coincidentally located within the boundary of the SWMU. Approximate depths to the utilities are 7-9 ft bgs.

Data Gap Determination

Additional samples are needed at this location.

Table 5.64. Summary of Surface and Subsurface Historical Data at SWMU 154

| Analysis | Detected Results | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|------------------------|-----------------|---------|--------------|------------|------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | | Average | Minimum | | | | | | |
| Surface Soils | | | | | | | | | | | |
| <i>Metals (mg/kg)</i> | | | | | | | | | | | |
| Uranium | 5.00E+00 | 1.50E+01 | 8.33E+00 | 3/3 | | 3/3 | 4.90E+00 | 0/3 | 3.34E+03 | 0/3 | 2.02E+01 |
| <i>Pesticides/PCBs (mg/kg)</i> | | | | | | | | | | | |
| PCB, Total | 3.00E-01 | 3.20E+00 | 1.48E+00 | 5/5 | | n/a | n/a | 0/5 | 4.25E+01 | 5/5 | 1.99E-01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.76. Soils Operable Unit: SWMUs 154 and 177

SWMU 155 (C-333 PCB Soil Contamination-West)

Area description

The C-333 PCB Soil Contamination (West) (SWMU 155) is located in the south central portion of the plant site. SWMU 155 consists of two areas that are approximately 100 ft wide by 150 ft long each.

Process history

The area historically was used as a dust palliative area to reduce the amount of dust taken in by the C-331 Building ventilation systems.

Previous investigation results

SWMU 155 was part of WAGs 16 and 19. Information obtained in the scoping information package for WAGs 16 and 19 project identified surface samples that detected PCBs at a maximum concentration of 17 mg/kg. Uranium, arsenic, barium, chromium, lead, and nickel also were detected (DOE 1997f).

Table 5.65 is a summary of historical data followed by a map of historical sample locations (Figure 5.77).

Area utilities

No recirculating water lines or sewers were associated with this soil contamination. Storm sewers are coincidentally located within the boundary of the SWMU. Approximate depths to the sewers are 5-6 ft bgs.

Data Gap Determination

Additional samples are needed at this location.

Table 5.65. Summary of Surface and Subsurface Historical Data at SWMU 155

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|---------|--------------|------------|------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Metals (mg/kg) | | | | | | | | | | | | |
| Antimony | 5.06E+00 | 5.06E+00 | 5.06E+00 | 1/1 | | | 1/1 | 2.10E-01 | 0/1 | 4.63E+02 | 1/1 | 3.79E-01 |
| Arsenic | 1.20E+00 | 4.00E+00 | 2.98E+00 | 3/3 | | | 0/3 | 1.20E+01 | 0/3 | 3.15E+02 | 3/3 | 5.23E-01 |
| Barium | 4.60E+01 | 4.90E+01 | 4.75E+01 | 2/3 | | | 0/3 | 2.00E+02 | 0/3 | 1.00E+05 | 0/3 | 2.29E+02 |
| Chromium | 2.94E+01 | 3.47E+01 | 3.21E+01 | 2/3 | | | n/a | n/a | n/a | n/a | 0/3 | 3.56E+02 |
| Lead | 5.41E+00 | 3.34E+01 | 1.94E+01 | 2/3 | | | 1/3 | 3.60E+01 | 0/3 | 1.25E+03 | 0/3 | 5.00E+01 |
| Nickel | 6.68E+00 | 7.95E+00 | 7.32E+00 | 2/3 | | | 0/3 | 2.10E+01 | 0/3 | 9.30E+04 | 0/3 | 2.42E+02 |
| Selenium | 5.00E-01 | 5.00E-01 | 5.00E-01 | 1/3 | | | 0/3 | 8.00E-01 | 0/3 | 2.56E+04 | 0/3 | 9.49E+01 |
| Uranium | 1.20E+01 | 1.80E+01 | 1.50E+01 | 2/2 | | | 2/2 | 4.90E+00 | 0/2 | 3.34E+03 | 0/2 | 2.02E+01 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| PCB, Total | 3.50E+00 | 1.70E+01 | 1.03E+01 | 2/3 | | | n/a | n/a | 0/3 | 4.25E+01 | 2/3 | 1.99E-01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)
n/a = value not available
Only analyses with at least one detection are shown.




Figure 5.77 . Soils Operable Unit: SWMU 155

SWMU 156 (C-310 PCB Soil Contamination-West)

Area description

The C-310 PCB Soil Contamination (West Side) (SWMU 156) is located in the central portion of the plant site. The approximate dimension of SWMU 156 is 100 ft wide by 160 ft long.

Process history

The area historically was used as a dust palliative area to reduce the amount of dust taken in by the C-331 Building ventilation systems.

Previous investigation results

SWMU 156 was part of WAGs 16 and 19. Information obtained in the scoping information package for WAGs 16 and 19 project identified surface samples that detected PCBs at a maximum concentration of 0.3 mg/kg. Uranium also was detected (DOE 1997f).

Table 5.66 is a summary of historical data followed by a map of historical sample locations (Figure 5.78).

Area utilities

No recirculating water lines or sewers were associated with this soil contamination. Storm sewers are coincidentally located within the boundary of the SWMU. Approximate depth to the sewers is 4 ft bgs.

Data Gap Determination

Additional samples are needed at this location.

Table 5.66. Summary of Surface and Subsurface Historical Data at SWMU 156

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|---------|--------------|------------|------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| <i>Metals (mg/kg)</i> | | | | | | | | | | | | |
| Uranium | 2.00E+00 | 9.00E+00 | 5.50E+00 | 2/2 | | | 1/2 | 4.90E+00 | 0/2 | 3.34E+03 | 0/2 | 2.02E+01 |
| <i>Pesticides/PCBs (mg/kg)</i> | | | | | | | | | | | | |
| PCB, Total | 3.00E-01 | 3.00E-01 | 3.00E-01 | 1/2 | | | n/a | n/a | 0/2 | 4.25E+01 | 1/2 | 1.99E-01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.78. Soils Operable Unit: SWMUs 153 and 156

SWMU 160 (C-745 Cylinder Yard Spoils-PCB Soils)

Area description

The C-745 Cylinder Yard Spoils (PCB Soils) (SWMU 160) is located in the southeast portion of the plant site. SWMU 160 is approximately 300 ft wide by 500 ft long.

Process history

Historically, this area was used as storage of excavated soils and soils for fill from other projects at PGDP.

Previous investigation results

Surface samples detected PCBs at a maximum concentration of 4 mg/kg. Uranium, arsenic, barium, chromium, lead, selenium, cadmium, thallium, and nickel also were detected (DOE 1997f).

Table 5.67 is a summary of historical data followed by a map of historical sample locations (Figure 5.79).

Area utilities

No recirculating water lines or sewers are associated with the operation of this facility; none are within the boundary of the SWMU.

Data Gap Determination

Additional samples are needed at this location.

Table 5.67. Summary of Surface and Subsurface Historical Data at SWMU 160

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|---------|--------------|------------|------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| <i>Pesticides/PCBs (mg/kg)</i> | | | | | | | | | | | | |
| PCB, Total | 4.00E+00 | 4.00E+00 | 4.00E+00 | 1/3 | | | n/a | n/a | 0/3 | 4.25E+01 | 1/3 | 1.99E-01 |
| PCB-1254 | 4.00E+00 | 4.00E+00 | 4.00E+00 | 1/1 | | | n/a | n/a | 0/1 | 1.82E+01 | 1/1 | 1.99E-01 |
| <i>Radionuclides (pCi/g)</i> | | | | | | | | | | | | |
| Uranium | 2.40E+00 | 3.40E+00 | 2.90E+00 | 2/3 | | | n/a | n/a | n/a | n/a | n/a | n/a |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.79. Soils Operable Unit: SWMUs 75, 77, and 160

SWMU 163 (C-304 HVAC Piping System-Soil Backfill from C-611)

Area description

The C-304 Building/HVAC Piping System (Soil Backfill) (SWMU 163) is located in the central portion of the plant site. SWMU 163 is approximately 100 ft wide by 200 ft long.

Process history

Soils from the C-611-V Lagoon borrow area were used for fill material for C-304 construction activities. The fill material was used as a base for the HVAC piping system and as a heat sink; it is located approximately 6 ft bgs.

Previous investigation results

The borrow area itself has not been characterized, but the lagoon was sampled, resulting in the identification of PCBs to a maximum of 8.4 mg/kg, as noted in the 1998-*Sampling and Analysis, Quality Assurance, and Data Management Plan for the Site Evaluation of Waste Area Groupings 16 and 19*, DOE/OR/07-1745&D1 (DOE 1998d), and the SAR.

Figure 5.80 shows the area historical map.

Area utilities

No recirculating water lines or sewers are associated with this backfill; none are within the boundary of the SWMU.

Data Gap Determination

Additional samples are needed at this location.




Figure 5.80. Soils Operable Unit: SWMU 163

SWMU 219 (DMSA OS-08)

Area description

DMSA OS-08 (SWMU 219) is located east of C-728 in the central portion of the plant site. SWMU 219 is an empty 4,722 ft³ fiberglass tank.

Process history

DMSA OS-08 was used to store PCB contaminated water prior to disposal. PCB spill documentation indicates this tank was used to store PCB-contaminated rainwater that had collected in a pit in the C-537 Switchyard. Two transformer spills in 1989 resulted in rainwater collecting in the pit that was subject to TSCA rules. This tank was documented as leaking inside the present location, a diked area covered with hypolon, in November 1991. The water from the diked area was sampled with results of PCBs at <0.1 mg/L. The tank was drained and cleaned according to existing TSCA requirements. Additionally, personnel recall this tank possibly was used to cleanup a recirculating cooling water spill in C-333. The spill would have been subject to TSCA regulations because it came into contact with PCB troughing and gaskets.

Previous investigation results

No previous investigations are available.

Table 5.68 is a summary of historical data followed by a map of historical sample locations (Figure 5.81).

Area utilities

No recirculating water lines or sewers are associated with this DMSA; none are within the boundary of the SWMU.

Data Gap Determination

Additional samples are needed at this location.

Table 5.68. Summary of Surface and Subsurface Historical Data at SWMU 219

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|---------------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| Dioxins/Furans (mg/kg) | | | | | | | | | | | | |
| O,tetrachloro-dibenzo[b,e][1,4]dioxin | 1.44E-03 | 1.84E-03 | 1.64E-03 | 2/2 | 1.00E-03 | 1.00E-03 | n/a | n/a | 0/2 | 6.19E-01 | 0/2 | 6.19E-03 |
| Tetrachloro-dibenzo[b,e][1,4]dioxin | 2.24E-03 | 2.24E-03 | 2.24E-03 | 1/2 | 1.00E-03 | 1.00E-03 | n/a | n/a | n/a | n/a | n/a | n/a |
| Metals (mg/kg) | | | | | | | | | | | | |
| Aluminum | 6.10E+03 | 6.69E+03 | 6.40E+03 | 2/2 | | | 0/2 | 1.30E+04 | 0/2 | 1.00E+05 | 2/2 | 4.64E+03 |
| Arsenic | 3.50E+00 | 3.80E+00 | 3.65E+00 | 2/2 | | | 0/2 | 1.20E+01 | 0/2 | 3.15E+02 | 2/2 | 5.23E-01 |
| Barium | 9.49E+01 | 1.03E+02 | 9.90E+01 | 2/2 | | | 0/2 | 2.00E+02 | 0/2 | 1.00E+05 | 0/2 | 2.29E+02 |
| Beryllium | 6.00E-01 | 8.00E-01 | 7.00E-01 | 2/2 | 4.00E-01 | 4.00E-01 | 1/2 | 6.70E-01 | 0/2 | 1.28E+03 | 0/2 | 9.48E-01 |
| Calcium | 3.75E+03 | 5.13E+03 | 4.44E+03 | 2/2 | | | 0/2 | 2.00E+05 | n/a | n/a | n/a | n/a |
| Chromium | 1.60E+01 | 2.87E+01 | 2.24E+01 | 2/2 | | | n/a | n/a | n/a | n/a | 0/2 | 3.56E+02 |
| Cobalt | 5.50E+00 | 6.50E+00 | 6.00E+00 | 2/2 | 1.40E+00 | 1.40E+00 | 0/2 | 1.40E+01 | 0/2 | 1.00E+05 | 0/2 | 1.92E+02 |
| Copper | 2.24E+01 | 4.27E+01 | 3.26E+01 | 2/2 | | | 2/2 | 1.90E+01 | 0/2 | 1.00E+05 | 0/2 | 4.93E+02 |
| Iron | 9.58E+03 | 1.02E+04 | 9.89E+03 | 2/2 | | | 0/2 | 2.80E+04 | 0/2 | 1.00E+05 | 2/2 | 2.07E+03 |
| Lead | 2.01E+01 | 3.55E+01 | 2.78E+01 | 2/2 | | | 1/2 | 3.60E+01 | 0/2 | 1.25E+03 | 0/2 | 5.00E+01 |
| Magnesium | 8.34E+02 | 9.36E+02 | 8.85E+02 | 2/2 | | | 0/2 | 7.70E+03 | n/a | n/a | n/a | n/a |
| Manganese | 2.15E+02 | 3.44E+02 | 2.80E+02 | 2/2 | | | 0/2 | 1.50E+03 | 0/2 | 4.64E+04 | 2/2 | 4.52E+01 |
| Nickel | 1.66E+01 | 2.15E+01 | 1.91E+01 | 2/2 | 6.80E+00 | 6.80E+00 | 1/2 | 2.10E+01 | 0/2 | 9.30E+04 | 0/2 | 2.42E+02 |
| Vanadium | 1.79E+01 | 1.85E+01 | 1.82E+01 | 2/2 | | | 0/2 | 3.80E+01 | 0/2 | 4.47E+03 | 2/2 | 3.32E+00 |
| Zinc | 5.16E+01 | 6.16E+01 | 5.66E+01 | 2/2 | | | 1/2 | 6.50E+01 | 0/2 | 1.00E+05 | 0/2 | 2.73E+03 |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| 2,2',3,4-Tetrachlorobiphenyl | 1.30E+00 | 1.30E+00 | 1.30E+00 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| PCB-1242 | 3.80E+01 | 3.80E+01 | 3.80E+01 | 1/5 | 9.90E-02 | 1.00E-01 | n/a | n/a | 0/5 | 4.25E+01 | 1/5 | 1.99E-01 |
| PCB-1254 | 6.60E+01 | 6.60E+01 | 6.60E+01 | 1/5 | 2.00E-01 | 2.00E-01 | n/a | n/a | 1/5 | 1.82E+01 | 1/5 | 1.99E-01 |
| PCB-1260 | 8.44E-01 | 8.44E-01 | 8.44E-01 | 1/5 | 2.00E-01 | 4.20E+00 | n/a | n/a | 0/5 | 4.25E+01 | 1/5 | 1.99E-01 |
| Polychlorinated biphenyls 132 | 9.30E-01 | 9.30E-01 | 9.30E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Polychlorinated biphenyls 31 | 4.70E-01 | 4.70E-01 | 4.70E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Polychlorinated biphenyls 99 | 9.00E-01 | 9.00E-01 | 9.00E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 6.10E+00 | 1.64E+01 | 9.03E+00 | 4/4 | 1.70E+00 | 2.60E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 1.20E+01 | 4.15E+01 | 2.18E+01 | 4/4 | 1.20E+00 | 1.80E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Technetium-99 | 1.94E+01 | 5.69E+01 | 3.82E+01 | 2/2 | 1.60E+00 | 3.30E+00 | 2/2 | 2.50E+00 | 0/2 | 3.62E+04 | 0/2 | 3.62E+02 |
| Uranium | 3.20E+00 | 3.20E+00 | 3.20E+00 | 1/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Uranium-234 | 1.66E+00 | 4.49E+00 | 3.08E+00 | 2/2 | 2.80E-01 | 6.40E-01 | 1/2 | 2.50E+00 | 0/2 | 1.98E+03 | 0/2 | 1.98E+01 |
| Uranium-238 | 2.11E+00 | 7.39E+00 | 4.75E+00 | 2/2 | 3.10E-01 | 8.20E-01 | 2/2 | 1.20E+00 | 0/2 | 1.71E+02 | 2/2 | 1.71E+00 |
| Semivolatile (mg/kg) | | | | | | | | | | | | |
| Benzo(b)fluoranthene | 6.80E-01 | 6.80E-01 | 6.80E-01 | 1/3 | 4.10E-01 | 4.40E-01 | n/a | n/a | 0/3 | 2.08E+02 | 1/3 | 2.12E-01 |
| Bis(2-ethylhexyl)phthalate | 3.10E-01 | 3.10E-01 | 3.10E-01 | 1/3 | 4.10E-01 | 4.40E-01 | n/a | n/a | 0/3 | 7.40E+03 | 0/3 | 8.84E+00 |
| Fluoranthene | 1.30E-01 | 1.30E-01 | 1.30E-01 | 1/3 | 4.10E-01 | 4.40E-01 | n/a | n/a | 0/3 | 6.50E+04 | 0/3 | 2.21E+02 |
| Pyrene | 1.30E-01 | 1.30E-01 | 1.30E-01 | 1/3 | 4.10E-01 | 4.40E-01 | n/a | n/a | 0/3 | 4.87E+04 | 0/3 | 1.65E+02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.

Table 5.68. Summary of Surface and Subsurface Historical Data at SWMU 219 (Continued)

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL ¹ | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|-----------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|-------------------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Subsurface Soils | | | | | | | | | | | |
| Pesticides/PCBs (mg/kg) | | | | | | | | | | | | |
| 2,2',3,4-Tetrachlorobiphenyl | 4.70E-01 | 4.70E-01 | 4.70E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| PCB-1242 | 2.00E+00 | 7.30E+00 | 4.10E+00 | 3/8 | 9.80E-02 | 1.00E-01 | n/a | n/a | 0/8 | 4.25E+01 | 3/8 | 1.99E-01 |
| PCB-1254 | 4.20E+00 | 1.90E+01 | 9.67E+00 | 3/8 | 2.00E-01 | 2.10E-01 | n/a | n/a | 1/8 | 1.82E+01 | 3/8 | 1.99E-01 |
| Radionuclides (pCi/g) | | | | | | | | | | | | |
| Alpha activity | 3.10E+00 | 1.21E+01 | 6.42E+00 | 5/5 | 1.40E+00 | 2.30E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Beta activity | 8.80E+00 | 2.62E+01 | 1.43E+01 | 5/5 | 1.00E+00 | 1.50E+00 | n/a | n/a | n/a | n/a | n/a | n/a |
| Technetium-99 | 2.00E+00 | 2.30E+01 | 1.34E+01 | 5/5 | 5.00E-01 | 2.20E+00 | 4/5 | 2.80E+00 | 0/5 | 3.62E+04 | 0/5 | 3.62E+02 |
| Thorium-230 | 7.00E-02 | 4.90E-01 | 2.80E-01 | 2/5 | 3.00E-02 | 1.00E-01 | 0/5 | 1.40E+00 | 0/5 | 1.49E+03 | 0/5 | 1.49E+01 |
| Uranium-234 | 4.10E-01 | 1.88E+00 | 1.13E+00 | 4/5 | 5.00E-02 | 2.60E-01 | 0/5 | 2.40E+00 | 0/5 | 1.98E+03 | 0/5 | 1.98E+01 |
| Uranium-238 | 2.90E-01 | 3.40E+00 | 1.88E+00 | 4/5 | 5.00E-02 | 3.50E-01 | 3/5 | 1.20E+00 | 0/5 | 1.71E+02 | 2/5 | 1.71E+00 |
| Semivolatiles (mg/kg) | | | | | | | | | | | | |
| 2,7,10-Trimethyldecane | 3.40E-01 | 3.40E-01 | 3.40E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 3,5-Dimethyl-Octane | 4.10E-01 | 5.80E-01 | 4.95E-01 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Bis(2-ethylhexyl)phthalate | 2.20E-01 | 8.80E-01 | 5.07E-01 | 3/8 | 4.00E-01 | 4.30E-01 | n/a | n/a | 0/8 | 7.40E+03 | 0/8 | 8.84E+00 |
| trans-Decahydronaphthalene | 3.90E-01 | 5.70E-01 | 4.80E-01 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Volatiles (mg/kg) | | | | | | | | | | | | |
| 1,2,4-Trimethylbenzene | 4.70E-01 | 1.10E+00 | 7.95E-01 | 4/4 | | | n/a | n/a | 0/4 | 1.00E+05 | 0/4 | 3.67E+02 |
| 1,2-Diethylbenzene | 3.60E-01 | 3.60E-01 | 3.60E-01 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 1-Methyl-2-propylcyclohexane | 2.10E-01 | 7.40E-01 | 4.75E-01 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 1-Methyl-4-(1-methylethyl)benzene | 3.80E-01 | 8.50E-01 | 5.83E-01 | 4/4 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| 4-Methyldecane | 7.20E-01 | 1.40E+00 | 1.06E+00 | 2/2 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Acetone | 5.00E-02 | 1.50E-01 | 9.24E-02 | 5/8 | 1.20E-02 | 1.30E-02 | n/a | n/a | 0/8 | 1.91E+04 | 0/8 | 3.58E+02 |
| Benzene | 1.60E-02 | 1.60E-02 | 1.60E-02 | 1/8 | 6.00E-03 | 6.00E-03 | n/a | n/a | 0/8 | 7.45E+01 | 0/8 | 1.13E+00 |
| Cumene | 3.50E-01 | 3.50E-01 | 3.50E-01 | 1/1 | | | n/a | n/a | 0/1 | 1.90E+04 | 0/1 | 3.52E+02 |
| Ethylbenzene | 4.20E-02 | 2.10E-01 | 1.26E-01 | 2/8 | 6.00E-03 | 6.00E-03 | n/a | n/a | 0/8 | 2.12E+03 | 0/8 | 2.12E+01 |
| Methylmethylethylbenzene | 1.00E+00 | 1.00E+00 | 1.00E+00 | 1/1 | | | n/a | n/a | n/a | n/a | n/a | n/a |
| Total Xylene | 1.40E-02 | 1.40E-02 | 1.40E-02 | 1/8 | 6.00E-03 | 6.00E-03 | n/a | n/a | 0/8 | 2.20E+04 | 0/8 | 7.24E+02 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.81. Soils Operable Unit: SWMUs 27, 31, 32, 170, 211, 219, and 220

SWMU 488 (PCB Contamination Area by the C-410 Trailer Complex)

Area description

The PCB Contamination Area by the C-410 Trailer Complex (SWMU 488) is a PCB soil contamination area located in a grassy drainage swale in the central portion of the plant site. SWMU 488 is approximately 25 ft².

Process history

It is unknown how this area experienced a PCB spill.

Previous investigation results

The contamination area was discovered as a result of a surface soil sampling and characterization event for the placement of the support trailers for the DMSA characterization/disposition activities in the field north of the C-710 Laboratory. In May 2001, radiological surveys of this area and materials were performed. Results of this survey indicate no radiological contamination is present. Soil samples were obtained as part of site characterization. The only contaminant above background detected in the soil was PCBs.

Table 5.69 is a summary of historical data followed by a map of historical sample locations (Figure 5.82).

Area utilities

No recirculating water lines or sewers are associated with this contamination area. A storm sewer is coincidentally located within the boundary of the SWMU. Depth to this sewer is approximately 4 ft bgs.

Data Gap Determination

Additional samples are needed at this location.

Table 5.69. Summary of Surface and Subsurface Historical Data at SWMU 488

| Analysis | Detected Results | | | Frequency of Detection | Detection Limit | | Exceeds Bkgd | Bkgd Value | Exceeds AL | Action Level ¹ | Exceeds NAL ¹ | No Action Level ¹ |
|--------------------------------|------------------|----------|----------|------------------------|-----------------|----------|--------------|------------|------------|---------------------------|--------------------------|------------------------------|
| | Minimum | Maximum | Average | | Minimum | Maximum | | | | | | |
| | Surface Soils | | | | | | | | | | | |
| <i>Pesticides/PCBs (mg/kg)</i> | | | | | | | | | | | | |
| PCB, Total | 1.03E+01 | 1.03E+01 | 1.03E+01 | 1/2 | 1.00E-01 | 3.00E-01 | n/a | n/a | 0/2 | 4.25E+01 | 1/2 | 1.99E-01 |
| PCB-1254 | 5.40E+00 | 5.40E+00 | 5.40E+00 | 1/2 | 1.00E-01 | 3.00E-01 | n/a | n/a | 0/2 | 1.82E+01 | 1/2 | 1.99E-01 |
| PCB-1260 | 4.90E+00 | 4.90E+00 | 4.90E+00 | 1/2 | 1.00E-01 | 3.00E-01 | n/a | n/a | 0/2 | 4.25E+01 | 1/2 | 1.99E-01 |

¹ Action level (AL) and no action level (NAL) are the Industrial Worker scenario from the Risk Methods Document (DOE 2001)

n/a = value not available

Only analyses with at least one detection are shown.




Figure 5.82. Soils Operable Unit: SWMUs 488 and 489

THIS PAGE INTENTIONALLY LEFT BLANK

6. INITIAL EVALUATION

6.1 RISK ASSESSMENT

Using the presentations and interpretations of the results, the decision rules developed during the DQO process will be addressed, and the various statistical assumptions forming the basis of the sampling plan will be verified. Appendix B presents the general report outlines for the RI and FS.

To support the risk evaluation, and consistent with the DRAFT PGDP Risk Methods Document (DOE 2009b), probabilistic fate and transport modeling may be employed. The use of this modeling helps account for uncertainties in the size of the source zones and transport parameters and allows an evaluation of error bounds. These modeling tools may include the Statistical Analysis and Decision Assistance (SADA), Seasonal Soil Compartment (SESOIL); and Analytical Transient 1-,2-,3- Dimensional (AT123D). SADA is used to refine source zones. SESOIL is a leaching model used to estimate the time-variant contaminants loading from each source area to the RGA. AT123D is used to complete saturated flow and contaminants transport modeling.

6.1.1 Data Evaluation

When fieldwork is completed and data have been verified, validated, assessed, and evaluated (as described in Section 12), data will be screened as described in the PGDP Risk Methods Document (DOE 2001d) to determine COPCs for each unit. These COPCs will be documented in a RI report followed by a FS report. The primary purpose of the RI and FS reports will be to present the results from the field investigation and evaluate alternatives to the extent necessary to select a remedy.

Documentation for the SOU RI/FS also will include a BRA. The BRA will include, at minimum, a complete BHHRA that is consistent with methods presented in Chapter 3 of Volume 1 of the DRAFT PGDP Risk Methods Document (DOE 2009b) and a SERA consistent with methods presented in Volume 2 of the DRAFT PGDP Risk Methods Document (DOE 2009b). The BRA will use all historical data representative of current site conditions, as well as the data collected during the field investigation described in this work plan. The objectives of the BRA will include the following:

- Evaluate the potential threat to human health in the absence of any action.
- Provide at least a preliminary evaluation of harm to ecological resources in the absence of any action.
- Provide a basis for determining if a response action is necessary or justified.
- Provide the information needed to determine what concentrations of chemicals and radionuclides are considered protective of human health and the environment.
- Provide a baseline for comparing the level of protection from various response alternatives relative to potential human health and ecological effects.

To meet these objectives, the risk assessment will identify and characterize the following items:

- Levels of hazardous substances present in relevant media, including a review of relevant biological and chemical information, and the potential changes in concentration and activities of hazardous substances in relevant media over time.
- Potential exposure pathways and routes and the extent of actual or predicted exposure.
- Potential human receptors by defining the size, characteristics, and location of human populations that may be exposed to contaminants at or migrating from the study areas.
- Extent of potential impact by quantifying potential carcinogenic risk and noncarcinogenic risk.
- Potential ecological harm within the study area from exposure to contaminants at or migrating from the study areas.
- Levels of uncertainty associated with the assessment, including a summary of the strengths and weaknesses of site characterization, toxicity assessment, exposure assessment, and health risk characterization. The summary will include a discussion of the effect of the major assumptions made during risk characterization upon the resulting risk values. Uncertainty analysis may include sensitivity or other quantitative analyses if these are deemed necessary for forthcoming response action decisions.

The BRA will include completion of fate and transport modeling consistent with the DRAFT PGDP Risk Methods Document (DOE 2009b) modeling matrix and generation of information that can be incorporated in the PGDP sitewide risk assessment model (DOE 2003b).

6.1.2 Exposure Assessment

This section of the BRA will delineate the pathways through which the receptors may be exposed under both current and future conditions. The exposure assessment will be conducted in accordance with *Methods for Conducting Risk Assessments and Risk Evaluations at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, and Volume 1: Human Health, Volume 2: Ecological* (DOE 2001d). This section will present conceptual site models and supporting text. Also, each pathway will be described in terms of source, route of exposure, exposure point, and receptor. This format will be followed, because all four must be present for a complete pathway to exist.

Exposure assessments in BHHRA completed in the past indicate that at least 24 exposure pathways should be considered as potential pathways in all assessments (DOE 2001d). Further, exposure assessments will be performed on a range of worker exposure times if the selected exposure time deviates significantly from the assumptions in the PGDP Risk Methods Document.

6.1.3 Toxicity Assessment

The primary purpose of this section of the BHHRA will be to report the toxic effects of the COPCs on exposed populations. The toxicity assessment will be conducted in accordance with PGDP Risk Methods Document (DOE 2001d). In addition, this section will briefly describe the methods used by EPA, and in the toxicity assessment, to develop toxicity parameters, delineate the sources used to acquire the toxicity parameters, and present tables summarizing the toxicity information used in the risk assessment.

6.1.4 Risk Characterization

The primary purpose of this section of the BHHRA will be to integrate the information developed in the exposure assessment with the effects information presented in the toxicity assessment to characterize the risks and hazards posed by environmental contamination at PGDP. The risk characterization will be conducted in accordance with *DRAFT Methods for Conducting Risk Assessments and Risk Evaluations at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, Volume 1: Human Health, and Volume 2: Ecological* (DOE 2009b). In this section, the following items will be presented: the methods used to integrate the information to characterize risks and hazards and the tables and a narrative summarizing the risk characterization for each exposure unit under each current and potential future use scenario. This section will conclude with a listing of use scenarios of concern for each location and a listing of COCs, pathways of concern, and mediums of concern for each use scenario of concern.

6.1.5 Preliminary Remediation Goals

Chemical-specific PRGs are concentration goals for individual chemicals in specific medium and land use combinations, which are used by risk managers as long-term targets during the analysis and selection of remedial alternatives. Chemical-specific PRGs are from two general sources. These are (1) concentrations based on ARARs and (2) concentrations based on risk assessment. The chemical-specific PRGs discussed in this document are concentrations based on human health risk assessment. However, concentrations based on ARARs and ecological risk assessment are discussed and presented elsewhere within the Risk Assessment Information System.¹

Chemical-specific PRGs also can be used as screening tools. Screening against chemical-specific PRGs and other limiting criteria is discussed in the RI Report as a preliminary step in the RI/FS process. Comparisons can be used to focus concern on a specific medium or COPC and support “no further action” recommendations. PRGs for this project will be the lesser of the no action cancer- and no action hazard-based PRGs for the appropriate future use taken from Appendix A of the DRAFT 2009 PGDP Risk Methods Document (DOE 2009b). Prior to screening, the BRA will determine the most up-to-date sources of criteria.

6.1.6 Evaluation of Uncertainties

Uncertainties are associated with each of the steps of the BRA. Following a general discussion of uncertainties in risk assessment, this section presents the uncertainties that will be addressed in BHHRAs prepared for PGDP and provides a format for summarizing this information (when a qualitative uncertainty analysis or sensitivity analysis is performed). The uncertainty evaluation will be conducted in accordance with the DRAFT PGDP Risk Methods Document (DOE 2009b).

The potential effect of the uncertainties on the final risk characterization must be considered when interpreting the results of the risk characterization, because the uncertainties directly affect the final risk estimates. The types of uncertainties that must be considered can be divided into four broad categories. These are uncertainties associated with data and data evaluation (i.e., identification of COPCs), exposure assessment, toxicity assessment, and risk characterization. Specific uncertainties under each of these broad categories that will be addressed in the BHHRAs completed for PGDP are listed in the following material.

¹ The risk assessment information system is a website sponsored by the DOE Office of Environmental Management, Oak Ridge Operations Office, through a contract with Bechtel Jacobs Company LLC. The site provides risk assessment tools (guidance, toxicity values, PRGs, etc.) and is evaluated monthly to ensure that information is current. See <http://rais.ornl.gov/> for additional information.

At minimum, all BRAs will contain a qualitative uncertainty analysis that will include a quantitative sensitivity analysis of salient uncertainties. In the qualitative uncertainty analysis, the magnitude of the uncertainty on the risk characterization will be categorized as small, moderate, or large. Uncertainties categorized as small will be those that should not cause the risk estimates to vary by more than one order of magnitude; uncertainties categorized as moderate will be those that may cause the risk estimates to vary by between one and two orders of magnitude; and, uncertainties categorized as large will be those that may cause the risk estimates to vary by more than two orders of magnitude.

In the qualitative uncertainty analysis, it will be noted that the uncertainties listed and evaluated are neither independent, nor mutually exclusive; therefore, it will be concluded that the total effect of all uncertainties upon the risk estimates is not the sum of the estimated effects of each uncertainty evaluated.

6.1.7 Ecological Assessment Methods

The SERA will quantitatively evaluate potential ecological risks using the methods presented in Volume 2 of the DRAFT PGDP Risk Methods Document (DOE 2009b). At minimum, this will include the following items:

- Identification of receptors that may be impacted by contaminants migrating from source areas;
- Discussion of the effects identified contamination may have on receptor populations;
- Summary of the threatened and endangered species known to be present at, or near, PGDP and the potential impacts upon them; and
- Comparison of medium-specific analyte concentrations and activities found at the site with ecological toxicity benchmarks.

The SERA may include additional steps of the baseline ecological risk assessment process outlined in DOE 2009b, as appropriate. The level of effort for these additional steps will be dependent on the ecological information available from historical environmental monitoring activities at PGDP and on the need for derivation of cleanup criteria to be used for the protection of ecological receptors. No specific sampling has been identified to supplement ecological risk assessment process as part of this work plan.

6.2 EVALUATING EXISTING DATA AND DEVELOPING THE CONCEPTUAL SITE MODEL

Existing data and information for each SWMU/AOC forms the basis for determining the amount of additional characterization data necessary to reach an action/NFA determination. In addition to analytical data, process knowledge, personnel interviews, and records/document searches, are all useful in that determination. The site conceptual model for contaminant transport determines the applicability of each type of preliminary information/data which in turn is used in support of a risk assessment.

All existing information about the SWMU/AOC and relevant surrounding area are collected including but not limited to the following:

- Compiling facility records, personnel interview records, and process description information for each SWMU/AOC;

- Defining processes and materials used, where chemicals and materials were used/disposed, and where and how potential contaminants may have been introduced to the SWMU/AOC and subsequently released to the environment;
- Compiling all analytical data for the SWMU/AOC and surrounding area, including radiological surveys, geophysical surveys, sample results, geotechnical information, historical photographs, maps, and drawings; and
- Collecting and evaluating any existing computational assessments (risk assessment) or conceptual evaluations and the results and conclusions of any previous investigations.

The conceptual site model will be the working basis for planning the SWMU/AOC sampling requirements. The conceptual site model (CSM) presented in Figure 6.1 identifies the probable and potential contaminant migration and exposure pathways at SOU SWMUs/AOCs outside the secure area. Figure 6.2 identifies the probable and potential contaminant migration and exposure pathways at SOU SWMUs/AOCs inside the secure area. From the source, two probable pathways are identified with solid lines: (1) subsurface soil, and (2) surface soil. These probable pathways will be the focus of the investigation activities.

The CSM for this investigation, past spills, and releases from operations are identified as the primary sources of contamination, and surface soil is identified as the current source of contamination. Contaminants found in soil are available for direct contact on-site. Migration of contamination from the Soils OU areas is not expected (i.e., uncertain pathway); however, it is possible that ecological receptors could contact contaminants within source areas resulting in contamination entering the food chain. Receptors potentially exposed to soil are workers, recreational users, and ecological receptors.

6.3 SAMPLING STRATEGY

This section describes the approach for using various characterization tools, survey methods, and sampling processes to classify and characterize residual contamination to support an action/NFA decision. Characterization approaches are included in the following discussion.

6.3.1 Identifying Data Gaps and Defining Program Requirements

Evaluation of the adequacy and representativeness of existing information is determined by the following criteria:

- Will existing data support the SWMU/AOC decision making; and
- Are data sufficient to support a risk assessment. Specifically, there must be analytical data of sufficient and appropriate quality for the full set of COCs and COPCs to determine if there is a threat to the industrial worker.

If data are not adequate and representative, the data gaps are identified and additional sampling is planned to ensure adequate, sufficient, and representative data to support the decision for action/NFA for each SWMU/AOC. QA data considerations made to ensure that data quality requirements are met include sample point density, number of samples, analyses required, locations, depth of samples, and compositing methodology. QC considerations include adherence to field and laboratory procedures/protocols and data validation/management procedures as described in the appropriate chapters.

6.3.2 Limited Radiological Survey

This radiological survey has been prepared using guidance provided in *Multi-Agency Radiological Survey and Site Investigation Manual* (MARSSIM) as a framework. In accordance with that guidance, historic site data and information were reviewed; the goal of identifying locations of radiologically contaminated areas for further investigation was established; and a methodology for achieving that goal was developed. The graded approach, recommended by MARSSIM, was applied in developing this plan to achieve efficient use of resources. The goal is to perform a scoping survey and to determine the scanning percentages of the areas for final status surveys per MARSSIM.

6.3.3 PCB Evaluation

The PCB evaluation will characterize known contaminated locations by defining the nature of soil contamination using a systematic and biased sampling strategy. SWMUs 75 and 78 will be investigated with the same sampling plan as other SWMUs/AOCs in the work plan. The switchyard ditches will be evaluated for PCBs using field test kits with fixed laboratory confirmatory sampling.




Figure 6.1. CSM Outside Secure Area




Figure 6.2. CSM Inside Secure Area

7. TREATABILITY STUDIES

Treatability studies involve testing technologies to assess their performance on specific wastes or media. This section includes a discussion of the treatability study process. No treatability studies have been identified at this time for the SOU; however, as the RI/FS is implemented and remedial actions are evaluated, additional studies may be identified.

7.1 IDENTIFICATION OF TREATABILITY STUDIES NEEDED

Treatability studies involve testing one or more technologies to gain qualitative or quantitative information to assess their performance on specific wastes or media at the site. Treatability studies are conducted primarily to do the following:

- Provide sufficient data to allow treatment options to be fully developed and evaluated during the detailed analysis and to support the FS and remedial design of a selected action,
- Reduce cost and performance uncertainties for remedial actions to acceptable levels so that a remedy can be selected,
- Support remedy screening,
- Support remedy selection, and
- Support remedy implementation.

Treatability studies are conducted, as appropriate, to collect data on technologies identified during the development process, thus, providing additional information for their evaluation. The RI/FS contractor and DOE's project manager must review the existing site data and available information on technologies to determine if treatability investigations are needed.

The need for treatability testing should be identified as early in the RI/FS process as possible. A decision to conduct treatability testing may be made during project scoping if information indicates that such testing is desirable. However, the decision to conduct these activities must be made by weighing the cost and time required to complete the investigation against the potential value of the information in resolving uncertainties associated with selection of a remedial action. In some situations, a specific technology that appears to offer a substantial savings in costs or significantly greater performance capabilities may not be identified until the later phases of the RI/FS. Under such circumstances, it may be advantageous to postpone completion of the RI/FS until treatability studies can be completed. In other situations, treatability investigations may be postponed until after the remedial design phase.

The design process for treatability studies is shown, conceptually, in Figure 7.1 and consists of the following four steps:

- (1) Determination of data needs;
- (2) Review of existing data on the site and available literature on technologies to determine if existing data is sufficient for the evaluation of alternatives;




Figure 7.1. Flowchart for Treatability Study

- (3) Performance of treatability tests, as appropriate, to determine performance, operating parameters, and relative costs of potential remedial technologies; and
- (4) Evaluation of the treatability data to ensure that DQOs are met.

Certain technologies have been demonstrated such that site-specific information collected during the site characterization is adequate to evaluate and determine the cost of these technologies without conducting treatability testing. Situations where treatability testing may not be necessary include the following:

- A developed technology has been well proven in similar applications;
- A technology previously has been used extensively to treat well-documented waste materials (e.g., stripping or carbon adsorption for groundwater containing organic compounds for which treatment previously has proven effective); or
- Relatively low removal efficiencies are required (e.g., 50% to 90%), and data are already available.

Frequently, technologies have not been demonstrated sufficiently or characterization of the waste alone is insufficient to predict treatment performance or to estimate the size and cost of appropriate treatment units. Furthermore, some treatment processes are not understood sufficiently for performance to be predicted, even with a complete characterization of the wastes. For example, often it is difficult to predict biological toxicity in a biological treatment plant without pilot tests. When treatment performance is difficult to predict, an actual testing of the process may be the only means of obtaining the necessary data. In fact, in some situations, it may be more cost-effective to test a process on the actual waste than it would be to characterize the waste in sufficient detail to predict performance.

7.2 DESCRIPTION OF STUDY TO BE PERFORMED

Treatability testing performed during an RI/FS is used to evaluate technologies, including evaluation of performance, determination of process-sizing, and estimation of costs, in sufficient detail to support the remedy-selection process. Treatability testing can be performed using bench-scale or pilot-scale techniques that involve implementing and evaluating the performance of a small-scale system in order to determine the potential benefits in construction and operation of a large-scale system. Treatability testing in the RI/FS is not intended solely to develop detailed design or operating parameters that are more appropriately developed during the remedial design phase.

In general, treatability studies will include the following steps:

- (1) Preparation of a work plan (or modification of the existing work plan) for bench or pilot studies;
- (2) Performance of field sampling, bench testing, and/or pilot testing;
- (3) Evaluation of data from field studies, bench testing, and/or pilot testing; and
- (4) Preparation of a report documenting the test results.

7.3 ADDITIONAL SITE DATA NEEDED FOR STUDY OR EVALUATION

Before evaluation for remedy selection in the FS, sufficient data must be available to allow treatment alternatives to be fully developed and evaluated. Additional data are needed to do the following:

- Determine whether the performance of the technologies under consideration has been documented sufficiently on similar wastes, considering the scale (e.g., bench, pilot, or full) and the number of times that the technologies have been used;
- Gather information on relative costs, applicability, removal efficiencies, operation and maintenance requirements, and implementability of the candidate technologies;
- Determine site geology and geochemistry;
- Determine whether characterization of the waste is sufficient to predict treatment performance or to estimate size and cost of the appropriate treatment system; and
- Determine power needs and differences in performance among competing manufacturers.

7.4 SCHEDULE FOR SUBMISSION OF ADDITIONAL TREATABILITY STUDY WORK PLANS

Technologies that may be applicable to the SOU that require treatability studies will be identified as early as possible during the RI/FS process. When possible, treatability studies will be coordinated across the site where unit characteristics appear similar. At any time during the RI/FS process that a treatability study is determined to be necessary, the issue will be discussed with EPA and KDEP.

As the RI/FS process progresses, a determination will be made as to whether the performance of treatability studies is necessary. At this time, there is no need to perform a treatability study based on an evaluation of potential remedial alternatives and sufficient lessons learned and information available from other sites that have implemented remedial actions for soils. If the performance of treatability studies is required, a treatability study work plan will be submitted. Treatability studies generally require 6 to 24 months to complete. If the performance of treatability studies is deemed necessary, DOE will notify EPA and KDEP of the study schedule.

8. ALTERNATIVES DEVELOPMENT

This section explains the process that will be used to develop and evaluate alternatives during the SOU FS. Topics addressed in this section of the work plan include the following:

- A description of the general approach to investigating and evaluating potential remedies;
- The overall objective of the study, a discussion of preliminary identification, general response actions, and remedial technologies;
- A remedial alternatives development and screening; and
- A detailed analysis of remedial alternatives.

A discussion of the format for the FS and the schedule, or timing for conducting the study also is provided.

8.1 DESCRIPTION OF THE GENERAL APPROACH TO INVESTIGATING AND EVALUATING POTENTIAL REMEDIES

Under CERCLA, an FS is completed in conjunction with an RI. The process for conducting a CERCLA FS begins with scoping the RI/FS. Development and screening of alternatives are performed after the site characterization or RI. Treatability studies may be performed, if necessary, to evaluate adequately the alternative's effect on particular site-specific waste streams. Then, before the selection of a remedy, the alternatives undergo a detailed evaluation using the nine evaluation criteria outlined in 40 *CFR* § 300.430(e) (9) (iii).

The draft generic baseline schedule, Figure 2.2, includes an activity titled, "Prepare Draft FS Report." Five steps are identified under this report preparation activity: (1) alternatives development, (2) preliminary technology screening, (3) detailed evaluation of alternatives, (4) document consolidation, and (5) issuance of a FS report to regulators. The first three steps are intended to parallel the CERCLA FS process, and the last two lead to preparation of an FS report.

8.2 OVERALL OBJECTIVES OF THE FEASIBILITY STUDY

The primary objective of the FS is to ensure that appropriate remedial alternatives are developed and evaluated so that relevant information concerning the remedial action options can be presented to a decision maker and an appropriate remedy can be selected [40 *CFR* § 300.430(e)(1)]. This information must be adequate to ensure that an appropriate remedy can be selected and provide protection of human health and the environment by recycling waste or by eliminating, reducing, or controlling risks.

8.3 PRELIMINARY IDENTIFICATION OF GENERAL RESPONSE ACTIONS AND REMEDIAL TECHNOLOGIES

This section will summarize the identification of potential remedial technologies for the SOU. Additional technologies will be identified and screened, as necessary, during review of the RI report. In accordance with the requirements of the National Contingency Plan, DOE will consider the following remedial alternatives:

- No action

- Institutional controls
- Containment
- Treatment
- Excavation

For each general response action, technology types will be identified (Table 8.1). Potentially applicable technologies will be identified by referring to the alternatives evaluation section of the draft *Summary of Alternatives for Remediation of Off-site Contamination at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky* (DOE 1991). Additionally, databases, such as the Electronic Encyclopedia of Remedial Action Options and the Vendor Information System for Innovative Treatment Technologies, will be queried to develop additional technologies. Alternatives for remediation will be developed by assembling combinations of technologies and the media to which they would be applied into alternatives that address contamination identified for the SOU. This process will consist of development of alternatives, screening of alternatives, and detailed analysis of alternatives. Tools, such as the Remedial Action Assessment System, may be used.

Table 8.1. Potential Remedial Actions for Primary Sources

| | Soil |
|------------------------|---|
| Institutional Controls | <ul style="list-style-type: none"> • Land use restrictions • Easements • Deed notice |
| Containment | <ul style="list-style-type: none"> • Low-permeability capping • Erosion control • Surface water control |
| Excavation | <ul style="list-style-type: none"> • Excavation/storage • Excavation/disposal |
| Treatment | <ul style="list-style-type: none"> • <i>In situ</i> physical/chemical treatment • <i>Ex situ</i> physical/chemical treatment (assumes excavation/pumping) |

8.4 REMEDIAL ALTERNATIVES DEVELOPMENT AND SCREENING

The primary objective of the alternatives development and screening phase is to generate a list of potential remedial alternatives. The alternatives developed are to protect human health and the environment, to identify potentially suitable technologies (including innovative technologies), and to assemble the technologies into alternative remedial actions. These alternative remedial actions then will undergo a detailed analysis during the next phase of the FS.

Consistent with the EPA Office of Solid Waste and Emergency Response (OSWER) Directive 9355.3-01, *Guidance for Conducting Remedial Investigations and Feasibility Studies Under CERCLA*; Interim Final, NTIS PB89-184626, EPA 540-G-89-004, OSWER 9355.3-01, October, (EPA 1988), the remedial alternatives development and screening phase will consist of six general steps, which follow:

- (1) **Development of remedial action objectives.** COCs, exposure pathways, PRGs and remedial goal options (RGOs) will be taken into account to allow for the development of a range of treatment and containment alternatives.
- (2) **Development of general response actions.** Response actions will be identified that satisfy the remedial action objectives for the SOU sites (e.g., excavation).

- (3) **Identification of volume or area.** The volume or area to which general response actions may be applied will be identified.
- (4) **Identification and screening of technologies applicable to each general response action.** Those technologies that cannot be technically implemented at the site will be eliminated. Definitions of the general response also will be modified to specify remedial technology types.
- (5) **Identification and evaluation with technology process options.** A representative process for each remaining technology type will be selected to represent the technology type for alternative development and evaluation.
- (6) **Assembly of the selected representative technologies.** The technologies will be assembled into alternatives that represent a range of remedial options, including treatment and containment.

In addition, one or more innovative technologies will be developed for detailed evaluation, to the extent required by, [40 *CFR* § 300.430(e) (5)]. A no action alternative also will be evaluated [40 *CFR* § 300.430(e) (6)].

The alternatives that are developed will undergo a screening evaluation. As appropriate, and to the extent sufficient information is available, the screening evaluation will consist of an effectiveness assessment, an implementability appraisal, and a cost evaluation [40 *CFR* § 300.430(e) (7)]. The remaining alternatives then will undergo a detailed evaluation [40 *CFR* § 300.430(e) (9)].

8.5 DETAILED ANALYSIS OF REMEDIAL ALTERNATIVES

The detailed analysis of the 1999 EPA document alternatives involves evaluating each of the alternatives remaining after the screening described in *A Guide to Preparing Superfund Proposed Plans, Records of Decision, and Other Remedy Selection Decision Documents*, OSWER 9200.1-23.P, Office of Emergency and Remedial Response, Washington, DC, using the nine evaluation criteria. The alternatives then are compared. The results of the detailed analysis will allow an appropriate remedy to be selected.

CERCLA requires that nine criteria be used to evaluate the expected performance of remedial actions. The criteria are categorized as threshold, balancing, and modifying criteria. The nine criteria are identified in the following discussion.

8.5.1 Threshold Criteria

In accordance with 40 *CFR* § 300.430(f) (1) (I) (A), these threshold criteria must be met. An alternative must allow for the following in order to be selected as the remedy.

- (1) **Overall protection of human health and the environment.** This criterion requires that the alternative adequately protect human health and the environment [40 *CFR* § 300.430(e) (9) (iii) (A)].
- (2) **Compliance with ARARs (unless a specific ARAR is waived).** Congress specified in CERCLA §121 that remedial actions for cleanup of hazardous substances, pollutants, or contaminants that will remain on-site must comply with requirements, criteria, standards, or limitations under federal or more stringent state environmental laws that are applicable or relevant and appropriate to the hazardous substances or circumstances at a site [40 *CFR* § 300.430(e)(9)(iii)(B)]. The potential ARARs for the SOU are presented in Appendix A.

8.5.2 Balancing Criteria

These criteria are considered in determining which alternative best achieves or comes closest to achieving the threshold criteria [40 *CFR* § 300.430(f) (1) (I) (B)]. The balancing criteria evaluate the alternatives in terms of the following five qualities.

- (3) **Long-term effectiveness and permanence.** This criterion focuses on the magnitude and nature of the risks associated with untreated waste/treatment residuals. This criterion includes consideration of the adequacy and reliability of any associated engineering controls, such as monitoring and maintenance requirements [40 *CFR* § 300.430(e) (9) (iii) (C)].
- (4) **Reduction of contaminant toxicity, mobility, or volume through treatment.** This criterion evaluates the degree to which the alternative employs treatment to reduce the toxicity, mobility, or volume of contamination [40 *CFR* § 300.430(e) (9) (iii) (D)].
- (5) **Short-term effectiveness.** This criterion evaluates the effect of implementing the alternative relative to potential risks to the general public, potential threat to workers, and time required until protection is achieved [40 *CFR* § 300.430(e)(9)(iii)(E)].
- (6) **Implementability.** This criterion reviews potential difficulties associated with implementing the alternative. These difficulties may involve technical feasibility, administrative feasibility, and availability of services and materials [40 *CFR* § 300.430(e) (9) (iii) (F)].
- (7) **Cost.** This criterion weighs the capital cost, annual operation and maintenance, and the combined net present value [40 *CFR* § 300.430(e) (9) (iii) (G)].

8.5.3 Modifying Criteria

These criteria allow for the influences of the community and the state.

- (8) **Community acceptance.** This criterion requires the consideration of any formal comments by the community regarding any action to be performed [40 *CFR* § 300.430(e) (9) (iii) (I)].
- (9) **State acceptance.** This criterion requires the consideration of any formal comments by the state regarding any action to be performed [40 *CFR* § 300.430(e) (9) (iii) (H)].

The selections will be based on analysis of technical, human health, and environmental criteria. The remedy selection process must follow the requirements of 40 *CFR* § 300.430(e), including the proposed plan, community involvement, and preparation of a ROD.

8.6 FORMAT FOR THE FEASIBILITY STUDY REPORT

Appendix B contains the draft “Integrated FS/CMS Report” outline, as specified in Appendix D of the FFA. This outline will be the basis for the SOU FS report, the text of which will incorporate NEPA values, consistent with the DOE 1994 Secretarial Policy on NEPA.

8.7 SCHEDULE/TIMING FOR CONDUCTING THE STUDY

Feasibility studies will be conducted after the fieldwork is completed (Figure 2.2).

9. FIELD SAMPLING PLAN

The primary focus of the SOU RI/FS will be to (1) collect field and analytical data necessary to determine the nature and extent of soil contamination at SOU SWMUs/AOCs; (2) collect field and analytical data necessary to determine areas that have been contaminated by PCBs; and (3) collect field data for a limited area radiological evaluation. Following field implementation of the SWMU/AOC Evaluation, data will be used to complete a BHHRA and SERA and evaluate appropriate remedial alternatives for each targeted area.

This section describes how each field sampling strategy will be implemented. If field conditions encountered differ from those anticipated, the sampling strategy, if appropriate, will be discussed and revisions to sampling plans will be made as needed.

9.1 SAMPLING MEDIA AND METHODS

This section identifies the different media to be sampled during the investigation and specifies methods for collecting the samples. Two types of sampling and data collection activities will be performed—nonintrusive data collection (surveys) and intrusive media sampling (surface and subsurface soil). Investigation activities will use DOE Prime Contractor-approved procedures that are consistent with EPA procedures and protocols.

9.1.1 Nonintrusive Data Collection—Surveys

Surveys to be conducted include radiological walkover, field test kits, nondestructive assay (NDA), PCB wipe, and visual inspection.

9.1.1.1 Radiological walkover survey

Radiological walkover survey of those areas outside of the SWMUs/AOCs will be conducted using a field instrument (NaI detector) coupled with a GPS device. The walkover of each SWMU/AOC will be performed using a FIDLER or similar instrument.

9.1.1.2 Nondestructive assay

NDA devices may be used at those SWMUs/AOCs and during the radiological walkover survey where radiological contamination is known or suspected to be present. ISOCS will be used as needed for the radiological walkover survey when contamination is indicated by the NaI detector results and may be used as a form of intrusive sampling.

9.1.1.3 PCB wipe

If an oil stain is found during the visual survey of locations that are concrete/asphalt covered, the stain will be tested for the presence of PCBs utilizing a PCB wipe.

9.1.2 Intrusive Sampling

Various media samples will be collected to characterize areas that have been evaluated as having data gaps. The samples will be collected using DOE Prime Contractor-approved procedures and will be analyzed using field test methods, and selected samples will be submitted to an SMO-approved, fixed-base, analytical laboratory for analysis. Field screening instruments (e.g., photoionization detector and radiological pancake-type probes) will be used to measure volatile organic compound (VOC) and radiological contamination of drill cuttings as the boring is advanced to evaluate conditions for the workers.

For the purposes of this investigation duplicate and split samples are defined as follows:

Duplicate—Duplicates are similar to a split sample, except the same laboratory analyzes both samples. These samples do not assess site heterogeneity, only specific sample point heterogeneity. The material may be homogenized (except volatiles) before being divided.

Split—Two or more representative portions taken from a sample in the field or laboratory, analyzed by at least two different laboratories. Prior to splitting, a sample is mixed (except volatiles) to minimize sample heterogeneity. These are quality control samples used to assess precision, variability, and data comparability between different laboratories.

9.1.2.1 Field test kits

Field methods will include RCRA metals and uranium analysis by *ex situ* X-ray fluorescence (XRF) at the SWMUs/AOCs and PCBs by immunoassay/colorimetric test kits at the SWMUs/AOCs and for the PCB Evaluation of drainage ditches. All samples will be field scanned for alpha, beta, and gamma activity using hand held instruments as part of preparations for transport and/or shipment. Other field test kits may be utilized for the SWMU/AOC sites after being approved by DOE, EPA, and Kentucky.

To support field XRF analysis, three types of QC samples will be analyzed with each batch of 20 samples. These will include (1) blanks, (2) duplicates, and (3) standard reference materials (SRMs). The XRF blanks will be vendor-provided. Three SRMs will be analyzed daily to monitor XRF accuracy. They will represent low [National Institute of Standards and Technology (NIST) 2709], moderate (NIST 2711), and high (NIST 2710) level standards for soil analysis for metals.

To ensure PCB data can be fully evaluated, the system will be calibrated daily. The PCB measurements are colorimetric in nature and acquire semiquantitative results by employing a field grade photometer. As a result, calibration standards and calibration verification standards and blanks will be prepared weekly and stored in accordance with the procedure. Calibration standards and blanks will be analyzed daily or at the end of a sample group, whichever is more frequent, to monitor instrument drift during analysis. They will be analyzed sequentially: (1) calibration verification and (2) blank, and will follow the 20th natural sample analyzed or at the end of a group of samples, whichever is more frequent.

If other models, vendors, or contractor procedures are employed for field methods, the procedure for those operations will be added to the required reading for this FSP and the associated work package. All field methods shall be completed by a properly trained/qualified technician and will meet detection limits detailed in Section 11, QAPP Worksheets 15.6 and 15.7.

9.1.2.2 Surface/sediment soil sampling

Surface soil shall be collected at depths between 0- and 1-ft bgs with the use of a stainless-steel sampler, hand auger, spoon, trowel, spade, or scoop.

9.1.2.3 Shallow soil borings

Shallow soil borings will be collected continuously from 1 to 4 ft bgs and will be composited, except if the sample has been randomly selected for fixed laboratory VOC analysis. The VOC sample will be collected prior to the field compositing. For shallow soil borings collected down to 10/16 ft bgs, samples will be collected from the required interval as prescribed in Section 9.3.1.

The entire length of the sample collected from the sampler will be field-screened for radioactivity using portable radiation detection instruments and visually classified. The depth interval and radiation reading in cpm will be recorded in the samplers' logbook for any portion of the sample where radiation is detected above background. If refusal is encountered prior to reaching the 10-ft depth, or 16 ft depth at infrastructure (e.g., pipelines), an alternate location will be selected at a distance not to exceed 5 ft from the original location at which refusal is met. A maximum of two alternate locations will be attempted at each sampling point. If sufficient sample quantity can be collected, samples from locations with shallow refusal may be collected at the discretion of the sampling team leader.

The specific sample equipment selected will be dependent on the drilling technology being used. Any remaining soil after samples are collected will be handled as investigation-derived waste (IDW). Upon the completion of sampling in each borehole, the field crew will abandon the boreholes by filling them with (dry) bentonite pellets (soil moisture will hydrate the pellets) if the hole has not collapsed (in many cases, a hole diameter of 1 to 1 ½ inches or less may collapse).

9.2 SAMPLE ANALYSIS

Sample analysis for this investigation consists of analysis of surface and shallow soil samples and characterization of project-generated waste materials. Specific analytical requirements, methods, and procedures are described in the Quality Assurance Project Plan (QAPP), Chapter 11.

Data acquisition for all SWMUs/AOCs will rely on both field measurements and fixed laboratory data to determine if contamination exists.

Following is a summary of sampling depth intervals.

| <u>Soil Sampling Locations</u> | <u>Depth</u> |
|---|--------------------------------------|
| All SWMUs/AOCs unless otherwise specified | |
| Surface | 0 ft to 1 ft bgs |
| Subsurface ¹ | 1 ft to 4 ft bgs |
| SWMU/AOC with sewer or recirculating water (RCW) pipeline | |
| Surface | 0 ft to 1 ft bgs |
| Subsurface ² | 1 ft to 4 ft bgs |
| Subsurface/Shallow ³ | invert of the pipeline to 1 ft below |

| <u>Soil Sampling Locations</u> | <u>Depth</u> |
|---------------------------------------|------------------|
| SWMU DOE Material Storage Area (DMSA) | |
| Surface | 0 ft to 1 ft bgs |
| PCB Evaluation | |
| Surface | 0 ft to 1 ft bgs |
| Limited Radiological Evaluation | |
| Surface | 0 ft to 1 ft bgs |

¹ If contamination is detected from 1 ft to 4 ft bgs, additional subsurface contingency samples will be collected below 4 ft at 3 ft intervals (e.g., 4 ft to 7 ft and 7 ft to 10 ft bgs). Only those parameters detected from 1 ft to 4 ft bgs will be analyzed.

² Sampling is expected not to extend past 16 ft. Shallow samples will be collected from the bottom of the pipeline/tank to 1 ft below the invert/bottom of the pipeline/tank.

9.3 SITE-SPECIFIC SAMPLING PLANS

9.3.1 SOU SWMUs/AOCs

A review of existing data for each of the SOU SWMUs/AOCs has been conducted to determine the following:

- SWMU/AOC COPCs,
- Extent and quality of existing data, and
- Sufficiency of data to support an FS for remedial options.

Where data are absent or insufficient to fully characterize the nature and extent of contamination and to support remedy selection, specific data gaps were identified. These data gaps are the basis for additional sampling under this work plan. This section addresses each SWMU/AOC individually and identifies historical samples that will be utilized for this investigation. Contamination has been defined as concentrations exceeding background or any detected concentration if instrument reporting limits are higher than background values.

The SWMUs/AOCs have been grouped into the following seven categories to simplify the sampling approach: Former Facility Site, PCBs, Soil/Rubble Piles, Scrap Yards, Underground/Tank, Storage Areas, and Chromium Areas. Table 9.1 illustrates the categories. Each SWMU/AOC was divided into 0.5 acre exposure units (EU) (unless noted otherwise), consistent with the approach shown in the Risk Methods Document (DOE 2009b), and sampling points were determined within each EU. The initial samples at each SWMU/AOC will be random locations determined by Visual Sampling Plan™ (VSP). The sampling pattern was chosen in order to maximize the use of historical samples, which provide adequate data for characterization. Further, a historical sample must have been within 50 ft of an initial sample and within the unit boundary to be utilized.⁶ Because sampling locations shown in this section are estimated, it is probable that some of these locations will be adjusted based on survey results or other site information obtained. Utilities have been overlaid on maps for reference and planning of sample points.

Co-contamination analyses and statistical evaluation for sample size were conducted as part of the Surface Water OU Work Plan (DOE 2005). The evaluation concluded that four random samples be collected per 0.5-acre EU for the internal ditches. Sediments found in the internal ditches are expected to

¹ Primary COPCs for PGDP are identified in the Risk Methods Document (DOE 2001).

be more heterogeneous, with contamination more diversely distributed than surface and near surface soils within the Soils OU SWMUs/AOCs. The number of samples, four per 0.5-acre EU used to characterize the SWOU internal ditches, can be applied conservatively to characterize the Soils OU SWMUs/AOCs.

Sampling has been planned for the Soils OU SWMUs/AOCs in order to calculate the mean concentration of primary COPCs.⁷ The mean concentration for each unit investigated will be used to determine if the unit is contaminated (i.e., the mean concentration for each COPC does not exceed the greater of the background value or the risk-based screening level) and requires action. The risk-based screening levels for use in this investigation are the no action levels for the industrial worker for those SWMUs inside the plant boundary and the no action levels for the teen recreator for those SWMUs outside the plant boundary.

² Replacement of an initial sample with a historical sample most recently was used in the Sampling and Analysis Plan for the Site Investigation and Risk Assessment of the Surface Water Operable Unit (On-Site) (DOE 2005). In the SWOU Sampling and Analysis Plan, historical samples were required to be within 50 ft of an initial sample in order to be considered.

Table 9.1. SWMU/AOC Data Groupings

| Group 1 | SWMU | Location | Description | Acres |
|---------------------------------|-------------|-----------------|--|-----------------|
| Former Facility Site (9) | | | | |
| | 1 | C-747-C | Oil Land Farm (disposal of waste oil) | 2.29492 |
| | 99 | C-745 | Kellog Building Site (WAG 28) | 2.70631 |
| | 172 | C-726 | Sandblasting Facility | 0.07533 |
| | 194 | DUF Facility | McGraw Construction Facilities | 41.69668 |
| | 196A | C-746-A | Septic System, WAG 27 proposed NFA | 0.36326 |
| | 196B | C-746-A | Septic System, WAG 27 proposed NFA | 0.05234 |
| | 211 | C-720 | TCE Spill Site Northwest, WAG 27 | 0.06181 |
| | 483 | C-603 | Was C-603 Nitrogen Facility, now concrete slab | 0.26757 |
| | 489 | C-710 North | Septic Tank | 0.02082 |
| | 531 | C-746-A south | Aluminum Slag Reacting Area | 0.21037 |
| | | | Total Acres: | 47.74941 |
| Group 1 | SWMU | Location | Description | Acres |
| Storage Area (19) | | | | |
| | 47 | C-400 | TCE Storage Tank Area | 0.02276 |
| | 200 | Central PGDP | TSCA Waste Storage Facility | 0.81408 |
| | 212 | C-745-A | Radiological Contamination Area | 0.09263 |
| | 213A | C-745-A | DMSA OS-02 | 0.03582 |
| | 213B | C-745-A | DMSA OS-02 | 0.12676 |
| | 214 | C-611 | DMSA OS-03, RCRA Closure, NFA pending | 0.01355 |
| | 215 | C-743 | DMSA OS-04, rail tank car | 0.01279 |
| | 216 | C-206 | DMSA OS-05, RCRA Closure, NFA pending | 0.02663 |
| | 217 | C-740 | DMSA OS-06, RCRA Closure, NFA pending | 0.97704 |
| | 218 | C-741 | DMSA OS-07, RCRA Closure, NFA pending | 0.09501 |
| | 220A | C-409 | DMSA OS-09, RCRA Closure, NFA pending | 0.05881 |
| | 220B | C-409 | DMSA OS-09, RCRA Closure, NFA pending | 0.13106 |
| | 220C | C-409 | DMSA OS-09, RCRA Closure, NFA pending | 0.03203 |
| | 221 | C-635 | DMSA OS-10 | 0.20831 |
| | 222A | C-410 | DMSA OS-11, RCRA Closure, NFA pending | 0.03439 |
| | 222B | C-410 | DMSA OS-11, RCRA Closure, NFA pending | 0.0184 |
| | 223 | C-301 | DMSA OS-12, RCRA Closure, NFA pending | 0.76268 |
| | 224 | C-340 | DMSA OS-13, empty drum storage | 0.14879 |

Table 9.1. SWMU/AOC Data Groupings (Continued)

| Group 1 | SWMU | Location | Description | Acres |
|------------------------------|-------------|-----------------|---|----------------|
| | 225 | C-533-1 | DMSA OS-14, rail cars | 0.09296 |
| | 226 | C-745-B | DMSA OS-15 | 0.31757 |
| | 227 | C-746-B | DMSA OS-16, RCRA Closure, NFA pending | 1.27855 |
| | 228 | C-747-B | DMSA OS-17 | 0.23234 |
| | 229 | C-746-F | DMSA OS-18 | 0.84898 |
| | | | Total Acres: | 6.38194 |
| Group 2 | SWMU | Location | Description | Acres |
| Underground/Tank (10) | | | | |
| | 11 | C-400 (SE) | C-400 TCE Leak Site, SE of C-400 building | 0.0203 |
| | 26 | C-400 to C-404 | 4" Underground Transfer Line, 1500' long | 0.0409 |
| | 27 | C-722 | Acid Neutralization Tank | 0.00273 |
| | 31 | C-720 | Compressor Pit Water Storage Tank | 0.00236 |
| | 32 | C-720 | 2 (C-728) Clean Waste Oil Tanks (removed) | 0.0376 |
| | 40 | C-403 | Neutralization Tank | 0.02057 |
| | 76 | C-632-B | Sulfuric Acid Storage Tank | 0.01947 |
| | 77 | C-634-B | Sulfuric Acid Storage Tank | 0.01704 |
| | 165 | C-616-L | Pipeline and Vault Soil Contamination | 0.48722 |
| | 170 | C-729 | Acetylene Building Drain Pits | 0.00293 |
| | | | Total Acres: | 0.65112 |
| Group 2 | SWMU | Location | Description | Acres |
| Chromium Areas (4) | | | | |
| | 158 | C-720 | Chilled Water System Leak Site | 0.05785 |
| | 169 | C-410-E | HF Vent Surge Protection Tank | 0.00231 |
| | 176 | C-331 | Recirculating Water (RCW) Leak NW Side | 0.13764 |
| | 177 | C-331 | Leak East Side | 0.15853 |
| | | | Total Acres: | 0.35633 |
| Group 2 | SWMU | Location | Description | Acres |
| Soil/Rubble Pile (12) | | | | |
| | 19 | C-410-B | HF Emergency Lagoon | 0.04419 |
| | 20 | C-410-E | Emergency Lagoon | 0.04316 |
| | 138A | C-100 | Southside Berm | 0.46358 |
| | 138B | C-100 | Southside Berm | 0.45396 |
| | 180 | WKWMA | Outdoor Firing Range | 2.2076 |
| | 181 | West Side | PGDP Security Force Firing Range | 0.50891 |
| | 195A | SW PGDP | Curlee Road Contaminated Soil Mounds | 8.90146 |

Table 9.1. SWMU/AOC Data Groupings (Continued)

| Group 2 | SWMU | Location | Description | Acres |
|----------------------|-------------|---|--|-----------------|
| | 195B | SW PGDP | Curlee Road Contaminated Soil Mounds | 0.80822 |
| | 204 | Dykes Road | Historical Staging Area, WAG 28 | 11.29684 |
| | 492 | Outfall 011 | Contaminated Soil Area | 0.04664 |
| | 493A | Outfall 001 | Concrete Rubble Piles | 0.05079 |
| | 493B | Outfall 001 | Concrete Rubble Piles | 0.0787 |
| | 517 | West of PGDP | Rubble and debris, erosion control fill area | 0.01475 |
| | 541 | Outfall 011 | Contaminated Soil Area | 1.99904 |
| | 561 | East of PGDP | Soil Pile I | 9.446 |
| | 562 | North of Soil Pile I, West of LBC | Soil Piles D, H and J in Subunit 1 | |
| | 563 | North of Outfall 12, West of LBC | Soil Piles 20 and BW in Subunit 4 | |
| | 564 | East of NSDD, North of P, S, and T Landfill | Soils Pile AT in Subunit 5 | |
| | | | Total Acres: | 36.36384 |
| Group 3 | SWMU | Location | Description | Acres |
| Scrapyard (7) | | | | |
| | 12 | C-747-A | UF4 Drum Yard (Drum Mountain) | 0.71333 |
| | 13 | C-746-P&P1 | P&P1 Scrap Yards | 6.83063 |
| | 14 | C-746-E | E Scrap Yard | 5.75068 |
| | 15 | C-746-C | C Scrap Yard | 5.28672 |
| | 16 | C-746-D | D Scrap Yard | 2.01491 |
| | 518 | C-746-P1 | Field south of P1 yard | 0.81476 |
| | 520 | C-746-A | Scrap Material | 2.89439 |
| | | | Total Acres: | 24.30542 |
| Group 3 | SWMU | Location | Description | Acres |
| PCBs (18) | | | | |
| | 56 | C-540-A | PCB Staging Area | 0.00115 |
| | 57 | C-541-A | PCB Waste Staging Area | 0.00115 |
| | 74 | C-340 | Transformer Spill Site | 0.06436 |
| | 75 | C-633 | PCB Spill Site | 0.11008 |
| | 78 | C-420 | PCB Spill Site | 0.08263 |
| | 79 | C-611 | PCB Spill Site | 0.02592 |
| | 80 | C-540 | PCB Spill Site | 0.34455 |
| | 81 | C-541 | PCB Spill Site | 0.26154 |
| | 135 | C-333 | PCB Soil Contamination | 0.33652 |
| | 137 | C-746-A | Inactive PCB Area | 0.00063 |

Table 9.1. SWMU/AOC Data Groupings (Continued)

| Group 3 | SWMU | Location | Description | Acres |
|---------|------|----------------|---|----------------|
| | 153 | C-331 | PCB Soil Contamination (west) | 0.60248 |
| | 154 | C-331 | PCB Soil Contamination (southeast) | 1.03029 |
| | 155 | C-333 | PCB Soil Contamination (west) | 0.71102 |
| | 156 | C-310 | PCB Soil Contamination (west) | 0.46277 |
| | 160 | C-745 | Cylinder Yard (PCB soils) Spoils | 0.11479 |
| | 163 | C-304 | HVAC Piping System (soil backfill from C-611) | 0.08222 |
| | 219 | C-728 | DMSA OS-08, empty fiberglass tank | 0.03797 |
| | 488 | C-410 Trailers | PCB Contamination Area | 0.00106 |
| | | | Total Acres : | 4.27113 |

SWMUs/AOCs that are one EU: Four surface and four subsurface samples will be randomly taken and all will have fixed-base laboratory.

SWMUs/AOCs that are 2 EUs: Four surface and four subsurface samples will be randomly taken in each EU; all will have field analysis and 2 from each EU will have fixed-base laboratory analysis.

SWMUs/AOCs that are 3 EUs: Four surface and four subsurface samples will be randomly taken in each EU, all will have field analysis and 2 locations in one EU will have fixed based laboratory while 1 location in the other 2 EUs will have fixed based laboratory analysis.

SWMUs/AOCs that are 4 EUs and larger: Four surface and four subsurface samples will be taken in each EU; all will have field analysis. One surface and subsurface sample from each EU will have fixed-base laboratory analysis.

| | Fixed-base Laboratory | | Field Laboratory | |
|----------------|-------------------------|-------------------------|--------------------------|--------------------------|
| | Surface | Subsurface | Surface | Subsurface |
| 1 EU | 4 | 4 | 0 | 0 |
| 2 EU | 4 | 4 | 8 | 8 |
| 3 EU | 4 | 4 | 12 | 12 |
| 4 EU or larger | 4 minimum (1 per EU) | 4 minimum (1 per EU) | 16 minimum (1 per EU) | 16 minimum (1 per EU) |

Deviations:

SWMUs/AOCs that have a pipeline: The pipeline will have a minimum of one shallow soil sample at a depth of 1 ft below the pipeline that will have field analysis performed. Additional depth samples will be collected every 30 ft along the pipeline within the SWMU/AOC boundary for field analysis. A minimum of 10% of the samples collected will have fixed-base laboratory analysis. Surface and shallow samples will be collected as described above with a maximum of one being co-located with a pipeline sample.

SWMUs that are outside DMSAs: Seventeen outside DMSAs are included with this project. There are 9 DMSAs that historically have no radiological posted area, no documented spills, and no staining or other indications of contamination; therefore, no sampling is purposed. Eight DMSAs will be sampled from 0 to 1 ft bgs at four random locations per EU, with all samples having fixed-base and field analysis. An NFA also is pending for 8 of the 17, which may affect the work for these SWMUs, if approved.

SWMUs/AOCs covered with concrete/asphalt: The SWMU/AOC will be visually surveyed for staining, and if staining is present, a PCB wipe will be obtained and the location of the staining will be documented. If the surface is found to be compromised is such as way to allow for a soil sample to be taken, field personnel will obtain samples per this sampling plan at the discretion of project manager.

| | |
|--|----|
| Total number of SWMUs/AOCs | 82 |
| SWMUs/AOCs needing additional sampling | 42 |
| SWMUs/AOCs with enough data for FS | 30 |
| SWMUs/AOCs with concrete/asphalt cover | 10 |

Table 9.2 displays the summary of sample totals. Contingency samples are not included in the sample totals. Contingency samples will equal no more than 10% of the total samples required. If more than 10% is required, DOE will notify the regulators.

Contingency Samples:

- (1) Sampling at a planned location fails (e.g., sample is rendered unusable while in the field by bottle breakage, equipment failure, etc.) (Note: “Failure” in this context does not indicate an exceedance of a level.). Result: collection of “replacement” sample.
- (2) During field activities, an area with obvious staining is discovered, but a sample from this area is not part of the previously determined sampling plan. The Prime Contractor Project Manager (PM) will be contacted to make a determination as to whether the “stained” area should be sampled. Result: collection of additional “observation” samples (biased/judgmental) upon direction from project management.
- (3) Preliminary results from sampling indicate elevated levels of cesium-137, PCBs, or uranium (U) at the 1 ft to 4 ft bgs when screened against those levels cited for the outfalls/ditches and areas in the previously approved SWOU SI and/or EE/CA. Result: collection of depth sample will be performed at 4 ft to 7 ft and 7 ft to 10 ft bgs.
- (4) If migratory pathways indicate potential contamination, then additional sampling will be performed to determine extent along expected contamination route (i.e., surface migration pathways).
- (5) Planned contingency samples will be collected to determine extent of contamination on a SWMU by SWMU basis as identified in each SWMU figure in this chapter. Additional locations (planned contingencies) have been identified based upon historical data to determine lateral extent of contamination.

Table 9.2. Summary of Sampling

| | Surface Fixed-base Laboratory | Surface Field Laboratory | Subsurface/ Shallow Fixed-base Laboratory | Subsurface/ Shallow Field Laboratory |
|---------------|-------------------------------|--------------------------|---|--------------------------------------|
| Total: | 222 | 436 | 220 | 593 |

| | |
|---|--------------|
| Total Fixed-base Laboratory Samples: | 450 |
| Total Field Laboratory Samples: | 1,029 |

| Sampling Location/ID Number | Matrix | Depth | Analytical Group | Number of Samples |
|-----------------------------|--------|--------------------|------------------|-------------------|
| Total | Soil | Surface | SVOCs | 222 |
| | | | PCBs | 222 |
| | | | Metals | 222 |
| | | | Radionuclides | 222 |
| | | | Metals by XRF | 436 |
| | | | PCBs by test kit | 436 |
| | | Subsurface | SVOCs | 202 |
| | | | PCBs | 202 |
| | | | Metals | 202 |
| | | | Radionuclides | 202 |
| | | | Metals by XRF | 419 |
| | | | PCBs by test kit | 419 |
| | | Shallow (pipeline) | SVOCs | 18 |
| | | | PCBs | 18 |
| | | | Metals | 18 |
| | | | Metals by XRF | 174 |
| | | | PCBs by test kit | 174 |

9.3.1.1 Former facility site group

The units and areas comprising the former facility sites grouping are listed below. As necessary, SWMUs greater than 0.5 acre (SWMUs 1, 99, and 194) were divided into EUs, as shown below. For practicality, some EUs were created greater than or less than 0.5 acre; however, the average of the EUs over the former facility sites grouping remained reasonably close to 0.5 acre. A large portion of SWMU 194 was not included in the EU division because the Depleted Uranium Hexafluoride Facility is being constructed at this location.

No samples will be collected from SWMUs 1, 172, 196, or 483.

SWMUs 172 and 483 both have a concrete surface; therefore, a radiation evaluation and a visual inspection for oil staining will occur. If staining is present, then a wipe sample will be collected at each SWMU.

SWMUs 1 and 196 has been evaluated under another investigation and has enough data to proceed to a FS.

Table 9.3 shows the sampling summary for this group. The locations were randomly chosen by VSP and are displayed in Figures 9.1 through 9.5. A list of sample coordinates is provided in Table 9.4 through 9.8. Section 9.3 provides information on sampling depths. Where applicable, historical samples providing adequate data for characterization will replace new sample locations/data.

| SWMU | Acres |
|------------|-------|
| 99 | |
| EU099-01 | 0.771 |
| EU099-02 | 0.785 |
| EU099-03 | 0.768 |
| EU099-04 | 0.382 |
| 194 | |
| EU194-01 | 0.576 |
| EU194-02 | 0.560 |
| EU194-03 | 0.554 |
| EU194-04 | 0.821 |
| EU194-05 | 0.538 |
| EU194-06 | 0.532 |
| EU194-07 | 0.526 |
| EU194-08 | 0.520 |
| EU194-09 | 0.546 |
| EU194-10 | 0.517 |
| EU194-11 | 0.517 |
| EU194-12 | 0.776 |
| EU194-13 | 0.517 |
| EU194-14 | 0.517 |
| EU194-15 | 0.517 |
| EU194-16 | 0.517 |
| EU194-17 | 0.565 |
| EU194-18 | 0.517 |
| EU194-19 | 0.517 |
| EU194-20 | 0.776 |
| EU194-21 | 0.517 |
| EU194-22 | 0.517 |

| SWMU | Acres |
|-------------------------|-------------|
| EU194-23 | 0.517 |
| EU194-24 | 0.517 |
| EU194-25 | 0.584 |
| EU194-26 | 0.517 |
| EU194-27 | 0.517 |
| EU194-28 | 0.517 |
| EU194-29 | 0.604 |
| EU194-30 | 0.517 |
| EU194-31 | 0.517 |
| EU194-32 | 0.517 |
| EU194-33 | 0.623 |
| EU194-34 | 0.517 |
| EU194-35 | 0.517 |
| EU194-36 | 0.517 |
| EU194-37 | 0.200 |
| EU194-38 | 0.307 |
| EU194-39 | 0.437 |
| EU194-40 | 0.566 |
| 211 | 0.06181 |
| 489 | 0.02082 |
| 531 | 0.21037 |
| Total Acres | 24.5 |
| Average Acres/EU | 0.52 |

Table 9.3. Summary of Samples for Former Facility Site (9)

Group 1

| SWMU /AOC | Location | # EU(s)/ SWMU/ AOC | Surface Fixed-base Laboratory | Surface Field Laboratory | Shallow Fixed-base Laboratory | Shallow Field Laboratory | Historical For Field Laboratory |
|-----------|--|--------------------|-------------------------------|--------------------------|-------------------------------|--------------------------|---------------------------------|
| 1 | C-747-C Oil Land Farm (disposal of waste oil) ^p | 4 | - | - | - | - | - |
| 99 | C-745 Kellogg Building Site (WAG 28) ^p | 4 | 4 | 16 | 4 | 16 | - |
| 172 | C-726 Sandblasting Facility ^a | 1 | - | - | - | - | - |
| 194 | DUF Facility McGraw Construction Facilities | 40 | 40 | 160 | 40 | 160 | 6 |
| 196 | C-746-A Septic System, WAG 27 proposed NFA ^b | 2 | - | - | - | - | - |
| 211 | C-720 TCE Spill Site Northwest, WAG 27 ^p | 1 | 4 | 4 | 4 | 4 | - |
| 483 | C-603 Nitrogen Facility concrete slab ^a | 1 | - | - | - | - | - |
| 489 | C-710 North Septic Tank | 1 | 4 | 4 | 1 | 4 | - |
| 531 | C-746-A South Aluminum Slag Reacting Area | 1 | 4 | 4 | 1 | 4 | - |
| | Total: | 55 | 56 | 188 | 50 | 188 | 6 |

^a Sites are covered with concrete/asphalt and will be investigated as part of a future action.

^b Location has enough data to proceed to FS.

^c Location is part of Removal Action.

^u An NFA is pending, which may affect the work for this SWMU if approved.

^p Pipeline is located underground in SWMU/AOC.

9.3.1.2 SWMU 1

Based on previous investigations, additional sampling is not needed to support the scope of this project.

9.3.1.3 SWMU 99

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.4 shows the randomly selected sampling points. Figure 9.1 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.4. SWMU 9 Randomly Selected Sampling Points

| SWMU 99 | | | | | | | |
|----------|---|-----------|-----------|-------------|-----------|-----------|--|
| 099-01-1 | 1 | -1,742.36 | -1,416.13 | | | | |
| 099-01-2 | 1 | -1,548.36 | -1,423.13 | 099-014 | -1,548.35 | -1,423.12 | Metals, PCB, Radionuclides, SVOA |
| 099-01-3 | 1 | -1,782.36 | -1,452.13 | | | | |
| 099-01-4 | 1 | -1,586.36 | -1,512.13 | | | | |
| 099-02-1 | 2 | -1,655.97 | -1,537.78 | | | | |
| 099-02-2 | 2 | -1,545.97 | -1,548.78 | | | | |
| 099-02-3 | 2 | -1,544.97 | -1,635.78 | 099-012 | -1,544.96 | -1,635.77 | Metals, PCB, Radionuclides, SVOA |
| 099-02-4 | 2 | -1,687.97 | -1,639.78 | | | | |
| 099-03-1 | 3 | -1,629.46 | -1,673.25 | 099-009 | -1,629.46 | -1,673.25 | Metals, PCB, Radionuclides, SVOA |
| 099-03-2 | 3 | -1,582.46 | -1,689.25 | 099-011 | -1,582.46 | -1,689.25 | Metals, PCB, Radionuclides, SVOA |
| 099-03-3 | 3 | -1,547.46 | -1,775.25 | 099-010 | -1,547.46 | -1,775.25 | Metals, PCB, Radionuclides, SVOA |
| 099-03-4 | 3 | -1,586.46 | -1,781.25 | | | | |
| 099-04-1 | 4 | -1,524.55 | -1,812.91 | | | | |
| 099-04-2 | 4 | -1,199.55 | -1,827.91 | | | | |
| 099-04-3 | 4 | -1,121.55 | -1,864.91 | OF10B-03-02 | -1,121.54 | -1,864.90 | 0-1 ft bgs/Metals, PCB, Radionuclides, SVOA, VOA |
| 099-04-4 | 4 | -1,236.55 | -1,882.91 | | | | |

Blue shading indicates sample provides definitive data from a historical investigation. Existing data will be used as replacement data for field parameters metals and PCBs. Existing data has undergone 10% third party validation and 100% data assessment. The data is acceptable for use as replacement data as noted.




Figure 9.1. Soils OU RI Samples for SWMU 99

9.3.1.4 SWMU 172

SWMU 172 has a concrete surface underneath the existing building, therefore; a radiation evaluation and a visual inspection for oil staining will occur. If staining is present, then a wipe sample will be collected. If the integrity of the concrete is such that would allow for a soil sample to be taken, then a soil sample will be taken at the direction of the front line manager (FLM).

9.3.1.5 SWMU 194

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.5 shows the randomly selected sampling points. Figure 9.2 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.5. RI Sample Location Coordinates for the Former Facility Site Group

| SWMU 194 | | | | | | | |
|--------------|----|-----------|-----------|-------------------------------|-----------|-----------|--|
| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
| 194-01-1 | 1 | -5,415.34 | -4,150.04 | | | | |
| 194-01-2 | 1 | -5,404.34 | -4,232.04 | | | | |
| 194-01-3 | 1 | -5,361.34 | -4,239.04 | | | | |
| 194-01-4 | 1 | -5,303.34 | -4,141.04 | | | | |
| 194-02-1 | 2 | -5,289.73 | -4,099.86 | | | | |
| 194-02-2 | 2 | -5,214.73 | -4,228.86 | | | | |
| 194-02-3 | 2 | -5,208.73 | -4,098.86 | | | | |
| 194-02-4 | 2 | -5,165.73 | -4,193.86 | | | | |
| 194-03-1 | 3 | -5,123.73 | -4,209.68 | | | | |
| 194-03-2 | 3 | -5,104.73 | -4,200.68 | | | | |
| 194-03-3 | 3 | -5,098.73 | -4,168.68 | | | | |
| 194-03-4 | 3 | -5,025.73 | -4,101.68 | | | | |
| 194-04-1 | 4 | -4,990.73 | -4,133.50 | | | | |
| 194-04-2 | 4 | -4,878.73 | -4,192.50 | | | | |
| 194-04-3 | 4 | -4,853.73 | -4,106.50 | | | | |
| 194-04-4 | 4 | -4,794.73 | -4,242.50 | | | | |
| 194-05-1 | 5 | -4,761.46 | -4,182.24 | | | | |
| 194-05-2 | 5 | -4,722.46 | -4,148.24 | | | | |
| 194-05-3 | 5 | -4,716.46 | -4,235.24 | | | | |
| 194-05-4 | 5 | -4,638.46 | -4,120.24 | | | | |
| 194-06-1 | 6 | -4,609.46 | -4,194.06 | | | | |
| 194-06-2 | 6 | -4,570.46 | -4,118.06 | | | | |
| 194-06-3 | 6 | -4,539.46 | -4,198.06 | H015 | -4,532.86 | -4,224.61 | 0-2, 2-4, 4-6 ft bgs/Metals, PCB, Radionuclides, SVOA, VOA |
| 194-06-4 | 6 | -4,478.46 | -4,213.06 | | | | |
| 194-07-1 | 7 | -4,465.46 | -4,115.88 | | | | |
| 194-07-2 | 7 | -4,406.46 | -4,112.88 | | | | |
| 194-07-3 | 7 | -4,394.46 | -4,204.88 | | | | |
| 194-07-4 | 7 | -4,352.46 | -4,244.88 | | | | |

Table 9.5. RI Sample Location Coordinates for the Former Facility Site Group (Continued)

| SWMU 194 | | | | | | | |
|--------------|----|-----------|-----------|-------------------------------|---|---|--------------------------------------|
| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
| 194-08-1 | 8 | -4,313.46 | -4,127.71 | | | | |
| 194-08-2 | 8 | -4238.46 | -4195.71 | | | | |
| 194-08-3 | 8 | -4,229.46 | -4,243.71 | | | | |
| 194-08-4 | 8 | -4,205.46 | -4,164.71 | | | | |
| 194-09-1 | 9 | -5,434.95 | -4,339.53 | | | | |
| 194-09-2 | 9 | -5,393.95 | -4,311.53 | | | | |
| 194-09-3 | 9 | -5,345.95 | -4,354.53 | | | | |
| 194-09-4 | 9 | -5,323.95 | -4,381.53 | | | | |
| 194-10-1 | 10 | -5,265.73 | -4,367.53 | | | | |
| 194-10-2 | 10 | -5,250.73 | -4,397.53 | | | | |
| 194-10-3 | 10 | -5,239.73 | -4,273.53 | | | | |
| 194-10-4 | 10 | -5,213.73 | -4,308.53 | | | | |
| 194-11-1 | 11 | -5,123.73 | -4,284.53 | | | | |
| 194-11-2 | 11 | -5,112.73 | -4,304.53 | | | | |
| 194-11-3 | 11 | -5,092.73 | -4,284.53 | | | | |
| 194-11-4 | 11 | -5,047.73 | -4,273.53 | | | | |
| 194-12-1 | 12 | -4,925.73 | -4,269.53 | | | | |
| 194-12-2 | 12 | -4,893.73 | -4,395.53 | | | | |
| 194-12-3 | 12 | -4,806.73 | -4,375.53 | | | | |
| 194-12-4 | 12 | -4,773.73 | -4,298.53 | | | | |
| 194-13-1 | 13 | -4,747.46 | -4,270.53 | | | | |
| 194-13-2 | 13 | -4,707.46 | -4,266.53 | | | | |
| 194-13-3 | 13 | -4,694.46 | -4,277.53 | | | | |
| 194-13-4 | 13 | -4,634.46 | -4,398.53 | | | | |
| 194-14-1 | 14 | -4,559.46 | -4,343.53 | | | | |
| 194-14-2 | 14 | -4,551.46 | -4,253.53 | | | | |
| 194-14-3 | 14 | -4,483.46 | -4,261.53 | | | | |
| 194-14-4 | 14 | -4,475.46 | -4,378.53 | | | | |
| 194-15-1 | 15 | -4,447.46 | -4,268.53 | | | | |
| 194-15-2 | 15 | -4,425.46 | -4,260.53 | | | | |
| 194-15-3 | 15 | -4,408.46 | -4,388.53 | | | | |
| 194-15-4 | 15 | -4,322.46 | -4,321.53 | | | | |
| 194-16-1 | 16 | -4267.46 | -4270.53 | | | | |
| 194-16-2 | 16 | -4,251.46 | -4,374.53 | | | | |
| 194-16-3 | 16 | -4,244.46 | -4,286.53 | | | | |
| 194-16-4 | 16 | -4,193.46 | -4,335.53 | | | | |
| 194-17-1 | 17 | -5,454.57 | -4,482.53 | | | | |
| 194-17-2 | 17 | -5,422.57 | -4,526.53 | | | | |
| 194-17-3 | 17 | -5,338.57 | -4,479.53 | | | | |
| 194-17-4 | 17 | -5,301.57 | -4,451.53 | | | | |
| 194-18-1 | 18 | -5,224.73 | -4,409.53 | | | | |
| 194-18-2 | 18 | -5,221.73 | -4,520.53 | | | | |
| 194-18-3 | 18 | -5,193.73 | -4,492.53 | | | | |
| 194-18-4 | 18 | -5,179.73 | -4,421.53 | | | | |
| 194-19-1 | 19 | -5,092.73 | -4,435.53 | | | | |

Table 9.5. RI Sample Location Coordinates for the Former Facility Site Group (Continued)

| SWMU 194 | | | | | | | |
|--------------|----|-----------|-----------|-------------------------------|-----------|-----------|---|
| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
| 194-19-2 | 19 | -5,083.73 | -4,477.53 | | | | |
| 194-19-3 | 19 | -5,050.73 | -4,462.53 | | | | |
| 194-19-4 | 19 | -4,993.73 | -4,539.53 | | | | |
| 194-20-1 | 20 | -4,990.73 | -4,491.53 | | | | |
| 194-20-2 | 20 | -4,923.73 | -4,525.53 | | | | |
| 194-20-3 | 20 | -4,824.73 | -4,447.53 | | | | |
| 194-20-4 | 20 | -4,791.73 | -4,504.53 | | | | |
| 194-21-1 | 21 | -4,743.46 | -4,405.53 | | | | |
| 194-21-2 | 21 | -4,729.46 | -4,543.53 | | | | |
| 194-21-3 | 21 | -4,676.46 | -4,463.53 | | | | |
| 194-21-4 | 21 | -4,635.46 | -4,493.53 | UFSB-01 | -4,675.8 | -4,516.09 | 0-1, 3-5, 6-10, 11-13 ft bgs/ Metals, PCB, Radionuclides, SVOA, VOA |
| 194-22-1 | 22 | -4,610.46 | -4,478.53 | | | | |
| 194-22-2 | 22 | -4,572.46 | -4,413.53 | | | | |
| 194-22-3 | 22 | -4,545.46 | -4,531.53 | | | | |
| 194-22-4 | 22 | -4,481.46 | -4,504.53 | | | | |
| 194-23-1 | 23 | -4,420.46 | -4,435.53 | | | | |
| 194-23-2 | 23 | -4,416.46 | -4,532.53 | UFSB-02 | -4,327.49 | -4,514.77 | 0-1, 1-5, 6-10, 11-15 ft bgs/ Metals, PCB, Radionuclides, SVOA, VOA |
| 194-23-3 | 23 | -4,385.46 | -4,417.53 | | | | |
| 194-23-4 | 23 | -4,324.46 | -4,450.53 | | | | |
| 194-24-1 | 24 | -4,300.46 | -4,547.53 | | | | |
| 194-24-2 | 24 | -4,293.46 | -4,482.53 | | | | |
| 194-24-3 | 24 | -4,279.46 | -4,412.53 | | | | |
| 194-24-4 | 24 | -4,222.46 | -4,501.53 | | | | |
| 194-25-1 | 25 | -5,456.18 | -4,651.53 | | | | |
| 194-25-2 | 25 | -5,441.18 | -4,688.53 | | | | |
| 194-25-3 | 25 | -5,370.18 | -4,623.53 | | | | |
| 194-25-4 | 25 | -5,306.18 | -4,568.53 | | | | |
| 194-26-1 | 26 | -5,225.73 | -4,573.53 | | | | |
| 194-26-2 | 26 | -5,283.73 | -4,630.53 | | | | |
| 194-26-3 | 26 | -5,199.73 | -4,661.53 | | | | |
| 194-26-4 | 26 | -5,244.73 | -4,692.53 | | | | |
| 194-27-1 | 27 | -5,116.73 | -4,696.53 | | | | |
| 194-27-2 | 27 | -5,096.73 | -4,629.53 | | | | |
| 194-27-3 | 27 | -5,027.73 | -4,665.53 | | | | |
| 194-27-4 | 27 | -5,017.73 | -4,619.53 | | | | |
| 194-28-1 | 28 | -4,982.73 | -4,651.53 | | | | |
| 194-28-2 | 28 | -4,981.73 | -4,700.53 | | | | |
| 194-28-3 | 28 | -4,894.73 | -4,651.53 | | | | |
| 194-28-4 | 28 | -4,874.73 | -4,604.53 | | | | |
| 194-29-1 | 29 | -5,463.79 | -4,799.53 | | | | |
| 194-29-2 | 29 | -5,384.79 | -4,838.53 | | | | |

Table 9.5. RI Sample Location Coordinates for the Former Facility Site Group (Continued)

| SWMU 194 | | | | | | | |
|--------------|----|-----------|-----------|-------------------------------|---|---|--------------------------------------|
| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
| 194-29-3 | 29 | -5,378.79 | -4,725.53 | | | | |
| 194-29-4 | 29 | -5,345.79 | -4,805.53 | | | | |
| 194-30-1 | 30 | -5,272.73 | -4,773.53 | | | | |
| 194-30-2 | 30 | -5,265.73 | -4,795.53 | | | | |
| 194-30-3 | 30 | -5,154.73 | -4,792.53 | | | | |
| 194-30-4 | 30 | -5,147.73 | -4,840.53 | | | | |
| 194-31-1 | 31 | -5,119.73 | -4,728.53 | | | | |
| 194-31-2 | 31 | -5,111.73 | -4,822.53 | | | | |
| 194-31-3 | 31 | -5,032.73 | -4,815.53 | | | | |
| 194-31-4 | 31 | -5,024.73 | -4,766.53 | | | | |
| 194-32-1 | 32 | -4,970.73 | -4,806.53 | | | | |
| 194-32-2 | 32 | -4,967.73 | -4,744.53 | | | | |
| 194-32-3 | 32 | -4,917.73 | -4,782.53 | | | | |
| 194-32-4 | 32 | -4,846.73 | -4,814.53 | | | | |
| 194-33-1 | 33 | -5,445.40 | -4,861.53 | | | | |
| 194-33-2 | 33 | -5,393.40 | -4,878.53 | | | | |
| 194-33-3 | 33 | -5,372.40 | -4,935.53 | | | | |
| 194-33-4 | 33 | -5,331.40 | -4,964.53 | | | | |
| 194-34-1 | 34 | -5,288.73 | -4,975.53 | | | | |
| 194-34-2 | 34 | -5,260.73 | -4,907.53 | | | | |
| 194-34-3 | 34 | -5,220.73 | -4,972.53 | | | | |
| 194-34-4 | 34 | -5,186.73 | -4,861.53 | | | | |
| 194-35-1 | 35 | -5,105.73 | -4,954.53 | | | | |
| 194-35-2 | 35 | -5,105.73 | -4,984.53 | | | | |
| 194-35-3 | 35 | -5,075.73 | -4,865.53 | | | | |
| 194-35-4 | 35 | -5,030.73 | -4,869.53 | | | | |
| 194-36-1 | 36 | -4,990.73 | -4,883.53 | | | | |
| 194-36-2 | 36 | -4,948.73 | -4,969.53 | | | | |
| 194-36-3 | 36 | -4,945.73 | -4,904.53 | | | | |
| 194-36-4 | 36 | -4,875.73 | -4,996.53 | | | | |
| 194-37-1 | 37 | -5,415.31 | -5,016.53 | | | | |
| 194-37-2 | 37 | -5,350.31 | -5,023.53 | | | | |
| 194-37-3 | 37 | -5,323.31 | -5,021.53 | | | | |
| 194-37-4 | 37 | -5,313.31 | -5,022.53 | | | | |
| 194-38-1 | 38 | -5,281.73 | -5,045.53 | | | | |
| 194-38-2 | 38 | -5,234.73 | -5,006.53 | | | | |
| 194-38-3 | 38 | -5,157.73 | -5,063.53 | | | | |
| 194-38-4 | 38 | -5,152.73 | -5,085.53 | | | | |
| 194-39-1 | 39 | -5,087.73 | -5,011.53 | | | | |
| 194-39-2 | 39 | -5,072.73 | -5,070.53 | | | | |
| 194-39-3 | 39 | -5,044.73 | -5,093.53 | | | | |
| 194-39-4 | 39 | -5,014.73 | -5,099.53 | | | | |
| 194-40-1 | 40 | -4,953.73 | -5,069.53 | | | | |
| 194-40-2 | 40 | -4,950.73 | -5,137.53 | | | | |
| 194-40-3 | 40 | -4,865.73 | -5,082.53 | | | | |

Table 9.5. RI Sample Location Coordinates for the Former Facility Site Group (Continued)

| SWMU 194 | | | | | | | |
|---------------------|-----------|-----------|-----------|--------------------------------------|----------|----------|---|
| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
| 194-40-4 | 40 | -4,853.73 | -5,031.53 | | | | |

Blue shading indicates sample provides definitive data from a historical investigation. Existing data will be used as replacement data for field parameters metals and PCBs. Existing data has undergone 10% third party validation and 100% data assessment. The data is acceptable for use as replacement data as noted.




Figure 9.2. Soils OU RI Samples for SWMU 194

9.3.1.6 SWMU 196

Based on previous investigations, additional sampling is not needed to support the scope of this project. WAG 27 collected enough data to complete a BRA and delineated the extent of the contamination. This information will be used for this project. Please see section 5.

9.3.1.7 SWMU 211

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.6 shows the randomly selected sampling points. Figure 9.3 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.6. RI Sample Location Coordinates for the Former Facility Site Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|---------------------|-----------|-----------|-----------|--------------------------------------|----------|----------|---|
| SWMU 211 | | | | | | | |
| 211-01-1 | 1 | -5,072.63 | -2,025.44 | | | | |
| 211-01-2 | 1 | -5,021.63 | -2,027.44 | | | | |
| 211-01-3 | 1 | -5,042.63 | -2,044.44 | | | | |
| 211-01-4 | 1 | -5,030.63 | -2,053.44 | | | | |




Figure 9.3. Soils OU RI Samples for SWMU 211

9.3.1.8 SWMU 483

SWMU 483 has a concrete surface; therefore, a radiation evaluation and a visual inspection for oil staining will occur. If staining is present, then a wipe sample will be collected. If the integrity of the concrete is such that would allow for a soil sample to be taken, then a soil sample will be taken at the direction of the FLM.

9.3.1.9 SWMU 489

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.7 shows the randomly selected sampling points. Figure 9.4 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.7. RI Sample Location Coordinates for the Former Facility Site Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|-----------------|----|-----------|-----------|-------------------------------|---|---|--------------------------------------|
| SWMU 489 | | | | | | | |
| 489-01-1 | 1 | -4,238.93 | -2,153.90 | | | | |
| 489-01-2 | 1 | -4,241.93 | -2,159.90 | | | | |
| 489-01-3 | 1 | -4,226.93 | -2,168.90 | | | | |
| 489-01-4 | 1 | -4,245.93 | -2,171.90 | | | | |




Figure 9.4. Soils OU RI Samples for SWMU 489

9.3.1.10 SWMU 531

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.8 shows the randomly selected sampling points. Figure 9.5 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.8. RI Sample Location Coordinates for the Former Facility Site Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|---------------------|-----------|-----------|----------|--------------------------------------|----------|----------|---|
| SWMU 531 | | | | | | | |
| 531-01-1 | 1 | -5,437.66 | 207.36 | | | | |
| 531-01-2 | 1 | -5,585.66 | 205.36 | | | | |
| 531-01-3 | 1 | -5,352.66 | 201.36 | | | | |
| 531-01-4 | 1 | -5,461.66 | 186.36 | | | | |




Figure 9.5. Soils OU RI Samples for SWMU 531

9.3.1.11 Storage Area Group

The units and areas comprising the storage area grouping are listed below.

As necessary, SWMUs greater than 0.5 acre (SWMUs 217 and 227) were divided into EUs, consistent with guidance in the Risk Methods Document. For practicality, some SWMUs greater than 0.5 acre were not divided (such as SWMUs 200 and 229 at 0.8 acre); however, the average of the EUs over the Storage Area grouping remained reasonably close to 0.5 acre.

SWMUs 213, 214, 215, 216, 218, 220, 221, 222, 223, 224, and 225 will not be sampled.

| SWMU | Acres |
|-------------------------|--------------|
| 47 | 0.02 |
| 200 | 0.81 |
| 212 | 0.09 |
| 217 | |
| EU 217-01 | 0.487 |
| EU 217-02 | 0.490 |
| 226 | 0.32 |
| 227 | |
| EU 227-01 | 0.718 |
| EU 227-02 | 0.561 |
| 228 | 0.23 |
| 229 | 0.85 |
| Total Acres | 4.58 |
| Average Acres/EU | 0.46 |

SWMUs 218, 220 and 223 have a concrete surface; therefore, a RAD evaluation and a visual inspection for oil staining will occur. If staining is present, then a wipe sample will be collected at each SWMU.

SWMUs 213, 214, 215, 216, 221, 222, 224, and 225 are areas that have enough historical information to proceed to the FS.

Table 9.9 shows the sampling summary for this group. The locations were randomly chosen by VSP and are displayed in Figures 9.6 through 9.13. A list of sample coordinates is provided in Tables 9.10 through 9.17. Section 9.3 provides information on sampling depths. Where applicable, historical samples will replace new sample locations/data.

Table 9.9. Summary of Samples for Storage Area

Group 1

| SWMU/ AOC | Location | # EU(s)/ SWMU/ AOC | Surface Fixed-base Laboratory | Surface Field Laboratory | Shallow Fixed-base Laboratory | Shallow Field Laboratory | Historical for Field Laboratory |
|--------------|--|--------------------------|-------------------------------------|--------------------------------|-------------------------------------|--------------------------------|---------------------------------------|
| 47 | C-400 TCE Storage Tank Area | 1 | 2 | 0 | 2 | 0 | 0 |
| 200 | Central PGDP TSCA Waste Storage Facility | 1 | 4 | 0 | 4 | 0 | - |
| 212 | C-745-A Radiological Contamination Area ^p | 1 | 4 | 0 | 5 | 6 | - |
| 213 | C-745-A DMSA OS-02 | 2 | - | - | - | - | - |
| 214 | C-611 DMSA OS-03, RCRA NFA pending ^d | 1 | - | - | - | - | - |
| 215 | C-743 DMSA OS-04, rail tank car | 1 | - | - | - | - | - |
| 216 | C-206 DMSA OS-05, RCRA NFA pending ^d | 1 | - | - | - | - | - |
| 217 | C-740 DMSA OS-06, RCRA NFA pending ^d | 2 | 4 | 8 | - | - | - |
| 218 | C-741 DMSA OS-07, RCRA NFA pending ^{a,d} | 1 | - | - | - | - | - |
| 220 | C-409 DMSA OS-09, RCRA NFA pending ^{a,d} | 1 | - | - | - | - | - |
| 221 | C-635 DMSA OS-10 ^p | 1 | - | - | - | - | - |
| 222 | C-410 DMSA OS-11, RCRA NFA pending ^d | 2 | - | - | - | - | - |
| 223 | C-301 DMSA OS-12, RCRA NFA pending ^{a,d} | 1 | - | - | - | - | - |
| 224 | C-340 DMSA OS-13, empty drum storage ^p | 1 | - | - | - | - | - |
| 225 | C-533-1 DMSA OS-14, rail cars ^p | 1 | - | - | - | - | - |
| 226 | C-745-B DMSA OS-15 | 1 | 4 | 0 | - | - | - |
| 227 | C-746-B DMSA OS-16, RCRA NFA pending ^d | 2 | 4 | 7 | - | - | 1 |
| 228 | C-747-B DMSA OS-17 | 1 | 4 | 0 | - | - | - |
| 229 | C-746-F DMSA OS-18 | 1 | 4 | 0 | - | - | - |
| | Total: | 23 | 30 | 15 | 11 | 6 | 1 |

^a Sites are covered with concrete/asphalt and will be investigated as part of a future action.

^b Location has enough data to proceed to FS.

^c Location is part of Removal Action.

^d An NFA is pending, which may affect the work for this SWMU if approved.

^p Pipeline is located underground in SWMU/AOC.

9.3.1.12 SWMU 47

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.10 shows the randomly selected sampling points. Figure 9.6 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.10. RI Sample Location Coordinates for the Storage Area Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|----------------|----|-----------|-----------|-------------------------------|-----------|-----------|---|
| SWMU 47 | | | | | | | |
| 047-01-1 | 1 | -4,377.20 | -1,390.92 | 047-005 | -4,375.33 | -1,391.43 | 0-1 ft bgs/Metals, PCB, Radionuclides, SVOA |
| 047-01-2 | 1 | -4,374.20 | -1,404.92 | 047-009 | -4,375.02 | -1,402.83 | 0-1 ft bgs/Metals, PCB, Radionuclides, SVOA |




Figure 9.6. Soils OU RI Samples for SWMU 47

9.3.1.13 SWMU 200

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.11 shows the randomly selected sampling points. Figure 9.7 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.11. RI Sample Location Coordinates for the Storage Area Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|-----------------|----|-----------|---------|-------------------------------|---|---|--------------------------------------|
| SWMU 200 | | | | | | | |
| 200-01-1 | 1 | -5,076.00 | -692.16 | | | | |
| 200-01-2 | 1 | -5,076.00 | -783.16 | | | | |
| 200-01-3 | 1 | -5,043.00 | -526.16 | | | | |
| 200-01-4 | 1 | -5,019.00 | -747.16 | | | | |




Figure 9.7. Soils OU RI Samples for SWMU 200

9.3.1.14 SWMU 212

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.12 shows the randomly selected sampling points. Figure 9.8 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.12. RI Sample Location Coordinates for the Storage Area Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|---------------------|-----------|-----------|-----------|--------------------------------------|----------|----------|---|
| SWMU 212 | | | | | | | |
| 212-01-1 | 1 | -7,060.28 | -1,644.72 | | | | |
| 212-01-2 | 1 | -7,027.28 | -1,609.72 | | | | |
| 212-01-3 | 1 | -7,018.28 | -1,647.72 | | | | |
| 212-01-4 | 1 | -7,017.28 | -1,627.72 | | | | |




Figure 9.8. Soils OU RI Samples for SWMU 212

9.3.1.15 SWMU 213

Based on previous investigations, additional sampling is not needed to support the scope of this project.

9.3.1.16 SWMU 214

Based on previous investigations, additional sampling is not needed to support the scope of this project.

9.3.1.17 SWMU 215

Based on previous investigations, additional sampling is not needed to support the scope of this project.

9.3.1.18 SWMU 216

Based on previous investigations, additional sampling is not needed to support the scope of this project.

9.3.1.19 SWMU 217

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.13 shows the randomly selected sampling points. Figure 9.9 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.13. RI Sample Location Coordinates for the Storage Area Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|-----------------|----|----------|----------|-------------------------------|----------|----------|---------------------------------------|
| SWMU 217 | | | | | | | |
| 217-01-1 | 1 | -6414.65 | -2098.39 | | | | |
| 217-01-2 | 1 | -6413.65 | -2051.39 | | | | |
| 217-01-3 | 1 | -6372.65 | -2136.39 | | | | |
| 217-01-4 | 1 | -6340.65 | -2097.39 | | | | |
| 217-02-1 | 2 | -6250.20 | -2097.41 | | | | |
| 217-02-2 | 2 | -6167.20 | -2122.41 | | | | |
| 217-02-3 | 2 | -6117.20 | -2042.41 | 36-SB-003 | -6111.68 | -2120.40 | Metals, PCB, Radionuclides, SVOA, VOA |
| 217-02-4 | 2 | -6085.20 | -2082.41 | | | | |

Blue shading indicates sample provides definitive data from a historical investigation. Existing data will be used as replacement data for field parameters metals and PCBs. Existing data has undergone 10% third party validation and 100% data assessment. The data is acceptable for use as replacement data as noted.




Figure 9.9. Soils OU RI Samples for SWMU 217

9.3.1.20 SWMU 218

SWMU 218 has a concrete surface; therefore, a radiation evaluation and a visual inspection for oil staining will occur. If staining is present, then a wipe sample will be collected. If the integrity of the concrete is such that would allow for a soil sample to be taken, then a soil sample will be taken at the direction of the FLM.

9.3.1.21 SWMU 220

SWMU 220 has a concrete surface; therefore, a radiation evaluation and a visual inspection for oil staining will occur. If staining is present, then a wipe sample will be collected. If the integrity of the concrete is such that would allow for a soil sample to be taken, then a soil sample will be taken at the direction of the FLM.

9.3.1.22 SWMU 221

Based on previous investigations, additional sampling is not needed to support the scope of this project.

9.3.1.23 SWMU 222

Based on previous investigations, additional sampling is not needed to support the scope of this project.

SWMU 223

SWMU 223 has a concrete surface; therefore, a radiation evaluation and a visual inspection for oil staining will occur. If staining is present, then a wipe sample will be collected. If the integrity of the concrete is such that would allow for a soil sample to be taken, then a soil sample will be taken at the direction of the FLM.

9.3.1.24 SWMU 224

Based on previous investigations, additional sampling is not needed to support the scope of this project.

9.3.1.25 SWMU 225

Based on previous investigations, additional sampling is not needed to support the scope of this project.

9.3.1.26 SWMU 226

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.14 shows the randomly selected sampling points. Figure 9.10 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.14. RI Sample Location Coordinates for the Storage Area Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|--------------|----|-----------|---------|-------------------------------|---|---|--------------------------------------|
| SWMU 226 | | | | | | | |
| 226-01-1 | 1 | -6,885.62 | -397.00 | | | | |
| 226-01-2 | 1 | -6,678.62 | -390.00 | | | | |
| 226-01-3 | 1 | -6,454.62 | -395.00 | | | | |
| 226-01-4 | 1 | -6,431.62 | -395.00 | | | | |




Figure 9.10. Soils OU RI Samples for SWMU 226

9.3.1.27 SWMU 227

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.15 shows the randomly selected sampling points. Figure 9.11 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.15. RI Sample Location Coordinates for the Storage Area Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|-----------------|----|-----------|--------|-------------------------------|-----------|-------|---|
| SWMU 227 | | | | | | | |
| 227-01-1 | 1 | -6,236.09 | -60.72 | | | | |
| 227-01-2 | 1 | -6,157.09 | -10.72 | 006-003 | -6,110.28 | -6.51 | 0-1 ft bgs/Metals, PCB, Radionuclides, SVOA |
| 227-01-3 | 1 | -6,027.09 | -63.72 | | | | |
| 227-01-4 | 1 | -5,920.09 | -45.72 | | | | |
| 227-02-1 | 2 | -5,802.09 | -38.01 | | | | |
| 227-02-2 | 2 | -5,688.09 | -65.01 | | | | |
| 227-02-3 | 2 | -5,568.09 | -64.01 | | | | |
| 227-02-4 | 2 | -5,420.09 | -71.01 | | | | |

Blue shading indicates sample provides definitive data from a historical investigation. Existing data will be used as replacement data for field parameters metals and PCBs for the surface soil sample. The project from which the existing data was collected underwent 10% third party validation and 100% data assessment. The data is acceptable for use as replacement data as noted.




Figure 9.11. Soils OU RI Samples for SWMU 227

9.3.1.28 SWMU 228

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.16 shows the randomly selected sampling points. Figure 9.12 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.16. RI Sample Location Coordinates for the Storage Area Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|---------------------|-----------|-----------|----------|--------------------------------------|----------|----------|---|
| SWMU 228 | | | | | | | |
| 228-01-1 | 1 | -6,288.34 | 77.40 | | | | |
| 228-01-2 | 1 | -6,222.34 | 56.40 | | | | |
| 228-01-3 | 1 | -6,157.34 | 25.40 | | | | |
| 228-01-4 | 1 | -6,122.34 | 40.40 | | | | |




Figure 9.12. Soils OU RI Samples for SWMU 228

9.3.1.29 SWMU 229

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.17 shows the randomly selected sampling points. Figure 9.13 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.17. RI Sample Location Coordinates for the Storage Area Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|---------------------|-----------|-----------|----------|--------------------------------------|----------|----------|---|
| SWMU 229 | | | | | | | |
| 229-01-1 | 1 | -6,731.63 | 316.58 | | | | |
| 229-01-2 | 1 | -6,637.63 | 305.58 | | | | |
| 229-01-3 | 1 | -6,512.63 | 317.58 | | | | |
| 229-01-4 | 1 | -6,391.63 | 316.58 | | | | |

* These samples are RI samples to be collected during sampling for SWMU 76.




Figure 9.13. Soils OU RI Samples for SWMU 229

9.3.1.30 Underground/Tank Group

The units and areas comprising the Underground/Tank are listed below. These SWMUs are part of Group 2 for data submission. No SWMUs within this grouping were greater than 0.5 acre, so division into EUs was not necessary.

SWMUs 27, 31, 32, 40, 77, 165, and 170 will not be sampled.

| SWMU | Acres |
|-------------------------|--------------|
| 26 | 0.041 |
| 76 | 0.019 |
| Total Acres | 0.06 |
| Average Acres/EU | 0.03 |

SWMUs 31 and 32 both have a concrete surface; therefore, a RAD evaluation and a visual inspection for oil staining will occur. If staining is present, then a wipe sample will be collected at each SWMU.

SWMU 77 has a concrete surface and may be holding water; therefore, a water sample will be taken and characterized for disposal. Then the water removed. Then a rad evaluation and a visual inspection for oil staining will occur. If staining is present, then a wipe sample will be collected.

SWMUs 11, 27, 165, and 170 have been previously investigated and have enough data to proceed to a FS.

SWMU 40 is part of the SOU Inactive Facilities and is listed for a removal action.

Table 9.18 shows the sampling summary for this group. The locations were randomly chosen by VSP and are displayed below in Figures 9.14 and 9.15. A list of sample coordinates is provided in Table 9.19. Section 9.3 provides information on sampling depths. Where applicable, historical samples will replace new sample locations/data.

Table 9.18. Summary of Samples for Underground/Tank

Group 2

| SWMU/ AOC | Location | # EU(s)/ SWMU/ AOC | Surface Fixed-base Laboratory | Surface Field Laboratory | Shallow Fixed-base Laboratory | Shallow Field Laboratory | Historical for Field Laboratory |
|--------------|--|--------------------------|-------------------------------------|--------------------------------|-------------------------------------|--------------------------------|---------------------------------------|
| 11 | C-400 (SE) C-400 TCE Leak Site, SE of C-400 building ^p | 1 | - | - | - | - | - |
| 26 | C-400 to C-404 4" Underground Transfer Line, 1500' long ^p | 1 | - | - | 6 | 59 | - |
| 27 | C-722 Acid Neutralization Tank ^b | 1 | - | - | - | - | - |
| 31 | C-720 Compressor Pit Water Storage Tank ^a | 1 | - | - | - | - | - |
| 32 | C-728 Clean Waste Oil Tanks (removed) ^b | 1 | - | - | - | - | - |
| 40 | C-403 Neutralization Tank ^c | 1 | - | - | - | - | - |
| 76 | C-632-B Sulfuric Acid Storage Tank | 1 | 4 | 0 | 4 | 0 | - |
| 77 | C-634-B Sulfuric Acid Storage Tank ^a | 1 | - | - | - | - | - |
| 165 | C-616-L Pipeline and Vault Soil Contamination ^b | 1 | - | - | - | - | - |
| 170 | C-729 Acetylene Building Drain Pits ^b | 1 | - | - | - | - | - |
| | Total: | 10 | 4 | 0 | 10 | 59 | 0 |

^a Sites are covered with concrete/asphalt and will be investigated as part of a future action.

^b Location has enough data to proceed to FS.

^c Location is part of Removal Action.

^d An NFA is pending, which may affect the work for this SWMU if approved.

^e Pipeline is located underground in SWMU/AOC.

9.3.1.31 SWMU 11

Based on previous investigations, additional sampling is not needed to support the scope of this project.

9.3.1.32 SWMU 26

Based on previous investigations, additional sampling is needed to support the scope of this project. Figure 9.14 shows a map of the sampling locations with utilities overlain and the sampling points for the pipeline.




Figure 9.14. Soils OU RI Samples for SWMU 26

9.3.1.33 SWMU 27

Based on previous investigations, additional sampling is not needed to support the scope of this project. This SWMU was investigated and results purposing an NFA were presented in the SE for WAGs 9 and 11.

9.3.1.34 SWMU 31

SWMU 31 has a concrete surface, therefore; a radiation evaluation and a visual inspection for oil staining will occur. If staining is present, then a wipe sample will be collected. If the integrity of the concrete is such that would allow for a soil sample to be collected, then a soil sample will be collected at the direction of the FLM.

9.3.1.35 SWMU 32

SWMU 32 has a concrete surface, therefore; a radiation evaluation and a visual inspection for oil staining will occur. If staining is present, then a wipe sample will be collected. If the integrity of the concrete is such that would allow for a soil sample to be collected, then a soil sample will be collected at the direction of the FLM.

9.3.1.36 SWMU 40

Based on previous investigations, additional sampling is not needed to support the scope of this project.

9.3.1.37 SWMU 76

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.19 shows the randomly selected sampling points. Figure 9.15 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.19. RI Sample Location Coordinates for the Underground/Tank Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|---------------------|-----------|-----------|-----------|--------------------------------------|----------|----------|---|
| SWMU 76 | | | | | | | |
| 076-01-1 | 1 | -3,287.22 | -1,466.63 | | | | |
| 076-01-2 | 1 | -3,282.22 | -1,468.63 | | | | |
| 076-01-3 | 1 | -3,276.22 | -1,484.63 | | | | |
| 076-01-4 | 1 | -3,279.22 | -1,491.63 | | | | |




Figure 9.15. Soils OU RI Samples for SWMU 76

9.3.1.38 SWMU 77

SWMU 77 has a concrete surface, therefore; a radiation evaluation and a visual inspection for oil staining will occur. If staining is present, then a wipe sample will be collected. If the integrity of the concrete is such that would allow for a soil sample to be collected, then a soil sample will be collected at the direction of the FLM.

9.3.1.39 SWMU 165

Based on previous investigations, additional sampling is not needed to support the scope of this project. This SWMU has been characterized and the summary of the findings are presented in the SE for WAGs 9 and 11.

9.3.1.40 SWMU 170

Based on previous investigations, additional sampling is not needed to support the scope of this project. This SWMU has been characterized and the summary of the findings are presented in the SE for WAGs 9 and 11.

9.3.1.41 Chromium Area Group

The units and areas comprising the chromium spill grouping are listed below. No SWMUs within this grouping were greater than 0.5 acre, so division into EUs was not necessary.

| SWMU | Acres |
|-------------------------|--------------|
| 158 | 0.055 |
| 169 | 0.002 |
| 176 | 0.137 |
| 177 | 0.158 |
| Total Acres | 0.35 |
| Average Acres/EU | 0.09 |

Table 9.22 shows the sampling summary for this group. The locations were randomly chosen by VSP and are displayed below in Figures 9.16 through 9.19. A list of sample coordinates is provided in Table 9.21 through 9.24. Section 9.3 provides information on sampling depths. Where applicable, historical samples will replace new sample locations/data.

Table 9.20. Summary of Samples Chromium Areas

Group 2

| SWMU /AOC | Location | # EU(s)/ SWMU/ AOC | Surface Fixed-base Laboratory | Surface Field Laboratory | Shallow Fixed-base Laboratory | Shallow Field Laboratory | Historical for Field Laboratory |
|-----------|---|--------------------|-------------------------------|--------------------------|-------------------------------|--------------------------|---------------------------------|
| 158 | C-720 Chilled Water System Leak Site ^p | 1 | 4 | 0 | 4 | 0 | - |
| 169 | C-410-E HF Vent Surge Protection Tank | 1 | 4 | 0 | 4 | 0 | - |
| 176 | C-331 Recirculating Water (RCW) Leak NW Side ^p | 1 | 4 | 0 | 5 | 5 | - |
| 177 | C-331 Leak East Side ^p | 1 | 4 | 4 | 4 | 4 | - |
| | Total: | 4 | 16 | 4 | 17 | 9 | 0 |

^a Sites are covered with concrete/asphalt and will be investigated as part of a future action.

^b Location has enough data to proceed to FS.

^c Location is part of Removal Action.

^d An NFA is pending, which may affect the work for this SWMU if approved.

^e Pipeline is located underground in SWMU/AOC.

9.3.1.42 SWMU 158

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.21 shows the randomly selected sampling points. Figure 9.16 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.21. RI Sample Location Coordinates for Chromium Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|---------------------|-----------|-----------|-----------|--------------------------------------|----------|----------|---|
| SWMU 158 | | | | | | | |
| 158-01-1 | 1 | -5,002.05 | -2,469.51 | | | | |
| 158-01-2 | 1 | -5,000.05 | -2,483.51 | | | | |
| 158-01-3 | 1 | -4,999.05 | -2,627.51 | | | | |
| 158-01-4 | 1 | -5,002.05 | -2,727.51 | | | | |




Figure 9.16. Soils OU RI Samples for SWMU 158

9.3.1.43 SWMU 169

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.22 shows the randomly selected sampling points. Figure 9.17 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.22. RI Sample Location Coordinates for Chromium Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|---------------------|-----------|-----------|-----------|--------------------------------------|----------|----------|---|
| SWMU 169 | | | | | | | |
| 169-01-1 | 1 | -3,382.44 | -1,374.08 | | | | |
| 169-01-2 | 1 | -3,383.44 | -1,379.08 | | | | |
| 169-01-3 | 1 | -3,384.44 | -1,383.08 | | | | |
| 169-01-4 | 1 | -3,380.44 | -1,385.08 | | | | |




Figure 9.17. Soils OU RI Samples for SWMU 169

9.3.1.44 SWMU 176

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.23 shows the randomly selected sampling points. Figure 9.18 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.23. RI Sample Location Coordinates for Chromium Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|---------------------|-----------|-----------|-----------|--------------------------------------|----------|----------|---|
| SWMU 176 | | | | | | | |
| 176-01-1 | 1 | -3,377.40 | -1,923.11 | | | | |
| 176-01-2 | 1 | -3,360.40 | -1,956.11 | | | | |
| 176-01-3 | 1 | -3,325.40 | -1,975.11 | | | | |
| 176-01-4 | 1 | -3,385.40 | -1,976.11 | | | | |




Figure 9.18. Soils OU RI Samples for SWMU 176

9.3.1.45 SWMU 177

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.24 shows the randomly selected sampling points. Figure 9.19 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.24. RI Sample Location Coordinates for Chromium Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|---------------------|-----------|-----------|-----------|--------------------------------------|----------|----------|---|
| SWMU 177 | | | | | | | |
| 177-01-1 | 1 | -2,522.75 | -2,314.60 | | | | |
| 177-01-2 | 1 | -2,467.75 | -2,314.60 | | | | |
| 177-01-3 | 1 | -2,500.75 | -2,367.60 | | | | |
| 177-01-4 | 1 | -2,500.75 | -2,387.60 | | | | |




Figure 9.19. Soils OU RI Samples for SWMU 177

9.3.1.46 Soil/Rubble Pile

The units and areas comprising the soil and rubble piles grouping are listed below. As necessary, SWMUs greater than 0.5 acre (SWMUs 180, and 195, and AOC 204) were divided into exposure units, consistent with guidance in the Risk Methods Document. Although some of the individual exposure units were greater than 0.5 acre, the average of the exposure units over the soil and rubble piles grouping remained reasonably close to 0.5 acre.

SWMUs/AOCs 19, 20, 181, 204, 492, 541, 561, 562, 563, and 564 will not be sampled.

| SWMU | Acres |
|------------|-------|
| 138 | |
| EU 138-01 | 0.46 |
| EU 138-02 | 0.45 |
| 180 | |
| EU 180-01 | 0.393 |
| EU 180-02 | 0.356 |
| EU 180-03 | 0.386 |
| EU 180-04 | 0.389 |
| EU 180-05 | 0.683 |
| 195 | |
| EU 195-01 | 0.319 |
| EU 195-02 | 0.484 |

| SWMU | Acres |
|-----------|-------|
| EU 195-03 | 0.373 |
| EU 195-04 | 0.517 |
| EU 195-05 | 0.517 |
| EU 195-06 | 0.327 |
| EU 195-07 | 0.624 |
| EU 195-08 | 0.517 |
| EU 195-09 | 0.517 |
| EU 195-10 | 0.574 |
| EU 195-11 | 0.627 |
| EU 195-12 | 0.517 |
| EU 195-13 | 0.517 |
| EU 195-14 | 0.579 |

| SWMU | Acres |
|-------------------------|--------------|
| EU 195-15 | 0.437 |
| EU 195-16 | 0.516 |
| EU 195-17 | 0.512 |
| EU 195-18 | 0.430 |
| EU 195-19 | 0.427 |
| EU 195-20 | 0.382 |
| 493 | |
| EU 493-01 | 0.051 |
| EU 493-02 | 0.79 |
| 517 | 0.15 |
| Total Acres | 13.82 |
| Average Acres/EU | 0.46 |

SWMU 20 has a concrete surface and is holding water; therefore, a water sample will be taken and characterized for disposal followed by removal of the water. Then a RAD evaluation and a visual inspection for oil staining will occur. If staining is present, then a wipe sample will be collected.

SWMUs 19 and 181 are part of the SOU Inactive Facilities and are listed for a removal action.

SWMUs 20, 204, 492, 541, 561, 562, 563, and 564 have been previously investigated and have enough data to proceed to a FS.

Table 9.25 shows the sampling summary for this group. The locations were randomly chosen by VSP and are displayed below in Figures 9.20 through 9.24. A list of sample coordinates is provided in Table 9.26 through 9.30. Section 9.3 provides information on sampling depths. Where applicable, historical samples will replace new sample locations/data.

Table 9.25. Summary of Samples for Soil/Rubble Pile

Group 2

| SWMU/ AOC | Location | # EU(s)/ SWMU/ AOC | Surface Fixed-base Laboratory | Surface Field Laboratory | Shallow Fixed-base Laboratory | Shallow Field Laboratory | Historical for Field Laboratory |
|---------------|---|--------------------------|-------------------------------------|--------------------------------|-------------------------------------|--------------------------------|---------------------------------------|
| 19 | C-410-B HF Emergency Lagoon ^c | 1 | - | - | - | - | - |
| 20 | C-410-E Emergency Lagoon ^a | 1 | - | - | - | - | - |
| 138 | C-100 Southside Berm ^p | 2 | 4 | 8 | 4 | 8 | - |
| 180 | WKWMA Outdoor Firing Range | 5 | 5 | 20 | 5 | 20 | - |
| 181 | West Side PGDP Security Force Firing Range ^c | 1 | - | - | - | - | - |
| 195 | SW PGDP Curlee Road Contaminated Soil Mounds | 20 | 20 | 80 | 20 | 80 | - |
| 204 | Dyke Road Historical Staging Area, WAG 28 ^p | 24 | - | - | - | - | - |
| 492 | Outfall 011 Contaminated Soil Area ^b | 1 | - | - | - | - | - |
| 493 | Outfall 001 Concrete Rubble Piles | 2 | 4 | 7 | 4 | 8 | 1 |
| 517 | West of PGDP Rubble and debris, erosion control fill area | 1 | 4 | 0 | 4 | 0 | - |
| 541 | Outfall 011 Contaminated Soil Area ^b | 4 | - | - | - | - | - |
| 561 | Soil Pile 1 ^b | 2 | - | - | - | - | - |
| 562 | Soil Piles East of PGDP, AOC 562 | | - | - | - | - | - |
| 563 | Soil Piles East of PGDP, AOC 563 | | - | - | - | - | - |
| 564 | Soil Piles East of PGDP, AOC 564 | | - | - | - | - | - |
| Total: | | 64 | 37 | 115 | 37 | 116 | 1 |

^a Sites are covered with concrete/asphalt and will be investigated as part of a future action.

^b Location has enough data to proceed to FS.

^c Location is part of Removal Action.

^d An NFA is pending, which may affect the work for this SWMU if approved.

^p Pipeline is located underground in SWMU/AOC.

9.3.1.47 SWMU 19

SWMU 19 is part of the Soils OU Inactive Facilities Removal Action and therefore no additional samples are required during this investigation. Samples will be collected at SWMU 19 after the removal action. The results of these samples will be evaluated to determine if contamination has been removed or if further remediation is needed.

9.3.1.48 SWMU 20

SWMU 20 has a concrete surface, therefore; a radiation evaluation and a visual inspection for oil staining will occur. If staining is present, then a wipe sample will be collected. If the integrity of the concrete is such that would allow for a soil sample to be collected, then a soil sample will be collected at the direction of the FLM.

9.3.1.49 SWMU 138

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.26 shows the randomly selected sampling points. Figure 9.20 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.26. RI Sample Location Coordinates for the Soil/Rubble Pile Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|-----------------|----|-----------|-----------|-------------------------------|---|---|--------------------------------------|
| SWMU 138 | | | | | | | |
| 138-01-1 | 1 | -4,719.44 | -3,424.99 | | | | |
| 138-01-2 | 1 | -4,563.44 | -3,445.99 | | | | |
| 138-01-3 | 1 | -4,643.44 | -3,454.99 | | | | |
| 138-01-4 | 1 | -4,612.44 | -3,464.99 | | | | |
| 138-02-1 | 2 | -4,306.03 | -3,463.55 | | | | |
| 138-02-2 | 2 | -4,426.03 | -3,464.55 | | | | |
| 138-02-3 | 2 | -4,440.03 | -3,474.55 | | | | |
| 138-02-4 | 2 | -4,223.03 | -3,479.55 | | | | |




Figure 9.20. Soils OU RI Samples for SWMU 138

9.3.1.50 SWMU 180

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.27 shows the randomly selected sampling points. Figure 9.21 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.21. RI Sample Location Coordinates for the Soil/Rubble Pile Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|-----------------|----|------------|-----------|-------------------------------|---|---|--------------------------------------|
| SWMU 180 | | | | | | | |
| 180-01-1 | 1 | -12,976.19 | -5,324.19 | | | | |
| 180-01-2 | 1 | -12,920.19 | -5,273.19 | | | | |
| 180-01-3 | 1 | -12,915.19 | -5,223.19 | | | | |
| 180-01-4 | 1 | -12,910.19 | -5,325.19 | | | | |
| 180-02-1 | 2 | -12,859.71 | -5,218.85 | | | | |
| 180-02-2 | 2 | -12,841.71 | -5,177.85 | | | | |
| 180-02-3 | 2 | -12,826.71 | -5,199.85 | | | | |
| 180-02-4 | 2 | -12,826.71 | -5,266.85 | | | | |
| 180-03-1 | 3 | -12,928.39 | -5,400.90 | | | | |
| 180-03-2 | 3 | -12,851.39 | -5,359.90 | | | | |
| 180-03-3 | 3 | -12,849.39 | -5,429.90 | | | | |
| 180-03-4 | 3 | -12,847.39 | -5,455.90 | | | | |
| 180-04-1 | 4 | -12,812.08 | -5,375.48 | | | | |
| 180-04-2 | 4 | -12,773.08 | -5,307.48 | | | | |
| 180-04-3 | 4 | -12,770.08 | -5,392.48 | | | | |
| 180-04-4 | 4 | -12,764.08 | -5,292.48 | | | | |
| 180-05-1 | 5 | -12,833.39 | -5,484.11 | | | | |
| 180-05-2 | 5 | -12,822.39 | -5,533.11 | | | | |
| 180-05-3 | 5 | -12,701.39 | -5,492.11 | | | | |
| 180-05-4 | 5 | -12,692.39 | -5,549.11 | | | | |




Figure 9.21. Soils OU RI Samples for SWMU 180

9.3.1.51 SWMU 181

SWMU 181 is part of the Soils OU Inactive Facilities Removal Action and therefore no additional samples are required during this investigation. Samples will be collected at SWMU 19 after the removal action. The results of these samples will be evaluated to determine if contamination has been removed or if further remediation is needed.

9.3.1.52 SWMU 195

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.28 shows the randomly selected sampling points. Figure 9.22 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.28. RI Sample Location Coordinates for the Soil/Rubble Pile Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|-----------------|----|-----------|-----------|-------------------------------|---|---|--------------------------------------|
| SWMU 195 | | | | | | | |
| 195-01-1 | 1 | -6,028.68 | -3,154.58 | | | | |
| 195-01-2 | 1 | -6,016.68 | -3,113.58 | | | | |
| 195-01-3 | 1 | -5,989.68 | -3,082.58 | | | | |
| 195-01-4 | 1 | -5,964.68 | -3,103.58 | | | | |
| 195-02-1 | 2 | -5,951.32 | -3,156.52 | | | | |
| 195-02-2 | 2 | -5,904.32 | -3,161.52 | | | | |
| 195-02-3 | 2 | -5,894.32 | -3,097.52 | | | | |
| 195-02-4 | 2 | -5,893.32 | -3,267.52 | | | | |
| 195-03-1 | 3 | -6,246.19 | -3,129.47 | | | | |
| 195-03-2 | 3 | -6,245.19 | -3,099.47 | | | | |
| 195-03-3 | 3 | -6,210.19 | -3,156.47 | | | | |
| 195-03-4 | 3 | -6,185.19 | -3,082.47 | | | | |
| 195-04-1 | 4 | -6,192.38 | -3,218.50 | | | | |
| 195-04-2 | 4 | -6,167.38 | -3,250.50 | | | | |
| 195-04-3 | 4 | -6,109.38 | -3,170.50 | | | | |
| 195-04-4 | 4 | -6,091.38 | -3,239.50 | | | | |
| 195-05-1 | 5 | -6,033.52 | -3,254.70 | | | | |
| 195-05-2 | 5 | -6,014.52 | -3,370.70 | | | | |
| 195-05-3 | 5 | -6,012.52 | -3,240.70 | | | | |
| 195-05-4 | 5 | -5,947.52 | -3,295.70 | | | | |
| 195-06-1 | 6 | -5,968.66 | -3,438.89 | | | | |
| 195-06-2 | 6 | -5,928.66 | -3,412.89 | | | | |
| 195-06-3 | 6 | -5,922.66 | -3,355.89 | | | | |
| 195-06-4 | 6 | -5,909.66 | -3,329.89 | | | | |
| 195-07-1 | 7 | -6,369.35 | -3,118.30 | | | | |
| 195-07-2 | 7 | -6,354.35 | -3,166.30 | | | | |
| 195-07-3 | 7 | -6,351.35 | -3,275.30 | | | | |
| 195-07-4 | 7 | -6,322.35 | -3,213.30 | | | | |
| 195-08-1 | 8 | -6,292.57 | -3,332.35 | | | | |
| 195-08-2 | 8 | -6,254.57 | -3,296.35 | | | | |
| 195-08-3 | 8 | -6,180.57 | -3,280.35 | | | | |
| 195-08-4 | 8 | -6,177.57 | -3,251.35 | | | | |
| 195-09-1 | 9 | -6,170.72 | -3,390.55 | | | | |
| 195-09-2 | 9 | -6,154.72 | -3,448.55 | | | | |

Table 9.28. RI Sample Location Coordinates for the Soil/Rubble Pile Group (Continued)

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|-----------------|----|-----------|-----------|-------------------------------|---|---|--------------------------------------|
| SWMU 195 | | | | | | | |
| 195-09-3 | 9 | -6,080.72 | -3,389.55 | | | | |
| 195-09-4 | 9 | -6,033.72 | -3,401.55 | | | | |
| 195-10-1 | 10 | -6,038.86 | -3,512.75 | | | | |
| 195-10-2 | 10 | -6,027.86 | -3,545.75 | | | | |
| 195-10-3 | 10 | -6,007.86 | -3,445.75 | | | | |
| 195-10-4 | 10 | -5,997.86 | -3,604.75 | | | | |
| 195-11-1 | 11 | -6,488.46 | -3,256.07 | | | | |
| 195-11-2 | 11 | -6,437.46 | -3,333.07 | | | | |
| 195-11-3 | 11 | -6,426.46 | -3,404.07 | | | | |
| 195-11-4 | 11 | -6,407.46 | -3,265.07 | | | | |
| 195-12-1 | 12 | -6,412.77 | -3,405.21 | | | | |
| 195-12-2 | 12 | -6,306.77 | -3,390.21 | | | | |
| 195-12-3 | 12 | -6,299.77 | -3,463.21 | | | | |
| 195-12-4 | 12 | -6,283.77 | -3,433.21 | | | | |
| 195-13-1 | 13 | -6,251.92 | -3,442.41 | | | | |
| 195-13-2 | 13 | -6,250.92 | -3,541.41 | | | | |
| 195-13-3 | 13 | -6,210.92 | -3,568.41 | | | | |
| 195-13-4 | 13 | -6,176.92 | -3,491.41 | | | | |
| 195-14-1 | 14 | -6,163.06 | -3,638.61 | | | | |
| 195-14-2 | 14 | -6,123.06 | -3,581.61 | | | | |
| 195-14-3 | 14 | -6,069.06 | -3,705.61 | | | | |
| 195-14-4 | 14 | -6,055.06 | -3,625.61 | | | | |
| 195-15-1 | 15 | -6,580.45 | -3,458.29 | | | | |
| 195-15-2 | 15 | -6,551.45 | -3,475.29 | | | | |
| 195-15-3 | 15 | -6,537.45 | -3,385.29 | | | | |
| 195-15-4 | 15 | -6,499.45 | -3,394.29 | | | | |
| 195-16-1 | 16 | -6,476.41 | -3,558.07 | | | | |
| 195-16-2 | 16 | -6,440.41 | -3,554.07 | | | | |
| 195-16-3 | 16 | -6,422.41 | -3,484.07 | | | | |
| 195-16-4 | 16 | -6,345.41 | -3,518.07 | | | | |
| 195-17-1 | 17 | -6,338.67 | -3,669.27 | | | | |
| 195-17-2 | 17 | -6,329.67 | -3,615.27 | | | | |
| 195-17-3 | 17 | -6,314.67 | -3,550.27 | | | | |
| 195-17-4 | 17 | -6,264.67 | -3,653.27 | | | | |
| 195-18-1 | 18 | -6,234.91 | -3,744.47 | | | | |
| 195-18-2 | 18 | -6,206.91 | -3,736.47 | | | | |
| 195-18-3 | 18 | -6,203.91 | -3,642.47 | | | | |
| 195-18-4 | 18 | -6,166.91 | -3,688.47 | | | | |
| 195-19-1 | 19 | -5,705.14 | -3,376.12 | | | | |
| 195-19-2 | 19 | -5,674.14 | -3,335.12 | | | | |
| 195-19-3 | 19 | -5,664.14 | -3,367.12 | | | | |
| 195-19-4 | 19 | -5,583.14 | -3,300.12 | | | | |
| 195-20-1 | 20 | -5,674.14 | -3,480.78 | | | | |
| 195-20-2 | 20 | -5,663.14 | -3,429.78 | | | | |
| 195-20-3 | 20 | -5,596.14 | -3,416.78 | | | | |
| 195-20-4 | 20 | -5,534.14 | -3,339.78 | | | | |




Figure 9.22. Soils OU RI Samples for SWMU 195

9.3.1.53 AOC 204

Based on previous investigations, additional sampling is not needed to support the scope of this project.

9.3.1.54 AOC 492

Based on previous investigations, additional sampling is not needed to support the scope of this project. This AOC has been characterized and the summary of the findings are presented in the *Addendum I-B to the Sampling and Analysis Plan for Soil Piles at the Paducah Gaseous Diffusion Plant*, DOE/LX/07-0015/B.

9.3.1.55 SWMU 493

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.29 shows the randomly selected sampling points. Figure 9.23 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.29. RI Sample Location Coordinates for the Soil/Rubble Pile Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|-----------------|----|-----------|--------|----------------------------------|-----------|--------|---|
| SWMU 493 | | | | | | | |
| 493-01-1 | 1 | -7,598.90 | 254.37 | SYB003 | -7,597.65 | 259.49 | 0-1 ft bgs/Metals, PCB, Radionuclides, SVOA, VOA |
| 493-01-2 | 1 | -7,599.90 | 222.37 | | | | |
| 493-01-3 | 1 | -7,612.90 | 212.37 | | | | |
| 493-01-4 | 1 | -7,630.90 | 195.37 | | | | |
| 493-02-1 | 2 | -7,636.74 | 97.93 | | | | |
| 493-02-2 | 2 | -7,662.74 | 94.93 | | | | |
| 493-02-3 | 2 | -7,670.74 | 84.93 | | | | |
| 493-02-4 | 2 | -7,658.74 | 58.93 | | | | |




Figure 9.23. Soils OU RI Samples for SWMU 493

9.3.1.56 SWMU 517

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.30 shows the randomly selected sampling points. Figure 9.24 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.30. RI Sample Location Coordinates for the Soil/Rubble Pile Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|---------------------|-----------|-----------|----------|--|----------|----------|---|
| SWMU 517 | | | | | | | |
| 517-01-1 | 1 | -7,320.84 | -9.23 | | | | |
| 517-01-2 | 1 | -7,312.84 | -23.23 | | | | |
| 517-01-3 | 1 | -7,318.84 | -42.23 | | | | |
| 517-01-4 | 1 | -7,314.84 | -63.23 | | | | |




Figure 9.24. Soils OU RI Samples for SWMU 517

9.3.1.57 SWMU 541

Based on previous investigations, additional sampling is not needed to support the scope of this project. This AOC was sampled in September 2002 and the samples collected meet the DQOs for this project.

9.3.1.58 SWMU 561

Based on previous investigations, additional sampling is not needed to support the scope of this project. This SWMU has been characterized and the summary of the findings are presented in the *Site Evaluation Report for Soil Pile 1 at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/LX/07-0108&D2* (2008b).

9.3.1.59 SWMU 562

Based on previous investigations, additional sampling is not needed to support the scope of this project. This SWMU has been characterized and the summary of the findings are presented in the *Site Evaluation Report for Addendum 1-B Soil Piles at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/LX/07-0225&D1* (DOE 2009c).

9.3.1.60 SWMU 563

Based on previous investigations, additional sampling is not needed to support the scope of this project. This SWMU has been characterized and the summary of the findings are presented in the *Site Evaluation Report for Addendum 1-B Soil Piles at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/LX/07-0225&D1* (2009c).

9.3.1.61 SWMU 564

Based on previous investigations, additional sampling is not needed to support the scope of this project. This SWMU has been characterized and the summary of the findings are presented in the *Site Evaluation Report for Addendum 1-B Soil Piles at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/LX/07-0225&D1* (DOE 2009c).

9.3.1.62 Scrap Yards

The units and areas comprising the scrap yards grouping are listed below. As necessary, SWMUs greater than 0.5 acre were divided into exposure units, consistent with guidance in the Risk Methods Document. For practicality, some SWMUs greater than 0.5 acre were not divided (such as SWMU 12 at 0.7 acre); however, the average of the exposure units over the scrap yard grouping remained reasonably close to 0.5 acre.

Table 9.31 shows the sampling summary for this group. The locations were randomly chosen by VSP and are displayed below in Figures 9.25 through 9.29. A list of sample coordinates is provided in Table 9.32 through 9.36. Section 9.3 provides information on sampling depths. Where applicable, historical samples will replace new sample locations/data.

SWMUs 13 and 518 have previously been investigated and have enough data to proceed to a FS.

| SWMU | Acres |
|-----------|-------|
| 12 | 0.7 |
| 14 | |
| EU 14-01 | 0.471 |
| EU 14-02 | 0.536 |
| EU 14-03 | 0.500 |
| EU 14-04 | 0.484 |
| EU 14-05 | 0.483 |
| EU 14-06 | 0.471 |
| EU 14-07 | 0.476 |
| EU 14-08 | 0.487 |
| EU 14-09 | 0.480 |
| EU 14-10 | 0.480 |
| EU 14-11 | 0.430 |
| EU 14-12 | 0.450 |

| SWMU | Acres |
|-----------|-------|
| 15 | |
| EU 15-01 | 0.515 |
| EU 15-02 | 0.591 |
| EU 15-03 | 0.517 |
| EU 15-04 | 0.517 |
| EU 15-05 | 0.289 |
| EU 15-06 | 0.487 |
| EU 15-07 | 0.489 |
| EU 15-08 | 0.491 |
| EU 15-09 | 0.502 |
| EU 15-10 | 0.631 |
| EU 15-11 | 0.258 |
| 16 | |
| EU 16-01 | 0.482 |

| SWMU | Acres |
|-------------------------|--------------|
| EU 16-02 | 0.507 |
| EU 16-03 | 0.499 |
| EU 16-04 | 0.528 |
| 520 | |
| EU 520-01 | 0.468 |
| EU 520-02 | 0.465 |
| EU 520-03 | 0.494 |
| EU 520-04 | 0.496 |
| EU 520-05 | 0.503 |
| EU 520-06 | 0.467 |
| Total Acres | 16.64 |
| Average Acres/EU | 0.49 |

Table 9.31. Summary of Samples for Scrap Yards

Group 3

| SWMU/ AOC | Location | # EU(s)/ SWMU/ AOC | Surface Fixed-base Laboratory | Surface Field Laboratory | Shallow Fixed-base Laboratory | Shallow Field Laboratory | Historical for Field Laboratory |
|--------------|--|--------------------------|-------------------------------------|--------------------------------|-------------------------------------|--------------------------------|---------------------------------------|
| 12 | C-747-A UF4 Drum Yard (Drum Mountain) | 1 | 4 | 0 | 4 | 0 | - |
| 13 | C-746 P&P1 Scrap Yards | 14 | | | | | |
| 14 | C-746 E Scrap Yard | 12 | 12 | 48 | 12 | 48 | 1 |
| 15 | C-746 C Scrap Yard | 11 | 11 | 44 | 13 | 59 | 1 |
| 16 | C-746 D Scrap Yard | 4 | 4 | 15 | 4 | 14 | 3 |
| 518 | C-746-P1 Field south of P1 yard | 1 | | | | | |
| 520 | C-746-A Scrap Material | 6 | 6 | 24 | 6 | 24 | - |
| | Total: | 49 | 37 | 131 | 39 | 145 | 5 |

^a Sites are covered with concrete/asphalt and will be investigated as part of a future action.

^b Location has enough data to proceed to FS.

^c Location is part of Removal Action.

^d an NFA is pending, which may affect the work for this SWMU if approved.

^e Pipeline is located underground in SWMU/AOC.

9.3.1.63 SWMU 12

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.32 shows the randomly selected sampling points. Figure 9.25 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.32. RI Sample Location Coordinates for the Scrap Yard Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|---------------------|-----------|-----------|----------|--------------------------------------|----------|----------|---|
| SWMU 12 | | | | | | | |
| 012-01-1 | 1 | -6,374.23 | 822.93 | | | | |
| 012-01-2 | 1 | -6,253.23 | 784.93 | | | | |
| 012-01-3 | 1 | -6,392.23 | 748.93 | | | | |
| 012-01-4 | 1 | -6,345.23 | 724.93 | | | | |




Figure 9.25. Soils OU RI Samples for SWMU 12

9.3.1.64 SWMU 13

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.39 shows the randomly selected sampling points. Figure 9.31 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

9.3.1.65 SWMU 14

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.33 shows the randomly selected sampling points. Figure 9.26 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.33. RI Sample Location Coordinates for the Scrap Yards

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|----------------|----|-----------|--------|-------------------------------|--------|-----|--------------------------------------|
| SWMU 14 | | | | | | | |
| 014-01-1 | 1 | -6,061.77 | 945.21 | DOESS-3 | -6,060 | 946 | 0-0 ft bgs/PCB, Radionuclides |
| 014-01-2 | 1 | -6,113.77 | 911.21 | | | | |
| 014-01-3 | 1 | -5,986.77 | 883.21 | | | | |
| 014-01-4 | 1 | -5,989.77 | 846.21 | | | | |
| 014-02-1 | 2 | -5,640.33 | 593.5 | | | | |
| 014-02-2 | 2 | -5,786.33 | 578.5 | | | | |
| 014-02-3 | 2 | -5,629.33 | 570.5 | | | | |
| 014-02-4 | 2 | -5,737.33 | 476.5 | | | | |
| 014-03-1 | 3 | -5,853.66 | 560.02 | | | | |
| 014-03-2 | 3 | -5,953.66 | 547.02 | | | | |
| 014-03-3 | 3 | -5,885.66 | 509.02 | | | | |
| 014-03-4 | 3 | -5,853.66 | 494.02 | | | | |
| 014-04-1 | 4 | -5,991.99 | 570.21 | | | | |
| 014-04-2 | 4 | -6,052.99 | 529.21 | | | | |
| 014-04-3 | 4 | -6,082.99 | 497.21 | | | | |
| 014-04-4 | 4 | -5,984.99 | 493.21 | | | | |
| 014-05-1 | 5 | -5,720.82 | 699.2 | | | | |
| 014-05-2 | 5 | -5,778.82 | 665.2 | | | | |
| 014-05-3 | 5 | -5,633.82 | 634.2 | | | | |
| 014-05-4 | 5 | -5,645.82 | 615.2 | | | | |
| 014-06-1 | 6 | -5,951.89 | 701.42 | | | | |
| 014-06-2 | 6 | -5,811.89 | 664.42 | | | | |
| 014-06-3 | 6 | -5,902.89 | 662.42 | | | | |
| 014-06-4 | 6 | -5,829.89 | 620.42 | | | | |
| 014-07-1 | 7 | -5,984.92 | 699.71 | | | | |
| 014-07-2 | 7 | -6,061.92 | 692.71 | | | | |
| 014-07-3 | 7 | -6,004.92 | 627.71 | | | | |
| 014-07-4 | 7 | -6,027.92 | 586.71 | | | | |
| 014-08-1 | 8 | -5,711.42 | 811.8 | | | | |
| 014-08-2 | 8 | -5,764.42 | 804.8 | | | | |
| 014-08-3 | 8 | -5,630.42 | 772.8 | | | | |
| 014-08-4 | 8 | -5,731.42 | 726.8 | | | | |
| 014-09-1 | 9 | -5,894.16 | 806.05 | | | | |
| 014-09-2 | 9 | -5,827.16 | 778.05 | | | | |

Table 9.33. RI Sample Location Coordinates for the Scrap Yards (Continued)

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|---------------------|-----------|-----------|----------|--------------------------------------|----------|----------|---|
| SWMU 14 | | | | | | | |
| 014-09-3 | 9 | -5,846.16 | 763.05 | | | | |
| 014-09-4 | 9 | -5,927.16 | 741.05 | | | | |
| 014-10-1 | 10 | -5,964.85 | 794.33 | | | | |
| 014-10-2 | 10 | -6,055.85 | 792.33 | | | | |
| 014-10-3 | 10 | -5,977.85 | 759.33 | | | | |
| 014-10-4 | 10 | -6,093.85 | 722.33 | | | | |
| 014-11-1 | 11 | -5,643.01 | 934.69 | | | | |
| 014-11-2 | 11 | -5,722.01 | 931.69 | | | | |
| 014-11-3 | 11 | -5,655.01 | 898.69 | | | | |
| 014-11-4 | 11 | -5,684.01 | 892.69 | | | | |
| 014-12-1 | 12 | -5,864.42 | 947.45 | | | | |
| 014-12-2 | 12 | -5,835.42 | 913.45 | | | | |
| 014-12-3 | 12 | -5,924.42 | 910.45 | | | | |
| 014-12-4 | 12 | -5,802.42 | 846.45 | | | | |

Blue shading indicates sample provides definitive data from a historical investigation. Existing data will be used as replacement data for field parameters metals and PCBs. Existing data has undergone 10% third party validation and 100% data assessment. The data is acceptable for use as replacement data as noted.




Figure 9.26. Soils OU RI Samples for SWMU 14

9.3.1.66 SWMU 15

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.34 shows the randomly selected sampling points. Figure 9.27 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.34. RI Sample Location Coordinates for the Scrap Yards

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|----------------|----|-----------|--------|-------------------------------|----------|-------|--|
| SWMU 15 | | | | | | | |
| 015-01-1 | 1 | -5,485.51 | 936.62 | | | | |
| 015-01-2 | 1 | -5,513.51 | 902.62 | | | | |
| 015-01-3 | 1 | -5,612.51 | 893.62 | | | | |
| 015-01-4 | 1 | -5,612.51 | 847.62 | | | | |
| 015-02-1 | 2 | -5,394.51 | 945.74 | | | | |
| 015-02-2 | 2 | -5,454.51 | 907.74 | | | | |
| 015-02-3 | 2 | -5,382.51 | 858.74 | | | | |
| 015-02-4 | 2 | -5,462.51 | 810.74 | | | | |
| 015-03-1 | 3 | -5,584.51 | 784.62 | C746CGR13 | -5,609.9 | 763.2 | 3-3 ft bgs/Metals, PCB, Radionuclides, SVOA, VOA |
| 015-03-2 | 3 | -5,501.51 | 754.62 | | | | |
| 015-03-3 | 3 | -5,589.51 | 714.62 | | | | |
| 015-03-4 | 3 | -5,493.51 | 676.62 | | | | |
| 015-04-1 | 4 | -5,359.51 | 790.62 | | | | |
| 015-04-2 | 4 | -5,350.51 | 777.62 | | | | |
| 015-04-3 | 4 | -5,422.51 | 711.62 | | | | |
| 015-04-4 | 4 | -5,397.51 | 671.62 | | | | |
| 015-05-1 | 5 | -5,299.51 | 798.62 | | | | |
| 015-05-2 | 5 | -5,295.51 | 708.62 | | | | |
| 015-05-3 | 5 | -5,309.51 | 682.62 | | | | |
| 015-05-4 | 5 | -5,198.51 | 670.62 | | | | |
| 015-06-1 | 6 | -5,555.51 | 650.62 | | | | |
| 015-06-2 | 6 | -5,539.51 | 589.62 | | | | |
| 015-06-3 | 6 | -5,613.51 | 541.62 | | | | |
| 015-06-4 | 6 | -5,584.51 | 526.62 | | | | |
| 015-07-1 | 7 | -5,332.51 | 633.62 | | | | |
| 015-07-2 | 7 | -5,436.51 | 614.62 | | | | |
| 015-07-3 | 7 | -5,447.51 | 562.62 | | | | |
| 015-07-4 | 7 | -5,384.51 | 517.62 | | | | |
| 015-08-1 | 8 | -5,318.51 | 654.62 | | | | |
| 015-08-2 | 8 | -5,285.51 | 603.62 | | | | |
| 015-08-3 | 8 | -5,193.51 | 586.62 | | | | |
| 015-08-4 | 8 | -5,226.51 | 514.62 | | | | |
| 015-09-1 | 9 | -5,090.51 | 652.49 | | | | |
| 015-09-2 | 9 | -5,164.51 | 594.49 | | | | |
| 015-09-3 | 9 | -5,111.51 | 582.49 | | | | |
| 015-09-4 | 9 | -5,052.51 | 581.49 | | | | |
| 015-10-1 | 10 | -4,944.89 | 602.46 | | | | |
| 015-10-2 | 10 | -5,006.89 | 600.46 | | | | |
| 015-10-3 | 10 | -4,855.89 | 567.46 | | | | |
| 015-10-4 | 10 | -4,925.89 | 534.46 | | | | |

Table 9.34. RI Sample Location Coordinates for the Scrap Yards (Continued)

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|---------------------|-----------|-----------|----------|--------------------------------------|----------|----------|---|
| 015-11-1 | 11 | -5,013.47 | 508.19 | | | | |
| 015-11-2 | 11 | -4,888.47 | 496.19 | | | | |
| 015-11-3 | 11 | -4,960.47 | 480.19 | | | | |
| 015-11-4 | 11 | -5,002.47 | 466.19 | | | | |

Blue shading indicates sample provides definitive data from a historical investigation. Existing data will be used as replacement data for field parameters metals and PCBs. Existing data has undergone 10% third party validation and 100% data assessment. The data is acceptable for use as replacement data as noted.




Figure 9.27. Soils OU RI Samples for SWMU 15

9.3.1.67 SWMU 16

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.35 shows the randomly selected sampling points. Figure 9.28 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.35. RI Sample Location Coordinates for the Scrap Yard Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|----------------|----|-----------|-----------|-------------------------------|----------|--------|---|
| SWMU 16 | | | | | | | |
| 016-01-1 | 1 | -1,889.90 | -1,389.82 | | | | |
| 016-01-2 | 1 | -1,978.90 | -1,399.82 | | | | |
| 016-01-3 | 1 | -1,853.90 | -1,454.82 | | | | |
| 016-01-4 | 1 | -1,808.90 | -1,460.82 | | | | |
| 016-02-1 | 2 | -1,804.99 | -1,521.51 | 099-008 | -1,803.1 | -1,488 | 0-1 ft bgs/Metals, PCB, Radionuclides, SVOA |
| 016-02-2 | 2 | -1,935.99 | -1,530.51 | | | | |
| 016-02-3 | 2 | -1,857.99 | -1,557.51 | | | | |
| 016-02-4 | 2 | -1,958.99 | -1,572.51 | | | | |
| 016-03-1 | 3 | -1,849.90 | -1,628.21 | 099-006 | -1,802.9 | -1,618 | 0-1 ft bgs/Metals, PCB, Radionuclides, SVOA |
| 016-03-2 | 3 | -1,950.90 | -1,635.21 | | | | |
| 016-03-3 | 3 | -1,892.90 | -1,645.21 | | | | |
| 016-03-4 | 3 | -1,860.90 | -1,677.21 | | | | |
| 016-04-1 | 4 | -1,805.21 | -1,719.91 | | | | |
| 016-04-2 | 4 | -1,802.21 | -1,734.91 | 099-005 | -1,802.6 | -1,759 | 0-3 ft bgs/Metals, PCB, Radionuclides, SVOA |
| 016-04-3 | 4 | -1,963.21 | -1,746.91 | | | | |
| 016-04-4 | 4 | -1,870.21 | -1,784.91 | | | | |

Blue shading indicates sample provides definitive data from a historical investigation. Existing data will be used as replacement data for field parameters metals and PCBs. Existing data has undergone 10% third party validation and 100% data assessment. The data is acceptable for use as replacement data as noted.




Figure 9.28. Soils OU RI Samples for SWMU 16

9.3.1.68 SWMU 518

Based on previous investigations, additional sampling is not needed to support the scope of this project.

9.3.1.69 SWMU 520

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.36 shows the randomly selected sampling points. Figure 9.29 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.36. RI Sample Location Coordinates for the Scrap Yard Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|-----------------|----|-----------|--------|-------------------------------|---|---|--------------------------------------|
| SWMU 520 | | | | | | | |
| 520-01-1 | 1 | -6,232.16 | 347.77 | | | | |
| 520-01-2 | 1 | -6,205.16 | 307.77 | | | | |
| 520-01-3 | 1 | -6,253.16 | 215.77 | | | | |
| 520-01-4 | 1 | -6,284.16 | 203.77 | | | | |
| 520-02-1 | 2 | -6,105.53 | 318.57 | | | | |
| 520-02-2 | 2 | -6,181.53 | 303.57 | | | | |
| 520-02-3 | 2 | -6,146.53 | 256.57 | | | | |
| 520-02-4 | 2 | -6,126.53 | 207.57 | | | | |
| 520-03-1 | 3 | -6,002.25 | 357.35 | | | | |
| 520-03-2 | 3 | -5,978.25 | 289.35 | | | | |
| 520-03-3 | 3 | -6,050.25 | 238.35 | | | | |
| 520-03-4 | 3 | -6,065.25 | 220.35 | | | | |
| 520-04-1 | 4 | -5,942.16 | 310.51 | | | | |
| 520-04-2 | 4 | -5,967.16 | 283.51 | | | | |
| 520-04-3 | 4 | -5,962.16 | 239.51 | | | | |
| 520-04-4 | 4 | -5,975.16 | 203.51 | | | | |
| 520-05-1 | 5 | -5,802.88 | 373.23 | | | | |
| 520-05-2 | 5 | -5,804.88 | 339.23 | | | | |
| 520-05-3 | 5 | -5,845.88 | 258.23 | | | | |
| 520-05-4 | 5 | -5,789.88 | 211.23 | | | | |
| 520-06-1 | 6 | -5,749.76 | 299.95 | | | | |
| 520-06-2 | 6 | -5,684.76 | 274.95 | | | | |
| 520-06-3 | 6 | -5,700.76 | 247.95 | | | | |
| 520-06-4 | 6 | -5,721.76 | 205.95 | | | | |




Figure 9.29. Soils OU RI Samples for SWMU 520

9.3.1.70 PCBs

The units and areas comprising the PCBs grouping are listed below. As necessary, SWMUs greater than 0.5 acre (SWMU 154) were divided into EUs. Some SWMUs greater than 0.5 acre (SWMUs 153 and 155) were not divided due to practicality. Although some of the individual EUs were greater than 0.5 acre, the average of the exposure units over the PCB areas remained reasonably close to 0.5 acre.

SWMUs 56, 57, 80, and 81 will not be sampled.

| SWMU | Acres |
|-------------------------|--------------|
| 74 | 0.064 |
| 75 | 0.11 |
| 78 | 0.083 |
| 79 | 0.026 |
| 135 | 0.337 |
| 153 | 0.602 |
| 154 | |
| EU 154-01 | 0.469 |
| EU 154-02 | 0.561 |
| 155 | 0.71 |
| 156 | 0.46 |
| 160 | 0.115 |
| 163 | 0.082 |
| 219 | 0.038 |
| 488 | 0.00106 |
| Total Acres | 3.66 |
| Average Acres/EU | 0.26 |

SWMU 137 has a concrete surface; therefore, a RAD evaluation and a visual inspection for oil staining will occur. If staining is present, then a wipe sample will be collected at each SWMU.

SWMUs 56, 57, 80, and 81 have been previously investigated and have enough data to proceed to a FS.

Table 9.37 contains a summary of samples for this group. The locations were randomly chosen by VSP and are displayed below in Figures 9.30 through 9.44. A list of sample coordinates is provided in Table 9.38 through 9.52. Section 9.3 provides information on sampling depths. Where applicable, historical samples will replace new sample locations/data.

Table 9.37. Summary of Samples for PCBs

Group 3

| SWMU/ AOC | Location | # EU(s)/ SWMU/ AOC | Surface Fixed-base Laboratory | Surface Field Laboratory | Shallow Fixed-base Laboratory | Shallow Field Laboratory | Historical for Field Laboratory |
|--------------|--|--------------------------|-------------------------------------|--------------------------------|-------------------------------------|--------------------------------|---------------------------------------|
| 56 | C-540-A PCB Staging Area ^b | 1 | - | - | - | - | - |
| 57 | C-541-A PCB Waste Staging Area ^b | 1 | - | - | - | - | - |
| 74 | C-340 Transformer Spill Site ^b | 1 | 4 | 0 | 4 | 0 | - |
| 75 | C-633 PCB Spill Step ^p | 1 | 4 | 0 | 4 | 3 | - |
| 78 | C-420 PCB Spill Step ^p | 1 | 4 | 0 | 4 | 1 | 2 |
| 79 | C-611 PCB Spill Site ^b | 1 | 4 | 0 | 4 | 0 | - |
| 80 | C-540 PCB Spill Site ^b | 1 | - | - | - | - | - |
| 81 | C-541 PCB Spill Site ^b | 1 | - | - | - | - | - |
| 135 | C-333 PCB Soil Contamination ^a | 1 | 2 | - | 3 | 9 | - |
| 137 | C-746-A Inactive PCB Area | 1 | - | - | - | - | - |
| 153 | C-331 PCB Soil Contamination (west) ^p | 1 | 4 | 0 | 5 | 1 | - |
| 154 | C-331 PCB Soil Contamination (southeast) ^p | 2 | 4 | 8 | 7 | 44 | - |
| 155 | C-333 PCB Soil Contamination (west) ^p | 1 | 4 | 0 | 6 | 18 | - |
| 156 | C-310 PCB Soil Contamination (west) ^p | 1 | 4 | 0 | 4 | 5 | - |
| 160 | C-745 Cylinder Yard (PCB soils) Spoils | 1 | 4 | 0 | 4 | 0 | - |
| 163 | C-304 HVAC Piping System (soil backfill from C-611) | 1 | 4 | 0 | 4 | 0 | - |
| 219 | C-728 DMSA OS-08, empty fiberglass tank | 1 | 4 | 0 | 4 | 0 | - |
| 488 | C-410 Trailers PCB Contamination Area | 1 | 4 | 0 | 4 | 0 | - |
| | Total: | 19 | 50 | 8 | 57 | 81 | 2 |

^a Sites are covered with concrete/asphalt and will be investigated as part of a future action.

^b Location has enough data to proceed to FS.

^c Location is part of Removal Action.

^d An NFA is pending, which may affect the work for this SWMU if approved.

^p Pipeline is located underground in SWMU/AOC.

9.3.1.71 SWMU 56

Based on previous investigations, additional sampling is not needed to support the scope of this project. This SWMU has been characterized and the summary of the findings are presented in the WAG 23 Removal Action Report.

9.3.1.72 SWMU 57

Based on previous investigations, additional sampling is not needed to support the scope of this project. This SWMU has been characterized and the summary of the findings are presented in the WAG 23 Removal Action Report.

9.3.1.73 SWMU 74

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.38 shows the randomly selected sampling points. Figure 9.30 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.38. RI Sample Location Coordinates for the PCBs Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|---------------------|-----------|----------|----------|--------------------------------------|----------|----------|---|
| SWMU 74 | | | | | | | |
| 074-01-1 | 1 | -1862.63 | -2606.26 | | | | |
| 074-01-2 | 1 | -1850.63 | -2608.26 | | | | |
| 074-01-3 | 1 | -1812.63 | -2609.26 | | | | |
| 074-01-4 | 1 | -1862.63 | -2638.26 | | | | |




Figure 9.30. Soils OU RI Samples for SWMU 74

9.3.1.74 SWMU 75

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.39 shows the randomly selected sampling points. Figure 9.31 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.39. RI Sample Location Coordinates for the PCBs Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|---------------------|-----------|-----------|-----------|--------------------------------------|----------|----------|---|
| SWMU 75 | | | | | | | |
| 075-01-1 | 1 | -1,658.48 | -4,439.08 | | | | |
| 075-01-2 | 1 | -1,665.48 | -4,482.08 | | | | |
| 075-01-3 | 1 | -1,641.48 | -4,526.08 | | | | |
| 075-01-4 | 1 | -1,661.48 | -4,539.08 | | | | |




Figure 9.31. Soils OU RI Samples for SWMU 75

9.3.1.75 SWMU 78

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.40 shows the randomly selected sampling points. Figure 9.32 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.40. RI Sample Location Coordinates for the PCBs Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|---------------------|-----------|-----------|-----------|--------------------------------------|----------|----------|---|
| SWMU 78 | | | | | | | |
| 078-01-1 | 1 | -3,977.35 | -1,689.62 | | | | |
| 078-01-2 | 1 | -3,936.35 | -1,708.62 | | | | |
| 078-01-3 | 1 | -3,970.35 | -1,716.62 | | | | |
| 078-01-4 | 1 | -3,950.35 | -1,719.62 | | | | |




Figure 9.32. Soils OU RI Samples for SWMU 78

9.3.1.76 SWMU 79

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.41 shows the randomly selected sampling points. Figure 9.33 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.41. RI Sample Location Coordinates for the PCBs Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|---------------------|-----------|----------|----------|--------------------------------------|----------|----------|---|
| SWMU 79 | | | | | | | |
| 079-01-1 | 1 | -8645.79 | -3357.27 | | | | |
| 079-01-2 | 1 | -8620.79 | -3363.27 | | | | |
| 079-01-3 | 1 | -8636.79 | -3366.27 | | | | |
| 079-01-4 | 1 | -8642.79 | -3376.27 | | | | |




Figure 9.33. Soils OU RI Samples for SWMU 79

SWMU 80

Based on previous investigations, additional sampling is not needed to support the scope of this project. This SWMU has been characterized and the summary of the findings are presented in the WAG 23 Removal Action Report.

9.3.1.77 SWMU 81

Based on previous investigations, additional sampling is not needed to support the scope of this project. This SWMU has been characterized and the summary of the findings are presented in the WAG 23 Removal Action Report.

9.3.1.78 SWMU 135

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.42 shows the randomly selected sampling points. Figure 9.34 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.42. RI Sample Location Coordinates for the PCBs Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|---------------------|-----------|----------|----------|--------------------------------------|----------|----------|---|
| SWMU 135 | | | | | | | |
| 135-01-1 | 1 | -3028.00 | -2912.00 | | | | |
| 135-01-2 | 1 | -3014.00 | -2912.00 | | | | |




Figure 9.34. Soils OU RI Samples for SWMU 13

9.3.1.79 SWMU 137

SWMU 137 has a concrete surface; therefore, a radiation evaluation and a visual inspection for oil staining will occur. If staining is present, then a wipe sample will be collected. If the integrity of the concrete is such that would allow for a soil sample to be taken, then a soil sample will be taken at the direction of the FLM.

9.3.1.80 SWMU 153

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.43 shows the randomly selected sampling points. Figure 9.35 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.43. RI Sample Location Coordinates for the PCBs Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|---------------------|-----------|-----------|-----------|--------------------------------------|----------|----------|---|
| SWMU 153 | | | | | | | |
| 153-01-1 | 1 | -3,377.50 | -2,418.50 | | | | |
| 153-01-2 | 1 | -3,409.50 | -2,509.50 | | | | |
| 153-01-3 | 1 | -3,330.50 | -2,539.50 | | | | |
| 153-01-4 | 1 | -3,427.50 | -2,598.00 | | | | |




Figure 9.35. Soils OU RI Samples for SWMU 153

9.3.1.81 SWMU 154

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.44 shows the randomly selected sampling points. Figure 9.36 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.44. RI Sample Location Coordinates for the PCBs Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|---------------------|-----------|-----------|-----------|--------------------------------------|----------|----------|---|
| SWMU 154 | | | | | | | |
| 154-01-1 | 1 | -2,619.30 | -2,667.22 | | | | |
| 154-01-2 | 1 | -2,523.30 | -2,702.22 | | | | |
| 154-01-3 | 1 | -2,555.30 | -2,754.22 | | | | |
| 154-01-4 | 1 | -2,516.30 | -2,771.22 | | | | |
| 154-02-1 | 2 | -2,513.78 | -2,499.55 | | | | |
| 154-02-2 | 2 | -2,442.78 | -2,503.55 | | | | |
| 154-02-3 | 2 | -2,474.78 | -2,631.55 | | | | |
| 154-02-4 | 2 | -2,430.78 | -2,681.55 | | | | |




Figure 9.36. Soils OU RI Samples for SWMU 154

9.3.1.82 SWMU 155

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.45 shows the randomly selected sampling points. Figure 9.37 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.45. RI Sample Location Coordinates for the PCBs Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|---------------------|-----------|-----------|-----------|--------------------------------------|----------|----------|---|
| SWMU 155 | | | | | | | |
| 155-01-1 | 1 | -3,575.10 | -3,498.50 | | | | |
| 155-01-2 | 1 | -3,551.10 | -3,626.50 | | | | |
| 155-01-3 | 1 | -3,510.10 | -3,706.50 | | | | |
| 155-01-4 | 1 | -3,497.10 | -3,816.50 | | | | |




Figure 9.37. Soils OU RI Samples for SWMU 155

9.3.1.83 SWMU 156

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.46 shows the randomly selected sampling points. Figure 9.38 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.46. RI Sample Location Coordinates for the PCBs Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|---------------------|-----------|-----------|-----------|--------------------------------------|----------|----------|---|
| SWMU 156 | | | | | | | |
| 156-01-1 | 1 | -3,727.14 | -2,360.68 | | | | |
| 156-01-2 | 1 | -3,724.14 | -2,436.68 | | | | |
| 156-01-3 | 1 | -3,677.14 | -2,485.68 | | | | |
| 156-01-4 | 1 | -3,699.14 | -2,524.68 | | | | |





Figure 9.38. Soils OU RI Samples for SWMU 156

9.3.1.84 SWMU 160

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.47 shows the randomly selected sampling points. Figure 9.39 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.47. RI Sample Location Coordinates for the PCBs Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|---------------------|-----------|----------|----------|--------------------------------------|----------|----------|---|
| SWMU 160 | | | | | | | |
| 160-01-1 | 1 | -2055.94 | -4637.30 | | | | |
| 160-01-2 | 1 | -2034.94 | -4666.30 | | | | |
| 160-01-3 | 1 | -2032.94 | -4698.30 | | | | |
| 160-01-4 | 1 | -2039.94 | -4728.30 | | | | |



9.3.1.85 SWMU 163

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.48 shows the randomly selected sampling points. Figure 9.40 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.48. RI Sample Location Coordinates for the PCBs Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|---------------------|-----------|-----------|-----------|--------------------------------------|----------|----------|---|
| SWMU 163 | | | | | | | |
| 163-01-1 | 1 | -3,876.90 | -2,917.50 | | | | |
| 163-01-2 | 1 | -3,897.90 | -2,918.50 | | | | |
| 163-01-3 | 1 | -3,890.90 | -2,939.50 | | | | |
| 163-01-4 | 1 | -3,839.90 | -2,951.50 | | | | |




Figure 9.40. Soils OU RI Samples for SWMU 163

9.3.1.88 SWMU 219

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.49 shows the randomly selected sampling points. Figure 9.41 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.49. RI Sample Location Coordinates for the PCBs Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|---------------------|-----------|-----------|-----------|--------------------------------------|----------|----------|---|
| SWMU 219 | | | | | | | |
| 219-01-1 | 1 | -5,164.17 | -1,895.60 | | | | |
| 219-01-2 | 1 | -5,155.17 | -1,901.60 | | | | |
| 219-01-3 | 1 | -5,154.17 | -1,912.60 | | | | |
| 219-01-4 | 1 | -5,160.17 | -1,936.60 | | | | |




Figure 9.41. Soils OU RI Samples for SWMU 219

9.3.1.89 SWMU 488

Based on previous investigations, additional sampling is needed to support the scope of this project. Table 9.50 shows the randomly selected sampling points. Figure 9.42 shows a map of the sampling locations with utilities overlain and the additional sampling points for the pipeline.

Table 9.50. RI Sample Location Coordinates for the PCBs Group

| Station Name | EU | X | Y | Replaced by Historical Sample | X | Y | Sampling Interval(s)/ Data Available |
|---------------------|-----------|-----------|-----------|--------------------------------------|----------|----------|---|
| SWMU 488 | | | | | | | |
| 488-01-1 | 1 | -4,471.58 | -2,173.02 | | | | |
| 488-01-2 | 1 | -4,467.58 | -2,176.02 | | | | |
| 488-01-3 | 1 | -4,465.58 | -2,176.02 | | | | |
| 488-01-4 | 1 | -4,469.58 | -2,179.02 | | | | |




Figure 9.42. Soils OU RI Samples for SWMU 488

9.3.2 PCB Survey

The PCB evaluation will include the sampling and analysis of locations to a depth of 1 ft bgs. A total of 6,192 linear ft of ditches that capture runoff from switchyards has been identified. For the ditches, samples will be collected along a centerline every 10 ft. SWMUs 75 and 78 (former transformer locations) are included with the SOU SWMU/AOC sampling plan (see Table 9.1).

Following site preparation, subsamples will be collected from each staked/surveyed location at the centerline of the ditches. These composite subsamples will be collected using stainless steel scoops to a depth of 1 ft in accordance with procedure PRS-ENM-2300, *Collection of Soil Samples*. One aliquot from each of the five discrete locations will be split and placed in a prelabeled container for field PCB analysis.

The remainder of the subsamples will be used to prepare composite samples for the fixed and field laboratories. Once the five subsamples have been acquired and placed in the compositing pan, sample compositing will be completed in accordance with procedure PRS-ENM-2300, *Collection of Soil Samples*. Aliquots of the composite samples will be placed in the prelabeled sample containers, sealed, and placed in the sample cooler.

An aliquot from each of the individual subsamples and the composited sample will be placed in prelabeled sample containers for PCB analysis, totaling five discrete samples and one composite.

PCB field screening will be performed on each of the five discrete subsamples and one composite in accordance with the *HACH Pocket Colormeter™ II Test Kit Instruction Manual*, along with 10% confirmatory fixed-based laboratory sampling. To ensure PCB data can be fully evaluated, the HACH system will be calibrated daily. The PCB measurements are colorimetric in nature and acquire semiquantitative results by employing a field grade photometer. As a result, calibration standards and calibration verification standards and blanks will be prepared weekly and stored in accordance with the PRS-QAP-1020, *Control and Calibration of Measuring and Test Equipment*. Calibration standards and blanks will be analyzed daily or at the end of a sample group—whichever is more frequent to monitor instrument drift during analysis. They will be analyzed sequentially: (1) calibration verification and (2) blank and will follow the 20th natural sample analyzed or at the end of a group of samples, whichever is more frequent. If another test kit is selected and approved by DOE, EPA, and Kentucky, then the manufacture's instructions will be followed.

9.3.3 Limited Radiological Walkover

The objective of the radiological evaluation is to identify locations of radiologically contaminated soil and other materials on the PGDP that may have radionuclide concentrations exceeding the levels associated with an annual dose of 15 mrem to an industrial worker. Newly identified areas of radiologically contaminated soil or materials will be posted to restrict access. The area included in the scope for this work plan, consists of grassy or dirt areas that do not have roads, gravel pads, buildings, or other infrastructure and have not been addressed under other investigations (i.e., Surface Water On-site Investigation). Slabs, subsurface structures, and underlying soils left after completing D&D of the operating GDP will be addressed in subsequent projects.

The radiological survey of the DOE Reservation will be performed using a survey approach which was modeled using NUREG-1575, *Multi-Agency Radiological Survey and Site Investigation Manual*, (NRC 1997) guidance. Additional details of these activities are provided in subsequent chapters.

9.3.3.1 Radiological Contaminants and Criteria

The principal radiological contaminant likely to be in the areas to be surveyed is depleted uranium (i.e., ^{238}U with lesser amounts of ^{234}U and ^{235}U). Analyses and operational history indicate the potential presence of other radionuclides, including ^{99}Tc , ^{137}Cs , ^{230}Th , ^{232}Th , ^{237}Np , ^{238}Pu , $^{239/240}\text{Pu}$, and ^{241}Am . Numerous soil and sediment samples have been collected from areas outside PGDP. *Radiation Dose Assessment Under Current Conditions for Exposure to Radionuclides in Sediment, Soil, Deer, Surface Water, and Fish in Off-site Areas Near the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, (BJC 2002) summarizes radionuclide concentrations by general area outside the PGDP. Concentrations in individual samples of soil and sediment differ significantly, as do the relative ratios of the various contaminants. This variability is due largely to the differences in operations and in-plant areas from which storm drainage to the different off-site directions originates. Table 9.51 presents a summary of the radionuclide contaminants for selected locations on the DOE Reservation.

Radionuclide contaminants associated with potential doses and actions for various current and future land uses are presented in *DRAFT Methods for Conducting Risk Assessments and Risk Evaluations at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, Volume 1, Human Health*, and *Volume 2: Ecological* (DOE 2009a). The referenced document includes dose-based action and no-action screening values based on various exposure scenarios. Based on land use maps presented in DOE 2009a and in the PGDP Site Management Plan (DOE 2009a), the industrial worker is the most likely exposure scenario for the areas to be surveyed under this plan.

Since ^{238}U is the primary contaminant and is collocated with the other contaminants, as shown in Table 9.51, it functions as a surrogate for potential radionuclide contaminants for the surveys to identify areas of contaminated soil/sediment for the investigation.

The objective of the survey is to identify anomalies that may have radionuclide concentrations exceeding the levels associated with an annual dose of 15 mrem to an industrial worker. The annual 15 mrem dose is equivalent to a ^{238}U concentration of 528 pCi/g, which is greater than the minimum detectable activity of the gamma scanning instrument and technique discussed in Section 9.3.3.5 (i.e., 40 pCi/g ^{238}U).

Table 9.51. Summary of Contaminants in Samples from Selected Areas on the DOE Reservation*

| General Location and References on DOE Reservation | Primary Contaminants | Other Associated Contaminants | Comments |
|--|-----------------------|---------------------------------------|---|
| North side drainages | Technetium-99, Th-230 | U-238, Np-237, Am-241, Pu-239 | Primarily areas adjacent to the North-South Diversion Ditch |
| South side drainages | U-238 | Technetium-99, Cs-137, Th-230, Pu-239 | Limited operations and data in this area |
| East side drainages | U-238 | Technetium-99, Th-230 | Primarily adjacent to and north of Outfall 11 |
| West side drainages | U-238 | Technetium-99, Cs-137 | Drainage area includes C-400, C-720, C-404, and Scrap Yards |

*From OREIS data retrieved April 2007.

9.3.3.2 Survey Approach

This radiological survey has been prepared using guidance provided in MARSSIM as a framework. In accordance with that guidance, historic site data and information were reviewed; the goal of identifying locations of radiologically contaminated areas for further investigation was established; and a methodology for achieving that goal was developed. The graded approach, recommended by MARSSIM, was applied in developing this plan to achieve efficient use of resources.

The DOE Prime Contractor radiological control organization is responsible for design and implementation of this survey. To assure quality data, surveys will be performed by personnel who are trained and qualified in radiological monitoring and use properly calibrated instrumentation in accordance with DOE Prime Contractor-documented procedures.

9.3.3.3 Classification by Contamination Potential

The graded approach used for this radiological survey distributes the level of survey effort in proportion to the potential for contamination. MARSSIM recommends a classification process for describing areas according to their radiological characteristics. Areas initially are classified by contamination potential as impacted and nonimpacted. MARSSIM also provides a mechanism for reclassification of areas based on survey results, resulting in increased survey rigor being applied to specific areas. Areas that have no reasonable potential for contamination from site operations are classified as nonimpacted areas, and areas with some potential for contamination are classified as impacted areas. All areas addressed by this survey are considered to have some potential for radioactive contamination and are, therefore, classified as *impacted*.

Impacted areas are further divided into one of following three classifications:

- Class 1 Areas—Areas that have a potential for radioactive contamination at levels above established criteria.
- Class 2 Areas—Areas that have a potential for radioactive contamination, but at levels that are not expected to exceed established criteria.
- Class 3 Areas—Impacted areas that are not expected to contain any radioactive contamination, or, if radioactive contamination is present, the levels are expected to be at a small fraction (typically $\leq 10\%$) of the established criteria.

Class 1 areas have the greatest potential for contamination and, therefore, receive the highest degree of survey effort, followed by Class 2 and Class 3 areas, respectively.

MARSSIM application of these classifications is for defining the areas and survey coverage for Final Status Surveys; however, they also provide a framework for determining the level of effort for other categories of surveys.

9.3.3.4 Quality Assurance/Quality Control

DOE Prime Contractor radiological survey procedures incorporate quality assurance/quality control provisions. In addition, approximately 5% of the individual survey subunits will be selected randomly for confirmatory resurvey.

9.3.3.5 Evaluation of Survey Results

For logged data with location coordinates, data will be displayed graphically, overlying a map of the surveyed surface. Color differentiation of radiation levels will be provided, adequate to distinguish areas with levels above 1.5 times ambient background.

Survey Preparations

A reference grid system, encompassing DOE-owned property, has been developed to facilitate survey planning, implementation, and documentation. This system, illustrated on Figure 9.43, is based on 1,000 m x 1,000 m (3,280 ft x 3,280 ft) survey units, and referenced to the Kentucky State Plane Coordinate System.

There are 26 units, each denoted as A–Z; however, only those within the fenced area will be included within this survey. The grid system is oriented along true north to simplify the layout and use of the grids in field situations. Each of the survey units is divided into 100 m x 100 m (1 hectare or 2.47 acres) survey blocks or subunits. There are 2,600 total subunits. Of these subunits, there are 1,495 [both full (1 ha) and partial (< 1 ha) blocks], that fall within DOE fenced area in this survey. These are denoted by a numeric reference system, using numbers 0 through 9 for both latitudinal and longitudinal axes. A specific 1 acre area is referenced first by the survey unit letter designation, followed by the latitudinal axis number (x-axis), then by the longitudinal axis number (y-axis).

Survey packages will be prepared for each survey unit. The survey package is a collection of information that controls the survey process and provides a consistent framework for documenting the results and planning further investigations. The package will include a map or drawing of the area, indicating major site features, ground cover, and delineating classifications of all surfaces and directions for implementing survey activities. Additional information will be added to the package as the survey progresses. Examples of such additional information include survey data, a summary and evaluation of results, and recommendations for further activities, if appropriate.

Before initiating ground walk-over survey activities, a walk down of the survey unit will be conducted and anomalies noted on the area map or drawing. In addition, needs for ground clearance (mowing, bushhogging, etc.) or other actions to facilitate access to surfaces of interest will be identified and initiated. Ground clearance will be coordinated with the government furnished services and infrastructure prime contractor.




Figure 9.43. Illustration of Survey Reference System, Indicating Survey Units (A-Z) and 1 Hectare Subunits

Instrumentation

Gamma scans will be performed with NaI detectors, coupled with scaler/ratemeters. The goal of the gamma scans is to identify deposits of 1 m² or greater having uranium-238 surface contamination levels \geq 40 pCi/g. The specific detector design has yet to be determined, but is expected to be a Ludlum model 44-10, with a 2 inch x 2 inch scintillation crystal or functional equivalent. The detector may be outfitted with a shield in areas of high backgrounds, such as near UF₆ cylinder yards, to improve ability to distinguish changes in instrument response. The expected scaler/ratemeter is a Ludlum model 2221 or functional equivalent. The scaler/ratemeter will be coupled with a global positioning system (GPS) to automatically determine the state planer coordinates of the measurement location. The GPS instrument will record both the geographical location and associated count-rate data. The GPS system will have subfoot accuracy. The audible signal provided by the scaler/ratemeter will be monitored by the technician for increases in count rate, which could be indicative of the presence of nearby contamination. Instruments will be calibrated by a DOE prime contractor-approved vendor in accordance with ANSI-N323A-1997 and PRS procedure PRS-RAD-1111, *Workplace Monitoring*. Detection sensitivities for a 2 inch x 2 inch NaI detector, assuming a contaminated area 3.8-ft diameter and a detector movement of 0.5 m/sec, have been estimated in accordance with NUREG-1507, *Minimum Detectable Concentrations with Typical Radiation Survey Instruments for Various Contaminants and Field Conditions*. These sensitivities for audible recognition and 1- and 2-second integrated data are listed in Table 9.52.

Table 9.52. Detection Sensitivity for ²³⁸U

| Detector Model | Type | Nominal Background (c/m) | Detection Sensitivity (pCi/g) | | |
|----------------|---------------------|--------------------------|-------------------------------|-----------------|-----------------|
| | | | audible | 1 sec integrate | 2 sec integrate |
| Ludlum 44-10 | 2 inch x 2 inch NaI | 7,000 | 40 | 260 | 190 |

For comparison, the average uranium-238 concentration of 528 pCi/g has been determined to be associated with an annual dose of 15 mrem to an industrial worker. Scanning will be capable of identifying small areas containing uranium-238 concentrations of 40 pCi/g by audible signal changes. Scanning, using logged count integration with GPS coordinates also will be capable of identifying surface soil, \leq 1 m² in area, with such uranium-238 concentrations.

Daily instrument performance checks of background and source response will be conducted per PRS procedure PRS-RAD-1319, *Setup for Operability Tests of Portable Field Instruments*.

Scanning Methodology

Scanning is performed by moving the detector in a serpentine pattern approximately 1-m wide, while advancing at a rate of approximately 0.5 m/sec. The sensitive area of the detector is maintained as close to the surface as practical, considering the surface conditions; 2–10 cm is a reasonable distance. Use of GPS-based data logging may be restricted and/or unreliable in locations where satellite signals are blocked intermittently by vegetation, tree canopy, or structures. For this reason, the audible signal is monitored continuously by the surveyor for indication of increases in instrument response that may indicate the presence of contamination in the immediate area.

Audible clicks on survey instrumentation represent instantaneous detection of radiation. Meter face or digital readouts responses are integrated over time so are not an instant response. Because of this, any detectable increase in audible instrument response will be noted. Further scanning in the immediate

vicinity will be conducted to confirm the increased response. Observations of anomalous areas or materials that may contain contaminated materials will be noted, and then scans of these areas will be conducted. Findings will be recorded and sketches prepared of areas of confirmed elevated direct radiation, including dimensions and associated radiation levels. The area or material will be marked and photographed. The radiological control technician (RCT) supervisor will be notified of the findings and forwarded the results, dimensions, location, and photograph(s).

Any area or material noted to exhibit an associated direct gross gamma radiation level (in counts per minute) on the scanning instrument in excess of twice the ambient background will be evaluated for posting in accordance with 10 *CFR* § 835 and PRS-RAD-1108, *Posting and Labeling*. Areas will be posted as Controlled Areas and Contamination Areas if contamination levels exceed 10 *CFR* § 835 values.

Survey Schedule

On-site field experience with similar instrumentation and survey techniques has demonstrated that, on average, a two person survey team can visually assess and scan approximately 0.5 to 1.0 hectare (1.2 to 2.5 acres) per day. This includes planning, preparation, documentation, and evaluation of results. The DOE prime contractor will establish a goal of 0.75 acres per day progression.

Survey progress will be charted and reviewed daily to ensure that established interim goals are met. Progress will be depicted graphically using a series of maps and overlays that show the coverage and relative radiation levels for the surveyed area. Additionally, due to the inherent hazards associated with this activity, a specific work package and activity hazard analysis will be prepared to analyze and control the work activity.

Survey Report

Following completion of the field survey activities, a report will be prepared to be included in the RI and FS Reports. This report will describe the survey techniques, methods, and the survey findings. Evaluation of the survey findings will be discussed, along with recommendations for future actions. The DOE prime contractor will archive data electronically following guidance in PRS-ENM-1003, *Developing, Implementing, and Maintaining Data Management Implementation Plans*. Records will be kept in accordance with PRS-DOC-1009, *Records Management, Administrative Records, and Document Control*.

9.4 SAMPLING PROCEDURES

Fieldwork and sampling at PGDP will be conducted in accordance with DOE Prime Contractor-approved work instructions or procedures consistent with *Environmental Investigation Standard Operating Procedure and Quality Assurance Manual*, EPA Region 4, November 2001. DOE Prime Contractor will approve any deviations from these work instructions and procedures. The DOE Prime Contractor will document changes on Field Change Request forms as detailed in the QAPP. Table 9.53 provides an example list of investigation activities that may require work instructions or procedures.

9.5 DOCUMENTATION

Field documentation will be maintained throughout the SOU RI/FS in various types of documents and formats, including the field logbooks, sample labels, sample tags, chain-of-custody forms, and field data sheets. Additional information is contained in the DMIP (Chapter 12).

Field Planning Meeting

A field planning meeting will occur before work begins at the site, so that all involved personnel will be informed of the requirements of the fieldwork associated with the project. Additional planning meetings will be held as needed or if the scope of work changes. Each meeting will have a written agenda and attendees must sign an attendance sheet, which will be maintained on-site and in the project files. The following example topics will be discussed at these meetings:

- Project- and site-specific health and safety, objectives and scope of the fieldwork, equipment and training requirements;
- Procedures;
- Worker feedback;
- Required QC measures; and
- Documents covering on-site fieldwork.

Table 9.53. Example Fieldwork and Sampling Activities Requiring Work Instructions or Procedures

| Investigation Activity |
|--|
| Use of Field Logbooks |
| Lithologic Logging |
| Labeling, Packaging, and Shipping of Environmental Field Samples |
| Sampling of Containerized Wastes |
| Opening Containerized Waste |
| On-Site Handling and Disposal of Waste Materials |
| Identification and Management of Waste Not From a Radioactive Material Management Area |
| Paducah Contractor Records Management Program |
| Quality Assured Data |
| Chain-of-Custody |
| Field Quality Control |
| Data Management Coordination Equipment Decontamination |
| Off-Site Decontamination Pad Operating Procedures |
| Cleaning and Decontaminating Sample Containers and Sampling Equipment |
| Environmental Radiological Screening |
| Pumping Liquid Wastes Into Tankers |
| Archival of Environmental Data Within the ER Program |
| Data Entry |
| Data Validation |
| Soil Sampling |
| Composite Sampling |

Readiness Checklist

Before implementation of the field program, project personnel will review the work control documents to identify field activities and materials required to complete the activities, including, but not limited to, the following items:

- Task deliverables,
- Required approvals and permits,
- Personnel availability,
- Training,

- Field equipment,
- Sampling equipment,
- Site facilities and equipment, and
- Health and safety equipment.

Before fieldwork begins, appropriate DOE Prime Contractor personnel will concur that readiness has been achieved.

9.6 SAMPLE LOCATION SURVEY

A coordinate survey of sampling locations will be conducted upon completion of RI/FS field activities. Where possible, temporary markers consisting of flagging or of wooden or metal stakes will be used to mark sample locations. A thorough description of each location will be made during field sampling activities and will be documented using field maps. A member of the field sampling crew will accompany the survey crew to provide information regarding the location of sampling points. Each sample point will have coordinates obtained with a GPS unit. Coordinates will be entered into Paducah Project Environmental Measurements System (PEMS) and will be transferred with the station's ready-to-load (RTL) file to Paducah OREIS.

THIS PAGE INTENTIONALLY LEFT BLANK

10. ENVIRONMENTAL, SAFETY, AND HEALTH PLAN

10.1 PURPOSE

This ES&H Plan has been developed to discuss the general ES&H requirements associated with the SOU RI/FS Work Plan and identify some potential hazards. Site specific hazards and controls will be established for each task and location prior to performing work. These hazards and controls will be documented in the form of Site Specific Health and Safety Plan (HASPs), Activity Hazard Assessments (AHAs), work packages, and procedures. Personnel will be familiar with these work control documents prior to performing work in the affected areas.

10.2 INTEGRATED SAFETY MANAGEMENT/ENVIRONMENTAL MANAGEMENT

The SOU Project will utilize an ISMS, which integrates the Safety Management System, the Environmental Management System (EMS), and the Quality Management System, to ensure personnel and environmental safety and quality are integrated into management and work practices at all levels so that missions are accomplished while protecting the public, the workers, and the environment. The concepts of the ISMS/EMS will be utilized to provide a formal, organized process to ensure the safe performance of work. The ISMS/EMS Plan identifies the methodologies that will be used to address previously recognized hazards and how the hazards are mitigated using Contractor accepted ES&H practices.

The core functions and guiding principles of ISMS/EMS will be implemented by incorporating applicable programs, policies, technical specifications, and procedures from the DOE, U.S. Occupational Safety and Health Administration (OSHA), EPA, and other applicable regulatory guidance. Brief descriptions of the five ISMS/EMS core functions are provided below.

10.2.1 Define Scope of Work

Defining and understanding the scope of work is the first critical step in successfully performing any specific activity in a safe and compliant manner. Each member of the project team will participate in discussions conducted to understand the scope and contribute to the planning of the work. The SOU RI/FS project team will meet with personnel to ensure that everyone understands the scope of work and the technical and safety issues involved. These meetings are conducted to ensure all parties are in agreement on the scope and approach to complete the work.

10.2.2 Analyze Hazards

In the course of planning the work, the project team will identify hazards including personnel safety and environmental risks associated with the performance of the work. Hazards may be identified and assessed by performing a site visit, reviewing lessons learned, and reviewing project plans or historical data. The hazard assessment process will be prescribed by the DOE Prime Contractor procedures and policies.

Once the hazards have been identified and assessed, measures will be identified to minimize risks to workers, the public, and the environment. These measures are described in the project-specific AHAs, which serve to provide a control mechanism for all work activities. AHAs are detailed, activity-specific evaluations that address each step of the task and/or activity that will be performed. The AHA development process entails a detailed evaluation of each task to identify specific activities or operations required to successfully complete the scope of work and define the potential chemical, physical,

radiological, and/or biological hazards that may be encountered; the media and manner in which they may occur; and how they are to be recognized, mitigated, and controlled. Appropriate hazard controls may include engineering controls, administrative controls, and the use of personal protective equipment (PPE). The SOU RI/FS project team is responsible for the preparation, revision, and implementation of AHAs.

Applicable AHAs will be reviewed with the personnel who will perform the work. Participants in this review will sign and date the AHA to signify that they understand all hazards, controls, and requirements in the AHAs. Copies of the AHAs with appropriate signatures shall be maintained at the work location.

Following completion of an activity, employees will provide feedback, and “lessons learned” will be documented.

10.2.3 Develop/Implement Controls

The primary mechanisms used to flowdown ISMS/EMS controls to the project team are project-specific plans and technical procedures. Other mechanisms include program/project management systems, employee training, communication, work site inspections, independent assessments, and audits. These mechanisms are communicated in the following:

- Pre-Job meetings
- Orientations
- Training
- Plan-of-the-day/pre-job briefings
- AHAs
- Radiological work permits (RWP)

The plan-of-the-day/pre-job briefing incorporates the principles of ISMS/EMS. The specific steps within ISMS/EMS are emphasized to each employee. It is emphasized that no employee will be directed or forced to perform any task that they believe is unsafe, puts their health at risk, or that could endanger the public or the environment. One of the key elements of ISMS/EMS is that all personnel are permitted to stop work or decline to perform an assigned task because of a reasonable belief that the task poses an imminent risk of death, serious physical harm, or other serious hazard to workers or the environment.

Employee involvement is emphasized in all training sessions, beginning with initial orientation training, and is then periodically reinforced in refresher training, as applicable, and in ES&H briefings/meetings. Employees are encouraged to participate in the selection, development, and presentation of training/meeting topics and their full and constructive input is encouraged in all communication sessions.

10.2.4 Perform Work

After the project team has been given approval to proceed, the project-specific plans and procedures will be implemented and adherence will be accordance with PRS-WCE-0044, *Adherence to Performance Documents*. The SOU RI/FS project team will verify that all applicable plans, procedures, forms, and records are contained in the project files and accessible by approved personnel. If any conflict arises between documents, work will stop until issue is resolved by appropriate Subject Matter Experts. Actions that will be taken during the performance of the work to incorporate ISMS/EMS principles include the following:

- Plan-of-the-day/pre-job briefings
- Monthly project safety meetings

- ES&H oversight/inspections
- Safety inspections
- Equipment inspection
- Stop work authority

10.2.5 Feedback/Improvement

Feedback and improvement is accomplished through several channels, including ISMS/EMS audits, self-assessments, employee suggestions, lessons learned, and post-job briefings.

SOU RI/FS project management will encourage employees to freely submit suggestions that offer opportunities for improvement and constructive criticism on the program. Project management will conduct periodic inspections and meetings with project personnel at the work site to discuss safety issues, environmental issues, and/or concerns as well as other relevant topics.

During field activities, meetings and briefings will provide opportunities for project personnel to communicate the following:

- Lessons learned and any other topics relevant to the work performed
- How work steps/procedures could be modified to promote a safer working environment
- How communications could be improved within the project team
- Overall issues or concerns they may have regarding how the work was performed

10.3 FLOWDOWN TO SUBCONTRACTORS

The ISMS/EMS approach to ES&H ensures that personnel, including subcontractors, are aware of their roles, responsibilities, and authorities for worker/public safety and protection of the environment. All organizations will be responsible for compliance with the Prime Contractor's Worker Safety and Health (S&H) Program, ISMS Program, Radiation Protection Program, Environmental Protection Program, and QA Program. In addition, subcontract requirements will flow down to lower-tier subcontractors, as applicable. Personnel will have the appropriate health and safety training required by OSHA 29 *CFR* § 1910 and § 1926, but will also undergo site-specific pre-job training including safety and environmental to ensure that ES&H issues related to the activities to be performed or specific to the work site are clearly understood. Documentation of training will be available for review prior to starting work.

10.4 SUSPENDING/STOPPING WORK

In accordance with 10 *CFR* 851.20 and the DOE Prime Contractor's Worker Safety and Health Program and procedures, employees and subcontractors have suspend/stop-work authority. Individuals involved in any aspect of the project have the authority and responsibility to suspend or stop work for any perceived threat to the S&H of the workers, the public, or to the environment. Concerns shall be brought to the attention of the FTM and SHR, they will be evaluated by Project Management personnel, and actions will be taken to rectify or control the situation. In the case of imminent danger or emergency situations, personnel should halt activities immediately, and instruct other affected workers to pull back from the hazardous area. The FTM and/or SHR should be notified immediately, at which time Management and/or emergency responders will be notified.

10.5 ISMS BRIEFINGS AND ORIENTATIONS

Plan-of-the-day/pre-job briefings detailing the specific hazards of the work to be performed and safety precautions and procedures specific for the job shall be conducted by the FTM and/or SHR at the beginning of each shift. During these briefings, work tasks and the associated hazards (personnel safety and environmental risks) and mitigating controls will be discussed using task-specific AHAs, project documents, and/or Lessons Learned as guidance.

Prior to performing work on the site, personnel shall be required to read, or be briefed, on the DOE Prime Contractor's Worker Safety and Health Program, applicable AHAs, the work package and other applicable documents. This shall be documented as required reading, acknowledgement forms, or briefing sheets. Visitors will also be oriented to the applicable plans and potential hazards that they may encounter.

10.6 KEY PROJECT PERSONNEL AND RESPONSIBILITIES

One of the primary underlying principles of a successful project organization is the establishment of clearly defined roles and responsibilities and effective lines of communication among employees and between the Prime Contractor, subcontractors and other organizations involved in the project. Ensuring that personnel fully understand their roles and responsibilities and that they have a thorough understanding of the scope of work and other project requirements will provide the foundation for successful and safe completion of the project.

The roles and responsibilities of key field team members are briefly described as follows:

- The Environmental Restoration PM oversees the implementation of the project plans and provides the resources for the project.
- The RI Project Manager oversees the project plans and work activities while ensuring that operations are conducted in accordance with the DOE Prime Contractor procedures, regulatory requirements and Worker Safety and Health Program and is responsible for coordinating and assigning resources needed for the project. The RI Project Manager also performs management audits and inspections.
- The QA Specialist provides support and oversight to the project to ensure that work is performed in accordance with the work package and other applicable plans and procedures.
- The FTM coordinates field activities and logistics and provides the communications between the project team and the field team as well as other support groups. The FTM also ensures that on-site

personnel comply with the Worker Safety and Health Program, work packages and applicable procedures.

- The SHR provides S&H support and oversight to the project to ensure that work is being performed safely and in accordance with the Worker Safety and Health Program, applicable regulations, 10 *CFR* § 851, DOE directives, and applicable plans and procedures.
- The Radiological Control Group provides support and guidance to the project and assists the FTM and SHR with implementation of radiological controls and as-low-as-reasonably-achievable (ALARA) principles. The Radiological Control Technician observes the work area before/during activities for radiological hazard and authorizes entry into and exit from the radiological work area.
- Environmental Compliance organization provides environmental support and oversight to the project to ensure that the planning and fieldwork is being performed properly and in accordance with all applicable regulations, DOE directives, and relevant plans and procedures.
- The Waste Management Coordinator provides waste management support to the project to coordinate waste containers and removal of waste from the worksite while complying with the Worker Safety and Health Program, as well as ES&H and work control requirements.
- Field Team/Subcontractors – Samplers, drillers, operators, maintenance mechanics, and electricians perform work as specified in work packages, adhering to the Worker Safety and Health Program, HASP, RWPs, project procedures and AHAs. Field Team personnel also participate in the identification of the hazards and development of the work controls to be utilized during the work.

10.7 SITE CONTROL

Work zones will be utilized to control access. These areas will be controlled by the SHR and/or FTM to minimize the number of individuals potentially exposed to site hazards and to ensure that individuals who enter follow the required procedures. The following is a description of the different types of zones that will be established at the site.

- Exclusion Zone (EZ)—The area where work is being performed and chemical, physical, and/or radiological hazards exist. Entry into this area is controlled and the area clearly marked with barrier tape, rope, or flagging. Signage required by OSHA will be posted. Unauthorized entry into these areas is strictly prohibited. Permission to enter the EZ is granted by the SHR.
- Contamination Reduction Zone (CRZ)—The area between the EZ and the Construction Zone (CZ). It serves as a buffer to reduce the possibility of the Construction Zone becoming contaminated. It also is the area where decontamination of personnel and equipment is conducted. Entry into this area is controlled and the area clearly marked with barrier tape, rope, or flagging. Signage required by OSHA will be posted.
- CZ—The area outside of potential contamination, but still encompassing work activities and possible hazards associated with fieldwork activities. Entry into this area is controlled and the area clearly marked with barrier tape, rope, or flagging. Signage required by OSHA will be posted.
- Support Zone (SZ)—The area immediately outside of the work zones. This area serves as an administrative area, a storage area for noncontaminated equipment, a break area, and an area for the consumption of food and beverages. This area does not require delineation by barricade tape/ropes.

10.7.1 Visitors

Visitors to the site shall abide by the following:

- “Visitor” means persons not involved in routine site work activities.
- Visitors shall be instructed to stay outside of the EZ and CRZ and remain within the SZ during the extent of their stay.
- Visitors requesting to observe work conducted in the EZ must wear appropriate PPE prior to entry into that zone. Visitors who wish to enter the EZ must produce evidence that they have medical clearance, and appropriate HAZWOPER training that is up-to-date. Visitors also must have received the required training for the tasks being performed and entry must be approved by the SHR and/or FTM.

10.7.2 Site Communications

PGDP plant radios, plant phones and cell phones will be used for on-site and off-site communications. Project personnel will be orientated to the use of plant radios and emergency numbers. Hand signals may also be utilized; these will be covered with project personnel if necessary.

10.7.3 Authorization to Enter

Personnel shall adhere to site entry and control procedures identified in the RWP AHAs and this site-specific HASP, personnel must wear the appropriate PPE, and enter the work area only after receiving permission of the FTM, SHR, and RCT. The FTM (or designee) will verify that the appropriate training and briefing requirements are met prior to entry.

As a requirement for work on this project, workers entering the EZ or CRZ will be required to take a 40-hour HAZWOPER training. This training must cover the requirements in 29 *CFR* § 1910.120, HAZWOPER. In addition, workers must receive annual 8-hour refresher training (if applicable) and 3-day on-site supervision under a trained, experienced supervisor. The FTM shall receive additional 8-hour training in hazardous waste operations supervision. Workers and visitors entering the EZ or CRZ will be briefed in the provisions of this HASP and be required to sign the HASP Acknowledgment Form found in Attachment B. Workers entering radiological posted work areas also will be required to complete Radworker II training.

10.8 PERSONAL PROTECTIVE EQUIPMENT

When engineering controls are not feasible, when the administrative controls in place are not adequate, or when otherwise indicated (such as for ALARA), PPE will be specified by the AHA and/or RWP. At a minimum, personnel performing work in work zones may be required to wear the following standard safety apparel:

- Hard hats meeting the requirements of American National Standards Institute (ANSI) Z89.1 as prescribed in 29 *CFR* § 1910.135, *Head Protection*. Hard hats will be worn with the suspension properly installed. Hard hats will not be damaged, painted or deformed.
- Safety glasses with firm side shields will meet the requirements of ANSI Z87.1 as prescribed in 29

CFR §1910.133, *Eye and Face Protection*. Prescription glasses also will meet the ANSI standard and be provided with fixed or firm clip-on side shields. Cover glasses used over prescription glasses will be permitted. Safety glasses will be worn in any area where construction activities are taking place. Face shields will not be worn in lieu of safety glasses.

- Sturdy safety toed work shoes or boots meeting the requirements of ANSI Z41, as prescribed in 29 *CFR* §1910.136, *Foot Protection*, shall be worn.

The required level of protection is specific to the activity being conducted. The levels of PPE apply only to activities conducted inside an established EZ. Work conducted within CRZs will vary, but generally are one level of protection lower than the EZ. Activities conducted within SZs should require normal work clothes and PPE unless specified by the FTM or SHR.

10.8.1 Task-Specific Levels of Protection

The levels of protection will be determined by the task and/or proximity of the task being performed and will be identified in the task specific AHAs and RWPs.

10.8.2 Respiratory Protection

Respiratory protection requirements will be determined by air monitoring and survey results. Personnel required to wear respiratory protection will be trained and quantitatively fit-tested prior to use of the respirator, as prescribed in accordance with DOE Prime Contractor procedure. Personnel required to wear respirators will inspect their respirators before and after each use and any deficiencies will be reported to the FTM or SHR immediately. Respirators will be properly stored in a bag in a clean, dry environment and routinely cleaned. Damaged respirators shall not be used.

10.9 MEDICAL SURVEILLANCE

The medical surveillance program provides for baseline, annual, and termination medical examinations for the following employees in accordance with 29 *CFR* § 1910.120, HAZWOPER. Each employee who is or may be exposed to hazardous substances or health hazards at or above the permissible exposure limit (PEL) for 30 days or more per year and each employee who wears a respirator for 30 days or more per year will receive a medical examination before assignment, approximately 12 months later, and at termination of employment or at reassignment. Employees who develop signs or symptoms indicating overexposure or are injured or exposed above the PEL in an emergency situation will be examined medically as soon as possible following the incident.

Personnel performing HAZWOPER activities on this project must complete an annual HAZWOPER physical. The examining physician will document the worker's fitness for work. In addition, the physician will ensure personnel are capable of wearing a respirator through medical examination and conducting a pulmonary function test.

Radiation workers, working under an RWP, may be required to submit a baseline bioassay, periodic bioassay during the project and exit bioassay at the end of the project.

10.9.1 Exposure Monitoring

Air monitoring shall be used to identify and quantify airborne levels of hazardous substances and health hazards in order to determine the appropriate level of employee protection needed on-site.

10.9.2 Routine Air Monitoring Requirements

Air monitoring will be performed during the following activities:

- Intrusive activities such as soil excavation;
- Activities where there is a potential for exposure to heavy metals (lead, arsenic, beryllium, etc.) and silica dust;
- Personnel are opening waste containers that contain potentially contaminated material.

10.9.3 Industrial Hygiene Monitoring

The Industrial Hygiene monitoring and sampling will be performed by assigned project S&H support personnel. Monitoring will use direct-reading instruments, air-sampling equipment, environmental-monitoring equipment, and assessment techniques as determined appropriate by the S&H Group based on professional judgment and in accordance with OSHA, National Institute for Occupational Safety and Health (NIOSH) and American Conference of Government Industrial Hygienists (ACGIH).

Personnel sampling will be conducted to assess the potential exposure to individual employees and to ensure that the proper level of PPE has been selected for the assigned task(s). Samples will be collected in the employee's breathing zone using personnel sampling pumps and the appropriate collection media. For tasks with the potential for exposure to significantly elevated chemical concentration, it is expected that the sampling frequency will increase.

If direct reading instruments indicate levels of vapors or particulates that exceed the action level for over 15 minutes in the work area, then personnel sampling will be initiated immediately. Sampling will be conducted, at a minimum, on the worker with the highest expected exposure. Monitoring will continue until levels recorded by direct reading instruments return below the action level.

Once initiated, sampling will always continue for a period long enough to collect a volume of air sufficient to allow the laboratory to achieve an analytical detection limit no greater than one-half the OSHA PEL or ACGIH threshold limit value (TLV), whichever is the more stringent of the two. The samples will be collected in accordance with the approved NIOSH or OSHA methodology and analyzed for the appropriate contaminant(s) of concern. All personnel exposure samples shall be analyzed by a laboratory accredited by American Industrial Hygiene Association (AIHA) in accordance with the appropriate NIOSH or OSHA methodology.

10.9.4 Radiological Monitoring

Radiological Control will perform personnel air monitoring during work in contamination areas and potentially at the boundary. Scanning of equipment and personnel will also be performed to minimize the possibility of the spread of contamination. Personnel working on the SOU RI/FS project will also be monitored through Dosimetry and required to wear a dosimeter when working in radiological zones and submit bioassays as required. A neutron dosimeter may be required if working in and around UF₆ cylinder storage yards, as determined by Radiological Control Organization.

10.10 EMERGENCY RESPONSE

10.10.1 Responsibilities

The PM, FTM and SHR are responsible for the SOU RI/FS project emergency management program and ensuring that the appropriate emergency response equipment is readily available at the work site and in proper working order. Equipment and supplies to be maintained at the work site include, at a minimum:

- First-aid kit
- Emergency eyewash station
- Absorbents for spill control
- Fire extinguisher

In the event of an emergency, all site personnel shall follow the requirements and provisions of the PGDP Emergency Management Plan. Emergency response shall be provided by the PGDP emergency response organization. The SHR will be in charge of personnel accountability during emergency activities. All personnel working on-site will be trained to recognize and report emergencies to the SHR or the FTM. The SHR or FTM will be responsible for notifying the PGDP emergency response organization.

The PGDP emergency response organization will be contacted for emergency response to all medical emergencies, fires, spills, or other emergencies. The Plant Shift Superintendent (PSS) will coordinate 24-hour emergency response coverage. The requirements of this section will be communicated to site workers. Any new hazards or changes in the plan also will be communicated to site workers.

The DOE on-scene coordinator will provide oversight on an ongoing basis for emergency management/recovery activities.

10.10.2 Reporting an Emergency

10.10.2.1 Discovery

The person who discovers an emergency should immediately report it, then attempt to establish control ONLY if the incident is minor in magnitude. Where such measures are obviously inadequate or not successful in controlling the incident or for emergency conditions, personal injuries, or other unusual events with potential for causing personal injury, environmental releases, or property damage, the employee will initiate notification of appropriate emergency response personnel.

SOU RI/FS project personnel will maintain a radio, telephone, or other reliable means of notifying emergency response personnel and the PSS.

10.10.2.2 Emergency Contacts

- **Fire:** Fire alarm pull box, plant telephone Bell System 333, or plant radio channel 16
- **Medical:** Plant telephone Bell System 333 or plant radio channel 16
- **Security:** Plant telephone Bell System 6246 or plant radio channel 16
- **PSS:** Plant telephone Bell System 6211 or plant radio channel 16.

If using a cell phone: 270-441-6333 for emergency, for NON-emergency use 270-441-6211.

10.10.2.3 Initial Emergency Response

When an emergency occurs, the SHR or FMT will assume responsibility for the management of the scene and the protection of the personnel. Personnel are to be evacuated from the immediate danger area, as appropriate. Depending on the degree of emergency, RADCON controls may need to be adhered to during the emergency. For personnel injury or illness, there will be at least one person with current training in first aid and cardiopulmonary resuscitation present on-site during all field activities. This individual will provide minor first aid until other emergency personnel arrive and assume emergency response duties or it is determined to transport the injured to the hospital or medical provider.

10.10.2.4 Paducah Gaseous Diffusion Plant Alarms

The alarms can be heard by calling 6161 on a Bell phone.

These include the following:

- ***Radiation Emergency/Criticality Accident Alarm System (CAAS):*** Continuous blast on a high-pitched air whistle or electronic horn
ACTION: Evacuate area immediately and stay away from effected building, Report to an assigned plant assembly point.
- ***Attack Warning/Tornado Warning:*** Intermittent 2-second blast on plant horns
ACTION: Take cover.
- ***Evacuate Signal:*** Continuous blast on plant horns
ACTION: Evacuate building
- ***Plant Emergency:*** Hi-Lo Tones
ACTION: Listen to plant public address system/radio for instructions
- ***Cascade Buildings:*** Three blasts on building horns or howlers
ACTION: Call area control room.
- ***Other Buildings:*** One 10-second blast on building horns or sirens
ACTION: Follow local emergency procedures.

During field activities all personnel must participate in all PGDP accountability/assembly drills by sending all on-site project personnel to the appropriate assembly station for accountability. The FTM, SHR, or designee will be responsible for accounting for all field personnel (including sub-tier subcontractor personnel) and reporting any unaccounted-for personnel to the emergency coordinator.

10.10.3 Reporting a Spill

When a spill is discovered, the FTM or SHR will immediately contact PSS and the PM and convey as much information as possible (e.g., material involved, estimated quantity spilled/affected, location, affected personnel, other hazardous conditions).

10.10.4 Protective Actions for Spill

An effort will be made to stop the release and contain the spill using materials in the on-site spill response kit, only if it is safe to do so and if no unprotected exposures occur. A telephone contact list will be available for emergency notification.

In the event that personnel are exposed to hazardous chemicals or radioactive materials, appropriate emergency response action will be taken to remove the contaminated clothing. An emergency shower and eyewash station will be used to flush exposed skin and eyes, respectively. This emergency equipment will be maintained in a readily accessible location adjacent to the active work area.

If an acute exposure to airborne chemicals occurs or is suspected and the affected personnel are unable to escape the work zone, the FTM or SHR will immediately contact PSS for assistance. Rescue operations will not be performed unless the rescuers are dressed in the appropriate protective equipment.

SOU RI/FS Project Management will be responsible for ensuring all spills of hazardous materials are properly cleaned up and disposed of, including any material generated from the spill, unless otherwise directed.

The FTM or SHR has the following responsibilities:

- Ensure that spill containment is performed safely;
- Provide all known information to PSS to ensure proper response;
- Ensure that decontamination measures for exposed personnel are conducted safely and promptly; and
- Ensure that, if personnel are exposed to airborne chemicals and are unable to escape the work zone, rescue is not attempted unless rescue personnel are dressed in the appropriate protective equipment.

During field activities all personnel must participate in all PGDP accountability/assembly drills by sending all on-site project personnel to the appropriate assembly station for accountability. The FTM, SHR, or designee will be responsible for accounting for all field personnel (including sub-tier subcontractor personnel) and reporting any unaccounted-for personnel to the emergency coordinator directing the drill.

THIS PAGE INTENTIONALLY LEFT BLANK

11. QUALITY ASSURANCE PROJECT PLAN

QAPP Worksheet #1
Title Page

UFP-QAPP Manual Section 2.1:

Document Title: *Quality Assurance Project Plan (QAPP) for the Remedial Investigation/Feasibility Study (RI/FS) for Soils Operable Unit Field Investigation at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*

Lead Organization: Contractor

Preparer's Name and Organizational Affiliation: Contractor

Preparer's Address, Telephone Number, and E-mail Address: 761 Veterans Avenue, Kevil, KY, 42053; (270) 441-5000

Preparation Date (Day/Month/Year) 09/2009

Document Control Number: N/A

QAPP Worksheet #2
QAPP Identifying Information

UFP-QAPP Manual Section 2.2.4:

Site Name/Project Name: Paducah Soils Operable Unit Remedial Investigation/Feasibility Study

Site Location: Paducah Gaseous Diffusion Plant

Site Number/Code: N/A

Operable Unit: Soils Operable Unit

Contractor Name: Paducah Remediation Services, LLC

Contractor Number: DE-AC30-06EW05001 (DOE-PRS contract)

Contract Title: Paducah Gaseous Diffusion Plant Remediation Subcontract

Work Assignment Number: N/A

1. Identify guidance used to prepare QAPP: Uniform Federal Policy for Quality Assurance Project Plans

2. Identify regulatory program: CERCLA and Federal Facility Agreement for the Paducah Gaseous Diffusion Plant (DOE/OR/07-1707)

3. Identify approval entity: U. S. EPA, Commonwealth of Kentucky, DOE

4. Indicate whether the QAPP is a generic or a project-specific QAPP. (circle one)

5. List dates of scoping sessions that were held: 05/25/2008, 06/22/2009

6. List dates and titles of QAPP documents written for previous site work, if applicable:

| | |
|--|---|
| Title: Work Plan for the Burial Grounds Operable Unit Remedial Investigation/Feasibility Study at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky (Quality Assurance Plan is Section 11) (DOE/OR/07-2179&D2/R1) | Approval Date: 11/13/2006 (Latest date of regulatory approval) |
| Title: Remedial Design Report, Certified for Construction Design Drawings and Technical Specifications Package, for the Groundwater Operable Unit for Volatile Organic Compound Contamination at the C-400 Cleaning Building at The Paducah Gaseous Diffusion Plant, Paducah, Kentucky (Quality Assurance/Quality Control and Data Management is Section 8) (DOE/LX/07-0005&D2/R1) | 7/16/2008 (Latest date of regulatory approval) |
| Construction Quality Control Plan for the Interim Remedial Action for the Volatile Organic Compound Contamination at the C-400 Cleaning Building at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky (DOE/LX/07-0031&D2/R1) | 11/7/2008 (Latest date of regulatory approval) |
| Remedial Action Work Plan for the Interim Remedial Action for the Volatile Organic Compound Contamination at the C-400 Cleaning at the Paducah Gaseous Diffusion Plant, at Paducah, Kentucky (Quality Assurance Plan is Section 9) (DOE/LX/07-0004&D2R1) | 10/23/2008 (Latest date of regulatory approval) |

QAPP Worksheet #2
QAPP Identifying Information
(Continued)

| | |
|--|--|
| Removal Action Work Plan for Soils Operable Unit Inactive Facilities at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky (DOE/LX/07-0220&D1) | (Latest date of regulatory approval – N/A) |
| Removal Action Work Plan for Contaminated Sediment Associated with the Surface Water Operable Unit (On-Site) at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky (DOE/LX/07-0221&D1) | (Latest date of regulatory approval – N/A) |

7. List organizational partners (stakeholders) and connection with lead organization:
 DOE Prime Contractor at the Paducah Gaseous Diffusion Plant
8. List data users: DOE, Contractor, U.S. EPA, Commonwealth of Kentucky
9. If any required QAPP elements and required information are not applicable to the project, then circle the omitted QAPP elements and required information on the attached table. Provide an explanation for their exclusion below:
 Worksheets # 3, 4-2, 8, 16, 24, and 25. Please see specific worksheet for explanation for their exclusion.

Note: Information is only entered in the “Crosswalk to Related Documents” if the information is not contained in the QAPP worksheets as indicated in first two columns. Also, if the required QAPP element fulfills other quality requirements, that requirement is noted in the “Crosswalk to Related Documents” column

| Required QAPP Element(s) and Corresponding QAPP Section(s) | Required Information | Crosswalk to Related Documents |
|--|------------------------------------|--------------------------------|
| Project Management and Objectives | | |
| 2.1 Title and Approval Page | - Title and Approval Page | |
| 2.2 Document Format and Table of Contents | - Table of Contents | |
| 2.2.1 Document Control Format | - QAPP Identifying Information | |
| 2.2.2 Document Control Numbering System | | |
| 2.2.3 Table of Contents | | |
| 2.2.4 QAPP Identifying Information | | |
| 2.3 Distribution List and Project Personnel Sign-Off Sheet | - Distribution List | |
| 2.3.1 Distribution List | - Project Personnel Sign-Off Sheet | |
| 2.3.2 Project Personnel Sign-Off Sheet | | |

**QAPP Worksheet #2
QAPP Identifying Information
(Continued)**

| Required QAPP Element(s) and Corresponding QAPP Section(s) | Required Information | Crosswalk to Related Documents |
|--|--|---|
| 2.4 Project Organization 2.4.1 Project Organizational Chart 2.4.2 Communication Pathways 2.4.3 Personnel Responsibilities and Qualifications 2.4.4 Special Training Requirements and Certification | <ul style="list-style-type: none"> - Project Organizational Chart - Communication Pathways - Personnel Responsibilities and Qualifications Table - Special Personnel Training Requirements Table | DOE O 414.1C/10 <i>CFR</i> § 830.120 Criterion 1– Management Program; Criterion 2 Training and Qualification; |
| 2.5 Project Planning/Problem Definition 2.5.1 Project Planning (Scoping) 2.5.2 Problem Definition, Site History, and Background | <ul style="list-style-type: none"> - Project Planning Session Documentation (including Data Needs tables) - Project Scoping Session Participants Sheet - Problem Definition, Site History, and Background - Site Maps (historical and present) | DOE O 414.1C/10 <i>CFR</i> § 830.120 Criterion 6– Design |
| 2.6 Project Quality Objectives and Measurement Performance Criteria 2.6.1 Development of Project Quality Objectives Using the Systematic Planning Process 2.6.2 Measurement Performance Criteria | <ul style="list-style-type: none"> - Site-Specific PQOs - Measurement Performance Criteria Table | |
| 2.7 Secondary Data Evaluation | <ul style="list-style-type: none"> - Sources of Secondary Data and Information - Secondary Data Criteria and Limitations Table | |
| 2.8 Project Overview and Schedule 2.8.1 Project Overview 2.8.2 Project Schedule | <ul style="list-style-type: none"> - Summary of Project Tasks - Reference Limits and Evaluation Table - Project Schedule/Timeline Table | |

**QAPP Worksheet #2
QAPP Identifying Information
(Continued)**

| Measurement/Data Acquisition | | |
|--|---|---|
| 3.1 Sampling Tasks 3.1.1 Sampling Process Design and Rationale 3.1.2 Sampling Procedures and Requirements 3.1.2.1 Sampling Collection Procedures 3.1.2.2 Sample Containers, Volume, and Preservation 3.1.2.3 Equipment/Sample Containers Cleaning and Decontamination Procedures 3.1.2.4 Field Equipment Calibration, Maintenance, Testing, and Inspection Procedures 3.1.2.5 Supply Inspection and Acceptance Procedures 3.1.2.6 Field Documentation Procedures | - Sampling Design and Rationale - Sample Location Map - Sampling Locations and Methods/SOP Requirements Table - Analytical Methods/SOP Requirements Table - Field Quality Control Sample Summary Table - Sampling SOPs - Project Sampling SOP References Table - Field Equipment Calibration, Maintenance, Testing, and Inspection Table | DOE O 414.1C/10 <i>CFR</i> § 830.120 Criterion 5– Work Processes; Criterion 6– Design |
| 3.2 Analytical Tasks 3.2.1 Analytical SOPs 3.2.2 Analytical Instrument Calibration Procedures 3.2.3 Analytical Instrument and Equipment Maintenance, Testing, and Inspection Procedures 3.2.4 Analytical Supply Inspection and Acceptance Procedures | - Analytical SOPs - Analytical SOP References Table - Analytical Instrument Calibration Table - Analytical Instrument and Equipment Maintenance, Testing, and Inspection Table | DOE O 414.1C/10 <i>CFR</i> § 830.120 Criterion 8– Inspection and Acceptance Testing |
| 3.3 Sample Collection Documentation, Handling, Tracking, and Custody Procedures 3.3.1 Sample Collection Documentation 3.3.2 Sample Handling and Tracking System 3.3.3 Sample Custody | - Sample Collection Documentation Handling, Tracking, and Custody SOPs - Sample Container Identification - Sample Handling Flow Diagram - Example Chain-of-Custody Form and Seal | DOE O 414.1C/10 <i>CFR</i> § 830.120 Criterion 4– Documents and Records |
| 3.4 Quality Control Samples 3.4.1 Sampling Quality Control Samples 3.4.2 Analytical Quality Control Samples | - QC Samples Table - Screening/Confirmatory Analysis Decision Tree | |
| 3.5 Data Management Tasks 3.5.1 Project Documentation and Records 3.5.2 Data Package Deliverables 3.5.3 Data Reporting Formats 3.5.4 Data Handling and Management 3.5.5 Data Tracking and Control | - Project Documents and Records Table - Analytical Services Table - Data Management SOPs | DOE O 414.1C/10 <i>CFR</i> § 830.120 Criterion 4– Documents and Records |

QAPP Worksheet #2
QAPP Identifying Information
(Continued)

| Assessment/Oversight | | |
|--|---|---|
| 4.1 Assessments and Response Actions 4.1.1 Planned Assessments 4.1.2 Assessment Findings and Corrective Action Responses | - Assessments and Response Actions - Planned Project Assessments Table - Audit Checklists - Assessment Findings and Corrective Action Responses Table | DOE O 414.1C/10 <i>CFR</i> § 830.120 Criterion 3–Quality Improvement; Criterion 9–Management Assessment; Criterion 10 –Independent Assessment |
| 4.2 QA Management Reports | - QA Management Reports Table | . |
| 4.3 Final Project Report | | |
| Data Review | | |
| 5.1 Overview | | |
| 5.2 Data Review Steps 5.2.1 Step I: Verification 5.2.2 Step II: Validation 5.2.2.1 Step IIa Validation Activities 5.2.2.2 Step IIb Validation Activities 5.2.3 Step III: Usability Assessment 5.2.3.1 Data Limitations and Actions from Usability Assessment 5.2.3.2 Activities | - Verification (Step I) Process Table - Validation (Steps IIa and IIb) Process Table - Validation (Steps IIa and IIb) Summary Table - Usability Assessment | |
| 5.3 Streamlining Data Review 5.3.1 Data Review Steps To Be Streamlined 5.3.2 Criteria for Streamlining Data Review 5.3.3 Amounts and Types of Data Appropriate for Streamlining | | |

Title: Soils Operable Unit RI/FS Work Plan
Revision Number: 0
Revision Date: 7/20/2009

**QAPP Worksheet #3
 Distribution List**

UFP-QAPP Manual Section 2.3.1:

| QAPP Recipients | Title | Organization | Telephone Number | Fax Number | E-mail Address | Document Control Number |
|---|-------|--------------|------------------|------------|----------------|-------------------------|
| The QAPP is submitted as a section of the RI/FS Work Plan; thus it will be included on the RI/FS Work Plan distribution list. | N/A | N/A | N/A | N/A | N/A | N/A |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Title: Soils Operable Unit RI/FS Work Plan
Revision Number: 0
Revision Date: 7/20/2009

QAPP Worksheet #4-1
Project Personnel Sign-Off Sheet

UFP-QAPP Manual Section 2.3.2

Organization: Contractor

| Project Personnel | Title | Telephone Number | Signature | Date QAPP Read |
|--------------------------|--|-------------------------|--|-----------------------|
| Contractor | ER/EM Director | N/A | Personnel will read and sign QAPP prior to mobilization. | N/A |
| Contractor | Project Manager | N/A | Personnel will read and sign QAPP prior to mobilization. | N/A |
| Contractor | Quality Assurance Manager | N/A | Personnel will read and sign QAPP prior to mobilization. | N/A |
| Contractor | Task Lead | N/A | Personnel will read and sign QAPP prior to mobilization. | N/A |
| Contractor | Environmental Engineer | N/A | Personnel will read and sign QAPP prior to mobilization. | N/A |
| Contractor | Environmental Compliance and Protection Lead | N/A | Personnel will read and sign QAPP prior to mobilization. | N/A |
| Contractor | Environmental Sampling Lead | N/A | Personnel will read and sign QAPP prior to mobilization. | N/A |
| Contractor | QA Specialist | N/A | Personnel will read and sign QAPP prior to mobilization. | N/A |
| Contractor | Health and Safety Representative | N/A | Personnel will read and sign QAPP prior to mobilization. | N/A |
| Contractor | Waste Coordinator | N/A | Personnel will read and sign QAPP prior to mobilization. | N/A |

Title: Soils Operable Unit RI/FS Work Plan
Revision Number: 0
Revision Date: 7/20/2009


**QAPP Worksheet #4-2
 Project Personnel Sign-Off Sheet**

Organization: Contractor/Subcontractor

| Project Personnel | Title | Telephone Number | Signature | Date QAPP Read |
|--|--------------|-------------------------|------------------|-----------------------|
| Field project personnel will sign the QAPP at mobilization or during pre-job kickoffs. | N/A | N/A | N/A | N/A |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

QAPP Worksheet #5
Project Organizational Chart

UFP-QAPP Manual Section 2.4.1



QAPP Worksheet #6
Communication Pathways

UFP-QAPP Manual Section 2.4.2:

Note: Formal communications across company or regulatory boundaries occur via letter. Other forms of communication such as e-mail, verbal, meetings, etc., will occur throughout the project.

| Communication Drivers | Responsible Entity | Name | Phone Number | Procedure (Timing, Pathways, etc.) |
|--|---|-------------|---------------------|---|
| Federal Facility Agreement DOE/OR/07-1707 (PRS-035) | DOE Paducah Site Lead | N/A | N/A | All formal communication among DOE, EPA, and the Kentucky Department for Environmental Protection |
| Federal Facility Agreement DOE/OR/07-1707 (PRS-035) | DOE Paducah Environmental Restoration Project Manager | N/A | N/A | All formal communications between DOE and Contractor for Environmental Restoration Projects |
| All Project Requirements | Prime Contractor Site Manager | N/A | N/A | All formal communication between Contractor and DOE |
| All Project Requirements | Contractor ER/EM Director | N/A | N/A | All communications between the project and the Site Manager |
| All Project Requirements | Contractor ER/EM Deputy Director | N/A | N/A | All communications between the project and the Site Manager |
| All Project Requirements | Contractor Project Manager | N/A | N/A | All communication between the project and the ER/EM Director (Interim) |
| Project Quality Assurance Requirements | Contractor QA Manager | N/A | N/A | All quality related communications |
| Project Quality Assurance Requirements | Contractor QA Specialist | N/A | N/A | All project quality related communications |
| FFA Compliance | Contractor FFA Project Manager | N/A | N/A | All internal communication regarding FFA compliance |
| Sampling Requirements | Contractor Environmental Sampling Lead | N/A | N/A | All internal communication regarding field sampling |
| Analytical Laboratory Interface | Contractor Lab Coordinator | N/A | N/A | All communication between Contractor and analytical laboratory |
| Waste Management Requirements | Contractor Waste Coordinator | N/A | N/A | All internal communication regarding waste project waste management |

Title: Soils Operable Unit RI/FS Work Plan
Revision Number: 0
Revision Date: 7/20/2009

**QAPP Worksheet #6
 Communication Pathways (continued)**

| Communication Drivers | Responsible Entity | Name | Phone Number | Procedure (Timing, Pathways, etc.) |
|--|---|-------------|---------------------|---|
| Environmental Compliance Requirements | Contractor Environmental Compliance Lead | N/A | N/A | All internal correspondence regarding environmental requirements and compliance |
| Subcontractor Requirements (if applicable) | Contractor Senior Subcontract Administrator | N/A | N/A | All correspondence between the project and subcontractors, if applicable |
| Health and Safety requirements | Contractor Health and Safety Representative | N/A | N/A | All internal communication regarding safety and health requirements |

**QAPP Worksheet #7
Personnel Responsibilities and Qualifications Table**

UFP-QAPP Manual Section 2.4.3:

| Name | Title | Organizational Affiliation | Responsibilities | Education and Experience Qualifications |
|-------------|---|-----------------------------------|--|--|
| N/A | Paducah Site Lead | DOE | Overall site responsibility– liaison with EPA and Commonwealth of Kentucky | N/A |
| N/A | Paducah Environmental Restoration Project Manager | DOE | Environmental Restoration project responsibility | N/A |
| N/A | Paducah Site Manager (Acting) | Contractor | Contractor lead responsible for site | N/A |
| N/A | ER/EM Director | Contractor | Overall ER/EM project responsibility | N/A |
| N/A | Project Manager | Contractor | Overall soils/surface water responsibility | N/A |
| N/A | Quality Assurance Manager | Contractor | Overall project QA responsibility | N/A |
| N/A | Environmental Engineer | Contractor | Project responsibility | N/A |
| N/A | Federal Facility Agreement Project Manager | Contractor | Project responsibility | N/A |
| N/A | Environmental Engineer | Contractor | Project SAP | N/A |
| N/A | Environmental Compliance and Protection Lead | Contractor | Project Environmental Compliance Protection responsibility | N/A |
| N/A | Environmental Sampling Lead | Contractor | Project Sampling responsibility | N/A |
| N/A | QA Specialist | Contractor | Project QA responsibility | N/A |
| N/A | Health and Safety Representative | Contractor | Project Safety and Health Responsibility | N/A |
| N/A | Waste Coordinator | Contractor | Overall Project waste management responsibility | N/A |

QAPP Worksheet #8
Special Personnel Training Requirements Table

UFP-QAPP Manual Section 2.4.4:

| Project Function | Specialized Training – Title or Description of Course | Training Provider | Training Date | Personnel/Groups Receiving Training | Personnel Titles/ Organizational Affiliation | Location of Training Records/Certificates¹ |
|---|--|--------------------------|----------------------|--|---|--|
| There will be no specialized training required for this project | N/A | N/A | N/A | N/A | N/A | N/A |

¹If training records and/or certificates are on file elsewhere, document their location in this column. If training records and/or certificates do not exist or are not available, then this should be noted.

QAPP Worksheet #9-1
Project Scoping Session Participants Sheet

UFP-QAPP Manual Section 2.5.1:

| Project Name Soils Operable Unit Remedial Investigation/Feasibility Study | | Site Name Paducah Gaseous Diffusion Plant | | | |
|---|-----------------|--|----------------|--|---------------------|
| Projected Date(s) of Sampling TBD | | Site Location Paducah, KY | | | |
| Project Manager Craig Jones | | | | | |
| Date of Session: 02/25/2008 | | | | | |
| Scoping Session Purpose: Discuss objectives and scope of project, work plan requirements, and deadlines. | | | | | |
| Name | Title | Affiliation | Phone # | E-mail Address | Project Role |
| Craig Jones | Project Manager | RSI | 270-441-5114 | N8e@prs-llc.net | PM |
| Richard Lee | Scientist | RSI | 865-576-6596 | rlee@rsienv.com | Project |
| Teresa Overby | Engineer | RSI | 270-441-5188 | tol@prs-llc.net | Project |
| LeAnne Garner | Engineer | Tetra Tech | 270-441-5436 | ylan@prs-llc.net | Project |

Comments/Decisions: Assigned individual responsibilities

Action Items: _____

Consensus Decisions: _____

QAPP Worksheet #9-2
Project Scoping Session Participants Sheet

UFP-QAPP Manual Section 2.5.1:

| Project Name Soils OU RI/FS Work Plan | | Site Name Paducah Gaseous Diffusion Plant | | | |
|---|------------------------|--|----------------|-----------------------|---------------------|
| Projected Date(s) of Sampling TBD | | Site Location Paducah, KY | | | |
| Project Manager Craig Jones | | | | | |
| Date of Session: 06/22/2009 | | | | | |
| Scoping Session Purpose: Requirements and format for QAPP for Work Plan. | | | | | |
| Name | Title | Affiliation | Phone # | E-mail Address | Project Role |
| Doug Jones | QA Specialist | PRS | 270-441-5089 | dj1@prs-llc.net | QA |
| Teresa Overby | Task Lead | PRS | 270-441-5188 | to1@prs-llc.net | Task Lead |
| Wes Hodges | Radiological Engineer | PRS | 270-441-5295 | 8hx@prs-llc.net | Radiological |
| LeAnne Garner | Project Engineer | PRS | 270-441-5436 | yln@prs-llc.net | Project |
| Lisa Crabtree | Sample/Data Management | PRS | 270-441-5135 | tvq@prs-llc.net | Sample/Data |

Comments/Decisions: QAPP should be prepared in Uniform Federal Policy Worksheet style

Action Items:

Consensus Decisions:

Title: Soils Operable Unit RI/FS Work Plan
Revision Number: 0
Revision Date: 7/20/2009

QAPP Worksheet #10
Problem Definition

UFP-QAPP Manual Section 2.5.2:

The problem to be addressed by the project: The DOE, EPA, and Commonwealth of Kentucky have entered into a FFA agreement to investigate, and, if warranted, remediate 82 areas (AOCs/SWMUs) of the Paducah Gaseous Diffusion Plant, perform a PCB Evaluation for those areas suspected of potential PCB contamination, and a Radiological Survey for those areas suspected of potential radiological contamination. The areas are listed in Section 1 of the RI/FS Work Plan. These investigations include collecting samples to various depths as noted in the Plan and analyzing the samples for field and laboratory analyses to identify the nature and extent of contamination at each area to determine if an action is warranted. The soils in the various AOCs/SWMUs have been contaminated with various plant pollutants through plant operations.

The environmental questions being asked: Are the AOCs/SWMUs contaminated and, if so, to what extent and with what contaminants?
Observations from any site reconnaissance reports: See SWMU Assessment Reports.

A synopsis of secondary data or information from site reports: See previously issued SWMU Assessment Reports for the 82 areas to be investigated and Section 5 of the RI/FS Work Plan.

The possible classes of contaminants and the affected matrices:

See Section 5 of RI/FS Work Plan that provides information regarding the potential contaminants found within the soil matrices by AOC/SWMU.

Title: Soils Operable Unit RI/FS Work Plan
Revision Number: 0
Revision Date: 7/20/2009

QAPP Worksheet #10
Problem Definition
(Continued)

The rationale for inclusion of chemical and nonchemical analyses: As noted in Sections 5 and 9 of the RI/FS Work Plan and the AOC/SWMU Assessment Reports, various chemical and radiological parameters will be analyzed to determine the nature and extent of contamination at each AOC/SWMU.

Information concerning various environmental indicators: Environmental indicators include metals, PCBs, and radiological parameters for PGDP contamination and are used as indicators for this project.

Project decision conditions (“IE..., then...” statements): See Section 1 of the RI/FS Work Plan, which provides the Data Quality Objectives (if...then...statements).

QAPP Worksheet #11
Project Quality Objectives/Systematic Planning Process Statements

UFP-QAPP Manual Section 2.6.1:

Who will use the data? DOE, KY, and EPA will use the environmental sampling data to determine the nature and extent of contamination and assess any potential risks to ecological and human health posed by the contamination.

What will the data be used for? To determine the nature and extent of contamination and complete a baseline human health risk assessment and a screening ecological risk assessment.

What type of data are needed? (target analytes, analytical groups, field screening, on-site analytical or off-site laboratory techniques, sampling techniques) Field screening data will be used to characterize metals, PCBs and radiological contamination. Based on the type of anomaly identified, a percentage of the samples collected for field screening will be submitted to a fixed-base laboratory for analyses of target analytes listed on worksheet #10 and analyzed in a DOE Consolidated Audit Program (DOECAP) certified laboratory. Note that soil results will be reported on an "as received" or wet weight basis.

How "good" do the data need to be in order to support the environmental decision? The data need to be able to characterize and delineate the nature and extent of each SWMU/AOC. The data will be used to evaluate potential risks to ecological and human health. The acquired data must be of known quality to increase confidence that the 82 SWMUs and AOCs are being and will be addressed appropriately.

How much data are needed? (number of samples for each analytical group, matrix, and concentration) Soil samples will be collected in accordance with Chapter 9.

Where, when, and how should the data be collected/generated? This investigation will evaluate 82 SWMUs/AOCs. The collection of field data and analytical data will enable DOE to increase confidence that SWMU/AOCs have been adequately characterized so that response actions can be planned. Soil samples will be collected in accordance with Chapter 9.

Field analysis will be completed for each collected soil sample using the following field analytical methods:

- Immunoassay/colorimetric method to measure soil PCB concentrations
- X-ray fluorescence (XRF) technology to measure metals concentrations

A minimum of 10% of the soil samples will be submitted to a DOE certified laboratory.

Title: Soils Operable Unit RI/FS Work Plan
Revision Number: 0
Revision Date: 7/20/2009

QAPP Worksheet #11
Project Quality Objectives/Systematic Planning Process Statements
(continued)

Who will collect and generate the data? A sample team of individuals who are properly trained and skilled in the execution of the sampling procedures defined in this work plan will collect samples and perform the field screening measurements. The sample team members are responsible for safe conduct of work at all times and are responsible for collecting, preserving, handling, and storing samples in accordance with the provisions of the work plan. The sample team will perform radiological surveys and collect the soil samples following contractor sampling procedures.

How will the data be reported? Field data will be recorded on chain-of-custody forms, in field logbooks, and field data sheets. The fixed-base laboratory will provide data in an electronic data deliverable (EDD) format. Project data will be reported from the Paducah Oak Ridge Environmental Information System (OREIS).

How will the data be archived? Data will be archived in OREIS as required.

QAPP Worksheet #12-1
 Measurement Performance Criteria Table

UFP-QAPP Manual Section 2.6.2:

| Matrix | Soil/sediment |
|---|--|
| Analytical Group ¹ | Volatile Organic Compounds |
| Concentration Level | Low |
| Sampling Procedure ² | Analytical Method/SOP ^{3,4} |
| | SW846-8260 |
| | Precision-Lab |
| | Accuracy/Bias |
| | Accuracy/Bias-Contamination |
| | Completeness ⁵ |
| Measurement Performance Criteria | RPD-22% +/- 20% recovery No target compounds > quantitation limit 90% |
| QC Sample and/or Activity Used to Assess Measurement Performance | Laboratory Duplicates Laboratory Sample Spikes Method Blanks/Instrument Blanks |
| QC Sample Assesses Error for Sampling (S), Analytical (A) or both (S&A) | A A A S&A |

¹If information varies within an analytical group, separate by individual analyte.

²Reference number from QAPP Worksheet #21 (see Section 3.1.2).

³Reference number from QAPP Worksheet #23 (see Section 3.2).

⁴The most current version of the method will be used.

⁵Completeness is calculated as the number of samples planned to be collected divided by the number of sample results that were rejected.

QAPP Worksheet #12-2
 Measurement Performance Criteria Table

| Matrix | Soil/sediment | | | | |
|---------------------------------|--------------------------------------|---------------------------------|--|--|---|
| Analytical Group ¹ | Semivolatiles Organic Compounds | | | | |
| Concentration Level | Low | | | | |
| Sampling Procedure ² | Analytical Method/SOP ^{3,4} | Data Quality Indicators (DQIs) | Measurement Performance Criteria | QC Sample and/or Activity Used to Assess Measurement Performance | QC Sample Assesses Error for Sampling (S), Analytical (A) or both (S&A) |
| | SW846-8270 | Precision-Lab Accuracy/Bias | RPD-38% +/- 20% recovery | Laboratory Duplicates Laboratory Sample Spikes | A A |
| | | Accuracy/Bias- Contamination | No target compounds > quantitation limit | Method Blanks/Instrument Blanks | A |
| | | Completeness ⁵ | 90% | Data completeness check | S&A |

¹If information varies within an analytical group, separate by individual analyte.

²Reference number from QAPP Worksheet #21 (see Section 3.1.2).

³Reference number from QAPP Worksheet #23 (see Section 3.2).

⁴The most current version of the method will be used.

⁵Completeness is calculated as the number of samples planned to be collected divided by the number of sample results that were rejected.

QAPP Worksheet #12-3
Measurement Performance Criteria Table

| Matrix | Soil/sediment | | | | |
|---------------------------------|---|--------------------------------|--|--|---|
| Analytical Group ¹ | Metals (aluminum, antimony, barium, beryllium, calcium, chromium, iron, magnesium, manganese, molybdenum, nickel, sodium, vanadium, and zinc) | | | | |
| Concentration Level | Low | | | | |
| Sampling Procedure ² | Analytical Method/SOP ^{3,4} | Data Quality Indicators (DQIs) | Measurement Performance Criteria | QC Sample and/or Activity Used to Assess Measurement Performance | QC Sample Assesses Error for Sampling (S), Analytical (A) or both (S&A) |
| | SW846-6010 | Precision-Lab Accuracy/Bias | RPD-35% +/- 20% recovery | Laboratory Duplicates | A |
| | | Accuracy/Bias-Contamination | No target compounds > quantitation limit | Laboratory Sample Spikes | A |
| | | Completeness ⁵ | 90% | Method Blanks/Instrument Blanks | A |
| | | | | Data completeness check | S&A |

If information varies within an analytical group, separate by individual analyte.

²Reference number from QAPP Worksheet #21 (see Section 3.1.2).

³Reference number from QAPP Worksheet #23 (see Section 3.2).

⁴The most current version of the method will be used.

⁵Completeness is calculated as the number of samples planned to be collected divided by the number of sample results that were rejected.

QAPP Worksheet #12-4
Measurement Performance Criteria Table

| Matrix | Soil/sediment | | | | |
|---------------------------------|--|--------------------------------|--|--|---|
| Analytical Group ¹ | Metals (arsenic, cadmium, cobalt, copper, lead, mercury, selenium, silver thallium, uranium) | | | | |
| Concentration Level | Low | | | | |
| Sampling Procedure ² | Analytical Method/SOP ^{3,4} | Data Quality Indicators (DQIs) | Measurement Performance Criteria | QC Sample and/or Activity Used to Assess Measurement Performance | QC Sample Assesses Error for Sampling (S), Analytical (A) or both (S&A) |
| | SW846-6020 | Precision-Lab Accuracy/Bias | RPD-35% +/- 20% recovery | Laboratory Duplicates | A |
| | | Accuracy/Bias-Contamination | No target compounds > quantitation limit | Laboratory Sample Spikes | A |
| | | Completeness | 90% | Method Blanks/Instrument Blanks | A |
| | | | | Data completeness check | S&A |
| | SW846-7471 | Precision-Lab Accuracy/Bias | RPD-35% +/- 20% recovery | Laboratory Duplicates | A |
| | | Accuracy/Bias-Contamination | No target compounds > quantitation limit | Laboratory Sample Spikes | A |
| | | Completeness ⁵ | 90% | Method Blanks/Instrument Blanks | A |
| | | | | Data completeness check | S&A |

¹If information varies within an analytical group, separate by individual analyte.

²Reference number from QAPP Worksheet #21 (see Section 3.1.2).

³Reference number from QAPP Worksheet #23 (see Section 3.2).

⁴The most current version of the method will be used.

⁵Completeness is calculated as the number of samples planned to be collected divided by the number of sample results that were rejected.

QAPP Worksheet #12-5
Measurement Performance Criteria Table

| Matrix | Soil/sediment | | | | |
|---------------------------------|--------------------------------------|--------------------------------|--|--|---|
| Analytical Group ¹ | PCBs | | | | |
| Concentration Level | Low | | | | |
| Sampling Procedure ² | Analytical Method/SOP ^{3,4} | Data Quality Indicators (DQIs) | Measurement Performance Criteria | QC Sample and/or Activity Used to Assess Measurement Performance | QC Sample Assesses Error for Sampling (S), Analytical (A) or both (S&A) |
| | SW846-8082 | Precision—Lab Accuracy/Bias | RPD—43% +/- 20% recovery | Laboratory Duplicates Laboratory Sample Spikes | A A |
| | | Accuracy/Bias-Contamination | No target compounds > quantitation limit | Method Blanks/Instrument Blanks | A |
| | | Completeness ⁵ | 90% | Data completeness check | S&A |

¹If information varies within an analytical group, separate by individual analyte.

²Reference number from QAPP Worksheet #21 (see Section 3.1.2).

³Reference number from QAPP Worksheet #23 (see Section 3.2).

⁴The most current version of the method will be used.

⁵Completeness is calculated as the number of samples planned to be collected divided by the number of sample results that were rejected.

QAPP Worksheet #12-6
 Measurement Performance Criteria Table

| Matrix | Soil/sediment | | | | |
|---------------------------------|--|--------------------------------|--|--|---|
| Analytical Group ¹ | Radionuclides (Gross alpha and Gross beta) | | | | |
| Concentration Level | Low | | | | |
| Sampling Procedure ² | Analytical Method/SOP ^{3,4} | Data Quality Indicators (DQIs) | Measurement Performance Criteria | QC Sample and/or Activity Used to Assess Measurement Performance | QC Sample Assesses Error for Sampling (S), Analytical (A) or both (S&A) |
| | EPA 900 | Precision-Lab | RPD-30% (gross alpha) | Laboratory Duplicates | A |
| | | Precision-Lab | RPD-25% (gross beta) | Laboratory Duplicates | A |
| | | Accuracy/Bias | +/- 20% recovery | Laboratory Sample Spikes | A |
| | | Accuracy/Bias-Contamination | No target compounds > quantitation limit | Method Blanks/Instrument Blanks | A |
| | | Completeness ⁵ | 90% | Data completeness check | S&A |

¹If information varies within an analytical group, separate by individual analyte.

²Reference number from QAPP Worksheet #21 (see Section 3.1.2).

³Reference number from QAPP Worksheet #23 (see Section 3.2).

⁴The most current version of the method will be used.

⁵Completeness is calculated as the number of samples planned to be collected divided by the number of sample results that were rejected.

QAPP Worksheet #12-7
Measurement Performance Criteria Table

| Matrix | Soil/sediment | | | | |
|---------------------------------|---|--------------------------------|--|--|---|
| Analytical Group ¹ | Radionuclides (uranium-234, uranium-235, uranium-238) | | | | |
| Concentration Level | Low | | | | |
| Sampling Procedure ² | Analytical Method/SOP ^{3,4} | Data Quality Indicators (DQIs) | Measurement Performance Criteria | QC Sample and/or Activity Used to Assess Measurement Performance | QC Sample Assesses Error for Sampling (S), Analytical (A) or both (S&A) |
| | Alpha spectroscopy | Precision-Lab Accuracy/Bias | RPD-20% +/- 20% recovery | Laboratory Duplicates Laboratory Sample Spikes | A A |
| | | Accuracy/Bias-Contamination | No target compounds > quantitation limit | Method Blanks/Instrument Blanks | A |
| | | Completeness ⁵ | 90% | Data completeness check | S&A |

¹If information varies within an analytical group, separate by individual analyte.

²Reference number from QAPP Worksheet #21 (see Section 3.1.2).

³Reference number from QAPP Worksheet #23 (see Section 3.2).

⁴The most current version of the method will be used.

⁵Completeness is calculated as the number of samples planned to be collected divided by the number of sample results that were rejected.

QAPP Worksheet #12-8
Measurement Performance Criteria Table

| Matrix | Soil/sediment | | | | |
|---------------------------------|---|--------------------------------|--|--|---|
| Analytical Group ¹ | Radionuclides (americium-241, neptunium-237, plutonium-238, plutonium-239/240, thorium-228, thorium-230, thorium-232) | | | | |
| Concentration Level | Low | | | | |
| Sampling Procedure ² | Analytical Method/SOP ^{3,4} | Data Quality Indicators (DQIs) | Measurement Performance Criteria | QC Sample and/or Activity Used to Assess Measurement Performance | QC Sample Assesses Error for Sampling (S), Analytical (A) or both (S&A) |
| | Alpha spectroscopy | Precision-Lab Accuracy/Bias | RPD-50% +/- 20% recovery | Laboratory Duplicates | A |
| | | Accuracy/Bias-Contamination | No target compounds > quantitation limit | Laboratory Sample Spikes | A |
| | | Completeness ⁵ | 90% | Method Blanks/Instrument Blanks | A |
| | | | | Data completeness check | S&A |

¹If information varies within an analytical group, separate by individual analyte.

²Reference number from QAPP Worksheet #21 (see Section 3.1.2).

³Reference number from QAPP Worksheet #23 (see Section 3.2).

⁴The most current version of the method will be used.

⁵Completeness is calculated as the number of samples planned to be collected divided by the number of sample results that were rejected.

QAPP Worksheet #12-9
Measurement Performance Criteria Table

| Matrix | Soil/sediment | | | | |
|---------------------------------|--------------------------------------|--------------------------------|--|--|---|
| Analytical Group ¹ | Radionuclides (cesium-137) | | | | |
| Concentration Level | Low | | | | |
| Sampling Procedure ² | Analytical Method/SOP ^{3,4} | Data Quality Indicators (DQIs) | Measurement Performance Criteria | QC Sample and/or Activity Used to Assess Measurement Performance | QC Sample Assesses Error for Sampling (S), Analytical (A) or both (S&A) |
| | Gamma spectroscopy | Precision-Lab Accuracy/Bias | RPD-50% +/- 20% recovery | Laboratory Duplicates Laboratory Sample Spikes | A A |
| | | Accuracy/Bias-Contamination | No target compounds > quantitation limit | Method Blanks/Instrument Blanks | A |
| | | Completeness ⁵ | 90% | Data completeness check | S&A |

¹If information varies within an analytical group, separate by individual analyte.

²Reference number from QAPP Worksheet #21 (see Section 3.1.2).

³Reference number from QAPP Worksheet #23 (see Section 3.2).

⁴The most current version of the method will be used.

⁵Completeness is calculated as the number of samples planned to be collected divided by the number of sample results that were rejected.

QAPP Worksheet #12-10
Measurement Performance Criteria Table

| Matrix | Soil/sediment | | | | |
|---------------------------------|--------------------------------------|---------------------------------|--|--|---|
| Analytical Group ¹ | Radionuclides (technetium-99) | | | | |
| Concentration Level | Low | | | | |
| Sampling Procedure ² | Analytical Method/SOP ^{3,4} | Data Quality Indicators (DQIs) | Measurement Performance Criteria | QC Sample and/or Activity Used to Assess Measurement Performance | QC Sample Assesses Error for Sampling (S), Analytical (A) or both (S&A) |
| | Liquid scintillation | Precision-Lab Accuracy/Bias | RPD-50% +/- 20% recovery | Laboratory Duplicates Laboratory Sample Spikes | A A |
| | | Accuracy/Bias- Contamination | No target compounds > quantitation limit | Method Blanks/Instrument Blanks | A |
| | | Completeness ⁵ | 90% | Data completeness check | S&A |

¹If information varies within an analytical group, separate by individual analyte.

²Reference number from QAPP Worksheet #21 (see Section 3.1.2).

³Reference number from QAPP Worksheet #23 (see Section 3.2).

⁴The most current version of the method will be used.

⁵Completeness is calculated as the number of samples planned to be collected divided by the number of sample results that were rejected.

QAPP Worksheet #12-11
Measurement Performance Criteria Table

| Matrix | Soil/sediment | | | | |
|---------------------------------|--|--------------------------------|--|--|---|
| Analytical Group ¹ | Metals (antimony, arsenic, cadmium, chromium, copper, iron, lead, manganese, mercury, molybdenum, nickel, selenium, silver, uranium, vanadium, and zinc) | | | | |
| Concentration Level | Moderate | | | | |
| Sampling Procedure ² | Analytical Method/SOP ^{3,4} | Data Quality Indicators (DQIs) | Measurement Performance Criteria | QC Sample and/or Activity Used to Assess Measurement Performance | QC Sample Assesses Error for Sampling (S), Analytical (A) or both (S&A) |
| | SW846-6200 | Precision—Lab Accuracy/Bias | RPD—20% +/- 20% recovery | Laboratory Duplicates | A |
| | | Accuracy/Bias-Contamination | No target compounds > quantitation limit | Laboratory Sample Spikes | A |
| | | Completeness ⁵ | 90% | Method Blanks/Instrument Blanks | A |
| | | | | Data completeness check | S&A |

¹If information varies within an analytical group, separate by individual analyte.

²Reference number from QAPP Worksheet #21 (see Section 3.1.2).

³Reference number from QAPP Worksheet #23 (see Section 3.2).

⁴The most current version of the method will be used.

⁵Completeness is calculated as the number of samples planned to be collected divided by the number of sample results that were rejected.

QAPP Worksheet #12-12
Measurement Performance Criteria Table

| Matrix | Soil/sediment | | | | |
|---------------------------------|--------------------------------------|--------------------------------|--|--|---|
| Analytical Group ¹ | PCBs (test kits) | | | | |
| Concentration Level | Low | | | | |
| Sampling Procedure ² | Analytical Method/SOP ^{3,4} | Data Quality Indicators (DQIs) | Measurement Performance Criteria | QC Sample and/or Activity Used to Assess Measurement Performance | QC Sample Assesses Error for Sampling (S), Analytical (A) or both (S&A) |
| | Manufacturer's instructions | Precision-Lab | n/a | n/a | n/a |
| | | Accuracy/Bias | n/a | n/a | n/a |
| | | Accuracy/Bias-Contamination | No target compounds > quantitation limit | Method Blanks/Instrument Blanks | A |
| | | Completeness ⁵ | 90% | Data completeness check | S&A |

¹If information varies within an analytical group, separate by individual analyte.

²Reference number from QAPP Worksheet #21 (see Section 3.1.2).

³Reference number from QAPP Worksheet #23 (see Section 3.2).

⁴The most current version of the method will be used.

⁵Completeness is calculated as the number of samples planned to be collected divided by the number of sample results that were rejected.

QAPP Worksheet #12-13
Measurement Performance Criteria Table

| Matrix | Soil/sediment | | | | |
|---------------------------------|--------------------------------------|--------------------------------|--|--|---|
| Analytical Group ¹ | PAHs (test kits) | | | | |
| Concentration Level | Low | | | | |
| Sampling Procedure ² | Analytical Method/SOP ^{3,4} | Data Quality Indicators (DQIs) | Measurement Performance Criteria | QC Sample and/or Activity Used to Assess Measurement Performance | QC Sample Assesses Error for Sampling (S), Analytical (A) or both (S&A) |
| | Manufacturer's instructions | Precision—Lab | n/a | n/a | n/a |
| | | Accuracy/Bias | n/a | n/a | n/a |
| | | Accuracy/Bias-Contamination | No target compounds > quantitation limit | Method Blanks/Instrument Blanks | A |
| | | Completeness ⁵ | 90% | Data completeness check | S&A |

If information varies within an analytical group, separate by individual analyte.

²Reference number from QAPP Worksheet #21 (see Section 3.1.2).

³Reference number from QAPP Worksheet #23 (see Section 3.2).

⁴The most current version of the method will be used.

⁵Completeness is calculated as the number of samples planned to be collected divided by the number of sample results that were rejected.

QAPP Worksheet #13
Secondary Data Criteria and Limitations Table

UFP-QAPP Manual Section 2.7:

| Secondary Data | Data Source (Originating Organization, Report Title, and Date) | Data Generator(s) (Originating Org., Data Types, Data Generation/Collection Dates) | How Data Will Be Used | Limitations on Data Use |
|---|---|---|---|---|
| Appendix C "Analytical Data"; process knowledge | Data are from various sources, also see Section 5 | DOE; previous analytical sampling/analysis results; contaminant conclusions based process knowledge | To determine whether SWMU is contaminated and, if so, to quantify risk to human health and provide input to the remedy alternatives | Radiological data should be evaluated for analytical limitations, data is used for planning purposed only |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

QAPP Worksheet #14
Summary of Project Tasks¹

UFP-QAPP Manual Section 2.8.1:

Sampling Tasks: See Section 9 (Field Sampling Plan) of the RI/FS Work Plan.

Analysis Tasks: See Section 9 (Field Sampling Plan) of the RI/FS Work Plan.

Quality Control Tasks: QC Samples: Work Sheet # 20 & 28, Equipment Calibration: Work Sheet # 22 & 24, Data Review/Validation: Work Sheet # 34, 35, 36, & 37

Secondary Data: See Section 9 (Field Sampling Plan) of the RI/FS Work Plan.

Data Management Tasks: See Section 12 (Data Management Implementation Plan) of the RI/FS Work Plan.

Documentation and Records: Documentation and Records will be per DOE Prime Contractor procedure PRS-DOC-1009, *Documents and Records*. Also, See Section 12 (Data Management Implementation Plan) of the RI/FS Work Plan

Assessment/Audit Tasks: Assessments and audits will be per DOE Prime Contractor procedure PRS-ENM-5003, *Quality Assured Data*. Also, See Section 11 (Quality Assurance Project Plan) of the RI/FS Work Plan.

Data Review Tasks: Data review tasks will be per DOE Prime Contractor procedure PRS-ENM-5003, *Quality Assured Data*.

¹ It is understood that SOPs are contractor specific.

QAPP Worksheet #15-1
Reference Limits and Evaluation Table

UFP-QAPP Manual Section 2.8.1:

Matrix: Soil/Sediment

Analytical Group: volatile organic compounds

Concentration Level: low

| Analyte | CAS Number | Project Action Limit (µg/kg) | Project Quantitation Limit (µg/kg) | Analytical Method ¹ | | Achievable Laboratory Limits ² | |
|---------------------------|------------|------------------------------|------------------------------------|--------------------------------|------------|---|-----|
| | | | | MDLs | Method QLs | MDLs | QLs |
| Acetone | 67-64-1 | n/a | 10 | 5 | 1 | 5 | 1 |
| Acrolein | 107-02-8 | n/a | 10 | 5 | 1 | 5 | 1 |
| Acrylonitrile | 107-13-1 | n/a | 10 | 5 | 1 | 5 | 1 |
| Benzene | 71-43-2 | n/a | 10 | 5 | 1 | 5 | 1 |
| Bromodichloromethane | 75-27-4 | n/a | 10 | 5 | 1 | 5 | 1 |
| Bromoform | 75-25-2 | n/a | 10 | 5 | 1 | 5 | 1 |
| Bromomethane | 74-83-9 | n/a | 10 | 5 | 1 | 5 | 1 |
| 2-Butanone | 78-93-3 | n/a | 10 | 5 | 1 | 5 | 1 |
| Carbon disulfide | 75-15-0 | n/a | 10 | 5 | 1 | 5 | 1 |
| Carbon tetrachloride | 56-23-5 | n/a | 10 | 5 | 1 | 5 | 1 |
| Chlorobenzene | 108-90-7 | n/a | 10 | 5 | 1 | 5 | 1 |
| Chloroethane | 75-00-3 | n/a | 10 | 5 | 1 | 5 | 1 |
| 2-Chloroethyl vinyl ether | 110-75-8 | n/a | 10 | 5 | 1 | 5 | 1 |
| Chloroform | 67-66-3 | n/a | 10 | 5 | 1 | 5 | 1 |
| Chloromethane | 74-87-3 | n/a | 10 | 5 | 1 | 5 | 1 |
| Dibromochloromethane | 124-48-1 | n/a | 10 | 5 | 1 | 5 | 1 |
| Dibromomethane | 74-95-3 | n/a | 10 | 5 | 1 | 5 | 1 |
| Dichlorodifluoromethane | 75-71-8 | n/a | 10 | 5 | 1 | 5 | 1 |
| 1,1-Dichloroethane | 75-34-3 | n/a | 10 | 5 | 1 | 5 | 1 |
| 1,2-Dichloroethane | 107-06-2 | n/a | 10 | 5 | 1 | 5 | 1 |

QAPP Worksheet #15-1 Reference Limits and Evaluation Table (Continued)

Matrix: Soil/Sediment
Analytical Group: volatile organic compounds
Concentration Level: low

| Analyte | CAS Number | Project Action Limit (µg/kg) | Project Quantitation Limit (µg/kg) | Analytical Method ¹ | | Achievable Laboratory Limits ² | |
|---|------------|------------------------------|------------------------------------|--------------------------------|------------|---|-----|
| | | | | MDLs | Method QLs | MDLs | QLs |
| 1,1-Dichloroethene | 75-35-4 | n/a | 10 | 5 | 1 | 5 | 1 |
| <i>cis</i> -1,2-Dichloroethene | 156-59-2 | n/a | 10 | 5 | 1 | 5 | 1 |
| <i>trans</i> -1,2-Dichloroethene | 156-60-5 | n/a | 10 | 5 | 1 | 5 | 1 |
| 1,2-Dichloropropane | 78-87-5 | n/a | 10 | 5 | 1 | 5 | 1 |
| <i>cis</i> -1,3-Dichloropropene | 10061-01-5 | n/a | 10 | 5 | 1 | 5 | 1 |
| <i>trans</i> -1,3-Dichloropropene | 10061-02-6 | n/a | 10 | 5 | 1 | 5 | 1 |
| <i>trans</i> -1,4-Dichloro-2-butene (100) | 110-57-6 | n/a | 10 | 5 | 1 | 5 | 1 |
| Ethyl benzene | 100-41-4 | n/a | 10 | 5 | 1 | 5 | 1 |
| Ethyl methacrylate | 97-63-2 | n/a | 10 | 5 | 1 | 5 | 1 |
| Iodomethane | 74-88-4 | n/a | 10 | 5 | 1 | 5 | 1 |
| 2-Hexanone | 591-78-6 | n/a | 10 | 5 | 1 | 5 | 1 |
| Methylene chloride | 75-09-2 | n/a | 10 | 5 | 1 | 5 | 1 |
| 4-Methyl-2-pentanone | 108-10-1 | n/a | 10 | 5 | 1 | 5 | 1 |
| Styrene | 100-42-5 | n/a | 10 | 5 | 1 | 5 | 1 |
| 1,1,1,2-Tetrachloroethane | 630-20-6 | n/a | 10 | 5 | 1 | 5 | 1 |
| 1,1,2,2-Tetrachloroethane | 79-34-5 | n/a | 10 | 5 | 1 | 5 | 1 |
| Tetrachloroethene | 127-18-4 | n/a | 10 | 5 | 1 | 5 | 1 |
| Toluene | 108-88-3 | n/a | 10 | 5 | 1 | 5 | 1 |
| 1,1,1-Trichloroethane | 71-55-6 | n/a | 10 | 5 | 1 | 5 | 1 |
| 1,1,2-Trichloroethane | 79-00-5 | n/a | 10 | 5 | 1 | 5 | 1 |
| Trichloroethene | 79-01-6 | n/a | 10 | 5 | 1 | 5 | 1 |
| Trichlorofluoromethane | 75-69-4 | n/a | 10 | 5 | 1 | 5 | 1 |
| 1,2,3-Trichloropropane | 96-18-4 | n/a | 10 | 5 | 1 | 5 | 1 |
| Vinyl acetate | 108-05-4 | n/a | 10 | 5 | 1 | 5 | 1 |
| Vinyl chloride | 75-01-4 | n/a | 10 | 5 | 1 | 5 | 1 |
| <i>m,p</i> -xylene | NS831 | n/a | 20 | 5 | 1 | 5 | 1 |
| <i>o</i> -xylene | 95-47-6 | n/a | 10 | 5 | 1 | 5 | 1 |

Title: Soils Operable Unit RI/FS Work Plan
Revision Number: 0
Revision Date: 7/20/2009

¹ Analytical MDLs and QLs are those documented in validated methods.

² Achievable MDLs and QLs are limits that an individual laboratory can achieve when performing a specific analytical method.

QAPP Worksheet #15-2
Reference Limits and Evaluation Table

Matrix: Soil/Sediment
Analytical Group: semivolatle organic compounds
Concentration Level: low

| Analyte | CAS Number | Project Action Limit (µg/kg) | Project Quantitation Limit (µg/kg) | Analytical Method ¹ | | Achievable Laboratory Limits ² | |
|----------------------------|------------|------------------------------|------------------------------------|--------------------------------|------------|---|-----|
| | | | | MDLs | Method QLs | MDLs | QLs |
| 1,2,4-Trichlorobenzene | 120-82-1 | n/a | 660 | | 660 | n/a | |
| 1,2-Dichlorobenzene | 95-50-1 | n/a | 660 | | 660 | n/a | |
| 1,3-Dichlorobenzene | 541-73-1 | n/a | 660 | | 660 | n/a | |
| 1,4-Dichlorobenzene | 106-46-7 | n/a | 660 | | 660 | n/a | |
| 2,4,5-Trichlorophenol | 95-95-4 | n/a | 660 | | 660 | n/a | |
| 2,4,6-Trichlorophenol | 88-06-2 | n/a | 660 | | 660 | n/a | |
| 2,4-Dichlorophenol | 120-83-2 | n/a | 660 | | 660 | n/a | |
| 2,4-Dimethylphenol | 105-67-9 | n/a | 660 | | 660 | n/a | |
| 2,4-Dinitrotoluene | 121-14-2 | n/a | 660 | | 660 | n/a | |
| 2,6-Dinitrotoluene | 606-20-2 | n/a | 660 | | 660 | n/a | |
| 2-Chloronaphthalene | 91-58-7 | n/a | 660 | | 660 | n/a | |
| 2-Chlorophenol | 95-57-8 | n/a | 660 | | 660 | n/a | |
| 2-Methylnaphthalene | 91-57-6 | n/a | 660 | | 660 | n/a | |
| 2-Nitrophenol | 88-75-5 | n/a | 660 | | 660 | n/a | |
| 4-Bromophenyl phenyl ether | 101-55-3 | n/a | 660 | | 660 | n/a | |

QAPP Worksheet #15-2 Reference Limits and Evaluation Table (Continued)

Matrix: Soil/Sediment
Analytical Group: semivolatle organic compounds
Concentration Level: low

| Analyte | CAS Number | Project Action Limit (µg/kg) | Project Quantitation Limit (µg/kg) | Analytical Method ¹ | | Achievable Laboratory Limits ² | |
|------------------------------|------------|------------------------------|------------------------------------|--------------------------------|------------|---|-----|
| | | | | MDLs | Method QLs | MDLs | QLs |
| 4-Chlorophenylphenyl ether | 7005-72-3 | n/a | 660 | 660 | | 660 | n/a |
| Acenaphthene | 83-32-9 | n/a | 660 | 660 | | 660 | n/a |
| Acenaphthylene | 208-96-8 | n/a | 660 | 660 | | 660 | n/a |
| Anthracene | 120-12-7 | n/a | 660 | 660 | | 660 | n/a |
| Benzo(a)anthracene | 56-55-3 | n/a | 660 | 660 | | 660 | n/a |
| Benzo(a)pyrene | 50-32-8 | n/a | 660 | 660 | | 660 | n/a |
| Benzo(b)fluoranthene | 205-99-2 | n/a | 660 | 660 | | 660 | n/a |
| Benzo(ghi)perylene | 191-24-2 | n/a | 660 | 660 | | 660 | n/a |
| Benzo(k)fluoranthene | 207-08-9 | n/a | 660 | 660 | | 660 | n/a |
| bis(2-chloroethoxy)methane | 111-91-1 | n/a | 660 | 660 | | 660 | n/a |
| bis(2-chloroethyl) ether | 111-44-4 | n/a | 660 | 660 | | 660 | n/a |
| bis(2-chloroisopropyl) ether | 108-60-1 | n/a | 660 | 660 | | 660 | n/a |
| bis(2-ethylhexyl)phthalate | 117-81-7 | n/a | 660 | 660 | | 660 | n/a |
| Butyl benzyl phthalate | 85-68-7 | n/a | 660 | 660 | | 660 | n/a |
| Chrysene | 218-01-9 | n/a | 660 | 660 | | 660 | n/a |
| Dibenz(a,h)anthracene | 53-70-3 | n/a | 660 | 660 | | 660 | n/a |
| Dibenzofuran | 132-64-9 | n/a | 660 | 660 | | 660 | n/a |
| Diethylphthalate | 84-66-2 | n/a | 660 | 660 | | 660 | n/a |
| Dimethylphthalate | 131-11-3 | n/a | 660 | 660 | | 660 | n/a |
| Di-n-butylphthalate | 84-74-2 | n/a | 660 | 660 | | 660 | n/a |
| Di-n-octylphthalate | 117-84-0 | n/a | 660 | 660 | | 660 | n/a |
| Fluoranthene | 206-44-0 | n/a | 660 | 660 | | 660 | n/a |

QAPP Worksheet #15-2 Reference Limits and Evaluation Table (Continued)

Matrix: Soil/Sediment

Analytical Group: semivolatle organic compounds
Concentration Level: low

| Analyte | CAS Number | Project Action Limit (µg/kg) | Project Quantitation Limit (µg/kg) | Analytical Method ¹ | | Achievable Laboratory Limits ² | |
|----------------------------|------------|------------------------------|------------------------------------|--------------------------------|------------|---|-----|
| | | | | MDLs | Method QLs | MDLs | QLs |
| Fluorene | 86-73-7 | n/a | 660 | 660 | | 660 | n/a |
| Hexachlorobenzene | 118-74-1 | n/a | 660 | 660 | | 660 | n/a |
| Hexachlorobutadiene | 87-68-3 | n/a | 660 | 660 | | 660 | n/a |
| Hexachlorocyclopentadiene | 77-47-4 | n/a | 660 | 660 | | 660 | n/a |
| Hexachloroethane | 67-72-1 | n/a | 660 | 660 | | 660 | n/a |
| Indeno(1,2,3-cd)pyrene | 193-39-5 | n/a | 660 | 660 | | 660 | n/a |
| Isophorone | 78-59-1 | n/a | 660 | 660 | | 660 | n/a |
| m,p-cresol | | n/a | 660 | 660 | | 660 | n/a |
| Naphthalene | 91-20-3 | n/a | 660 | 660 | | 660 | n/a |
| Nitrobenzene | 98-95-3 | n/a | 660 | 660 | | 660 | n/a |
| N-Nitroso-di-n-propylamine | 621-64-7 | n/a | 660 | 660 | | 660 | n/a |
| N-Nitrosodiphenylamine | 86-30-6 | n/a | 660 | 660 | | 660 | n/a |
| o-cresol | 95-48-7 | n/a | 660 | 660 | | 660 | n/a |
| Phenanthrene | 85-01-8 | n/a | 660 | 660 | | 660 | n/a |
| Phenol | 108-95-2 | n/a | 660 | 660 | | 660 | n/a |
| Pyrene | 129-00-0 | n/a | 660 | 660 | | 660 | n/a |
| Pyridine | 110-86-1 | n/a | 660 | 660 | | 660 | n/a |
| 3,3'-Dichlorobenzidine | 91-94-1 | n/a | 1300 | 1300 | | 1300 | n/a |
| 4-Chloro-3-methylphenol | 59-50-7 | n/a | 1300 | 1300 | | 1300 | n/a |
| 4-Chloroaniline | 106-47-8 | n/a | 1300 | 1300 | | 1300 | n/a |
| Benzyl Alcohol | 100-51-6 | n/a | 1300 | 1300 | | 1300 | n/a |
| 2,4-Dinitrophenol | 51-28-5 | n/a | 3300 | 3300 | | 3300 | n/a |
| 2-Methyl-4,6-dinitrophenol | 534-52-1 | n/a | 3300 | 3300 | | 3300 | n/a |

QAPP Worksheet #15-2 Reference Limits and Evaluation Table (Continued)

Matrix: Soil/Sediment

Analytical Group: semivolatle organic compounds

Concentration Level: low

| Analyte | CAS Number | Project Action Limit (µg/kg) | Project Quantitation Limit (µg/kg) | Analytical Method ¹ | | Achievable Laboratory Limits ² | |
|-------------------|------------|------------------------------|------------------------------------|--------------------------------|------------|---|-----|
| | | | | MDLs | Method QLs | MDLs | QLs |
| 2-Nitroaniline | 88-74-4 | n/a | 3300 | 3300 | | 3300 | n/a |
| 3-Nitroaniline | 99-09-2 | n/a | 3300 | 3300 | | 3300 | n/a |
| 4-Nitroaniline | 100-01-6 | n/a | 3300 | 3300 | | 3300 | n/a |
| 4-Nitrophenol | 100-02-7 | n/a | 3300 | 3300 | | 3300 | n/a |
| Benzoic Acid | 65-85-0 | n/a | 3300 | 3300 | | 3300 | n/a |
| Pentachlorophenol | 87-86-5 | n/a | 3300 | 3300 | | 3300 | n/a |

¹ Analytical MDLs and QLs are those documented in validated methods.

² Achievable MDLs and QLs are limits that an individual laboratory can achieve when performing a specific analytical method.

QAPP Worksheet #15-3
Reference Limits and Evaluation Table

Matrix: Soil/Sediment
Analytical Group: metals
Concentration Level: low

| Analyte | CAS Number | Project Action Limit (mg/kg) | Project Quantitation Limit (mg/kg) | Analytical Method ¹ | | Achievable Laboratory Limits ² | |
|------------|------------|------------------------------|------------------------------------|--------------------------------|------------|---|-----|
| | | | | MDLs | Method QLs | MDLs | QLs |
| Aluminum | 7429-90-5 | n/a | 20 | 20 | | 20 | n/a |
| Antimony | 7440-36-0 | n/a | 10 | 10 | | 10 | n/a |
| Arsenic | 7440-38-2 | n/a | 1 | 1 | | 1 | n/a |
| Beryllium | 7440-41-7 | n/a | 0.5 | 0.5 | | 0.5 | n/a |
| Cadmium | 7440-43-9 | n/a | 0.5 | 0.5 | | 0.5 | n/a |
| Chromium | 7440-47-3 | n/a | 2.5 | 2.5 | | 2.5 | n/a |
| Copper | 7440-50-8 | n/a | 2.5 | 2.5 | | 2.5 | n/a |
| Iron | 7439-89-6 | n/a | 20 | 20 | | 20 | n/a |
| Lead | 7439-92-1 | n/a | 20 | 1 | | 1 | n/a |
| Manganese | 7439-96-5 | n/a | 2.5 | 2.5 | | 2.5 | n/a |
| Mercury | 7439-97-6 | n/a | 0.02 | 0.02 | | 0.02 | n/a |
| Molybdenum | 7439-98-7 | n/a | 5 | 5 | | 5 | n/a |
| Nickel | 7440-02-0 | n/a | 5 | 5 | | 5 | n/a |
| Selenium | 7782-49-2 | n/a | 1 | 1 | | 1 | n/a |
| Silver | 7440-22-4 | n/a | 1 | 1 | | 1 | n/a |
| Thallium | 7440-28-0 | n/a | 2 | 2 | | 2 | n/a |
| Uranium | 7440-61-1 | n/a | 1 | 1 | | 1 | n/a |
| Vanadium | 7440-62-2 | n/a | 2.5 | 2.5 | | 2.5 | n/a |
| Zinc | 7440-66-6 | n/a | 20 | 20 | | 20 | n/a |

¹Analytical MDLs and QLs are those documented in validated methods.

²Achievable MDLs and QLs are limits that an individual laboratory can achieve when performing a specific analytical method.

QAPP Worksheet #15-4
Reference Limits and Evaluation Table

Matrix: Soil/Sediment
Analytical Group: radionuclides
Concentration Level: low

| Analyte | CAS Number | Project Action Limit (pCi/g) | Project Quantitation Limit (pCi/g) | Analytical Method ¹ | | Achievable Laboratory Limits ² | |
|-------------------|------------|------------------------------|------------------------------------|--------------------------------|------------|---|-----|
| | | | | MDLs | Method QLs | MDLs | QLs |
| Alpha Activity | 12587-46-1 | n/a | 5 | 5 | | 5 | n/a |
| Beta Activity | 12587-47-2 | n/a | 5 | 5 | | 5 | n/a |
| Americium-241 | 14596-10-2 | n/a | .005 | 3 | | 0.05 | n/a |
| Cesium-137 | 10045-97-3 | n/a | 0.1 | 0.5 | | 0.1 | n/a |
| Neptunium-237 | 13994-20-2 | n/a | 0.05 | 3 | | 0.05 | n/a |
| Plutonium-238 | 13981-16-3 | n/a | 0.05 | 6 | | 0.05 | n/a |
| Plutonium-239/240 | n/a | n/a | 0.05 | 4 | | 0.05 | n/a |
| Technetium-99 | 14133-76-7 | n/a | 1 | 8 | | 1 | n/a |
| Thorium-228 | 14274-82-9 | n/a | 0.05 | 3 | | 0.05 | n/a |
| Thorium-230 | 14269-63-7 | n/a | 0.05 | 4 | | 0.05 | n/a |
| Thorium-232 | n/a | n/a | 0.05 | 3 | | 0.05 | n/a |
| Uranium-234 | 13966-29-5 | n/a | 0.15 | 3 | | 0.15 | n/a |
| Uranium-235 | 15117-96-1 | n/a | 0.05 | 2 | | 0.05 | n/a |
| Uranium-238 | 24678-82-8 | n/a | 0.15 | 2 | | 0.15 | n/a |

¹Analytical MDLs and QLs are those documented in validated methods.

²Achievable MDLs and QLs are limits that an individual laboratory can achieve when performing a specific analytical method.

QAPP Worksheet #15-5
 Reference Limits and Evaluation Table

Matrix: Soil/Sediment
 Analytical Group: PCBs
 Concentration Level: low

| Analyte | CAS Number | Project Action Limit (mg/kg) | Project Quantitation Limit (mg/kg) | Analytical Method ¹ | | Achievable Laboratory Limits ² | |
|--------------|------------|------------------------------|------------------------------------|--------------------------------|------------|---|-----|
| | | | | MDLs | Method QLs | MDLs | QLs |
| Aroclor-1016 | | n/a | 0.1 | n/a | 0.1 | n/a | n/a |
| Aroclor-1221 | | n/a | 0.1 | n/a | 0.1 | n/a | n/a |
| Aroclor-1232 | | n/a | 0.1 | n/a | 0.1 | n/a | n/a |
| Aroclor-1242 | | n/a | 0.1 | n/a | 0.1 | n/a | n/a |
| Aroclor-1248 | | n/a | 0.1 | n/a | 0.1 | n/a | n/a |
| Aroclor-1254 | | n/a | 0.1 | n/a | 0.1 | n/a | n/a |
| Aroclor-1260 | | n/a | 0.1 | n/a | 0.1 | n/a | n/a |
| Total PCBs | | n/a | 0.1 | n/a | 0.1 | n/a | n/a |

¹Analytical MDLs and QLs are those documented in validated methods.

²Achievable MDLs and QLs are limits that an individual laboratory can achieve when performing a specific analytical method.

QAPP Worksheet #15-6
Reference Limits and Evaluation Table

Matrix: Soil/Sediment
Analytical Group: metals by XRF
Concentration Level: low

| Analyte | CAS Number | Project Action Limit (mg/kg) | Project Quantitation Limit (mg/kg) | Analytical Method ¹ | | Achievable Laboratory Limits ² | |
|------------|------------|---------------------------------|--|--------------------------------|------------|---|-----|
| | | | | MDLs | Method QLs | MDLs | QLs |
| Antimony | 7440-36-0 | n/a | 30 | 30 | | 30 | n/a |
| Arsenic | 7440-38-2 | n/a | 11 | 11 | | 11 | n/a |
| Cadmium | 7440-43-9 | n/a | 12 | 12 | | 12 | n/a |
| Chromium | 7440-47-3 | n/a | 85 | 85 | | 85 | n/a |
| Copper | 7440-50-8 | n/a | 35 | 35 | | 35 | n/a |
| Iron | 7439-89-6 | n/a | 100 | 100 | | 100 | n/a |
| Lead | 7439-92-1 | n/a | 13 | 13 | | 13 | n/a |
| Manganese | 7439-96-5 | n/a | 85 | 85 | | 85 | n/a |
| Mercury | 7439-97-6 | n/a | 10 | 10 | | 10 | n/a |
| Molybdenum | 7439-98-7 | n/a | 15 | 15 | | 15 | n/a |
| Nickel | 7440-02-0 | n/a | 65 | 65 | | 65 | n/a |
| Selenium | 7782-49-2 | n/a | 20 | 20 | | 20 | n/a |
| Silver | 7440-22-4 | n/a | 10 | 10 | | 10 | n/a |
| Uranium | 7440-61-1 | n/a | 20 | 20 | | 20 | n/a |
| Vanadium | 7440-62-2 | n/a | 70 | 70 | | 70 | n/a |
| Zinc | 7440-66-6 | n/a | 25 | 25 | | 25 | n/a |

¹ Analytical MDLs and QLs are those documented in validated methods.

² Achievable MDLs and QLs are limits that an individual laboratory can achieve when performing a specific analytical method.

**QAPP Worksheet #15-7
Reference Limits and Evaluation Table**

Matrix: Soil/Sediment
Analytical Group: PCBs by test kit
Concentration Level: low

| Analyte | CAS Number | Project Action Limit (mg/kg) | Project Quantitation Limit (mg/kg) | Analytical Method ¹ | | Achievable Laboratory Limits ² | |
|------------|------------|---------------------------------|--|--------------------------------|------------|---|-----|
| | | | | MDLs | Method QLs | MDLs | QLs |
| Total PCBs | | n/a | 5 | 5 | | 5 | n/a |

¹Analytical MDLs and QLs are those documented in validated methods.

²Achievable MDLs and QLs are limits that an individual laboratory can achieve when performing a specific analytical method.

**QAPP Worksheet #16
 Project Schedule/Timeline Table¹**

UFP-QAPP Manual Section 2.8.2:

| Activities | Organization | Dates (MM/DD/YY) | | Deliverable | Deliverable Due Date |
|------------|--------------|-----------------------------------|--------------------------------|-------------|----------------------|
| | | Anticipated Date(s) of Initiation | Anticipated Date of Completion | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

¹ See Schedule in Section 1

Title: Soils Operable Unit RI/FS Work Plan
Revision Number: 0
Revision Date: 7/20/2009

QAPP Worksheet #17
Sampling Design and Rationale

UFP-QAPP Manual Section 3.1.1:

Describe and provide a rationale for choosing the sampling approach (e.g., grid system, biased statistical approach):

The Soils OU SWMUs have been divided as appropriate into 0.5-acre exposure units and will be randomly sampled as described in Section 9, "Field Sampling Plan." This approach allows for a non-biased statistical evaluation to determine if the exposure unit within the SWMU is contaminated.

Describe the sampling design and rationale in terms of what matrices will be sampled, what analytical groups will be analyzed and at what concentration levels, the sampling locations (including QC, critical, and background samples), the number of samples to be taken, and the sampling frequency (including seasonal considerations) [May refer to map or Worksheet #18 for details]:

Surface and subsurface soils will be sampled from Soils OU SWMUs that have not been adequately characterized previously. At each SWMU, a wide range of analyses will be collected: VOCs, SVOCs, metals, and radionuclides. It is not known the levels of chemicals that will be detected at each SWMU. Available historical data has been provided in Appendix C. Additional information is available in Worksheet 18 and in Section 9, "Field Sampling Plan."

QAPP Worksheet #18-1
Sampling Locations and Methods/SOP Requirements Table

UFP-QAPP Manual Section 3.1.1:
QAPP Worksheet #18-1 Sampling Locations and Methods/SOP Requirements Table

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|---------------------|------------------|----------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 99 | Soil | surface | SVOCs | See Appendix D for available historical Information | 4 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 4 | | |
| | | | Metals | | 4 | | |
| | | | Radionuclides | | 4 | | |
| | | Metals by XRF | 10 | | | | |
| | | PCBs by test kit | 10 | | | | |
| | | SVOCs | 4 | | | | |
| | | PCBs | 4 | | | | |
| | | Metals | 4 | | | | |
| | | Radionuclides | 4 | | | | |
| | | Metals by XRF | 16+1 field duplicate | | | | |
| | | PCBs by test kit | 16+1 field duplicate | | | | |
| | | SVOCs | 0 | | | | |
| | | PCBs | 0 | | | | |
| Metals | 0 | | | | | | |
| Metals by XRF | 8+1 field duplicate | | | | | | |
| PCBs by test kit | 8+1 field duplicate | | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18 - 1 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location | |
|-----------------------------|---------|------------------|------------------|---|---|-------------------------------------|---------------------------------|-----------------------|
| SWMU 194 | Soil | surface | | See Appendix D for available historical Information | 40+1 field duplicate | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 | |
| | | | SVOCs | | 40+1 field duplicate | | | |
| | | | PCBs | | 40+1 field duplicate | | | |
| | | | Metals | | 40+1 field duplicate | | | |
| | | | Radionuclides | | 40+1 field duplicate | | | |
| | | | Metals by XRF | | 157+8field duplicates | | | |
| | | PCBs by test kit | | 157+8field duplicates | | | | |
| | | | subsurface | | | | | 40+2 field duplicates |
| | | SVOCs | | | 40+2 field duplicates | | | |
| | | PCBs | | | 40+2 field duplicates | | | |
| | | Metals | | | 40+2 field duplicates | | | |
| | | Radionuclides | | | 40+2 field duplicates | | | |
| | | Metals by XRF | | | 158+8field duplicates | | | |
| | | PCBs by test kit | | 158+8field duplicates | | | | |
| | shallow | | | 0 | | | | |
| SVOCs | | | 0 | | | | | |
| PCBs | | | 0 | | | | | |
| Metals | | | 0 | | | | | |
| Metals by XRF | | | 0 | | | | | |
| PCBs by test kit | | | 0 | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-1 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location | |
|-----------------------------|--------|------------------|------------------|---|---|-------------------------------------|---------------------------------|--|
| SWMU 211 | Soil | surface | | See Appendix D for available historical Information | | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 | |
| | | | SVOCs | | 4+1 field duplicate | | | |
| | | | PCBs | | 4+1 field duplicate | | | |
| | | | Metals | | 4+1 field duplicate | | | |
| | | | Radionuclides | | 4+1 field duplicate | | | |
| | | | Metals by XRF | | 0 | | | |
| | | PCBs by test kit | 0 | | | | | |
| | | | subsurface | | | | | |
| | | SVOCs | | 4 | | | | |
| | | PCBs | | 4 | | | | |
| | | Metals | | 4 | | | | |
| | | Radionuclides | | 4 | | | | |
| | | Metals by XRF | | 0 | | | | |
| | | PCBs by test kit | 0 | | | | | |
| | | | shallow | | | | | |
| | | SVOCs | | 0 | | | | |
| PCBs | 0 | | | | | | | |
| Metals | 0 | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-1 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|--------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 489 | Soil | surface | SVOCs | See Appendix D for available historical Information | 4 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 4 | | |
| | | | Metals | | 4 | | |
| | | | Radionuclides | | 4 | | |
| | | | Metals by XRF | | 0 | | |
| | | | PCBs by test kit | | 0 | | |
| | | | | | | | |
| | | subsurface | SVOCs | 4 | | | |
| | | | PCBs | 4 | | | |
| | | | Metals | 4 | | | |
| | | | Radionuclides | 4 | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | 0 | | | |
| | | | | | | | |
| | | shallow | SVOCs | 0 | | | |
| | | | PCBs | 0 | | | |
| | | | Metals | 0 | | | |
| Metals by XRF | 0 | | | | | | |
| PCBs by test kit | 0 | | | | | | |
| PAHs by test kit | 0 | | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-1 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|------------------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 531 | Soil | surface | SVOCs | See Appendix D for available historical Information | 4 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 4 | | |
| | | | Metals | | 4 | | |
| | | | Radionuclides | | 4 | | |
| | | | Metals by XRF | | 0 | | |
| | | | PCBs by test kit | | 0 | | |
| | | subsurface | SVOCs | 4 | | | |
| | | | PCBs | 4 | | | |
| | | | Metals | 4 | | | |
| | | | Radionuclides | 4 | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | 0 | | | |
| | | | shallow | SVOCs | 0 | | |
| | | | | PCBs | 0 | | |
| | | | | Metals | 0 | | |
| | Metals by XRF | 0 | | | | | |
| | PCBs by test kit | 0 | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-1 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|--------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 47 | Soil | surface | SVOCs | See Appendix D for available historical Information | 2 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 2 | | |
| | | | Metals | | 2 | | |
| | | | Radionuclides | | 2 | | |
| | | | Metals by XRF | | 0 | | |
| | | | PCBs by test kit | | 0 | | |
| | | subsurface | SVOCs | 2 | | | |
| | | | PCBs | 2 | | | |
| | | | Metals | 2 | | | |
| | | | Radionuclides | 2 | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | 0 | | | |
| | | shallow | SVOCs | 0 | | | |
| | | | PCBs | 0 | | | |
| | | | Metals | 0 | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | | 0 | | |

Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-1 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|--------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 200 | Soil | surface | SVOCs | See Appendix D for available historical Information | 4 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 4 | | |
| | | | Metals | | 4 | | |
| | | | Radionuclides | | 4 | | |
| | | | Metals by XRF | | 0 | | |
| | | | PCBs by test kit | | 0 | | |
| | | subsurface | SVOCs | 4 | | | |
| | | | PCBs | 4 | | | |
| | | | Metals | 4 | | | |
| | | | Radionuclides | 4 | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | 0 | | | |
| | | shallow | SVOCs | 0 | | | |
| | | | PCBs | 0 | | | |
| | | | Metals | 0 | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | | 0 | | |

Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-1 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|--------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 212 | Soil | surface | SVOCs | See Appendix D for available historical Information | 4 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 4 | | |
| | | | Metals | | 4 | | |
| | | | Radionuclides | | 4 | | |
| | | | Metals by XRF | | 0 | | |
| | | | PCBs by test kit | | 0 | | |
| | | subsurface | SVOCs | 4 | | | |
| | | | PCBs | 4 | | | |
| | | | Metals | 4 | | | |
| | | | Radionuclides | 4 | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | 0 | | | |
| | | shallow | SVOCs | 1 | | | |
| | | | PCBs | 1 | | | |
| | | | Metals | 1 | | | |
| | | | Metals by XRF | 6+1 field duplicate | | | |
| | | | PCBs by test kit | | 6+1 field duplicate | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-1 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|------------------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 217 | Soil | surface | SVOCs | See Appendix D for available historical Information | 4+1 field duplicate | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 4+1 field duplicate | | |
| | | | Metals | | 4+1 field duplicate | | |
| | | | Radionuclides | | 4+1 field duplicate | | |
| | | | Metals by XRF | | 8+1 field duplicate | | |
| | | | PCBs by test kit | | 8+1 field duplicate | | |
| | | | | | | | |
| | | | | | | | |
| | | subsurface | SVOCs | 0 | | | |
| | | | PCBs | 0 | | | |
| | | | Metals | 0 | | | |
| | | | Radionuclides | 0 | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | 0 | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| shallow | SVOCs | 0 | | | | | |
| | PCBs | 0 | | | | | |
| | Metals | 0 | | | | | |
| | Metals by XRF | 0 | | | | | |
| | PCBs by test kit | 0 | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-1 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|--------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 226 | Soil | surface | SVOCs | See Appendix D for available historical Information | 4+1 field duplicate | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 4+1 field duplicate | | |
| | | | Metals | | 4+1 field duplicate | | |
| | | | Radionuclides | | 4+1 field duplicate | | |
| | | | Metals by XRF | | 0 | | |
| | | | PCBs by test kit | | 0 | | |
| | | | | | | | |
| | | subsurface | SVOCs | 0 | | | |
| | | | PCBs | 0 | | | |
| | | | Metals | 0 | | | |
| | | | Radionuclides | 0 | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | 0 | | | |
| | | | | | | | |
| | | shallow | SVOCs | 0 | | | |
| | | | PCBs | 0 | | | |
| | | | Metals | 0 | | | |
| Metals by XRF | 0 | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-1 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|--------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 227 | Soil | surface | SVOCs | See Appendix D for available historical Information | 4 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 4 | | |
| | | | Metals | | 4 | | |
| | | | Radionuclides | | 4 | | |
| | | | Metals by XRF | | 7 | | |
| | | | PCBs by test kit | | 7 | | |
| | | | | | | | |
| | | subsurface | SVOCs | 0 | | | |
| | | | PCBs | 0 | | | |
| | | | Metals | 0 | | | |
| | | | Radionuclides | 0 | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | 0 | | | |
| | | | | | | | |
| | | shallow | SVOCs | 0 | | | |
| | | | PCBs | 0 | | | |
| | | | Metals | 0 | | | |
| Metals by XRF | 0 | | | | | | |
| PCBs by test kit | 0 | | | | | | |
| | | | | | | | |
| | | | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-1 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|--------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 228 | Soil | surface | SVOCs | See Appendix D for available historical Information | 4 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 4 | | |
| | | | Metals | | 4 | | |
| | | | Radionuclides | | 4 | | |
| | | | Metals by XRF | | 0 | | |
| | | | PCBs by test kit | | 0 | | |
| | | subsurface | SVOCs | 0 | | | |
| | | | PCBs | 0 | | | |
| | | | Metals | 0 | | | |
| | | | Radionuclides | 0 | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | 0 | | | |
| | | shallow | SVOCs | 0 | | | |
| | | | PCBs | 0 | | | |
| | | | Metals | 0 | | | |
| | | | Metals by XRF | 0 | | | |
| PCBs by test kit | 0 | | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-1 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location | |
|-----------------------------|--------|---------------|------------------|---|---|-------------------------------------|---------------------------------|---|
| SWMU 229 | Soil | surface | SVOCs | See Appendix D for available historical Information | 4 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 | |
| | | | PCBs | | 4 | | | |
| | | | Metals | | 4 | | | |
| | | | Radionuclides | | 4 | | | |
| | | | Metals by XRF | | 0 | | | |
| | | | PCBs by test kit | | 0 | | | |
| | | subsurface | SVOCs | | 0 | | | |
| | | | PCBs | | 0 | | | |
| | | | Metals | | 0 | | | |
| | | | Radionuclides | | 0 | | | |
| | | | Metals by XRF | | 0 | | | |
| | | | PCBs by test kit | | 0 | | | |
| | | | shallow | | SVOCs | | | 0 |
| | | | | | PCBs | | | 0 |
| | | | | | Metals | | | 0 |
| Metals by XRF | 0 | | | | | | | |
| PCBs by test kit | 0 | | | | | | | |
| | 0 | | | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-2 Sampling Locations and Methods/SOP Requirements Table

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|------------------|-----------------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 26 | Soil | surface | SVOCs | See Appendix D for available historical Information | 0 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 0 | | |
| | | | Metals | | 0 | | |
| | | | Radionuclides | | 0 | | |
| | | | Metals by XRF | | 0 | | |
| | | | PCBs by test kit | | 0 | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | subsurface | SVOCs | 0 | | | |
| | | | PCBs | 0 | | | |
| | | | Metals | 0 | | | |
| | | | Radionuclides | 0 | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | 0 | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| shallow | SVOCs | | 6 | | | | |
| | PCBs | 6 | | | | | |
| | Metals | 6 | | | | | |
| | Metals by XRF | 59+3 field duplicates | | | | | |
| | PCBs by test kit | 59+3 field duplicates | | | | | |
| | | | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-2 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|--------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 76 | Soil | surface | SVOCs | See Appendix D for available historical Information | 4 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 4 | | |
| | | | Metals | | 4 | | |
| | | | Radionuclides | | 4 | | |
| | | | Metals by XRF | | 0 | | |
| | | | PCBs by test kit | | 0 | | |
| | | subsurface | SVOCs | 4 | | | |
| | | | PCBs | 4 | | | |
| | | | Metals | 4 | | | |
| | | | Radionuclides | 4 | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | 0 | | | |
| | | shallow | SVOCs | 0 | | | |
| | | | PCBs | 0 | | | |
| | | | Metals | 0 | | | |
| | | | Metals by XRF | 0 | | | |
| PCBs by test kit | 0 | | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-2 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|------------------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 158 | Soil | surface | SVOCs | See Appendix D for available historical Information | 4 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 4 | | |
| | | | Metals | | 4 | | |
| | | | Radionuclides | | 4 | | |
| | | | Metals by XRF | | 0 | | |
| | | | PCBs by test kit | | 0 | | |
| | | | | | | | |
| | | | | | | | |
| | | subsurface | SVOCs | 4 | | | |
| | | | PCBs | 4 | | | |
| | | | Metals | 4 | | | |
| | | | Radionuclides | 4 | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | 0 | | | |
| | | | | | | | |
| | | | | | | | |
| shallow | SVOCs | 0 | | | | | |
| | PCBs | 0 | | | | | |
| | Metals | 0 | | | | | |
| | Metals by XRF | 2 | | | | | |
| | PCBs by test kit | 2 | | | | | |
| | | | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-2 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|------------------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 169 | Soil | surface | SVOCs | See Appendix D for available historical Information | 4+1 field duplicate | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 4+1 field duplicate | | |
| | | | Metals | | 4+1 field duplicate | | |
| | | | Radionuclides | | 0 | | |
| | | | Metals by XRF | | 0 | | |
| | | | PCBs by test kit | | | | |
| | | | | | | | |
| | | subsurface | SVOCs | 4 | | | |
| | | | PCBs | 4 | | | |
| | | | Metals | 4 | | | |
| | | | Radionuclides | 4 | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | 0 | | | |
| | | | | | | | |
| | | | | | | | |
| shallow | SVOCs | 0 | | | | | |
| | PCBs | 0 | | | | | |
| | Metals | 0 | | | | | |
| | Metals by XRF | 0 | | | | | |
| | PCBs by test kit | 0 | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-2 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|--------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 176 | Soil | surface | SVOCs | See Appendix D for available historical Information | 4 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 4 | | |
| | | | Metals | | 4 | | |
| | | | Radionuclides | | 4 | | |
| | | | Metals by XRF | | 0 | | |
| | | | PCBs by test kit | | 0 | | |
| | | | | | | | |
| | | subsurface | SVOCs | 4 | | | |
| | | | PCBs | 4 | | | |
| | | | Metals | 4 | | | |
| | | | Radionuclides | 4 | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | 0 | | | |
| | | | | | | | |
| | | shallow | SVOCs | 0 | | | |
| | | | PCBs | 0 | | | |
| | | | Metals | 0 | | | |
| Metals by XRF | 5 | | | | | | |
| PCBs by test kit | 5 | | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-2 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|--------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 177 | Soil | surface | SVOCs | See Appendix D for available historical Information | 4 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 4 | | |
| | | | Metals | | 4 | | |
| | | | Radionuclides | | 4 | | |
| | | | Metals by XRF | | 0 | | |
| | | | PCBs by test kit | | 0 | | |
| | | | | | | | |
| | | subsurface | SVOCs | 4 | | | |
| | | | PCBs | 4 | | | |
| | | | Metals | 4 | | | |
| | | | Radionuclides | 4 | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | 0 | | | |
| | | shallow | SVOCs | 0 | | | |
| | | | PCBs | 0 | | | |
| | | | Metals | 0 | | | |
| | | | Metals by XRF | 2 | | | |
| PCBs by test kit | 2 | | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-2 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|------------------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 180 | Soil | surface | SVOCs | See Appendix D for available historical Information | 5 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 5 | | |
| | | | Metals | | 5 | | |
| | | | Radionuclides | | 5 | | |
| | | | Metals by XRF | | 20+1 field duplicate | | |
| | | | PCBs by test kit | | 20+1 field duplicate | | |
| | | | | | | | |
| | | | | | | | |
| | | subsurface | SVOCs | 5 | | | |
| | | | PCBs | 5 | | | |
| | | | Metals | 5 | | | |
| | | | Radionuclides | 5 | | | |
| | | | Metals by XRF | 20+1 field duplicate | | | |
| | | | PCBs by test kit | 20+1 field duplicate | | | |
| | | | | | | | |
| | | | | | | | |
| shallow | SVOCs | 0 | | | | | |
| | PCBs | 0 | | | | | |
| | Metals | 0 | | | | | |
| | Metals by XRF | 0 | | | | | |
| | PCBs by test kit | 0 | | | | | |
| | | 0 | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-2 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|------------------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 493 | Soil | surface | | See Appendix D for available historical Information | | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | SVOCs | | 4 | | |
| | | | PCBs | | 4 | | |
| | | | Metals | | 4 | | |
| | | | Radionuclides | | 4 | | |
| | | | Metals by XRF | | 7 | | |
| | | | PCBs by test kit | | 7 | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | subsurface | SVOCs | 4 | | | |
| | | | PCBs | 4 | | | |
| | | | Metals | 4 | | | |
| | | | Radionuclides | 4 | | | |
| | | | Metals by XRF | 8 | | | |
| | | | PCBs by test kit | 8 | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| shallow | SVOCs | 0 | | | | | |
| | PCBs | 0 | | | | | |
| | Metals | 0 | | | | | |
| | Metals by XRF | 0 | | | | | |
| | PCBs by test kit | 0 | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-2 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|------------------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 517 | Soil | surface | SVOCs | See Appendix D for available historical Information | 4 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 4 | | |
| | | | Metals | | 4 | | |
| | | | Radionuclides | | 4 | | |
| | | | Metals by XRF | | 0 | | |
| | | | PCBs by test kit | | 0 | | |
| | | | | | | | |
| | | subsurface | SVOCs | 4 | | | |
| | | | PCBs | 4 | | | |
| | | | Metals | 4 | | | |
| | | | Radionuclides | 4 | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | 0 | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| shallow | SVOCs | 0 | | | | | |
| | PCBs | 0 | | | | | |
| | Metals | 0 | | | | | |
| | Metals by XRF | 0 | | | | | |
| | PCBs by test kit | 0 | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-3 Sampling Locations and Methods/SOP Requirements Table

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|--------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 12 | Soil | surface | SVOCs | See Appendix D for available historical Information | 4 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 4 | | |
| | | | Metals | | 4 | | |
| | | | Radionuclides | | 4 | | |
| | | | Metals by XRF | | 0 | | |
| | | | PCBs by test kit | | 0 | | |
| | | subsurface | SVOCs | 4 | | | |
| | | | PCBs | 4 | | | |
| | | | Metals | 4 | | | |
| | | | Radionuclides | 4 | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | 0 | | | |
| | | shallow | SVOCs | 0 | | | |
| | | | PCBs | 0 | | | |
| | | | Metals | 0 | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | | 0 | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-3 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|--------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 14 | Soil | surface | SVOCs | See Appendix D for available historical Information | 12 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 12 | | |
| | | | Metals | | 12 | | |
| | | | Radionuclides | | 12 | | |
| | | | Metals by XRF | | 48+2 field duplicates | | |
| | | | PCBs by test kit | | 48+2 field duplicates | | |
| | | | | | | | |
| | | subsurface | SVOCs | 12+1 field duplicate | | | |
| | | | PCBs | 12+1 field duplicate | | | |
| | | | Metals | 12+1 field duplicate | | | |
| | | | Radionuclides | 12+1 field duplicate | | | |
| | | | Metals by XRF | 48+2 field duplicates | | | |
| | | | PCBs by test kit | 48+2 field duplicates | | | |
| | | | | | | | |
| | | shallow | SVOCs | 0 | | | |
| | | | PCBs | 0 | | | |
| | | | Metals | 0 | | | |
| Metals by XRF | 0 | | | | | | |
| PCBs by test kit | 0 | | | | | | |
| | 0 | | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-3 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|-----------------------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 15 | Soil | surface | SVOCs | See Appendix D for available historical Information | 11 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 11 | | |
| | | | Metals | | 11 | | |
| | | | Radionuclides | | 11 | | |
| | | | Metals by XRF | | 44+2 field duplicates | | |
| | | | PCBs by test kit | | 44+2 field duplicates | | |
| | | | | | | | |
| | | subsurface | SVOCs | 11+1 field duplicate | | | |
| | | | PCBs | 11+1 field duplicate | | | |
| | | | Metals | 11+1 field duplicate | | | |
| | | | Radionuclides | 11+1 field duplicate | | | |
| | | | Metals by XRF | 35+2 field duplicates | | | |
| | | | PCBs by test kit | 35+2 field duplicates | | | |
| | | | | | | | |
| | | shallow | SVOCs | 2 | | | |
| | | | PCBs | 2 | | | |
| | | | Metals | 2 | | | |
| Metals by XRF | 24+2 field duplicates | | | | | | |
| PCBs by test kit | 24+2 field duplicates | | | | | | |
| | | | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-3 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|------------------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 16 | Soil | surface | SVOCs | See Appendix D for available historical Information | 4 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 4 | | |
| | | | Metals | | 4 | | |
| | | | Radionuclides | | 4 | | |
| | | | Metals by XRF | | 15+1 field duplicate | | |
| | | | PCBs by test kit | | 15+1 field duplicate | | |
| | | | | | | | |
| | | | | | | | |
| | | subsurface | SVOCs | 4 | | | |
| | | | PCBs | 4 | | | |
| | | | Metals | 4 | | | |
| | | | Radionuclides | 4 | | | |
| | | | Metals by XRF | 14 | | | |
| | | | PCBs by test kit | 14 | | | |
| | | | | | | | |
| | | | | | | | |
| shallow | SVOCs | 0 | | | | | |
| | PCBs | 0 | | | | | |
| | Metals | 0 | | | | | |
| | Metals by XRF | 0 | | | | | |
| | PCBs by test kit | 0 | | | | | |
| | | 0 | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-3 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|--------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 520 | Soil | surface | SVOCs | See Appendix D for available historical Information | 6+1 field duplicate | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 6+1 field duplicate | | |
| | | | Metals | | 6+1 field duplicate | | |
| | | | Radionuclides | | 6+1 field duplicate | | |
| | | | Metals by XRF | | 24+2 field duplicates | | |
| | | | PCBs by test kit | | 24+2 field duplicates | | |
| | | subsurface | SVOCs | 6 | | | |
| | | | PCBs | 6 | | | |
| | | | Metals | 6 | | | |
| | | | Radionuclides | 6 | | | |
| | | | Metals by XRF | 24+1 field duplicate | | | |
| | | | PCBs by test kit | 24+1 field duplicate | | | |
| | | shallow | SVOCs | 0 | | | |
| | | | PCBs | 0 | | | |
| | | | Metals | 0 | | | |
| | | | Metals by XRF | 0 | | | |
| PCBs by test kit | 0 | | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-3 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location | |
|-----------------------------|------------------|---------------|------------------|---|---|-------------------------------------|---------------------------------|--|
| SWMU 74 | Soil | surface | | See Appendix D for available historical Information | | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 | |
| | | | SVOCs | | 4 | | | |
| | | | PCBs | | 4 | | | |
| | | | Metals | | 4 | | | |
| | | | Radionuclides | | 4 | | | |
| | | | Metals by XRF | | 0 | | | |
| | | | PCBs by test kit | | 0 | | | |
| | | | | | | | | |
| | | subsurface | | | | | | |
| | | | SVOCs | | 4 | | | |
| | | | PCBs | | 4 | | | |
| | | | Metals | | 4 | | | |
| | | | Radionuclides | | 4 | | | |
| | | | Metals by XRF | | 0 | | | |
| | | | PCBs by test kit | | 0 | | | |
| | | | | | | | | |
| shallow | | | | | | | | |
| | SVOCs | | 0 | | | | | |
| | PCBs | | 0 | | | | | |
| | Metals | | 0 | | | | | |
| | Metals by XRF | | 0 | | | | | |
| | PCBs by test kit | | 0 | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

Title: Soils Operable Unit RI/FS Work Plan
Revision Number: 0
Revision Date: 7/20/2009

QAPP Worksheet #18-3 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|------------------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 75 | Soil | surface | | See Appendix D for available historical Information | | See Worksheet #21, Ref. #6 | |
| | | | SVOCs | | 4+1 field duplicate | | |
| | | | PCBs | | 4+1 field duplicate | | |
| | | | Metals | | 4+1 field duplicate | | |
| | | | Radionuclides | | 4+1 field duplicate | | |
| | | | Metals by XRF | | 0 | | |
| | | | PCBs by test kit | | 0 | | |
| | | | | | | | |
| | | subsurface | | | | | |
| | | | SVOCs | 4+1 field duplicate | | | |
| | | | PCBs | 4+1 field duplicate | | | |
| | | | Metals | 4+1 field duplicate | | | |
| | | | Radionuclides | 4+1 field duplicate | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | 0 | | | |
| | | | | | | | |
| shallow | | | | | | | |
| | SVOCs | 1 | | | | | |
| | PCBs | 1 | | | | | |
| | Metals | 1 | | | | | |
| | Metals by XRF | 2 | | | | | |
| | PCBs by test kit | 2 | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-3 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|------------------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 78 | Soil | surface | SVOCs | See Appendix D for available historical Information | 4 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 4 | | |
| | | | Metals | | 4 | | |
| | | | Radionuclides | | 4 | | |
| | | | Metals by XRF | | 0 | | |
| | | | PCBs by test kit | | 0 | | |
| | | | | | | | |
| | | | | | | | |
| | | subsurface | SVOCs | 4 | | | |
| | | | PCBs | 4 | | | |
| | | | Metals | 4 | | | |
| | | | Radionuclides | 4 | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | 0 | | | |
| | | | | | | | |
| | | | | | | | |
| shallow | SVOCs | 0 | | | | | |
| | PCBs | 0 | | | | | |
| | Metals | 0 | | | | | |
| | Metals by XRF | 1 | | | | | |
| | PCBs by test kit | 1 | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-3 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|------------------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 79 | Soil | surface | SVOCs | See Appendix D for available historical Information | 4 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 4 | | |
| | | | Metals | | 4 | | |
| | | | Radionuclides | | 4 | | |
| | | | Metals by XRF | | 0 | | |
| | | | PCBs by test kit | | 0 | | |
| | | | | | | | |
| | | | | | | | |
| | | subsurface | SVOCs | 4 | | | |
| | | | PCBs | 4 | | | |
| | | | Metals | 4 | | | |
| | | | Radionuclides | 4 | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | 0 | | | |
| | | | | | | | |
| | | | | | | | |
| | | | shallow | SVOCs | 0 | | |
| | | | | PCBs | 0 | | |
| | | | | Metals | 0 | | |
| | | | | Metals by XRF | 0 | | |
| | PCBs by test kit | 0 | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-3 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|------------------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 153 | Soil | surface | SVOCs | See Appendix D for available historical Information | 4 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 4 | | |
| | | | Metals | | 4 | | |
| | | | Radionuclides | | 4 | | |
| | | | Metals by XRF | | 0 | | |
| | | | PCBs by test kit | | 0 | | |
| | | | | | | | |
| | | | | | | | |
| | | subsurface | SVOCs | 4 | | | |
| | | | PCBs | 4 | | | |
| | | | Metals | 4 | | | |
| | | | Radionuclides | 4 | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | 0 | | | |
| | | | | | | | |
| | | | | | | | |
| shallow | SVOCs | 1 | | | | | |
| | PCBs | 1 | | | | | |
| | Metals | 1 | | | | | |
| | Metals by XRF | 1 | | | | | |
| | PCBs by test kit | 1 | | | | | |
| | | | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-3 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|-----------------------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 154 | Soil | surface | | See Appendix D for available historical Information | | See Worksheet #21, Ref. #6 | |
| | | | SVOCs | | 4 | | |
| | | | PCBs | | 4 | | |
| | | | Metals | | 4 | | |
| | | | Radionuclides | | 4 | | |
| | | | Metals by XRF | | 8+1 field duplicate | | |
| | | | PCBs by test kit | | 8+1 field duplicate | | |
| | | | | | | | |
| | | subsurface | | | | | |
| | | | SVOCs | 4+1 field duplicate | | | |
| | | | PCBs | 4+1 field duplicate | | | |
| | | | Metals | 4+1 field duplicate | | | |
| | | | Radionuclides | 4+1 field duplicate | | | |
| | | | Metals by XRF | 8+1 field duplicate | | | |
| | | | PCBs by test kit | 8+1 field duplicate | | | |
| | | | | | | | |
| | | shallow | | | | | |
| SVOCs | 3 | | | | | | |
| PCBs | 3 | | | | | | |
| Metals | 3 | | | | | | |
| Metals by XRF | 34+2 field duplicates | | | | | | |
| PCBs by test kit | 34+2 field duplicates | | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

Title: Soils Operable Unit RI/FS Work Plan
 Revision Number: 0
 Revision Date: 7/20/2009

QAPP Worksheet #18-3 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|------------------|----------------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 155 | Soil | surface | SVOCs | See Appendix D for available historical Information | 4 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 4 | | |
| | | | Metals | | 4 | | |
| | | | Radionuclides | | 4 | | |
| | | | Metals by XRF | | 0 | | |
| | | | PCBs by test kit | | 0 | | |
| | | | | | | | |
| | | | | | | | |
| | | subsurface | SVOCs | 4+1 field duplicate | | | |
| | | | PCBs | 4+1 field duplicate | | | |
| | | | Metals | 4+1 field duplicate | | | |
| | | | Radionuclides | 4+1 field duplicate | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | 0 | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| shallow | SVOCs | 2 | | | | | |
| | PCBs | 2 | | | | | |
| | Metals | 2 | | | | | |
| | Metals by XRF | 18+1 field duplicate | | | | | |
| | PCBs by test kit | 18+1 field duplicate | | | | | |
| | | | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-3 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|---------------------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 156 | Soil | surface | SVOCs | See Appendix D for available historical Information | 4 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 4 | | |
| | | | Metals | | 4 | | |
| | | | Radionuclides | | 4 | | |
| | | | Metals by XRF | | 0 | | |
| | | | PCBs by test kit | | 0 | | |
| | | | | | | | |
| | | subsurface | SVOCs | 4 | | | |
| | | | PCBs | 4 | | | |
| | | | Metals | 4 | | | |
| | | | Radionuclides | 4 | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | 0 | | | |
| | | | | | | | |
| | | shallow | SVOCs | 0 | | | |
| | | | PCBs | 0 | | | |
| | | | Metals | 0 | | | |
| Metals by XRF | 5+1 field duplicate | | | | | | |
| PCBs by test kit | 5+1 field duplicate | | | | | | |
| | | | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-3 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|------------------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 74 | Soil | surface | SVOCs | See Appendix D for available historical Information | 4 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 4 | | |
| | | | Metals | | 4 | | |
| | | | Radionuclides | | 4 | | |
| | | | Metals by XRF | | 0 | | |
| | | | PCBs by test kit | | 0 | | |
| | | | | | | | |
| | | subsurface | SVOCs | 4 | | | |
| | | | PCBs | 4 | | | |
| | | | Metals | 4 | | | |
| | | | Radionuclides | 4 | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | 0 | | | |
| | | | | | | | |
| | | shallow | SVOCs | 0 | | | |
| | | | PCBs | 0 | | | |
| | | | Metals | 0 | | | |
| Metals by XRF | 0 | | | | | | |
| | PCBs by test kit | 0 | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-3 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|------------------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 163 | Soil | surface | SVOCs | See Appendix D for available historical Information | 4 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 4 | | |
| | | | Metals | | 4 | | |
| | | | Radionuclides | | 4 | | |
| | | | Metals by XRF | | 0 | | |
| | | | PCBs by test kit | | 0 | | |
| | | | | | | | |
| | | | | | | | |
| | | subsurface | SVOCs | 4 | | | |
| | | | PCBs | 4 | | | |
| | | | Metals | 4 | | | |
| | | | Radionuclides | 4 | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | 0 | | | |
| | | | | | | | |
| | | | | | | | |
| shallow | SVOCs | 0 | | | | | |
| | PCBs | 0 | | | | | |
| | Metals | 0 | | | | | |
| | Metals by XRF | 0 | | | | | |
| | PCBs by test kit | 0 | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-3 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location | | |
|-----------------------------|------------------|------------------|------------------|---|---|-------------------------------------|---------------------------------|--|--|
| SWMU 219 | Soil | surface | | See Appendix D for available historical Information | | See Worksheet #21, Ref. #6 | | | |
| | | | SVOCs | | 4+1 field duplicate | | | | |
| | | | PCBs | | 4+1 field duplicate | | | | |
| | | | Metals | | 4+1 field duplicate | | | | |
| | | | Radionuclides | | 4+1 field duplicate | | | | |
| | | | Metals by XRF | | 0 | | | | |
| | | PCBs by test kit | 0 | | | | | | |
| | | | | | | | | | |
| | | subsurface | | | | | | | |
| | | | SVOCs | 4+1 field duplicate | | | | | |
| | | | PCBs | 4+1 field duplicate | | | | | |
| | | | Metals | 4+1 field duplicate | | | | | |
| | | | Radionuclides | 4+1 field duplicate | | | | | |
| | | | Metals by XRF | 0 | | | | | |
| | | | PCBs by test kit | 0 | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| shallow | | | | | | | | | |
| | SVOCs | 0 | | | | | | | |
| | PCBs | 0 | | | | | | | |
| | Metals | 0 | | | | | | | |
| | Metals by XRF | 0 | | | | | | | |
| | PCBs by test kit | 0 | | | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-3 Sampling Locations and Methods/SOP Requirements Table (Continued)

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|--------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| SWMU 488 | Soil | surface | SVOCs | See Appendix D for available historical Information | 4 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| | | | PCBs | | 4 | | |
| | | | Metals | | 4 | | |
| | | | Radionuclides | | 4 | | |
| | | | Metals by XRF | | 0 | | |
| | | | PCBs by test kit | | 0 | | |
| | | | | | | | |
| | | | | | | | |
| | | subsurface | SVOCs | 4 | | | |
| | | | PCBs | 4 | | | |
| | | | Metals | 4 | | | |
| | | | Radionuclides | 4 | | | |
| | | | Metals by XRF | 0 | | | |
| | | | PCBs by test kit | 0 | | | |
| | | | | | | | |
| | | | | | | | |
| | | | shallow | SVOCs | 0 | | |
| | | | | PCBs | 0 | | |
| | | | | Metals | 0 | | |
| | | | | Metals by XRF | 0 | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #18-4
 Sampling Locations and Methods/SOP Requirements Table

| Sampling Location/ID Number | Matrix | Depth (units) | Analytical Group | Concentration Level | Number of Samples (identify field duplicates) | Sampling SOP Reference ¹ | Rationale for Sampling Location |
|-----------------------------|--------|---------------|------------------|---|---|-------------------------------------|---------------------------------|
| East Ditch 1 | Soil | surface | PCBs | See Appendix D for available Historical Information | 4 | See Worksheet #21, Ref. #6 | See Worksheet #17, Section 9 |
| East Ditch 2 | Soil | surface | PCBs by test kit | | 81+4 field duplicates | | |
| East Ditch 3 | Soil | surface | PCBs | | 4 | | |
| North Ditch 1 | Soil | surface | PCBs by test kit | | 67+4 field duplicates | | |
| North Ditch 2 | Soil | surface | PCBs | | 4 | | |
| | | | PCBs by test kit | | 82+4 field duplicates | | |
| | | | PCBs | | 6 | | |
| | | | PCBs by test kit | | 126+6 field duplicates | | |
| | | | PCBs | | 14 | | |
| | | | PCBs by test kit | | 276 + 14 field duplicates | | |

¹Specify the appropriate letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #19
Analytical SOP Requirements Table

| Matrix | Analytical Group | Concentration Level | Analytical and Preparation Method/SOP Reference ¹ | Sample Volume ² | Containers (number, size, and type) ² | Preservation Requirements (chemical, temperature, light protected) | Maximum Holding Time (preparation/analysis) |
|--------|--------------------------------|---------------------|--|----------------------------|--|--|---|
| soil | Volatile organic compounds | low | SW846-8260 | | | cool 4 °C | 14 days |
| soil | Semivolatile organic compounds | low | SW846-8270 | | | cool 4 °C | 14 days until extraction/40 days |
| soil | PCBs | low | SW846-8082 | | | cool 4 °C | 14 days until extraction/40 days |
| soil | Metals | low | SW846-6010, -6020, and -7471 | | | cool 4 °C | 180 days |
| soil | Radionuclides | low | see Worksheet #12 | | | cool 4 °C | 180 days |

¹Specify the appropriate reference letter or number from the Analytical SOP References table (Worksheet #23).

² Sample volume and container requirements will be specified by the laboratory.

QAPP Worksheet #20
Field Quality Control Sample Summary Table

UFP-QAPP Manual Section 3.1.1:

| Matrix | Analytical Group | Concentration Level | Analytical and Preparation SOP Reference ¹ | No. of Sampling Locations ² | No. of Field Duplicate Pairs | Inorganic | | No. of Field Blanks | No. of Equip. Blanks | No. of PT Samples | Total No. of Samples to Lab |
|--------|------------------|---------------------|---|--|------------------------------|-----------|-----------|---------------------|----------------------|-------------------|-----------------------------|
| | | | | | | No. of MS | No. of MS | | | | |
| Soil | VOCs | low | SW846-8260 | 28 | 1 | | | 1 | 1 | n/a | 31 |
| Soil | SVOCs | low | SW846-8270 | 541 | 13 | | | 13 | 13 | n/a | 580 |
| Soil | Metals | low | SW846-6010, -6020, and -7174 | 541 | 13 | | | 13 | 13 | n/a | 580 |
| Soil | Radionuclides | low | see Worksheet #12 | | | | | | | n/a | |
| Soil | PCBs | low | SW846-8082 | 573 | 13 | | | 13 | 13 | n/a | 612 |
| Soil | Metals | low | XRF | 1,356 | 81 | | | 81 | 81 | n/a | 1,599 |
| Soil | PCBs | low | test kit | 1,988 | 113 | | | 113 | 113 | n/a | 2,327 |

¹Specify the appropriate reference letter or number from the Analytical SOP References table (Worksheet #23).

²If samples will be collected at different depths at the same location, count each discrete sampling depth as a separate sampling location or station.

QAPP Worksheet #21
Project Sampling SOP References Table¹

UFP-QAPP Manual Section 3.1.2:

| Reference Number | Title, Revision Date, and/or Number | Originating Organization | Equipment Type | Modified for Project Work? (Y/N) | Comments |
|------------------|---|--------------------------|----------------|----------------------------------|----------|
| 1 | PRS-ENM-0023, Composite Sampling | Contractor | Sampling | N | NA |
| 2 | PRS-ENM-2300, Collection of Soil Samples | Contractor | Sampling | N | NA |
| 3 | PRS-ENM-2700, Logbooks and Data Forms | Contractor | Sampling | N | NA |
| 4 | PRS-ENM-2702, Decontamination of Sampling Equipment | Contractor | Sampling | N | NA |
| 5 | PRS-ENM-2704, Trip, Equipment and Field Blank | Contractor | Sampling | N | NA |
| 6 | PRS-ENM-2708, Chain-of-Custody Forms, Field Sample Logs, Sample Labels, and Custody Seals | Contractor | Sampling | N | NA |
| 7 | PRS-ENM-5004, Sample Tracking, Lab Coordination, and Sample Handling Guidance | Contractor | Sampling | N | NA |
| 8 | PRS-ENR-0032, PCB Wipe Procedure | Contractor | Sampling | N | NA |

¹It is understood that SOPs are contractor specific.

QAPP Worksheet #22
Field Equipment Calibration, Maintenance, Testing, and Inspection Table

UFP-QAPP Manual Section 3.1.2.4:

| Field Equipment | Calibration Activity | Maintenance Activity | Testing Activity | Inspection Activity | Frequency | Acceptance Criteria | Corrective Action | Responsible Person | SOP Reference ¹ |
|--|--|-----------------------|--------------------|---------------------|--------------------|---------------------|-------------------|---------------------------|----------------------------|
| Ludlum Model 3, 12, 2221, and 2224 with Ludlum Model 43-5 Alpha Scintillator | Annually or as specified by manufacturer | Annually or as needed | Daily prior to use | Daily prior to use | Daily prior to use | Daily prior to use | As Needed | RCT using instrumentation | 1, 2 |
| Ludlum Model 3, 12, 2221, and 2224 with Ludlum Model 44-9 Geiger-Müller Detector | Annually or as specified by manufacturer | Annually or as needed | Daily prior to use | Daily prior to use | Daily prior to use | Daily prior to use | As Needed | RCT using instrumentation | 1, 2 |
| Ludlum Model 2221 and 2224 with Ludlum Model 44-10 Gamma Scintillator or FIDLER | Annually or as specified by manufacturer | Annually or as needed | Daily prior to use | Daily prior to use | Daily prior to use | Daily prior to use | As Needed | RCT using instrumentation | 1, 2 |
| Canberra Inspector Gamma Spectrometer | Annually or as specified by manufacturer | Annually or as needed | Daily prior to use | Daily prior to use | Daily prior to use | Daily prior to use | As Needed | RCT using instrumentation | 1, 2, 3, 4 |

**QAPP Worksheet #22
 Field Equipment Calibration, Maintenance, Testing, and Inspection Table (Continued)**

UFP-QAPP Manual Section 3.1.2.4:

| Field Equipment | Calibration Activity | Maintenance Activity | Testing Activity | Inspection Activity | Frequency | Acceptance Criteria | Corrective Action | Responsible Person | SOP Reference¹ |
|--|--|-----------------------------|-------------------------|----------------------------|--------------------|----------------------------|--------------------------|---------------------------|----------------------------------|
| Global Positioning System Gamma Ray Survey Instrumentation | Annually or as specified by manufacturer | Annually or as needed | Daily prior to use | Daily prior to use | Daily prior to use | Daily prior to use | As Needed | RCT using instrumentation | 1, 2 |

¹Specify the appropriate reference letter or number from the Project Sampling SOP References table (Worksheet #21).

QAPP Worksheet #23
Analytical SOP References Table

| Reference Number ¹ | Title, Revision Date, and/or Number | Definitive or Screening Data | Analytical Group | Instrument | Organization Performing Analysis | Modified for Project Work? (Y/N) |
|-------------------------------|--|------------------------------|------------------|-------------------------------|----------------------------------|----------------------------------|
| 8260 | Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) | Definitive | VOAs | GC/MS | TBD | TBD |
| 8270 | Semivolatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) | Definitive | SVOAs | GC/MS | TBD | TBD |
| 8082 | Polychlorinated Biphenyls (PCBs) by Gas Chromatography | Definitive | PCBs | GC | TBD | TBD |
| 6010 | Inductively Coupled Plasma-Atomic Emission Spectrometry | Definitive | Metals | ICP | TBD | TBD |
| 6020 | Inductively Coupled Plasma-Mass Spectrometry | Definitive | Metals | ICP-MS | TBD | TBD |
| 7471 | Mercury by Cold-Vapor Atomic Absorption | Definitive | Metals | AA | TBD | TBD |
| Gas Flow Proportional* | Gross Alpha and Beta Activity | Definitive | Rads | Gas flow proportional counter | TBD | TBD |
| Alpha Spec* | Alpha Spectrometry | Definitive | Rads | Alpha Spectrometry | TBD | TBD |
| Gamma Spec* | Gamma Spectrometry | Definitive | Rads | Gamma Spectrometry | TBD | TBD |
| Liquid Scintillation* | Tc-99 by Liquid Scintillation | Definitive | Rads | Liquid Scintillation | TBD | TBD |

¹ Analysis will be by the most recent revision.

* Analytical methods for radiochemistry parameters are laboratory-specific. Laboratory contracting will be subsequent to the completion of the RAWP.

Title: Soils Operable Unit RI/FS Work Plan
Revision Number: 0
Revision Date: 7/20/2009

QAPP Worksheet #24
Analytical Instrument Calibration Table

| Instrument | Calibration Procedure | Frequency of Calibration | Acceptance Criteria | Corrective Action (CA) | Person Responsible for CA | SOP Reference ¹ |
|------------|-----------------------|--------------------------|---------------------|------------------------|---------------------------|----------------------------|
| * | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

¹Specify the appropriate reference letter or number from the Analytical SOP References table (Worksheet #23).
* The laboratory is responsible for maintaining instrument calibration information per their QA Plan. This information is audited annually by the DOE/CAP. Laboratory(s) contracted will be DOE/CAP certified. Laboratory contracting will be subsequent to the completion of the RI/FS WP.

QAPP Worksheet #25
Analytical Instrument and Equipment Maintenance, Testing, and Inspection Table

| Instrument/ Equipment | Maintenance Activity | Testing Activity | Inspection Activity | Frequency | Acceptance Criteria | Corrective Action | Responsible Person | SOP Reference¹ |
|----------------------------------|---------------------------------|-----------------------------|--------------------------------|------------------|--------------------------------|------------------------------|-------------------------------|--------------------------------------|
| * | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

¹Specify the appropriate reference letter or number from the Analytical SOP References table (Worksheet #23).
* The laboratory is responsible for maintaining instrument and equipment maintenance, testing, and inspection information per their QA Plan. This information is audited annually by the DOE/CAP. Laboratory(s) contracted will be DOE/CAP certified. Laboratory contracting will be subsequent to the completion of the RI/FS WP.

QAPP Worksheet #26
 Sample Handling System

UFP-QAPP Manual Appendix A:

| | |
|--|---|
| SAMPLE COLLECTION, PACKAGING, AND SHIPMENT | |
| Sample Collection (Personnel/Organization): | Sampling Teams/DOE Prime Contractor and Subcontractors |
| Sample Packaging (Personnel/Organization): | Sampling Teams/ DOE Prime Contractor and Subcontractors |
| Coordination of Shipment (Personnel/Organization): | Lab Coordinator/ DOE Prime Contractor |
| Type of Shipment/Carrier: | Direct Delivery or Overnight/Fed Ex |
| SAMPLE RECEIPT AND ANALYSIS | |
| Sample Receipt (Personnel/Organization): | Sample Management/Contracted Laboratory |
| Sample Custody and Storage (Personnel/Organization): | Sample Management/Contracted Laboratory |
| Sample Preparation (Personnel/Organization): | Analysts/Contracted Laboratory |
| Sample Determinative Analysis (Personnel/Organization): | Analysts/Contracted Laboratory |
| SAMPLE ARCHIVING | |
| Field Sample Storage (No. of days from sample collection): | See Worksheet #17 |
| Sample Extract/Digestate Storage (No. of days from extraction/digestion): | See Worksheet #17 |
| Biological Sample Storage (No. of days from sample collection): | N/A |
| SAMPLE DISPOSAL | |
| Personnel/Organization: | Waste Disposition/DOE Prime Contractor and Subcontractors |
| Number of Days from Analysis | TBD |

QAPP Worksheet #27
Sample Custody Requirements¹

Field Sample Custody Procedures (sample collection, packaging, shipment, and delivery to laboratory):

Field sample custody requirements will be per DOE prime contractor procedure PRS-ENM-5004, *Sample Tracking, Lab Coordination, and Sample Handling Guidance*.

Laboratory Sample Custody Procedures (receipt of samples, archiving, disposal).

Laboratory sample custody procedures are per the DOE/CAP certified laboratory sample custody procedures.

Sample Identification Procedures:

Sample identification requirements will be per DOE prime contractor project work plan.

Chain-of-custody Procedures:

Chain-of-custody requirements will be per DOE prime contractor procedure PRS-ENM-5004, *Sample Tracking, Lab Coordination, and Sample Handling Guidance*.

¹ It is understood that SOPs are contractor specific.

QAPP Worksheet #28-1
Quality Control Requirements¹

UFP-QAPP Manual Section 3.4:

| Matrix | Soil/XRF | Analytical Group | SMO/Field Screenings | Concentration Level | TBD | Sampling SOP | See #21 | Analytical Method/SOP Reference | EPA methods | Sampler's Name | TBD | Field Sampling Organization | DOE/Contractor | Analytical Organization | SMO/Field Screenings | No. of Sample Locations | See RIFS SAP | Method/SOP QC Acceptance Limits | NA | Corrective Action | NA | Person(s) Responsible for Corrective Action | NA | Data Quality Indicator (DQI) | Precision | Measurement Performance Criteria | See PRS-ENM-5003, Quality Assured Data Procedure |
|---------------------|----------------------------------|---------------------------------|----------------------|---|-------------------------------|--|---------|---------------------------------|-------------|----------------|-----|-----------------------------|----------------|-------------------------|----------------------|-------------------------|--------------|---------------------------------|----|-------------------|----|---|----|------------------------------|-----------|----------------------------------|--|
| QC Sample: | Frequency/ Number | Method/SOP QC Acceptance Limits | Corrective Action | Person(s) Responsible for Corrective Action | Data Quality Indicator (DQI) | Measurement Performance Criteria | | | | | | | | | | | | | | | | | | | | | |
| Duplicates | Minimum 5% | NA | NA | NA | Precision | See PRS-ENM-5003, Quality Assured Data Procedure | | | | | | | | | | | | | | | | | | | | | |
| Field Blanks | Minimum 5% | NA | NA | NA | Accuracy/Bias (Contamination) | See PRS-ENM-5003, Quality Assured Data Procedure | | | | | | | | | | | | | | | | | | | | | |
| Trip Blanks | Minimum 5%, for VOA samples only | NA | NA | NA | Accuracy/Bias (Contamination) | See PRS-ENM-5003, Quality Assured Data Procedure | | | | | | | | | | | | | | | | | | | | | |
| Equipment Rinseates | Minimum 5% | NA | NA | NA | Accuracy/Bias (Contamination) | See PRS-ENM-5003, Quality Assured Data Procedure | | | | | | | | | | | | | | | | | | | | | |

**QAPP Worksheet #28-1
Quality Control Requirements (continued)**

| | | | | | | |
|-------------------------------|---|--|--|---------------|-------------------------------|--|
| Initial Calibration | Twice each day the XRF is used | Method 6200 or per manufacturer's instructions | Recalibrate per Method 6200 or per manufacturer's instructions | QA Specialist | Accuracy/Bias (Contamination) | See PRS-ENM-5003, Quality Assured Data Procedure |
| Instrument Blank | Beginning of each day the XRF is used, every 20 samples; thereafter | Method 6200 or per manufacturer's instructions | Recalibrate per Method 6200 or per manufacturer's instructions | QA Specialist | Accuracy/Bias (Contamination) | See PRS-ENM-5003, Quality Assured Data Procedure |
| Method Blank | Once each day the XRF is used | Method 6200 or per manufacturer's instructions | Identify and reanalyze per Method 6200 | QA Specialist | Accuracy/Bias (Contamination) | See PRS-ENM-5003, Quality Assured Data Procedure |
| Instrument Performance Sample | Once each day the XRF is used | Method 6200 or per manufacturer's instructions | Recalibrate per Method 6200 or per manufacturer's instructions | QA Specialist | Accuracy/Bias (Contamination) | See PRS-ENM-5003, Quality Assured Data Procedure |
| Internal Standards | Twice each day the XRF is used | Method 6200 or per manufacturer's instructions | Recalibrate per Method 6200 or per manufacturer's instructions | QA Specialist | Precision | See PRS-ENM-5003, Quality Assured Data Procedure |

¹ It is understood that SOPs are contractor specific.

QAPP Worksheet #28-2
 Quality Control Requirements¹

UFP-QAPP Manual Section 3.4:

| | | | | | | |
|---------------------------------|-------------------------|--|--------------------------|--|-------------------------------------|--|
| Matrix | PCB Wipe | | | | | |
| Analytical Group | SMO/Field Screenings | | | | | |
| Concentration Level | TBD | | | | | |
| Sampling SOP | See #21 | | | | | |
| Analytical Method/SOP Reference | EPA methods | | | | | |
| Sampler's Name | TBD | | | | | |
| Field Sampling Organization | DOE/PRS | | | | | |
| Analytical Organization | SMO/Field Screenings | | | | | |
| No. of Sample Locations | See RIFS SAP | | | | | |
| QC Sample: | Frequency/Number | Method/SOP QC Acceptance Limits | Corrective Action | Person(s) Responsible for Corrective Action | Data Quality Indicator (DQI) | Measurement Performance Criteria |
| Duplicates | Minimum 5% | NA | NA | NA | Precision | See PRS-ENM-5003, Quality Assured Data Procedure |

¹ It is understood that SOPs are contractor specific.

QAPP Worksheet #28-3
Quality Control Requirements¹

UFP-QAPP Manual Section 3.4:

| Matrix | Soil/PCB Test Kit | | | | | |
|---------------------------------|----------------------------------|---------------------------------|-------------------|---|-------------------------------|--|
| Analytical Group | SMO/Field Screenings | | | | | |
| Concentration Level | TBD | | | | | |
| Sampling SOP | See #21 | | | | | |
| Analytical Method/SOP Reference | Manufacturer methods | | | | | |
| Sampler's Name | TBD | | | | | |
| Field Sampling Organization | DOE/PRS | | | | | |
| Analytical Organization | SMO/Field Screenings | | | | | |
| No. of Sample Locations | See RIFS SAP | | | | | |
| QC Sample: | Frequency/ Number | Method/SOP QC Acceptance Limits | Corrective Action | Person(s) Responsible for Corrective Action | Data Quality Indicator (DQI) | Measurement Performance Criteria |
| Duplicates | Minimum 5% | NA | NA | NA | Precision | See PRS-ENM-5003, Quality Assured Data Procedure |
| Field Blanks | Minimum 5% | NA | NA | NA | Accuracy/Bias (Contamination) | See PRS-ENM-5003, Quality Assured Data Procedure |
| Trip Blanks | Minimum 5%, for VOA samples only | NA | NA | NA | Accuracy/Bias (Contamination) | See PRS-ENM-5003, Quality Assured Data Procedure |
| Equipment Rinsates | Minimum 5% | NA | NA | NA | Accuracy/Bias (Contamination) | See PRS-ENM-5003, Quality Assured Data Procedure |

**QAPP Worksheet #28-3
Quality Control Requirements (continued)**

| | | | | | | |
|-------------------------------|-----------------------------|-----------------------------|-----------------------------|---------------|-------------------------------|--|
| Initial Calibration | Manufacturer's instructions | Manufacturer's instructions | Manufacturer's instructions | QA Specialist | Accuracy/Bias (Contamination) | See PRS-ENM-5003, Quality Assured Data Procedure |
| Instrument Blank | Manufacturer's instructions | Manufacturer's instructions | Manufacturer's instructions | QA Specialist | Accuracy/Bias (Contamination) | See PRS-ENM-5003, Quality Assured Data Procedure |
| Method Blank | Manufacturer's instructions | Manufacturer's instructions | Manufacturer's instructions | QA Specialist | Accuracy/Bias (Contamination) | See PRS-ENM-5003, Quality Assured Data Procedure |
| Instrument Performance Sample | Manufacturer's instructions | Manufacturer's instructions | Manufacturer's instructions | QA Specialist | Accuracy/Bias (Contamination) | See PRS-ENM-5003, Quality Assured Data Procedure |
| Internal Standards | Manufacturer's instructions | Manufacturer's instructions | Manufacturer's instructions | QA Specialist | Precision | See PRS-ENM-5003, Quality Assured Data Procedure |

¹ It is understood that SOPs are contractor specific.

QAPP Worksheet #29
Project Documents and Records Table¹

UFP-QAPP Manual Section 3.5.1:

| Sample Collection Documents and Records | On-site Analysis Documents and Records | Off-site Analysis Documents and Records | Data Assessment Documents and Records | Other |
|---|---|--|--|---|
| Data Logbooks and associated completed sampling forms, sample chains-of-custody | Laboratory data packages, OREIS database and associated data packages | OREIS database and associated data packages | PRS-ENM-5003, att. G Data Assessment Review Checklist and Comment Form | Form QAP-E-004, <i>Management/Independent Assessment Report</i> |

¹It is understood that SOPs are contractor specific.

Title: Soils Operable Unit RI/FS Work Plan
Revision Number: 0
Revision Date: 7/20/2009

QAPP Worksheet #30
Analytical Services Table

| Matrix | Analytical Group | Concentration Level | Sample Locations/ID Numbers | Analytical SOP | Data Package Turnaround Time | Laboratory/Organization (Name and Address, Contact Person and Telephone Number) | Backup Laboratory/Organization (Name and Address, Contact Person and Telephone Number) |
|--------|------------------|---------------------|---|----------------|------------------------------|---|--|
| Soil | SVOAs | low | SWMU 1, 99, 194, 211, 489, 531, 47, 200, 212, 213, 214, 215, 216, 217, 221, 222, 224, 225, 226, 227, 228, 229, 11, 26, 76, 158, 169, 176, 177, 138, 180, 195, 493, 517, 12, 13, 14, 15, 16, 518, 510, 75, 78, 137, 153, 154, 155, 156, 163, 219, 488, AOC 204 | 8270 | 28-day | TBD | TBD |

QAPP Worksheet #30
Analytical Services Table (continued)

| Matrix | Analytical Group | Concentration Level | Sample Locations/ID Numbers | Analytical SOP | Data Package Turnaround Time | Laboratory/Organization (Name and Address, Contact Person and Telephone Number) | Backup Laboratory/Organization (Name and Address, Contact Person and Telephone Number) |
|--------|------------------|---------------------|---|----------------|------------------------------|---|--|
| Soil | PCBs | low | SWMU 1, 99, 194, 211, 489, 531, 47, 200, 212, 213, 214, 215, 216, 217, 221, 222, 224, 225, 226, 227, 228, 229, 11, 26, 76, 158, 169, 176, 177, 138, 180, 195, 493, 517, 12, 13, 14, 15, 16, 518, 510, 75, 78, 137, 153, 154, 155, 156, 163, 219, 488, AOC 204, East Ditch 1, 2, 3, North Ditch 1, 2 | 8082 | 28-day | TBD | TBD |

QAPP Worksheet #30
Analytical Services Table (continued)

| Matrix | Analytical Group | Concentration Level | Sample Locations/ID Numbers | Analytical SOP | Data Package Turnaround Time | Laboratory/Organization (Name and Address, Contact Person and Telephone Number) | Backup Laboratory/Organization (Name and Address, Contact Person and Telephone Number) |
|--------|------------------|---------------------|---|----------------|------------------------------|---|--|
| Soil | Metals | low | SWMU 1, 99, 194, 211, 489, 531, 47, 200, 212, 213, 214, 215, 216, 217, 221, 222, 224, 225, 226, 227, 228, 229, 11, 26, 76, 158, 169, 176, 177, 138, 180, 195, 493, 517, 12, 13, 14, 15, 16, 518, 510, 75, 78, 137, 153, 154, 155, 156, 163, 219, 488, AOC 204 | 6010 | 28-day | TBD | TBD |

QAPP Worksheet #30
Analytical Services Table (continued)

| Matrix | Analytical Group | Concentration Level | Sample Locations/ID Numbers | Analytical SOP | Data Package Turnaround Time | Laboratory/Organization (Name and Address, Contact Person and Telephone Number) | Backup Laboratory/Organization (Name and Address, Contact Person and Telephone Number) |
|--------|------------------|---------------------|---|----------------|------------------------------|---|--|
| Soil | Metals | low | SWMU 1, 99, 194, 211, 489, 531, 47, 200, 212, 213, 214, 215, 216, 217, 221, 222, 224, 225, 226, 227, 228, 229, 11, 26, 76, 158, 169, 176, 177, 138, 180, 195, 493, 517, 12, 13, 14, 15, 16, 518, 510, 75, 78, 137, 153, 154, 155, 156, 163, 219, 488, AOC 204 | 6020 | 28-day | TBD | TBD |

QAPP Worksheet #30
Analytical Services Table (continued)

| Matrix | Analytical Group | Concentration Level | Sample Locations/ID Numbers | Analytical SOP | Data Package Turnaround Time | Laboratory/Organization (Name and Address, Contact Person and Telephone Number) | Backup Laboratory/Organization (Name and Address, Contact Person and Telephone Number) |
|--------|------------------|---------------------|---|----------------|------------------------------|---|--|
| Soil | Metals | Low | SWMU 1, 99, 194, 211, 489, 531, 47, 200, 212, 213, 214, 215, 216, 217, 221, 222, 224, 225, 226, 227, 228, 229, 11, 26, 76, 158, 169, 176, 177, 138, 180, 195, 493, 517, 12, 13, 14, 15, 16, 518, 510, 75, 78, 137, 153, 154, 155, 156, 163, 219, 488, AOC 204 | 7471 | 28-day | TBD | TBD |

QAPP Worksheet #30
 Analytical Services Table (continued)

| Matrix | Analytical Group | Concentration Level | Sample Locations/ID Numbers | Analytical SOP | Data Package Turnaround Time | Laboratory/Organization (Name and Address, Contact Person and Telephone Number) | Backup Laboratory/Organization (Name and Address, Contact Person and Telephone Number) |
|--------|------------------|---------------------|---|------------------------|------------------------------|---|--|
| Soil | Rads | Low | SWMU 1, 99, 194, 211, 489, 531, 47, 200, 212, 213, 214, 215, 216, 217, 221, 222, 224, 225, 226, 227, 228, 229, 11, 26, 76, 158, 169, 176, 177, 138, 180, 195, 493, 517, 12, 13, 14, 15, 16, 518, 510, 75, 78, 137, 153, 154, 155, 156, 163, 219, 488, AOC 204 | Gas Flow Proportional* | 28-day | TBD | TBD |

QAPP Worksheet #30
Analytical Services Table (continued)

| Matrix | Analytical Group | Concentration Level | Sample Locations/ID Numbers | Analytical SOP | Data Package Turnaround Time | Laboratory/Organization (Name and Address, Contact Person and Telephone Number) | Backup Laboratory/Organization (Name and Address, Contact Person and Telephone Number) |
|--------|------------------|---------------------|---|----------------|------------------------------|---|--|
| Soil | Rads | low | SWMU 1, 99, 194, 211, 489, 531, 47, 200, 212, 213, 214, 215, 216, 217, 221, 222, 224, 225, 226, 227, 228, 229, 11, 26, 76, 158, 169, 176, 177, 138, 180, 195, 493, 517, 12, 13, 14, 15, 16, 518, 510, 75, 78, 137, 153, 154, 155, 156, 163, 219, 488, AOC 204 | Alpha Spec* | 28-day | TBD | TBD |

QAPP Worksheet #30
Analytical Services Table (continued)

| Matrix | Analytical Group | Concentration Level | Sample Locations/ID Numbers | Analytical SOP | Data Package Turnaround Time | Laboratory/Organization (Name and Address, Contact Person and Telephone Number) | Backup Laboratory/Organization (Name and Address, Contact Person and Telephone Number) |
|--------|------------------|---------------------|---|----------------|------------------------------|---|--|
| Soil | Rads | low | SWMU 1, 99, 194, 211, 489, 531, 47, 200, 212, 213, 214, 215, 216, 217, 221, 222, 224, 225, 226, 227, 228, 229, 11, 26, 76, 158, 169, 176, 177, 138, 180, 195, 493, 517, 12, 13, 14, 15, 16, 518, 510, 75, 78, 137, 153, 154, 155, 156, 163, 219, 488, AOC 204 | Gamma Spec* | 28-day | TBD | TBD |

QAPP Worksheet #30
Analytical Services Table (continued)

| Matrix | Analytical Group | Concentration Level | Sample Locations/ID Numbers | Analytical SOP | Data Package Turnaround Time | Laboratory/Organization (Name and Address, Contact Person and Telephone Number) | Backup Laboratory/Organization (Name and Address, Contact Person and Telephone Number) |
|--------|------------------|---------------------|---|-----------------------|------------------------------|---|--|
| Soil | Rads | low | SWMU 1, 99, 194, 211, 489, 531, 47, 200, 212, 213, 214, 215, 216, 217, 221, 222, 224, 225, 226, 227, 228, 229, 11, 26, 76, 158, 169, 176, 177, 138, 180, 195, 493, 517, 12, 13, 14, 15, 16, 518, 510, 75, 78, 137, 153, 154, 155, 156, 163, 219, 488, AOC 204 | Liquid Scintillation* | 28-day | TBD | TBD |

* Analytical methods for radiochemistry parameters are laboratory-specific. Laboratory contracting will be subsequent to the completion of the RAWP.

QAPP Worksheet #31
Planned Project Assessments Table

UFP-QAPP Manual Section 4.1.1:

| Assessment Type | Frequency | Internal or External | Organization Performing Assessment | Person(s) Responsible for Performing Assessment (Title and Organizational Affiliation) | Person(s) Responsible for Responding to Assessment Findings (Title and Organizational Affiliation) | Person(s) Responsible for Identifying and Implementing Corrective Actions (CA) (Title and Organizational Affiliation) | Person(s) Responsible for Monitoring Effectiveness of CA (Title and Organizational Affiliation) |
|---|---|----------------------|---|--|--|---|---|
| Independent Assessment/ Surveillance | Minimum of once per project (project duration estimated to be 4 months) | Internal | DOE Prime Contractor QA | QA Specialists | Project Manager | Project Management/QA Specialist | QA Specialist |
| Laboratory Audit | Annual | External | DOE Consolidated Audit Program (DOECAP) | Laboratory Assessor | Laboratory | Laboratory | DOECAP |
| Management Assessments | Minimum of once per project (project duration estimated to be 4 months) | Internal | Project Management | Project Management | Project Team | Project Management/QA Specialist | QA Specialist |
| Management By Walking Around (MBWA) | Monthly per project | Internal | Project Management | Project Management | Project Team | Project Management/QA Specialist | QA Specialist |
| MBWA Follow-up surveillances | Quarterly (if required) | Internal | Project Management | ER/EM Director, Project Manager or designee | Project Team | Project Management/QA Specialist | QA Specialist |

QAPP Worksheet #32
 Assessment Findings and Corrective Action Responses¹

UFP-QAPP Manual Section 4.1.2:

| Assessment Type | Nature of Deficiencies Documentation | Individual(s) Notified of Findings (Name, Title, Organization) | Timeframe of Notification | Nature of Corrective Action Response Documentation | Individual(s) Receiving Corrective Action Response (Name, Title, Org.) | Timeframe for Response |
|--|--|--|---|--|--|---|
| Management, independent, and surveillances | Form QAP-E-004, <i>Management/Independent Assessment Report</i> , and QAP-E-0710, <i>Issue Identification Form</i> | Project Management, Issue Owner | Upon issuance of Form QAP-E-004, <i>Management/Independent Assessment Report</i> , form E-QAP-0710, <i>Issue Identification Form</i> , will be completed and attached to the assessment report. | E-QAP-0710, <i>Issue Identification Form</i> documents the issue response and/or corrective actions. | Action owner as designated by issue owner | Fifteen days for initial issue response, corrective action schedule determined by issue owner, per PRS-QAP-1210 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

¹ It is understood that SOPs are contractor specific.

QAPP Worksheet #33
QA Management Reports Table

UFP-QAPP Manual Section 4.2:

| Type of Report | Frequency (daily, weekly monthly, quarterly, annually, etc.) | Projected Delivery Date(s) | Person(s) Responsible for Report Preparation (Title and Organizational Affiliation) | Report Recipient(s) (Title and Organizational Affiliation) |
|------------------------------|---|------------------------------|---|--|
| Management by Walking Around | Monthly | Last day of each month | Project Manager, Contractor | Contractor Management |
| QA Assessment Reports | Minimum 2 (One management assessment report, one independent assessment report) | Prior to project termination | Project Manager or designee and QA Specialist, Contractor | PM, QA, and Contractor Management |
| | | | | |

QAPP Worksheet #34
Verification (Step I) Process Table¹

| Verification Input | Description | Internal/ External | Responsible for Verification (Name, Organization) |
|---------------------------|---|--------------------|--|
| Field Logbooks | Field logbooks are verified per DOE prime contractor procedure PRS-ENM-2700, <i>Logbooks and Data Forms</i> , and PRS-ENM-5003, <i>Quality Assured Data</i> . | Internal | Project Management or designee, Contractor |
| Chains-of-custody | Chains-of-custody are controlled by DOE prime contractor procedure PRS-ENM-5004, <i>Sample Tracking, Lab Coordination and Sample Handling Guidance</i> . Chains-of-custody will be included in data assessment packages for review as part of data verification and data assessment. | Internal | Sample and Data Management, Project Management, and QA Personnel, Contractor |
| Field and Laboratory Data | Field and analytical data are verified and assessed per DOE prime contractor procedure PRS-ENM-5003, <i>Quality Assured Data</i> . Data assessment packages will be created per this procedure. The data assessment packages will include field and analytical data, chains of custody, data verification and assessment queries, and other project specific information needed for personnel to adequately review the package. Data assessment packages will be reviewed to document any issues pertaining to the data and to indicate if data met the data quality objectives of the project. | Internal | Sample and Data Management, Project Management, and QA Personnel, Contractor |

¹ It is understood that SOPs are contractor specific.

QAPP Worksheet #35
Validation (Steps IIa and IIb) Process Table¹

| Step IIa/IIb | Validation Input | Description | Responsible for Validation (Name, Organization) |
|--------------|---|---|---|
| IIa | Data Deliverables, Analytes, and Holding Times | The laboratory data documentation obtained will be contractual screened and will be included in the data assessment packages, per DOE prime contractor procedure PRS-ENM-5003, <i>Quality Assured Data</i> . | Sample and Data Management Personnel, Contractor |
| IIa | Chain-of Custody, Sample Handling, Sampling Methods and Procedures, and Field Transcription | These items will be validated during the data assessment process as required by DOE prime contractor procedure PRS-ENM-5003, <i>Quality Assured Data</i> . The documentation of this validation will be included in the data assessment packages. | Project and QA Personnel, Contractor |
| IIa | Analytical Methods and Procedures, Laboratory Data Qualifiers, and Standards | These items will be reviewed during the data validation process as required by DOE prime contractor data validation procedures. Data validation will be performed in parallel with data assessment. The data validation report and data validation qualifiers will be considered when the data assessment process is being finalized. | Data Validation Subcontractor, Sample and Data Management, Project and QA Personnel, Contractor |
| IIa | Audits | The audit reports and accreditation and certification records for the laboratory supporting the projects will be considered in the bidding process. | Sample and Data Management Personnel, Contractor |
| IIb | Deviations and qualifiers from Step IIa | Any deviations and qualifiers resulting from Step IIa process will be documented in the data assessment packages. | Sample and Data Management, Project, and QA Personnel, Contractor |
| IIb | Sampling Plan, Sampling Procedures, Co-located Field Duplicates, Project Quantitation Limits, Confirmatory Analyses, Performance Criteria | These items will be evaluated as part of the data verification and data assessment process per DOE prime contractor procedure PRS-ENM-5003, <i>Quality Assured Data</i> . These items will be considered when evaluating whether the project met their Data Quality Objectives. | Sample and Data Management, Project, and QA Personnel, Contractor |

¹ It is understood that SOPs are contractor specific.

QAPP Worksheet #36
 Validation (Steps IIa and IIb) Summary Table¹

| Step IIa/IIb | Matrix | Analytical Group | Concentration Level | Validation Criteria | Data Validator (title and organizational affiliation) |
|--------------|--------|--------------------------------|---------------------|--|---|
| IIa/IIb | Soil | Semivolatile organic compounds | Low | DOE prime contractor procedure PRS-ENM-5105, <i>Volatile and Semivolatile Data Verification and Validation</i> | TBD |
| IIa/IIb | Soil | Metals | Low | DOE prime contractor procedure PRS-ENM-5107, <i>Inorganic Data Verification and Validation</i> | TBD |
| IIa/IIb | Soil | Radionuclides | Low | DOE prime contractor procedure PRS-ENM-5102, <i>Radiochemical Data Verification and Validation</i> | TBD |
| IIa/IIb | Soil | PCBs | Low | DOE prime contractor procedure PRS-ENM-0811, <i>Pesticide and PCB Data Verification and Validation</i> | TBD |

¹ It is understood that SOPs are contractor specific.

QAPP Worksheet #37
Usability Assessment¹

Summarize the usability assessment process and all procedures, including interim steps and any statistics, equations, and computer algorithms that will be used: Field and analytical data are verified and assessed per DOE prime contractor procedure PRS-ENM-5003, *Quality Assured Data*. Data assessment packages will be created per this procedure. Data assessment packages will include field and analytical data, chains-of-custody, data verification and assessment queries, and other project specific information needed for personnel to adequately review the package. Data assessment packages will be reviewed to document any issues pertaining to the data and to indicate if data quality objectives of the project were met.

Describe the evaluative procedures used to assess overall measurement error associated with the project: PARCCS parameters (precision, accuracy, representativeness, comparability, completeness, and sensitivity) will be evaluated per DOE prime contractor procedure PRS-ENM-5003, *Quality Assured Data*. This information will be included in the data assessment packages for review by project personnel. Data assessment can be used to document QC exceedances, trends, and/or bias in the data set. Data assessment can also be used to document any statistics used.

Identify the personnel responsible for performing the usability assessment: Project and QA Personnel.

Describe the documentation that will be generated during usability assessment and how usability assessment results will be presented so that they identify trends, relationships (correlations), and anomalies: Data assessment packages will be created, which will include data assessment comments/questions and laboratory comments. Data verification and assessment queries indicating any historical outliers and background soil exceedances also will be included in the data assessment packages.

¹ It is understood that SOPs are contractor specific.

THIS PAGE INTENTIONALLY LEFT BLANK

12. DATA MANAGEMENT IMPLEMENTATION PLAN

The purpose of this DMIP is to identify and document data management requirements and applicable procedures, expected data types and information flow, and roles and responsibilities for all data management activities associated with the Soils OU Project at the PGDP. Data management provides a system for efficiently generating and maintaining technically and legally defensible data that provide the basis for making sound decisions regarding the environmental and waste characterization at PGDP.

Data management for this project is implemented throughout the life cycle for environmental measurements data. This life cycle occurs from the planning of data for environmental and waste characterization, through the collection, review, and actual usage of the data for decision-making purposes, to the long-term storage of data.

Data types to be managed for the project include field data and analytical data. Historical data is downloaded from Paducah OREIS, if available. All historical data available in electronic format are stored in Paducah PEMS. Field data are collected in field logbooks or field data forms and are entered into Paducah PEMS, as appropriate, for storage. Analytical data are planned and managed through Paducah PEMS and transferred to Paducah OREIS for long-term storage and reporting.

To meet current regulatory requirements for DOE environmental management projects, complete documentation of the information flow is established. Each phase of the data management process (planning, collecting, analyzing, managing, verifying, assessing, reporting, consolidating, and archiving) must be appropriately planned and documented. The Soils OU project team is responsible for data collection and data management for this project.

The scope of this DMIP is limited to environmental information generated under the Soils OU project. This information includes electronic and/or hard copy records obtained by the project that describe environmental conditions. Information generated by the project (e.g., laboratory analytical results from samples collected) and obtained from sources outside the project (e.g., historical data) falls within the scope of this DMIP. Certain types of information, such as personnel or financial records, are outside the scope of this DMIP.

12.1 PROJECT MISSION

Requirements and responsibilities described in this plan apply to activities conducted by the project team in support of the Soils OU project. Specific activities involving data include, but are not limited to, sampling of sediment, soil and biota; storing, analyzing, and shipping samples, when applicable; and evaluation, verification, validation, assessment, and reporting of analytical results.

12.2 DATA MANAGEMENT ACTIVITIES

Data management activities for the Soils OU project include the following:

- Acquire existing data
- Plan data collection
- Prepare for sampling activities
- Collect field data

- Collect field samples
- Submit samples for analysis
- Process field measurement and laboratory analytical data
- Laboratory Contractual Screening
- Verify data
- Validate data
- Assess data
- Consolidate, analyze, and use data and records
- Submit data to the Paducah OREIS

Section 12.7 contains a detailed discussion of the activities listed above.

12.3 DATA MANAGEMENT INTERACTIONS

The Data Manager interfaces with the Data Coordinator to oversee the use of Paducah PEMS and to ensure that data deliverables meet DOE's standards. The Data Coordinator enters information into Paducah PEMS related to the fixed-base laboratory data once the samples have been delivered and the Lab Coordinator has verified receipt of the samples. The fixed-base laboratory hard-copy data and the EDDs are loaded into Paducah PEMS by the Data Coordinator. The Data Coordinator will perform electronic data verification. The Soils OU project team is responsible for data assessment. The Data Coordinator is responsible for preparing the data for transfer from Paducah PEMS to Paducah OREIS. The Data Manager is responsible for transferring the data from the RTL files to the Paducah OREIS database.

The Lab Coordinator develops the Statement of Work (SOW) to be performed by an analytical laboratory in the form of a project-specific laboratory SOW. Analytical method, laboratory QC requirements, and deliverable requirements are specified in this SOW.

The Lab Coordinator receives electronic data deliverables (EDDs), performs contractual screenings, and distributes data packages. The Lab Coordinator interacts with the Data Manager to ensure that hard copy and electronic-deliverable formats are properly specified and interfaces with the contract laboratory to ensure that the requirements are understood and met.

12.3.1 Data Needs and Sources

Multiple data types will be generated and/or assessed during this project. These data types include field data, analytical data (including environmental data), and geographic information system (GIS) data.

12.3.2 Historical Data

Historical data that are available electronically will be downloaded from Paducah OREIS as needed. Historical data available in electronic format will be stored in the project's Paducah PEMS and will be evaluated when necessary.

12.3.3 Field Data

Field data for the project includes sample collection information and field screen measurement results, such as PCB field test kits and ISOCS.

12.3.4 Analytical Data

Analytical data for the project consist of laboratory analyses for environmental and waste characterization.

12.3.5 GIS Coverage

The Paducah GIS network is used for preparing maps used in data analysis and reporting of both historical and newly generated data. Coverage for use during the project is as follows:

- Stations (station coordinates are downloaded from Paducah OREIS)
- Facilities
- Plant roads
- Plant fences
- Streams
- Topographic contours

12.4 DATA FORMS AND LOGBOOKS

Field logbooks, site logbooks, chain-of-custody forms, data packages with associated QA/QC information, and field forms are maintained according to the requirements defined in procedure PRS-DOC-1009, *Records Management, Administrative Records, and Document Control*.

Duplicates of field records are maintained until the completion of the project. Logbooks and field documentation are copied periodically. The originals are forwarded to the Document Management Center (DMC) and copies are maintained in the field office.

12.4.1 Field Forms

Sample information is environmental data describing the sampling event and consists of the following: station (or location), date collected, time collected, and other sampling conditions. This information is recorded in logbooks, chain-of-custody forms, or sample labels. This information is entered directly into Paducah PEMS by the Data Coordinator.

Sample chain-of-custody forms contain sample-specific information recorded during collection of the sample. Any deviations from the sampling plan are noted on the sample chain-of-custody form or logbook. The Sampling Team Leader reviews each sample chain-of-custody form for accuracy and completeness as soon as practical following sample collection.

Sample chain-of-custody forms are generated from Paducah PEMS with the following information:

| Information that is preprinted: | Information that is entered manually: |
|--|---------------------------------------|
| - Lab chain-of-custody number | - Sample date and time |
| - Project name or number | - Sample comments (optional) |
| - Sample ID number | |
| - Sampling location | |
| - Sample type (e.g., REG = regular sample) | |
| - Sample matrix (e.g., SO = soil) | |
| - Sample preservation type | |
| - Analysis (e.g., TCE) | |
| - Sample container (volume, type) | |

Sample identification numbers are identified in Paducah PEMS and are assigned by the Data Coordinator. An example of the sample numbering schemes used for the Soils OU project is provided below.

ssseenMA000

| | | |
|-------|-----|---|
| where | sss | Identifies the SWMU/AOC being investigated |
| | ee | Identifies the exposure unit |
| | n | Identifies the sequential station number (based on the same numbering scheme, sss-ee-n identifies the location name) |
| | M | Identifies the media type (W identifies the sample as water, S identifies the sample as soil) |
| | A | Identifies the sequential sample (usually “A” for a primary sample and “B” for a secondary sample) If additional rounds of sampling are required, the sequential letter designations will continue. |
| | 000 | Identifies the planned depth of the sample in ft bgs |

12.4.2 Lithologic Description Forms

Lithologic description forms will be used as necessary for this project.

12.4.3 Well Construction Detail Forms

These forms are not necessary for use during this project.

12.4.4 Logbook Sample Collection Sheets

Sample collection sheets are utilized as an aid for recording sampling information in the field. Logbooks are kept in accordance with PRS-ENM-2700, *Logbooks and Data Forms*.

12.5 DATA AND DATA RECORDS TRANSMITTALS

12.5.1 Paducah OREIS Data Transmittals

Data to be stored in Paducah OREIS is submitted to the Data Manager prior to reporting. Official data reporting will be generated from data stored in Paducah OREIS.

12.5.2 Data Records Transmittals

The Soils OU project personnel will make records transfers to the DMC.

12.6 DATA MANAGEMENT SYSTEMS

12.6.1 Paducah PEMS

Paducah PEMS is the data management system that supports the project's sampling and measurement collection activities and generates Paducah OREIS RTL files. The data management staff access Paducah PEMS throughout the life cycle of the project. The project uses Paducah PEMS to support the following functions:

- Initiate the project
- Plan for sampling
- Record sample collection and field measurements
- Record the dates of sample shipments to the laboratory (if applicable)
- Receive and process analytical results
- Verify data
- Access and analyze data
- Transfer project data (in RTL format) to Paducah OREIS

Paducah PEMS is used to generate sample chain-of-custody forms, import laboratory-generated data, update field and laboratory databased on data verification, data validation if applicable, data assessment and transfer data to Paducah OREIS. Requirements for addressing the day-to-day operations of Paducah PEMS include backups, security, and interfacing with the SMO.

The Information Technology group performs system backups daily. The security precautions and procedures implemented by the data management team are designed to minimize the vulnerability of the data to unauthorized access or corruption. Only members of the data management team have access to the project's Paducah PEMS and the hard-copy data files. Members of the data management team have installed password-protected screen savers.

12.6.2 Paducah OREIS

Paducah OREIS is the centralized, standardized, quality assured, and configuration-controlled data management system that is the long-term repository of environmental data (measurements and geographic) for Paducah environmental management projects. Paducah OREIS is comprised of hardware, commercial software, customized integration software, an environmental measurements database, a geographic database, and associated documentation. The Soils OU project will use Paducah OREIS for the following functions:

- Access to existing data
- Spatial analysis
- Report generation
- Long-term storage of project data (as applicable).

12.6.3 Paducah Analytical Project Tracking System

The Paducah Analytical Project Tracking System is the business management information system that manages analytical sample analyses for Paducah environmental projects. The Paducah Analytical Project Tracking System provides cradle-to-grave tracking of sampling and analysis activities. The Paducah Analytical Project Tracking System generates the SOW, tracks collection and receipt of samples by the laboratory, flags availability of the analytical results, and allows invoice reconciliation. The Paducah Analytical Project Tracking System interfaces with Paducah PEMS (output from the Paducah Analytical Project Tracking System is automatically transferred to Paducah PEMS).

12.7 DATA MANAGEMENT TASKS AND ROLES AND RESPONSIBILITIES

12.7.1 Data Management Tasks

The following data management tasks are numbered and grouped according to the activities summarized in Section 12.2. An explanation of the data review process is provided in the following sections.

12.7.1.1 Acquire Existing Data

The primary background data for this project consists of historical analytical data from previous sampling events in the Soils OU SWMUs/AOCs. Paducah OREIS and the Paducah OREIS Data Catalog were queried for the existing information that is provided in Appendix C.

12.7.1.2 Plan Data Collection

Other documents for this project provide additional information for the tasks of project environmental data collection, including sampling and analysis planning, quality assurance, waste management, and health and safety. Also, a laboratory SOW will be developed for this project in accordance with PRS-ENM-5004, *Sample Tracking Lab Coordination, and Sample Handling Guidance*.

12.7.1.3 Prepare for Sampling Activities

The data management tasks involved in sample preparation, as specified in PRS-ENM-5004, *Sample Tracking, Lab Coordination, and Sample Handling Guidance*, include identifying all sampling locations, preparing descriptions of these stations, identifying sample containers and preservation, developing field logbooks, preparation of sample kits and chains of custody, and coordinating sample delivery to the laboratory. The Lab Coordinator conducts activities associated with the analytical laboratories. Coordinates for sample locations will be obtained using a GPS, which will have sub-meter accuracy.

12.7.1.4 Collect Field Data and Samples

Paducah PEMS is used to identify, track, and monitor each sample and associated data from the point of collection through final data reporting. Project documentation includes field logbooks, chain-of-custody records, and hard-copy analytical results.

Data management requirements for field logbooks and field forms specify that (1) sampling documentation must be controlled from initial preparation to completion, (2) sampling documentation generated must be maintained in a project file, and (3) modifications to planned activities and deviations from procedures shall be recorded.

Before the start of sampling, the Lab Coordinator specifies the contents of sample kits, which includes sample containers provided by the laboratories, labels, preservatives, and chain-of-custody records. Sample labels and chains of custody are completed according to PRS-ENM-2708, *Chain-of-Custody Forms, Field Sample Logs, Sample Labels, and Custody Seals*.

The Soils OU project field team will collect samples for the project. The field team will record pertinent sampling information on the chain-of-custody and in the field logbook. The Data Coordinator enters the information from the chain-of-custody forms into Paducah PEMS.

12.7.1.5 Submit Samples for Analysis

Before the start of field sampling, the FTM or designee coordinates the delivery of samples with the Lab Coordinator who, in turn, coordinates with the analytical laboratories, according to PRS-ENM-5004, *Sample Tracking, Lab Coordination, and Sample Handling Guidance*. The Lab Coordinator presents a general sampling schedule to the analytical laboratories. The Lab Coordinator also coordinates the receipt of samples and containers with the laboratories. The Lab Coordinator ensures that hard-copy deliverables and EDDs from the laboratories contain the appropriate information and are in the correct format.

12.7.1.6 Process Field Measurement and Laboratory Analytical Data

Data packages and EDDs received from the laboratory are tracked, reviewed, and maintained in a secure environment. Paducah PEMS is used for tracking project-generated data. The following information is tracked, as applicable: sample delivery group number, date received, number of samples, sample analyses, receipt of EDD, and comments. The laboratory EDDs are checked as specified in PRS-ENM-5007, *Data Management Coordination*.

The field screen measurement data will be provided by the Soils OU project team to the Data Manager for loading into Paducah PEMS. This data will be provided in a format specified by the Data Manager. Once this data has been loaded to Paducah PEMS, it will be compared to the original files submitted by the project to ensure that it was loaded correctly.

12.7.1.7 Laboratory Contractual Screening

Laboratory contractual screening is the process of evaluating a set of data against the requirements specified in the analytical SOW to ensure that all requested information is received. The contractual screening includes, but is not limited to, the analytes requested, total number of analyses, method used, EDDs, units, holding times, and reporting limits achieved. Contractual screening is performed for 100 percent of the data. The Lab Coordinator is primarily responsible for the contractual screening upon receipt of data from the analytical laboratory according to PRS-ENM-5003, *Quality Assured Data*.

12.7.1.8 Data Verification

Data verification is the process for comparing a data set against a set standard or contractual requirement. Verification is performed by the Data Coordinator electronically, manually, or by a combination of both according to PRS-ENM-5003, *Quality Assured Data*. Verification is performed for 100 percent of data. Data verification includes contractual screening and criteria specific to the Soils OU project. Verification

qualifiers may be applied to the database on holding time exceedance, criteria exceedance, historical exceedance, or background exceedance. Verification qualifiers are stored in Paducah PEMS and transferred with the data to Paducah OREIS.

12.7.1.9 Data Validation

Data validation is the process performed by a third party qualified individual. Third party validation is defined as validation performed by persons independent from sampling, laboratory, and decision making for the program/project (i.e., not the program/project manager). Data validation evaluates the laboratory adherence to analytical-method requirements. Data validation is managed and coordinated with the data management team. The Data Validator performs data validation according to approved procedures. Data validation is documented in a formal deliverable from the data validator. Validation qualifiers are input and stored in Paducah PEMS and transferred to Paducah OREIS.

A minimum of 10 percent of the total number of samples will be validated for this project. Data Validation will only apply to the definitive data. Data packages chosen for data validation will be validated at 100 percent.

12.7.1.10 Data Assessment

Data assessment is the process for assuring that the type, quality, and quantity of data are appropriate for their intended use. It allows for the determination that a decision (or estimate) can be made with the desired level of confidence, given the quality of the data set. Data assessment follows data verification and data validation (if applicable) and must be performed at a rate of 100 percent to ensure data is useable.

The data assessment is conducted by the Soils OU project according to PRS-ENM-5003, *Quality Assured Data* Assessment qualifiers are stored in Paducah PEMS and transferred with the data to Paducah OREIS. Any problems found during the review process are resolved and documented in the data assessment package.

12.7.1.11 Data Consolidation and Usage

The data consolidation process consists of the activities necessary to prepare the evaluated data for the users. The Data Coordinator prepares files of the assessed data from Paducah PEMS to Paducah OREIS for future use in accordance with PRS-ENM-1001, *Transmitting Data to OREIS*. The Data Manager is responsible for transferring the data to Paducah OREIS. Data used in reports distributed to external agencies is obtained from data in Paducah OREIS and has been through the data review process. All data reported has the approval of the Data Manager.

12.7.2 Data Management Roles and Responsibilities

The following project roles are defined, and the responsibilities are summarized for each data management task described in the previous subsection.

12.7.2.1 RI Project Manager

The RI Project Manager is responsible for the day-to-day operation of the Soils OU project. The RI Project Manager ensures the requirements of policies and procedures are met. The RI project manager, or

designee assesses data in accordance with PRS-ENM-5003, *Quality Assured Data - Paducah*. The RI Project Manager is responsible to flowdown data management requirements to subcontractors as required.

12.7.2.2 Project Team

The project team consists of the technical staff and support staff (including the data management team) that conducts the various tasks required to successfully complete the project.

12.7.2.3 Data User

Data users are members of the project team who require access to project information to perform reviews, analyses, or ad hoc queries of the data. The data user determines project data usability by comparing the data against predefined acceptance criteria and assessing that the data are sufficient for the intended use.

12.7.2.4 Data Coordinator

The Data Coordinator enters the data into Paducah PEMS, including chain-of-custody information, field data, data assessment and data validation qualifiers, and any pertinent sampling information. After receiving a notification that a fixed base lab EDD is available to download, the Data Coordinator loads the EDD to Paducah PEMS, performs electronic verification of the data, and then compiles the data assessment package. The Data Coordinator also prepares data for transfer from Paducah PEMS to Paducah OREIS.

12.7.2.5 Project Records Coordinator

The Project Records Coordinator is responsible for the long-term storage of project records. The Soils OU project team will interface with the Project Records Coordinator and will transfer documents and records in accordance with DOE requirements.

12.7.2.6 QA Specialist

The QA Specialist is part of the project team and is responsible for reviewing project documentation to determine if the project team followed applicable procedures.

12.7.2.7 Data Manager

The Data Manager is responsible for long-term storage of project data and for transmitting data to external agencies according to the *Data and Documents Management and Quality Assurance Plan for Paducah Environmental Management and Enrichment Facilities*, DOE/OR/07-1595&D2, and the Paducah Data Management Policy. The Data Manager ensures compliance to procedures relating to data management with respect to the project and that the requirements of PRS-ENM-5003, *Quality Assured Data - Paducah* are followed.

12.7.2.8 Lab Coordinator

The Lab Coordinator is responsible for contracting any fixed-base laboratory utilized during the sampling activities. The Lab Coordinator also provides coordination for sample shipment to the laboratory, contractual screening of data packages, and transmittal of data packages to the Paducah DMC.

THIS PAGE INTENTIONALLY LEFT BLANK

13. WASTE MANAGEMENT PLAN

13.1 OVERVIEW

This WMP is the primary document for management and final disposition of IDW that will be generated during the Soils OU RI/FS. The RI entails the collection of surface soil samples and installation of soil borings at 82 SWMUs/AOCs located mostly inside the secured area of the PGDP. The soil borings will be executed to a maximum depth of 16 ft bgs. Previous investigations and process knowledge indicate elevated levels of radiological contamination, PCBs, and RCRA hazardous metals may be present at these locations.

This WMP addresses the management of wastes generated during the RI from the point of generation through final disposition. Waste generated will be managed according to contractor-approved procedures and DOE requirements. Additionally, this WMP will comply with all applicable regulatory directives of RCRA, TSCA, and PGDP RADCON policies.

A copy of the WMP will be available on-site during execution of the RI. The Waste Management Coordinator will be responsible for daily oversight of waste management activities and for ensuring compliance with the WMP.

The WMP emphasizes the following objectives:

- Management of the waste in a manner that is protective of human health and the environment
- Minimization of waste generation thereby reducing unnecessary costs (analytical, storage, disposal etc.)
- Compliance with federal, state, and DOE requirements
- Selection of storage and/or disposal alternatives for the waste

All waste management activities must comply with this WMP, applicable contractor procedures, *Waste Acceptance Criteria for the Department of Energy Treatment, Storage and Disposal Units at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky* [BJC/PAD-11/R3, new PRS-WSD-0011, henceforth referred to as the waste acceptance criteria (WAC)] and WAC for on-site treatment, storage and disposal facilities that may be designated to receive Soils OU RI waste.

During the course of the RI, additional contractor and DOE waste management requirements may be identified. If necessary, revisions will be made to the WMP to ensure waste management personnel's compliance with all pertinent requirements.

13.2 WASTE PLANNING AND GENERATION

13.2.1 Waste Planning

A Waste Generation Plan (WGP) is required prior to commencement of all activities that are expected to result in waste generation and should be developed in accordance with Appendix A of the WAC. Items to be identified for each waste stream include waste description, volume (ft³), container type and an estimate of the number of each type, preliminary waste category, characterization method, analytes, future disposition, schedule and comments. Using information from documents such as the Sampling and

Analysis Plan (SAP) and the PGDP landfill WAC, waste types and volumes are identified. Characterization methods, planned analyses, and suitable containers also can be identified in this manner. The WGP must be signed by the generator and the Waste Operations Manager. A revised WGP must be submitted if the amount of waste to be generated changes significantly during the RI. These are changes that could affect the treatment, storage, and disposal of project IDW. For example, if additional boring are added to the project a new WGP would need to be formulated.

13.2.2 Waste Generation

A variety of IDW is expected to be generated during the RI. All waste generated has the potential to contain contaminants related to known or suspected past operational or disposal practices. IDW generated during sampling activities may include soil, PPE, plastic, sampling residuals and returns, metal sampling equipment, laboratory test solution waste and decontamination water or sludge. Waste will be stored at the C-760 CERCLA waste storage area during the waste characterization period prior to disposal. The C-760 CERCLA storage area complies with the substantive requirements of a RCRA 90-day accumulation area; however, the 90-day storage restriction does not apply to CERCLA storage areas. Brief descriptions of each waste stream are outlined in the following sections.

13.2.2.1 Soil

Soil borings will be executed and samples obtained from 82 SWMUs/AOCs, a majority of which are located inside the secured area of the PGDP. It is expected that Geoprobe™ technology will be used to obtain the samples, per past practice. Though some waste soil is expected to be generated, the use of this method greatly reduces the waste generated by the sampling effort. Each soil boring's waste material must be segregated exclusive of other waste to facilitate waste characterization at the conclusion of field activities. Soil will be containerized in 55-gal drums. If soil is found to be uncontaminated, it may be used to fill the borehole.

13.2.2.2 Personal Protective Equipment, Plastic

PPE will be worn by project personnel as specified in the HASP and will be characterized concurrently with contacting waste materials. Plastic sheeting and other plastic used during sampling activities can also be included in this waste stream. To facilitate waste characterization, this waste must be segregated and labeled per individual boring number. PPE and plastic will be containerized in 55-gal drums.

13.2.2.3 Sampling Equipment, Sample Residuals

Sampling residuals will be generated from sampling activities. Sample returns and containers will be containerized in 55-gal drums and characterized as per associated analytical results. Disposable sampling equipment may be generated as waste. Sampling equipment will also be characterized as per associated analytical results.

13.2.2.4 Laboratory Test Solution

A small amount of laboratory test solution may be generated if a close-support laboratory is required. Generally, this solution can be characterized using process knowledge [material safety data sheets (MSDS), test method information etc.]. This solution will be stored in an approved container.

13.2.2.5 Decontamination Water and Sludge

Decontamination water and sludge (soil/water) will be generated during drilling/sampling equipment decontamination. The decontamination water will be containerized and stored at a permitted storage facility. The water will be sampled and, if necessary, treated before it is disposed of in accordance with KPDES permit requirements. The sludge will be containerized in 55-gal drums and characterized with soil waste.

13.3 WASTE MANAGEMENT ROLES AND RESPONSIBILITIES

13.3.1 Waste Management Tracking Responsibilities

Waste generated during the RI sampling activities will require the implementation of a comprehensive waste tracking system to maintain waste inventory. The tracking system will document waste container numbers and locations, waste description, generation date, sampling, treatment and disposal date and disposal location. To prevent inappropriate disposal of waste, generation data and information necessary to determine the amount of contamination present will be documented so that proper disposal methods can be implemented. Determination of the ultimate disposal method is the responsibility of the RI Project Manager.

13.3.2 Waste Management Coordinator

The WMC will ensure that all waste management activities comply with contractor requirements and the WMP. Responsibilities of the WMC include coordination of activities with field personnel, oversight of waste management operations and maintenance of the waste management logbook that contains a complete history of generated waste and the current status of individual waste containers.

The WMC will ensure that procurement and inspection of equipment, material or services critical for shipments of waste to off-site treatment, storage and disposal facilities are conducted in accordance with procedure PRS-WSD-3012, *Procurement and Inspection of Items Critical for Paducah Off-Site Waste Shipments*. Additionally, the WMC will ensure that wastes expected to be disposed of at the C-746-U Landfill are packaged and managed according to the WAC.

Additional responsibilities of the WMC include:

- Maintaining an adequate supply of labels
- Maintaining drum inventories
- Interfacing with necessary personnel
- Preparing Requests for Disposal (RFDs)
- Tracking generated waste
- Ensuring waste containers are properly labeled
- Coordinating waste disposal or transfers
- Coordinating sampling of waste containers to characterize wastes
- Ensuring that waste storage areas are properly established, maintained, and closed

The WMC or designee will maintain the waste inventory system such that all waste generated during the RI is properly tracked and identified. The waste inventory database shall include the following:

- Generation date
- RFD number

- Origin location
- Waste type
- Description
- Quantity
- Storage location
- Sampling status
- Analytical results
- Resampling status
- Disposal date, location

13.3.3 RI Field Crew

The RI sampling/drill crew must coordinate closely with the WMC concerning daily sampling/drilling locations. The WMC will contact the Waste Operations Manager or his designee and have waste containers delivered to the sampling/drill location.

13.3.4 Waste Operations

When necessary, the WMC will be responsible for interfacing with DOE Prime Contractor Waste Operations personnel to schedule characterization sampling of waste for on-site disposal. Waste Operations Sampling personnel will complete all chain-of-custody forms and are responsible for packaging and delivery of samples to the PGDP on-site laboratory.

13.4 INVESTIGATION-DERIVED WASTE SEGREGATION, CONTAINERIZATION AND STORAGE

13.4.1 IDW Segregation

Soil borings advanced to 16 ft bgs using direct push technology will generate less than 1 ft³ of soil waste per borehole. To facilitate waste characterization at the conclusion of field activities, each borehole's waste must be segregated until analytical results are obtained. Since it is impractical to use an exclusive 55-gal drum for each borehole's waste, soil waste will be placed in appropriately sized 6-mil plastic bags, labeled with the borehole number and then placed in a 55-gal drum for storage. PPE and plastic also will be placed in a 55-gal drum.

13.4.2 Container Labeling and Identification

Each waste stream (Soil, PPE and Plastic, Sample residuals, etc.) will be tracked and labeled with the RFD (form WSD-F-0014) system. All containers of a single waste stream will be tracked under the same RFD number and each container's contents represented on a Waste Item Container Log (form WSD-F-0015). Containers will be labeled as per the WAC.

13.4.3 IDW Storage

The WMC will establish and maintain an appropriate waste storage area for the RI in accordance with contractor procedure PRS-WSD-3010, *Waste Generator Responsibilities for Temporary On-Site Storage of Regulated Waste Materials at Paducah*. The C-760 CERCLA waste storage area near the NW corner of C-335 will be the storage area for RI waste prior to characterization. The C-760 CERCLA storage area is equipped with secondary containment areas facilitating the temporary storage of liquid waste, if necessary.

13.5 TRANSPORTATION OF INVESTIGATION-DERIVED WASTE

Transportation of waste at PGDP will comply with PRS-WSD-0661, *Transportation Safety Document for On-Site Transportation Within the Paducah Gaseous Diffusion Plant, Paducah, KY*. The WMC will interface with Waste Operations personnel to schedule transportation of waste containers. Waste handling will be carried out by United Steel Workers craft personnel.

13.5.1 Required Equipment

Equipment that will be used to move or handle IDW must be inspected by procedure PRS-ESH-2007, *Industrial Motorized Trucks (Forklifts)*, by the SHR or designee. Equipment that does not pass this inspection will be tagged out of service until corrective actions have been approved and implemented.

Transportation of waste will require the use of forklift trucks, flatbed trailers and flatbed trucks. A drum grabber will be mounted on the forklift to place drums onto pallets for transport.

13.5.2 Containerization and Transportation of Solid IDW

Solid waste must be containerized in U.S. Department of Transportation 1A2/X drums and must contain a 12-mil plastic liner and absorbent clay material prior to transporting waste material to a treatment, storage, or disposal facility in accordance with PRS-WSD-3015, *Waste Packaging*.

13.5.3 Containerization and Transportation of Liquid IDW

Liquid waste must be containerized in U.S. Department of Transportation 1A1 closed-top drums in accordance with PRS-WSD-3015, *Waste Packaging*.

13.6 IDW CHARACTERIZATION, SAMPLING AND ANALYSIS

Sampling and analysis of all RI waste shall comply with the RI SAP and the WAC. Since all waste will be segregated according to boring number, the waste will be characterized according to analytical results of the environmental samples. The contaminants of concern during RI sampling include radionuclides, PCBs, and RCRA metals. PPE will be characterized as contaminated if analytical results of the borehole on which it was used indicate contamination.

For solid waste, the “20 times” rule will be used to determine if the waste is characteristically hazardous. If the total concentration of RCRA constituents is greater than 20 times the Toxicity Characteristic Leaching Procedure (TCLP) limits in 40 *CFR* § 261.24, then the waste will be considered characteristically hazardous and placed into RCRA storage until further TCLP analysis can be performed for complete analysis.

13.7 SAMPLE RESIDUALS AND MISCELLANEOUS WASTE MANAGEMENT

Sample residuals and returns shall be returned to the waste stream prior to final waste disposition. Any hazardous waste returns will be included with waste to be shipped off-site for proper treatment and/or disposal.

13.8 WASTE MINIMIZATION

Waste minimization requirements that will be implemented, as appropriate, include those established by the 1984 Hazardous and Solid Waste Amendments of RCRA; DOE orders 5400.1, 5400.3, and 435.1; and the Contractor. Requirements specified in the Contractors WMP (PRS-CDL-0029), *Waste Management Plan for the Paducah Environmental Remediation Project*, concerning waste generation, tracking and reduction techniques will be followed.

To support the commitment to waste reduction, an effort will be made during all field activities to minimize waste generation, largely through ensuring that potentially contaminated waste material is localized and is not allowed to come into contact with clean material. Such an event could create more contaminated waste. Waste minimization also will be facilitated through waste segregation, selection of PPE, and waste handling practices.

Solid wastes such as Tyvek coveralls and packaging materials will be segregated. An attempt will be made to separate visibly soiled coveralls from clean coveralls. In some instances, partially soiled coveralls can be cut up and segregated. Other solid waste will not be allowed to contact potentially contaminated soil waste. Efforts will be made to keep Tyvek coveralls clean, reuse clean coveralls, and use coveralls only when necessary. Proper waste handling and spill control techniques will help minimize waste, particularly around decontamination areas where water must be containerized.

13.9 HEALTH AND SAFETY ISSUES RELATED TO IDW ACTIVITIES

Waste management activities will be conducted in compliance with health and safety DOE Prime Contractor procedures and general requirements as described in the ES&H plan, included as Chapter 10 of this work plan.

14. COMMUNITY RELATIONS PLAN

SOU RI/FS information will be included in the appropriate stakeholder-related activities as described in the *Community Relations Plan for the Environmental Management and Enrichment Facilities Program, Paducah Gaseous Diffusion Plant, Paducah, Kentucky* (DOE 2007b) and any subsequent updates of the Community Relations Plan.

THIS PAGE INTENTIONALLY LEFT BLANK

15. REFERENCES

- BJC (Bechtel Jacobs Company, LLC) 2001. *DUF₆ Conversion Facility Site Characterization Report, Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, BJC/PAD-207.
- BJC 2002. *Radiation Dose Assessment under Current Conditions for Exposure to Radionuclides in Sediment, Soil, Deer, Surface Water, and Fish in Off-site Areas near the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, BJC/PAD-298, Bechtel Jacobs Company LLC, Paducah, KY, March.
- CDM Federal 1994. *Investigations of Sensitive Ecological Resources Inside the Paducah Gaseous Diffusion Plant, 7916-003-FR-BBRY*, CDM Federal Programs Corporation, August.
- CH2M HILL 1991. *Results of the Site Investigation, Phase I, at the Paducah Gaseous Diffusion Plant, KY/ER-4*, CH2M HILL Southeast, Inc., Oak Ridge, TN, March.
- CH2M HILL 1992. *Results of the Site Investigation, Phase II, Paducah Gaseous Diffusion Plant, Paducah, Kentucky*. KY/Sub/13B-97777C P03/1991/1, CH2M HILL Southeast, Inc., Oak Ridge, TN, April.
- Clausen, J. L., K. R. Davis, J. W. Douthitt, and B. E. Phillips 1992. *Report of the Paducah Gaseous Diffusion Plant Groundwater Investigation Phase III*, KY/E-150, Martin Marietta Energy Systems, Inc., Paducah, KY, November.
- COE (U.S. Army Corps of Engineers) 1994. *Environmental Investigations at the Paducah Gaseous Diffusion Plant, and Surrounding Area, McCracken County, Kentucky*, U.S. Army Corps of Engineers, Nashville, TN, May.
- DOE (U. S. Department of Energy) 1991. *Summary of Alternatives for Remediation of Off-site Contamination at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR-1013, U. S. Department of Energy, Paducah, Kentucky, December.
- DOE 1993. *Interim Corrective Measure Work Plan for Containment of Scrap Yard Sediment Runoff, Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/06-1114&D2, U.S. Department of Energy, Paducah, KY, May.
- DOE 1994a. *RFI Work Plan for Waste Area Group 13 at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/07-1137&D2, U.S. Department of Energy, Paducah, KY, May.
- DOE 1994b. *Interim Measures Report & Operation and Maintenance Plan for Containment of Scrap Yard Sediment Runoff at the Paducah Gaseous Diffusion Plant*, DOE/OR/07-1299&D1, U.S. Department of Energy, Paducah, KY, August.
- DOE 1994c. *Remedial Investigation Addendum for Waste Area Grouping 23, PCB Sites, at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/07-1149&D2, U.S. Department of Energy, Paducah, KY, September.
- DOE 1995a. *C-400 Process and Structure Review*, KY/ERWM-38, U.S. Department of Energy, May.

- DOE 1995b. *Final Site Evaluation Report for the Outfall 010, 011 and 012 Areas, Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/07-1434&D1, U.S. Department of Energy, Paducah, KY, December.
- DOE 1995c. *Northeast Plume Preliminary Characterization Summary Report*, DOE/OR/07-1339&D2, U.S. Department of Energy, Paducah, KY, January.
- DOE 1995d. *Treatability Study Report for Waste Area Group 23 PCB Sites at PGDP, Paducah, Kentucky*, DOE/OR/07-1419&D2, U.S. Department of Energy, Paducah, KY, December.
- DOE 1995e. *Work Plan for Phase I of the Waste Area Grouping 6 Remedial Investigation Industrial Hydrogeologic Study at Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/07-1406&D2, U.S. Department of Energy, Paducah, Kentucky, October.
- DOE 1996a. *Feasibility Study for Waste Area Group 23 and Solid Waste Management Unit 1 of Waste Area Group 27 at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/06-1423&D2, U.S. Department of Energy, Paducah, KY, April.
- DOE 1996b. *Phase I: Paducah Gaseous Diffusion Plant Waste Area Grouping 6 Industrial Hydrogeologic Study*, DOE/OR/07-1487&D2, U.S. Department of Energy, Paducah, KY, July.
- DOE 1997a. *Action Memorandum for Waste Area Group 23 and Solid Waste Management Unit 1 of Waste Area Group 27, PCB Sites, Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/06-1626&D1, U.S. Department of Energy, Paducah, KY, September.
- DOE 1997b. *Integrated Remedial Investigation/Feasibility Study Work Plan for Waste Area Group 6*, DOE/OR/07-1243&D4, U.S. Department of Energy, Paducah, KY, January.
- DOE 1997c. *Proposed Remedial Action Plan for Waste Area Group 23 and Solid Waste Management Unit 1 of Waste Area Group 27, PCB Sites, Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/06-1453&D3, U.S. Department of Energy, Paducah, KY, February.
- DOE 1997d. *Treatability Study Program Plan for Waste Area Group 6 at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/06-1529&D2, U.S. Department of Energy, Paducah, KY, April.
- DOE 1997e. *Sampling and Analysis Plan for the Site Evaluation of Waste Area Groupings 9 and 11 at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/07-1582&D2, U.S. Department of Energy, Paducah, KY, June.
- DOE 1997f. *Information Package for Waste Area Grouping 16 & 19 at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, (KY/EM-232), September 1997
- DOE 1998a. *Work Plan for Waste Area Grouping 28 Remedial Investigation/Feasibility Study and Waste Area Grouping 8 Preliminary Assessment/Site Investigation at the Paducah Gaseous Diffusion Plant*, DOE/OR/07-1592&D2, U.S. Department of Energy, Paducah, KY, May.
- DOE 1998b. *Integrated Remedial Investigation/Feasibility Study Work Plan for Waste Area Grouping 27 at Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/07-1518&D3, U.S. Department of Energy, Paducah, KY, March.

- DOE 1998c. *Proposed Remedial Action Plan for Waste Area Group 23 and Solid Waste Management Unit 1 of Waste Area Group 27, PCB Sites, Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/06-1771&D1, U.S. Department of Energy, Paducah, KY, November.
- DOE 1998d. *Sampling and Analysis, Quality Assurance, and Data Management Plan for the Site Evaluation of Waste Area Groupings 16 and 19*, DOE/OR/07-1745&D1, U.S. Department of Energy, Paducah, KY, July.
- DOE 1998e. *Data and Documents Management and Quality Assurance Plan for Paducah Environmental Management and Enrichment Facilities*, DOE/OR/07-1595&D2, U. S. Department of Energy, Paducah, Kentucky, September.
- DOE 1998f. *Final Remedial Action Report for Waste Area Grouping (WAG) 23 and Solid Waste Management Unit 1 of WAG 27 at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/07-1737&D0, U.S. Department of Energy, Paducah, KY, June.
- DOE 1999a. *Remedial Investigation Report for Waste Area Grouping 27 at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/07-1777/V1&D2, U.S. Department of Energy, Paducah, KY, June.
- DOE 1999b. *Remedial Investigation Report for Waste Area Grouping 6 (C-400) at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/07-1727&D2, U.S. Department of Energy, Paducah, KY, May.
- DOE 1999c. *WAGs 9 and 11 Site Evaluation Report at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/07-1785&D2, U.S. Department of Energy, Paducah, KY, June.
- DOE 1999d. *Engineering Evaluation/Cost Analysis (EECA) for Scrap Metal Removal at PGDP, Paducah, Kentucky*, DOE/OR/07-1797&D2, U.S. Department of Energy, Paducah, KY, August.
- DOE 1999e. *Engineering Evaluation/Cost Analysis for Drum Mountain at PGDP*, DOE/OR/07-1848&D2, U.S. Department of Energy, Paducah, KY, December.
- DOE 1999f. *Proposed Remedial Action Plan for Waste Area Group 23 and Solid Waste Management Unit 1 of Waste Area Group 27, PCB Sites, Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/07-1771&D2, U.S. Department of Energy, Paducah, KY, May.
- DOE 1999g. *Remedial Investigation/Feasibility Study Work Plan for the Surface Water Operable Unit at PGDP, Paducah, Kentucky*, DOE/OR/07-1812&D1, U.S. Department of Energy, Paducah, KY, September.
- DOE 1999h. *Residual Risk Evaluation Report for Waste Area Grouping 23 and Solid Waste Management Unit 1 of Waste Area Group 27, PCB Sites, Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/07-1781&D1, U.S. Department of Energy, Paducah, KY, February.
- DOE 1999i. *Surfactant Enhanced Subsurface Remediation Treatability Study Report for the WAG 6*, DOE/OR/07-1787&D1, U.S. Department of Energy, Paducah, KY, February.
- DOE 2000a. *Action Memorandum for Drum Mountain at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/07-1863&D2, U.S. Department of Energy, Paducah, KY, March.

- DOE 2000b. *Remedial Investigation Report for Waste Area Grouping 28 at the Paducah Gaseous Diffusion Plant*, Paducah, Kentucky, DOE/OR/07-1846/D2, U.S. Department of Energy, Paducah, KY, August.
- DOE 2000c. *Removal Action Work Plan for Drum Mountain at the PGDP, Paducah, Kentucky*, DOE/OR/07-1870&D1, U.S. Department of Energy, Paducah, KY, April.
- DOE 2001a. *Action Memorandum for Scrap Metal Disposition at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*. DOE/OR/07-1965&D2, U.S. Department of Energy, Paducah, KY, September.
- DOE 2001b. *Baseline Human Health Risk Assessment and Screening Ecological Risk Assessment for the Proposed Site of the UF₆ Conversion Facility, Including the Eastern Portion of SWMU 194, McGraw Construction Facilities (South Side), at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/07-1928&D1, U.S. Department of Energy, Paducah, KY, August.
- DOE 2001c. *Final Inventory/Characterization Report for the OS-14 Department of Energy Material Storage Area at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, BJC/PAD-278/RI, U.S. Department of Energy, Paducah, KY, August.
- DOE 2001d. *Methods for Conducting Risk Assessments and Risk Evaluations at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, Volume 1. Human Health, Volume 2. Ecological*, DOE/OR/07-1506/V1&D2, DOE/OR/07-1506/V2&D2, U.S. Department of Energy, Paducah, KY, December.
- DOE 2002a. *Final Inventory/Characterization Report for the OS-02 Department of Energy Material Storage Area at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, BJC/PAD-398/RI, U.S. Department of Energy, Paducah, KY, September.
- DOE 2002b. *Final Inventory/Characterization Report for the OS-03 Department of Energy Material Storage Area at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, BJC/PAD-360/RI, U.S. Department of Energy, Paducah, KY, September.
- DOE 2002c. *Final Inventory/Characterization Report for the OS-04 Department of Energy Material Storage Area at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, BJC/PAD-397/RI, U.S. Department of Energy, Paducah, KY, September.
- DOE 2002d. *Final Inventory/Characterization Report for the OS-05 Department of Energy Material Storage Area at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, BJC/PAD-396/RI, U.S. Department of Energy, Paducah, KY, September.
- DOE 2002e. *Final Inventory/Characterization Report for the OS-09 Department of Energy Material Storage Area at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, BJC/PAD-409/RI, U.S. Department of Energy, Paducah, KY, September.
- DOE 2002f. *Final Inventory/Characterization Report for the OS-10 Department of Energy Material Storage Area at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, BJC/PAD-354/RI, U.S. Department of Energy, Paducah, KY, September.
- DOE 2002g. *Final Inventory/Characterization Report for the OS-11 Department of Energy Material Storage Area at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, BJC/PAD-405/RI, U.S. Department of Energy, Paducah, KY, September.

- DOE 2002h. *Final Inventory/Characterization Report for the OS-13 Department of Energy Material Storage Area at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, BJC/PAD-361/RI, U.S. Department of Energy, Paducah, KY, April.
- DOE 2003a. *Final Inventory/Characterization Report for the OS-18 Department of Energy Material Storage Area at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, BJC/PAD-604/RI, U.S. Department of Energy, Paducah, KY, November.
- DOE 2003b. *Site-Wide Risk Assessment Model and Environmental Baseline for the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/07-2104&D0, U. S. Department of Energy, Paducah, Kentucky, September.
- DOE 2004a. *Final Inventory/Characterization Report for the OS-06 Department of Energy Material Storage Area at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, BJC/PAD-635/RI, U.S. Department of Energy, Paducah, KY, April.
- DOE 2004b. *Final Inventory/Characterization Report for the OS-07 Department of Energy Material Storage Area at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, BJC/PAD-679/RI, U.S. Department of Energy, Paducah, KY, September.
- DOE 2004c. *Final Inventory/Characterization Report for the OS-12 Department of Energy Material Storage Area at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, BJC/PAD-264/RI, U.S. Department of Energy, Paducah, KY, March.
- DOE 2004d. *Final Inventory/Characterization Report for the OS-15 Department of Energy Material Storage Area at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, BJC/PAD-676/RI, U.S. Department of Energy, Paducah, KY, September.
- DOE 2004e. *Final Inventory/Characterization Report for the OS-16 Department of Energy Material Storage Area at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, BJC/PAD-673/RI, U.S. Department of Energy, Paducah, KY, September.
- DOE 2004f. *Final Inventory/Characterization Report for the OS-17 Department of Energy Material Storage Area at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, BJC/PAD-675/RI, U.S. Department of Energy, Paducah, KY, September.
- DOE 2004g. *Site Investigation Work Plan for the Southwest Plume at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/07-2094&D2, U.S. Department of Energy, Paducah, KY, February.
- DOE 2005. *Sampling and Analysis Plan for Site Investigation and Risk Assessment of the Surface Water Operable Unit (On-Site) at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/07-2137&D2/R2, U.S. Department of Energy, May.
- DOE 2007a. *Engineering Evaluation/Cost Analysis for Soils Operable Unit Inactive Facilities at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-0016, U.S. Department of Energy, Paducah, KY.
- DOE 2007b. *Community Relations Plan Under the Federal Facility Agreement at the U.S. Department of Energy, Paducah Gaseous Diffusion Plant*, U.S. Department of Energy, Paducah, KY, April.

- DOE 2008a. *Removal Action Report for the Scrap Metal Removal Action at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-0018&D2, U.S. Department of Energy, Paducah, Kentucky, May.
- DOE 2008b. *Site Evaluation Report for Soil Pile I at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-0108&D2, U.S. Department of Energy, Paducah, KY, November.
- DOE 2009a. *Site Management Plan Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-0185&D2, U.S. Department of Energy, Paducah, KY, March.
- DOE 2009b. *Methods for Conducting Risk Assessments and Risk Evaluations at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, Volume 1. Human Health, Volume 2. Ecological*, DOE/LX/07-0107/V1&D2, DOE/LX/07-0107/V2&D2, U.S. Department of Energy, Paducah, KY, December.
- DOE 2009c. *Site Evaluation Report for Addendum 1-B Soil Piles at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-0225&D1, U.S. Department of Energy, Paducah, KY, July.
- Douthitt, J. W., and B. E. Phillips 1991. "Stratigraphic Controls on Contaminant Migration in Fluvio-Lacustrine Sediments Near Paducah, Kentucky," Geological Society of America, Southeast - Northeast Meeting, Baltimore, Maryland, March 14-16, 1991.
- EDGE (Engineering, Design, & Geosciences Group, Inc.) 1988. *RCRA Facility Investigation C-400 Trichloroethylene Spill Site Paducah Gaseous Diffusion Plant*, ERC Environmental and Energy Service Company, Nashville, TN, March.
- EPA 1987. *Data Quality Objectives for Remedial Response Activities, Development Process*.
- EPA 1988. *Guidance for Conducting Remedial Investigations and Feasibility Studies Under CERCLA*; Interim Final, NTIS PB89-184626, EPA 540-G-89-004, OSWER 9355.3-01, October.
- EPA 1994. *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods (SW-846)*, Abstract on CD-ROM, U.S. Environmental Protection Agency, September.
- EPA 1998. *Federal Facility Agreement for the Paducah Gaseous Diffusion Plant*, U.S. Environmental Protection Agency, Atlanta, GA, February 13.
- EPA 1999. *A Guide to Preparing Superfund Proposed Plans, Records of Decision, and Other Remedy Selection Decision Documents*, OSWER 9200.1-23.P, Office of Emergency and Remedial Response, Washington, DC.
- EPA 2006. *Guidance on Systematic Planning Using the Data Quality Objections Process*, EPA QA/G-4.
- Jacobs EM Team 1994. "Justification for Early Remedial Action on C-100 Berms (SWMU 138)," Interoffice Memorandum from Casey Cahill to Don Wilkes, Jacobs EM Team, Kevil, KY, November 2.
- KDEP 1994. *Waste Area Group 13 and 6 Reprioritization and Special Requests*. Letter from Kentucky Department of Environmental Protection to U.S. Department of Energy on November 23, 1994.

- KSNPC 1991. *Biological Inventory of the Jackson Purchase Region of Kentucky*, Kentucky State Nature Preserves Commission, Frankfort, KY.
- MMES (Martin Marietta Energy Systems, Inc.) 1989. *Inventory of Polychlorinated Biphenyls*, Volume 1, January 1-December 31, 1988, prepared for the U. S. Department of Energy, Paducah, KY.
- NRC 1997. *Multi-Agency Radiological Survey and Site Investigation Manual*, NUREG-1575.
- Olive, W. W., 1980. *Geologic Maps of the Jackson Purchase Region, Kentucky*. U.S. Geological Survey Miscellaneous Investigations Series, Map I-1217. U.S. Geological Survey, Reston, VA.
- Webb, A. February 13, 2007. Kentucky Department for Environmental Protection, Division of Waste Management, Hazardous Waste Branch, letter to W. E. Murphie, U. S. Department of Energy, Paducah, KY, and N. Stanisich, Paducah Remediation Services, LLC, Kevil, KY.

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX A
POTENTIALLY APPLICABLE OR RELEVANT AND
APPROPRIATE REQUIREMENTS
AND TO BE CONSIDERED GUIDANCE

THIS PAGE INTENTIONALLY LEFT BLANK

ACRONYMS

| | |
|------------------|---|
| ALARA | as low as reasonably achievable |
| ARAR | applicable or relevant and appropriate requirement |
| CERCLA | Comprehensive Environmental Response, Compensation, and Liability Act |
| <i>CFR</i> | <i>Code of Federal Regulations</i> |
| COE | U.S. Army Corps of Engineers |
| EDE | effective dos equivalent |
| EPA | U.S. Environmental Protection Agency |
| <i>Fed. Reg.</i> | <i>Federal Register</i> |
| FS | feasibility study |
| <i>KAR</i> | <i>Kentucky Administrative Record</i> |
| NCP | National Oil and Hazardous Substances Pollution Contingency Plan |
| NWP | Nationwide Permit |
| OSHA | Occupational Safety and Health Association |
| OU | operable unit |
| PCB | polychlorinated biphenyl |
| PGDP | Paducah Gaseous Diffusion Plant |
| RCRA | Resource Conservation and Recovery Act |
| RI | remedial investigation |
| SWMU | solid waste management unit |
| T&E | threatened and endangered |
| TBC | To Be Considered |
| <i>USC</i> | <i>United States Code</i> |
| <i>USCA</i> | <i>United States Code Annotated</i> |

THIS PAGE INTENTIONALLY LEFT BLANK

A.1 INTRODUCTION

Congress specified in the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) § 121(d) (42 *USCA* § 9621) that remedial actions for cleanup of hazardous substances must comply with requirements or standards under federal or more stringent state environmental laws that are applicable or relevant and appropriate to the hazardous substances or particular circumstances at a site or obtain a waiver [see also 40 *CFR* § 300.430(f) (1) (ii) (B)]. Inherent in the application of applicable or relevant and appropriate requirements (ARARs) is the assumption that protection of human health and the environment is ensured.

This appendix supplies a preliminary discussion of available federal and state chemical-, location-, and action-specific ARARs that may be associated with potential remedial actions at the Soils Operable Unit (Soils OU) at the Paducah Gaseous Diffusion Plant (PGDP). The process of ARAR identification is an iterative one that is continually changing as the remedial investigation/feasibility study (RI/FS) progresses; therefore, the ARARs that are identified represent a compilation of potential ARARs that are subject to change as site-specific contamination at the Soils OU is further characterized and alternatives are further evaluated. Site-specific ARARs will be identified further during the remedial action selection for the FS.

The U.S. Environmental Protection Agency (EPA) differentiates ARARs as either “applicable” or “relevant and appropriate” to a site. The terms and conditions of these categories are as follows:

- *Applicable requirements* are “those cleanup standards, standards of control, and other substantive requirements, criteria, or limitations promulgated under federal environmental or state environmental or facility siting laws that specifically address a hazardous substance, pollutant, contaminant, remedial action, location, or other circumstance found at a CERCLA site” (40 *CFR* § 300.5); and
- *Relevant and appropriate requirements* are “those cleanup standards, standards of control, and other substantive requirements, criteria, or limitations promulgated under federal environmental or state environmental or facility siting laws that, while not applicable to a hazardous substance, pollutant, contaminant, remedial action, location, or other circumstance at a CERCLA site, address problems or situations sufficiently similar to those encountered at the CERCLA site that their use is well suited to the particular site” (40 *CFR* § 300.5).

The EPA also categorizes ARARs based on whether they are specific to the chemical(s) present at the site (chemical-specific), the remedial action being evaluated (action-specific), or the location of the site (location-specific). The EPA designated these categories to assist in the identification of ARARs; however, they are not necessarily precise [53 *Fed. Reg.* 51437 (1988)]. Some ARARs may fit into more than one category, while others may not definitively fit into any one category. Terms and conditions relevant to this categorization are included in the list that follows:

- *Chemical-specific ARARs* usually are “health- or risk-based numerical values or methodologies that, when applied to site-specific conditions, result in the establishment of numerical values” [53 *Fed. Reg.* 51437 (1988)]. These values establish the acceptable amount or concentration of a chemical that may remain in, or be discharged to, the ambient environment.
- *Action-specific ARARs* usually are “technology- or activity-based requirements or limitations placed on actions taken with respect to hazardous wastes, or requirements to conduct certain actions to address particular circumstances at a site” [53 *Fed. Reg.* 51437 (1988)]. Selection of a particular

remedial action at a site will trigger action-specific ARARs that specify appropriate technologies and performance standards.

- *Location-specific ARARs* “generally are restrictions placed upon the concentration of hazardous substances or the conduct of activities solely because they are in special locations” [53 *Fed. Reg.* 51437 (1988)]. Some examples of special locations include floodplains, wetlands, historic places, and sensitive ecosystems or habitats.

Chemical-specific ARARs include concentration limits for contaminants such as maximum contaminant levels. Action-specific ARARs include performance and design standards, such as the Resource Conservation and Recovery Act (RCRA) minimum technology requirements. Location-specific ARARs include regulations covering preservation of historic sites and protection of wetlands and floodplains.

Pursuant to CERCLA § 121(e) [42 *USCA* § 9621(e) (1)], response actions, or portions of response actions entirely on-site, as defined in 40 *CFR* § 300.5, must comply with the substantive portions of ARARs, but not the procedural or administrative requirements. Additionally, CERCLA § 121(d) (4) [42 *USCA* § 9621(d) (4)] provides six ARAR waiver options that may be invoked, provided that human health and the environment are protected.

Published unpromulgated information that does not necessarily meet the definition of an ARAR may be necessary, under certain circumstances, to determine what is protective of human health and the environment. This type of information is known as To Be Considered (TBC) guidance and also may be useful in developing CERCLA remedies. Because ARARs do not exist for every chemical or circumstance that may be found at a CERCLA site, the EPA believes that it may be necessary, when determining cleanup requirements or designing a remedy, to consult reliable information that otherwise would not be considered a potential ARAR. Criteria or guidance developed by the EPA, other federal agencies, or states may assist in determining, for example, health-based levels for a particular contaminant or the appropriate method for conducting an action for which there are no ARARs. The TBC guidance generally falls within four categories: (1) health effects information; (2) technical information on how to perform or evaluate investigations or response actions; (3) policy; and (4) proposed regulations, if the proposed regulation is noncontroversial and likely to be promulgated as drafted.

The EPA requires compliance with Occupational Safety and Health Association (OSHA) standards through § 300.150 of the National Oil and Hazardous Substances Pollution Contingency Plan (NCP), not through the ARARs process. Worker health and safety requirements typically are not addressed as ARARs. The regulations at 29 *CFR* § 1910.120 are designed to protect workers involved in cleanup operations at uncontrolled hazardous waste sites and to provide for worker protection during initial site characterization and analysis, monitoring activities, materials handling activities, training, and emergency response.

The remainder of this appendix will address those requirements that apply to remedial actions through the CERCLA (i.e., ARARs) process. As mentioned above, ARARs identification is an iterative process that continually changes as the RI/FS progresses. Based on the remedial action ultimately selected, ARARs specific to that action will be identified later in the remedial action process.

A.2 CHEMICAL-SPECIFIC APPLICABLE OR RELEVANT AND APPROPRIATE REQUIREMENTS

A.2.1 Radionuclide Contamination

Radionuclides have been detected in soil at some of the Soils OU solid waste management units (SWMUs). While no cleanup standards currently exist for soil contaminated with radionuclides, U.S. Department of Energy (DOE) Order 5400.5, *Radiation Protection of the Public and the Environment* specifies radiation exposure limits for members of the general public. They include an effective dose equivalent (EDE) of 100 mrem/yr. The Order also requires DOE personnel and contractors to strive to ensure that radiation doses to members of the public are as low as reasonably achievable (ALARA) below the appropriate limits. The Order applies to exposure of the public as a result of routine DOE activities, including implementation of remedial actions. While all DOE facilities must comply with this Order, under the NCP, it would be classified as TBC guidance for radionuclide remediation rather than applicable or relevant and appropriate since it has not been promulgated.

A.2.2 Radionuclide Emission Standards

On-site activities involved with the implementation of any remedial action selected may produce airborne pollutants. If radionuclide emissions were to occur, emission standards for DOE facilities would apply. The regulations promulgated pursuant to the Clean Air Act of 1970, as amended by the Clean Air Act of 1990, set emission standards for radionuclides, other than radon, from DOE facilities. This regulation requires that DOE ensure that emissions from its facilities do not exceed those amounts that would cause any member of the public to receive, in any year, an effective dose equivalent in excess of 10 mrem/yr (40 *CFR* § 61.92). These regulations in 40 *CFR* § 61.92 would be applicable to any activity that would result in radionuclide emissions.

A.2.3 Polychlorinated Biphenyls

Soils contaminated with polychlorinated biphenyls (PCBs) are considered “bulk PCB remediation waste” under 40 *CFR* § 761.3. Cleanup and removal of bulk PCB remediation waste will be conducted in accordance with 40 *CFR* § 761.61. These would be applicable requirements.

A.3 LOCATION-SPECIFIC APPLICABLE OR RELEVANT AND APPROPRIATE REQUIREMENTS

A.3.1 Threatened or Endangered Species

No threatened or endangered (T&E) species or their potential habitats or critical habitats have been identified in the boundaries of the Soils OU SWMUs. Kentucky has no T&E species regulations promulgated at this time. A list of plant and animal species identified for monitoring purposes is maintained by the Kentucky State Nature Preserves Commission. If T&E species later are discovered in the area, potential impacts to the species should be considered for all DOE actions.

A.3.2 Cultural Resources

No cultural resources have been identified in the boundaries of the Soils OU SWMUs.

A.3.3 Floodplains/Wetlands

Eight SWMUs have been identified in a 100-year floodplain, and wetlands have been identified near a few of the SWMUs (CDM 1994). Although all ARARs discussed in this section are applicable, they will be met by avoidance of the resource. If impacts become apparent, however, mitigation measures will be addressed and/or initiated during the remedial design and/or remedial action phase to comply with the ARARs.

Construction activities must avoid or minimize adverse impacts on wetlands and act to preserve and enhance their natural and beneficial values [Executive Order 11990; 40 *CFR* § 6.302(a); 40 *CFR* § 6, Appendix A; and 10 *CFR* § 1022]. In addition, construction activities must minimize potential harm to the 100-year floodplain [Executive Order 11988 and 10 *CFR* § 1022].

40 *CFR* § 230.10(b) prohibits discharges of dredged or fill material that cause or contribute to violations of state water quality standards, violate toxic effluent standards or discharge prohibitions (33 *USC* § 1317), or jeopardize T&E species or their critical habitat under the Endangered Species Act (16 *USC* § 1531, *et seq.*). If it becomes apparent that impacts to wetlands are unavoidable, the substantive requirements of 61 *Fed. Reg.* 65920 Nationwide Permits (NWP), or 33 *CFR* § 325 (processing of general permits), governing discharges of dredged or fill material into waters of the United States would become applicable.

Specific requirements applicable to all NWPs are defined in 61 *Fed. Reg.* 65920 (December 13, 1996). The substantive requirements of NWP 38 (cleanup of hazardous and toxic waste) are applicable to this action, but the specific requirement of notification is not required for CERCLA actions under this NWP. Consequently, although wetlands should be delineated and avoided, the delineation does not have to be sent to the U.S. Army Corps of Engineers (COE), and the COE does not have to be notified for this action [61 *Fed. Reg.* 65905-65906 (1996)].

As required by 401 *KAR* 4:060, activities or structures exempted by 401 *KAR* 4:020, that includes activities covered by a COE NWP, may be placed within the regulatory floodway limit of a stream only if they are not of such nature as to result in increases in flood elevations.

A.4 ACTION-SPECIFIC APPLICABLE OR RELEVANT AND APPROPRIATE REQUIREMENTS

A.4.1 Site Preparation, Construction, and Excavation Activities

Action-specific ARARs will be developed in the FS.

APPENDIX B
DOCUMENT OUTLINE

THIS PAGE INTENTIONALLY LEFT BLANK

INTEGRATED RFI/RI REPORT

Executive Summary

1. Introduction

1.1 Purpose of Report

1.2 Site Background

1.2.1 Site Description

1.2.2 Site History

1.2.3 Previous Investigations

1.3 Report Organization

2. Study Area Investigation

2.1 Includes all field activities associated with site characterization. These may include physical and chemical monitoring of some of the following:

2.1.1 Surface Features

2.1.2 Contaminant Source Investigations

2.1.3 Meteorological Investigations

2.1.4 Surface Water and Sediment Investigations

2.1.5 Geological Investigations

2.1.6 Soil and Vadose Zone Investigations

2.1.7 Groundwater Investigations

2.1.8 Human Population Surveys

2.1.9 Ecological Investigations

2.2 If technical memoranda documenting field activities were prepared, they may be included in an appendix and summarized in this report section.

3. Physical Characteristics of the Study Area

3.1 Includes results of the field activities to determine physical characteristics. These may include some of the following:

3.1.1 Surface Features

3.1.2 Meteorology

3.1.3 Surface Water Hydrology

3.1.4 Geology

3.1.5 Soils

3.1.6 Hydrogeology

3.1.7 Demography and Land Use

3.1.8 Ecology

4. Nature and Extent of Contamination

4.1 Presents the results of site characterization, both natural chemical components and contaminants of the following media:

4.1.1 Sources (Lagoons, Sludges, Tanks, etc.)

4.1.2 Soils and Vadose Zone

4.1.3 Groundwater

4.1.4 Surface Water and Sediments

4.1.5 Air

5. Fate and Transport

5.1 Potential Routes of Migration (i.e., Air, Groundwater, etc.)

5.2 Contaminant Persistence

5.2.1 Describe estimated persistence in the study area environment and physical, chemical, and/or biological factors of importance for the media of interest.

5.3 Contaminant Migration

5.3.1 Describe factors affecting contaminant migration for the media of importance (e.g., sorption onto soils, solubility in water, movement of groundwater, etc.).

5.3.2 Describe modeling methods and results, if applicable.

6. BRA

6.1 Human Health Evaluation

6.1.1 Exposure Assessment

6.1.2 Toxicity Assessment

6.1.3 Risk Characterization

6.2 Environmental Evaluation

7. Summary and Conclusions

7.1 Summary

7.1.1 Nature and Extent of Contamination

7.1.2 Fate and Transport

7.1.3 Risk Assessment

7.2 Conclusions

7.2.1 Data Limitations and Recommendations for Future Work

7.2.2 Recommended RA Objectives

Appendices

A Technical Memoranda on Field Activities

B Analytical Data and QA/QC Evaluation Results C

Risk Assessment Methods

NOTE: Elements included in this outline shall be considered and incorporated, as appropriate, when developing the above-referenced document.

INTEGRATED FS/CMS REPORT

Executive Summary

1. Introduction

1.1 Purpose and Organization of Report

1.2 Background Information (Summarized from RI/RFI Report)

1.2.1 Site Description

1.2.2 Site History

1.2.3 Nature and Extent of Contamination 1.2.4 Contaminant Fate and Transport 1.2.5 BRA

2. Identification and Screening of Technologies

2.1 Introduction

2.2 RA Objectives -

Presents the development of RA objectives for each medium of interest. For each medium, the following should be discussed:

2.2.1 Contaminants of Interest

2.2.2 Allowable Exposure Based upon Risk Assessment (including ARARs)

2.2.3 Development of Remediation Goals

2.3 General Response Actions -

For each medium of interest, describe the estimation of areas or volumes to which treatment, containment, or exposure technologies may be applied.

2.4 Identification and Screening of Technology Types and Process Options - For each medium of interest, describe:

2.4.1 Identification and Screening of Technologies

2.4.2 Evaluation of Technologies and Selection of Representative Technologies

3. Development and Screening of Alternatives

3.1 Development of Alternatives -

Describes rationale for combination of technologies/media into alternatives.

3.2 Screening of Alternatives (if conducted)

3.2.1 Introduction

3.2.2 Alternative 1

3.2.2.1 Description

3.2.2.2 Evaluation

3.2.3 Alternative 2 (etc.)

3.2.4 Alternative 3 (etc.)

4. Detailed Analysis of Alternatives

4.1 Introduction

4.2 Individual Analysis of Alternatives

4.2.1 Alternative 1

4.2.1.1 Description

4.2.1.2 Assessment

4.2.2 Alternative 2 (etc.)

4.2.3 Alternative 3 (etc.)

4.3 Comparative Analysis

Bibliography

Appendices

NOTE: Elements included in this outline shall be considered and incorporated, as appropriate, when developing the above-referenced document.

Baseline Risk Assessment Outline

Baseline Human Health Risk Assessment

1. Results of Previous Studies
2. Identification of Chemicals of Potential Concern
 - 2.1 Sources of Data
 - 2.2 General Data Evaluation Considerations
 - 2.3 Risk Assessment Specific Data Evaluation
 - 2.4 Evaluation of Data from Other Sources
 - 2.5 Summary of Chemicals of Potential Concern
3. Exposure Assessment
 - 3.1 Characterization of Exposure Setting
 - 3.2 Identification of Exposure Pathways
 - 3.3 Quantification of Exposure
 - 3.4 Summary of Exposure Assessment
4. Toxicity Assessment
 - 4.1 Inorganics
 - 4.2 Organics
 - 4.3 Radionuclides
 - 4.4 Chemicals for Which No EPA Toxicity Values Are Available
 - 4.5 Uncertainties Related to Toxicity Assessment
 - 4.6 Summary
5. Risk Characterization
 - 5.1 Determination of Noncancer Effects
 - 5.2 Determination of Excess Cancer Risk
 - 5.3 Risk Characterization for Current Use Scenario(s)
 - 5.4 Risk Characterization for Future Use Scenario(s)
 - 5.5 Risk Characterization for Lead (if needed)
 - 5.6 Identification of Use Scenarios, Contaminants, Pathways, and Media of Concern
 - 5.7 Summary of Risk Characterization
6. Uncertainty in the Risk Assessment
 - 6.1 Uncertainties Associated with Data
 - 6.2 Uncertainties Associated with Exposure Assessment
 - 6.3 Uncertainties Associated with Toxicity Assessment
 - 6.4 Uncertainties Associated with Risk Characterization
 - 6.5 Summary of Uncertainties
7. Conclusions and Summary
 - 7.1 Chemicals of Potential Concern
 - 7.2 Exposure Assessment
 - 7.3 Toxicity Assessment
 - 7.4 Risk Characterization
 - 7.5 Observations

Screening-Level Ecological Risk Assessment

(The outline of the SERA will be consistent with the completion of Steps 1, 2, and 3 of the EPA ecological risk assessment process as outlined in Volume 2 of the DRAFT PGDP Risk Methods Document (DOE 2009b). This outline for the ecological risk assessment is dependent on the amount of information available after completion of field activities; therefore, the outline will be determined at that time.)¹

¹Please refer to the DRAFT Risk Methods Document (DOE 2009b) for additional information.

APPENDIX C
HISTORICAL DATA SUMMARY

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX C
HISTORICAL DATA SUMMARY

(CD)

THIS PAGE INTENTIONALLY LEFT BLANK