


**C-746-U Contained Landfill
First Quarter Calendar Year 2014
(January–March)
Compliance Monitoring Report
Paducah Gaseous Diffusion Plant,
Paducah, Kentucky**

This document is approved for public release per review by:


LATA Kentucky Classification Support 5-28-2014
Date

**C-746-U Contained Landfill
First Quarter Calendar Year 2014
(January–March)
Compliance Monitoring Report
Paducah Gaseous Diffusion Plant,
Paducah, Kentucky**

Date Issued—May 2014

Prepared for the
U.S. DEPARTMENT OF ENERGY
Office of Environmental Management

Prepared by
LATA ENVIRONMENTAL SERVICES OF KENTUCKY, LLC
managing the
Environmental Remediation Activities at the
Paducah Gaseous Diffusion Plant
under contract DE-AC30-10CC40020

THIS PAGE INTENTIONALLY LEFT BLANK

CONTENTS

FIGURE	v
TABLES	v
ACRONYMS.....	vii
1. INTRODUCTION.....	1
1.1 BACKGROUND.....	1
1.2 MONITORING PERIOD ACTIVITIES	1
1.2.1 Groundwater Monitoring	1
1.2.2 Methane Monitoring	3
1.2.3 Surface Water Monitoring	3
1.3 KEY RESULTS.....	3
2. DATA EVALUATION/STATISTICAL SYNOPSIS.....	5
3. DATA VALIDATION	7
4. PROFESSIONAL GEOLOGIST AUTHORIZATION.....	9
5. REFERENCE	11
APPENDIX A: GROUNDWATER, SURFACE WATER, LEACHATE, AND METHANE MONITORING SAMPLE DATA REPORTING FORM.....	A-1
APPENDIX B: FACILITY INFORMATION SHEET.....	B-1
APPENDIX C: GROUNDWATER SAMPLE ANALYSES AND WRITTEN COMMENTS	C-1
APPENDIX D: STATISTICAL ANALYSES AND QUALIFICATION STATEMENT.....	D-1
APPENDIX E: GROUNDWATER FLOW RATE AND DIRECTION	E-1
APPENDIX F: NOTIFICATIONS.....	F-1
APPENDIX G: CHART OF MCL EXCEEDANCES AND STATISTICALLY SIGNIFICANT INCREASES	G-1
APPENDIX H: METHANE MONITORING DATA.....	H-1

THIS PAGE INTENTIONALLY LEFT BLANK

FIGURE

1. C-746-U Landfill Groundwater Monitoring Well Network 2

TABLES

1. Summary of MCL Exceedances 3
2. Summary of Statistically Significant Increases 4
3. Monitoring Wells Included Historically in Statistical Analysis 5

THIS PAGE INTENTIONALLY LEFT BLANK

ACRONYMS

<i>CFR</i>	<i>Code of Federal Regulations</i>
EPA	U.S. Environmental Protection Agency
<i>KAR</i>	<i>Kentucky Administrative Regulations</i>
KDWM	Kentucky Division of Waste Management
KRS	Kentucky Revised Statutes
LEL	lower explosive limit
LRGA	Lower Regional Gravel Aquifer
MCL	maximum contaminant level
MW	monitoring well
PCB	polychlorinated byphenyl
RGA	Regional Gravel Aquifer
UCRS	Upper Continental Recharge System
URGA	Upper Regional Gravel Aquifer

THIS PAGE INTENTIONALLY LEFT BLANK

1. INTRODUCTION

This report, *C-746-U Contained Landfill First Quarter Calendar Year 2014 (January–March) Compliance Monitoring Report, Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, is being submitted in accordance with Solid Waste Landfill Permit Number 073-00045.

The groundwater, surface water, leachate, and methane monitoring sample data reporting form is provided in Appendix A. The facility information sheet is provided in Appendix B. Groundwater analytical results are recorded on the Kentucky Division of Waste Management (KDWM) groundwater reporting forms, which are presented in Appendix C. The total metals results reported in Appendix C are measured in an unfiltered sample, as required by Permit Condition GSTR0001, Standard Requirement 4. The statistical analyses and qualification statement are provided in Appendix D. The groundwater flow rate and direction determination are provided in Appendix E. Appendix F contains the notifications for parameters that exceed the maximum contaminant level (MCL) and for all parameters that had statistically significant increased concentrations relative to background concentrations, including those parameters listed in 40 *CFR* § 302.4, Appendix A. Appendix G provides a chart of MCL exceedances and statistically significant increases that have occurred, beginning in the fourth quarter calendar year 2002. Methane monitoring results are documented on the approved C-746-U Landfill Methane Monitoring Report form provided in Appendix H. The form includes pertinent remarks/observations as required by 401 KAR 48:090, Section 4.

1.1 BACKGROUND


The C-746-U Landfill is an operating solid waste landfill located north of the Paducah Gaseous Diffusion Plant and north of the C-746-S&T Landfills. Construction and operation of the C-746-U Landfill was permitted in November 1996 under Solid Waste Landfill Permit Number 073-00045. The permitted C-746-U Landfill area covers about 60 acres and includes a liner and leachate collection system. C-746-U Landfill currently is operating in Phases 3, 4, and 5. Phases 1, 2, and most of Phase 3 have long-term cover. Phases 6 through 23 have not been constructed.

1.2 MONITORING PERIOD ACTIVITIES

1.2.1 Groundwater Monitoring

Groundwater sampling was conducted within the first quarter 2014, during January, using LATA Environmental Services of Kentucky, LLC, procedure PAD-ENM-2101, *Groundwater Sampling*. Appropriate sample containers and preservatives were utilized. The laboratories that performed analysis used U.S. Environmental Protection Agency (EPA)-approved methods, as applicable.

Three zones are monitored at the site: the Upper Continental Recharge System (UCRS), Upper Regional Gravel Aquifer (URGA), and the Lower Regional Gravel Aquifer (LRGA). There are 21 monitoring wells (MWs) under permit for the C-746-U Landfill; 9 UCRS wells, 6 URGA wells, and 6 LRGA wells. A map of the MW locations is presented in Figure 1. All MWs were sampled this quarter except MW359, MW362, MW365, MW368, MW376, and MW377 (all screened in the UCRS), which had an insufficient amount of water to obtain samples; therefore, there are no analytical results for these locations.



The parameters specified in Permit Condition GSTR0001, Special Condition 1, were analyzed for all locations sampled.

The groundwater flow rate and direction determination are provided in Appendix E. Depth-to-water was measured on January 30, 2014, in MWs of the C-746-U Landfill (see Table E.1), in MWs of the C-746-S&T Landfills, and in MWs of the surrounding region (shown on Figure E.4). Water level measurements in 38 vicinity wells define the potentiometric surface for the Regional Gravel Aquifer (RGA).¹ Normal regional flow in the RGA is northeastward, toward the Ohio River. The hydraulic gradient in the vicinity of the C-746-U Landfill in January was 1.90×10^{-4} ft/ft. The hydraulic gradient for the URGA at the C-746-U Landfill was 3.72×10^{-4} ft/ft, and the hydraulic gradient for the LRGA was 3.70×10^{-4} ft/ft. Calculated groundwater flow rates (average linear velocity) at the C-746-U Landfill range from 0.63 to 1.08 ft/day for the URGA and LRGA (see Table E.3).

1.2.2 Methane Monitoring

Landfill operations staff monitored for the occurrence of methane on March 20, 2014, in four on-site building locations and four locations along the landfill boundary. See Appendix H for a map of the monitoring locations. Monitoring identified 0% of the lower explosive limit (LEL) of methane at all locations, which is compliant with the regulatory requirement of < 100% LEL at boundary locations and < 25% LEL at all other locations. The results are documented on the C-746-U Landfill Methane Log provided in Appendix H.

1.2.3 Surface Water Monitoring

There was no surface water sampling conducted during the first quarter 2014 due to insufficient rainfall during normal landfill operating hours.

1.3 KEY RESULTS

The following parameters had concentrations that either exceeded the MCL (Table 1) or were shown to have statistically significant increases (Table 2) in concentrations² relative to background concentrations during the first quarter 2014.

Table 1. Summary of MCL Exceedances

UCRS	URGA	LRGA
(none)	MW357: trichloroethene MW372: beta activity, trichloroethene	MW358: trichloroethene MW373: trichloroethene

¹ Although depth-to-water is measured in the UCRS wells, the UCRS has a strong vertical hydraulic gradient that varies locally. The UCRS wells are screened over different elevations; therefore, the UCRS well measurements are not sufficient for mapping the potentiometric surface.

² The term “concentration” may refer to a field measurement result such as pH, oxidation-reduction potential, or an analytical parameter such as trichloroethene or polychlorinated biphenyls (PCBs).

Table 2. Summary of Statistically Significant Increases

UCRS	URGA	LRGA
MW371: (upgradient): oxidation-reduction potential	MW357: oxidation-reduction potential	MW358: oxidation-reduction potential
MW374: (upgradient): oxidation-reduction potential	MW360: oxidation-reduction potential	MW361: oxidation-reduction potential, technetium-99
MW375: oxidation-reduction potential, sulfate	MW363: oxidation-reduction potential	MW364: oxidation-reduction potential, technetium-99
	MW366: oxidation-reduction potential	MW367: oxidation-reduction potential, potassium
	MW369: (upgradient): oxidation-reduction potential	MW370: (upgradient): oxidation-reduction potential
	MW372: (upgradient): conductivity, dissolved solids, oxidation-reduction potential, sodium, sulfate, technetium-99	MW373: (upgradient): oxidation-reduction potential

Sidegradient wells: MW366, MW367, MW368, MW375, MW376, MW377

Downgradient wells: MW357, MW358, MW359, MW360, MW361, MW362, MW363, MW364, MW365

Upgradient wells: MW369, MW370, MW371, MW372, MW373, MW374

There were no new MCL exceedances for this quarter. The MCL exceedances—beta activity in MW372 and trichloroethene in MW357, MW358 MW372, and MW373—are related to sources of contamination that are upgradient of the C-746-U Landfill. The notification of parameters that exceeded the MCL has been submitted electronically to the KDWM in accordance with 401 KAR 48:300, Section 7, prior to the submittal of this report.

There were two new statistically significant increases for potassium and sodium this quarter. All other 22 statistically significant increases have occurred previously at least once since fourth quarter calendar year 2002.

This report serves as the notification of parameters that had statistically significant increased concentrations relative to background concentrations, as required by Permit Number 073-00045, Condition GSTR0001, Standard Requirement 8, and 401 KAR 48:300, Section 7.

2. DATA EVALUATION/STATISTICAL SYNOPSIS

The statistical analyses conducted on the first quarter 2014 groundwater data collected from the C-746-U Contained Landfill MWs were performed in accordance with Permit Condition GSTR0001, Standard Requirement 3, using the EPA guidance document, *EPA Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Final Guidance* (1989), with the exception of pH. The method for conducting the statistical analysis of pH was selected by the statistician. The statistical analyses for this report utilize data from the first eight quarters that were sampled for each parameter, beginning with the first two baseline sampling events in 2002, when available. The sampling dates associated with background data are listed next to the result in the statistical analysis sheets in Appendix D (D-22–D-80).

For chemicals with an established MCL, no statistical analysis was performed. Parameters that have an MCL can be found in 401 KAR 47:030, Section 6. For parameters with no established MCL, the data are divided into censored (nondetects) and uncensored (detected) observations. The one-sided tolerance interval statistical test is conducted only on parameters that have at least one uncensored observation. Results of the one-sided tolerance interval statistical test are used to determine whether the data show a statistically significant increase in concentrations with respect to upgradient (background) well data. For the statistical analysis of pH, a two-sided tolerance interval statistical test was conducted. The test well results were compared to both upper and lower tolerance limit to determine if statistically significant deviations in concentrations exist with respect to upgradient (background) well data. A stepwise list of the one-side tolerance interval statistical procedures applied to the data is provided in Appendix D under Statistical Analysis Process. The statistical analysis was conducted separately for each parameter in each well. The MWs included historically in the statistical analyses are listed in Table 3.

Table 3. Monitoring Wells Included Historically in Statistical Analysis*

UCRS	URGA	LRGA
MW359 (dry)**	MW357	MW358
MW362 (dry)**	MW360	MW361
MW365 (dry)**	MW363	MW364
MW368 (dry)**	MW366	MW367
MW371 (upgradient)	MW369 (upgradient)	MW370 (upgradient)
MW374 (upgradient)	MW372 (upgradient)	MW373 (upgradient)
MW375		
MW376 (dry)***		
MW377 (dry)***		

*A map showing the monitoring well locations is shown on Figure 1.

**MW359, MW362, MW365, and MW368 had sufficient water to permit a water level measurement but insufficient water to provide water samples for laboratory analysis.

*** MW376 and MW377 had insufficient water to permit a water level measurement and insufficient water to provide water samples for laboratory analysis.

STATISTICAL ANALYSIS OF GROUNDWATER DATA

Parameters requiring statistical analysis are summarized in Appendix D for each hydrological unit. A stepwise list for determining statistically significant increases is provided in Appendix D under Statistical Analysis Process. Appendix G summarizes the occurrences (by well and by quarter) of statistically significant increases and MCL exceedances.

Upper Continental Recharge System

In this quarter, 17 parameters required statistical analysis in the UCRS. During the first quarter, oxidation-reduction potential and sulfate displayed elevated concentrations that were determined to qualify as statistically significant increases relative to background data and are listed in Table 2.

Upper Regional Gravel Aquifer

In this quarter, 22 parameters required statistical analysis in the URG. During the first quarter, conductivity, dissolved solids, oxidation-reduction potential, sodium, sulfate, and technetium-99 displayed elevated concentrations that were determined to qualify as statistically significant increases relative to background data and are listed in Table 2.

Lower Regional Gravel Aquifer

In this quarter, 18 parameters required statistical analysis in the LRGA. During the first quarter, oxidation reduction potential, potassium, and technetium-99 displayed elevated concentrations that were determined to qualify as statistically significant increases relative to background data and are listed in Table 2.

3. DATA VALIDATION

Data validation was performed on the organic, inorganic, and radiochemical analytical data by an independent third-party validator. Validation qualifiers are not requested on the groundwater reporting forms.

Field quality control samples are collected quarterly during each sampling event. Equipment blanks, field blanks, and trip blanks are obtained to ensure quality control and are reported in the Groundwater Sample Analysis forms in Appendix C. Laboratory quality control samples such as matrix spikes, matrix spike duplicates, and method blanks are performed by the laboratory. Both field and laboratory quality control sample results are reviewed as part of the data validation process.

Data validation results for this data set indicated that all data were considered acceptable.

THIS PAGE INTENTIONALLY LEFT BLANK

4. PROFESSIONAL GEOLOGIST AUTHORIZATION

DOCUMENT IDENTIFICATION: *C-746-U Contained Landfill
First Quarter Calendar Year 2014 (January-March)
Compliance Monitoring Report,
Paducah Gaseous Diffusion Plant,
Paducah, Kentucky (PAD-ENM-0089/V1)*

Stamped and signed pursuant to my authority as a duly registered geologist under the provisions of KRS Chapter 322A.

Kenneth R. Davis
Kenneth R. Davis



May 28, 2014
Date

THIS PAGE INTENTIONALLY LEFT BLANK

5. REFERENCE

EPA (U.S. Environmental Protection Agency) 1989. *EPA Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Final Guidance, Office of Resource Conservation and Recovery, U.S. Environmental Protection Agency, Washington, DC.

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX A

GROUNDWATER, SURFACE WATER, LEACHATE, AND METHANE MONITORING SAMPLE DATA REPORTING FORM

THIS PAGE INTENTIONALLY LEFT BLANK

**NATURAL RESOURCES AND ENVIRONMENTAL PROTECTION CABINET
DEPARTMENT FOR ENVIRONMENTAL PROTECTION
DIVISION OF WASTE MANAGEMENT
SOLID WASTE BRANCH
14 REILLY ROAD
FRANKFORT, KY 40601**

A-3

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX B

FACILITY INFORMATION SHEET

THIS PAGE INTENTIONALLY LEFT BLANK

FACILITY INFORMATION SHEET

Sampling Date: Groundwater: January 2014 County: McCracken Permit Nos. 073-00045

Facility Name: U.S. DOE - Paducah Gaseous Diffusion Plant
(As officially shown on DWM Permit Face)

Site Address: 5600 Hobbs Road Kevil, Kentucky 42053
Street City/State Zip

Phone No: (270) 441-6800 Latitude: N 37° 07' 45" Longitude: W 88° 47' 55"

OWNER INFORMATION

Facility Owner: U.S. DOE – W. E. Murphie, Manager Phone No: (859) 219-4001

Contact Person: Mark J. Duff Phone No: (270) 441-5030

Contact Person Title: Project Manager, LATA Environmental Services of Kentucky, LLC

Mailing Address: 761 Veterans Avenue Kevil, Kentucky 42053
Street City/State Zip

SAMPLING PERSONNEL (IF OTHER THAN LANDFILL OR LABORATORY)

Company: LATA Environmental Services of Kentucky, LLC

Contact Person: Jeff Boulton Phone No: (270) 441-5444

Mailing Address: 761 Veterans Avenue Kevil, Kentucky 42053
Street City/State Zip

LABORATORY RECORD #1

Laboratory: USEC Analytical Laboratories – Paducah Lab ID No: KY00906 (EPA ID Number)

Contact Person: John Price Phone No: (270) 441-5867

Mailing Address: P.O. Box 1410 Paducah, Kentucky 42002-1410
Street City/State Zip

LABORATORY RECORD #2

Laboratory: TestAmerica Laboratories, Inc. Lab ID No: MO00054 (EPA ID Number)

Contact Person: Elaine Wild Phone No: (314) 298-8566

Mailing Address: 13715 Rider Trail North Earth City, MO 63045
Street City/State Zip

LABORATORY RECORD #3

Laboratory: _____ Lab ID No: _____

Contact Person: _____ Phone No: _____

Mailing Address: _____
Street City/State Zip

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX C

GROUNDWATER SAMPLE ANALYSES AND WRITTEN COMMENTS

THIS PAGE INTENTIONALLY LEFT BLANK

Division of Waste Management
Solid Waste Branch
14 Reilly Road
Frankfort, KY 40601 (502)564-6716

RESIDENTIAL/CONTAINED-QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None
For Official Use Only

GROUNDWATER SAMPLE ANALYSIS_(S)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4798	8004-4799	8004-0981	8004-4800				
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					357	358	359	360				
Sample Sequence #					1	1	1	1				
If sample is a Blank, specify Type: (F)ield, (T)rip, (M)ethod, or (E)quipment					NA	NA	NA	NA				
Sample Date and Time (Month/Day/Year hour:minutes)					1/15/2014 08:18	1/15/2014 10:02	NA	1/15/2014 13:25				
Duplicate ("Y" or "N") ²					N	N	N	N				
Split ("Y" or "N") ³					N	N	N	N				
Facility Sample ID Number (if applicable)					MW357UG2-14	MW358UG2-14	NA	MW360UG2-14				
Laboratory Sample ID Number (if applicable)					C14015018001	C14015018002	NA	C14015033001				
Date of Analysis (Month/Day/Year) For <u>Volatile Organics</u> Analysis					1/19/2014	1/19/2014	NA	1/19/2014				
Gradient with respect to Monitored Unit (UP, DOWN, SIDE, UNKNOWN)					DOWN	DOWN	DOWN	DOWN				
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S ⁷	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	
24959-67-9		Bromide	T	mg/L	9056	<2		<2		*	<2	
16887-00-6		Chloride(s)	T	mg/L	9056	31		35		*	11	
16984-48-8		Fluoride	T	mg/L	9214	0.13		0.16		*	0.21	
S0595- -		Nitrate & Nitrite	T	mg/L	9056	1.2		<1		*	<1	
14808-79-8		Sulfate	T	mg/L	9056	62		87		*	41	
NS1894		Barometric Pressure Reading	T	Inches/Hg	Field	30.12		30.12		*	30.13	
S0145- -		Specific Conductance	T	µMH0/cm	Field	435		510		*	497	

¹AKGWA # is 0000-0000 for any type of blank.

²Respond "Y" if the sample was a duplicate of another sample in this report.

³Respond "Y" if the sample was split and analyzed by separate laboratories.

⁴Chemical Abstracts Service Registry Number or unique identifier number assigned by agency.

⁵"T" = Total; "D" = Dissolved

⁶"<" indicates a non-detect; do not use "ND" or "BDL". Value shown is Practical Quantification Limit.

⁷Flags are as designated, do not use any other type. Use "*", then describe on "Written Comments Page."

STANDARD FLAGS:

* = See Comments

J = Estimated Value

B = Analyte found in blank

A = Average value

N = Presumptive ID

D = Concentration from analysis
of a secondary dilution

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number						8004-4798		8004-4799		8004-0981		8004-4800	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, BLANK-F, etc.)						357		358		359		360	
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
S0906 - -		Static Water Level Elevation	T	Ft. MSL	Field	322.89		322.87			*	323	
N238		Dissolved Oxygen	T	mg/L	Field	3.37		0.53			*	1.37	
S0266- -		Total Dissolved Solids	T	mg/L	160.1	249		292			*	273	
S0296- -		pH	T	Units	Field	6.46		6.39			*	6.32	
NS215		Eh	T	mV	Field	782		290			*	631	
S0907 - -		Temperature	T	°C	Field	13.33		14.11			*	10.61	
7429-90-5		Aluminum	T	mg/L	6020	<0.2		<0.2			*	<0.2	
7440-36-0		Antimony	T	mg/L	6020	<0.005		<0.005			*	<0.005	
7440-38-2		Arsenic	T	mg/L	7060	<0.001		0.00117			*	0.00123	
7440-39-3		Barium	T	mg/L	6020	0.0573		0.0522			*	0.158	
7440-41-7		Beryllium	T	mg/L	6020	<0.001		<0.001			*	<0.001	
7440-42-8		Boron	T	mg/L	6010	0.336		0.37			*	<0.2	
7440-43-9		Cadmium	T	mg/L	6020	<0.001		<0.001			*	<0.001	
7440-70-2		Calcium	T	mg/L	6010	28.8		36.5			*	24.3	
7440-47-3		Chromium	T	mg/L	6020	<0.01		<0.01			*	<0.01	
7440-48-4		Cobalt	T	mg/L	6020	<0.001		0.00209			*	0.0173	
7440-50-8		Copper	T	mg/L	6020	<0.02		<0.02			*	<0.02	
7439-89-6		Iron	T	mg/L	6010	<0.1		0.425			*	2.93	
7439-92-1		Lead	T	mg/L	6020	<0.0013		<0.0013			*	0.00321	
7439-95-4		Magnesium	T	mg/L	6010	11.3		14.8			*	9.04	
7439-96-5		Manganese	T	mg/L	6020	<0.005		0.18			*	0.173	
7439-97-6		Mercury	T	mg/L	7470	<0.0002		<0.0002			*	<0.0002	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number						8004-4798		8004-4799		8004-0981		8004-4800	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)						357		358		359		360	
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
7439-98-7		Molybdenum	T	mg/L	6020	<0.001		<0.001			*	<0.001	
7440-02-0		Nickel	T	mg/L	6020	<0.005		<0.005			*	<0.005	
7440-09-7		Potassium	T	mg/L	6010	1.81		2.49			*	0.866	
7440-16-6		Rhodium	T	mg/L	6020	<0.005		<0.005			*	<0.005	
7782-49-2		Selenium	T	mg/L	6020	<0.005		<0.005			*	<0.005	
7440-22-4		Silver	T	mg/L	6020	<0.001		<0.001			*	<0.001	
7440-23-5		Sodium	T	mg/L	6010	39.9		40.2			*	63.7	
7440-25-7		Tantalum	T	mg/L	6020	<0.005		<0.005			*	<0.005	
7440-28-0		Thallium	T	mg/L	6020	<0.002		<0.002			*	<0.002	
7440-61-1		Uranium	T	mg/L	6020	<0.001		<0.001			*	<0.001	
7440-62-2		Vanadium	T	mg/L	6020	<0.02		<0.02			*	<0.02	
7440-66-6		Zinc	T	mg/L	6020	<0.02		<0.02			*	<0.02	
108-05-4		Vinyl acetate	T	mg/L	8260	<0.01		<0.01			*	<0.01	
67-64-1		Acetone	T	mg/L	8260	<0.01	UJ	<0.01	UJ		*	<0.01	UJ
107-02-8		Acrolein	T	mg/L	8260	<0.01		<0.01			*	<0.01	
107-13-1		Acrylonitrile	T	mg/L	8260	<0.01		<0.01			*	<0.01	
71-43-2		Benzene	T	mg/L	8260	<0.005		<0.005			*	<0.005	
108-90-7		Chlorobenzene	T	mg/L	8260	<0.005		<0.005			*	<0.005	
1330-20-7		Xylenes	T	mg/L	8260	<0.015		<0.015			*	<0.015	
100-42-5		Styrene	T	mg/L	8260	<0.005		<0.005			*	<0.005	
108-88-3		Toluene	T	mg/L	8260	<0.005		<0.005			*	<0.005	
74-97-5		Chlorobromomethane	T	mg/L	8260	<0.005		<0.005			*	<0.005	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

FINDS/UNIT: KY8-890-008-982 / 1

Permit Number: 073-00045

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4798		8004-4799		8004-0981		8004-4800		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					357		358		359		360		
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
75-27-4		Bromodichloromethane	T	mg/L	8260	<0.005		<0.005			*	<0.005	
75-25-2		Tribromomethane	T	mg/L	8260	<0.005		<0.005			*	<0.005	
74-83-9		Methyl bromide	T	mg/L	8260	<0.005		<0.005			*	<0.005	
78-93-3		Methyl ethyl ketone	T	mg/L	8260	<0.01		<0.01			*	<0.01	
110-57-6		trans-1,4-Dichloro-2-butene	T	mg/L	8260	<0.005		<0.005			*	<0.005	
75-15-0		Carbon disulfide	T	mg/L	8260	<0.005		<0.005			*	<0.005	
75-00-3		Chloroethane	T	mg/L	8260	<0.005		<0.005			*	<0.005	
67-66-3		Chloroform	T	mg/L	8260	<0.001		<0.001			*	<0.001	
74-87-3		Methyl chloride	T	mg/L	8260	<0.005		<0.005			*	<0.005	
156-59-2		cis-1,2-Dichloroethene	T	mg/L	8260	<0.001		<0.001			*	<0.001	
74-95-3		Methylene bromide	T	mg/L	8260	<0.005		<0.005			*	<0.005	
75-34-3		1,1-Dichloroethane	T	mg/L	8260	<0.001		<0.001			*	<0.001	
107-06-2		1,2-Dichloroethane	T	mg/L	8260	<0.001		<0.001			*	<0.001	
75-35-4		1,1-Dichloroethylene	T	mg/L	8260	<0.001		<0.001			*	<0.001	
106-93-4		Ethane, 1,2-dibromo	T	mg/L	8260	<0.005		<0.005			*	<0.005	
79-34-5		Ethane, 1,1,2,2-Tetrachloro	T	mg/L	8260	<0.005		<0.005			*	<0.005	
71-55-6		Ethane, 1,1,1-Trichloro-	T	mg/L	8260	<0.001		<0.001			*	<0.001	
79-00-5		Ethane, 1,1,2-Trichloro	T	mg/L	8260	<0.001		<0.001			*	<0.001	
630-20-6		Ethane, 1,1,1,2-Tetrachloro	T	mg/L	8260	<0.005		<0.005			*	<0.005	
75-01-4		Vinyl chloride	T	mg/L	8260	<0.002		<0.002			*	<0.002	
127-18-4		Ethene, Tetrachloro-	T	mg/L	8260	<0.001		<0.001			*	<0.001	
79-01-6		Ethene, Trichloro-	T	mg/L	8260	0.0056		0.0058			*	<0.001	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4798		8004-4799		8004-0981		8004-4800		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					357		358		359		360		
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
100-41-4		Ethylbenzene	T	mg/L	8260	<0.005		<0.005		*		<0.005	
591-78-6		2-Hexanone	T	mg/L	8260	<0.01		<0.01		*		<0.01	
74-88-4		Iodomethane	T	mg/L	8260	<0.01		<0.01		*		<0.01	
124-48-1		Methane, Dibromochloro-	T	mg/L	8260	<0.005		<0.005		*		<0.005	
56-23-5		Carbon Tetrachloride	T	mg/L	8260	<0.005		<0.005		*		<0.005	
75-09-2		Dichloromethane	T	mg/L	8260	<0.005		<0.005		*		<0.005	
108-10-1		Methyl isobutyl ketone	T	mg/L	8260	<0.01		<0.01		*		<0.01	
96-12-8		Propane, 1,2-Dibromo-3-chloro	T	mg/L	8011	<0.0002		<0.0002		*		<0.0002	
78-87-5		Propane, 1,2-Dichloro-	T	mg/L	8260	<0.005		<0.005		*		<0.005	
10061-02-6		trans-1,3-Dichloro-1-propene	T	mg/L	8260	<0.005		<0.005		*		<0.005	
10061-01-5		cis-1,3-Dichloro-1-propene	T	mg/L	8260	<0.005		<0.005		*		<0.005	
156-60-5		trans-1,2-Dichloroethene	T	mg/L	8260	<0.001		<0.001		*		<0.001	
75-69-4		Trichlorofluoromethane	T	mg/L	8260	<0.005		<0.005		*		<0.005	
96-18-4		1,2,3-Trichloropropane	T	mg/L	8260	<0.005		<0.005		*		<0.005	
95-50-1		Benzene, 1,2-Dichloro-	T	mg/L	8260	<0.005		<0.005		*		<0.005	
106-46-7		Benzene, 1,4-Dichloro-	T	mg/L	8260	<0.005		<0.005		*		<0.005	
1336-36-3		PCB, Total	T	ug/L	8082	<0.17		<0.17		*		<0.17	
12674-11-2		PCB-1016	T	ug/L	8082	<0.16		<0.16		*		<0.16	
11104-28-2		PCB-1221	T	ug/L	8082	<0.17		<0.17		*		<0.17	
11141-16-5		PCB-1232	T	ug/L	8082	<0.13		<0.13		*		<0.13	
53469-21-9		PCB-1242	T	ug/L	8082	<0.1		<0.09		*		<0.09	
12672-29-6		PCB-1248	T	ug/L	8082	<0.11		<0.11		*		<0.11	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4798		8004-4799		8004-0981		8004-4800		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					357		358		359		360		
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
11097-69-1		PCB-1254	T	ug/L	8082	<0.07		<0.07			*	<0.07	
11096-82-5		PCB-1260	T	ug/L	8082	<0.05		<0.05			*	<0.05	
11100-14-4		PCB-1268	T	ug/L	8082	<0.09		<0.08			*	<0.08	
12587-46-1		Gross Alpha	T	pCi/L	9310	-3.09	*	-2.41	*		*	-1.6	*
12587-47-2		Gross Beta	T	pCi/L	9310	28.8	*	40.6	*		*	7.94	*
10043-66-0		Iodine-131	T	pCi/L	RL-7124		*		*		*		*
13982-63-3		Radium-226	T	pCi/L	RL-7129	-0.0337	*	0.133	*		*	0.201	*
10098-97-2		Strontium-90	T	pCi/L	RL-7140	0.289	*B	0.798	*B		*	0.0588	*B
14133-76-7		Technetium-99	T	pCi/L	RL-7100	30.4	*	26.5	*		*	5.59	*
14269-63-7		Thorium-230	T	pCi/L	RL-7128	0.0282	*	0.0847	*		*	0.108	*
10028-17-8		Tritium	T	pCi/L	704R6	-357	*	-102	*		*	-115	*
S0130- -		Chemical Oxygen Demand	T	mg/L	410.4	<36		<36			*	<36	
57-12-5		Cyanide	T	mg/L	9010	<0.04		<0.04			*	<0.04	
20461-54-5		Iodide	T	mg/L	345.1	<2		<2			*	<2	
S0268- -		Total Organic Carbon	T	mg/L	9060	<1		<1			*	1.9	
S0586- -		Total Organic Halides	T	mg/L	9020	0.01		0.017			*	0.025	

Division of Waste Management
Solid Waste Branch
14 Reilly Road
Frankfort, KY 40601 (502)564-6716

RESIDENTIAL/CONTAINED-QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None
For Official Use Only

GROUNDWATER SAMPLE ANALYSIS_(S)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4795	8004-0986	8004-4796	8004-4797			
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					361	362	363	364			
Sample Sequence #					1	1	1	1			
If sample is a Blank, specify Type: (F)ield, (T)rip, (M)ethod, or (E)quipment					NA	NA	NA	NA			
Sample Date and Time (Month/Day/Year hour:minutes)					1/15/2014 08:21	NA	1/16/2014 08:22	1/16/2014 09:41			
Duplicate ("Y" or "N") ²					N	N	N	N			
Split ("Y" or "N") ³					N	N	N	N			
Facility Sample ID Number (if applicable)					MW361UG2-14	NA	MW363UG2-14	MW364UG2-14			
Laboratory Sample ID Number (if applicable)					C14015014001	NA	C14016003001	C14016007001			
Date of Analysis (Month/Day/Year) For <u>Volatile Organics</u> Analysis					1/19/2014	NA	1/20/2014	1/19/2014			
Gradient with respect to Monitored Unit (UP, DOWN, SIDE, UNKNOWN)					DOWN	DOWN	DOWN	DOWN			
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S ⁷	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
24959-67-9		Bromide	T	mg/L	9056	<2		*		<2	
16887-00-6		Chloride(s)	T	mg/L	9056	32		*		31	
16984-48-8		Fluoride	T	mg/L	9214	0.15		*		0.17	
S0595- -		Nitrate & Nitrite	T	mg/L	9056	<1		*		2.7	
14808-79-8		Sulfate	T	mg/L	9056	76		*		22	
NS1894		Barometric Pressure Reading	T	Inches/Hg	Field	30.13		*		29.95	
S0145- -		Specific Conductance	T	µMH0/cm	Field	481		*		375	

STANDARD FLAGS:

* = See Comments
J = Estimated Value
B = Analyte found in blank
A = Average value
N = Presumptive ID
D = Concentration from analysis of a secondary dilution

¹AKGWA # is 0000-0000 for any type of blank.

²Respond "Y" if the sample was a duplicate of another sample in this report.

³Respond "Y" if the sample was split and analyzed by separate laboratories.

⁴Chemical Abstracts Service Registry Number or unique identifier number assigned by agency.

⁵"T" = Total; "D" = Dissolved

⁶"<" indicates a non-detect; do not use "ND" or "BDL". Value shown is Practical Quantification Limit.

⁷Flags are as designated, do not use any other type. Use "*", " then describe on "Written Comments Page."

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number						8004-4795		8004-0986		8004-4796		8004-4797		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, BLANK-F, etc.)						361		362		363		364		
CAS	RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
S0906	-	-	Static Water Level Elevation	T	Ft. MSL	Field	323.02			*	323.15		323.08	
N238			Dissolved Oxygen	T	mg/L	Field	2.89			*	2.93		2.39	
S0266	-	-	Total Dissolved Solids	T	mg/L	160.1	275			*	215		253	
S0296	-	-	pH	T	Units	Field	6.16			*	6.54		6.28	
NS215			Eh	T	mV	Field	787			*	428		287	
S0907	-	-	Temperature	T	°C	Field	10.17			*	10.17		13.06	
7429-90-5			Aluminum	T	mg/L	6020	<0.2			*	<0.2		<0.2	
7440-36-0			Antimony	T	mg/L	6020	<0.005			*	<0.005		<0.005	
7440-38-2			Arsenic	T	mg/L	7060	<0.001			*	<0.001		<0.001	
7440-39-3			Barium	T	mg/L	6020	0.0571			*	0.16		0.0782	
7440-41-7			Beryllium	T	mg/L	6020	<0.001			*	<0.001		<0.001	
7440-42-8			Boron	T	mg/L	6010	<0.2			*	<0.2		<0.2	
7440-43-9			Cadmium	T	mg/L	6020	<0.001			*	<0.001		<0.001	
7440-70-2			Calcium	T	mg/L	6010	31.2			*	25.4		28.9	
7440-47-3			Chromium	T	mg/L	6020	<0.01			*	<0.01		<0.01	
7440-48-4			Cobalt	T	mg/L	6020	<0.001			*	0.00117		<0.001	
7440-50-8			Copper	T	mg/L	6020	<0.02			*	<0.02		<0.02	
7439-89-6			Iron	T	mg/L	6010	<0.1			*	0.314		0.173	
7439-92-1			Lead	T	mg/L	6020	<0.0013			*	<0.0013		<0.0013	
7439-95-4			Magnesium	T	mg/L	6010	12.5			*	9.54		11.3	
7439-96-5			Manganese	T	mg/L	6020	<0.005			*	0.157		0.0258	
7439-97-6			Mercury	T	mg/L	7470	<0.0002			*	<0.0002		<0.0002	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number						8004-4795		8004-0986		8004-4796		8004-4797		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)						361		362		363		364		
CAS	RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
7439-98-7			Molybdenum	T	mg/L	6020	<0.001			*	<0.001		<0.001	
7440-02-0			Nickel	T	mg/L	6020	<0.005			*	<0.005		<0.005	
7440-09-7			Potassium	T	mg/L	6010	2.29			*	1.38		2.06	
7440-16-6			Rhodium	T	mg/L	6020	<0.005			*	<0.005		<0.005	
7782-49-2			Selenium	T	mg/L	6020	<0.005			*	<0.005		<0.005	
7440-22-4			Silver	T	mg/L	6020	<0.001			*	<0.001		<0.001	
7440-23-5			Sodium	T	mg/L	6010	42			*	32.9		40.7	
7440-25-7			Tantalum	T	mg/L	6020	<0.005			*	<0.005		<0.005	
7440-28-0			Thallium	T	mg/L	6020	<0.002			*	<0.002		<0.002	
7440-61-1			Uranium	T	mg/L	6020	<0.001			*	<0.001		<0.001	
7440-62-2			Vanadium	T	mg/L	6020	<0.02			*	<0.02		<0.02	
7440-66-6			Zinc	T	mg/L	6020	<0.02			*	<0.02		<0.02	
108-05-4			Vinyl acetate	T	mg/L	8260	<0.01			*	<0.01	UJ	<0.01	
67-64-1			Acetone	T	mg/L	8260	<0.01	UJ		*	<0.01		<0.01	UJ
107-02-8			Acrolein	T	mg/L	8260	<0.01			*	<0.01	UJ	<0.01	
107-13-1			Acrylonitrile	T	mg/L	8260	<0.01			*	<0.01		<0.005	
71-43-2			Benzene	T	mg/L	8260	<0.005			*	<0.005		<0.005	
108-90-7			Chlorobenzene	T	mg/L	8260	<0.005			*	<0.005		<0.005	
1330-20-7			Xylenes	T	mg/L	8260	<0.015			*	<0.015		<0.015	
100-42-5			Styrene	T	mg/L	8260	<0.005			*	<0.005		<0.005	
108-88-3			Toluene	T	mg/L	8260	<0.005			*	<0.005		<0.005	
74-97-5			Chlorobromomethane	T	mg/L	8260	<0.005			*	<0.005		<0.005	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

FINDS/UNIT: KY8-890-008-982 / 1

Permit Number: 073-00045

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4795		8004-0986		8004-4796		8004-4797		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					361		362		363		364		
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
75-27-4		Bromodichloromethane	T	mg/L	8260	<0.005			*	<0.005		<0.005	
75-25-2		Tribromomethane	T	mg/L	8260	<0.005			*	<0.005		<0.005	
74-83-9		Methyl bromide	T	mg/L	8260	<0.005			*	<0.005		<0.005	
78-93-3		Methyl ethyl ketone	T	mg/L	8260	<0.01			*	<0.01		<0.01	
110-57-6		trans-1,4-Dichloro-2-butene	T	mg/L	8260	<0.005			*	<0.005		<0.005	
75-15-0		Carbon disulfide	T	mg/L	8260	<0.005			*	<0.005		<0.005	
75-00-3		Chloroethane	T	mg/L	8260	<0.005			*	<0.005		<0.005	
67-66-3		Chloroform	T	mg/L	8260	<0.001			*	<0.005		<0.001	
74-87-3		Methyl chloride	T	mg/L	8260	<0.005			*	<0.005		<0.005	
156-59-2		cis-1,2-Dichloroethene	T	mg/L	8260	<0.001			*	<0.001		<0.001	
74-95-3		Methylene bromide	T	mg/L	8260	<0.005			*	<0.005		<0.005	
75-34-3		1,1-Dichloroethane	T	mg/L	8260	<0.001			*	<0.001		<0.001	
107-06-2		1,2-Dichloroethane	T	mg/L	8260	<0.001			*	<0.001		<0.001	
75-35-4		1,1-Dichloroethylene	T	mg/L	8260	<0.001			*	<0.001		<0.001	
106-93-4		Ethane, 1,2-dibromo	T	mg/L	8260	<0.005			*	<0.005		<0.005	
79-34-5		Ethane, 1,1,2,2-Tetrachloro	T	mg/L	8260	<0.005			*	<0.005		<0.005	
71-55-6		Ethane, 1,1,1-Trichloro-	T	mg/L	8260	<0.001			*	<0.001		<0.001	
79-00-5		Ethane, 1,1,2-Trichloro	T	mg/L	8260	<0.001			*	<0.001		<0.001	
630-20-6		Ethane, 1,1,1,2-Tetrachloro	T	mg/L	8260	<0.005			*	<0.005		<0.005	
75-01-4		Vinyl chloride	T	mg/L	8260	<0.002			*	<0.002		<0.002	
127-18-4		Ethene, Tetrachloro-	T	mg/L	8260	<0.001			*	<0.005		<0.001	
79-01-6		Ethene, Trichloro-	T	mg/L	8260	0.0034			*	<0.001		0.003	

C-12

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number						8004-4795		8004-0986		8004-4796		8004-4797	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)						361		362		363		364	
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
100-41-4		Ethylbenzene	T	mg/L	8260	<0.005			*	<0.005		<0.005	
591-78-6		2-Hexanone	T	mg/L	8260	<0.01			*	<0.01		<0.01	
74-88-4		Iodomethane	T	mg/L	8260	<0.01			*	<0.01		<0.01	
124-48-1		Methane, Dibromochloro-	T	mg/L	8260	<0.005			*	<0.005		<0.005	
56-23-5		Carbon Tetrachloride	T	mg/L	8260	<0.005			*	<0.005		<0.001	
75-09-2		Dichloromethane	T	mg/L	8260	<0.005			*	<0.005		<0.005	
108-10-1		Methyl isobutyl ketone	T	mg/L	8260	<0.01			*	<0.01		<0.01	
96-12-8		Propane, 1,2-Dibromo-3-chloro	T	mg/L	8011	<0.0002			*	<0.0002		<0.0002	
78-87-5		Propane, 1,2-Dichloro-	T	mg/L	8260	<0.005			*	<0.005		<0.005	
10061-02-6		trans-1,3-Dichloro-1-propene	T	mg/L	8260	<0.005			*	<0.005		<0.005	
10061-01-5		cis-1,3-Dichloro-1-propene	T	mg/L	8260	<0.005			*	<0.005		<0.005	
156-60-5		trans-1,2-Dichloroethene	T	mg/L	8260	<0.001			*	<0.001		<0.001	
75-69-4		Trichlorofluoromethane	T	mg/L	8260	<0.005			*	<0.005		<0.005	
96-18-4		1,2,3-Trichloropropane	T	mg/L	8260	<0.005			*	<0.005		<0.005	
95-50-1		Benzene, 1,2-Dichloro-	T	mg/L	8260	<0.005			*	<0.005		<0.005	
106-46-7		Benzene, 1,4-Dichloro-	T	mg/L	8260	<0.005			*	<0.005		<0.005	
1336-36-3		PCB,Total	T	ug/L	8082	<0.17			*	0.18		<0.17	
12674-11-2		PCB-1016	T	ug/L	8082	<0.16			*	<0.16		<0.16	
11104-28-2		PCB-1221	T	ug/L	8082	<0.17			*	<0.17		<0.17	
11141-16-5		PCB-1232	T	ug/L	8082	<0.13			*	<0.13		<0.13	
53469-21-9		PCB-1242	T	ug/L	8082	<0.09			*	0.18	*	<0.09	
12672-29-6		PCB-1248	T	ug/L	8082	<0.11			*	<0.11		<0.11	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4795		8004-0986		8004-4796		8004-4797		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					361		362		363		364		
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
11097-69-1		PCB-1254	T	ug/L	8082	<0.07			*	<0.07		<0.07	
11096-82-5		PCB-1260	T	ug/L	8082	<0.05			*	<0.05		<0.05	
11100-14-4		PCB-1268	T	ug/L	8082	<0.08			*	<0.09		<0.08	
12587-46-1		Gross Alpha	T	pCi/L	9310	-3.87	*		*	-0.0611	*	-3	*
12587-47-2		Gross Beta	T	pCi/L	9310	39.5	*		*	9.34	*	42.9	*
10043-66-0		Iodine-131	T	pCi/L	RL-7124		*		*		*		*
13982-63-3		Radium-226	T	pCi/L	RL-7129	0.135	*		*	0.122	*	0.0807	*
10098-97-2		Strontium-90	T	pCi/L	RL-7140	-0.391	*B		*	0.0517	*B	-0.119	*B
14133-76-7		Technetium-99	T	pCi/L	RL-7100	46.7	*		*	6.46	*	47.6	*
14269-63-7		Thorium-230	T	pCi/L	RL-7128	0.0294	*		*	-0.0146	*	0.000265	*
10028-17-8		Tritium	T	pCi/L	704R6	-350	*		*	-369	*	117	*
S0130- -		Chemical Oxygen Demand	T	mg/L	410.4	<36			*	<36		<36	
57-12-5		Cyanide	T	mg/L	9010	<0.04			*	<0.04		<0.04	
20461-54-5		Iodide	T	mg/L	345.1	<2			*	<2		<2	
S0268- -		Total Organic Carbon	T	mg/L	9060	<1			*	<1		<1	
S0586- -		Total Organic Halides	T	mg/L	9020	0.015			*	0.01		0.015	

Division of Waste Management
Solid Waste Branch
14 Reilly Road
Frankfort, KY 40601 (502)564-6716

RESIDENTIAL/CONTAINED-QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None
For Official Use Only

GROUNDWATER SAMPLE ANALYSIS_(S)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-0984	8004-0982	8004-4793	8004-0983					
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					365	366	367	368					
Sample Sequence #					1	1	1	1					
If sample is a Blank, specify Type: (F)ield, (T)rip, (M)ethod, or (E)quipment					NA	NA	NA	NA					
Sample Date and Time (Month/Day/Year hour:minutes)					NA	1/13/2014 13:31	1/13/2014 12:22	NA					
Duplicate ("Y" or "N") ²					N	N	N	N					
Split ("Y" or "N") ³					N	N	N	N					
Facility Sample ID Number (if applicable)					NA	MW366UG2-14	MW367UG2-14	NA					
Laboratory Sample ID Number (if applicable)					NA	C14013027001	C14013027002	NA					
Date of Analysis (Month/Day/Year) For <u>Volatile Organics</u> Analysis					NA	1/19/2014	1/19/2014	NA					
Gradient with respect to Monitored Unit (UP, DOWN, SIDE, UNKNOWN)					DOWN	SIDE	SIDE	SIDE					
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S ⁷	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
24959-67-9		Bromide	T	mg/L	9056		*	<2		<2			*
16887-00-6		Chloride(s)	T	mg/L	9056		*	40		32			*
16984-48-8		Fluoride	T	mg/L	9214		*	0.16		0.11			*
S0595- -		Nitrate & Nitrite	T	mg/L	9056		*	<1		<1			*
14808-79-8		Sulfate	T	mg/L	9056		*	43		37			*
NS1894		Barometric Pressure Reading	T	Inches/Hg	Field		*	29.75		29.75			*
S0145- -		Specific Conductance	T	µMH0/cm	Field		*	441		355			*

STANDARD FLAGS:

* = See Comments
J = Estimated Value
B = Analyte found in blank
A = Average value
N = Presumptive ID
D = Concentration from analysis of a secondary dilution

¹AKGWA # is 0000-0000 for any type of blank.

²Respond "Y" if the sample was a duplicate of another sample in this report.

³Respond "Y" if the sample was split and analyzed by separate laboratories.

⁴Chemical Abstracts Service Registry Number or unique identifier number assigned by agency.

⁵"T" = Total; "D" = Dissolved

⁶"<" indicates a non-detect; do not use "ND" or "BDL". Value shown is Practical Quantification Limit.

⁷Flags are as designated, do not use any other type. Use "*", " then describe on "Written Comments Page."

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-0984		8004-0982		8004-4793		8004-0983		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, BLANK-F, etc.)					365		366		367		368		
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
S0906 - -		Static Water Level Elevation	T	Ft. MSL	Field		*	323.47		323.42			*
N238		Dissolved Oxygen	T	mg/L	Field		*	2.28		2.4			*
S0266- -		Total Dissolved Solids	T	mg/L	160.1		*	246		206			*
S0296- -		pH	T	Units	Field		*	6.17		5.99			*
NS215		Eh	T	mV	Field		*	409		314			*
S0907 - -		Temperature	T	°C	Field		*	14.06		13.61			*
7429-90-5		Aluminum	T	mg/L	6020		*	<0.2		1.03			*
7440-36-0		Antimony	T	mg/L	6020		*	<0.005		<0.005			*
7440-38-2		Arsenic	T	mg/L	7060		*	0.00116		0.00112			*
7440-39-3		Barium	T	mg/L	6020		*	0.162		0.2			*
7440-41-7		Beryllium	T	mg/L	6020		*	<0.001		<0.001			*
7440-42-8		Boron	T	mg/L	6010		*	<0.2		<0.2			*
7440-43-9		Cadmium	T	mg/L	6020		*	<0.001		<0.001			*
7440-70-2		Calcium	T	mg/L	6010		*	28.5		<1			*
7440-47-3		Chromium	T	mg/L	6020		*	<0.01		<0.01			*
7440-48-4		Cobalt	T	mg/L	6020		*	<0.001		0.00339			*
7440-50-8		Copper	T	mg/L	6020		*	<0.02		<0.02			*
7439-89-6		Iron	T	mg/L	6010		*	<0.1		1.43			*
7439-92-1		Lead	T	mg/L	6020		*	<0.0013		<0.0013			*
7439-95-4		Magnesium	T	mg/L	6010		*	11.2		<0.025			*
7439-96-5		Manganese	T	mg/L	6020		*	0.0103		1.29			*
7439-97-6		Mercury	T	mg/L	7470		*	<0.0002		<0.0002			*

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number						8004-0984		8004-0982		8004-4793		8004-0983		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)						365		366		367		368		
CAS	RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
7439-98-7			Molybdenum	T	mg /L	6020		*	<0.001		<0.001			*
7440-02-0			Nickel	T	mg /L	6020		*	<0.005		<0.005			*
7440-09-7			Potassium	T	mg /L	6010		*	1.92		19.2			*
7440-16-6			Rhodium	T	mg /L	6020		*	<0.005		<0.005			*
7782-49-2			Selenium	T	mg /L	6020		*	0.00607		<0.005			*
7440-22-4			Silver	T	mg /L	6020		*	<0.001		<0.001			*
7440-23-5			Sodium	T	mg /L	6010		*	40.7		12.9			*
7440-25-7			Tantalum	T	mg /L	6020		*	<0.005		<0.005			*
7440-28-0			Thallium	T	mg /L	6020		*	<0.002		<0.002			*
7440-61-1			Uranium	T	mg /L	6020		*	<0.001		<0.001			*
7440-62-2			Vanadium	T	mg /L	6020		*	<0.02		<0.02			*
7440-66-6			Zinc	T	mg /L	6020		*	<0.02		<0.02			*
108-05-4			Vinyl acetate	T	mg /L	8260		*	<0.01		<0.01			*
67-64-1			Acetone	T	mg /L	8260		*	<0.01	UJ	<0.01	UJ		*
107-02-8			Acrolein	T	mg /L	8260		*	<0.01		<0.01			*
107-13-1			Acrylonitrile	T	mg /L	8260		*	<0.01		<0.01			*
71-43-2			Benzene	T	mg /L	8260		*	<0.005		<0.005			*
108-90-7			Chlorobenzene	T	mg /L	8260		*	<0.005		<0.005			*
1330-20-7			Xylenes	T	mg /L	8260		*	<0.015		<0.015			*
100-42-5			Styrene	T	mg /L	8260		*	<0.005		<0.005			*
108-88-3			Toluene	T	mg /L	8260		*	<0.005		<0.005			*
74-97-5			Chlorobromomethane	T	mg /L	8260		*	<0.005		<0.005			*

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number						8004-0984		8004-0982		8004-4793		8004-0983	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)						365		366		367		368	
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
75-27-4		Bromodichloromethane	T	mg/L	8260		*	<0.005		<0.005			*
75-25-2		Tribromomethane	T	mg/L	8260		*	<0.005		<0.005			*
74-83-9		Methyl bromide	T	mg/L	8260		*	<0.005		<0.005			*
78-93-3		Methyl ethyl ketone	T	mg/L	8260		*	<0.01		<0.01			*
110-57-6		trans-1,4-Dichloro-2-butene	T	mg/L	8260		*	<0.005		<0.005			*
75-15-0		Carbon disulfide	T	mg/L	8260		*	<0.005		<0.005			*
75-00-3		Chloroethane	T	mg/L	8260		*	<0.005		<0.005			*
67-66-3		Chloroform	T	mg/L	8260		*	<0.001		<0.001			*
74-87-3		Methyl chloride	T	mg/L	8260		*	<0.005		<0.005			*
156-59-2		cis-1,2-Dichloroethene	T	mg/L	8260		*	<0.001		<0.001			*
74-95-3		Methylene bromide	T	mg/L	8260		*	<0.005		<0.005			*
75-34-3		1,1-Dichloroethane	T	mg/L	8260		*	<0.001		<0.001			*
107-06-2		1,2-Dichloroethane	T	mg/L	8260		*	<0.001		<0.001			*
75-35-4		1,1-Dichloroethylene	T	mg/L	8260		*	<0.001		<0.001			*
106-93-4		Ethane, 1,2-dibromo	T	mg/L	8260		*	<0.005		<0.005			*
79-34-5		Ethane, 1,1,2,2-Tetrachloro	T	mg/L	8260		*	<0.005		<0.005			*
71-55-6		Ethane, 1,1,1-Trichloro-	T	mg/L	8260		*	<0.001		<0.001			*
79-00-5		Ethane, 1,1,2-Trichloro	T	mg/L	8260		*	<0.001		<0.001			*
630-20-6		Ethane, 1,1,1,2-Tetrachloro	T	mg/L	8260		*	<0.005		<0.005			*
75-01-4		Vinyl chloride	T	mg/L	8260		*	<0.002		<0.002			*
127-18-4		Ethene, Tetrachloro-	T	mg/L	8260		*	<0.001		<0.001			*
79-01-6		Ethene, Trichloro-	T	mg/L	8260		*	0.0031		0.0022			*

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number						8004-0984		8004-0982		8004-4793		8004-0983	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)						365		366		367		368	
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
100-41-4		Ethylbenzene	T	mg/L	8260		*	<0.005		<0.005			*
591-78-6		2-Hexanone	T	mg/L	8260		*	<0.01		<0.01			*
74-88-4		Iodomethane	T	mg/L	8260		*	<0.01		<0.01			*
124-48-1		Methane, Dibromochloro-	T	mg/L	8260		*	<0.005		<0.005			*
56-23-5		Carbon Tetrachloride	T	mg/L	8260		*	<0.005		<0.005			*
75-09-2		Dichloromethane	T	mg/L	8260		*	<0.005		<0.005			*
108-10-1		Methyl isobutyl ketone	T	mg/L	8260		*	<0.01		<0.01			*
96-12-8		Propane, 1,2-Dibromo-3-chloro	T	mg/L	8011		*	<0.0002		<0.0002			*
78-87-5		Propane, 1,2-Dichloro-	T	mg/L	8260		*	<0.005		<0.005			*
10061-02-6		trans-1,3-Dichloro-1-propene	T	mg/L	8260		*	<0.005		<0.005			*
10061-01-5		cis-1,3-Dichloro-1-propene	T	mg/L	8260		*	<0.005		<0.005			*
156-60-5		trans-1,2-Dichloroethene	T	mg/L	8260		*	<0.001		<0.001			*
75-69-4		Trichlorofluoromethane	T	mg/L	8260		*	<0.005		<0.005			*
96-18-4		1,2,3-Trichloropropane	T	mg/L	8260		*	<0.005		<0.005			*
95-50-1		Benzene, 1,2-Dichloro-	T	mg/L	8260		*	<0.005		<0.005			*
106-46-7		Benzene, 1,4-Dichloro-	T	mg/L	8260		*	<0.005		<0.005			*
1336-36-3		PCB, Total	T	ug/L	8082		*	<0.17		<0.17			*
12674-11-2		PCB-1016	T	ug/L	8082		*	<0.16		<0.16			*
11104-28-2		PCB-1221	T	ug/L	8082		*	<0.17		<0.17			*
11141-16-5		PCB-1232	T	ug/L	8082		*	<0.14		<0.13			*
53469-21-9		PCB-1242	T	ug/L	8082		*	<0.1		<0.1			*
12672-29-6		PCB-1248	T	ug/L	8082		*	<0.12		<0.11			*

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-0984		8004-0982		8004-4793		8004-0983		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					365		366		367		368		
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
11097-69-1		PCB-1254	T	ug/L	8082		*	<0.07		<0.07			*
11096-82-5		PCB-1260	T	ug/L	8082		*	<0.05		<0.05			*
11100-14-4		PCB-1268	T	ug/L	8082		*	<0.09		<0.09			*
12587-46-1		Gross Alpha	T	pCi/L	9310		*	-1.18	*	-1.32	*		*
12587-47-2		Gross Beta	T	pCi/L	9310		*	45.5	*	32	*		*
10043-66-0		Iodine-131	T	pCi/L	RL-7124		*		*		*		*
13982-63-3		Radium-226	T	pCi/L	RL-7129		*	0.0273	*	0.414	*		*
10098-97-2		Strontium-90	T	pCi/L	RL-7140		*	0.481	*B	0.113	*B		*
14133-76-7		Technetium-99	T	pCi/L	RL-7100		*	46.1	*	33.1	*		*
14269-63-7		Thorium-230	T	pCi/L	RL-7128		*	0.0986	*	0.00109	*		*
10028-17-8		Tritium	T	pCi/L	704R6		*	-79	*	373	*		*
S0130- -		Chemical Oxygen Demand	T	mg/L	410.4		*	<36		<36			*
57-12-5		Cyanide	T	mg/L	9010		*	<0.04		<0.04			*
20461-54-5		Iodide	T	mg/L	345.1		*	<2		<2			*
S0268- -		Total Organic Carbon	T	mg/L	9060		*	<1		<1			*
S0586- -		Total Organic Halides	T	mg/L	9020		*	0.014		0.015			*

Division of Waste Management
Solid Waste Branch
14 Reilly Road
Frankfort, KY 40601 (502)564-6716

RESIDENTIAL/CONTAINED-QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None
For Official Use Only

GROUNDWATER SAMPLE ANALYSIS_(S)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4820	8004-4818	8004-4819	8004-4808					
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					369	370	371	372					
Sample Sequence #					1	1	1	1					
If sample is a Blank, specify Type: (F)ield, (T)rip, (M)ethod, or (E)quipment					NA	NA	NA	NA					
Sample Date and Time (Month/Day/Year hour: minutes)					1/14/2014 08:37	1/14/2014 13:06	1/14/2014 09:43	1/14/2014 08:35					
Duplicate ("Y" or "N") ²					N	N	N	N					
Split ("Y" or "N") ³					N	N	N	N					
Facility Sample ID Number (if applicable)					MW369UG2-14	MW370UG2-14	MW371UG2-14	MW372UG2-14					
Laboratory Sample ID Number (if applicable)					C14014013001	C14014019001	C14014013002	C14014014001					
Date of Analysis (Month/Day/Year) For <u>Volatile Organics</u> Analysis					1/19/2014	1/19/2014	1/19/2014	1/19/2014					
Gradient with respect to Monitored Unit (UP, DOWN, SIDE, UNKNOWN)					UP	UP	UP	UP					
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S ⁷	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
24959-67-9		Bromide	T	mg/L	9056	<2		<2		<2		<2	
16887-00-6		Chloride(s)	T	mg/L	9056	36		42		8		48	
16984-48-8		Fluoride	T	mg/L	9214	0.19		0.13		0.3		0.16	
S0595- -		Nitrate & Nitrite	T	mg/L	9056	<1		1.3		<1		<1	
14808-79-8		Sulfate	T	mg/L	9056	8.1		18		9.9		140	
NS1894		Barometric Pressure Reading	T	Inches/Hg	Field	29.88		29.88		29.88		29.88	
S0145- -		Specific Conductance	T	µMH0/cm	Field	392		421		763		759	

STANDARD FLAGS:

* = See Comments
J = Estimated Value
B = Analyte found in blank
A = Average value
N = Presumptive ID
D = Concentration from analysis of a secondary dilution

¹AKGWA # is 0000-0000 for any type of blank.

²Respond "Y" if the sample was a duplicate of another sample in this report.

³Respond "Y" if the sample was split and analyzed by separate laboratories.

⁴Chemical Abstracts Service Registry Number or unique identifier number assigned by agency.

⁵"T" = Total; "D" = Dissolved

⁶"<" indicates a non-detect; do not use "ND" or "BDL". Value shown is Practical Quantification Limit.

⁷Flags are as designated, do not use any other type. Use "*", " then describe on "Written Comments Page."

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4820		8004-4818		8004-4819		8004-4808		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, BLANK-F, etc.)					369		370		371		372		
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
S0906 - -		Static Water Level Elevation	T	Ft. MSL	Field	324		324.05		339.71		324.04	
N238		Dissolved Oxygen	T	mg/L	Field	0.94		3.74		1.97		0.75	
S0266- -		Total Dissolved Solids	T	mg/L	160.1	216		221		447		455	
S0296- -		pH	T	Units	Field	6.22		6.11		6.64		6.44	
NS215		Eh	T	mV	Field	438		443		374		740	
S0907 - -		Temperature	T	°C	Field	12.17		15.06		14.11		14.61	
7429-90-5		Aluminum	T	mg/L	6020	<0.2		<0.2		0.436		0.289	
7440-36-0		Antimony	T	mg/L	6020	<0.005		<0.005		<0.005		<0.005	
7440-38-2		Arsenic	T	mg/L	7060	0.00124		0.00118		<0.001		0.00152	
7440-39-3		Barium	T	mg/L	6020	0.418		0.209		0.189		0.0543	
7440-41-7		Beryllium	T	mg/L	6020	<0.001		<0.001		<0.001		<0.001	
7440-42-8		Boron	T	mg/L	6010	<0.2		<0.2		<0.2		1.04	
7440-43-9		Cadmium	T	mg/L	6020	<0.001		<0.001		<0.001		<0.001	
7440-70-2		Calcium	T	mg/L	6010	21.8		75.8		18		31.3	
7440-47-3		Chromium	T	mg/L	6020	<0.01		<0.01		<0.01		<0.01	
7440-48-4		Cobalt	T	mg/L	6020	0.0219		<0.001		<0.001		<0.001	
7440-50-8		Copper	T	mg/L	6020	<0.02		<0.02		<0.02		<0.02	
7439-89-6		Iron	T	mg/L	6010	1.91		<0.1		1.27		0.436	
7439-92-1		Lead	T	mg/L	6020	<0.0013		<0.0013		0.00371		<0.0013	
7439-95-4		Magnesium	T	mg/L	6010	9.54		28.5		7.1		12.8	
7439-96-5		Manganese	T	mg/L	6020	0.206		<0.005		0.00753		0.00697	
7439-97-6		Mercury	T	mg/L	7470	<0.0002		<0.0002		<0.0002		<0.0002	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4820		8004-4818		8004-4819		8004-4808			
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					369		370		371		372			
CAS	RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
7439-98-7			Molybdenum	T	mg/L	6020	<0.001		<0.001		<0.001		<0.001	
7440-02-0			Nickel	T	mg/L	6020	0.00677		<0.005		<0.005		<0.005	
7440-09-7			Potassium	T	mg/L	6010	2.79		3.01		0.713		0.364	
7440-16-6			Rhodium	T	mg/L	6020	<0.005		<0.005		<0.005		<0.005	
7782-49-2			Selenium	T	mg/L	6020	<0.005		<0.005		<0.005		0.00646	
7440-22-4			Silver	T	mg/L	6020	<0.001		<0.001		<0.001		<0.001	
7440-23-5			Sodium	T	mg/L	6010	30.6		62.9		52.2		123	
7440-25-7			Tantalum	T	mg/L	6020	<0.005		<0.005		<0.005		<0.005	
7440-28-0			Thallium	T	mg/L	6020	<0.002		<0.002		<0.002		<0.002	
7440-61-1			Uranium	T	mg/L	6020	<0.001		<0.001		0.00203		<0.001	
7440-62-2			Vanadium	T	mg/L	6020	<0.02		<0.02		<0.02		<0.02	
7440-66-6			Zinc	T	mg/L	6020	<0.02		<0.02		<0.02		<0.02	
108-05-4			Vinyl acetate	T	mg/L	8260	<0.01		<0.01		<0.01		<0.01	
67-64-1			Acetone	T	mg/L	8260	<0.01	UJ	<0.01	UJ	<0.01	UJ	<0.01	UJ
107-02-8			Acrolein	T	mg/L	8260	<0.01		<0.01		<0.01		<0.01	
107-13-1			Acrylonitrile	T	mg/L	8260	<0.01		<0.01		<0.01		<0.01	
71-43-2			Benzene	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
108-90-7			Chlorobenzene	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
1330-20-7			Xylenes	T	mg/L	8260	<0.015		<0.015		<0.015		<0.015	
100-42-5			Styrene	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
108-88-3			Toluene	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
74-97-5			Chlorobromomethane	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4820		8004-4818		8004-4819		8004-4808		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					369		370		371		372		
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
75-27-4		Bromodichloromethane	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
75-25-2		Tribromomethane	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
74-83-9		Methyl bromide	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
78-93-3		Methyl ethyl ketone	T	mg/L	8260	<0.01		<0.01		<0.01		<0.01	
110-57-6		trans-1,4-Dichloro-2-butene	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
75-15-0		Carbon disulfide	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
75-00-3		Chloroethane	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
67-66-3		Chloroform	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
74-87-3		Methyl chloride	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
156-59-2		cis-1,2-Dichloroethene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
74-95-3		Methylene bromide	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
75-34-3		1,1-Dichloroethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
107-06-2		1,2-Dichloroethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-35-4		1,1-Dichloroethylene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
106-93-4		Ethane, 1,2-dibromo	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
79-34-5		Ethane, 1,1,2,2-Tetrachloro	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
71-55-6		Ethane, 1,1,1-Trichloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
79-00-5		Ethane, 1,1,2-Trichloro	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
630-20-6		Ethane, 1,1,1,2-Tetrachloro	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
75-01-4		Vinyl chloride	T	mg/L	8260	<0.002		<0.002		<0.002		<0.002	
127-18-4		Ethene, Tetrachloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
79-01-6		Ethene, Trichloro-	T	mg/L	8260	<0.001		0.0015		<0.001		0.0069	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number						8004-4820		8004-4818		8004-4819		8004-4808	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)						369		370		371		372	
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
100-41-4		Ethylbenzene	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
591-78-6		2-Hexanone	T	mg/L	8260	<0.01		<0.01		<0.01		<0.01	
74-88-4		Iodomethane	T	mg/L	8260	<0.01		<0.01		<0.01		<0.01	
124-48-1		Methane, Dibromochloro-	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
56-23-5		Carbon Tetrachloride	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
75-09-2		Dichloromethane	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
108-10-1		Methyl isobutyl ketone	T	mg/L	8260	<0.01		<0.01		<0.01		<0.01	
96-12-8		Propane, 1,2-Dibromo-3-chloro	T	mg/L	8011	<0.0002		<0.0002		<0.0002		<0.0002	
78-87-5		Propane, 1,2-Dichloro-	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
10061-02-6		trans-1,3-Dichloro-1-propene	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
10061-01-5		cis-1,3-Dichloro-1-propene	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
156-60-5		trans-1,2-Dichloroethene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-69-4		Trichlorofluoromethane	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
96-18-4		1,2,3-Trichloropropane	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
95-50-1		Benzene, 1,2-Dichloro-	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
106-46-7		Benzene, 1,4-Dichloro-	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
1336-36-3		PCB, Total	T	ug/L	8082	<0.17		<0.17		<0.19		<0.17	
12674-11-2		PCB-1016	T	ug/L	8082	<0.16		<0.16		<0.18		<0.16	
11104-28-2		PCB-1221	T	ug/L	8082	<0.17		<0.17		<0.19		<0.17	
11141-16-5		PCB-1232	T	ug/L	8082	<0.14		<0.13		<0.15		<0.13	
53469-21-9		PCB-1242	T	ug/L	8082	<0.1		<0.1		<0.1		<0.1	
12672-29-6		PCB-1248	T	ug/L	8082	<0.12		<0.11		<0.13		<0.11	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4820		8004-4818		8004-4819		8004-4808		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					369		370		371		372		
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
11097-69-1		PCB-1254	T	ug/L	8082	<0.07		<0.07		<0.07		<0.07	
11096-82-5		PCB-1260	T	ug/L	8082	<0.05		<0.05		<0.05		<0.05	
11100-14-4		PCB-1268	T	ug/L	8082	<0.09		<0.09		<0.09		<0.09	
12587-46-1		Gross Alpha	T	pCi/L	9310	0.87	*	1.17	*	3.24	*	1.04	*
12587-47-2		Gross Beta	T	pCi/L	9310	26.8	*	11.4	*	2.51	*	102	*
10043-66-0		Iodine-131	T	pCi/L	RL-7124		*		*		*		*
13982-63-3		Radium-226	T	pCi/L	RL-7129	0.191	*	0.314	*	0.198	*	0.075	*
10098-97-2		Strontium-90	T	pCi/L	RL-7140	0.685	*B	0.374	*B	0.346	*B	0.703	*B
14133-76-7		Technetium-99	T	pCi/L	RL-7100	25.3	*	10.6	*	-5.1	*	131	*
14269-63-7		Thorium-230	T	pCi/L	RL-7128	-0.0225	*	0.0283	*	0.0119	*	0.0131	*
10028-17-8		Tritium	T	pCi/L	704R6	-152	*	-270	*	-217	*	156	*
S0130- -		Chemical Oxygen Demand	T	mg/L	410.4	<36		<36		<36		<36	
57-12-5		Cyanide	T	mg/L	9010	<0.04		<0.04		<0.04		<0.04	
20461-54-5		Iodide	T	mg/L	345.1	<2		<2		<2		<2	
S0268- -		Total Organic Carbon	T	mg/L	9060	1.9		<1		1.7		<1	
S0586- -		Total Organic Halides	T	mg/L	9020	0.05		0.012		0.013		0.019	

Division of Waste Management
Solid Waste Branch
14 Reilly Road
Frankfort, KY 40601 (502)564-6716

RESIDENTIAL/CONTAINED-QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None
For Official Use Only

GROUNDWATER SAMPLE ANALYSIS_(S)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4792	8004-0990	8004-0985	8004-0988					
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					373	374	375	376					
Sample Sequence #					1	1	1	1					
If sample is a Blank, specify Type: (F)ield, (T)rip, (M)ethod, or (E)quipment					NA	NA	NA	NA					
Sample Date and Time (Month/Day/Year hour: minutes)					1/14/2014 10:07	1/14/2014 13:07	1/15/2014 13:35	NA					
Duplicate ("Y" or "N") ²					N	N	N	N					
Split ("Y" or "N") ³					N	N	N	N					
Facility Sample ID Number (if applicable)					MW373UG2-14	MW374UG2-14	MW375UG2-14	NA					
Laboratory Sample ID Number (if applicable)					C14014014002	C14014022001	C14015031001	NA					
Date of Analysis (Month/Day/Year) For <u>Volatile Organics</u> Analysis					1/19/2014	1/19/2014	1/19/2014	NA					
Gradient with respect to Monitored Unit (UP, DOWN, SIDE, UNKNOWN)					UP	UP	SIDE	SIDE					
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S ⁷	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
24959-67-9		Bromide	T	mg/L	9056	<2		<2		<2			*
16887-00-6		Chloride(s)	T	mg/L	9056	46		170		3.6			*
16984-48-8		Fluoride	T	mg/L	9214	0.16		0.19		0.21			*
S0595- -		Nitrate & Nitrite	T	mg/L	9056	<1		<1		<1			*
14808-79-8		Sulfate	T	mg/L	9056	190		5.1		15			*
NS1894		Barometric Pressure Reading	T	Inches/Hg	Field	29.88		29.88		30.12			*
S0145- -		Specific Conductance	T	µMH0/cm	Field	959		744		405			*

STANDARD FLAGS:

* = See Comments
J = Estimated Value
B = Analyte found in blank
A = Average value
N = Presumptive ID
D = Concentration from analysis of a secondary dilution

¹AKGWA # is 0000-0000 for any type of blank.

²Respond "Y" if the sample was a duplicate of another sample in this report.

³Respond "Y" if the sample was split and analyzed by separate laboratories.

⁴Chemical Abstracts Service Registry Number or unique identifier number assigned by agency.

⁵"T" = Total; "D" = Dissolved

⁶"<" indicates a non-detect; do not use "ND" or "BDL". Value shown is Practical Quantification Limit.

⁷Flags are as designated, do not use any other type. Use "*", " then describe on "Written Comments Page."

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4792		8004-0990		8004-0985		8004-0988		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, BLANK-F, etc.)					373		374		375		376		
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
S0906 - -		Static Water Level Elevation	T	Ft. MSL	Field	324.03		333.65		335.49			*
N238		Dissolved Oxygen	T	mg/L	Field	0.79		1.67		1.35			*
S0266- -		Total Dissolved Solids	T	mg/L	160.1	567		406		162			*
S0296- -		pH	T	Units	Field	6.28		6.64		6.65			*
NS215		Eh	T	mV	Field	494		515		470			*
S0907 - -		Temperature	T	°C	Field	16.17		16.39		14.39			*
7429-90-5		Aluminum	T	mg/L	6020	<0.2		<0.2		0.659			*
7440-36-0		Antimony	T	mg/L	6020	<0.005		<0.005		<0.005			*
7440-38-2		Arsenic	T	mg/L	7060	0.00117		0.00204		<0.001			*
7440-39-3		Barium	T	mg/L	6020	0.0295		0.162		0.0636			*
7440-41-7		Beryllium	T	mg/L	6020	<0.001		<0.001		<0.001			*
7440-42-8		Boron	T	mg/L	6010	1.73		<0.2		<0.2			*
7440-43-9		Cadmium	T	mg/L	6020	<0.001		<0.001		<0.001			*
7440-70-2		Calcium	T	mg/L	6010	61.1		28.1		38.9			*
7440-47-3		Chromium	T	mg/L	6020	<0.01		<0.01		<0.01			*
7440-48-4		Cobalt	T	mg/L	6020	<0.001		<0.001		<0.001			*
7440-50-8		Copper	T	mg/L	6020	<0.02		<0.02		<0.02			*
7439-89-6		Iron	T	mg/L	6010	0.114		<0.1		0.418			*
7439-92-1		Lead	T	mg/L	6020	<0.0013		<0.0013		<0.0013			*
7439-95-4		Magnesium	T	mg/L	6010	22.5		11.1		5.59			*
7439-96-5		Manganese	T	mg/L	6020	0.0494		0.00616		0.00505			*
7439-97-6		Mercury	T	mg/L	7470	<0.0002		<0.0002		<0.0002			*

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number						8004-4792		8004-0990		8004-0985		8004-0988	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)						373		374		375		376	
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
7439-98-7		Molybdenum	T	mg/L	6020	<0.001		<0.001		<0.001			*
7440-02-0		Nickel	T	mg/L	6020	<0.005		<0.005		<0.005			*
7440-09-7		Potassium	T	mg/L	6010	2.42		2.55		1.37			*
7440-16-6		Rhodium	T	mg/L	6020	<0.005		<0.005		<0.005			*
7782-49-2		Selenium	T	mg/L	6020	0.00564		0.0232		<0.005			*
7440-22-4		Silver	T	mg/L	6020	<0.001		<0.001		<0.001			*
7440-23-5		Sodium	T	mg/L	6010	59.5		36.7		17.1			*
7440-25-7		Tantalum	T	mg/L	6020	<0.005		<0.005		<0.005			*
7440-28-0		Thallium	T	mg/L	6020	<0.002		<0.002		<0.002			*
7440-61-1		Uranium	T	mg/L	6020	<0.001		<0.001		<0.001			*
7440-62-2		Vanadium	T	mg/L	6020	<0.02		<0.02		<0.02			*
7440-66-6		Zinc	T	mg/L	6020	<0.02		<0.02		<0.02			*
108-05-4		Vinyl acetate	T	mg/L	8260	<0.01		<0.01		<0.01			*
67-64-1		Acetone	T	mg/L	8260	<0.01	UJ	<0.01	UJ	<0.01	UJ		*
107-02-8		Acrolein	T	mg/L	8260	<0.01		<0.01		<0.01			*
107-13-1		Acrylonitrile	T	mg/L	8260	<0.01		<0.01		<0.01			*
71-43-2		Benzene	T	mg/L	8260	<0.005		<0.005		<0.005			*
108-90-7		Chlorobenzene	T	mg/L	8260	<0.005		<0.005		<0.005			*
1330-20-7		Xylenes	T	mg/L	8260	<0.015		<0.015		<0.015			*
100-42-5		Styrene	T	mg/L	8260	<0.005		<0.005		<0.005			*
108-88-3		Toluene	T	mg/L	8260	<0.005		<0.005		<0.005			*
74-97-5		Chlorobromomethane	T	mg/L	8260	<0.005		<0.005		<0.005			*

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4792		8004-0990		8004-0985		8004-0988		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					373		374		375		376		
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
75-27-4		Bromodichloromethane	T	mg/L	8260	<0.005		<0.005		<0.005			*
75-25-2		Tribromomethane	T	mg/L	8260	<0.005		<0.005		<0.005			*
74-83-9		Methyl bromide	T	mg/L	8260	<0.005		<0.005		<0.005			*
78-93-3		Methyl ethyl ketone	T	mg/L	8260	<0.01		<0.01		<0.01			*
110-57-6		trans-1,4-Dichloro-2-butene	T	mg/L	8260	<0.005		<0.005		<0.005			*
75-15-0		Carbon disulfide	T	mg/L	8260	<0.005		<0.005		<0.005			*
75-00-3		Chloroethane	T	mg/L	8260	<0.005		<0.005		<0.005			*
67-66-3		Chloroform	T	mg/L	8260	<0.001		<0.001		<0.001			*
74-87-3		Methyl chloride	T	mg/L	8260	<0.005		<0.005		<0.005			*
156-59-2		cis-1,2-Dichloroethene	T	mg/L	8260	<0.001		<0.001		<0.001			*
74-95-3		Methylene bromide	T	mg/L	8260	<0.005		<0.005		<0.005			*
75-34-3		1,1-Dichloroethane	T	mg/L	8260	<0.001		<0.001		<0.001			*
107-06-2		1,2-Dichloroethane	T	mg/L	8260	<0.001		<0.001		<0.001			*
75-35-4		1,1-Dichloroethylene	T	mg/L	8260	<0.001		<0.001		<0.001			*
106-93-4		Ethane, 1,2-dibromo	T	mg/L	8260	<0.005		<0.005		<0.005			*
79-34-5		Ethane, 1,1,2,2-Tetrachloro	T	mg/L	8260	<0.005		<0.005		<0.005			*
71-55-6		Ethane, 1,1,1-Trichloro-	T	mg/L	8260	<0.001		<0.001		<0.001			*
79-00-5		Ethane, 1,1,2-Trichloro	T	mg/L	8260	<0.001		<0.001		<0.001			*
630-20-6		Ethane, 1,1,1,2-Tetrachloro	T	mg/L	8260	<0.005		<0.005		<0.005			*
75-01-4		Vinyl chloride	T	mg/L	8260	<0.002		<0.002		<0.002			*
127-18-4		Ethene, Tetrachloro-	T	mg/L	8260	<0.001		<0.001		<0.001			*
79-01-6		Ethene, Trichloro-	T	mg/L	8260	0.0064		<0.001		<0.001			*

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number						8004-4792		8004-0990		8004-0985		8004-0988	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)						373		374		375		376	
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
100-41-4		Ethylbenzene	T	mg/L	8260	<0.005		<0.005		<0.005			*
591-78-6		2-Hexanone	T	mg/L	8260	<0.01		<0.01		<0.01			*
74-88-4		Iodomethane	T	mg/L	8260	<0.01		<0.01		<0.01			*
124-48-1		Methane, Dibromochloro-	T	mg/L	8260	<0.005		<0.005		<0.005			*
56-23-5		Carbon Tetrachloride	T	mg/L	8260	<0.005		<0.005		<0.005			*
75-09-2		Dichloromethane	T	mg/L	8260	<0.005		<0.005		<0.005			*
108-10-1		Methyl isobutyl ketone	T	mg/L	8260	<0.01		<0.01		<0.01			*
96-12-8		Propane, 1,2-Dibromo-3-chloro	T	mg/L	8011	<0.0002		<0.0002		<0.0002			*
78-87-5		Propane, 1,2-Dichloro-	T	mg/L	8260	<0.005		<0.005		<0.005			*
10061-02-6		trans-1,3-Dichloro-1-propene	T	mg/L	8260	<0.005		<0.005		<0.005			*
10061-01-5		cis-1,3-Dichloro-1-propene	T	mg/L	8260	<0.005		<0.005		<0.005			*
156-60-5		trans-1,2-Dichloroethene	T	mg/L	8260	<0.001		<0.001		<0.001			*
75-69-4		Trichlorofluoromethane	T	mg/L	8260	<0.005		<0.005		<0.005			*
96-18-4		1,2,3-Trichloropropane	T	mg/L	8260	<0.005		<0.005		<0.005			*
95-50-1		Benzene, 1,2-Dichloro-	T	mg/L	8260	<0.005		<0.005		<0.005			*
106-46-7		Benzene, 1,4-Dichloro-	T	mg/L	8260	<0.005		<0.005		<0.005			*
1336-36-3		PCB, Total	T	ug/L	8082	<0.17		<0.17		<0.17			*
12674-11-2		PCB-1016	T	ug/L	8082	<0.16		<0.16		<0.16			*
11104-28-2		PCB-1221	T	ug/L	8082	<0.17		<0.17		<0.17			*
11141-16-5		PCB-1232	T	ug/L	8082	<0.14		<0.14		<0.13			*
53469-21-9		PCB-1242	T	ug/L	8082	<0.1		<0.1		<0.1			*
12672-29-6		PCB-1248	T	ug/L	8082	<0.12		<0.12		<0.11			*

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4792		8004-0990		8004-0985		8004-0988		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					373		374		375		376		
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
11097-69-1		PCB-1254	T	ug/L	8082	<0.07		<0.07		<0.07			*
11096-82-5		PCB-1260	T	ug/L	8082	<0.05		<0.05		<0.05			*
11100-14-4		PCB-1268	T	ug/L	8082	<0.09		<0.09		<0.09			*
12587-46-1		Gross Alpha	T	pCi/L	9310	-0.603	*	3.8	*	-0.893	*		*
12587-47-2		Gross Beta	T	pCi/L	9310	38.6	*	2.38	*	2.46	*		*
10043-66-0		Iodine-131	T	pCi/L	RL-7124		*		*		*		*
13982-63-3		Radium-226	T	pCi/L	RL-7129	-0.0187	*	0.242	*	-0.135	*		*
10098-97-2		Strontium-90	T	pCi/L	RL-7140	0.495	*B	0.463	*B	0.0547	*B		*
14133-76-7		Technetium-99	T	pCi/L	RL-7100	37.8	*	8.41	*	7.38	*		*
14269-63-7		Thorium-230	T	pCi/L	RL-7128	0.0381	*	-0.0208	*	0.0457	*		*
10028-17-8		Tritium	T	pCi/L	704R6	153	*	-235	*	-77.1	*		*
S0130- -		Chemical Oxygen Demand	T	mg/L	410.4	<36		<36		<36			*
57-12-5		Cyanide	T	mg/L	9010	<0.04		<0.04		<0.04			*
20461-54-5		Iodide	T	mg/L	345.1	<2		<2		<2			*
S0268- -		Total Organic Carbon	T	mg/L	9060	<1		1.7		2.7			*
S0586- -		Total Organic Halides	T	mg/L	9020	0.019		0.027		0.016			*

Division of Waste Management
Solid Waste Branch
14 Reilly Road
Frankfort, KY 40601 (502)564-6716

RESIDENTIAL/CONTAINED-QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None
For Official Use Only

GROUNDWATER SAMPLE ANALYSIS_(S)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-0989	0000-0000		0000-0000		0000-0000			
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					377	E. BLANK		F. BLANK		T. BLANK 1			
Sample Sequence #					1	1		1		1			
If sample is a Blank, specify Type: (F)ield, (T)rip, (M)ethod, or (E)quipment					NA	E		F		T			
Sample Date and Time (Month/Day/Year hour:minutes)					NA	1/16/2014 06:55		1/16/2014 08:20		1/13/2014 11:45			
Duplicate ("Y" or "N") ²					N	N		N		N			
Split ("Y" or "N") ³					N	N		N		N			
Facility Sample ID Number (if applicable)					NA	RI1UG2-14		FB1UG2-14		TB1UG2-14			
Laboratory Sample ID Number (if applicable)					NA	C14016002001		C14016002002		C14013028001			
Date of Analysis (Month/Day/Year) For <u>Volatile Organics</u> Analysis					NA	1/20/2014		1/20/2014		1/19/2014			
Gradient with respect to Monitored Unit (UP, DOWN, SIDE, UNKNOWN)					SIDE	NA		NA		NA			
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S ⁷	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
24959-67-9		Bromide	T	mg/L	9056		*		*		*		*
16887-00-6		Chloride(s)	T	mg/L	9056		*		*		*		*
16984-48-8		Fluoride	T	mg/L	9214		*		*		*		*
S0595- -		Nitrate & Nitrite	T	mg/L	9056		*		*		*		*
14808-79-8		Sulfate	T	mg/L	9056		*		*		*		*
NS1894		Barometric Pressure Reading	T	Inches/Hg	Field		*		*		*		*
S0145- -		Specific Conductance	T	µMH0/cm	Field		*		*		*		*

STANDARD FLAGS:

* = See Comments
J = Estimated Value
B = Analyte found in blank
A = Average value
N = Presumptive ID
D = Concentration from analysis
of a secondary dilution

¹AKGWA # is 0000-0000 for any type of blank.

²Respond "Y" if the sample was a duplicate of another sample in this report.

³Respond "Y" if the sample was split and analyzed by separate laboratories.

⁴Chemical Abstracts Service Registry Number or unique identifier number assigned by agency.

⁵"T" = Total; "D" = Dissolved

⁶"<" indicates a non-detect; do not use "ND" or "BDL". Value shown is Practical Quantification Limit.

⁷Flags are as designated, do not use any other type. Use "*", then describe on "Written Comments Page."

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-0989		0000-0000		0000-0000		0000-0000		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, BLANK-F, etc.)					377		E. BLANK		F. BLANK		T. BLANK 1		
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
S0906 - -		Static Water Level Elevation	T	Ft. MSL	Field		*		*		*		*
N238		Dissolved Oxygen	T	mg/L	Field		*		*		*		*
S0266- -		Total Dissolved Solids	T	mg/L	160.1		*		*		*		*
S0296- -		pH	T	Units	Field		*		*		*		*
NS215		Eh	T	mV	Field		*		*		*		*
S0907 - -		Temperature	T	°C	Field		*		*		*		*
7429-90-5		Aluminum	T	mg/L	6020		*	<0.2		<0.2			*
7440-36-0		Antimony	T	mg/L	6020		*	<0.005		<0.005			*
7440-38-2		Arsenic	T	mg/L	7060		*	<0.001		<0.001			*
7440-39-3		Barium	T	mg/L	6020		*	<0.005		<0.005			*
7440-41-7		Beryllium	T	mg/L	6020		*	<0.001		<0.001			*
7440-42-8		Boron	T	mg/L	6010		*	<0.2		<0.2			*
7440-43-9		Cadmium	T	mg/L	6020		*	<0.001		<0.001			*
7440-70-2		Calcium	T	mg/L	6010		*	<1		<1			*
7440-47-3		Chromium	T	mg/L	6020		*	<0.01		<0.01			*
7440-48-4		Cobalt	T	mg/L	6020		*	<0.001		<0.001			*
7440-50-8		Copper	T	mg/L	6020		*	<0.02		<0.02			*
7439-89-6		Iron	T	mg/L	6010		*	<0.1		<0.1			*
7439-92-1		Lead	T	mg/L	6020		*	<0.0013		<0.0013			*
7439-95-4		Magnesium	T	mg/L	6010		*	<0.025		<0.025			*
7439-96-5		Manganese	T	mg/L	6020		*	<0.005		<0.005			*
7439-97-6		Mercury	T	mg/L	7470		*	<0.0002		<0.0002			*

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-0989		0000-0000		0000-0000		0000-0000		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					377		E. BLANK		F. BLANK		T. BLANK 1		
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
7439-98-7		Molybdenum	T	mg/L	6020		*	<0.001		<0.001			*
7440-02-0		Nickel	T	mg/L	6020		*	<0.005		<0.005			*
7440-09-7		Potassium	T	mg/L	6010		*	<0.2		<0.2			*
7440-16-6		Rhodium	T	mg/L	6020		*	<0.005		<0.005			*
7782-49-2		Selenium	T	mg/L	6020		*	<0.005		<0.005			*
7440-22-4		Silver	T	mg/L	6020		*	<0.001		<0.001			*
7440-23-5		Sodium	T	mg/L	6010		*	<1		<1			*
7440-25-7		Tantalum	T	mg/L	6020		*	<0.005		<0.005			*
7440-28-0		Thallium	T	mg/L	6020		*	<0.002		<0.002			*
7440-61-1		Uranium	T	mg/L	6020		*	<0.001		<0.001			*
7440-62-2		Vanadium	T	mg/L	6020		*	<0.02		<0.02			*
7440-66-6		Zinc	T	mg/L	6020		*	<0.02		<0.02			*
108-05-4		Vinyl acetate	T	mg/L	8260		*	<0.01	UJ	<0.01	UJ	<0.01	
67-64-1		Acetone	T	mg/L	8260		*	<0.01		<0.01		<0.01	UJ
107-02-8		Acrolein	T	mg/L	8260		*	<0.01	UJ	<0.01	UJ	<0.01	
107-13-1		Acrylonitrile	T	mg/L	8260		*	<0.01		<0.01		<0.01	
71-43-2		Benzene	T	mg/L	8260		*	<0.005		<0.005		<0.005	
108-90-7		Chlorobenzene	T	mg/L	8260		*	<0.005		<0.005		<0.005	
1330-20-7		Xylenes	T	mg/L	8260		*	<0.015		<0.015		<0.015	
100-42-5		Styrene	T	mg/L	8260		*	<0.005		<0.005		<0.005	
108-88-3		Toluene	T	mg/L	8260		*	<0.005		<0.005		<0.005	
74-97-5		Chlorobromomethane	T	mg/L	8260		*	<0.005		<0.005		<0.005	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-0989		0000-0000		0000-0000		0000-0000		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					377		E. BLANK		F. BLANK		T. BLANK 1		
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
75-27-4		Bromodichloromethane	T	mg/L	8260		*	<0.005		<0.005		<0.005	
75-25-2		Tribromomethane	T	mg/L	8260		*	<0.005		<0.005		<0.005	
74-83-9		Methyl bromide	T	mg/L	8260		*	<0.005		<0.005		<0.005	
78-93-3		Methyl ethyl ketone	T	mg/L	8260		*	<0.01		<0.01		<0.01	
110-57-6		trans-1,4-Dichloro-2-butene	T	mg/L	8260		*	<0.005		<0.005		<0.005	
75-15-0		Carbon disulfide	T	mg/L	8260		*	<0.005		<0.005		<0.005	
75-00-3		Chloroethane	T	mg/L	8260		*	<0.005		<0.005		<0.005	
67-66-3		Chloroform	T	mg/L	8260		*	<0.005		<0.005		<0.001	
74-87-3		Methyl chloride	T	mg/L	8260		*	<0.005		<0.005		<0.005	
156-59-2		cis-1,2-Dichloroethene	T	mg/L	8260		*	<0.001		<0.001		<0.001	
74-95-3		Methylene bromide	T	mg/L	8260		*	<0.005		<0.005		<0.005	
75-34-3		1,1-Dichloroethane	T	mg/L	8260		*	<0.001		<0.001		<0.001	
107-06-2		1,2-Dichloroethane	T	mg/L	8260		*	<0.001		<0.001		<0.001	
75-35-4		1,1-Dichloroethylene	T	mg/L	8260		*	<0.001		<0.001		<0.001	
106-93-4		Ethane, 1,2-dibromo	T	mg/L	8260		*	<0.005		<0.005		<0.005	
79-34-5		Ethane, 1,1,2,2-Tetrachloro	T	mg/L	8260		*	<0.005		<0.005		<0.005	
71-55-6		Ethane, 1,1,1-Trichloro-	T	mg/L	8260		*	<0.001		<0.001		<0.001	
79-00-5		Ethane, 1,1,2-Trichloro	T	mg/L	8260		*	<0.001		<0.001		<0.001	
630-20-6		Ethane, 1,1,1,2-Tetrachloro	T	mg/L	8260		*	<0.005		<0.005		<0.005	
75-01-4		Vinyl chloride	T	mg/L	8260		*	<0.002		<0.002		<0.002	
127-18-4		Ethene, Tetrachloro-	T	mg/L	8260		*	<0.005		<0.005		<0.001	
79-01-6		Ethene, Trichloro-	T	mg/L	8260		*	<0.001		<0.001		<0.001	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number						8004-0989		0000-0000		0000-0000		0000-0000	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)						377		E. BLANK		F. BLANK		T. BLANK 1	
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
100-41-4		Ethylbenzene	T	mg/L	8260		*	<0.005		<0.005		<0.005	
591-78-6		2-Hexanone	T	mg/L	8260		*	<0.01		<0.01		<0.01	
74-88-4		Iodomethane	T	mg/L	8260		*	<0.01		<0.01		<0.01	
124-48-1		Methane, Dibromochloro-	T	mg/L	8260		*	<0.005		<0.005		<0.005	
56-23-5		Carbon Tetrachloride	T	mg/L	8260		*	<0.005		<0.005		<0.005	
75-09-2		Dichloromethane	T	mg/L	8260		*	<0.005		<0.005		<0.005	
108-10-1		Methyl isobutyl ketone	T	mg/L	8260		*	<0.01		<0.01		<0.01	
96-12-8		Propane, 1,2-Dibromo-3-chloro	T	mg/L	8011		*	<0.0002		<0.0002		<0.0002	
78-87-5		Propane, 1,2-Dichloro-	T	mg/L	8260		*	<0.005		<0.005		<0.005	
10061-02-6		trans-1,3-Dichloro-1-propene	T	mg/L	8260		*	<0.005		<0.005		<0.005	
10061-01-5		cis-1,3-Dichloro-1-propene	T	mg/L	8260		*	<0.005		<0.005		<0.005	
156-60-5		trans-1,2-Dichloroethene	T	mg/L	8260		*	<0.001		<0.001		<0.001	
75-69-4		Trichlorofluoromethane	T	mg/L	8260		*	<0.005		<0.005		<0.005	
96-18-4		1,2,3-Trichloropropane	T	mg/L	8260		*	<0.005		<0.005		<0.005	
95-50-1		Benzene, 1,2-Dichloro-	T	mg/L	8260		*	<0.005		<0.005		<0.005	
106-46-7		Benzene, 1,4-Dichloro-	T	mg/L	8260		*	<0.005		<0.005		<0.005	
1336-36-3		PCB, Total	T	ug/L	8082		*	<0.17		<0.17	*		*
12674-11-2		PCB-1016	T	ug/L	8082		*	<0.16		<0.16	*		*
11104-28-2		PCB-1221	T	ug/L	8082		*	<0.17		<0.17	*		*
11141-16-5		PCB-1232	T	ug/L	8082		*	<0.14		<0.13	*		*
53469-21-9		PCB-1242	T	ug/L	8082		*	<0.1		<0.09	*		*
12672-29-6		PCB-1248	T	ug/L	8082		*	<0.12		<0.11	*		*

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-0989		0000-0000		0000-0000		0000-0000		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					377		E. BLANK		F. BLANK		T. BLANK 1		
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
11097-69-1		PCB-1254	T	ug/L	8082		*	<0.07		<0.07	*		*
11096-82-5		PCB-1260	T	ug/L	8082		*	<0.05		<0.05	*		*
11100-14-4		PCB-1268	T	ug/L	8082		*	<0.09		<0.08	*		*
12587-46-1		Gross Alpha	T	pCi/L	9310		*	-0.155	*	-0.545	*		*
12587-47-2		Gross Beta	T	pCi/L	9310		*	-1.75	*	2.89	*		*
10043-66-0		Iodine-131	T	pCi/L	RL-7124		*		*		*		*
13982-63-3		Radium-226	T	pCi/L	RL-7129		*	-0.047	*	-0.0573	*		*
10098-97-2		Strontium-90	T	pCi/L	RL-7140		*	0.108	*B	0.0536	*B		*
14133-76-7		Technetium-99	T	pCi/L	RL-7100		*	-1.3	*	5.97	*		*
14269-63-7		Thorium-230	T	pCi/L	RL-7128		*	0.0287	*	0.0749	*		*
10028-17-8		Tritium	T	pCi/L	704R6		*	129	*	63.9	*		*
S0130- -		Chemical Oxygen Demand	T	mg/L	410.4		*		*		*		*
57-12-5		Cyanide	T	mg/L	9010		*		*		*		*
20461-54-5		Iodide	T	mg/L	345.1		*	<2		<2			*
S0268- -		Total Organic Carbon	T	mg/L	9060		*		*		*		*
S0586- -		Total Organic Halides	T	mg/L	9020		*		*		*		*

Division of Waste Management
Solid Waste Branch
14 Reilly Road
Frankfort, KY 40601 (502)564-6716

RESIDENTIAL/CONTAINED-QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None
For Official Use Only

GROUNDWATER SAMPLE ANALYSIS_(S)

AKGWA NUMBER ¹ , Facility Well/Spring Number					0000-0000	0000-0000	0000-0000	0000-0000					
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					T. BLANK 2	T. BLANK 3	T. BLANK 4	T. BLANK 5					
Sample Sequence #					1	1	1	1					
If sample is a Blank, specify Type: (F)ield, (T)rip, (M)ethod, or (E)quipment					T	T	T	T					
Sample Date and Time (Month/Day/Year hour:minutes)					1/14/2014 06:50	1/14/2014 07:15	1/15/2014 07:00	1/15/2014 07:55					
Duplicate ("Y" or "N") ²					N	N	N	N					
Split ("Y" or "N") ³					N	N	N	N					
Facility Sample ID Number (if applicable)					TB2UG2-14	TB3UG2-14	TB4UG2-14	TB5UG2-14					
Laboratory Sample ID Number (if applicable)					C14014018001	C14014021001	C14015032001	C14015034001					
Date of Analysis (Month/Day/Year) For <u>Volatile Organics</u> Analysis					1/19/2014	1/19/2014	1/19/2014	1/20/2014					
Gradient with respect to Monitored Unit (UP, DOWN, SIDE, UNKNOWN)					NA	NA	NA	NA					
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S ⁷	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
24959-67-9		Bromide	T	mg/L	9056		*		*		*		*
16887-00-6		Chloride(s)	T	mg/L	9056		*		*		*		*
16984-48-8		Fluoride	T	mg/L	9214		*		*		*		*
S0595- -		Nitrate & Nitrite	T	mg/L	9056		*		*		*		*
14808-79-8		Sulfate	T	mg/L	9056		*		*		*		*
NS1894		Barometric Pressure Reading	T	Inches/Hg	Field		*		*		*		*
S0145- -		Specific Conductance	T	µMH0/cm	Field		*		*		*		*

¹AKGWA # is 0000-0000 for any type of blank.

²Respond "Y" if the sample was a duplicate of another sample in this report.

³Respond "Y" if the sample was split and analyzed by separate laboratories.

⁴Chemical Abstracts Service Registry Number or unique identifier number assigned by agency.

⁵"T" = Total; "D" = Dissolved

⁶"<" indicates a non-detect; do not use "ND" or "BDL". Value shown is Practical Quantification Limit.

⁷Flags are as designated, do not use any other type. Use "*", then describe on "Written Comments Page."

STANDARD FLAGS:

* = See Comments

J = Estimated Value

B = Analyte found in blank

A = Average value

N = Presumptive ID

D = Concentration from analysis
of a secondary dilution

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					0000-0000		0000-0000		0000-0000		0000-0000		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, BLANK-F, etc.)					T. BLANK 2		T. BLANK 3		T. BLANK 4		T. BLANK 5		
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
S0906 - -		Static Water Level Elevation	T	Ft. MSL	Field		*		*		*		*
N238		Dissolved Oxygen	T	mg/L	Field		*		*		*		*
S0266- -		Total Dissolved Solids	T	mg/L	160.1		*		*		*		*
S0296- -		pH	T	Units	Field		*		*		*		*
NS215		Eh	T	mV	Field		*		*		*		*
S0907 - -		Temperature	T	°C	Field		*		*		*		*
7429-90-5		Aluminum	T	mg/L	6020		*		*		*		*
7440-36-0		Antimony	T	mg/L	6020		*		*		*		*
7440-38-2		Arsenic	T	mg/L	7060		*		*		*		*
7440-39-3		Barium	T	mg/L	6020		*		*		*		*
7440-41-7		Beryllium	T	mg/L	6020		*		*		*		*
7440-42-8		Boron	T	mg/L	6010		*		*		*		*
7440-43-9		Cadmium	T	mg/L	6020		*		*		*		*
7440-70-2		Calcium	T	mg/L	6010		*		*		*		*
7440-47-3		Chromium	T	mg/L	6020		*		*		*		*
7440-48-4		Cobalt	T	mg/L	6020		*		*		*		*
7440-50-8		Copper	T	mg/L	6020		*		*		*		*
7439-89-6		Iron	T	mg/L	6010		*		*		*		*
7439-92-1		Lead	T	mg/L	6020		*		*		*		*
7439-95-4		Magnesium	T	mg/L	6010		*		*		*		*
7439-96-5		Manganese	T	mg/L	6020		*		*		*		*
7439-97-6		Mercury	T	mg/L	7470		*		*		*		*

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					0000-0000		0000-0000		0000-0000		0000-0000		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					T. BLANK 2		T. BLANK 3		T. BLANK 4		T. BLANK 5		
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
7439-98-7		Molybdenum	T	mg/L	6020		*		*		*		*
7440-02-0		Nickel	T	mg/L	6020		*		*		*		*
7440-09-7		Potassium	T	mg/L	6010		*		*		*		*
7440-16-6		Rhodium	T	mg/L	6020		*		*		*		*
7782-49-2		Selenium	T	mg/L	6020		*		*		*		*
7440-22-4		Silver	T	mg/L	6020		*		*		*		*
7440-23-5		Sodium	T	mg/L	6010		*		*		*		*
7440-25-7		Tantalum	T	mg/L	6020		*		*		*		*
7440-28-0		Thallium	T	mg/L	6020		*		*		*		*
7440-61-1		Uranium	T	mg/L	6020		*		*		*		*
7440-62-2		Vanadium	T	mg/L	6020		*		*		*		*
7440-66-6		Zinc	T	mg/L	6020		*		*		*		*
108-05-4		Vinyl acetate	T	mg/L	8260	<0.01		<0.01		<0.01		<0.01	UJ
67-64-1		Acetone	T	mg/L	8260	<0.01	UJ	<0.01	UJ	<0.01	UJ	<0.01	
107-02-8		Acrolein	T	mg/L	8260	<0.01		<0.01		<0.01		<0.01	UJ
107-13-1		Acrylonitrile	T	mg/L	8260	<0.01		<0.01		<0.01		<0.01	
71-43-2		Benzene	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
108-90-7		Chlorobenzene	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
1330-20-7		Xylenes	T	mg/L	8260	<0.015		<0.015		<0.015		<0.015	
100-42-5		Styrene	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
108-88-3		Toluene	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
74-97-5		Chlorobromomethane	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					0000-0000		0000-0000		0000-0000		0000-0000		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					T. BLANK 2		T. BLANK 3		T. BLANK 4		T. BLANK 5		
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
75-27-4		Bromodichloromethane	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
75-25-2		Tribromomethane	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
74-83-9		Methyl bromide	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
78-93-3		Methyl ethyl ketone	T	mg/L	8260	<0.01		<0.01		<0.01		<0.01	
110-57-6		trans-1,4-Dichloro-2-butene	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
75-15-0		Carbon disulfide	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
75-00-3		Chloroethane	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
67-66-3		Chloroform	T	mg/L	8260	<0.001		<0.001		<0.001		<0.005	
74-87-3		Methyl chloride	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
156-59-2		cis-1,2-Dichloroethene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
74-95-3		Methylene bromide	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
75-34-3		1,1-Dichloroethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
107-06-2		1,2-Dichloroethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-35-4		1,1-Dichloroethylene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
106-93-4		Ethane, 1,2-dibromo	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
79-34-5		Ethane, 1,1,2,2-Tetrachloro	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
71-55-6		Ethane, 1,1,1-Trichloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
79-00-5		Ethane, 1,1,2-Trichloro	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
630-20-6		Ethane, 1,1,1,2-Tetrachloro	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
75-01-4		Vinyl chloride	T	mg/L	8260	<0.002		<0.002		<0.002		<0.002	
127-18-4		Ethene, Tetrachloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.005	
79-01-6		Ethene, Trichloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number						0000-0000		0000-0000		0000-0000		0000-0000	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)						T. BLANK 2		T. BLANK 3		T. BLANK 4		T. BLANK 5	
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
100-41-4		Ethylbenzene	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
591-78-6		2-Hexanone	T	mg/L	8260	<0.01		<0.01		<0.01		<0.01	
74-88-4		Iodomethane	T	mg/L	8260	<0.01		<0.01		<0.01		<0.01	
124-48-1		Methane, Dibromochloro-	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
56-23-5		Carbon Tetrachloride	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
75-09-2		Dichloromethane	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
108-10-1		Methyl isobutyl ketone	T	mg/L	8260	<0.01		<0.01		<0.01		<0.01	
96-12-8		Propane, 1,2-Dibromo-3-chloro	T	mg/L	8011	<0.0002		<0.0002		<0.0002		<0.0002	
78-87-5		Propane, 1,2-Dichloro-	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
10061-02-6		trans-1,3-Dichloro-1-propene	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
10061-01-5		cis-1,3-Dichloro-1-propene	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
156-60-5		trans-1,2-Dichloroethene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-69-4		Trichlorofluoromethane	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
96-18-4		1,2,3-Trichloropropane	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
95-50-1		Benzene, 1,2-Dichloro-	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
106-46-7		Benzene, 1,4-Dichloro-	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
1336-36-3		PCB, Total	T	ug/L	8082		*		*		*		*
12674-11-2		PCB-1016	T	ug/L	8082		*		*		*		*
11104-28-2		PCB-1221	T	ug/L	8082		*		*		*		*
11141-16-5		PCB-1232	T	ug/L	8082		*		*		*		*
53469-21-9		PCB-1242	T	ug/L	8082		*		*		*		*
12672-29-6		PCB-1248	T	ug/L	8082		*		*		*		*

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					0000-0000		0000-0000		0000-0000		0000-0000		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					T. BLANK 2		T. BLANK 3		T. BLANK 4		T. BLANK 5		
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
11097-69-1		PCB-1254	T	ug/L	8082		*		*		*		*
11096-82-5		PCB-1260	T	ug/L	8082		*		*		*		*
11100-14-4		PCB-1268	T	ug/L	8082		*		*		*		*
12587-46-1		Gross Alpha	T	pCi/L	9310		*		*		*		*
12587-47-2		Gross Beta	T	pCi/L	9310		*		*		*		*
10043-66-0		Iodine-131	T	pCi/L	RL-7124		*		*		*		*
13982-63-3		Radium-226	T	pCi/L	RL-7129		*		*		*		*
10098-97-2		Strontium-90	T	pCi/L	RL-7140		*		*		*		*
14133-76-7		Technetium-99	T	pCi/L	RL-7100		*		*		*		*
14269-63-7		Thorium-230	T	pCi/L	RL-7128		*		*		*		*
10028-17-8		Tritium	T	pCi/L	704R6		*		*		*		*
S0130- -		Chemical Oxygen Demand	T	mg/L	410.4		*		*		*		*
57-12-5		Cyanide	T	mg/L	9010		*		*		*		*
20461-54-5		Iodide	T	mg/L	345.1		*		*		*		*
S0268- -		Total Organic Carbon	T	mg/L	9060		*		*		*		*
S0586- -		Total Organic Halides	T	mg/L	9020		*		*		*		*

Division of Waste Management
Solid Waste Branch
14 Reilly Road
Frankfort, KY 40601 (502)564-6716

RESIDENTIAL/CONTAINED-QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None
For Official Use Only

GROUNDWATER SAMPLE ANALYSIS_(S)

AKGWA NUMBER ¹ , Facility Well/Spring Number					0000-0000	8004-4800							
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					T. BLANK 6	360							
Sample Sequence #					1	2							
If sample is a Blank, specify Type: (F)ield, (T)rip, (M)ethod, or (E)quipment					T	NA							
Sample Date and Time (Month/Day/Year hour:minutes)					1/16/2014 07:10	1/15/2014 13:25							
Duplicate ("Y" or "N") ²					N	Y							
Split ("Y" or "N") ³					N	N							
Facility Sample ID Number (if applicable)					TB6UG2-14	MW360DUG2-14							
Laboratory Sample ID Number (if applicable)					C14016015001	C14015033002							
Date of Analysis (Month/Day/Year) For <u>Volatile Organics</u> Analysis					1/20/2014	1/19/2014							
Gradient with respect to Monitored Unit (UP, DOWN, SIDE, UNKNOWN)					NA	DOWN							
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S ⁷	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
24959-67-9		Bromide	T	mg/L	9056		*	<2					
16887-00-6		Chloride(s)	T	mg/L	9056		*	15					
16984-48-8		Fluoride	T	mg/L	9214		*	0.18					
S0595- -		Nitrate & Nitrite	T	mg/L	9056		*	<1					
14808-79-8		Sulfate	T	mg/L	9056		*	36					
NS1894		Barometric Pressure Reading	T	Inches/Hg	Field		*	30.13					
S0145- -		Specific Conductance	T	µMH0/cm	Field		*	497					

STANDARD FLAGS:

* = See Comments
J = Estimated Value
B = Analyte found in blank
A = Average value
N = Presumptive ID
D = Concentration from analysis
of a secondary dilution

¹AKGWA # is 0000-0000 for any type of blank.

²Respond "Y" if the sample was a duplicate of another sample in this report.

³Respond "Y" if the sample was split and analyzed by separate laboratories.

⁴Chemical Abstracts Service Registry Number or unique identifier number assigned by agency.

⁵"T" = Total; "D" = Dissolved

⁶"<" indicates a non-detect; do not use "ND" or "BDL". Value shown is Practical Quantification Limit.

⁷Flags are as designated, do not use any other type. Use "*", " then describe on "Written Comments Page."

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					0000-0000		8004-4800						
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, BLANK-F, etc.)					T. BLANK 6		360						
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
S0906 - -		Static Water Level Elevation	T	Ft. MSL	Field		*	323					
N238		Dissolved Oxygen	T	mg/L	Field		*	1.37					
S0266- -		Total Dissolved Solids	T	mg/L	160.1		*	250					
S0296- -		pH	T	Units	Field		*	6.32					
NS215		Eh	T	mV	Field		*	631					
S0907 - -		Temperature	T	°C	Field		*	10.61					
7429-90-5		Aluminum	T	mg/L	6020		*	<0.2					
7440-36-0		Antimony	T	mg/L	6020		*	<0.005					
7440-38-2		Arsenic	T	mg/L	7060		*	<0.001					
7440-39-3		Barium	T	mg/L	6020		*	0.141					
7440-41-7		Beryllium	T	mg/L	6020		*	<0.001					
7440-42-8		Boron	T	mg/L	6010		*	<0.2					
7440-43-9		Cadmium	T	mg/L	6020		*	<0.001					
7440-70-2		Calcium	T	mg/L	6010		*	25.2					
7440-47-3		Chromium	T	mg/L	6020		*	<0.01					
7440-48-4		Cobalt	T	mg/L	6020		*	0.0113					
7440-50-8		Copper	T	mg/L	6020		*	<0.02					
7439-89-6		Iron	T	mg/L	6010		*	0.968					
7439-92-1		Lead	T	mg/L	6020		*	<0.0013					
7439-95-4		Magnesium	T	mg/L	6010		*	9.55					
7439-96-5		Manganese	T	mg/L	6020		*	0.0956					
7439-97-6		Mercury	T	mg/L	7470		*	<0.0002					

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					0000-0000		8004-4800						
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					T. BLANK 6		360						
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
7439-98-7		Molybdenum	T	mg/L	6020		*	<0.001					
7440-02-0		Nickel	T	mg/L	6020		*	<0.005					
7440-09-7		Potassium	T	mg/L	6010		*	1.11					
7440-16-6		Rhodium	T	mg/L	6020		*	<0.005					
7782-49-2		Selenium	T	mg/L	6020		*	<0.005					
7440-22-4		Silver	T	mg/L	6020		*	<0.001					
7440-23-5		Sodium	T	mg/L	6010		*	54.8					
7440-25-7		Tantalum	T	mg/L	6020		*	<0.005					
7440-28-0		Thallium	T	mg/L	6020		*	<0.002					
7440-61-1		Uranium	T	mg/L	6020		*	<0.001					
7440-62-2		Vanadium	T	mg/L	6020		*	<0.02					
7440-66-6		Zinc	T	mg/L	6020		*	<0.02					
108-05-4		Vinyl acetate	T	mg/L	8260	<0.01	UJ	<0.01					
67-64-1		Acetone	T	mg/L	8260	<0.01		<0.01	UJ				
107-02-8		Acrolein	T	mg/L	8260	<0.01	UJ	<0.01					
107-13-1		Acrylonitrile	T	mg/L	8260	<0.01		<0.01					
71-43-2		Benzene	T	mg/L	8260	<0.005		<0.005					
108-90-7		Chlorobenzene	T	mg/L	8260	<0.005		<0.005					
1330-20-7		Xylenes	T	mg/L	8260	<0.015		<0.015					
100-42-5		Styrene	T	mg/L	8260	<0.005		<0.005					
108-88-3		Toluene	T	mg/L	8260	<0.005		<0.005					
74-97-5		Chlorobromomethane	T	mg/L	8260	<0.005		<0.005					

C-47

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					0000-0000		8004-4800						
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					T. BLANK 6		360						
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
75-27-4		Bromodichloromethane	T	mg/L	8260	<0.005		<0.005					
75-25-2		Tribromomethane	T	mg/L	8260	<0.005		<0.005					
74-83-9		Methyl bromide	T	mg/L	8260	<0.005		<0.005					
78-93-3		Methyl ethyl ketone	T	mg/L	8260	<0.01		<0.01					
110-57-6		trans-1,4-Dichloro-2-butene	T	mg/L	8260	<0.005		<0.005					
75-15-0		Carbon disulfide	T	mg/L	8260	<0.005		<0.005					
75-00-3		Chloroethane	T	mg/L	8260	<0.005		<0.005					
67-66-3		Chloroform	T	mg/L	8260	<0.005		<0.001					
74-87-3		Methyl chloride	T	mg/L	8260	<0.005		<0.005					
156-59-2		cis-1,2-Dichloroethene	T	mg/L	8260	<0.001		<0.001					
74-95-3		Methylene bromide	T	mg/L	8260	<0.005		<0.005					
75-34-3		1,1-Dichloroethane	T	mg/L	8260	<0.001		<0.001					
107-06-2		1,2-Dichloroethane	T	mg/L	8260	<0.001		<0.001					
75-35-4		1,1-Dichloroethylene	T	mg/L	8260	<0.001		<0.001					
106-93-4		Ethane, 1,2-dibromo	T	mg/L	8260	<0.005		<0.005					
79-34-5		Ethane, 1,1,2,2-Tetrachloro	T	mg/L	8260	<0.005		<0.005					
71-55-6		Ethane, 1,1,1-Trichloro-	T	mg/L	8260	<0.001		<0.001					
79-00-5		Ethane, 1,1,2-Trichloro	T	mg/L	8260	<0.001		<0.001					
630-20-6		Ethane, 1,1,1,2-Tetrachloro	T	mg/L	8260	<0.005		<0.005					
75-01-4		Vinyl chloride	T	mg/L	8260	<0.002		<0.002					
127-18-4		Ethene, Tetrachloro-	T	mg/L	8260	<0.005		<0.001					
79-01-6		Ethene, Trichloro-	T	mg/L	8260	<0.001		<0.001					

C-48

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number						0000-0000		8004-4800					
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)						T. BLANK 6		360					
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
100-41-4		Ethylbenzene	T	mg/L	8260	<0.005		<0.005					
591-78-6		2-Hexanone	T	mg/L	8260	<0.01		<0.01					
74-88-4		Iodomethane	T	mg/L	8260	<0.01		<0.01					
124-48-1		Methane, Dibromochloro-	T	mg/L	8260	<0.005		<0.005					
56-23-5		Carbon Tetrachloride	T	mg/L	8260	<0.005		<0.005					
75-09-2		Dichloromethane	T	mg/L	8260	<0.005		<0.005					
108-10-1		Methyl isobutyl ketone	T	mg/L	8260	<0.01		<0.01					
96-12-8		Propane, 1,2-Dibromo-3-chloro	T	mg/L	8011	<0.0002		<0.0002					
78-87-5		Propane, 1,2-Dichloro-	T	mg/L	8260	<0.005		<0.005					
10061-02-6		trans-1,3-Dichloro-1-propene	T	mg/L	8260	<0.005		<0.005					
10061-01-5		cis-1,3-Dichloro-1-propene	T	mg/L	8260	<0.005		<0.005					
156-60-5		trans-1,2-Dichloroethene	T	mg/L	8260	<0.001		<0.001					
75-69-4		Trichlorofluoromethane	T	mg/L	8260	<0.005		<0.005					
96-18-4		1,2,3-Trichloropropane	T	mg/L	8260	<0.005		<0.005					
95-50-1		Benzene, 1,2-Dichloro-	T	mg/L	8260	<0.005		<0.005					
106-46-7		Benzene, 1,4-Dichloro-	T	mg/L	8260	<0.005		<0.005					
1336-36-3		PCB, Total	T	ug/L	8082		*	<0.17					
12674-11-2		PCB-1016	T	ug/L	8082		*	<0.16					
11104-28-2		PCB-1221	T	ug/L	8082		*	<0.17					
11141-16-5		PCB-1232	T	ug/L	8082		*	<0.13					
53469-21-9		PCB-1242	T	ug/L	8082		*	<0.1					
12672-29-6		PCB-1248	T	ug/L	8082		*	<0.11					

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					0000-0000		8004-4800						
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					T. BLANK 6		360						
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
11097-69-1		PCB-1254	T	ug/L	8082		*	<0.07					
11096-82-5		PCB-1260	T	ug/L	8082		*	<0.05					
11100-14-4		PCB-1268	T	ug/L	8082		*	<0.09					
12587-46-1		Gross Alpha	T	pCi/L	9310		*	-1.22	*				
12587-47-2		Gross Beta	T	pCi/L	9310		*	11.5	*				
10043-66-0		Iodine-131	T	pCi/L	RL-7124		*		*				
13982-63-3		Radium-226	T	pCi/L	RL-7129		*	0.101	*				
10098-97-2		Strontium-90	T	pCi/L	RL-7140		*	-0.488	*B				
14133-76-7		Technetium-99	T	pCi/L	RL-7100		*	9.82	*				
14269-63-7		Thorium-230	T	pCi/L	RL-7128		*	0.0566	*				
10028-17-8		Tritium	T	pCi/L	704R6		*	-262	*				
S0130- -		Chemical Oxygen Demand	T	mg/L	410.4		*	<36					
57-12-5		Cyanide	T	mg/L	9010		*	<0.04					
20461-54-5		Iodide	T	mg/L	345.1		*	<2					
S0268- -		Total Organic Carbon	T	mg/L	9060		*	1.2					
S0586- -		Total Organic Halides	T	mg/L	9020		*	0.016					

RESIDENTIAL/CONTAINED – QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
LAB ID: None
For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-4798 MW357	MW357UG2-14	Gross alpha	*	TPU is 4.41. Rad error is 4.37.
		Gross beta		TPU is 4.36. Rad error is 3.62.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226	*	TPU is 0.229. Rad error is 0.0674.
		Strontium-90	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 0.105. Rad error is 0.0599.
		Technetium-99		TPU is 12.3. Rad error is 12.2.
		Thorium-230	*	TPU is 0.139. Rad error is 0.0552.
		Tritium	*	TPU is 630. Rad error is 629.
8004-4799 MW358	MW358UG2-14	Gross alpha	*	TPU is 2.21. Rad error is 2.15.
		Gross beta		TPU is 5.66. Rad error is 4.5.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226	*	TPU is 0.219. Rad error is 0.156.
		Strontium-90	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 0.284. Rad error is 0.155.
		Technetium-99		TPU is 12.1. Rad error is 12.1.
		Thorium-230	*	TPU is 0.141. Rad error is 0.058.
		Tritium	*	TPU is 638. Rad error is 638.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0981 MW359		Bromide		During sampling, the well went dry; therefore, no sample was collected.
		Chloride		During sampling, the well went dry; therefore, no sample was collected.
		Fluoride		During sampling, the well went dry; therefore, no sample was collected.
		Nitrate & Nitrite		During sampling, the well went dry; therefore, no sample was collected.
		Sulfate		During sampling, the well went dry; therefore, no sample was collected.
		Barometric Pressure Reading		During sampling, the well went dry; therefore, no sample was collected.
		Specific Conductance		During sampling, the well went dry; therefore, no sample was collected.
		Static Water Level Elevation		During sampling, the well went dry; therefore, no sample was collected.
		Dissolved Oxygen		During sampling, the well went dry; therefore, no sample was collected.
		Total Dissolved Solids		During sampling, the well went dry; therefore, no sample was collected.
		pH		During sampling, the well went dry; therefore, no sample was collected.
		Eh		During sampling, the well went dry; therefore, no sample was collected.
		Temperature		During sampling, the well went dry; therefore, no sample was collected.
		Aluminum		During sampling, the well went dry; therefore, no sample was collected.
		Antimony		During sampling, the well went dry; therefore, no sample was collected.
		Arsenic		During sampling, the well went dry; therefore, no sample was collected.
		Barium		During sampling, the well went dry; therefore, no sample was collected.
		Beryllium		During sampling, the well went dry; therefore, no sample was collected.
		Boron		During sampling, the well went dry; therefore, no sample was collected.
		Cadmium		During sampling, the well went dry; therefore, no sample was collected.
		Calcium		During sampling, the well went dry; therefore, no sample was collected.
		Chromium		During sampling, the well went dry; therefore, no sample was collected.
		Cobalt		During sampling, the well went dry; therefore, no sample was collected.
		Copper		During sampling, the well went dry; therefore, no sample was collected.
		Iron		During sampling, the well went dry; therefore, no sample was collected.
		Lead		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0981 MW359		Magnesium		During sampling, the well went dry; therefore, no sample was collected.
		Manganese		During sampling, the well went dry; therefore, no sample was collected.
		Mercury		During sampling, the well went dry; therefore, no sample was collected.
		Molybdenum		During sampling, the well went dry; therefore, no sample was collected.
		Nickel		During sampling, the well went dry; therefore, no sample was collected.
		Potassium		During sampling, the well went dry; therefore, no sample was collected.
		Rhodium		During sampling, the well went dry; therefore, no sample was collected.
		Selenium		During sampling, the well went dry; therefore, no sample was collected.
		Silver		During sampling, the well went dry; therefore, no sample was collected.
		Sodium		During sampling, the well went dry; therefore, no sample was collected.
		Tantalum		During sampling, the well went dry; therefore, no sample was collected.
		Thallium		During sampling, the well went dry; therefore, no sample was collected.
		Uranium		During sampling, the well went dry; therefore, no sample was collected.
		Vanadium		During sampling, the well went dry; therefore, no sample was collected.
		Zinc		During sampling, the well went dry; therefore, no sample was collected.
		Vinyl acetate		During sampling, the well went dry; therefore, no sample was collected.
		Acetone		During sampling, the well went dry; therefore, no sample was collected.
		Acrolein		During sampling, the well went dry; therefore, no sample was collected.
		Acrylonitrile		During sampling, the well went dry; therefore, no sample was collected.
		Benzene		During sampling, the well went dry; therefore, no sample was collected.
		Chlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		Xylenes		During sampling, the well went dry; therefore, no sample was collected.
		Styrene		During sampling, the well went dry; therefore, no sample was collected.
		Toluene		During sampling, the well went dry; therefore, no sample was collected.
		Chlorobromomethane		During sampling, the well went dry; therefore, no sample was collected.
		Bromodichloromethane		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0981 MW359		Tribromomethane		During sampling, the well went dry; therefore, no sample was collected.
		Methyl bromide		During sampling, the well went dry; therefore, no sample was collected.
		Methyl Ethyl Ketone		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,4-Dichloro-2-butene		During sampling, the well went dry; therefore, no sample was collected.
		Carbon disulfide		During sampling, the well went dry; therefore, no sample was collected.
		Chloroethane		During sampling, the well went dry; therefore, no sample was collected.
		Chloroform		During sampling, the well went dry; therefore, no sample was collected.
		Methyl chloride		During sampling, the well went dry; therefore, no sample was collected.
		cis-1,2-Dichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Methylene bromide		During sampling, the well went dry; therefore, no sample was collected.
		1,1-Dichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1-Dichloroethylene		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dibromoethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,2,2-Tetrachloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,1-Trichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,2-Trichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,1,2-Tetrachloroethane		During sampling, the well went dry; therefore, no sample was collected.
		Vinyl chloride		During sampling, the well went dry; therefore, no sample was collected.
		Tetrachloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Trichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Ethylbenzene		During sampling, the well went dry; therefore, no sample was collected.
		2-Hexanone		During sampling, the well went dry; therefore, no sample was collected.
		Iodomethane		During sampling, the well went dry; therefore, no sample was collected.
		Dibromochloromethane		During sampling, the well went dry; therefore, no sample was collected.
		Carbon tetrachloride		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0981 MW359		Dichloromethane		During sampling, the well went dry; therefore, no sample was collected.
		Methyl Isobutyl Ketone		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dibromo-3-chloropropane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichloropropane		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,3-Dichloropropene		During sampling, the well went dry; therefore, no sample was collected.
		cis-1,3-Dichloropropene		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,2-Dichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Trichlorofluoromethane		During sampling, the well went dry; therefore, no sample was collected.
		1,2,3-Trichloropropane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		1,4-Dichlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		PCB, Total		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1016		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1221		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1232		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1242		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1248		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1254		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1260		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1268		During sampling, the well went dry; therefore, no sample was collected.
		Gross alpha		During sampling, the well went dry; therefore, no sample was collected.
		Gross beta		During sampling, the well went dry; therefore, no sample was collected.
		Iodine-131		During sampling, the well went dry; therefore, no sample was collected.
		Radium-226		During sampling, the well went dry; therefore, no sample was collected.
		Strontium-90		During sampling, the well went dry; therefore, no sample was collected.
		Technetium-99		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0981 MW359		Thorium-230		During sampling, the well went dry; therefore, no sample was collected.
		Tritium		During sampling, the well went dry; therefore, no sample was collected.
		Chemical Oxygen Demand		During sampling, the well went dry; therefore, no sample was collected.
		Cyanide		During sampling, the well went dry; therefore, no sample was collected.
		Iodide		During sampling, the well went dry; therefore, no sample was collected.
		Total Organic Carbon		During sampling, the well went dry; therefore, no sample was collected.
		Total Organic Halides		During sampling, the well went dry; therefore, no sample was collected.
8004-4800 MW360	MW360UG2-14	Gross alpha	*	TPU is 1.88. Rad error is 1.85.
		Gross beta		TPU is 1.62. Rad error is 1.47.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226	*	TPU is 0.239. Rad error is 0.182.
		Strontium-90	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 0.0215. Rad error is 0.0126.
		Technetium-99	*	TPU is 11.4. Rad error is 11.4.
		Thorium-230	*	TPU is 0.144. Rad error is 0.0641.
8004-4795 MW361	MW361UG2-14	Tritium	*	TPU is 637. Rad error is 637.
		Gross alpha	*	TPU is 5.53. Rad error is 5.47.
		Gross beta		TPU is 5.55. Rad error is 4.43.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226	*	TPU is 0.221. Rad error is 0.158.
		Strontium-90	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 0.147. Rad error is 0.0897.
		Technetium-99		TPU is 12.8. Rad error is 12.7.
		Thorium-230	*	TPU is 0.146. Rad error is 0.0718.
		Tritium	*	TPU is 633. Rad error is 632.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0986 MW362		Bromide		During sampling, the well went dry; therefore, no sample was collected.
		Chloride		During sampling, the well went dry; therefore, no sample was collected.
		Fluoride		During sampling, the well went dry; therefore, no sample was collected.
		Nitrate & Nitrite		During sampling, the well went dry; therefore, no sample was collected.
		Sulfate		During sampling, the well went dry; therefore, no sample was collected.
		Barometric Pressure Reading		During sampling, the well went dry; therefore, no sample was collected.
		Specific Conductance		During sampling, the well went dry; therefore, no sample was collected.
		Static Water Level Elevation		During sampling, the well went dry; therefore, no sample was collected.
		Dissolved Oxygen		During sampling, the well went dry; therefore, no sample was collected.
		Total Dissolved Solids		During sampling, the well went dry; therefore, no sample was collected.
		pH		During sampling, the well went dry; therefore, no sample was collected.
		Eh		During sampling, the well went dry; therefore, no sample was collected.
		Temperature		During sampling, the well went dry; therefore, no sample was collected.
		Aluminum		During sampling, the well went dry; therefore, no sample was collected.
		Antimony		During sampling, the well went dry; therefore, no sample was collected.
		Arsenic		During sampling, the well went dry; therefore, no sample was collected.
		Barium		During sampling, the well went dry; therefore, no sample was collected.
		Beryllium		During sampling, the well went dry; therefore, no sample was collected.
		Boron		During sampling, the well went dry; therefore, no sample was collected.
		Cadmium		During sampling, the well went dry; therefore, no sample was collected.
		Calcium		During sampling, the well went dry; therefore, no sample was collected.
		Chromium		During sampling, the well went dry; therefore, no sample was collected.
		Cobalt		During sampling, the well went dry; therefore, no sample was collected.
		Copper		During sampling, the well went dry; therefore, no sample was collected.
		Iron		During sampling, the well went dry; therefore, no sample was collected.
		Lead		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0986 MW362		Magnesium		During sampling, the well went dry; therefore, no sample was collected.
		Manganese		During sampling, the well went dry; therefore, no sample was collected.
		Mercury		During sampling, the well went dry; therefore, no sample was collected.
		Molybdenum		During sampling, the well went dry; therefore, no sample was collected.
		Nickel		During sampling, the well went dry; therefore, no sample was collected.
		Potassium		During sampling, the well went dry; therefore, no sample was collected.
		Rhodium		During sampling, the well went dry; therefore, no sample was collected.
		Selenium		During sampling, the well went dry; therefore, no sample was collected.
		Silver		During sampling, the well went dry; therefore, no sample was collected.
		Sodium		During sampling, the well went dry; therefore, no sample was collected.
		Tantalum		During sampling, the well went dry; therefore, no sample was collected.
		Thallium		During sampling, the well went dry; therefore, no sample was collected.
		Uranium		During sampling, the well went dry; therefore, no sample was collected.
		Vanadium		During sampling, the well went dry; therefore, no sample was collected.
		Zinc		During sampling, the well went dry; therefore, no sample was collected.
		Vinyl acetate		During sampling, the well went dry; therefore, no sample was collected.
		Acetone		During sampling, the well went dry; therefore, no sample was collected.
		Acrolein		During sampling, the well went dry; therefore, no sample was collected.
		Acrylonitrile		During sampling, the well went dry; therefore, no sample was collected.
		Benzene		During sampling, the well went dry; therefore, no sample was collected.
		Chlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		Xylenes		During sampling, the well went dry; therefore, no sample was collected.
		Styrene		During sampling, the well went dry; therefore, no sample was collected.
		Toluene		During sampling, the well went dry; therefore, no sample was collected.
		Chlorobromomethane		During sampling, the well went dry; therefore, no sample was collected.
		Bromodichloromethane		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0986 MW362		Tribromomethane		During sampling, the well went dry; therefore, no sample was collected.
		Methyl bromide		During sampling, the well went dry; therefore, no sample was collected.
		Methyl Ethyl Ketone		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,4-Dichloro-2-butene		During sampling, the well went dry; therefore, no sample was collected.
		Carbon disulfide		During sampling, the well went dry; therefore, no sample was collected.
		Chloroethane		During sampling, the well went dry; therefore, no sample was collected.
		Chloroform		During sampling, the well went dry; therefore, no sample was collected.
		Methyl chloride		During sampling, the well went dry; therefore, no sample was collected.
		cis-1,2-Dichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Methylene bromide		During sampling, the well went dry; therefore, no sample was collected.
		1,1-Dichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1-Dichloroethylene		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dibromoethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,2,2-Tetrachloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,1-Trichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,2-Trichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,1,2-Tetrachloroethane		During sampling, the well went dry; therefore, no sample was collected.
		Vinyl chloride		During sampling, the well went dry; therefore, no sample was collected.
		Tetrachloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Trichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Ethylbenzene		During sampling, the well went dry; therefore, no sample was collected.
		2-Hexanone		During sampling, the well went dry; therefore, no sample was collected.
		Iodomethane		During sampling, the well went dry; therefore, no sample was collected.
		Dibromochloromethane		During sampling, the well went dry; therefore, no sample was collected.
		Carbon tetrachloride		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0986 MW362		Dichloromethane		During sampling, the well went dry; therefore, no sample was collected.
		Methyl Isobutyl Ketone		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dibromo-3-chloropropane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichloropropane		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,3-Dichloropropene		During sampling, the well went dry; therefore, no sample was collected.
		cis-1,3-Dichloropropene		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,2-Dichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Trichlorofluoromethane		During sampling, the well went dry; therefore, no sample was collected.
		1,2,3-Trichloropropane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		1,4-Dichlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		PCB, Total		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1016		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1221		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1232		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1242		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1248		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1254		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1260		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1268		During sampling, the well went dry; therefore, no sample was collected.
		Gross alpha		During sampling, the well went dry; therefore, no sample was collected.
		Gross beta		During sampling, the well went dry; therefore, no sample was collected.
		Iodine-131		During sampling, the well went dry; therefore, no sample was collected.
		Radium-226		During sampling, the well went dry; therefore, no sample was collected.
		Strontium-90		During sampling, the well went dry; therefore, no sample was collected.
		Technetium-99		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0986 MW362		Thorium-230		During sampling, the well went dry; therefore, no sample was collected.
		Tritium		During sampling, the well went dry; therefore, no sample was collected.
		Chemical Oxygen Demand		During sampling, the well went dry; therefore, no sample was collected.
		Cyanide		During sampling, the well went dry; therefore, no sample was collected.
		Iodide		During sampling, the well went dry; therefore, no sample was collected.
		Total Organic Carbon		During sampling, the well went dry; therefore, no sample was collected.
		Total Organic Halides		During sampling, the well went dry; therefore, no sample was collected.
8004-4796 MW363	MW363UG2-14	PCB-1242	X	Other specific flags and footnotes may be required to properly define the results.
		Gross alpha	*	TPU is 0.0514. Rad error is 0.0499.
		Gross beta		TPU is 1.82. Rad error is 1.64.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226	*	TPU is 0.218. Rad error is 0.155.
		Strontium-90	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 0.0189. Rad error is 0.0111.
		Technetium-99	*	TPU is 11.4. Rad error is 11.4.
		Thorium-230	*	TPU is 0.139. Rad error is 0.00564.
		Tritium	*	TPU is 628. Rad error is 627.
8004-4797 MW364	MW364UG2-14	Gross alpha	*	TPU is 3.06. Rad error is 3.
		Gross beta		TPU is 5.89. Rad error is 4.64.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226	*	TPU is 0.204. Rad error is 0.135.
		Strontium-90	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 0.044. Rad error is 0.0262.
		Technetium-99		TPU is 12.8. Rad error is 12.8.
		Thorium-230	*	TPU is 0.142. Rad error is 0.0241.
		Tritium	*	TPU is 647. Rad error is 647.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0984 MW365		Bromide		During sampling, the well went dry; therefore, no sample was collected.
		Chloride		During sampling, the well went dry; therefore, no sample was collected.
		Fluoride		During sampling, the well went dry; therefore, no sample was collected.
		Nitrate & Nitrite		During sampling, the well went dry; therefore, no sample was collected.
		Sulfate		During sampling, the well went dry; therefore, no sample was collected.
		Barometric Pressure Reading		During sampling, the well went dry; therefore, no sample was collected.
		Specific Conductance		During sampling, the well went dry; therefore, no sample was collected.
		Static Water Level Elevation		During sampling, the well went dry; therefore, no sample was collected.
		Dissolved Oxygen		During sampling, the well went dry; therefore, no sample was collected.
		Total Dissolved Solids		During sampling, the well went dry; therefore, no sample was collected.
		pH		During sampling, the well went dry; therefore, no sample was collected.
		Eh		During sampling, the well went dry; therefore, no sample was collected.
		Temperature		During sampling, the well went dry; therefore, no sample was collected.
		Aluminum		During sampling, the well went dry; therefore, no sample was collected.
		Antimony		During sampling, the well went dry; therefore, no sample was collected.
		Arsenic		During sampling, the well went dry; therefore, no sample was collected.
		Barium		During sampling, the well went dry; therefore, no sample was collected.
		Beryllium		During sampling, the well went dry; therefore, no sample was collected.
		Boron		During sampling, the well went dry; therefore, no sample was collected.
		Cadmium		During sampling, the well went dry; therefore, no sample was collected.
		Calcium		During sampling, the well went dry; therefore, no sample was collected.
		Chromium		During sampling, the well went dry; therefore, no sample was collected.
		Cobalt		During sampling, the well went dry; therefore, no sample was collected.
		Copper		During sampling, the well went dry; therefore, no sample was collected.
		Iron		During sampling, the well went dry; therefore, no sample was collected.
		Lead		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0984 MW365		Magnesium		During sampling, the well went dry; therefore, no sample was collected.
		Manganese		During sampling, the well went dry; therefore, no sample was collected.
		Mercury		During sampling, the well went dry; therefore, no sample was collected.
		Molybdenum		During sampling, the well went dry; therefore, no sample was collected.
		Nickel		During sampling, the well went dry; therefore, no sample was collected.
		Potassium		During sampling, the well went dry; therefore, no sample was collected.
		Rhodium		During sampling, the well went dry; therefore, no sample was collected.
		Selenium		During sampling, the well went dry; therefore, no sample was collected.
		Silver		During sampling, the well went dry; therefore, no sample was collected.
		Sodium		During sampling, the well went dry; therefore, no sample was collected.
		Tantalum		During sampling, the well went dry; therefore, no sample was collected.
		Thallium		During sampling, the well went dry; therefore, no sample was collected.
		Uranium		During sampling, the well went dry; therefore, no sample was collected.
		Vanadium		During sampling, the well went dry; therefore, no sample was collected.
		Zinc		During sampling, the well went dry; therefore, no sample was collected.
		Vinyl acetate		During sampling, the well went dry; therefore, no sample was collected.
		Acetone		During sampling, the well went dry; therefore, no sample was collected.
		Acrolein		During sampling, the well went dry; therefore, no sample was collected.
		Acrylonitrile		During sampling, the well went dry; therefore, no sample was collected.
		Benzene		During sampling, the well went dry; therefore, no sample was collected.
		Chlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		Xylenes		During sampling, the well went dry; therefore, no sample was collected.
		Styrene		During sampling, the well went dry; therefore, no sample was collected.
		Toluene		During sampling, the well went dry; therefore, no sample was collected.
		Chlorobromomethane		During sampling, the well went dry; therefore, no sample was collected.
		Bromodichloromethane		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0984 MW365		Tribromomethane		During sampling, the well went dry; therefore, no sample was collected.
		Methyl bromide		During sampling, the well went dry; therefore, no sample was collected.
		Methyl Ethyl Ketone		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,4-Dichloro-2-butene		During sampling, the well went dry; therefore, no sample was collected.
		Carbon disulfide		During sampling, the well went dry; therefore, no sample was collected.
		Chloroethane		During sampling, the well went dry; therefore, no sample was collected.
		Chloroform		During sampling, the well went dry; therefore, no sample was collected.
		Methyl chloride		During sampling, the well went dry; therefore, no sample was collected.
		cis-1,2-Dichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Methylene bromide		During sampling, the well went dry; therefore, no sample was collected.
		1,1-Dichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1-Dichloroethylene		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dibromoethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,2,2-Tetrachloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,1-Trichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,2-Trichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,1,2-Tetrachloroethane		During sampling, the well went dry; therefore, no sample was collected.
		Vinyl chloride		During sampling, the well went dry; therefore, no sample was collected.
		Tetrachloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Trichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Ethylbenzene		During sampling, the well went dry; therefore, no sample was collected.
		2-Hexanone		During sampling, the well went dry; therefore, no sample was collected.
		Iodomethane		During sampling, the well went dry; therefore, no sample was collected.
		Dibromochloromethane		During sampling, the well went dry; therefore, no sample was collected.
		Carbon tetrachloride		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0984 MW365		Dichloromethane		During sampling, the well went dry; therefore, no sample was collected.
		Methyl Isobutyl Ketone		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dibromo-3-chloropropane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichloropropane		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,3-Dichloropropene		During sampling, the well went dry; therefore, no sample was collected.
		cis-1,3-Dichloropropene		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,2-Dichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Trichlorofluoromethane		During sampling, the well went dry; therefore, no sample was collected.
		1,2,3-Trichloropropane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		1,4-Dichlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		PCB, Total		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1016		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1221		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1232		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1242		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1248		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1254		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1260		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1268		During sampling, the well went dry; therefore, no sample was collected.
		Gross alpha		During sampling, the well went dry; therefore, no sample was collected.
		Gross beta		During sampling, the well went dry; therefore, no sample was collected.
		Iodine-131		During sampling, the well went dry; therefore, no sample was collected.
		Radium-226		During sampling, the well went dry; therefore, no sample was collected.
		Strontium-90		During sampling, the well went dry; therefore, no sample was collected.
		Technetium-99		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0984 MW365		Thorium-230		During sampling, the well went dry; therefore, no sample was collected.
		Tritium		During sampling, the well went dry; therefore, no sample was collected.
		Chemical Oxygen Demand		During sampling, the well went dry; therefore, no sample was collected.
		Cyanide		During sampling, the well went dry; therefore, no sample was collected.
		Iodide		During sampling, the well went dry; therefore, no sample was collected.
		Total Organic Carbon		During sampling, the well went dry; therefore, no sample was collected.
		Total Organic Halides		During sampling, the well went dry; therefore, no sample was collected.
8004-0982 MW366	MW366UG2-14	Gross alpha	*	TPU is 0.866. Rad error is 0.832.
		Gross beta		TPU is 6.16. Rad error is 4.81.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226	*	TPU is 0.256. Rad error is 0.0547.
		Strontium-90	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 0.174. Rad error is 0.0982.
		Technetium-99		TPU is 12.8. Rad error is 12.7.
		Thorium-230	*	TPU is 0.158. Rad error is 0.0922.
8004-4793 MW367	MW367UG2-14	Tritium	*	TPU is 635. Rad error is 635.
		Gross alpha	*	TPU is 1.11. Rad error is 1.08.
		Gross beta		TPU is 4.71. Rad error is 3.85.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226	*	TPU is 0.27. Rad error is 0.216.
		Strontium-90	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 0.0414. Rad error is 0.0241.
		Technetium-99		TPU is 12.3. Rad error is 12.3.
		Thorium-230	*	TPU is 0.146. Rad error is 0.0258.
		Tritium	*	TPU is 655. Rad error is 653.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0983 MW368		Bromide		During sampling, the well went dry; therefore, no sample was collected.
		Chloride		During sampling, the well went dry; therefore, no sample was collected.
		Fluoride		During sampling, the well went dry; therefore, no sample was collected.
		Nitrate & Nitrite		During sampling, the well went dry; therefore, no sample was collected.
		Sulfate		During sampling, the well went dry; therefore, no sample was collected.
		Barometric Pressure Reading		During sampling, the well went dry; therefore, no sample was collected.
		Specific Conductance		During sampling, the well went dry; therefore, no sample was collected.
		Static Water Level Elevation		During sampling, the well went dry; therefore, no sample was collected.
		Dissolved Oxygen		During sampling, the well went dry; therefore, no sample was collected.
		Total Dissolved Solids		During sampling, the well went dry; therefore, no sample was collected.
		pH		During sampling, the well went dry; therefore, no sample was collected.
		Eh		During sampling, the well went dry; therefore, no sample was collected.
		Temperature		During sampling, the well went dry; therefore, no sample was collected.
		Aluminum		During sampling, the well went dry; therefore, no sample was collected.
		Antimony		During sampling, the well went dry; therefore, no sample was collected.
		Arsenic		During sampling, the well went dry; therefore, no sample was collected.
		Barium		During sampling, the well went dry; therefore, no sample was collected.
		Beryllium		During sampling, the well went dry; therefore, no sample was collected.
		Boron		During sampling, the well went dry; therefore, no sample was collected.
		Cadmium		During sampling, the well went dry; therefore, no sample was collected.
		Calcium		During sampling, the well went dry; therefore, no sample was collected.
		Chromium		During sampling, the well went dry; therefore, no sample was collected.
		Cobalt		During sampling, the well went dry; therefore, no sample was collected.
		Copper		During sampling, the well went dry; therefore, no sample was collected.
		Iron		During sampling, the well went dry; therefore, no sample was collected.
		Lead		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0983 MW368		Magnesium		During sampling, the well went dry; therefore, no sample was collected.
		Manganese		During sampling, the well went dry; therefore, no sample was collected.
		Mercury		During sampling, the well went dry; therefore, no sample was collected.
		Molybdenum		During sampling, the well went dry; therefore, no sample was collected.
		Nickel		During sampling, the well went dry; therefore, no sample was collected.
		Potassium		During sampling, the well went dry; therefore, no sample was collected.
		Rhodium		During sampling, the well went dry; therefore, no sample was collected.
		Selenium		During sampling, the well went dry; therefore, no sample was collected.
		Silver		During sampling, the well went dry; therefore, no sample was collected.
		Sodium		During sampling, the well went dry; therefore, no sample was collected.
		Tantalum		During sampling, the well went dry; therefore, no sample was collected.
		Thallium		During sampling, the well went dry; therefore, no sample was collected.
		Uranium		During sampling, the well went dry; therefore, no sample was collected.
		Vanadium		During sampling, the well went dry; therefore, no sample was collected.
		Zinc		During sampling, the well went dry; therefore, no sample was collected.
		Vinyl acetate		During sampling, the well went dry; therefore, no sample was collected.
		Acetone		During sampling, the well went dry; therefore, no sample was collected.
		Acrolein		During sampling, the well went dry; therefore, no sample was collected.
		Acrylonitrile		During sampling, the well went dry; therefore, no sample was collected.
		Benzene		During sampling, the well went dry; therefore, no sample was collected.
		Chlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		Xylenes		During sampling, the well went dry; therefore, no sample was collected.
		Styrene		During sampling, the well went dry; therefore, no sample was collected.
		Toluene		During sampling, the well went dry; therefore, no sample was collected.
		Chlorobromomethane		During sampling, the well went dry; therefore, no sample was collected.
		Bromodichloromethane		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0983 MW368		Tribromomethane		During sampling, the well went dry; therefore, no sample was collected.
		Methyl bromide		During sampling, the well went dry; therefore, no sample was collected.
		Methyl Ethyl Ketone		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,4-Dichloro-2-butene		During sampling, the well went dry; therefore, no sample was collected.
		Carbon disulfide		During sampling, the well went dry; therefore, no sample was collected.
		Chloroethane		During sampling, the well went dry; therefore, no sample was collected.
		Chloroform		During sampling, the well went dry; therefore, no sample was collected.
		Methyl chloride		During sampling, the well went dry; therefore, no sample was collected.
		cis-1,2-Dichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Methylene bromide		During sampling, the well went dry; therefore, no sample was collected.
		1,1-Dichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1-Dichloroethylene		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dibromoethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,2,2-Tetrachloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,1-Trichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,2-Trichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,1,2-Tetrachloroethane		During sampling, the well went dry; therefore, no sample was collected.
		Vinyl chloride		During sampling, the well went dry; therefore, no sample was collected.
		Tetrachloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Trichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Ethylbenzene		During sampling, the well went dry; therefore, no sample was collected.
		2-Hexanone		During sampling, the well went dry; therefore, no sample was collected.
		Iodomethane		During sampling, the well went dry; therefore, no sample was collected.
		Dibromochloromethane		During sampling, the well went dry; therefore, no sample was collected.
		Carbon tetrachloride		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0983 MW368		Dichloromethane		During sampling, the well went dry; therefore, no sample was collected.
		Methyl Isobutyl Ketone		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dibromo-3-chloropropane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichloropropane		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,3-Dichloropropene		During sampling, the well went dry; therefore, no sample was collected.
		cis-1,3-Dichloropropene		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,2-Dichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Trichlorofluoromethane		During sampling, the well went dry; therefore, no sample was collected.
		1,2,3-Trichloropropane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		1,4-Dichlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		PCB, Total		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1016		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1221		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1232		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1242		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1248		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1254		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1260		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1268		During sampling, the well went dry; therefore, no sample was collected.
		Gross alpha		During sampling, the well went dry; therefore, no sample was collected.
		Gross beta		During sampling, the well went dry; therefore, no sample was collected.
		Iodine-131		During sampling, the well went dry; therefore, no sample was collected.
		Radium-226		During sampling, the well went dry; therefore, no sample was collected.
		Strontium-90		During sampling, the well went dry; therefore, no sample was collected.
		Technetium-99		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0983 MW368		Thorium-230		During sampling, the well went dry; therefore, no sample was collected.
		Tritium		During sampling, the well went dry; therefore, no sample was collected.
		Chemical Oxygen Demand		During sampling, the well went dry; therefore, no sample was collected.
		Cyanide		During sampling, the well went dry; therefore, no sample was collected.
		Iodide		During sampling, the well went dry; therefore, no sample was collected.
		Total Organic Carbon		During sampling, the well went dry; therefore, no sample was collected.
		Total Organic Halides		During sampling, the well went dry; therefore, no sample was collected.
8004-4820 MW369	MW369UG2-14	Gross alpha	*	TPU is 0.578. Rad error is 0.55.
		Gross beta		TPU is 4.14. Rad error is 3.46.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226	*	TPU is 0.252. Rad error is 0.199.
		Strontium-90	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 0.245. Rad error is 0.136.
		Technetium-99		TPU is 12.1. Rad error is 12.1.
		Thorium-230	*	TPU is 0.141. Rad error is 0.0214.
		Tritium	*	TPU is 646. Rad error is 646.
8004-4818 MW370	MW370UG2-14	Gross alpha	*	TPU is 0.817. Rad error is 0.781.
		Gross beta		TPU is 2.14. Rad error is 1.91.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226	*	TPU is 0.268. Rad error is 0.217.
		Strontium-90	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 0.136. Rad error is 0.0772.
		Technetium-99	*	TPU is 11.6. Rad error is 11.6.
		Thorium-230	*	TPU is 0.14. Rad error is 0.0567.
		Tritium	*	TPU is 635. Rad error is 634.
8004-4819 MW371	MW371UG2-14	Gross alpha	*	TPU is 1.53. Rad error is 1.22.
		Gross beta	*	TPU is 0.428. Rad error is 0.296.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226	*	TPU is 0.258. Rad error is 0.206.
		Strontium-90	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 0.125. Rad error is 0.0713.
		Technetium-99	*	TPU is 11. Rad error is 11.
		Thorium-230	*	TPU is 0.141. Rad error is 0.0474.
		Tritium	*	TPU is 637. Rad error is 637.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-4808 MW372	MW372UG2-14	Gross alpha	*	TPU is 0.535. Rad error is 0.49.
		Gross beta		TPU is 11.7. Rad error is 7.85.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226	*	TPU is 0.217. Rad error is 0.15.
		Strontium-90	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 0.251. Rad error is 0.138.
		Technetium-99		TPU is 15.4. Rad error is 15.1.
		Thorium-230	*	TPU is 0.135. Rad error is 0.044.
		Tritium	*	TPU is 647. Rad error is 647.
8004-4792 MW373	MW373UG2-14	Gross alpha	*	TPU is 0.296. Rad error is 0.241.
		Gross beta		TPU is 5.48. Rad error is 2.72.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226	*	TPU is 0.204. Rad error is 0.0375.
		Strontium-90	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 0.178. Rad error is 0.0999.
		Technetium-99		TPU is 12.5. Rad error is 12.5.
		Thorium-230	*	TPU is 0.144. Rad error is 0.0659.
		Tritium	*	TPU is 646. Rad error is 646.
8004-0990 MW374	MW374UG2-14	Gross alpha	*	TPU is 2.42. Rad error is 2.29.
		Gross beta	*	TPU is 0.563. Rad error is 0.526.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226	*	TPU is 0.255. Rad error is 0.202.
		Strontium-90	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 0.167. Rad error is 0.0941.
		Technetium-99	*	TPU is 11.5. Rad error is 11.5.
		Thorium-230	*	TPU is 0.143. Rad error is 0.018.
		Tritium	*	TPU is 637. Rad error is 637.
8004-0985 MW375	MW375UG2-14	Gross alpha	*	TPU is 1.05. Rad error is 1.03.
		Gross beta	*	TPU is 0.573. Rad error is 0.533.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226	*	TPU is 0.3. Rad error is 0.258.
		Strontium-90	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 0.0201. Rad error is 0.0117.
		Technetium-99	*	TPU is 11.5. Rad error is 11.5.
		Thorium-230	*	TPU is 0.147. Rad error is 0.0723.
		Tritium	*	TPU is 656. Rad error is 656.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0988 MW376		Bromide		During sampling, the well went dry; therefore, no sample was collected.
		Chloride		During sampling, the well went dry; therefore, no sample was collected.
		Fluoride		During sampling, the well went dry; therefore, no sample was collected.
		Nitrate & Nitrite		During sampling, the well went dry; therefore, no sample was collected.
		Sulfate		During sampling, the well went dry; therefore, no sample was collected.
		Barometric Pressure Reading		During sampling, the well went dry; therefore, no sample was collected.
		Specific Conductance		During sampling, the well went dry; therefore, no sample was collected.
		Static Water Level Elevation		During sampling, the well went dry; therefore, no sample was collected.
		Dissolved Oxygen		During sampling, the well went dry; therefore, no sample was collected.
		Total Dissolved Solids		During sampling, the well went dry; therefore, no sample was collected.
		pH		During sampling, the well went dry; therefore, no sample was collected.
		Eh		During sampling, the well went dry; therefore, no sample was collected.
		Temperature		During sampling, the well went dry; therefore, no sample was collected.
		Aluminum		During sampling, the well went dry; therefore, no sample was collected.
		Antimony		During sampling, the well went dry; therefore, no sample was collected.
		Arsenic		During sampling, the well went dry; therefore, no sample was collected.
		Barium		During sampling, the well went dry; therefore, no sample was collected.
		Beryllium		During sampling, the well went dry; therefore, no sample was collected.
		Boron		During sampling, the well went dry; therefore, no sample was collected.
		Cadmium		During sampling, the well went dry; therefore, no sample was collected.
		Calcium		During sampling, the well went dry; therefore, no sample was collected.
		Chromium		During sampling, the well went dry; therefore, no sample was collected.
		Cobalt		During sampling, the well went dry; therefore, no sample was collected.
		Copper		During sampling, the well went dry; therefore, no sample was collected.
		Iron		During sampling, the well went dry; therefore, no sample was collected.
		Lead		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0988 MW376		Magnesium		During sampling, the well went dry; therefore, no sample was collected.
		Manganese		During sampling, the well went dry; therefore, no sample was collected.
		Mercury		During sampling, the well went dry; therefore, no sample was collected.
		Molybdenum		During sampling, the well went dry; therefore, no sample was collected.
		Nickel		During sampling, the well went dry; therefore, no sample was collected.
		Potassium		During sampling, the well went dry; therefore, no sample was collected.
		Rhodium		During sampling, the well went dry; therefore, no sample was collected.
		Selenium		During sampling, the well went dry; therefore, no sample was collected.
		Silver		During sampling, the well went dry; therefore, no sample was collected.
		Sodium		During sampling, the well went dry; therefore, no sample was collected.
		Tantalum		During sampling, the well went dry; therefore, no sample was collected.
		Thallium		During sampling, the well went dry; therefore, no sample was collected.
		Uranium		During sampling, the well went dry; therefore, no sample was collected.
		Vanadium		During sampling, the well went dry; therefore, no sample was collected.
		Zinc		During sampling, the well went dry; therefore, no sample was collected.
		Vinyl acetate		During sampling, the well went dry; therefore, no sample was collected.
		Acetone		During sampling, the well went dry; therefore, no sample was collected.
		Acrolein		During sampling, the well went dry; therefore, no sample was collected.
		Acrylonitrile		During sampling, the well went dry; therefore, no sample was collected.
		Benzene		During sampling, the well went dry; therefore, no sample was collected.
		Chlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		Xylenes		During sampling, the well went dry; therefore, no sample was collected.
		Styrene		During sampling, the well went dry; therefore, no sample was collected.
		Toluene		During sampling, the well went dry; therefore, no sample was collected.
		Chlorobromomethane		During sampling, the well went dry; therefore, no sample was collected.
		Bromodichloromethane		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0988 MW376		Tribromomethane		During sampling, the well went dry; therefore, no sample was collected.
		Methyl bromide		During sampling, the well went dry; therefore, no sample was collected.
		Methyl Ethyl Ketone		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,4-Dichloro-2-butene		During sampling, the well went dry; therefore, no sample was collected.
		Carbon disulfide		During sampling, the well went dry; therefore, no sample was collected.
		Chloroethane		During sampling, the well went dry; therefore, no sample was collected.
		Chloroform		During sampling, the well went dry; therefore, no sample was collected.
		Methyl chloride		During sampling, the well went dry; therefore, no sample was collected.
		cis-1,2-Dichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Methylene bromide		During sampling, the well went dry; therefore, no sample was collected.
		1,1-Dichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1-Dichloroethylene		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dibromoethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,2,2-Tetrachloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,1-Trichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,2-Trichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,1,2-Tetrachloroethane		During sampling, the well went dry; therefore, no sample was collected.
		Vinyl chloride		During sampling, the well went dry; therefore, no sample was collected.
		Tetrachloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Trichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Ethylbenzene		During sampling, the well went dry; therefore, no sample was collected.
		2-Hexanone		During sampling, the well went dry; therefore, no sample was collected.
		Iodomethane		During sampling, the well went dry; therefore, no sample was collected.
		Dibromochloromethane		During sampling, the well went dry; therefore, no sample was collected.
		Carbon tetrachloride		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0988 MW376		Dichloromethane		During sampling, the well went dry; therefore, no sample was collected.
		Methyl Isobutyl Ketone		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dibromo-3-chloropropane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichloropropane		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,3-Dichloropropene		During sampling, the well went dry; therefore, no sample was collected.
		cis-1,3-Dichloropropene		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,2-Dichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Trichlorofluoromethane		During sampling, the well went dry; therefore, no sample was collected.
		1,2,3-Trichloropropane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		1,4-Dichlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		PCB, Total		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1016		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1221		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1232		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1242		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1248		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1254		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1260		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1268		During sampling, the well went dry; therefore, no sample was collected.
		Gross alpha		During sampling, the well went dry; therefore, no sample was collected.
		Gross beta		During sampling, the well went dry; therefore, no sample was collected.
		Iodine-131		During sampling, the well went dry; therefore, no sample was collected.
		Radium-226		During sampling, the well went dry; therefore, no sample was collected.
		Strontium-90		During sampling, the well went dry; therefore, no sample was collected.
		Technetium-99		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
LAB ID: None
For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0988 MW376		Thorium-230		During sampling, the well went dry; therefore, no sample was collected.
		Tritium		During sampling, the well went dry; therefore, no sample was collected.
		Chemical Oxygen Demand		During sampling, the well went dry; therefore, no sample was collected.
		Cyanide		During sampling, the well went dry; therefore, no sample was collected.
		Iodide		During sampling, the well went dry; therefore, no sample was collected.
		Total Organic Carbon		During sampling, the well went dry; therefore, no sample was collected.
		Total Organic Halides		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0989 MW377		Bromide		During sampling, the well went dry; therefore, no sample was collected.
		Chloride		During sampling, the well went dry; therefore, no sample was collected.
		Fluoride		During sampling, the well went dry; therefore, no sample was collected.
		Nitrate & Nitrite		During sampling, the well went dry; therefore, no sample was collected.
		Sulfate		During sampling, the well went dry; therefore, no sample was collected.
		Barometric Pressure Reading		During sampling, the well went dry; therefore, no sample was collected.
		Specific Conductance		During sampling, the well went dry; therefore, no sample was collected.
		Static Water Level Elevation		During sampling, the well went dry; therefore, no sample was collected.
		Dissolved Oxygen		During sampling, the well went dry; therefore, no sample was collected.
		Total Dissolved Solids		During sampling, the well went dry; therefore, no sample was collected.
		pH		During sampling, the well went dry; therefore, no sample was collected.
		Eh		During sampling, the well went dry; therefore, no sample was collected.
		Temperature		During sampling, the well went dry; therefore, no sample was collected.
		Aluminum		During sampling, the well went dry; therefore, no sample was collected.
		Antimony		During sampling, the well went dry; therefore, no sample was collected.
		Arsenic		During sampling, the well went dry; therefore, no sample was collected.
		Barium		During sampling, the well went dry; therefore, no sample was collected.
		Beryllium		During sampling, the well went dry; therefore, no sample was collected.
		Boron		During sampling, the well went dry; therefore, no sample was collected.
		Cadmium		During sampling, the well went dry; therefore, no sample was collected.
		Calcium		During sampling, the well went dry; therefore, no sample was collected.
		Chromium		During sampling, the well went dry; therefore, no sample was collected.
		Cobalt		During sampling, the well went dry; therefore, no sample was collected.
		Copper		During sampling, the well went dry; therefore, no sample was collected.
		Iron		During sampling, the well went dry; therefore, no sample was collected.
		Lead		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0989 MW377		Magnesium		During sampling, the well went dry; therefore, no sample was collected.
		Manganese		During sampling, the well went dry; therefore, no sample was collected.
		Mercury		During sampling, the well went dry; therefore, no sample was collected.
		Molybdenum		During sampling, the well went dry; therefore, no sample was collected.
		Nickel		During sampling, the well went dry; therefore, no sample was collected.
		Potassium		During sampling, the well went dry; therefore, no sample was collected.
		Rhodium		During sampling, the well went dry; therefore, no sample was collected.
		Selenium		During sampling, the well went dry; therefore, no sample was collected.
		Silver		During sampling, the well went dry; therefore, no sample was collected.
		Sodium		During sampling, the well went dry; therefore, no sample was collected.
		Tantalum		During sampling, the well went dry; therefore, no sample was collected.
		Thallium		During sampling, the well went dry; therefore, no sample was collected.
		Uranium		During sampling, the well went dry; therefore, no sample was collected.
		Vanadium		During sampling, the well went dry; therefore, no sample was collected.
		Zinc		During sampling, the well went dry; therefore, no sample was collected.
		Vinyl acetate		During sampling, the well went dry; therefore, no sample was collected.
		Acetone		During sampling, the well went dry; therefore, no sample was collected.
		Acrolein		During sampling, the well went dry; therefore, no sample was collected.
		Acrylonitrile		During sampling, the well went dry; therefore, no sample was collected.
		Benzene		During sampling, the well went dry; therefore, no sample was collected.
		Chlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		Xylenes		During sampling, the well went dry; therefore, no sample was collected.
		Styrene		During sampling, the well went dry; therefore, no sample was collected.
		Toluene		During sampling, the well went dry; therefore, no sample was collected.
		Chlorobromomethane		During sampling, the well went dry; therefore, no sample was collected.
		Bromodichloromethane		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0989 MW377		Tribromomethane		During sampling, the well went dry; therefore, no sample was collected.
		Methyl bromide		During sampling, the well went dry; therefore, no sample was collected.
		Methyl Ethyl Ketone		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,4-Dichloro-2-butene		During sampling, the well went dry; therefore, no sample was collected.
		Carbon disulfide		During sampling, the well went dry; therefore, no sample was collected.
		Chloroethane		During sampling, the well went dry; therefore, no sample was collected.
		Chloroform		During sampling, the well went dry; therefore, no sample was collected.
		Methyl chloride		During sampling, the well went dry; therefore, no sample was collected.
		cis-1,2-Dichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Methylene bromide		During sampling, the well went dry; therefore, no sample was collected.
		1,1-Dichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1-Dichloroethylene		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dibromoethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,2,2-Tetrachloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,1-Trichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,2-Trichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,1,2-Tetrachloroethane		During sampling, the well went dry; therefore, no sample was collected.
		Vinyl chloride		During sampling, the well went dry; therefore, no sample was collected.
		Tetrachloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Trichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Ethylbenzene		During sampling, the well went dry; therefore, no sample was collected.
		2-Hexanone		During sampling, the well went dry; therefore, no sample was collected.
		Iodomethane		During sampling, the well went dry; therefore, no sample was collected.
		Dibromochloromethane		During sampling, the well went dry; therefore, no sample was collected.
		Carbon tetrachloride		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0989 MW377		Dichloromethane		During sampling, the well went dry; therefore, no sample was collected.
		Methyl Isobutyl Ketone		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dibromo-3-chloropropane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichloropropane		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,3-Dichloropropene		During sampling, the well went dry; therefore, no sample was collected.
		cis-1,3-Dichloropropene		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,2-Dichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Trichlorofluoromethane		During sampling, the well went dry; therefore, no sample was collected.
		1,2,3-Trichloropropane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		1,4-Dichlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		PCB, Total		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1016		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1221		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1232		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1242		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1248		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1254		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1260		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1268		During sampling, the well went dry; therefore, no sample was collected.
		Gross alpha		During sampling, the well went dry; therefore, no sample was collected.
		Gross beta		During sampling, the well went dry; therefore, no sample was collected.
		Iodine-131		During sampling, the well went dry; therefore, no sample was collected.
		Radium-226		During sampling, the well went dry; therefore, no sample was collected.
		Strontium-90		During sampling, the well went dry; therefore, no sample was collected.
		Technetium-99		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0989 MW377		Thorium-230		During sampling, the well went dry; therefore, no sample was collected.
		Tritium		During sampling, the well went dry; therefore, no sample was collected.
		Chemical Oxygen Demand		During sampling, the well went dry; therefore, no sample was collected.
		Cyanide		During sampling, the well went dry; therefore, no sample was collected.
		Iodide		During sampling, the well went dry; therefore, no sample was collected.
		Total Organic Carbon		During sampling, the well went dry; therefore, no sample was collected.
		Total Organic Halides		During sampling, the well went dry; therefore, no sample was collected.
0000-0000 QC	RI1UG2-14	Bromide		Analysis of constituent not required and not performed.
		Chloride		Analysis of constituent not required and not performed.
		Fluoride		Analysis of constituent not required and not performed.
		Nitrate & Nitrite		Analysis of constituent not required and not performed.
		Sulfate		Analysis of constituent not required and not performed.
		Barometric Pressure Reading		Analysis of constituent not required and not performed.
		Specific Conductance		Analysis of constituent not required and not performed.
		Static Water Level Elevation		Analysis of constituent not required and not performed.
		Dissolved Oxygen		Analysis of constituent not required and not performed.
		Total Dissolved Solids		Analysis of constituent not required and not performed.
		pH		Analysis of constituent not required and not performed.
		Eh		Analysis of constituent not required and not performed.
		Temperature		Analysis of constituent not required and not performed.
		Gross alpha	*	TPU is 0.159. Rad error is 0.155.
		Gross beta	*	TPU is 0.508. Rad error is 0.486.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226	*	TPU is 0.167. Rad error is 0.0664.
		Strontium-90	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 0.0395. Rad error is 0.023.
		Technetium-99	*	TPU is 11.3. Rad error is 11.3.
		Thorium-230	*	TPU is 0.134. Rad error is 0.0422.
		Tritium	*	TPU is 646. Rad error is 645.
		Chemical Oxygen Demand		Analysis of constituent not required and not performed.
		Cyanide		Analysis of constituent not required and not performed.
		Total Organic Carbon		Analysis of constituent not required and not performed.
		Total Organic Halides		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
0000-0000 QC	FB1UG2-14	Bromide		Analysis of constituent not required and not performed.
		Chloride		Analysis of constituent not required and not performed.
		Fluoride		Analysis of constituent not required and not performed.
		Nitrate & Nitrite		Analysis of constituent not required and not performed.
		Sulfate		Analysis of constituent not required and not performed.
		Barometric Pressure Reading		Analysis of constituent not required and not performed.
		Specific Conductance		Analysis of constituent not required and not performed.
		Static Water Level Elevation		Analysis of constituent not required and not performed.
		Dissolved Oxygen		Analysis of constituent not required and not performed.
		Total Dissolved Solids		Analysis of constituent not required and not performed.
		pH		Analysis of constituent not required and not performed.
		Eh		Analysis of constituent not required and not performed.
		Temperature		Analysis of constituent not required and not performed.
		PCB, Total	X	Other specific flags and footnotes may be required to properly define the results.
		PCB-1016	X	Other specific flags and footnotes may be required to properly define the results.
		PCB-1221	X	Other specific flags and footnotes may be required to properly define the results.
		PCB-1232	X	Other specific flags and footnotes may be required to properly define the results.
		PCB-1242	X	Other specific flags and footnotes may be required to properly define the results.
		PCB-1248	X	Other specific flags and footnotes may be required to properly define the results.
		PCB-1254	X	Other specific flags and footnotes may be required to properly define the results.
		PCB-1260	X	Other specific flags and footnotes may be required to properly define the results.
		PCB-1268	X	Other specific flags and footnotes may be required to properly define the results.
		Gross alpha	*	TPU is 0.639. Rad error is 0.629.
		Gross beta	*	TPU is 0.643. Rad error is 0.595.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226	*	TPU is 0.167. Rad error is 0.0662.
		Strontium-90	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 0.0197. Rad error is 0.0115.
		Technetium-99	*	TPU is 11.4. Rad error is 11.4.
		Thorium-230	*	TPU is 0.143. Rad error is 0.0636.
		Tritium	*	TPU is 649. Rad error is 649.
		Chemical Oxygen Demand		Analysis of constituent not required and not performed.
		Cyanide		Analysis of constituent not required and not performed.
		Total Organic Carbon		Analysis of constituent not required and not performed.
		Total Organic Halides		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
0000-0000 QC	TB1UG2-14	Bromide		Analysis of constituent not required and not performed.
		Chloride		Analysis of constituent not required and not performed.
		Fluoride		Analysis of constituent not required and not performed.
		Nitrate & Nitrite		Analysis of constituent not required and not performed.
		Sulfate		Analysis of constituent not required and not performed.
		Barometric Pressure Reading		Analysis of constituent not required and not performed.
		Specific Conductance		Analysis of constituent not required and not performed.
		Static Water Level Elevation		Analysis of constituent not required and not performed.
		Dissolved Oxygen		Analysis of constituent not required and not performed.
		Total Dissolved Solids		Analysis of constituent not required and not performed.
		pH		Analysis of constituent not required and not performed.
		Eh		Analysis of constituent not required and not performed.
		Temperature		Analysis of constituent not required and not performed.
		Aluminum		Analysis of constituent not required and not performed.
		Antimony		Analysis of constituent not required and not performed.
		Arsenic		Analysis of constituent not required and not performed.
		Barium		Analysis of constituent not required and not performed.
		Beryllium		Analysis of constituent not required and not performed.
		Boron		Analysis of constituent not required and not performed.
		Cadmium		Analysis of constituent not required and not performed.
		Calcium		Analysis of constituent not required and not performed.
		Chromium		Analysis of constituent not required and not performed.
		Cobalt		Analysis of constituent not required and not performed.
		Copper		Analysis of constituent not required and not performed.
		Iron		Analysis of constituent not required and not performed.
		Lead		Analysis of constituent not required and not performed.
		Magnesium		Analysis of constituent not required and not performed.
		Manganese		Analysis of constituent not required and not performed.
		Mercury		Analysis of constituent not required and not performed.
		Molybdenum		Analysis of constituent not required and not performed.
		Nickel		Analysis of constituent not required and not performed.
		Potassium		Analysis of constituent not required and not performed.
		Rhodium		Analysis of constituent not required and not performed.
		Selenium		Analysis of constituent not required and not performed.
		Silver		Analysis of constituent not required and not performed.
		Sodium		Analysis of constituent not required and not performed.
		Tantalum		Analysis of constituent not required and not performed.
		Thallium		Analysis of constituent not required and not performed.
		Uranium		Analysis of constituent not required and not performed.
		Vanadium		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
LAB ID: None
For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
0000-0000 QC	TB1UG2-14	Zinc		Analysis of constituent not required and not performed.
		PCB, Total		Analysis of constituent not required and not performed.
		PCB-1016		Analysis of constituent not required and not performed.
		PCB-1221		Analysis of constituent not required and not performed.
		PCB-1232		Analysis of constituent not required and not performed.
		PCB-1242		Analysis of constituent not required and not performed.
		PCB-1248		Analysis of constituent not required and not performed.
		PCB-1254		Analysis of constituent not required and not performed.
		PCB-1260		Analysis of constituent not required and not performed.
		PCB-1268		Analysis of constituent not required and not performed.
		Gross alpha		Analysis of constituent not required and not performed.
		Gross beta		Analysis of constituent not required and not performed.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		Analysis of constituent not required and not performed.
		Strontium-90		Analysis of constituent not required and not performed.
		Technetium-99		Analysis of constituent not required and not performed.
		Thorium-230		Analysis of constituent not required and not performed.
		Tritium		Analysis of constituent not required and not performed.
		Chemical Oxygen Demand		Analysis of constituent not required and not performed.
		Cyanide		Analysis of constituent not required and not performed.
		Iodide		Analysis of constituent not required and not performed.
		Total Organic Carbon		Analysis of constituent not required and not performed.
		Total Organic Halides		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
0000-0000 QC	TB2UG2-14	Bromide		Analysis of constituent not required and not performed.
		Chloride		Analysis of constituent not required and not performed.
		Fluoride		Analysis of constituent not required and not performed.
		Nitrate & Nitrite		Analysis of constituent not required and not performed.
		Sulfate		Analysis of constituent not required and not performed.
		Barometric Pressure Reading		Analysis of constituent not required and not performed.
		Specific Conductance		Analysis of constituent not required and not performed.
		Static Water Level Elevation		Analysis of constituent not required and not performed.
		Dissolved Oxygen		Analysis of constituent not required and not performed.
		Total Dissolved Solids		Analysis of constituent not required and not performed.
		pH		Analysis of constituent not required and not performed.
		Eh		Analysis of constituent not required and not performed.
		Temperature		Analysis of constituent not required and not performed.
		Aluminum		Analysis of constituent not required and not performed.
		Antimony		Analysis of constituent not required and not performed.
		Arsenic		Analysis of constituent not required and not performed.
		Barium		Analysis of constituent not required and not performed.
		Beryllium		Analysis of constituent not required and not performed.
		Boron		Analysis of constituent not required and not performed.
		Cadmium		Analysis of constituent not required and not performed.
		Calcium		Analysis of constituent not required and not performed.
		Chromium		Analysis of constituent not required and not performed.
		Cobalt		Analysis of constituent not required and not performed.
		Copper		Analysis of constituent not required and not performed.
		Iron		Analysis of constituent not required and not performed.
		Lead		Analysis of constituent not required and not performed.
		Magnesium		Analysis of constituent not required and not performed.
		Manganese		Analysis of constituent not required and not performed.
		Mercury		Analysis of constituent not required and not performed.
		Molybdenum		Analysis of constituent not required and not performed.
		Nickel		Analysis of constituent not required and not performed.
		Potassium		Analysis of constituent not required and not performed.
		Rhodium		Analysis of constituent not required and not performed.
		Selenium		Analysis of constituent not required and not performed.
		Silver		Analysis of constituent not required and not performed.
		Sodium		Analysis of constituent not required and not performed.
		Tantalum		Analysis of constituent not required and not performed.
		Thallium		Analysis of constituent not required and not performed.
		Uranium		Analysis of constituent not required and not performed.
		Vanadium		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
LAB ID: None
For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
0000-0000 QC	TB2UG2-14	Zinc		Analysis of constituent not required and not performed.
		PCB, Total		Analysis of constituent not required and not performed.
		PCB-1016		Analysis of constituent not required and not performed.
		PCB-1221		Analysis of constituent not required and not performed.
		PCB-1232		Analysis of constituent not required and not performed.
		PCB-1242		Analysis of constituent not required and not performed.
		PCB-1248		Analysis of constituent not required and not performed.
		PCB-1254		Analysis of constituent not required and not performed.
		PCB-1260		Analysis of constituent not required and not performed.
		PCB-1268		Analysis of constituent not required and not performed.
		Gross alpha		Analysis of constituent not required and not performed.
		Gross beta		Analysis of constituent not required and not performed.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		Analysis of constituent not required and not performed.
		Strontium-90		Analysis of constituent not required and not performed.
		Technetium-99		Analysis of constituent not required and not performed.
		Thorium-230		Analysis of constituent not required and not performed.
		Tritium		Analysis of constituent not required and not performed.
		Chemical Oxygen Demand		Analysis of constituent not required and not performed.
		Cyanide		Analysis of constituent not required and not performed.
		Iodide		Analysis of constituent not required and not performed.
		Total Organic Carbon		Analysis of constituent not required and not performed.
		Total Organic Halides		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
LAB ID: None
For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
0000-0000 QC	TB3UG2-14	Bromide		Analysis of constituent not required and not performed.
		Chloride		Analysis of constituent not required and not performed.
		Fluoride		Analysis of constituent not required and not performed.
		Nitrate & Nitrite		Analysis of constituent not required and not performed.
		Sulfate		Analysis of constituent not required and not performed.
		Barometric Pressure Reading		Analysis of constituent not required and not performed.
		Specific Conductance		Analysis of constituent not required and not performed.
		Static Water Level Elevation		Analysis of constituent not required and not performed.
		Dissolved Oxygen		Analysis of constituent not required and not performed.
		Total Dissolved Solids		Analysis of constituent not required and not performed.
		pH		Analysis of constituent not required and not performed.
		Eh		Analysis of constituent not required and not performed.
		Temperature		Analysis of constituent not required and not performed.
		Aluminum		Analysis of constituent not required and not performed.
		Antimony		Analysis of constituent not required and not performed.
		Arsenic		Analysis of constituent not required and not performed.
		Barium		Analysis of constituent not required and not performed.
		Beryllium		Analysis of constituent not required and not performed.
		Boron		Analysis of constituent not required and not performed.
		Cadmium		Analysis of constituent not required and not performed.
		Calcium		Analysis of constituent not required and not performed.
		Chromium		Analysis of constituent not required and not performed.
		Cobalt		Analysis of constituent not required and not performed.
		Copper		Analysis of constituent not required and not performed.
		Iron		Analysis of constituent not required and not performed.
		Lead		Analysis of constituent not required and not performed.
		Magnesium		Analysis of constituent not required and not performed.
		Manganese		Analysis of constituent not required and not performed.
		Mercury		Analysis of constituent not required and not performed.
		Molybdenum		Analysis of constituent not required and not performed.
		Nickel		Analysis of constituent not required and not performed.
		Potassium		Analysis of constituent not required and not performed.
		Rhodium		Analysis of constituent not required and not performed.
		Selenium		Analysis of constituent not required and not performed.
		Silver		Analysis of constituent not required and not performed.
		Sodium		Analysis of constituent not required and not performed.
		Tantalum		Analysis of constituent not required and not performed.
		Thallium		Analysis of constituent not required and not performed.
		Uranium		Analysis of constituent not required and not performed.
		Vanadium		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
LAB ID: None
For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
0000-0000 QC	TB3UG2-14	Zinc		Analysis of constituent not required and not performed.
		PCB, Total		Analysis of constituent not required and not performed.
		PCB-1016		Analysis of constituent not required and not performed.
		PCB-1221		Analysis of constituent not required and not performed.
		PCB-1232		Analysis of constituent not required and not performed.
		PCB-1242		Analysis of constituent not required and not performed.
		PCB-1248		Analysis of constituent not required and not performed.
		PCB-1254		Analysis of constituent not required and not performed.
		PCB-1260		Analysis of constituent not required and not performed.
		PCB-1268		Analysis of constituent not required and not performed.
		Gross alpha		Analysis of constituent not required and not performed.
		Gross beta		Analysis of constituent not required and not performed.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		Analysis of constituent not required and not performed.
		Strontium-90		Analysis of constituent not required and not performed.
		Technetium-99		Analysis of constituent not required and not performed.
		Thorium-230		Analysis of constituent not required and not performed.
		Tritium		Analysis of constituent not required and not performed.
		Chemical Oxygen Demand		Analysis of constituent not required and not performed.
		Cyanide		Analysis of constituent not required and not performed.
		Iodide		Analysis of constituent not required and not performed.
		Total Organic Carbon		Analysis of constituent not required and not performed.
		Total Organic Halides		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
0000-0000 QC	TB4UG2-14	Bromide		Analysis of constituent not required and not performed.
		Chloride		Analysis of constituent not required and not performed.
		Fluoride		Analysis of constituent not required and not performed.
		Nitrate & Nitrite		Analysis of constituent not required and not performed.
		Sulfate		Analysis of constituent not required and not performed.
		Barometric Pressure Reading		Analysis of constituent not required and not performed.
		Specific Conductance		Analysis of constituent not required and not performed.
		Static Water Level Elevation		Analysis of constituent not required and not performed.
		Dissolved Oxygen		Analysis of constituent not required and not performed.
		Total Dissolved Solids		Analysis of constituent not required and not performed.
		pH		Analysis of constituent not required and not performed.
		Eh		Analysis of constituent not required and not performed.
		Temperature		Analysis of constituent not required and not performed.
		Aluminum		Analysis of constituent not required and not performed.
		Antimony		Analysis of constituent not required and not performed.
		Arsenic		Analysis of constituent not required and not performed.
		Barium		Analysis of constituent not required and not performed.
		Beryllium		Analysis of constituent not required and not performed.
		Boron		Analysis of constituent not required and not performed.
		Cadmium		Analysis of constituent not required and not performed.
		Calcium		Analysis of constituent not required and not performed.
		Chromium		Analysis of constituent not required and not performed.
		Cobalt		Analysis of constituent not required and not performed.
		Copper		Analysis of constituent not required and not performed.
		Iron		Analysis of constituent not required and not performed.
		Lead		Analysis of constituent not required and not performed.
		Magnesium		Analysis of constituent not required and not performed.
		Manganese		Analysis of constituent not required and not performed.
		Mercury		Analysis of constituent not required and not performed.
		Molybdenum		Analysis of constituent not required and not performed.
		Nickel		Analysis of constituent not required and not performed.
		Potassium		Analysis of constituent not required and not performed.
		Rhodium		Analysis of constituent not required and not performed.
		Selenium		Analysis of constituent not required and not performed.
		Silver		Analysis of constituent not required and not performed.
		Sodium		Analysis of constituent not required and not performed.
		Tantalum		Analysis of constituent not required and not performed.
		Thallium		Analysis of constituent not required and not performed.
		Uranium		Analysis of constituent not required and not performed.
		Vanadium		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
LAB ID: None
For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
0000-0000 QC	TB4UG2-14	Zinc		Analysis of constituent not required and not performed.
		PCB, Total		Analysis of constituent not required and not performed.
		PCB-1016		Analysis of constituent not required and not performed.
		PCB-1221		Analysis of constituent not required and not performed.
		PCB-1232		Analysis of constituent not required and not performed.
		PCB-1242		Analysis of constituent not required and not performed.
		PCB-1248		Analysis of constituent not required and not performed.
		PCB-1254		Analysis of constituent not required and not performed.
		PCB-1260		Analysis of constituent not required and not performed.
		PCB-1268		Analysis of constituent not required and not performed.
		Gross alpha		Analysis of constituent not required and not performed.
		Gross beta		Analysis of constituent not required and not performed.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		Analysis of constituent not required and not performed.
		Strontium-90		Analysis of constituent not required and not performed.
		Technetium-99		Analysis of constituent not required and not performed.
		Thorium-230		Analysis of constituent not required and not performed.
		Tritium		Analysis of constituent not required and not performed.
		Chemical Oxygen Demand		Analysis of constituent not required and not performed.
		Cyanide		Analysis of constituent not required and not performed.
		Iodide		Analysis of constituent not required and not performed.
		Total Organic Carbon		Analysis of constituent not required and not performed.
		Total Organic Halides		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
0000-0000 QC	TB5UG2-14	Bromide		Analysis of constituent not required and not performed.
		Chloride		Analysis of constituent not required and not performed.
		Fluoride		Analysis of constituent not required and not performed.
		Nitrate & Nitrite		Analysis of constituent not required and not performed.
		Sulfate		Analysis of constituent not required and not performed.
		Barometric Pressure Reading		Analysis of constituent not required and not performed.
		Specific Conductance		Analysis of constituent not required and not performed.
		Static Water Level Elevation		Analysis of constituent not required and not performed.
		Dissolved Oxygen		Analysis of constituent not required and not performed.
		Total Dissolved Solids		Analysis of constituent not required and not performed.
		pH		Analysis of constituent not required and not performed.
		Eh		Analysis of constituent not required and not performed.
		Temperature		Analysis of constituent not required and not performed.
		Aluminum		Analysis of constituent not required and not performed.
		Antimony		Analysis of constituent not required and not performed.
		Arsenic		Analysis of constituent not required and not performed.
		Barium		Analysis of constituent not required and not performed.
		Beryllium		Analysis of constituent not required and not performed.
		Boron		Analysis of constituent not required and not performed.
		Cadmium		Analysis of constituent not required and not performed.
		Calcium		Analysis of constituent not required and not performed.
		Chromium		Analysis of constituent not required and not performed.
		Cobalt		Analysis of constituent not required and not performed.
		Copper		Analysis of constituent not required and not performed.
		Iron		Analysis of constituent not required and not performed.
		Lead		Analysis of constituent not required and not performed.
		Magnesium		Analysis of constituent not required and not performed.
		Manganese		Analysis of constituent not required and not performed.
		Mercury		Analysis of constituent not required and not performed.
		Molybdenum		Analysis of constituent not required and not performed.
		Nickel		Analysis of constituent not required and not performed.
		Potassium		Analysis of constituent not required and not performed.
		Rhodium		Analysis of constituent not required and not performed.
		Selenium		Analysis of constituent not required and not performed.
		Silver		Analysis of constituent not required and not performed.
		Sodium		Analysis of constituent not required and not performed.
		Tantalum		Analysis of constituent not required and not performed.
		Thallium		Analysis of constituent not required and not performed.
		Uranium		Analysis of constituent not required and not performed.
		Vanadium		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
LAB ID: None
For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
0000-0000 QC	TB5UG2-14	Zinc		Analysis of constituent not required and not performed.
		PCB, Total		Analysis of constituent not required and not performed.
		PCB-1016		Analysis of constituent not required and not performed.
		PCB-1221		Analysis of constituent not required and not performed.
		PCB-1232		Analysis of constituent not required and not performed.
		PCB-1242		Analysis of constituent not required and not performed.
		PCB-1248		Analysis of constituent not required and not performed.
		PCB-1254		Analysis of constituent not required and not performed.
		PCB-1260		Analysis of constituent not required and not performed.
		PCB-1268		Analysis of constituent not required and not performed.
		Gross alpha		Analysis of constituent not required and not performed.
		Gross beta		Analysis of constituent not required and not performed.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		Analysis of constituent not required and not performed.
		Strontium-90		Analysis of constituent not required and not performed.
		Technetium-99		Analysis of constituent not required and not performed.
		Thorium-230		Analysis of constituent not required and not performed.
		Tritium		Analysis of constituent not required and not performed.
		Chemical Oxygen Demand		Analysis of constituent not required and not performed.
		Cyanide		Analysis of constituent not required and not performed.
		Iodide		Analysis of constituent not required and not performed.
		Total Organic Carbon		Analysis of constituent not required and not performed.
		Total Organic Halides		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
0000-0000 QC	TB6UG2-14	Bromide		Analysis of constituent not required and not performed.
		Chloride		Analysis of constituent not required and not performed.
		Fluoride		Analysis of constituent not required and not performed.
		Nitrate & Nitrite		Analysis of constituent not required and not performed.
		Sulfate		Analysis of constituent not required and not performed.
		Barometric Pressure Reading		Analysis of constituent not required and not performed.
		Specific Conductance		Analysis of constituent not required and not performed.
		Static Water Level Elevation		Analysis of constituent not required and not performed.
		Dissolved Oxygen		Analysis of constituent not required and not performed.
		Total Dissolved Solids		Analysis of constituent not required and not performed.
		pH		Analysis of constituent not required and not performed.
		Eh		Analysis of constituent not required and not performed.
		Temperature		Analysis of constituent not required and not performed.
		Aluminum		Analysis of constituent not required and not performed.
		Antimony		Analysis of constituent not required and not performed.
		Arsenic		Analysis of constituent not required and not performed.
		Barium		Analysis of constituent not required and not performed.
		Beryllium		Analysis of constituent not required and not performed.
		Boron		Analysis of constituent not required and not performed.
		Cadmium		Analysis of constituent not required and not performed.
		Calcium		Analysis of constituent not required and not performed.
		Chromium		Analysis of constituent not required and not performed.
		Cobalt		Analysis of constituent not required and not performed.
		Copper		Analysis of constituent not required and not performed.
		Iron		Analysis of constituent not required and not performed.
		Lead		Analysis of constituent not required and not performed.
		Magnesium		Analysis of constituent not required and not performed.
		Manganese		Analysis of constituent not required and not performed.
		Mercury		Analysis of constituent not required and not performed.
		Molybdenum		Analysis of constituent not required and not performed.
		Nickel		Analysis of constituent not required and not performed.
		Potassium		Analysis of constituent not required and not performed.
		Rhodium		Analysis of constituent not required and not performed.
		Selenium		Analysis of constituent not required and not performed.
		Silver		Analysis of constituent not required and not performed.
		Sodium		Analysis of constituent not required and not performed.
		Tantalum		Analysis of constituent not required and not performed.
		Thallium		Analysis of constituent not required and not performed.
		Uranium		Analysis of constituent not required and not performed.
		Vanadium		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
0000-0000 QC	TB6UG2-14	Zinc		Analysis of constituent not required and not performed.
		PCB, Total		Analysis of constituent not required and not performed.
		PCB-1016		Analysis of constituent not required and not performed.
		PCB-1221		Analysis of constituent not required and not performed.
		PCB-1232		Analysis of constituent not required and not performed.
		PCB-1242		Analysis of constituent not required and not performed.
		PCB-1248		Analysis of constituent not required and not performed.
		PCB-1254		Analysis of constituent not required and not performed.
		PCB-1260		Analysis of constituent not required and not performed.
		PCB-1268		Analysis of constituent not required and not performed.
		Gross alpha		Analysis of constituent not required and not performed.
		Gross beta		Analysis of constituent not required and not performed.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		Analysis of constituent not required and not performed.
		Strontium-90		Analysis of constituent not required and not performed.
		Technetium-99		Analysis of constituent not required and not performed.
		Thorium-230		Analysis of constituent not required and not performed.
		Tritium		Analysis of constituent not required and not performed.
		Chemical Oxygen Demand		Analysis of constituent not required and not performed.
		Cyanide		Analysis of constituent not required and not performed.
		Iodide		Analysis of constituent not required and not performed.
		Total Organic Carbon		Analysis of constituent not required and not performed.
		Total Organic Halides		Analysis of constituent not required and not performed.
8004-4800 MW360	MW360DUG2-14	Gross alpha	*	TPU is 1.24. Rad error is 1.22.
		Gross beta		TPU is 2.17. Rad error is 1.94.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226	*	TPU is 0.219. Rad error is 0.156.
		Strontium-90	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 0.185. Rad error is 0.114.
		Technetium-99	*	TPU is 11.6. Rad error is 11.6.
		Thorium-230	*	TPU is 0.154. Rad error is 0.0849.
		Tritium	*	TPU is 638. Rad error is 637.

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX D

STATISTICAL ANALYSES AND QUALIFICATION STATEMENT

THIS PAGE INTENTIONALLY LEFT BLANK

RESIDENTIAL/CONTAINED – QUARTERLY, 1st Quarter 2014
Facility: U.S. DOE – Paducah Gaseous Diffusion Plant
Permit Number: 073-00045

Finds/Unit: _____
Lab ID: None
For Official Use Only

GROUNDWATER STATISTICAL COMMENTS

Introduction

The statistical analyses conducted on the first quarter 2014 groundwater data collected from the C-746-U Landfill monitoring wells (MWs) were performed in accordance with Permit GSTR0001, Standard Requirement 3, using the U.S. Environmental Protection Agency (EPA) guidance document, *EPA Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities, Interim Final Guidance* (1989), with the exception of analysis of pH. The method for conducting the statistical analysis of pH was selected by the project statistician.

The statistical evaluation was conducted separately for the three groundwater systems: the Upper Continental Recharge System (UCRS), the Upper Regional Gravel Aquifer (URGA), and the Lower Regional Gravel Aquifer (LRGA). For each groundwater system, data included two background wells for comparison with at least three test wells or sidegradient wells (Exhibit 1). The first quarter 2014 data used to conduct the statistical analyses was collected in January 2014. The statistical analyses for this report utilize data from the first eight quarters that were sampled for each parameter, beginning with the first two baseline sampling events in 2002, when available. The sampling dates associated with background data are listed next to the result in the statistical analysis sheets of this appendix.

Statistical Analysis Process

For chemicals with established maximum contaminant levels (MCLs), no statistical analysis was performed. Parameters that have MCLs can be found in 401 KAR 47:030, Section 6. For parameters with no established MCL, the data are divided into censored and uncensored observations. The one-sided tolerance interval statistical test is conducted only on parameters that have at least one uncensored (detected) observation. Results of the one-sided tolerance interval statistical test conclude whether the data show a statistically significant increase of concentrations with respect to upgradient (background) well data. For the statistical analysis of pH, a two-sided tolerance interval statistical test was conducted. The test well results were compared to both an upper and lower tolerance limit to determine if statistically significant deviations in concentrations exist with respect to upgradient (background) well data. The tolerance interval statistical analysis was conducted separately for each parameter in each well (no pooling of downgradient data).

Statistical analyses are performed on historical background data, not on the data for the current quarter. Once a statistical result is obtained using the background data, the data for the current quarter are compared to that value. If the value is exceeded, the well has a statistically significant increase in concentration compared to the background concentration.

The following is a summarized stepwise list of the one-sided tolerance interval statistical procedure applied to the data.¹

1. The tolerance limit (TL) was calculated for the background data.
 - For each parameter, the background data were used to establish a baseline. On this data set, the mean (X) and the standard deviation (S) were computed.
 - The data set was checked for normality using coefficient of variation (CV). If $CV \leq 1.0$, then the data are assumed to be potentially normally distributed. Data sets with $CV > 1.0$ are assumed to be log-normally distributed; the data are log-transformed and analyzed.
 - The factor (K) for one-sided upper tolerance limit with 95% minimum coverage was determined (Table 5, Appendix B; *EPA Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities, Interim Final Guidance*, 1989) based on the number of background data points.
 - The one-sided upper tolerance limit was calculated using the following equation:
$$TL = X + (K \times S)$$
2. Each observation from downgradient wells was compared to the calculated one-sided upper tolerance limit in Step 1. If an observation value exceeds the tolerance limit, then there is statistically significant evidence that the well has increased concentration with respect to background data.

Type of Data Used

Exhibit 1 presents the upgradient or background wells (identified as “BG”), the downgradient or test wells (identified as “TW”), and the sidegradient wells (identified as “SG”) for the C-746-U Contained Landfill. Exhibit 2 presents the parameters from the available data set and the statistical test performed using the one-sided tolerance interval.

Excluding parameters that have an MCL, Exhibits 3, 4, and 5 list the number of analyses (observations), nondetects (censored observations), detects (uncensored observations), and missing observations by parameter in the UCRS, the URGAs, and the LRGA, respectively. Those parameters displayed with bold-face type indicate that the one-sided tolerance interval statistical test was performed. The data presented in Exhibits 3, 4, and 5 were collected during the current quarter, first quarter 2014. The observations that are listed are not background data. Background data are presented on pages D-22 through D-80. The sampling dates associated with background data are listed next to the result on pages D-22 through D-80. When field duplicate data are available, the higher of the two readings is retained for further evaluation.

¹ For pH, two-sided TL (upper and lower) were calculated with an adjusted K factor using the following equations:

$$\text{upper TL} = X + (K \times S)$$

$$\text{lower TL} = X - (K \times S)$$

**Exhibit 1. Station Identification for Monitoring
Wells Analyzed**

Station	Type	Aquifer
MW357	TW	URGA
MW358	TW	LRGA
MW359*	TW	UCRS
MW360	TW	URGA
MW361	TW	LRGA
MW362*	TW	UCRS
MW363	TW	URGA
MW364	TW	LRGA
MW365*	TW	UCRS
MW366	SG	URGA
MW367	SG	LRGA
MW368*	SG	UCRS
MW369	BG	URGA
MW370	BG	LRGA
MW371	BG	UCRS
MW372	BG	URGA
MW373	BG	LRGA
MW374	BG	UCRS
MW375	SG	UCRS
MW376*	SG	UCRS
MW377*	SG	UCRS

BG: upgradient or background wells

TW: downgradient or test wells

SG: sidegradient wells

*Well was dry this quarter, and a groundwater sample could not be collected.

Exhibit 2. List of Parameters Tested Using the One-Sided Upper Tolerance Level Test

Parameters
Aluminum
Boron
Calcium
Chloride
Cobalt
Conductivity
Dissolved Oxygen
Dissolved Solids
Iron
Magnesium
Manganese
Nickel
Oxidation-Reduction Potential
PCB, Total
PCB-1242
pH*
Potassium
Sodium
Sulfate
Technetium-99
Total Organic Carbon (TOC)
Total Organic Halides (TOX)
Uranium

*For pH, the test well results were compared to both an upper and lower TL to determine if statistically significant deviations exist in concentrations with respect to upgradient well data.

Exhibit 3. Summary of Missing, Censored, and Uncensored Data—UCRS

Parameters	Observations	Missing Observation	Censored Observation	Uncensored Observation	Statistical Analysis?
1,1,1,2-Tetrachloroethane	3	0	3	0	No
1,1,2,2-Tetrachloroethane	3	0	3	0	No
1,1,2-Trichloroethane	3	0	3	0	No
1,1-Dichloroethane	3	0	3	0	No
1,2,3-Trichloropropane	3	0	3	0	No
1,2-Dibromo-3-chloropropane	3	0	3	0	No
1,2-Dibromoethane	3	0	3	0	No
1,2-Dichlorobenzene	3	0	3	0	No
1,2-Dichloropropane	3	0	3	0	No
2-Butanone	3	0	3	0	No
2-Hexanone	3	0	3	0	No
4-Methyl-2-pentanone	3	0	3	0	No
Acetone	3	0	3	0	No
Acrolein	3	0	3	0	No
Acrylonitrile	3	0	3	0	No
Aluminum	3	0	1	2	YES
Antimony	3	0	3	0	No
Beryllium	3	0	3	0	No
Boron	3	0	3	0	No
Bromide	3	0	3	0	No
Bromochloromethane	3	0	3	0	No
Bromodichloromethane	3	0	3	0	No
Bromoform	3	0	3	0	No
Bromomethane	3	0	3	0	No
Calcium	3	0	0	3	YES
Carbon disulfide	3	0	3	0	No
Chemical Oxygen Demand (COD)	3	0	3	0	No
Chloride	3	0	0	3	YES
Chlorobenzene	3	0	3	0	No
Chloroethane	3	0	3	0	No
Chloroform	3	0	3	0	No
Chloromethane	3	0	3	0	No
<i>cis</i> -1,2-Dichloroethene	3	0	3	0	No
<i>cis</i> -1,3-Dichloropropene	3	0	3	0	No
Cobalt	3	0	3	0	No
Conductivity	3	0	0	3	YES
Copper	3	0	3	0	No
Cyanide	3	0	3	0	No
Dibromochloromethane	3	0	3	0	No
Dibromomethane	3	0	3	0	No

Exhibit 3. Summary of Missing, Censored, and Uncensored Data—UCRS (Continued)

Parameters	Observations	Missing Observation	Censored Observation	Uncensored Observation	Statistical Analysis?
Dimethylbenzene, Total	3	0	3	0	No
Dissolved Oxygen	3	0	0	3	YES
Dissolved Solids	3	0	0	3	YES
Ethylbenzene	3	0	3	0	No
Iodide	3	0	3	0	No
Iodomethane	3	0	3	0	No
Iron	3	0	1	2	YES
Magnesium	3	0	0	3	YES
Manganese	3	0	0	3	YES
Methylene chloride	3	0	3	0	No
Molybdenum	3	0	3	0	No
Nickel	3	0	3	0	No
Oxidation-Reduction Potential	3	0	0	3	YES
PCB, Total	3	0	3	0	No
PCB-1016	3	0	3	0	No
PCB-1221	3	0	3	0	No
PCB-1232	3	0	3	0	No
PCB-1242	3	0	3	0	No
PCB-1248	3	0	3	0	No
PCB-1254	3	0	3	0	No
PCB-1260	3	0	3	0	No
PCB-1268	3	0	3	0	No
pH	3	0	0	3	YES
Potassium	3	0	0	3	YES
Radium-226	3	0	3	0	No
Rhodium	3	0	3	0	No
Sodium	3	0	0	3	YES
Styrene	3	0	3	0	No
Sulfate	3	0	0	3	YES
Tantalum	3	0	3	0	No
Technetium-99	3	0	3	0	No
Tetrachloroethene	3	0	3	0	No
Thallium	3	0	3	0	No
Thorium-230	3	0	3	0	No
Toluene	3	0	3	0	No
Total Organic Carbon (TOC)	3	0	0	3	YES
Total Organic Halides (TOX)	3	0	0	3	YES
<i>trans</i> -1,2-Dichloroethene	3	0	3	0	No
<i>trans</i> -1,3-Dichloropropene	3	0	3	0	No
<i>Trans</i> -1,4-Dichloro-2-butene	3	0	3	0	No

Exhibit 3. Summary of Missing, Censored, and Uncensored Data—UCRS (Continued)

Parameters	Observations	Missing Observation	Censored Observation	Uncensored Observation	Statistical Analysis?
Trichlorofluoromethane	3	0	3	0	No
Uranium	3	0	2	1	YES
Vanadium	3	0	3	0	No
Vinyl acetate	3	0	3	0	No
Zinc	3	0	3	0	No

Bold denotes parameters with at least one uncensored observation.

Exhibit 4. Summary of Missing, Censored, and Uncensored Data—URGA

Parameters	Observations	Missing Observation	Censored Observation	Uncensored Observation	Statistical Analysis?
1,1,1,2-Tetrachloroethane	6	0	6	0	No
1,1,2,2-Tetrachloroethane	6	0	6	0	No
1,1,2-Trichloroethane	6	0	6	0	No
1,1-Dichloroethane	6	0	6	0	No
1,2,3-Trichloropropane	6	0	6	0	No
1,2-Dibromo-3-chloropropane	6	0	6	0	No
1,2-Dibromoethane	6	0	6	0	No
1,2-Dichlorobenzene	6	0	6	0	No
1,2-Dichloropropane	6	0	6	0	No
2-Butanone	6	0	6	0	No
2-Hexanone	6	0	6	0	No
4-Methyl-2-pentanone	6	0	6	0	No
Acetone	6	0	6	0	No
Acrolein	6	0	6	0	No
Acrylonitrile	6	0	6	0	No
Aluminum	6	0	5	1	YES
Antimony	6	0	6	0	No
Beryllium	6	0	6	0	No
Boron	6	0	4	2	YES
Bromide	6	0	6	0	No
Bromochloromethane	6	0	6	0	No
Bromodichloromethane	6	0	6	0	No
Bromoform	6	0	6	0	No
Bromomethane	6	0	6	0	No
Calcium	6	0	0	6	YES
Carbon disulfide	6	0	6	0	No
Chemical Oxygen Demand (COD)	6	0	6	0	No
Chloride	6	0	0	6	YES
Chlorobenzene	6	0	6	0	No
Chloroethane	6	0	6	0	No
Chloroform	6	0	6	0	No
Chloromethane	6	0	6	0	No
<i>cis</i> -1,2-Dichloroethene	6	0	6	0	No
<i>cis</i> -1,3-Dichloropropene	6	0	6	0	No
Cobalt	6	0	3	3	YES
Conductivity	6	0	0	6	YES
Copper	6	0	6	0	No
Cyanide	6	0	6	0	No
Dibromochloromethane	6	0	6	0	No
Dibromomethane	6	0	6	0	No

Exhibit 4. Summary of Missing, Censored, and Uncensored Data—URGA (Continued)

Parameters	Observations	Missing Observation	Censored Observation	Uncensored Observation	Statistical Analysis?
Dimethylbenzene, Total	6	0	6	0	No
Dissolved Oxygen	6	0	0	6	YES
Dissolved Solids	6	0	0	6	YES
Ethylbenzene	6	0	6	0	No
Iodide	6	0	6	0	No
Iodomethane	6	0	6	0	No
Iron	6	0	2	4	YES
Magnesium	6	0	0	6	YES
Manganese	6	0	1	5	YES
Methylene chloride	6	0	6	0	No
Molybdenum	6	0	6	0	No
Nickel	6	0	5	1	YES
Oxidation-Reduction Potential	6	0	0	6	YES
PCB, Total	6	0	5	1	YES
PCB-1016	6	0	6	0	No
PCB-1221	6	0	6	0	No
PCB-1232	6	0	6	0	No
PCB-1242	6	0	5	1	YES
PCB-1248	6	0	6	0	No
PCB-1254	6	0	6	0	No
PCB-1260	6	0	6	0	No
PCB-1268	6	0	6	0	No
pH	6	0	0	6	YES
Potassium	6	0	0	6	YES
Radium-226	6	0	6	0	No
Rhodium	6	0	6	0	No
Sodium	6	0	0	6	YES
Styrene	6	0	6	0	No
Sulfate	6	0	0	6	YES
Tantalum	6	0	6	0	No
Technetium-99	6	0	2	4	YES
Tetrachloroethene	6	0	6	0	No
Thallium	6	0	6	0	No
Thorium-230	6	0	6	0	No
Toluene	6	0	6	0	No
Total Organic Carbon (TOC)	6	0	4	2	YES
Total Organic Halides (TOX)	6	0	0	6	YES
<i>trans</i> -1,2-Dichloroethene	6	0	6	0	No
<i>trans</i> -1,3-Dichloropropene	6	0	6	0	No
<i>Trans</i> -1,4-Dichloro-2-butene	6	0	6	0	No

Exhibit 4. Summary of Missing, Censored, and Uncensored Data—URGA (Continued)

Parameters	Observations	Missing Observation	Censored Observation	Uncensored Observation	Statistical Analysis?
Trichlorofluoromethane	6	0	6	0	No
Uranium	6	0	6	0	No
Vanadium	6	0	6	0	No
Vinyl acetate	6	0	6	0	No
Zinc	6	0	6	0	No

Bold denotes parameters with at least one uncensored observation.

Exhibit 5. Summary of Missing, Censored, and Uncensored Data—LRGA

Parameters	Observations	Missing Observation	Censored Observation	Uncensored Observation	Statistical Analysis?
1,1,1,2-Tetrachloroethane	6	0	6	0	No
1,1,2,2-Tetrachloroethane	6	0	6	0	No
1,1,2-Trichloroethane	6	0	6	0	No
1,1-Dichloroethane	6	0	6	0	No
1,2,3-Trichloropropane	6	0	6	0	No
1,2-Dibromo-3-chloropropane	6	0	6	0	No
1,2-Dibromoethane	6	0	6	0	No
1,2-Dichlorobenzene	6	0	6	0	No
1,2-Dichloropropane	6	0	6	0	No
2-Butanone	6	0	6	0	No
2-Hexanone	6	0	6	0	No
4-Methyl-2-pentanone	6	0	6	0	No
Acetone	6	0	6	0	No
Acrolein	6	0	6	0	No
Acrylonitrile	6	0	6	0	No
Aluminum	6	0	5	1	YES
Antimony	6	0	6	0	No
Beryllium	6	0	6	0	No
Boron	6	0	4	2	YES
Bromide	6	0	6	0	No
Bromochloromethane	6	0	6	0	No
Bromodichloromethane	6	0	6	0	No
Bromoform	6	0	6	0	No
Bromomethane	6	0	6	0	No
Calcium	6	0	1	5	YES
Carbon disulfide	6	0	6	0	No
Chemical Oxygen Demand (COD)	6	0	6	0	No
Chloride	6	0	0	6	YES
Chlorobenzene	6	0	6	0	No
Chloroethane	6	0	6	0	No
Chloroform	6	0	6	0	No
Chloromethane	6	0	6	0	No
<i>cis</i> -1,2-Dichloroethene	6	0	6	0	No
<i>cis</i> -1,3-Dichloropropene	6	0	6	0	No
Cobalt	6	0	4	2	YES
Conductivity	6	0	0	6	YES
Copper	6	0	6	0	No
Cyanide	6	0	6	0	No
Dibromochloromethane	6	0	6	0	No
Dibromomethane	6	0	6	0	No
Dimethylbenzene, Total	6	0	6	0	No

Exhibit 5. Summary of Missing, Censored, and Uncensored Data—LRGA (Continued)

Parameters	Observations	Missing Observation	Censored Observation	Uncensored Observation	Statistical Analysis?
Dissolved Oxygen	6	0	0	6	YES
Dissolved Solids	6	0	0	6	YES
Ethylbenzene	6	0	6	0	No
Iodide	6	0	6	0	No
Iodomethane	6	0	6	0	No
Iron	6	0	2	4	YES
Magnesium	6	0	1	5	YES
Manganese	6	0	2	4	YES
Methylene chloride	6	0	6	0	No
Molybdenum	6	0	6	0	No
Nickel	6	0	6	0	No
Oxidation-Reduction Potential	6	0	0	6	YES
PCB, Total	6	0	6	0	No
PCB-1016	6	0	6	0	No
PCB-1221	6	0	6	0	No
PCB-1232	6	0	6	0	No
PCB-1242	6	0	6	0	No
PCB-1248	6	0	6	0	No
PCB-1254	6	0	6	0	No
PCB-1260	6	0	6	0	No
PCB-1268	6	0	6	0	No
pH	6	0	0	6	YES
Potassium	6	0	0	6	YES
Radium-226	6	0	6	0	No
Rhodium	6	0	6	0	No
Sodium	6	0	0	6	YES
Styrene	6	0	6	0	No
Sulfate	6	0	0	6	YES
Tantalum	6	0	6	0	No
Technetium-99	6	0	1	5	YES
Tetrachloroethene	6	0	6	0	No
Thallium	6	0	6	0	No
Thorium-230	6	0	6	0	No
Toluene	6	0	6	0	No
Total Organic Carbon (TOC)	6	0	6	0	No
Total Organic Halides (TOX)	6	0	0	6	YES
<i>trans</i> -1,2-Dichloroethene	6	0	6	0	No
<i>trans</i> -1,3-Dichloropropene	6	0	6	0	No
<i>Trans</i> -1,4-Dichloro-2-butene	6	0	6	0	No
Trichlorofluoromethane	6	0	6	0	No
Uranium	6	0	6	0	No

Exhibit 5. Summary of Missing, Censored, and Uncensored Data—LRGA (Continued)

Parameters	Observations	Missing Observation	Censored Observation	Uncensored Observation	Statistical Analysis?
Vanadium	6	0	6	0	No
Vinyl acetate	6	0	6	0	No
Zinc	6	0	6	0	No

Bold denotes parameters with at least one uncensored observation.

Discussion of Results

For the UCRS, URGAs, and LRGA, the results of the one-sided upper tolerance interval test are presented on pages D-22 through D-80 and the statistician qualification statement is presented on page D-81. For the UCRS, URGAs, and LRGA, the test was applied to 17, 22, and 18 parameters, respectively, listed in bold print in Exhibits 3, 4, and 5. A summary of statistically significant increases by well number is shown in Exhibit 6.

UCRS

In this quarter, statistical test results indicated there were statistically significant increases relative to background data for oxidation-reduction potential and sulfate.

URGA

In this quarter, statistical test results indicated that there were statistically significant increases relative to background data for conductivity, dissolved solids, oxidation-reduction potential, sodium, sulfate, and technetium-99.

LRGA

In this quarter, statistical test results indicated that there were statistically significant increases relative to background data for oxidation-reduction potential, potassium, and technetium-99.

Conclusion

Summaries of the statistical tests conducted on data obtained from wells in the UCRS, the URGAs, and in the LRGA are presented in Exhibit 7, Exhibit 8, and Exhibit 9, respectively.

Exhibit 6. Summary of Statistically Significant Increases

UCRS	URGA	LRGA
MW371: oxidation-reduction potential	MW357: oxidation-reduction potential	MW358: oxidation-reduction potential
MW374: oxidation-reduction potential	MW360: oxidation-reduction potential	MW361: oxidation-reduction potential, technetium-99
MW375: oxidation-reduction potential, sulfate	MW363: oxidation-reduction potential	MW364: oxidation-reduction potential, technetium-99
	MW366: oxidation-reduction potential	MW367: oxidation-reduction potential, potassium
	MW369: oxidation-reduction potential	MW370: oxidation-reduction potential
	MW372: conductivity, dissolved solids, oxidation-reduction potential, sodium, sulfate, technetium-99	MW373: oxidation-reduction potential

Exhibit 7. Tests Summary for Qualified Parameters—UCRS

Parameter	Performed Test	CV Normality Test	Results of Tolerance Interval Test Conducted
Aluminum	Tolerance Interval	2.08	No statistically significant increases relative to background data
Calcium	Tolerance Interval	0.40	No statistically significant increases relative to background data
Chloride	Tolerance Interval	0.95	No statistically significant increases relative to background data
Conductivity	Tolerance Interval	0.45	No statistically significant increases relative to background data
Dissolved Oxygen	Tolerance Interval	0.55	No statistically significant increases relative to background data
Dissolved Solids	Tolerance Interval	0.42	No statistically significant increases relative to background data
Iron	Tolerance Interval	0.98	No statistically significant increases relative to background data
Magnesium	Tolerance Interval	0.27	No statistically significant increases relative to background data
Manganese	Tolerance Interval	0.89	No statistically significant increases relative to background data
Oxidation-Reduction Potential	Tolerance Interval	3.54	Statistically significant increases relative to background data in MW371, MW374, and MW375
pH	Tolerance Interval	0.05	No statistically significant deviations relative to background data
Potassium	Tolerance Interval	0.72	No statistically significant increases relative to background data
Sodium	Tolerance Interval	0.40	No statistically significant increases relative to background data
Sulfate	Tolerance Interval	0.49	Statistically significant increases relative to background data in MW375
Total Organic Carbon	Tolerance Interval	1.38	No statistically significant increases relative to background data
Total Organic Halides	Tolerance Interval	1.08	No statistically significant increases relative to background data
Uranium	Tolerance Interval	1.68	No statistically significant increases relative to background data

CV: coefficient of variation

Exhibit 8. Tests Summary for Qualified Parameters—URGA

Parameter	Performed Test	CV Normality Test	Results of Tolerance Interval Test Conducted
Aluminum	Tolerance Interval	1.24	No statistically significant increases relative to background data
Boron	Tolerance Interval	0.84	No statistically significant increases relative to background data
Calcium	Tolerance Interval	0.29	No statistically significant increases relative to background data
Chloride	Tolerance Interval	0.10	No statistically significant increases relative to background data
Cobalt	Tolerance Interval	0.85	No statistically significant increases relative to background data
Conductivity	Tolerance Interval	0.12	Statistically significant increase relative to background data in MW372
Dissolved Oxygen	Tolerance Interval	0.76	No statistically significant increases relative to background data
Dissolved Solids	Tolerance Interval	0.16	Statistically significant increase relative to background data in MW372
Iron	Tolerance Interval	0.95	No statistically significant increases relative to background data
Magnesium	Tolerance Interval	0.27	No statistically significant increases relative to background data
Manganese	Tolerance Interval	0.66	No statistically significant increases relative to background data
Nickel	Tolerance Interval	0.91	No statistically significant increases relative to background data
Oxidation-Reduction Potential	Tolerance Interval	1.26	Statistically significant increases relative to background data in MW357, MW360, MW363, MW366, MW369, and MW372
PCB, Total	Tolerance Interval	0.90	No statistically significant increases relative to background data
PCB-1242	Tolerance Interval	1.36	No statistically significant increases relative to background data
pH	Tolerance Interval	0.03	No statistically significant deviations relative to background data
Potassium	Tolerance Interval	0.29	No statistically significant increases relative to background data

Exhibit 8. Tests Summary for Qualified Parameters—URGA (Continued)

Parameter	Performed Test	CV Normality Test	Results of Tolerance Interval Test Conducted
Sodium	Tolerance Interval	0.26	Statistically significant increase relative to background data in MW372
Sulfate	Tolerance Interval	0.75	Statistically significant increase relative to background data in MW372
Technetium-99	Tolerance Interval	0.87	Statistically significant increases relative to background data in MW372
Total Organic Carbon	Tolerance Interval	1.23	No statistically significant increases relative to background data
Total Organic Halides	Tolerance Interval	0.95	No statistically significant increases relative to background data

CV: coefficient of variation

Exhibit 9. Tests Summary for Qualified Parameters—LRGA

Parameter	Performed Test	CV Normality Test	Results of Tolerance Interval Test Conducted
Aluminum	Tolerance Interval	2.78	No statistically significant increases relative to background data
Boron	Tolerance Interval	0.68	No statistically significant increases relative to background data
Calcium	Tolerance Interval	0.31	No statistically significant increases relative to background data
Chloride	Tolerance Interval	0.16	No statistically significant increases relative to background data
Cobalt	Tolerance Interval	1.17	No statistically significant increases relative to background data
Conductivity	Tolerance Interval	0.26	No statistically significant increases relative to background data
Dissolved Oxygen	Tolerance Interval	0.83	No statistically significant increases relative to background data
Dissolved Solids	Tolerance Interval	0.30	No statistically significant increases relative to background data
Iron	Tolerance Interval	0.96	No statistically significant increases relative to background data
Magnesium	Tolerance Interval	0.34	No statistically significant increases relative to background data
Manganese	Tolerance Interval	0.62	No statistically significant increases relative to background data
Oxidation-Reduction Potential	Tolerance Interval	1.31	Statistically significant increases relative to background data in MW358, MW361, MW364, MW367, MW370, and MW373
pH	Tolerance Interval	0.03	No statistically significant deviations relative to background data
Potassium	Tolerance Interval	0.19	Statistically significant increases relative to background data in MW367
Sodium	Tolerance Interval	0.30	No statistically significant increases relative to background data
Sulfate	Tolerance Interval	1.59	No statistically significant increases relative to background data
Technetium-99	Tolerance Interval	1.73	Statistically significant increases relative to background data in MW361 and MW364

Exhibit 8. Tests Summary for Qualified Parameters—URGA (Continued)

Exhibit 9. Tests Summary for Qualified Parameters—LRGA

Parameter	Performed Test	CV Normality Test	Results of Tolerance Interval Test Conducted
Total Organic Halides	Tolerance Interval	0.98	No statistically significant increases relative to background data

CV: coefficient of variation

C-746-U First Quarter 2014 Statistical Analysis Aluminum

UCRS
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells		Statistics on Background Data	Transformed Background Data from Upgradient Wells	
Well Number: MW371		X= 3.300 S= 6.859 CV= 2.078 K factor** = 2.523 TL= 20.604	Well Number: MW371	
Date Collected	Result		Date Collected	LN(Result)
3/18/2002	2.240		3/18/2002	0.806
4/22/2002	0.200		4/22/2002	-1.609
7/15/2002	0.200		7/15/2002	-1.609
10/8/2002	0.200		10/8/2002	-1.609
1/8/2003	0.200		1/8/2003	-1.609
4/3/2003	0.200		4/3/2003	-1.609
7/9/2003	0.200		7/9/2003	-1.609
10/6/2003	0.200		10/6/2003	-1.609
Well Number: MW374		X= -0.371 S= 1.678 CV= -4.521 K factor** = 2.523 TL= 3.863	Well Number: MW374	
Date Collected	Result		Date Collected	LN(Result)
10/8/2002	21.300		10/8/2002	3.059
1/7/2003	20.000		1/7/2003	2.996
4/2/2003	4.110		4/2/2003	1.413
7/9/2003	1.410		7/9/2003	0.344
10/7/2003	1.090		10/7/2003	0.086
1/6/2004	0.854		1/6/2004	-0.158
4/7/2004	0.200		4/7/2004	-1.609
7/14/2004	0.200		7/14/2004	-1.609

Because CV is greater than 1, the natural logarithm of background and test well results were calculated.

First Quarter 2014 Data Collected in January 2014				First Quarter 2014 Dry/Partially Dry Wells		Transformed First Quarter 2014 Data Collected in January 2014		
Well No.	Result	Gradient	Result >TL?	Well No.	Gradient	Well Number	LN(Result)	Result >TL?
MW371	0.436	Upgradient	N/A	MW359	Downgradient	MW371	-0.830	NO
MW374	0.200	Upgradient	N/A	MW365	Downgradient	MW374	-1.609	NO
MW375	0.659	Sidegradient	N/A	MW368	Sidegradient	MW375	-0.417	NO
				MW376	Sidegradient			
				MW377	Sidegradient			
				MW362	Sidegradient			

Conclusion of Statistical Analysis on Transformed Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Calcium

UCRS
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW371

Date Collected	Result
3/18/2002	17.200
4/22/2002	22.400
7/15/2002	25.500
10/8/2002	26.400
1/8/2003	27.200
4/3/2003	30.300
7/9/2003	25.900
10/6/2003	27.000

Well Number: MW374

Date Collected	Result
10/8/2002	67.300
1/7/2003	60.600
4/2/2003	47.200
7/9/2003	34.700
10/7/2003	37.100
1/6/2004	37.700
4/7/2004	32.200
7/14/2004	26.900

Statistics on Background Data

X= 34.100

S= 13.637

CV= 0.400

K factor** = 2.523

TL= 68.505

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW371	18.000	Upgradient	NO
MW374	28.100	Upgradient	NO
MW375	38.900	Sidegradient	NO

First Quarter 2014 Dry/Partially Dry Wells

Well No.	Gradient
MW359	Downgradient
MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient
MW362	Sidegradient

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Chloride

UCRS
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW371

Date Collected	Result
7/15/2002	8.300
10/8/2002	7.600
1/8/2003	7.700
4/3/2003	8.800
7/9/2003	8.100
10/6/2003	8.600
1/7/2004	7.600
4/6/2004	7.600

Well Number: MW374

Date Collected	Result
10/8/2002	199.200
1/7/2003	199.700
4/2/2003	171.800
7/9/2003	178.700
10/7/2003	175.600
1/6/2004	170.400
4/7/2004	156.400
7/14/2004	144.700

Statistics on Background Data

X= 91.300
S= 86.959
CV= 0.952
K factor** = 2.523
TL= 310.697

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW371	8.000	Upgradient	NO
MW374	170.00	Upgradient	NO
MW375	3.600	Sidegradient	NO

First Quarter 2014 Dry/Partially Dry Wells

Well No.	Gradient
MW359	Downgradient
MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient
MW362	Sidegradient

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Conductivity

UCRS
UNITS: umho/cm

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW371

Date Collected	Result
3/18/2002	541.000
4/22/2002	643.000
7/15/2002	632.000
10/8/2002	631.000
1/8/2003	680.000
4/3/2003	749.000
7/9/2003	734.000
10/6/2003	753.000

Well Number: MW374

Date Collected	Result
3/18/2002	1007.00
10/8/2002	1680.00
1/7/2003	1715.90
4/2/2003	172.000
7/9/2003	1231.00
10/7/2003	1214.00
1/6/2004	1172.00
4/7/2004	1145.00

Statistics on Background Data

X= 918.744
S= 417.257
CV= 0.454
K factor** = 2.523
TL= 1971.483

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW371	763.00	Upgradient	NO
MW374	744.00	Upgradient	NO
MW375	405.00	Sidegradient	NO

First Quarter 2014 Dry/Partially Dry Wells

Well No.	Gradient
MW359	Downgradient
MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient
MW362	Sidegradient

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum } ((\text{background result} - X)^2) / [\text{count of background results} - 1]]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results}) / (\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Dissolved Oxygen

UCRS
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW371

Date Collected	Result
3/18/2002	2.260
4/22/2002	1.150
7/15/2002	0.940
10/8/2002	0.740
1/8/2003	2.620
4/3/2003	1.500
7/9/2003	1.660
10/6/2003	1.280

Well Number: MW374

Date Collected	Result
3/18/2002	0.600
10/8/2002	0.670
1/7/2003	0.230
4/2/2003	0.650
7/9/2003	0.920
10/7/2003	0.990
1/6/2004	1.110
4/7/2004	0.880

Statistics on Background Data

X= 1.138
S= 0.621
CV= 0.546
K factor** = 2.523
TL= 2.704

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW371	1.970	Upgradient	NO
MW374	1.670	Upgradient	NO
MW375	1.350	Sidegradient	NO

First Quarter 2014 Dry/Partially Dry Wells

Well No.	Gradient
MW359	Downgradient
MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient
MW362	Sidegradient

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Dissolved Solids

UCRS
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW371

Date Collected	Result
3/18/2002	274.000
4/22/2002	409.000
7/15/2002	418.000
10/8/2002	424.000
1/8/2003	431.000
4/3/2003	444.000
7/9/2003	445.000
10/6/2003	438.000

Well Number: MW374

Date Collected	Result
10/8/2002	1136.00
1/7/2003	1101.00
4/2/2003	863.000
7/9/2003	682.000
10/7/2003	589.000
1/6/2004	603.000
4/7/2004	601.000
7/14/2004	582.000

Statistics on Background Data

X= 590.000
S= 248.068
CV= 0.420
K factor** = 2.523
TL= 1215.876

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW371	447.00	Upgradient	NO
MW374	406.00	Upgradient	NO
MW375	162.00	Sidegradient	NO

First Quarter 2014 Dry/Partially Dry Wells

Well No.	Gradient
MW359	Downgradient
MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient
MW362	Sidegradient

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum } ((\text{background result} - X)^2) / (\text{count of background results} - 1)]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results}) / (\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Iron

UCRS
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW371

Date Collected	Result
3/18/2002	1.310
4/22/2002	0.913
7/15/2002	0.881
10/8/2002	3.860
1/8/2003	1.880
4/3/2003	3.180
7/9/2003	0.484
10/6/2003	2.720

Well Number: MW374

Date Collected	Result
10/8/2002	23.000
1/7/2003	13.900
4/2/2003	14.000
7/9/2003	14.200
10/7/2003	7.920
1/6/2004	7.860
4/7/2004	4.820
7/14/2004	4.870

Statistics on Background Data

X= 6.612
S= 6.487
CV= 0.981
K factor** = 2.523
TL= 22.979

Because CV is less than or equal to 1, assume normal distribution and continue with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW371	1.270	Upgradient	NO
MW374	0.100	Upgradient	NO
MW375	0.418	Sidegradient	NO

First Quarter 2014 Dry/Partially Dry Wells

Well No.	Gradient
MW359	Downgradient
MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient
MW362	Sidegradient

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Magnesium

UCRS
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW371

Date Collected	Result
3/18/2002	7.100
4/22/2002	9.770
7/15/2002	10.400
10/8/2002	10.200
1/8/2003	10.700
4/3/2003	11.900
7/9/2003	10.800
10/6/2003	10.900

Well Number: MW374

Date Collected	Result
10/8/2002	20.000
1/7/2003	16.100
4/2/2003	13.100
7/9/2003	10.300
10/7/2003	11.100
1/6/2004	11.000
4/7/2004	9.690
7/14/2004	8.490

Statistics on Background Data

X= 11.347
S= 3.019
CV= 0.266
K factor** = 2.523
TL= 18.963

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW371	7.100	Upgradient	NO
MW374	11.100	Upgradient	NO
MW375	5.590	Sidegradient	NO

First Quarter 2014 Dry/Partially Dry Wells

Well No.	Gradient
MW359	Downgradient
MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient
MW362	Sidegradient

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Manganese

UCRS
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW371

Date Collected	Result
3/18/2002	0.063
4/22/2002	0.067
7/15/2002	0.074
10/8/2002	0.052
1/8/2003	0.039
4/3/2003	0.055
7/9/2003	0.055
10/6/2003	0.054

Well Number: MW374

Date Collected	Result
10/8/2002	0.596
1/7/2003	0.565
4/2/2003	0.675
7/9/2003	0.397
10/7/2003	0.312
1/6/2004	0.299
4/7/2004	0.329
7/14/2004	0.342

Statistics on Background Data

X= 0.248
S= 0.222
CV= 0.894
K factor** = 2.523
TL= 0.809

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW371	0.008	Upgradient	NO
MW374	0.006	Upgradient	NO
MW375	0.005	Sidegradient	NO

First Quarter 2014 Dry/Partially Dry Wells

Well No.	Gradient
MW359	Downgradient
MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient
MW362	Sidegradient

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Oxidation-Reduction Potential

UCRS
UNITS: mV

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells		Statistics on Background Data	Transformed Background Data from Upgradient Wells	
Well Number: MW371		X= 22.281 S= 78.889 CV= 3.541 K factor** = 2.523 TL= 221.319	Well Number: MW371	
Date Collected	Result		Date Collected	LN(Result)
3/18/2002	75.000		3/18/2002	4.317
4/22/2002	165.000		4/22/2002	5.106
7/15/2002	65.000		7/15/2002	4.174
4/3/2003	-19.000		4/3/2003	#Func!
7/9/2003	114.000		7/9/2003	4.736
10/6/2003	-22.000		10/6/2003	#Func!
1/7/2004	20.500		1/7/2004	3.020
4/6/2004	113.000		4/6/2004	4.727
Well Number: MW374		X = error S = error CV = error K factor** = 2.523 TL# = 5.106	Well Number: MW374	
Date Collected	Result		Date Collected	LN(Result)
3/18/2002	135.000		3/18/2002	4.905
4/2/2003	-56.000		4/2/2003	#Func!
7/9/2003	-68.000		7/9/2003	#Func!
10/7/2003	-50.000		10/7/2003	#Func!
1/6/2004	-85.000		1/6/2004	#Func!
4/7/2004	6.000		4/7/2004	1.792
7/14/2004	-38.000		7/14/2004	#Func!
10/7/2004	1.000		10/7/2004	0.000

Because CV is greater than 1, the natural logarithm of background and test well results were calculated.

Because the natural log was not possible for all background values, the TL was considered equal to the maximum background value.

First Quarter 2014 Data Collected in January 2014				First Quarter 2014 Dry/Partially Dry Wells		Transformed First Quarter 2014 Data Collected in January 2014		
Well No.	Result	Gradient	Result >TL?	Well No.	Gradient	Well Number	LN(Result)	Result >TL?
MW371	374.000	Upgradient	N/A	MW359	Downgradient	MW371	5.924	YES
MW374	515.000	Upgradient	N/A	MW365	Downgradient	MW374	6.244	YES
MW375	470.000	Sidegradient	N/A	MW368	Sidegradient	MW375	6.153	YES
				MW376	Sidegradient			
				MW377	Sidegradient			
				MW362	Sidegradient			

Conclusion of Statistical Analysis on Transformed Data	
The following test well(s) exceeded the Upper Tolerance Limit, which is statistically significant evidence of elevated concentration with respect to background data.	
MW371	
MW374	
MW375	

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis pH

UCRS
UNITS: Std Unit

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL and LL. If the test well result exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Background Data from Upgradient Wells

Well Number: MW371

Date Collected	Result
3/18/2002	6.300
4/22/2002	6.500
7/15/2002	6.500
10/8/2002	6.600
1/8/2003	6.600
4/3/2003	6.900
7/9/2003	6.700
10/6/2003	7.000

Well Number: MW374

Date Collected	Result
3/18/2002	5.750
10/8/2002	6.600
1/7/2003	6.820
4/2/2003	6.860
7/9/2003	6.700
10/7/2003	6.600
1/6/2004	6.900
4/7/2004	6.580

Statistics on Background Data

X= 6.619
S= 0.295
CV= 0.045
K factor** = 2.904
TL= 7.475
LL= 5.764

Because CV is less than or equal to 1, assume normal distribution and continue with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?	Result <LL?
MW371	6.640	Upgradient	NO	NO
MW374	6.640	Upgradient	NO	NO
MW375	6.650	Sidegradient	NO	NO

First Quarter 2014 Dry/Partially Dry Wells

Well No.	Gradient
MW359	Downgradient
MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient
MW362	Sidegradient

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit or were less than the Lower Tolerance Limit, which is statistically significant evidence that these wells have no deviated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** The K-factor was adjusted for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K- factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U First Quarter 2014 Statistical Analysis Potassium

UCRS
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW371

Date Collected	Result
3/18/2002	2.000
4/22/2002	2.000
7/15/2002	2.000
10/8/2002	0.408
1/8/2003	0.384
4/3/2003	0.368
7/9/2003	0.587
10/6/2003	0.382

Well Number: MW374

Date Collected	Result
10/8/2002	3.040
1/7/2003	2.830
4/2/2003	2.000
7/9/2003	1.090
10/7/2003	0.802
1/6/2004	0.897
4/7/2004	0.689
7/14/2004	0.716

Statistics on Background Data

X= 1.262
S= 0.907
CV= 0.718
K factor** = 2.523
TL= 3.549

Because CV is less than or equal to 1, assume normal distribution and continue with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW371	0.713	Upgradient	NO
MW374	2.550	Upgradient	NO
MW375	1.370	Sidegradient	NO

First Quarter 2014 Dry/Partially Dry Wells

Well No.	Gradient
MW359	Downgradient
MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient
MW362	Sidegradient

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Sodium

UCRS
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW371

Date Collected	Result
3/18/2002	129.000
4/22/2002	131.000
7/15/2002	127.000
10/8/2002	123.000
1/8/2003	128.000
4/3/2003	144.000
7/9/2003	126.000
10/6/2003	120.000

Well Number: MW374

Date Collected	Result
10/8/2002	336.000
1/7/2003	329.000
4/2/2003	287.000
7/9/2003	181.000
10/7/2003	182.000
1/6/2004	206.000
4/7/2004	182.000
7/14/2004	198.000

Statistics on Background Data

X= 183.063
S= 73.222
CV= 0.400
K factor** = 2.523
TL= 367.800

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW371	52.200	Upgradient	NO
MW374	36.700	Upgradient	NO
MW375	17.100	Sidegradient	NO

First Quarter 2014 Dry/Partially Dry Wells

Well No.	Gradient
MW359	Downgradient
MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient
MW362	Sidegradient

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Sulfate

UCRS
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW371

Date Collected	Result
3/18/2002	16.300
4/22/2002	8.600
7/15/2002	6.700
10/8/2002	5.000
1/8/2003	5.000
4/3/2003	5.000
7/9/2003	5.000
10/6/2003	5.000

Well Number: MW374

Date Collected	Result
10/8/2002	5.000
1/7/2003	5.000
4/2/2003	5.000
7/9/2003	5.600
10/7/2003	5.000
1/6/2004	5.000
4/7/2004	11.300
7/14/2004	5.000

Statistics on Background Data

X= 6.469
S= 3.153
CV= 0.487
K factor** = 2.523
TL= 14.423

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW371	9.900	Upgradient	NO
MW374	5.100	Upgradient	NO
MW375	15.000	Sidegradient	YES

First Quarter 2014 Dry/Partially Dry Wells

Well No.	Gradient
MW359	Downgradient
MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient
MW362	Sidegradient

Conclusion of Statistical Analysis on Data

The following test well(s) exceeded the Upper Tolerance Limit, which is statistically significant evidence of elevated concentration with respect to background data.

MW375

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Total Organic Carbon (TOC)

UCRS
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells		Statistics on Background Data	Transformed Background Data from Upgradient Wells	
Well Number: MW371		X= 17.631 S= 24.314 CV= 1.379 K factor** = 2.523 TL= 78.977	Well Number: MW371	
Date Collected	Result		Date Collected	LN(Result)
3/18/2002	11.100		3/18/2002	2.407
4/22/2002	7.000		4/22/2002	1.946
7/15/2002	4.100		7/15/2002	1.411
10/8/2002	6.000		10/8/2002	1.792
1/8/2003	5.300		1/8/2003	1.668
4/3/2003	5.300		4/3/2003	1.668
7/9/2003	2.900		7/9/2003	1.065
10/6/2003	3.200		10/6/2003	1.163
Well Number: MW374		X= 2.318 S= 0.979 CV= 0.422 K factor** = 2.523 TL= 4.788	Well Number: MW374	
Date Collected	Result		Date Collected	LN(Result)
10/8/2002	90.000		10/8/2002	4.500
1/7/2003	64.000		1/7/2003	4.159
4/2/2003	25.000		4/2/2003	3.219
7/9/2003	16.000		7/9/2003	2.773
10/7/2003	13.000		10/7/2003	2.565
1/6/2004	10.000		1/6/2004	2.303
4/7/2004	7.200		4/7/2004	1.974
7/14/2004	12.000		7/14/2004	2.485

First Quarter 2014 Data Collected in January 2014				First Quarter 2014 Dry/Partially Dry Wells		Transformed First Quarter 2014 Data Collected in January 2014		
Well No.	Result	Gradient	Result >TL?	Well No.	Gradient	Well Number	LN(Result)	Result >TL?
MW371	1.700	Upgradient	N/A	MW359	Downgradient	MW371	0.531	NO
MW374	1.700	Upgradient	N/A	MW365	Downgradient	MW374	0.531	NO
MW375	2.700	Sidegradient	N/A	MW368	Sidegradient	MW375	0.993	NO
				MW376	Sidegradient			
				MW377	Sidegradient			
				MW362	Sidegradient			

Conclusion of Statistical Analysis on Transformed Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Total Organic Halides (TOX)

UCRS
UNITS: ug/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells		Statistics on Background Data	Transformed Background Data from Upgradient Wells	
Well Number: MW371		X= 214.094 S= 231.089 CV= 1.079 K factor** = 2.523 TL= 797.131	Well Number: MW371	
Date Collected	Result		Date Collected	LN(Result)
3/18/2002	50.000		3/18/2002	3.912
4/22/2002	105.000		4/22/2002	4.654
7/15/2002	70.000		7/15/2002	4.248
10/8/2002	52.000		10/8/2002	3.951
1/8/2003	20.200		1/8/2003	3.006
4/3/2003	104.000		4/3/2003	4.644
7/9/2003	34.200		7/9/2003	3.532
10/6/2003	46.100		10/6/2003	3.831
Well Number: MW374		X= 4.867 S= 1.065 CV= 0.219 K factor** = 2.523 TL= 7.554	Well Number: MW374	
Date Collected	Result		Date Collected	LN(Result)
10/8/2002	903.000		10/8/2002	6.806
1/7/2003	539.000		1/7/2003	6.290
4/2/2003	295.000		4/2/2003	5.687
7/9/2003	272.000		7/9/2003	5.606
10/7/2003	197.000		10/7/2003	5.283
1/6/2004	330.000		1/6/2004	5.799
4/7/2004	183.000		4/7/2004	5.209
7/14/2004	225.000		7/14/2004	5.416

Because CV is greater than 1, the natural logarithm of background and test well results were calculated.

First Quarter 2014 Data Collected in January 2014				First Quarter 2014 Dry/Partially Dry Wells		Transformed First Quarter 2014 Data Collected in January 2014		
Well No.	Result	Gradient	Result >TL?	Well No.	Gradient	Well Number	LN(Result)	Result >TL?
MW371	13.000	Upgradient	N/A	MW359	Downgradient	MW371	2.565	NO
MW374	27.000	Upgradient	N/A	MW365	Downgradient	MW374	3.296	NO
MW375	16.000	Sidegradient	N/A	MW368	Sidegradient	MW375	2.773	NO
				MW376	Sidegradient			
				MW377	Sidegradient			
				MW362	Sidegradient			

Conclusion of Statistical Analysis on Transformed Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Uranium

UCRS
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells		Statistics on Background Data	Transformed Background Data from Upgradient Wells	
Well Number: MW371		X= 0.007 S= 0.012 CV= 1.678 K factor** = 2.523 TL= 0.037	Well Number: MW371	
Date Collected	Result		Date Collected	LN(Result)
3/18/2002	0.001		3/18/2002	-6.908
4/22/2002	0.001		4/22/2002	-6.908
7/15/2002	0.001		7/15/2002	-6.908
10/8/2002	0.027		10/8/2002	-3.612
1/8/2003	0.001		1/8/2003	-6.908
4/3/2003	0.001		4/3/2003	-6.908
7/9/2003	0.001		7/9/2003	-6.822
10/6/2003	0.001		10/6/2003	-6.908
Well Number: MW374		X= -5.884 S= 1.299 CV= -0.221 K factor** = 2.523 TL= -2.607	Well Number: MW374	
Date Collected	Result		Date Collected	LN(Result)
10/8/2002	0.044		10/8/2002	-3.128
1/7/2003	0.011		1/7/2003	-4.510
4/2/2003	0.009		4/2/2003	-4.705
7/9/2003	0.007		7/9/2003	-4.970
10/7/2003	0.001		10/7/2003	-6.908
1/6/2004	0.003		1/6/2004	-5.760
4/7/2004	0.003		4/7/2004	-5.960
7/14/2004	0.002		7/14/2004	-6.320

First Quarter 2014 Data Collected in January 2014				First Quarter 2014 Dry/Partially Dry Wells		Transformed First Quarter 2014 Data Collected in January 2014		
Well No.	Result	Gradient	Result >TL?	Well No.	Gradient	Well Number	LN(Result)	Result >TL?
MW371	0.002	Upgradient	N/A	MW359	Downgradient	MW371	-6.200	NO
MW374	0.001	Upgradient	N/A	MW365	Downgradient	MW374	-6.908	NO
MW375	0.001	Sidegradient	N/A	MW368	Sidegradient	MW375	-6.908	NO
				MW376	Sidegradient			
				MW377	Sidegradient			
				MW362	Sidegradient			

Conclusion of Statistical Analysis on Transformed Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Aluminum

URGA
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells		Statistics on Background Data	Transformed Background Data from Upgradient Wells	
Well Number: MW369		X= 0.625 S= 0.774 CV= 1.239 K factor** = 2.523 TL= 2.578	Well Number: MW369	
Date Collected	Result		Date Collected	LN(Result)
3/18/2002	0.255		3/18/2002	-1.366
4/22/2002	0.200		4/22/2002	-1.609
7/15/2002	0.322		7/15/2002	-1.133
10/8/2002	0.200		10/8/2002	-1.609
1/8/2003	0.200		1/8/2003	-1.609
4/3/2003	0.200		4/3/2003	-1.609
7/8/2003	0.200		7/8/2003	-1.609
10/6/2003	0.689		10/6/2003	-0.373
Well Number: MW372		X= -0.973 S= 0.935 CV= -0.961 K factor** = 2.523 TL= 1.386	Well Number: MW372	
Date Collected	Result		Date Collected	LN(Result)
3/19/2002	2.610		3/19/2002	0.959
4/23/2002	0.200		4/23/2002	-1.609
7/16/2002	1.140		7/16/2002	0.131
10/8/2002	0.862		10/8/2002	-0.149
1/7/2003	2.320		1/7/2003	0.842
4/2/2003	0.200		4/2/2003	-1.609
7/9/2003	0.200		7/9/2003	-1.609
10/7/2003	0.200		10/7/2003	-1.609

First Quarter 2014 Data Collected in January 2014				Transformed First Quarter 2014 Data Collected in January 2014		
Well No.	Result	Gradient	Result >TL?	Well Number	LN(Result)	Result >TL?
MW357	0.200	Downgradient	N/A	MW357	-1.609	NO
MW360	0.200	Downgradient	N/A	MW360	-1.609	NO
MW363	0.200	Downgradient	N/A	MW363	-1.609	NO
MW366	0.200	Sidegradient	N/A	MW366	-1.609	NO
MW369	0.200	Upgradient	N/A	MW369	-1.609	NO
MW372	0.289	Upgradient	N/A	MW372	-1.241	NO

Conclusion of Statistical Analysis on Transformed Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Boron

URGA
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW369

Date Collected	Result
3/18/2002	2.000
4/22/2002	2.000
7/15/2002	2.000
10/8/2002	0.200
1/8/2003	0.200
4/3/2003	0.200
7/8/2003	0.200
10/6/2003	0.200

Well Number: MW372

Date Collected	Result
3/19/2002	2.000
4/23/2002	2.000
7/16/2002	2.000
10/8/2002	0.492
1/7/2003	0.492
4/2/2003	0.600
7/9/2003	0.570
10/7/2003	0.604

Statistics on Background Data

X= 0.985
S= 0.825
CV= 0.838
K factor = 2.523**
TL= 3.067

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW357	0.336	Downgradient	NO
MW360	0.200	Downgradient	NO
MW363	0.200	Downgradient	NO
MW366	0.200	Sidegradient	NO
MW369	0.200	Upgradient	NO
MW372	1.040	Upgradient	NO

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Calcium

URGA
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW369

Date Collected	Result
3/18/2002	29.500
4/22/2002	29.800
7/15/2002	25.300
10/8/2002	21.900
1/8/2003	20.900
4/3/2003	22.200
7/8/2003	22.900
10/6/2003	21.700

Well Number: MW372

Date Collected	Result
3/19/2002	41.500
4/23/2002	43.600
7/16/2002	40.400
10/8/2002	38.800
1/7/2003	41.100
4/2/2003	42.900
7/9/2003	35.100
10/7/2003	46.600

Statistics on Background Data

X= 32.763

S= 9.391

CV= 0.287

K factor** = 2.523

TL= 56.456

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW357	28.800	Downgradient	NO
MW360	25.200	Downgradient	NO
MW363	25.400	Downgradient	NO
MW366	28.500	Sidegradient	NO
MW369	21.800	Upgradient	NO
MW372	31.300	Upgradient	NO

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Chloride

URGA
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW369

Date Collected	Result
7/15/2002	48.300
10/8/2002	47.700
1/8/2003	45.700
4/3/2003	47.400
7/8/2003	55.900
10/6/2003	47.400
1/7/2004	45.500
4/7/2004	43.400

Well Number: MW372

Date Collected	Result
7/16/2002	39.800
10/8/2002	41.000
1/7/2003	39.400
4/2/2003	39.200
7/9/2003	39.800
10/7/2003	40.000
1/5/2004	43.400
4/5/2004	42.000

Statistics on Background Data

X= 44.119
S= 4.554
CV= 0.103
K factor = 2.523**
TL= 55.607

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW357	31.000	Downgradient	NO
MW360	15.000	Downgradient	NO
MW363	31.000	Downgradient	NO
MW366	40.000	Sidegradient	NO
MW369	36.000	Upgradient	NO
MW372	48.000	Upgradient	NO

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Cobalt

URGA
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW369

Date Collected	Result
3/18/2002	0.025
4/22/2002	0.025
7/15/2002	0.025
10/8/2002	0.009
1/8/2003	0.005
4/3/2003	0.006
7/8/2003	0.054
10/6/2003	0.069

Well Number: MW372

Date Collected	Result
3/19/2002	0.025
4/23/2002	0.025
7/16/2002	0.025
10/8/2002	0.002
1/7/2003	0.015
4/2/2003	0.012
7/9/2003	0.065
10/7/2003	0.008

Statistics on Background Data

X= 0.025
S= 0.021
CV= 0.845
K factor = 2.523**
TL= 0.077

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW357	0.001	Downgradient	NO
MW360	0.017	Downgradient	NO
MW363	0.001	Downgradient	NO
MW366	0.001	Sidegradient	NO
MW369	0.022	Upgradient	NO
MW372	0.001	Upgradient	NO

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Conductivity

URGA
UNITS: umho/cm

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW369

Date Collected	Result
3/18/2002	388.000
4/22/2002	404.000
7/15/2002	394.000
10/8/2002	403.000
1/8/2003	520.000
4/3/2003	487.000
7/8/2003	478.000
10/6/2003	476.000

Well Number: MW372

Date Collected	Result
3/19/2002	508.000
4/23/2002	501.000
7/16/2002	507.000
10/8/2002	495.000
1/7/2003	508.700
4/2/2003	515.000
7/9/2003	576.000
10/7/2003	565.000

Statistics on Background Data

X= 482.856
S= 57.603
CV= 0.119
K factor = 2.523**
TL= 628.189

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW357	435.00	Downgradient	NO
MW360	497.00	Downgradient	NO
MW363	375.00	Downgradient	NO
MW366	441.00	Sidegradient	NO
MW369	392.00	Upgradient	NO
MW372	759.00	Upgradient	YES

Conclusion of Statistical Analysis on Data

The following test well(s) exceeded the Upper Tolerance Limit, which is statistically significant evidence of elevated concentration with respect to background data.

MW372

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum } ((\text{background result} - X)^2) / (\text{count of background results} - 1)]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results}) / (\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Dissolved Oxygen

URGA
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW369

Date Collected	Result
3/18/2002	5.410
4/22/2002	1.570
7/15/2002	0.800
10/8/2002	1.090
1/8/2003	2.690
4/3/2003	2.040
7/8/2003	1.190
10/6/2003	1.780

Well Number: MW372

Date Collected	Result
3/19/2002	3.890
4/23/2002	0.050
7/16/2002	1.330
10/8/2002	2.660
1/7/2003	0.400
4/2/2003	0.910
7/9/2003	1.420
10/7/2003	1.260

Statistics on Background Data

X= 1.781
S= 1.351
CV= 0.759
K factor = 2.523**
TL= 5.190

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW357	3.370	Downgradient	NO
MW360	1.370	Downgradient	NO
MW363	2.930	Downgradient	NO
MW366	2.280	Sidegradient	NO
MW369	0.940	Upgradient	NO
MW372	0.750	Upgradient	NO

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Dissolved Solids

URGA
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW369

Date Collected	Result
3/18/2002	173.000
4/22/2002	246.000
7/15/2002	232.000
10/8/2002	275.000
1/8/2003	269.000
4/3/2003	250.000
7/8/2003	295.000
10/6/2003	276.000

Well Number: MW372

Date Collected	Result
3/19/2002	295.000
4/23/2002	322.000
7/16/2002	329.000
10/8/2002	290.000
1/7/2003	316.000
4/2/2003	311.000
7/9/2003	347.000
10/7/2003	337.000

Statistics on Background Data

X= 285.188
S= 44.908
CV= 0.157
K factor = 2.523**
TL= 398.489

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW357	249.00	Downgradient	NO
MW360	273.00	Downgradient	NO
MW363	215.00	Downgradient	NO
MW366	246.00	Sidegradient	NO
MW369	216.00	Upgradient	NO
MW372	455.00	Upgradient	YES

Conclusion of Statistical Analysis on Data

The following test well(s) exceeded the Upper Tolerance Limit, which is statistically significant evidence of elevated concentration with respect to background data.

MW372

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Iron

URGA
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW369

Date Collected	Result
3/18/2002	0.656
4/22/2002	0.695
7/15/2002	7.100
10/8/2002	21.500
1/8/2003	18.500
4/3/2003	14.900
7/8/2003	11.300
10/6/2003	14.900

Well Number: MW372

Date Collected	Result
3/19/2002	5.950
4/23/2002	0.792
7/16/2002	1.780
10/8/2002	0.776
1/7/2003	3.550
4/2/2003	5.020
7/9/2003	10.000
10/7/2003	0.733

Statistics on Background Data

X= 7.385
S= 6.991
CV= 0.947
K factor = 2.523**
TL= 25.024

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW357	0.100	Downgradient	NO
MW360	2.930	Downgradient	NO
MW363	0.314	Downgradient	NO
MW366	0.100	Sidegradient	NO
MW369	1.910	Upgradient	NO
MW372	0.436	Upgradient	NO

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Magnesium

URGA
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW369

Date Collected	Result
3/18/2002	11.400
4/22/2002	12.000
7/15/2002	10.000
10/8/2002	8.620
1/8/2003	7.890
4/3/2003	7.970
7/8/2003	10.300
10/6/2003	9.140

Well Number: MW372

Date Collected	Result
3/19/2002	15.700
4/23/2002	16.600
7/16/2002	15.400
10/8/2002	15.800
1/7/2003	15.800
4/2/2003	16.400
7/9/2003	15.200
10/7/2003	17.600

Statistics on Background Data

X= 12.864
S= 3.505
CV= 0.272
K factor = 2.523**
TL= 21.707

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result > TL?
MW357	11.300	Downgradient	NO
MW360	9.550	Downgradient	NO
MW363	9.540	Downgradient	NO
MW366	11.200	Sidegradient	NO
MW369	9.540	Upgradient	NO
MW372	12.800	Upgradient	NO

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Manganese

URGA
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW369

Date Collected	Result
3/18/2002	0.034
4/22/2002	0.062
7/15/2002	0.436
10/8/2002	0.867
1/8/2003	0.828
4/3/2003	0.672
7/8/2003	0.321
10/6/2003	0.714

Well Number: MW372

Date Collected	Result
3/19/2002	0.205
4/23/2002	0.345
7/16/2002	0.210
10/8/2002	0.054
1/7/2003	0.537
4/2/2003	0.415
7/9/2003	0.654
10/7/2003	0.254

Statistics on Background Data

X= 0.413
S= 0.274
CV= 0.664
K factor = 2.523**
TL= 1.105

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW357	0.005	Downgradient	NO
MW360	0.173	Downgradient	NO
MW363	0.157	Downgradient	NO
MW366	0.010	Sidegradient	NO
MW369	0.206	Upgradient	NO
MW372	0.007	Upgradient	NO

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

**C-746-U First Quarter 2014 Statistical Analysis
Nickel****URGA
UNITS: mg/L**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

**Background Data from
Upgradient Wells**

Well Number: MW369

Date Collected	Result
3/18/2002	0.050
4/22/2002	0.050
7/15/2002	0.050
10/8/2002	0.005
1/8/2003	0.005
4/3/2003	0.005
7/8/2003	0.013
10/6/2003	0.010

**Statistics on
Background Data**

X= 0.024
S= 0.021
CV= 0.910
K factor = 2.523**
TL= 0.078

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

Well Number: MW372

Date Collected	Result
3/19/2002	0.050
4/23/2002	0.050
7/16/2002	0.050
10/8/2002	0.005
1/7/2003	0.005
4/2/2003	0.005
7/9/2003	0.019
10/7/2003	0.005

**First Quarter 2014 Data Collected in
January 2014**

Well No.	Result	Gradient	Result >TL?
MW357	0.005	Downgradient	NO
MW360	0.005	Downgradient	NO
MW363	0.005	Downgradient	NO
MW366	0.005	Sidegradient	NO
MW369	0.007	Upgradient	NO
MW372	0.005	Upgradient	NO

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Oxidation-Reduction Potential

URGA
UNITS: mV

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells		Statistics on Background Data	Transformed Background Data from Upgradient Wells	
Well Number:	MW369	X= 74.563 S= 94.243 CV= 1.264 K factor** = 2.523 TL= 312.337	Well Number:	MW369
Date Collected	Result		Date Collected	LN(Result)
3/18/2002	215.000		3/18/2002	5.371
4/22/2002	110.000		4/22/2002	4.700
7/15/2002	20.000		7/15/2002	2.996
1/8/2003	-5.000		1/8/2003	#Func!
4/3/2003	-18.000		4/3/2003	#Func!
7/8/2003	-67.000		7/8/2003	#Func!
10/6/2003	-1.000		10/6/2003	#Func!
1/7/2004	55.000		1/7/2004	4.007
Well Number:	MW372	X = error S = error CV = error K factor** = 2.523 TL# = 5.371	Well Number:	MW372
Date Collected	Result		Date Collected	LN(Result)
3/19/2002	210.000		3/19/2002	5.347
4/23/2002	65.000		4/23/2002	4.174
7/16/2002	215.000		7/16/2002	5.371
10/8/2002	185.000		10/8/2002	5.220
1/7/2003	45.000		1/7/2003	3.807
4/2/2003	65.000		4/2/2003	4.174
7/9/2003	-39.000		7/9/2003	#Func!
10/7/2003	138.000		10/7/2003	4.927

Because CV is greater than 1, the natural logarithm of background and test well results were calculated.

Because the natural log was not possible for all background values, the TL was considered equal to the maximum background value.

First Quarter 2014 Data Collected in January 2014				Transformed First Quarter 2014 Data Collected in January 2014		
Well No.	Result	Gradient	Result >TL?	Well Number	LN(Result)	Result >TL?
MW357	782.000	Downgradient	N/A	MW357	6.662	YES
MW360	631.000	Downgradient	N/A	MW360	6.447	YES
MW363	428.000	Downgradient	N/A	MW363	6.059	YES
MW366	409.000	Sidegradient	N/A	MW366	6.014	YES
MW369	438.000	Upgradient	N/A	MW369	6.082	YES
MW372	740.000	Upgradient	N/A	MW372	6.607	YES

Conclusion of Statistical Analysis on Transformed Data	
The following test well(s) exceeded the Upper Tolerance Limit, which is statistically significant evidence of elevated concentration with respect to background data.	
MW357	
MW360	
MW363	
MW366	

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis
Oxidation-Reduction Potential (Continued)

URGA
UNITS: mV

MW369

MW372

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum } ((\text{background result} - X)^2) / (\text{count of background results} - 1)]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results}) / (\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis PCB, total

URGA
UNITS: ug/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW369

Date Collected	Result
3/18/2002	1.000
4/22/2002	0.170
7/15/2002	0.170
7/8/2003	1.150
10/6/2003	0.605
7/13/2004	0.420
7/20/2005	0.280
4/4/2006	0.230

Well Number: MW372

Date Collected	Result
3/19/2002	1.000
4/23/2002	0.170
7/16/2002	0.170
7/9/2003	0.170
10/7/2003	0.170
7/14/2004	0.180
7/21/2005	0.170
4/5/2006	0.180

Statistics on Background Data

X= 0.390
S= 0.350
CV= 0.897
K factor** = 2.523
TL= 1.272

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW357	0.170	Downgradient	NO
MW360	0.170	Downgradient	NO
MW363	0.180	Downgradient	NO
MW366	0.170	Sidegradient	NO
MW369	0.170	Upgradient	NO
MW372	0.170	Upgradient	NO

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis PCB-1242

URGA
UNITS: ug/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells		Statistics on Background Data	Transformed Background Data from Upgradient Wells	
Well Number: MW369		X= 0.281 S= 0.383 CV= 1.361 K factor** = 2.523 TL= 1.247	Well Number: MW369	
Date Collected	Result		Date Collected	LN(Result)
3/18/2002	1.000		3/18/2002	0.000
4/22/2002	0.110		4/22/2002	-2.207
7/15/2002	0.110		7/15/2002	-2.207
7/8/2003	1.150		7/8/2003	0.140
10/6/2003	0.090		10/6/2003	-2.408
7/13/2004	0.100		7/13/2004	-2.303
7/20/2005	0.100		7/20/2005	-2.303
4/4/2006	0.100		4/4/2006	-2.303
Well Number: MW372		X= -1.835 S= 0.938 CV= -0.511 K factor** = 2.523 TL= 0.532	Well Number: MW372	
Date Collected	Result		Date Collected	LN(Result)
3/19/2002	1.000		3/19/2002	0.000
4/23/2002	0.110		4/23/2002	-2.207
7/16/2002	0.110		7/16/2002	-2.207
7/9/2003	0.130		7/9/2003	-2.040
10/7/2003	0.090		10/7/2003	-2.408
7/14/2004	0.100		7/14/2004	-2.303
7/21/2005	0.100		7/21/2005	-2.303
4/5/2006	0.100		4/5/2006	-2.303

Because CV is greater than 1, the natural logarithm of background and test well results were calculated.

First Quarter 2014 Data Collected in January 2014				Transformed First Quarter 2014 Data Collected in January 2014		
Well No.	Result	Gradient	Result >TL?	Well Number	LN(Result)	Result >TL?
MW357	0.100	Downgradient	N/A	MW357	-2.303	NO
MW360	0.100	Downgradient	N/A	MW360	-2.303	NO
MW363	0.180	Downgradient	N/A	MW363	-1.715	NO
MW366	0.100	Sidegradient	N/A	MW366	-2.303	NO
MW369	0.100	Upgradient	N/A	MW369	-2.303	NO
MW372	0.100	Upgradient	N/A	MW372	-2.303	NO

Conclusion of Statistical Analysis on Transformed Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis pH

URGA
UNITS: Std Unit

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL and LL. If the test well result exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Background Data from Upgradient Wells

Well Number: MW369

Date Collected	Result
3/18/2002	6.100
4/22/2002	6.100
7/15/2002	6.100
10/8/2002	6.500
1/8/2003	6.500
4/3/2003	6.600
7/8/2003	6.500
10/6/2003	6.500

Well Number: MW372

Date Collected	Result
3/19/2002	6.100
4/23/2002	6.120
7/16/2002	6.100
10/8/2002	6.060
1/7/2003	6.260
4/2/2003	6.150
7/9/2003	6.300
10/7/2003	6.400

Statistics on Background Data

X= 6.274
S= 0.194
CV= 0.031
K factor = 2.904**
TL= 6.837
LL= 5.711

Because CV is less than or equal to 1, assume normal distribution and continue with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?	Result <LL?
MW357	6.460	Downgradient	NO	NO
MW360	6.320	Downgradient	NO	NO
MW363	6.540	Downgradient	NO	NO
MW366	6.170	Sidegradient	NO	NO
MW369	6.220	Upgradient	NO	NO
MW372	6.440	Upgradient	NO	NO

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit or were less than the Lower Tolerance Limit, which is statistically significant evidence that these wells have no deviated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** The K-factor was adjusted for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K- factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U First Quarter 2014 Statistical Analysis Potassium

URGA
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW369

Date Collected	Result
3/18/2002	2.000
4/22/2002	2.210
7/15/2002	2.000
10/8/2002	0.966
1/8/2003	0.727
4/3/2003	0.800
7/8/2003	1.620
10/6/2003	1.140

Well Number: MW372

Date Collected	Result
3/19/2002	2.040
4/23/2002	2.030
7/16/2002	2.000
10/8/2002	1.540
1/7/2003	1.880
4/2/2003	2.090
7/9/2003	1.780
10/7/2003	1.790

Statistics on Background Data

X= 1.663
S= 0.488
CV= 0.293
K factor = 2.523**
TL= 2.895

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW357	1.810	Downgradient	NO
MW360	1.110	Downgradient	NO
MW363	1.380	Downgradient	NO
MW366	1.920	Sidegradient	NO
MW369	2.790	Upgradient	NO
MW372	0.364	Upgradient	NO

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Sodium

URGA
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW369

Date Collected	Result
3/18/2002	35.700
4/22/2002	37.600
7/15/2002	42.400
10/8/2002	66.900
1/8/2003	67.900
4/3/2003	61.800
7/8/2003	45.600
10/6/2003	59.100

Well Number: MW372

Date Collected	Result
3/19/2002	37.200
4/23/2002	38.600
7/16/2002	35.600
10/8/2002	37.500
1/7/2003	34.100
4/2/2003	34.400
7/9/2003	44.100
10/7/2003	43.100

Statistics on Background Data

X= 45.100
S= 11.875
CV= 0.263
K factor = 2.523**
TL= 75.061

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW357	39.900	Downgradient	NO
MW360	63.700	Downgradient	NO
MW363	32.900	Downgradient	NO
MW366	40.700	Sidegradient	NO
MW369	30.600	Upgradient	NO
MW372	123.00	Upgradient	YES

Conclusion of Statistical Analysis on Data

The following test well(s) exceeded the Upper Tolerance Limit, which is statistically significant evidence of elevated concentration with respect to background data.

MW372

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Sulfate

URGA
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW369

Date Collected	Result
3/18/2002	15.500
4/22/2002	15.800
7/15/2002	13.800
10/8/2002	6.900
1/8/2003	10.500
4/3/2003	10.500
7/8/2003	10.900
10/6/2003	16.300

Well Number: MW372

Date Collected	Result
3/19/2002	71.700
4/23/2002	74.700
7/16/2002	74.100
10/8/2002	70.500
1/7/2003	75.800
4/2/2003	81.800
7/9/2003	83.600
10/7/2003	88.100

Statistics on Background Data

X= 45.031
S= 33.919
CV= 0.753
K factor = 2.523**
TL= 130.609

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result > TL?
MW357	62.000	Downgradient	NO
MW360	41.000	Downgradient	NO
MW363	22.000	Downgradient	NO
MW366	43.000	Sidegradient	NO
MW369	8.100	Upgradient	NO
MW372	140.00	Upgradient	YES

Conclusion of Statistical Analysis on Data

The following test well(s) exceeded the Upper Tolerance Limit, which is statistically significant evidence of elevated concentration with respect to background data.

MW372

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Technetium-99

URGA
UNITS: pCi/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW369

Date Collected	Result
3/18/2002	41.700
4/22/2002	53.100
7/15/2002	18.100
10/8/2002	16.400
1/8/2003	3.490
4/3/2003	9.340
7/8/2003	17.500
10/6/2003	17.000

Well Number: MW372

Date Collected	Result
3/19/2002	44.800
4/23/2002	0.802
7/16/2002	19.800
10/8/2002	46.100
1/7/2003	-0.973
4/2/2003	9.070
7/9/2003	0.000
10/7/2003	36.900

Statistics on Background Data

X= 20.821
S= 18.044
CV= 0.867
K factor** = 2.523
TL= 66.344

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result > TL?
MW357	30.400	Downgradient	NO
MW360	9.820	Downgradient	NO
MW363	6.460	Downgradient	NO
MW366	46.100	Sidegradient	NO
MW369	25.300	Upgradient	NO
MW372	131.00	Upgradient	YES

Conclusion of Statistical Analysis on Data

The following test well(s) exceeded the Upper Tolerance Limit, which is statistically significant evidence of elevated concentration with respect to background data.

MW372

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Total Organic Carbon (TOC)

URGA
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells		Statistics on Background Data	Transformed Background Data from Upgradient Wells	
Well Number: MW369			Well Number: MW369	
Date Collected	Result	X= 3.513 S= 4.307 CV= 1.226 K factor** = 2.523 TL= 14.378	Date Collected	LN(Result)
3/18/2002	1.700		3/18/2002	0.531
4/22/2002	1.600		4/22/2002	0.470
7/15/2002	3.100		7/15/2002	1.131
10/8/2002	17.700		10/8/2002	2.874
1/8/2003	9.000		1/8/2003	2.197
4/3/2003	4.000		4/3/2003	1.386
7/8/2003	4.900		7/8/2003	1.589
10/6/2003	2.400	Because CV is greater than 1, the natural logarithm of background and test well results were calculated.	10/6/2003	0.875
Well Number: MW372			Well Number: MW372	
Date Collected	Result		Date Collected	LN(Result)
3/19/2002	1.000		3/19/2002	0.000
4/23/2002	1.200		4/23/2002	0.182
7/16/2002	1.000		7/16/2002	0.000
10/8/2002	1.000		10/8/2002	0.000
1/7/2003	1.600		1/7/2003	0.470
4/2/2003	1.500		4/2/2003	0.405
7/9/2003	3.000		7/9/2003	1.099
10/7/2003	1.500		10/7/2003	0.405
			Statistics on Transformed Background Data	

First Quarter 2014 Data Collected in January 2014				Transformed First Quarter 2014 Data Collected in January 2014		
Well No.	Result	Gradient	Result >TL?	Well Number	LN(Result)	Result >TL?
MW357	1.000	Downgradient	N/A	MW357	0.000	NO
MW360	1.900	Downgradient	N/A	MW360	0.642	NO
MW363	1.000	Downgradient	N/A	MW363	0.000	NO
MW366	1.000	Sidegradient	N/A	MW366	0.000	NO
MW369	1.900	Upgradient	N/A	MW369	0.642	NO
MW372	1.000	Upgradient	N/A	MW372	0.000	NO

Conclusion of Statistical Analysis on Transformed Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum } ((\text{background result} - X)^2) / (\text{count of background results} - 1)]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results}) / (\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Total Organic Halides (TOX)

URGA
UNITS: ug/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW369

Date Collected	Result
3/18/2002	50.000
4/22/2002	50.000
7/15/2002	81.000
10/8/2002	202.000
1/8/2003	177.000
4/3/2003	93.100
7/8/2003	17.500
10/6/2003	37.500

Well Number: MW372

Date Collected	Result
3/19/2002	184.000
4/23/2002	50.000
7/16/2002	50.000
10/8/2002	50.000
1/7/2003	10.000
4/2/2003	12.700
7/9/2003	10.000
10/7/2003	12.600

Statistics on Background Data

X= 67.963
S= 64.316
CV= 0.946
K factor** = 2.523
TL= 230.231

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result > TL?
MW357	10.000	Downgradient	NO
MW360	25.000	Downgradient	NO
MW363	10.000	Downgradient	NO
MW366	14.000	Sidegradient	NO
MW369	50.000	Upgradient	NO
MW372	19.000	Upgradient	NO

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Aluminum

LRGA
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells		Statistics on Background Data	Transformed Background Data from Upgradient Wells	
Well Number: MW370		X= 2.026 S= 5.626 CV= 2.777 K factor** = 2.523 TL= 16.219	Well Number: MW370	
Date Collected	Result		Date Collected	LN(Result)
3/17/2002	4.660		3/17/2002	1.539
4/23/2002	0.200		4/23/2002	-1.609
7/15/2002	0.200		7/15/2002	-1.609
10/8/2002	0.200		10/8/2002	-1.609
1/8/2003	0.200		1/8/2003	-1.609
4/3/2003	0.200		4/3/2003	-1.609
7/9/2003	0.200		7/9/2003	-1.609
10/6/2003	0.200		10/6/2003	-1.609
Well Number: MW373		X= -0.803 S= 1.380 CV= -1.718 K factor** = 2.523 TL= 2.678	Well Number: MW373	
Date Collected	Result		Date Collected	LN(Result)
3/18/2002	22.700		3/18/2002	3.122
4/23/2002	1.460		4/23/2002	0.378
7/16/2002	0.253		7/16/2002	-1.374
10/8/2002	0.482		10/8/2002	-0.730
1/7/2003	0.608		1/7/2003	-0.498
4/2/2003	0.446		4/2/2003	-0.807
7/9/2003	0.200		7/9/2003	-1.609
10/7/2003	0.200		10/7/2003	-1.609

First Quarter 2014 Data Collected in January 2014				Transformed First Quarter 2014 Data Collected in January 2014		
Well No.	Result	Gradient	Result >TL?	Well Number	LN(Result)	Result >TL?
MW358	0.200	Downgradient	N/A	MW358	-1.609	NO
MW361	0.200	Downgradient	N/A	MW361	-1.609	NO
MW364	0.200	Downgradient	N/A	MW364	-1.609	NO
MW367	1.030	Sidegradient	N/A	MW367	0.030	NO
MW370	0.200	Upgradient	N/A	MW370	-1.609	NO
MW373	0.200	Upgradient	N/A	MW373	-1.609	NO

Conclusion of Statistical Analysis on Transformed Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Boron

LRGA
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW370

Date Collected	Result
3/17/2002	2.000
4/23/2002	2.000
7/15/2002	2.000
10/8/2002	0.200
1/8/2003	0.200
4/3/2003	0.200
7/9/2003	0.200
10/6/2003	0.200

Well Number: MW373

Date Collected	Result
3/18/2002	2.000
4/23/2002	2.000
7/16/2002	2.000
10/8/2002	0.790
1/7/2003	0.807
4/2/2003	1.130
7/9/2003	1.280
10/7/2003	1.240

Statistics on Background Data

X= 1.140
S= 0.780
CV= 0.684
K factor = 2.523**
TL= 3.108

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW358	0.370	Downgradient	NO
MW361	0.200	Downgradient	NO
MW364	0.200	Downgradient	NO
MW367	0.200	Sidegradient	NO
MW370	0.200	Upgradient	NO
MW373	1.730	Upgradient	NO

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Calcium

LRGA
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW370

Date Collected	Result
3/17/2002	34.800
4/23/2002	43.400
7/15/2002	33.200
10/8/2002	29.200
1/8/2003	31.300
4/3/2003	32.400
7/9/2003	22.900
10/6/2003	28.000

Well Number: MW373

Date Collected	Result
3/18/2002	61.900
4/23/2002	59.200
7/16/2002	47.600
10/8/2002	46.100
1/7/2003	49.200
4/2/2003	57.800
7/9/2003	52.700
10/7/2003	64.900

Statistics on Background Data

X= 43.413

S= 13.444

CV= 0.310

K factor = 2.523**

TL= 77.331

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW358	36.500	Downgradient	NO
MW361	31.200	Downgradient	NO
MW364	28.900	Downgradient	NO
MW367	1.000	Sidegradient	NO
MW370	75.800	Upgradient	NO
MW373	61.100	Upgradient	NO

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

**C-746-U First Quarter 2014 Statistical Analysis
Chloride****LRGA
UNITS: mg/L**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

**Background Data from
Upgradient Wells**

Well Number: MW370

Date Collected	Result
----------------	--------

7/15/2002 55.500

10/8/2002 53.600

1/8/2003 52.900

4/3/2003 53.600

7/9/2003 51.900

10/6/2003 53.000

1/7/2004 53.000

4/7/2004 51.600

Well Number: MW373

Date Collected	Result
----------------	--------

7/16/2002 40.600

10/8/2002 38.800

1/7/2003 39.000

4/2/2003 38.400

7/9/2003 38.100

10/7/2003 38.000

1/6/2004 37.900

4/7/2004 38.800

**Statistics on
Background Data****X= 45.919****S= 7.524****CV= 0.164****K factor** = 2.523****TL= 64.901**

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

**First Quarter 2014 Data Collected in
January 2014**

Well No.	Result	Gradient	Result >TL?
----------	--------	----------	-------------

MW358 35.000 Downgradient NO

MW361 32.000 Downgradient NO

MW364 32.000 Downgradient NO

MW367 32.000 Sidegradient NO

MW370 42.000 Upgradient NO

MW373 46.000 Upgradient NO

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Cobalt

LRGA
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells		Statistics on Background Data	Transformed Background Data from Upgradient Wells	
Well Number: MW370		X= 0.027 S= 0.032 CV= 1.165 K factor** = 2.523 TL= 0.108	Well Number: MW370	
Date Collected	Result		Date Collected	LN(Result)
3/17/2002	0.025		3/17/2002	-3.689
4/23/2002	0.025		4/23/2002	-3.689
7/15/2002	0.025		7/15/2002	-3.689
10/8/2002	0.017		10/8/2002	-4.051
1/8/2003	0.011		1/8/2003	-4.556
4/3/2003	0.009		4/3/2003	-4.677
7/9/2003	0.137		7/9/2003	-1.988
10/6/2003	0.046		10/6/2003	-3.073
Well Number: MW373		X= -4.058 S= 1.011 CV= -0.249 K factor** = 2.523 TL= -1.507	Well Number: MW373	
Date Collected	Result		Date Collected	LN(Result)
3/18/2002	0.025		3/18/2002	-3.689
4/23/2002	0.034		4/23/2002	-3.381
7/16/2002	0.025		7/16/2002	-3.689
10/8/2002	0.004		10/8/2002	-5.494
1/7/2003	0.003		1/7/2003	-5.672
4/2/2003	0.004		4/2/2003	-5.605
7/9/2003	0.041		7/9/2003	-3.206
10/7/2003	0.008		10/7/2003	-4.776

First Quarter 2014 Data Collected in January 2014				Transformed First Quarter 2014 Data Collected in January 2014		
Well No.	Result	Gradient	Result >TL?	Well Number	LN(Result)	Result >TL?
MW358	0.002	Downgradient	N/A	MW358	-6.171	NO
MW361	0.001	Downgradient	N/A	MW361	-6.908	NO
MW364	0.001	Downgradient	N/A	MW364	-6.908	NO
MW367	0.003	Sidegradient	N/A	MW367	-5.687	NO
MW370	0.001	Upgradient	N/A	MW370	-6.908	NO
MW373	0.001	Upgradient	N/A	MW373	-6.908	NO

Conclusion of Statistical Analysis on Transformed Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Conductivity

LRGA
UNITS: umho/cm

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW370

Date Collected	Result
3/17/2002	406.000
4/23/2002	543.000
7/15/2002	476.000
10/8/2002	441.000
1/8/2003	486.000
4/3/2003	466.000
7/9/2003	479.000
10/6/2003	435.000

Well Number: MW373

Date Collected	Result
3/18/2002	661.000
4/23/2002	801.000
7/16/2002	774.000
10/8/2002	680.000
1/7/2003	686.500
4/2/2003	763.000
7/9/2003	828.000
10/7/2003	814.000

Statistics on Background Data

X= 608.719
S= 156.157
CV= 0.257
K factor = 2.523**
TL= 1002.702

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW358	510.00	Downgradient	NO
MW361	481.00	Downgradient	NO
MW364	461.00	Downgradient	NO
MW367	355.00	Sidegradient	NO
MW370	421.00	Upgradient	NO
MW373	959.00	Upgradient	NO

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Dissolved Oxygen

LRGA
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW370

Date Collected	Result
3/17/2002	4.320
4/23/2002	1.240
7/15/2002	0.750
10/8/2002	0.940
1/8/2003	3.080
4/3/2003	1.450
7/9/2003	1.220
10/6/2003	1.070

Well Number: MW373

Date Collected	Result
3/18/2002	3.040
4/23/2002	0.030
7/16/2002	0.230
10/8/2002	0.860
1/7/2003	0.210
4/2/2003	1.190
7/9/2003	1.100
10/7/2003	1.460

Statistics on Background Data

X= 1.387
S= 1.153
CV= 0.831
K factor = 2.523**
TL= 4.295

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW358	0.530	Downgradient	NO
MW361	2.890	Downgradient	NO
MW364	2.390	Downgradient	NO
MW367	2.400	Sidegradient	NO
MW370	3.740	Upgradient	NO
MW373	0.790	Upgradient	NO

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Dissolved Solids

LRGA
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW370

Date Collected	Result
3/17/2002	236.000
4/23/2002	337.000
7/15/2002	266.000
10/8/2002	240.000
1/8/2003	282.000
4/3/2003	238.000
7/9/2003	248.000
10/6/2003	224.000

Well Number: MW373

Date Collected	Result
3/18/2002	427.000
4/23/2002	507.000
7/16/2002	464.000
10/8/2002	408.000
1/7/2003	404.000
4/2/2003	450.000
7/9/2003	487.000
10/7/2003	481.000

Statistics on Background Data

X= 356.188
S= 106.752
CV= 0.300
K factor = 2.523**
TL= 625.523

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW358	292.00	Downgradient	NO
MW361	275.00	Downgradient	NO
MW364	253.00	Downgradient	NO
MW367	206.00	Sidegradient	NO
MW370	221.00	Upgradient	NO
MW373	567.00	Upgradient	NO

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Iron

LRGA
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW370

Date Collected	Result
3/17/2002	9.340
4/23/2002	4.330
7/15/2002	3.520
10/8/2002	7.450
1/8/2003	7.040
4/3/2003	4.640
7/9/2003	15.800
10/6/2003	6.490

Well Number: MW373

Date Collected	Result
3/18/2002	37.600
4/23/2002	19.000
7/16/2002	10.700
10/8/2002	3.750
1/7/2003	3.870
4/2/2003	3.500
7/9/2003	7.720
10/7/2003	2.930

Statistics on Background Data

X= 9.230
S= 8.841
CV= 0.958
K factor = 2.523**
TL= 31.535

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW358	0.425	Downgradient	NO
MW361	0.100	Downgradient	NO
MW364	0.173	Downgradient	NO
MW367	1.430	Sidegradient	NO
MW370	0.100	Upgradient	NO
MW373	0.114	Upgradient	NO

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Magnesium

LRGA
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW370

Date Collected	Result
3/17/2002	12.100
4/23/2002	15.100
7/15/2002	12.400
10/8/2002	12.200
1/8/2003	11.500
4/3/2003	12.300
7/9/2003	10.000
10/6/2003	12.100

Well Number: MW373

Date Collected	Result
3/18/2002	24.800
4/23/2002	22.700
7/16/2002	18.800
10/8/2002	21.100
1/7/2003	19.900
4/2/2003	25.500
7/9/2003	23.300
10/7/2003	26.900

Statistics on Background Data

X= 17.544
S= 5.911
CV= 0.337
K factor = 2.523**
TL= 32.458

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result > TL?
MW358	14.800	Downgradient	NO
MW361	12.500	Downgradient	NO
MW364	11.300	Downgradient	NO
MW367	0.025	Sidegradient	NO
MW370	28.500	Upgradient	NO
MW373	22.500	Upgradient	NO

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Manganese

LRGA
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW370

Date Collected	Result
3/17/2002	0.244
4/23/2002	1.820
7/15/2002	1.220
10/8/2002	0.988
1/8/2003	0.729
4/3/2003	0.637
7/9/2003	2.510
10/6/2003	1.050

Well Number: MW373

Date Collected	Result
3/18/2002	0.355
4/23/2002	2.160
7/16/2002	1.390
10/8/2002	0.717
1/7/2003	0.587
4/2/2003	0.545
7/9/2003	1.760
10/7/2003	0.570

Statistics on Background Data

X= 1.080
S= 0.674
CV= 0.624
K factor = 2.523**
TL= 2.780

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW358	0.180	Downgradient	NO
MW361	0.005	Downgradient	NO
MW364	0.026	Downgradient	NO
MW367	1.290	Sidegradient	NO
MW370	0.005	Upgradient	NO
MW373	0.049	Upgradient	NO

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Oxidation-Reduction Potential

LRGA
UNITS: mV

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells		Statistics on Background Data	Transformed Background Data from Upgradient Wells	
Well Number: MW370		X= 46.688 S= 60.986 CV= 1.306 K factor** = 2.523 TL= 200.555	Well Number: MW370	
Date Collected	Result		Date Collected	LN(Result)
3/17/2002	140.000		3/17/2002	4.942
4/23/2002	-15.000		4/23/2002	#Func!
7/15/2002	5.000		7/15/2002	1.609
4/3/2003	49.000		4/3/2003	3.892
7/9/2003	-35.000		7/9/2003	#Func!
10/6/2003	40.000		10/6/2003	3.689
1/7/2004	101.000		1/7/2004	4.615
4/7/2004	105.000		4/7/2004	4.654
Well Number: MW373		X = error S = error CV = error K factor** = 2.523 TL# = 4.942	Well Number: MW373	
Date Collected	Result		Date Collected	LN(Result)
3/18/2002	140.000		3/18/2002	4.942
4/23/2002	-20.000		4/23/2002	#Func!
10/8/2002	10.000		10/8/2002	2.303
1/7/2003	10.000		1/7/2003	2.303
4/2/2003	67.000		4/2/2003	4.205
7/9/2003	-29.000		7/9/2003	#Func!
10/7/2003	127.000		10/7/2003	4.844
1/6/2004	52.000		1/6/2004	3.951

Because CV is greater than 1, the natural logarithm of background and test well results were calculated.

Because the natural log was not possible for all background values, the TL was considered equal to the maximum background value.

First Quarter 2014 Data Collected in January 2014				Transformed First Quarter 2014 Data Collected in January 2014		
Well No.	Result	Gradient	Result >TL?	Well Number	LN(Result)	Result >TL?
MW358	290.000	Downgradient	N/A	MW358	5.670	YES
MW361	787.000	Downgradient	N/A	MW361	6.668	YES
MW364	287.000	Downgradient	N/A	MW364	5.659	YES
MW367	314.000	Sidegradient	N/A	MW367	5.749	YES
MW370	443.000	Upgradient	N/A	MW370	6.094	YES
MW373	494.000	Upgradient	N/A	MW373	6.203	YES

Conclusion of Statistical Analysis on Transformed Data	
The following test well(s) exceeded the Upper Tolerance Limit, which is statistically significant evidence of elevated concentration with respect to background data.	
MW358	
MW361	
MW364	
MW367	

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis
Oxidation-Reduction Potential (Continued)

LRGA
UNITS: mV

MW370

MW373

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum } ((\text{background result} - X)^2) / (\text{count of background results} - 1)]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results}) / (\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis pH

LRGA
UNITS: Std Unit

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL and LL. If the test well result exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Background Data from Upgradient Wells

Well Number: MW370

Date Collected	Result
3/17/2002	6.300
4/23/2002	6.400
7/15/2002	6.300
10/8/2002	6.300
1/8/2003	6.400
4/3/2003	6.500
7/9/2003	6.300
10/6/2003	6.500

Well Number: MW373

Date Collected	Result
3/18/2002	6.000
4/23/2002	6.300
7/16/2002	6.450
10/8/2002	6.180
1/7/2003	6.350
4/2/2003	6.140
7/9/2003	6.100
10/7/2003	6.000

Statistics on Background Data

X= 6.283
S= 0.159
CV= 0.025
K factor = 2.904**
TL= 6.745
LL= 5.820

Because CV is less than or equal to 1, assume normal distribution and continue with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?	Result <LL?
MW358	6.390	Downgradient	NO	NO
MW361	6.160	Downgradient	NO	NO
MW364	6.280	Downgradient	NO	NO
MW367	5.990	Sidegradient	NO	NO
MW370	6.110	Upgradient	NO	NO
MW373	6.280	Upgradient	NO	NO

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit or were less than the Lower Tolerance Limit, which is statistically significant evidence that these wells have no deviated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** The K-factor was adjusted for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K- factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U First Quarter 2014 Statistical Analysis Potassium

LRGA
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW370

Date Collected	Result
3/17/2002	3.220
4/23/2002	3.430
7/15/2002	2.980
10/8/2002	2.460
1/8/2003	2.410
4/3/2003	2.430
7/9/2003	2.440
10/6/2003	2.480

Well Number: MW373

Date Collected	Result
3/18/2002	4.340
4/23/2002	3.040
7/16/2002	2.930
10/8/2002	2.300
1/7/2003	2.450
4/2/2003	2.700
7/9/2003	2.680
10/7/2003	2.880

Statistics on Background Data

X= 2.823
S= 0.522
CV= 0.185
K factor = 2.523**
TL= 4.139

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW358	2.490	Downgradient	NO
MW361	2.290	Downgradient	NO
MW364	2.060	Downgradient	NO
MW367	19.200	Sidegradient	YES
MW370	3.010	Upgradient	NO
MW373	2.420	Upgradient	NO

Conclusion of Statistical Analysis on Data

The following test well(s) exceeded the Upper Tolerance Limit, which is statistically significant evidence of elevated concentration with respect to background data.

MW367

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Sodium

LRGA
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW370

Date Collected	Result
3/17/2002	31.800
4/23/2002	50.000
7/15/2002	44.700
10/8/2002	40.000
1/8/2003	44.600
4/3/2003	41.900
7/9/2003	40.000
10/6/2003	38.100

Well Number: MW373

Date Collected	Result
3/18/2002	43.400
4/23/2002	79.800
7/16/2002	87.700
10/8/2002	61.600
1/7/2003	59.300
4/2/2003	62.100
7/9/2003	50.100
10/7/2003	49.600

Statistics on Background Data

X= 51.544
S= 15.227
CV= 0.295
K factor = 2.523**
TL= 89.962

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result > TL?
MW358	40.200	Downgradient	NO
MW361	42.000	Downgradient	NO
MW364	40.700	Downgradient	NO
MW367	12.900	Sidegradient	NO
MW370	62.900	Upgradient	NO
MW373	59.500	Upgradient	NO

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Sulfate

LRGA
UNITS: mg/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells		Statistics on Background Data	Transformed Background Data from Upgradient Wells	
Well Number: MW370		X= 122.381 S= 195.095 CV= 1.594 K factor** = 2.523 TL= 614.606	Well Number: MW370	
Date Collected	Result		Date Collected	LN(Result)
3/17/2002	17.400		3/17/2002	2.856
4/23/2002	37.900		4/23/2002	3.635
7/15/2002	15.700		7/15/2002	2.754
10/8/2002	13.400		10/8/2002	2.595
1/8/2003	14.400		1/8/2003	2.667
4/3/2003	18.100		4/3/2003	2.896
7/9/2003	9.600		7/9/2003	2.262
10/6/2003	16.500		10/6/2003	2.803
Well Number: MW373		X= 3.985 S= 1.323 CV= 0.332 K factor** = 2.523 TL= 7.322	Well Number: MW373	
Date Collected	Result		Date Collected	LN(Result)
3/18/2002	163.300		3/18/2002	5.096
4/23/2002	809.600		4/23/2002	6.697
7/16/2002	109.400		7/16/2002	4.695
10/8/2002	110.600		10/8/2002	4.706
1/7/2003	113.700		1/7/2003	4.734
4/2/2003	133.000		4/2/2003	4.890
7/9/2003	182.100		7/9/2003	5.205
10/7/2003	193.400		10/7/2003	5.265

First Quarter 2014 Data Collected in January 2014				Transformed First Quarter 2014 Data Collected in January 2014		
Well No.	Result	Gradient	Result >TL?	Well Number	LN(Result)	Result >TL?
MW358	87.000	Downgradient	N/A	MW358	4.466	NO
MW361	76.000	Downgradient	N/A	MW361	4.331	NO
MW364	64.000	Downgradient	N/A	MW364	4.159	NO
MW367	37.000	Sidegradient	N/A	MW367	3.611	NO
MW370	18.000	Upgradient	N/A	MW370	2.890	NO
MW373	190.000	Upgradient	N/A	MW373	5.247	NO

Conclusion of Statistical Analysis on Transformed Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Technetium-99

LRGA
UNITS: pCi/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells		Statistics on Background Data	Transformed Background Data from Upgradient Wells	
Well Number: MW370		X= 7.655 S= 13.274 CV= 1.734 K factor** = 2.523 TL= 41.146	Well Number: MW370	
Date Collected	Result		Date Collected	LN(Result)
3/17/2002	10.800		3/17/2002	2.380
4/23/2002	8.530		4/23/2002	2.144
7/15/2002	5.090		7/15/2002	1.627
10/8/2002	4.780		10/8/2002	1.564
1/8/2003	-5.120		1/8/2003	#Func!
4/3/2003	5.110		4/3/2003	1.631
7/9/2003	4.250		7/9/2003	1.447
10/6/2003	6.540		10/6/2003	1.878
Well Number: MW373		X = error S = error CV = error K factor** = 2.523 TL# = 3.833	Well Number: MW373	
Date Collected	Result		Date Collected	LN(Result)
3/18/2002	16.500		3/18/2002	2.803
4/23/2002	3.490		4/23/2002	1.250
7/16/2002	1.420		7/16/2002	0.351
10/8/2002	-6.060		10/8/2002	#Func!
1/7/2003	-8.410		1/7/2003	#Func!
4/2/2003	26.300		4/2/2003	3.270
7/9/2003	3.060		7/9/2003	1.118
10/7/2003	46.200		10/7/2003	3.833

Because CV is greater than 1, the natural logarithm of background and test well results were calculated.

Because the natural log was not possible for all background values, the TL was considered equal to the maximum background value.

First Quarter 2014 Data Collected in January 2014				Transformed First Quarter 2014 Data Collected in January 2014		
Well No.	Result	Gradient	Result >TL?	Well Number	LN(Result)	Result >TL?
MW358	26.500	Downgradient	N/A	MW358	3.277	NO
MW361	46.700	Downgradient	N/A	MW361	3.844	YES
MW364	47.600	Downgradient	N/A	MW364	3.863	YES
MW367	33.100	Sidegradient	N/A	MW367	3.500	NO
MW370	10.600	Upgradient	N/A	MW370	2.361	NO
MW373	37.800	Upgradient	N/A	MW373	3.632	NO

Conclusion of Statistical Analysis on Transformed Data	
The following test well(s) exceeded the Upper Tolerance Limit, which is statistically significant evidence of elevated concentration with respect to background data.	
MW361	
MW364	

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results

C-746-U First Quarter 2014 Statistical Analysis Total Organic Halides (TOX)

LRGA
UNITS: ug/L

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well.

Background Data from Upgradient Wells

Well Number: MW370

Date Collected	Result
3/17/2002	50.000
4/23/2002	228.000
7/15/2002	88.000
10/8/2002	58.000
1/8/2003	72.400
4/3/2003	26.600
7/9/2003	16.400
10/6/2003	31.100

Well Number: MW373

Date Collected	Result
3/18/2002	50.000
4/23/2002	276.000
7/16/2002	177.000
10/8/2002	76.000
1/7/2003	45.900
4/2/2003	57.800
7/9/2003	10.000
10/7/2003	13.900

Statistics on Background Data

X= 79.819
S= 78.470
CV= 0.983
K factor = 2.523**
TL= 277.798

Because CV is less than or equal to 1,
assume normal distribution and continue
with statistical analysis.

First Quarter 2014 Data Collected in January 2014

Well No.	Result	Gradient	Result >TL?
MW358	17.000	Downgradient	NO
MW361	15.000	Downgradient	NO
MW364	15.000	Downgradient	NO
MW367	15.000	Sidegradient	NO
MW370	12.000	Upgradient	NO
MW373	19.000	Upgradient	NO

Conclusion of Statistical Analysis on Data

None of the test wells exceeded the Upper Tolerance Limit, which is statistically significant evidence that these wells have no elevated concentrations with respect to background data.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities*, Interim Guidance, EPA, 1989, based on total number of background results



April 17th, 2014

Mr. Craig Jones
LATA Environmental Services of Kentucky, LLC
761 Veterans Avenue
Kevil, Kentucky 42053


Dear Mr. Jones:

This statement is submitted in response to your request that it be included with the completed statistical analysis that I have performed on the groundwater data for the C-746-S&T and C-746-U Landfills at the Paducah Gaseous Diffusion Plant.

As a Chemist, with a Bachelor of Science degree in chemistry and a minor in mathematics, I have over two years of experience in reviewing and assessing laboratory analytical results associated with environmental sampling and investigation activities. For the generation of these statistical analyses, my work was observed and reviewed by a senior chemist with LATA.

For this project, the statistical analyses conducted on the first quarter 2014 monitoring well data collected from the C-746-S&T and C-746-U Landfills were performed in accordance with guidance provided in the U.S. Environmental Protection Agency guidance document, *EPA Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities, Interim Final Guidance* (1989). For pH, an additional lower tolerance interval was established. For pH only, the test well data was compared to both the upper and lower tolerance intervals to determine if statistically significant deviations in concentration with respect to upgradient well exist.

Sincerely,



Cory Tackett
LATA Project Chemist

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX E

GROUNDWATER FLOW RATE AND DIRECTION

THIS PAGE INTENTIONALLY LEFT BLANK

GROUNDWATER FLOW RATE AND DIRECTION

Determination of groundwater flow rate and direction of flow in the uppermost aquifer whenever the monitoring wells (MWs) are sampled is a requirement of 401 KAR 48.300, Section 11. The uppermost aquifer below C-746-U Landfill is the Regional Gravel Aquifer (RGA). Water level measurements currently are recorded in several wells at the landfill on a quarterly basis. These measurements were used to plot the potentiometric surface of the RGA for the first quarter 2014 and determine groundwater flow rate and direction.

Water levels during this reporting period were measured on January 30, 2014. As shown on Figure E.1, all Upper Continental Recharge System (UCRS) wells but MW376 and MW377 had sufficient water to permit water level measurement during this reporting period. Many UCRS wells (MW359, MW362, MW365, MW368, MW376, and MW377) had insufficient water to permit sampling.

The UCRS has a strong vertical hydraulic gradient; therefore, the available UCRS wells screened over different elevations are not sufficient for mapping the potentiometric surface. As shown in Table E.1, the RGA data were converted to elevations to plot the potentiometric surfaces within the Upper Regional Gravel Aquifer (URGA) and Lower Regional Gravel Aquifer (LRGA). (At the request of the Commonwealth of Kentucky, the RGA is differentiated into two zones, the URGA and LRGA.) Based on the potentiometric maps at the C-746-U Landfill (Figures E.2 and E.3), the hydraulic gradient for the URGA was 3.72×10^{-4} ft/ft, and the hydraulic gradient for the LRGA was 3.70×10^{-4} ft/ft. Water level measurements in wells at the C-746-U Landfill and in wells of the surrounding region (MW98, MW100, MW125, MW139, MW173, MW193, MW197, and MW200), along with the C-746-S&T Landfill wells, were used to contour the general RGA potentiometric surface (Figure E.4). The hydraulic gradient for the RGA, as a whole, in the vicinity of the C-746-U Landfill was 1.90×10^{-4} ft/ft. The hydraulic gradients are shown in Table E.2.

The average linear groundwater flow velocity (v) is determined by multiplying the hydraulic gradient (i) by the hydraulic conductivity (K) [resulting in the specific discharge (q)] and dividing by the effective porosity (n_e). The RGA hydraulic conductivity values used are reported in the Administrative Application for the Solid Waste Landfill Permit No. 073-00045 and range from 425 to 725 ft/day (0.150 to 0.256 cm/s). RGA (both URGA and LRGA) effective porosity is assumed to be 25%. Flow velocities were calculated for the URGA and LRGA using the low and high values for hydraulic conductivity, as shown in the Table E.3.

Groundwater flow beneath the C-746-U Landfill typically trends northeastward toward the Ohio River. In January, groundwater flow was northeastward with the regional flow.






Table E.1. C-746-U Landfill First Quarter 2014 (January) Water Levels

C-746-U Landfill (January 2014) Water Levels										
Date	Time	Well	Aquifer	Datum Elev (ft amsl)	BP (in Hg)	Delta BP (ft H ₂ O)	Raw Data		*Corrected Data	
							DTW (ft)	Elev (ft amsl)	DTW (ft)	Elev (ft amsl)
1/30/2014	9:41	MW357	URGA	368.90	30.18	0.00	45.56	323.34	45.56	323.34
1/30/2014	9:43	MW358	LRGA	369.05	30.18	0.00	45.71	323.34	45.71	323.34
1/30/2014	9:42	MW359	UCRS	369.07	30.18	0.00	39.01	330.06	39.01	330.06
1/30/2014	9:38	MW360	URGA	362.20	30.18	0.00	38.91	323.29	38.91	323.29
1/30/2014	9:36	MW361	LRGA	361.47	30.18	0.00	38.16	323.31	38.16	323.31
1/30/2014	9:37	MW362	UCRS	361.95	30.18	0.00	27.75	334.20	27.75	334.20
1/30/2014	9:23	MW363	URGA	368.68	30.18	0.00	45.46	323.22	45.46	323.22
1/30/2014	9:25	MW364	LRGA	367.63	30.18	0.00	44.45	323.18	44.45	323.18
1/30/2014	9:24	MW365	UCRS	368.27	30.18	0.00	39.39	328.88	39.39	328.88
1/30/2014	9:32	MW366	URGA	369.06	30.18	0.00	45.79	323.27	45.79	323.27
1/30/2014	9:30	MW367	LRGA	369.45	30.18	0.00	43.21	326.24	43.21	326.24
1/30/2014	9:31	MW368	UCRS	369.14	30.18	0.00	46.19	322.95	46.19	322.95
1/30/2014	8:55	MW369	URGA	364.28	30.18	0.00	40.31	323.97	40.31	323.97
1/30/2014	8:59	MW370	LRGA	365.15	30.18	0.00	41.2	323.95	41.20	323.95
1/30/2014	8:57	MW371	UCRS	364.71	30.18	0.00	25.14	339.57	25.14	339.57
1/30/2014	9:00	MW372	URGA	359.49	30.18	0.00	35.51	323.98	35.51	323.98
1/30/2014	9:02	MW373	LRGA	359.79	30.18	0.00	35.82	323.97	35.82	323.97
1/30/2014	9:01	MW374	UCRS	359.50	30.18	0.00	26.04	333.46	26.04	333.46
1/30/2014	9:13	MW375	UCRS	370.24	30.18	0.00	35.44	334.80	35.44	334.80
1/30/2014	9:11	MW376	UCRS	370.44	30.18	0.00	DRY	ND	DRY	ND
1/30/2014	9:04	MW377	UCRS	365.76	30.18	0.00	DRY	ND	DRY	ND
<div>Initial Barometric Pressure 30.18</div> <div>Elev = elevation</div> <div>amsl = above mean sea level</div> <div>BP = barometric pressure</div> <div>DTW = depth to water in feet below datum</div> <div>URGA = Upper Regional Gravel Aquifer</div> <div>LRGA = Lower Regional Gravel Aquifer</div> <div>UCRS = Upper Continental Recharge System</div> <div>ND = No Data acquired</div> <div>*Assumes a barometric efficiency of 1.0</div>										








Table E.2. C-746-U Landfill Hydraulic Gradients

	ft/ft
Beneath Landfill—Upper RGA	3.72×10^{-4}
Beneath Landfill—Lower RGA	3.70×10^{-4}
Vicinity	1.90×10^{-4}

Table E.3. C-746-U Landfill Groundwater Flow Rate

Hydraulic Conductivity (K)		Specific Discharge (q)		Average Linear Velocity (v)	
ft/day	cm/s	ft/day	cm/s	ft/day	cm/s
<u>Upper RGA</u>					
725	0.256	0.27	9.52×10^{-5}	1.08	3.81×10^{-4}
425	0.150	0.16	5.58×10^{-5}	0.63	2.23×10^{-4}
<u>Lower RGA</u>					
725	0.256	0.27	9.48×10^{-5}	1.07	3.79×10^{-4}
425	0.150	0.16	5.56×10^{-5}	0.63	2.22×10^{-4}

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX F
NOTIFICATIONS

THIS PAGE INTENTIONALLY LEFT BLANK

NOTIFICATIONS

In accordance with 401 KAR 48:300, Section 7, the notification for parameters that exceed the maximum contaminant level (MCL) has been submitted to the Kentucky Division of Waste Management. The notification for parameters that had statistically significant increased concentrations relative to background concentrations is provided below.

Statistical Analysis of Parameters Notification

The statistical analyses conducted on the first quarter 2014 groundwater data collected from the C-746-U Landfill monitoring wells (MWs) were performed in accordance with Permit Condition GSTR0001, Standard Requirement 3, using the U.S. Environmental Protection Agency guidance document, *EPA Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Final Guidance* (1989), with the exception of pH. The method for conducting the statistical analysis of pH was selected by the project statistician.

The following are the parameters in 40 CFR § 302.4, Appendix A, which had statistically significant increased concentrations relative to background concentrations.

<u>Parameter</u>	<u>Monitoring Well</u>
<i>Upper Continental Recharge System</i>	
None	
<i>Upper Regional Gravel Aquifer</i>	
Sodium	MW372
Technetium-99	MW372
<i>Lower Regional Gravel Aquifer</i>	
Technetium-99	MW361, MW364

NOTE: Although technetium-99 is not cited in 40 CFR § 302.4, Appendix A, this radionuclide is being reported along with the parameters of this regulation.

MCL Notification

A notification was submitted for parameters that exceeded the MCL. The parameters submitted are listed on the following page.

3/10/2014

**LATA Environmental Services of Kentucky
PROJECT ENVIRONMENTAL MEASUREMENTS SYSTEM
C-746-U LANDFILL
PERMIT NUMBER 073-00045
MAXIMUM CONTAMINANT LIMIT (MCL) EXCEEDANCE REPORT
Quarterly Groundwater Sampling**

AKGWA	Station	Analysis	Method	Results	Units	MCL
8004-4798	MW357	Trichloroethene	8260B/OA7302E	5.6	ug/L	5
8004-4799	MW358	Trichloroethene	8260B/OA7302E	5.8	ug/L	5
8004-4808	MW372	Beta activity	9310/RL7111	102	pCi/L	50
		Trichloroethene	8260B/OA7302E	6.9	ug/L	5
8004-4792	MW373	Trichloroethene	8260B/OA7302E	6.4	ug/L	5

NOTE 1: These limits are defined in 401 KAR 47:030.

NOTE 2: MW370, MW372, and MW373 are down-gradient wells for the C-746-S and C-746-T Landfills and upgradient for the the C-746-U Landfill. These wells are sampled with the C-746-U Landfill monitoring well network. These wells are reported on the exceedance reports for C-746-S, C-746-T, and C-746-U.

APPENDIX G

CHART OF MCL EXCEEDANCES AND STATISTICALLY SIGNIFICANT INCREASES

THIS PAGE INTENTIONALLY LEFT BLANK

Chart of MCL Exceedances and Statistical Increases for C-746-U Contained Landfill

Groundwater Flow System	UCRS										URGA						LRGA					
Gradient	S	S	S	S	D	D	D	U	U		S	D	D	D	U	U	S	D	D	D	U	U
Monitoring Well	368	375	376	377	359	362	365	371	374		366	360	363	357	369	372	367	361	364	358	370	373
ACETONE																						
Quarter 3, 2002											*	*	*									
Quarter 4, 2002											*	*	*									
Quarter 1, 2003												*	*	*								
Quarter 2, 2003												*	*	*								
Quarter 3, 2003	*						*				*	*	*			*			*			
Quarter 4, 2003						*	*					*			*							
Quarter 3, 2004						*											*					
Quarter 3, 2005						*																
Quarter 4, 2005						*																
ALPHA ACTIVITY																						
Quarter 1, 2004																						■
Quarter 2, 2004						■																
Quarter 3, 2009						■																
ALUMINUM																						
Quarter 3, 2003												*										
BETA ACTIVITY																						
Quarter 1, 2004																■						
Quarter 2, 2004																■						■
Quarter 3, 2004																■						
Quarter 4, 2004																■						
Quarter 4, 2005																■						
Quarter 1, 2006																■						■
Quarter 2, 2006																■						■
Quarter 3, 2006																■						■
Quarter 4, 2006																■						■
Quarter 1, 2007											■					■						■
Quarter 2, 2007																■						■
Quarter 3, 2007											■					■						
Quarter 4, 2007											■					■						■
Quarter 1, 2008											■					■						
Quarter 2, 2008															■		■					
Quarter 3, 2008											■					■				■		
Quarter 4, 2008											■					■				■		
Quarter 1, 2009											■					■						
Quarter 2, 2009																■	■	■				
Quarter 3, 2009											■					■						
Quarter 4, 2009											■					■						
Quarter 1, 2010																■						
Quarter 2, 2010											■						■					
Quarter 3, 2010											■											
Quarter 4, 2010																■						
Quarter 2, 2011											■						■					
Quarter 4, 2011																■						
Quarter 1, 2012											■											
Quarter 2, 2012											■								■			
Quarter 3, 2012											■					■						
Quarter 4, 2012																■						■

Chart of MCL Exceedances and Statistical Increases for C-746-U Contained Landfill

Groundwater Flow System	UCRS										URGA						LRGA					
Gradient	S	S	S	S	D	D	D	U	U		S	D	D	D	U	U	S	D	D	D	U	U
Monitoring Well	368	375	376	377	359	362	365	371	374		366	360	363	357	369	372	367	361	364	358	370	373
Quarter 1, 2013																■						■
Quarter 3, 2013																■						■
Quarter 4, 2013																■						
Quarter 1, 2014																■						
BROMIDE																						
Quarter 2, 2004														*								
CALCIUM																						
Quarter 3, 2003											*											
Quarter 2, 2005																						*
Quarter 3, 2006																*						
Quarter 2, 2008																*						
Quarter 3, 2009																*						
Quarter 4, 2009																*						
Quarter 1, 2010																*						
Quarter 2, 2010																*						
Quarter 3, 2010																*						
Quarter 1, 2011																*						
Quarter 2, 2011																*						
Quarter 3, 2011																						*
Quarter 4, 2011																*						*
Quarter 1, 2012																*						*
Quarter 2, 2012																*						*
Quarter 3, 2012																*						*
Quarter 4, 2012																*						
Quarter 1, 2013																*						*
Quarter 2, 2013																*						
Quarter 3, 2013																*						*
Quarter 4, 2013																*						
CARBON DISULFIDE																						
Quarter 3, 2003											*											
Quarter 2, 2005							*															
Quarter 3, 2005						*																
Quarter 4, 2005						*																
Quarter 1, 2006						*																
Quarter 2, 2006						*																
Quarter 3, 2010		*										*										
Quarter 4, 2010															*							
Quarter 1, 2011																*						
CHEMICAL OXYGEN DEMAND																						
Quarter 3, 2002											*	*	*	*	*	*						
Quarter 4, 2002											*	*										
Quarter 1, 2003											*	*										
Quarter 2, 2003											*	*	*									
Quarter 3, 2003	*										*	*					*					
Quarter 4, 2003						*					*	*										
Quarter 3, 2004											*											
Quarter 3, 2005						*					*					*	*		*			

Chart of MCL Exceedances and Statistical Increases for C-746-U Contained Landfill

Groundwater Flow System	UCRS									URGA						LRGA					
Gradient	S	S	S	S	D	D	D	U	U	S	D	D	D	U	U	S	D	D	D	U	U
Monitoring Well	368	375	376	377	359	362	365	371	374	366	360	363	357	369	372	367	361	364	358	370	373
Quarter 4, 2005						*												*	*		
Quarter 1, 2006																			*		
CHLORIDE																					
Quarter 1, 2006																				*	
COBALT																					
Quarter 3, 2003	*						*			*	*		*	*	*	*	*	*		*	
Quarter 1, 2004														*							
CONDUCTIVITY																					
Quarter 4, 2002										*											
Quarter 1, 2003										*											
Quarter 2, 2003										*	*										
Quarter 4, 2003										*											
Quarter 1, 2004										*											
Quarter 2, 2004										*											
Quarter 3, 2004										*											
Quarter 1, 2005															*						
Quarter 2, 2005															*						
Quarter 3, 2005					*													*			
Quarter 4, 2005															*		*				
Quarter 1, 2006															*						
Quarter 2, 2006															*						
Quarter 3, 2006															*						
Quarter 1, 2007															*						
Quarter 2, 2007															*						
Quarter 3, 2007															*						
Quarter 4, 2007															*						
Quarter 1, 2008															*						
Quarter 2, 2008															*						
Quarter 3, 2008															*						
Quarter 4, 2008															*						
Quarter 1, 2009															*						
Quarter 2, 2009															*						
Quarter 3, 2009															*						
Quarter 4, 2009															*						
Quarter 1, 2010															*						
Quarter 2, 2010															*						
Quarter 3, 2010															*						
Quarter 4, 2010															*						
Quarter 1, 2011															*						
Quarter 2, 2011															*						
Quarter 3, 2011															*						
Quarter 4, 2011															*						
Quarter 1, 2012														*	*						
Quarter 2, 2012															*						
Quarter 3, 2012															*						
Quarter 4, 2012															*						
Quarter 1, 2013															*						
Quarter 2, 2013															*						

Chart of MCL Exceedances and Statistical Increases for C-746-U Contained Landfill

Groundwater Flow System	UCRS										URGA						LRGA					
Gradient	S	S	S	S	D	D	D	U	U		S	D	D	D	U	U	S	D	D	D	U	U
Monitoring Well	368	375	376	377	359	362	365	371	374		366	360	363	357	369	372	367	361	364	358	370	373
Quarter 3, 2013																*						
Quarter 4, 2013																*						
Quarter 1, 2014																*						
DISSOLVED OXYGEN																						
Quarter 1, 2003					*	*					*											
Quarter 3, 2003					*						*											
Quarter 4, 2003					*																	
Quarter 1, 2004					*																	
Quarter 2, 2004								*									*					
Quarter 1, 2005					*																	
Quarter 2, 2005								*														
Quarter 1, 2006					*																	
Quarter 2, 2006					*			*														
Quarter 3, 2006					*			*														
Quarter 4, 2006					*				*													
Quarter 2, 2007					*			*														
Quarter 3, 2007					*			*	*													
Quarter 1, 2008					*														*			
Quarter 2, 2008								*	*													
Quarter 3, 2008								*														
Quarter 1, 2009							*															
Quarter 2, 2009					*			*	*													
Quarter 3, 2009						*		*	*													
Quarter 1, 2010					*		*															
Quarter 2, 2010					*	*		*	*												*	*
Quarter 3, 2010					*	*																
Quarter 4, 2010							*					*									*	
Quarter 1, 2011						*																
Quarter 2, 2011					*	*	*	*	*						*							
Quarter 3, 2011						*			*													
Quarter 1, 2012							*		*													
Quarter 2, 2012	*			*	*	*		*	*													
Quarter 3, 2012						*																
Quarter 4, 2012									*													
Quarter 1, 2013						*			*													
Quarter 2, 2013							*		*													
Quarter 3, 2013	*				*		*	*	*													
Quarter 4, 2013									*												*	
DISSOLVED SOLIDS																						
Quarter 4, 2002											*											
Quarter 1, 2003											*											
Quarter 2, 2003											*											
Quarter 3, 2003							*				*	*										
Quarter 4, 2003											*											
Quarter 3, 2005						*																
Quarter 4, 2006																*						
Quarter 1, 2007																*						
Quarter 2, 2007																*						

Chart of MCL Exceedances and Statistical Increases for C-746-U Contained Landfill

Groundwater Flow System	UCRS										URGA						LRGA					
Gradient	S	S	S	S	D	D	D	U	U		S	D	D	D	U	U	S	D	D	D	U	U
Monitoring Well	368	375	376	377	359	362	365	371	374		366	360	363	357	369	372	367	361	364	358	370	373
Quarter 4, 2008																*						
Quarter 1, 2009																*						
Quarter 2, 2009																*						
Quarter 3, 2009																*						
Quarter 4, 2009																*						
Quarter 1, 2010																*						
Quarter 2, 2010																*						
Quarter 3, 2010																*						
Quarter 4, 2010																*						
Quarter 1, 2011																*						
Quarter 2, 2011																*						
Quarter 3, 2011																*						
Quarter 4, 2011																*						
Quarter 1, 2012															*	*						
Quarter 2, 2012																*						*
Quarter 3, 2012																*						*
Quarter 4, 2012																*						
Quarter 1, 2013																*						
Quarter 2, 2013																*						
Quarter 3, 2013																*						
Quarter 4, 2013																*						
Quarter 1, 2014																*						
IODIDE																						
Quarter 2, 2003																	*					
Quarter 3, 2003	*										*											
Quarter 4, 2003							*															
Quarter 3, 2010						*		*						*				*				
IODINE-131																						
Quarter 3, 2010																			■			
IODOMETHANE																						
Quarter 4, 2003						*																
IRON																						
Quarter 4, 2002						*																
Quarter 3, 2003																	*					
Quarter 4, 2003											*						*					
Quarter 1, 2004											*						*					
Quarter 2, 2004											*											
Quarter 3, 2004											*											
Quarter 3, 2005																	*					
MAGNESIUM																						
Quarter 2, 2005																*						*
Quarter 3, 2005						*																*
Quarter 2, 2006																*						*
Quarter 3, 2006																*						
Quarter 1, 2007																*						
Quarter 2, 2008																*						
Quarter 2, 2009																*						
Quarter 3, 2009																*						
Quarter 4, 2009																*						

Chart of MCL Exceedances and Statistical Increases for C-746-U Contained Landfill

Groundwater Flow System	UCRS										URGA						LRGA					
Gradient	S	S	S	S	D	D	D	U	U		S	D	D	D	U	U	S	D	D	D	U	U
Monitoring Well	368	375	376	377	359	362	365	371	374		366	360	363	357	369	372	367	361	364	358	370	373
Quarter 1, 2010																*						
Quarter 2, 2010																*						
Quarter 3, 2010																*						
Quarter 1, 2011																*						
Quarter 2, 2011																*						
Quarter 3, 2011																*						
Quarter 4, 2011																*						
Quarter 1, 2012																*						
Quarter 2, 2012																*						
Quarter 3, 2012																*						
Quarter 4, 2012																*						
Quarter 1, 2013																*						
Quarter 2, 2013																*						
Quarter 3, 2013																*						
Quarter 4, 2013																*						
MANGANESE																						
Quarter 3, 2002											*		*									
Quarter 4, 2002		*				*	*				*		*		*							
Quarter 2, 2003											*		*									
Quarter 3, 2003											*		*	*			*	*	*	*		
Quarter 4, 2003											*	*	*	*				*	*			
Quarter 1, 2004											*	*	*				*	*	*			
Quarter 2, 2004							*				*	*	*						*			
Quarter 3, 2004							*				*	*	*				*					
Quarter 4, 2004											*		*				*					
Quarter 1, 2005											*		*									
Quarter 2, 2005											*		*									
Quarter 3, 2005											*		*				*					
Quarter 4, 2005											*						*					
Quarter 1, 2006											*											
Quarter 2, 2006							*				*		*									
Quarter 3, 2006											*						*					
Quarter 4, 2006											*											
Quarter 1, 2007											*											
Quarter 2, 2007							*				*											
Quarter 3, 2007							*															
Quarter 3, 2008							*															
Quarter 4, 2008							*															
Quarter 3, 2009							*															
Quarter 3, 2011							*															
NICKEL																						
Quarter 3, 2003											*											
OXIDATION-REDUCTION POTENTIAL																						
Quarter 4, 2002																	*		*			
Quarter 1, 2003																	*		*			
Quarter 2, 2003																			*			
Quarter 3, 2003	*																					
Quarter 4, 2003					*																	
Quarter 2, 2004													*				*					*

Chart of MCL Exceedances and Statistical Increases for C-746-U Contained Landfill

Groundwater Flow System	UCRS										URGA						LRGA					
Gradient	S	S	S	S	D	D	D	U	U		S	D	D	D	U	U	S	D	D	D	U	U
Monitoring Well	368	375	376	377	359	362	365	371	374		366	360	363	357	369	372	367	361	364	358	370	373
Quarter 3, 2004					*			*						*	*	*		*			*	*
Quarter 4, 2004													*									*
Quarter 1, 2005																		*			*	*
Quarter 2, 2005								*						*				*			*	*
Quarter 3, 2005					*	*		*			*	*	*	*				*		*	*	*
Quarter 4, 2005		*						*						*				*			*	
Quarter 1, 2006					*			*	*									*				*
Quarter 2, 2006					*		*	*						*				*			*	
Quarter 3, 2006					*			*						*				*			*	
Quarter 4, 2006					*		*				*		*	*				*			*	*
Quarter 1, 2007		*			*			*						*				*			*	*
Quarter 2, 2007					*									*				*			*	*
Quarter 3, 2007					*			*										*			*	
Quarter 4, 2007																		*			*	*
Quarter 1, 2008					*			*					*	*						*	*	
Quarter 2, 2008					*			*			*			*	*				*		*	*
Quarter 3, 2008					*		*	*	*		*		*	*	*			*	*	*	*	*
Quarter 4, 2008								*			*		*	*				*	*		*	*
Quarter 1, 2009							*	*			*		*	*					*		*	
Quarter 2, 2009					*		*	*			*		*	*				*	*		*	*
Quarter 3, 2009		*			*	*	*	*	*		*		*	*	*			*	*	*	*	*
Quarter 4, 2009		*				*	*	*	*		*		*	*				*	*	*	*	*
Quarter 1, 2010		*			*		*	*			*			*			*	*	*		*	
Quarter 2, 2010					*	*		*			*	*	*	*			*	*	*	*	*	*
Quarter 3, 2010		*			*	*	*	*	*		*	*		*	*	*		*	*	*	*	*
Quarter 4, 2010		*				*	*	*	*		*	*	*	*	*		*	*	*	*	*	*
Quarter 1, 2011						*		*			*	*	*	*	*		*	*	*	*	*	
Quarter 2, 2011		*			*	*	*	*	*		*	*	*	*	*		*	*	*	*	*	*
Quarter 3, 2011		*				*		*	*		*		*	*	*		*	*	*	*	*	*
Quarter 4, 2011		*				*		*	*		*	*	*	*	*		*	*	*		*	*
Quarter 1, 2012		*				*	*	*	*		*	*	*	*	*		*	*	*	*	*	*
Quarter 2, 2012	*	*		*	*	*	*	*	*		*	*	*	*	*		*	*	*	*	*	*
Quarter 3, 2012		*				*		*			*		*	*	*		*	*	*	*	*	*
Quarter 4, 2012		*				*		*	*		*	*	*	*	*		*	*	*	*	*	*
Quarter 1, 2013		*				*		*	*		*	*	*	*	*		*	*	*		*	
Quarter 2, 2013		*						*	*		*	*	*	*	*	*	*	*	*	*	*	*
Quarter 3, 2013	*	*			*	*	*	*	*		*	*	*	*	*	*	*	*	*	*	*	*
Quarter 4, 2013		*				*		*	*		*	*	*	*	*	*	*	*	*	*	*	*
Quarter 1, 2014		*						*	*		*	*	*	*	*	*	*	*	*	*	*	*
PCB, TOTAL																						
Quarter 4, 2003																	*					
Quarter 3, 2004													*									
Quarter 3, 2005							*															
Quarter 2, 2006							*															
Quarter 3, 2006							*															
Quarter 1, 2007							*															
Quarter 2, 2007							*															
Quarter 3, 2007							*															
Quarter 1, 2008							*															

Chart of MCL Exceedances and Statistical Increases for C-746-U Contained Landfill

Groundwater Flow System	UCRS										URGA						LRGA					
Gradient	S	S	S	S	D	D	D	U	U		S	D	D	D	U	U	S	D	D	D	U	U
Monitoring Well	368	375	376	377	359	362	365	371	374		366	360	363	357	369	372	367	361	364	358	370	373
Quarter 2, 2008							*															
Quarter 4, 2008							*															
Quarter 3, 2009							*															
Quarter 1, 2010							*															
Quarter 2, 2010							*															
Quarter 4, 2010							*															
PCB-1016																						
Quarter 3, 2004													*									
Quarter 2, 2006							*						*									
Quarter 1, 2007							*															
Quarter 2, 2007							*															
Quarter 3, 2007							*															
Quarter 2, 2008							*															
Quarter 4, 2008							*															
Quarter 3, 2009							*															
Quarter 1, 2010							*															
Quarter 2, 2010							*															
Quarter 4, 2010							*															
PCB-1242																						
Quarter 3, 2006							*						*									
Quarter 4, 2006											*											
Quarter 1, 2008							*															
Quarter 2, 2012							*															
PCB-1248																						
Quarter 2, 2008							*															
PCB-1260																						
Quarter 2, 2006							*															
pH																						
Quarter 3, 2002											*											
Quarter 4, 2002											*											
Quarter 1, 2003											*											
Quarter 2, 2003											*											
Quarter 3, 2003	*						*				*											
Quarter 4, 2003							*										*					
Quarter 1, 2004							*										*					
Quarter 3, 2005						*												*	*			
Quarter 4, 2005						*													*			
Quarter 3, 2006																	*					
Quarter 2, 2011															*							
Quarter 3, 2011															*							
Quarter 4, 2011															*							
Quarter 1, 2012																	*	*				
Quarter 2, 2012													*									
Quarter 1, 2013											*		*				*					
POTASSIUM																						
Quarter 1, 2014																	*					
RADIUM-228																						
Quarter 2, 2005															■							
Quarter 4, 2005							■						■						■			

Chart of MCL Exceedances and Statistical Increases for C-746-U Contained Landfill

Groundwater Flow System	UCRS										URGA						LRGA					
Gradient	S	S	S	S	D	D	D	U	U		S	D	D	D	U	U	S	D	D	D	U	U
Monitoring Well	368	375	376	377	359	362	365	371	374		366	360	363	357	369	372	367	361	364	358	370	373
SELENIUM																						
Quarter 4, 2003										■												
SODIUM																						
Quarter 3, 2002											*	*		*								
Quarter 4, 2002											*	*			*							
Quarter 1, 2003											*											
Quarter 2, 2003											*	*										
Quarter 3, 2003												*										
Quarter 1, 2007												*										
Quarter 1, 2012															*							
Quarter 1, 2014																*						
STRONTIUM-90																						
Quarter 3, 2003									■													
SULFATE																						
Quarter 1, 2003							*															
Quarter 2, 2003						*	*															
Quarter 3, 2003	*					*																
Quarter 4, 2003					*		*															
Quarter 1, 2004					*	*	*															
Quarter 2, 2004					*	*	*															
Quarter 3, 2004					*	*	*															
Quarter 1, 2005					*	*			*													
Quarter 2, 2005					*		*		*							*						
Quarter 3, 2005					*	*	*															
Quarter 4, 2005																*						
Quarter 1, 2006					*				*													
Quarter 2, 2006						*	*		*							*						
Quarter 3, 2006							*															
Quarter 1, 2007							*															
Quarter 2, 2007							*															
Quarter 3, 2007							*															
Quarter 4, 2007		*																				
Quarter 1, 2008		*			*		*		*													
Quarter 2, 2008		*			*	*	*															
Quarter 3, 2008		*			*	*	*															
Quarter 4, 2008		*				*	*															
Quarter 1, 2009		*					*															
Quarter 2, 2009		*			*	*	*															
Quarter 3, 2009		*			*	*	*									*						
Quarter 4, 2009		*			*	*										*						
Quarter 1, 2010		*			*	*	*									*						
Quarter 2, 2010		*			*	*	*									*						
Quarter 3, 2010		*			*	*	*									*						
Quarter 4, 2010		*				*	*									*						
Quarter 1, 2011		*																				
Quarter 2, 2011		*			*	*	*									*						
Quarter 3, 2011		*				*	*	*								*						
Quarter 4, 2011		*				*										*						
Quarter 1, 2012		*					*	*								*						

Chart of MCL Exceedances and Statistical Increases for C-746-U Contained Landfill

Groundwater Flow System	UCRS									URGA						LRGA					
Gradient	S	S	S	S	D	D	D	U	U	S	D	D	D	U	U	S	D	D	D	U	U
Monitoring Well	368	375	376	377	359	362	365	371	374	366	360	363	357	369	372	367	361	364	358	370	373
Quarter 2, 2012	*	*		*	*	*	*	*	*						*						
Quarter 3, 2012		*				*									*						
Quarter 4, 2012		*													*						
Quarter 1, 2013		*				*									*						
Quarter 2, 2013		*													*						
Quarter 3, 2013	*	*		*	*	*	*								*						
Quarter 4, 2013		*													*						
Quarter 1, 2014		*													*						
TECHNETIUM-99																					
Quarter 4, 2002																	*	*	*		
Quarter 2, 2003							*						*			*	*	*	*		*
Quarter 3, 2003																	*				
Quarter 4, 2003																	*				*
Quarter 1, 2004															*		*				*
Quarter 2, 2004															*						*
Quarter 3, 2004															*						*
Quarter 4, 2004															*		*				*
Quarter 3, 2005																	*				
Quarter 1, 2006															*						*
Quarter 2, 2006		*							*												*
Quarter 3, 2006																					*
Quarter 4, 2006															*						*
Quarter 1, 2007																					*
Quarter 2, 2007													*		*					*	
Quarter 3, 2007															*		*	*			
Quarter 4, 2007										*					*				*		*
Quarter 1, 2008															*					*	*
Quarter 2, 2008						*	*							*		*			*		
Quarter 3, 2008															*						
Quarter 4, 2008										*							*		*		
Quarter 1, 2009										*											
Quarter 2, 2009																		*			
Quarter 3, 2009								*		*					*						
Quarter 4, 2009										*					*			*	*		
Quarter 2, 2010										*						*	*	*	*		
Quarter 3, 2010										*					*						
Quarter 4, 2010																		*			
Quarter 1, 2011		*								*							*				
Quarter 2, 2011																*	*	*	*		
Quarter 1, 2012																	*	*			
Quarter 2, 2012								*										*			
Quarter 3, 2012																	*	*			
Quarter 4, 2012															*		*				*
Quarter 1, 2013																	*				*
Quarter 2, 2013																					*
Quarter 3, 2013										*											*
Quarter 4, 2013															*		*	*			*

Chart of MCL Exceedances and Statistical Increases for C-746-U Contained Landfill

Groundwater Flow System	UCRS										URGA						LRGA					
Gradient	S	S	S	S	D	D	D	U	U		S	D	D	D	U	U	S	D	D	D	U	U
Monitoring Well	368	375	376	377	359	362	365	371	374		366	360	363	357	369	372	367	361	364	358	370	373
Quarter 1, 2014																*		*	*			
TOTAL ORGANIC CARBON																						
Quarter 3, 2002											*	*	*		*							*
Quarter 4, 2002											*	*			*							
Quarter 1, 2003												*										
Quarter 3, 2003	*										*	*					*					
Quarter 4, 2003											*	*										
Quarter 1, 2004												*										
Quarter 3, 2005						*					*					*	*			*		
Quarter 4, 2005						*													*	*		
Quarter 1, 2006																				*		
TOTAL ORGANIC HALIDES																						
Quarter 4, 2002											*											
Quarter 1, 2003											*											
Quarter 2, 2003											*											
Quarter 1, 2004																	*					
TRICHLOROETHENE																						
Quarter 3, 2002															■						■	
Quarter 4, 2002																■					■	
Quarter 1, 2003																					■	■
Quarter 2, 2003																■					■	
Quarter 3, 2003							■														■	■
Quarter 4, 2003																■					■	■
Quarter 1, 2004																■					■	■
Quarter 2, 2004																■					■	■
Quarter 3, 2004																■					■	■
Quarter 4, 2004																■					■	■
Quarter 1, 2005																■					■	■
Quarter 2, 2005																■					■	■
Quarter 3, 2005																■					■	■
Quarter 4, 2005																■					■	■
Quarter 1, 2006																■					■	■
Quarter 2, 2006																■					■	■
Quarter 3, 2006																■					■	■
Quarter 4, 2006																■						■
Quarter 1, 2007																■					■	■
Quarter 2, 2007																■						■
Quarter 3, 2007																■						■
Quarter 4, 2007																■						■
Quarter 1, 2008																■						■
Quarter 2, 2008																■			■			■
Quarter 3, 2008																■						■
Quarter 4, 2008																■						■
Quarter 1, 2009																■						■
Quarter 2, 2009																■						■
Quarter 3, 2009																■						■
Quarter 4, 2009							■	■				■		■	■	■		■				■
Quarter 1, 2010														■		■						■
Quarter 2, 2010														■		■						■

Chart of MCL Exceedances and Statistical Increases for C-746-U Contained Landfill

Groundwater Flow System	UCRS									URGA						LRGA					
Gradient	S	S	S	S	D	D	D	U	U	S	D	D	D	U	U	S	D	D	D	U	U
Monitoring Well	368	375	376	377	359	362	365	371	374	366	360	363	357	369	372	367	361	364	358	370	373
Quarter 3, 2010													■		■						■
Quarter 4, 2010													■		■						■
Quarter 1, 2011													■		■						■
Quarter 2, 2011															■				■		■
Quarter 3, 2011													■		■				■		■
Quarter 4, 2011													■		■						■
Quarter 1, 2012													■		■		■		■		■
Quarter 2, 2012															■						■
Quarter 3, 2012															■						■
Quarter 4, 2012														■	■						■
Quarter 1, 2013													■		■						■
Quarter 2, 2013													■		■		■		■		■
Quarter 3, 2013													■		■						■
Quarter 4, 2013													■		■				■		■
Quarter 1, 2014													■		■				■		■
TURBIDITY																					
Quarter 1, 2003											*										
URANIUM																					
Quarter 4, 2002		*			*	*	*			*	*	*	*	*	*	*		*	*	*	*
Quarter 4, 2006																					*
ZINC																					
Quarter 3, 2005																			*		
* Statistical test results indicate an elevated concentration (i.e., a statistical exceedance)																					
■ MCL Exceedance																					
UCRS Upper Continental Recharge System																					
URGA Upper Regional Gravel Aquifer																					
LRGA Lower Regional Gravel Aquifer																					
S Sidegradient; D Downgradient; U Upgradient																					

APPENDIX H
METHANE MONITORING DATA

THIS PAGE INTENTIONALLY LEFT BLANK

C-746-U LANDFILL METHANE LOG

PADUCAH GASEOUS DIFFUSION PLANT

Permit #: 073-00045

McCracken County, Kentucky

Date: March 20, 2014

[illegible]

Sammy Smith
Signature




Figure H.1. C-746-U Methane Monitoring Locations