



Department of Energy

Portsmouth/Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington, Kentucky 40513
(859) 219-4000

NOV 30 2015

RECEIVED
By Darla Bowen at 8:41 am, Dec 01, 2015

Ms. Robin Green
Division of Waste Management
Kentucky Department for Environmental Protection
200 Fair Oaks Lane, 2nd Floor
Frankfort, Kentucky 40601

PPPO-02-3256143-16

Mr. Todd Hendricks
Division of Waste Management
Kentucky Department for Environmental Protection
200 Fair Oaks Lane, 2nd Floor
Frankfort, Kentucky 40601

Mr. Allan Shingleton
Division of Waste Management
Kentucky Department for Environmental Protection
625 Hospital Drive
Madisonville, Kentucky 42431

Dear Ms. Green, Mr. Hendricks, and Mr. Shingleton:


**C-746-U CONTAINED LANDFILL THIRD QUARTER CALENDAR YEAR 2015
(JULY-SEPTEMBER) COMPLIANCE MONITORING REPORT, PADUCAH
GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY, PAD-ENM-0093/V3,
PERMIT NUMBER SW07300014, SW07300015, SW07300045**

Enclosed is the subject report for the third quarter calendar year 2015. This report is required in accordance with Condition ACTV0006, Special Condition Number 3, of C-746-U Contained Solid Waste Landfill Permit Number SW07300014, SW07300015, SW07300045. The report includes groundwater and surface water analytical data, validation summary, groundwater flow rate and direction determination, figures depicting well locations, and methane monitoring results.

The statistical analyses on the third quarter 2015 monitoring well data collected from the C-746-U Landfill were performed in accordance with Condition GSTR0001, Standard Requirement 3, using the U.S. Environmental Protection Agency guidance document, *Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Final Guidance* (1989). This report also serves as the statistical exceedance notification for the third quarter calendar year 2015, in accordance with Condition GSTR0001, Standard Requirement 8, of the C-746-U Solid Waste Landfill Permit Number SW07300014, SW07300015, SW07300045.

If you have any questions or require additional information; please contact David Dollins at (270) 441-6819.

Sincerely,


Jennifer Woodard
Paducah Site Lead
Portsmouth/Paducah Project Office

Enclosure:

C-746-U Contained Landfill 3rd Quarter Calendar Year 2015 Compliance Monitoring Report


e-copy w/enclosure:

april.webb@ky.gov, KDEP/Frankfort
brian.begley@ky.gov, KDEP/Frankfort
dave.dollins@lex.doe.gov, PPPO/PAD
ffscorrespondence@ffspaducah.com, FFS/Kevil
gary.hines@ffspaducah.com, FFS/Kevil
gaye.brewer@ky.gov, KDEP/PAD
jennifer.blewett@ffspaducah.com, FFS/Kevil
jennifer.watson@ffspaducah.com, FFS/Kevil
jennifer.woodard@lex.doe.gov, PPPO/PAD
jessica.burnett@ffspaducah.com, FFS/Kevil
john.morgan@ffspaducah.com, FFS/Kevil
joseph.towarnicky@ffspaducah.com, FFS/Kevil
leo.williamson@ky.gov, KDEP/Frankfort
mark.duff@ffspaducah.com, FFS/Kevil
mike.guffey@ky.gov, KDEP/Frankfort
myrna.redfield@ffspaducah.com, FFS/Kevil
reinhard.knerr@lex.doe.gov, PPPO/PAD
stephaniec.brock@ky.gov, KYRHB/Frankfort
tammy.smith@ffspaducah.com, FFS/Kevil


**C-746-U Contained Landfill
Third Quarter Calendar Year 2015
(July–September)
Compliance Monitoring Report
Paducah Gaseous Diffusion Plant,
Paducah, Kentucky**

FLUOR[®]

This document is approved for public release per review by:



FPDP Classification Support



Date

**C-746-U Contained Landfill
Third Quarter Calendar Year 2015
(July–September)
Compliance Monitoring Report
Paducah Gaseous Diffusion Plant,
Paducah, Kentucky**

Date Issued—November 2015

U.S. DEPARTMENT OF ENERGY
Office of Environmental Management

Prepared by
FLUOR FEDERAL SERVICES, INC.,
Paducah Deactivation Project
managing the
Deactivation Project at the
Paducah Gaseous Diffusion Plant
under Task Order DE-DT0007774

THIS PAGE INTENTIONALLY LEFT BLANK

CONTENTS

FIGURES.....	v
TABLES	v
ACRONYMS.....	vii
1. INTRODUCTION.....	1
1.1 BACKGROUND.....	1
1.2 MONITORING PERIOD ACTIVITIES	2
1.2.1 Groundwater Monitoring.....	2
1.2.2 Methane Monitoring.....	2
1.2.3 Surface Water Monitoring.....	4
1.3 KEY RESULTS.....	4
2. DATA EVALUATION/STATISTICAL SYNOPSIS.....	9
2.1 STATISTICAL ANALYSIS OF GROUNDWATER DATA.....	10
2.1.1 Upper Continental Recharge System.....	10
2.1.2 Upper Regional Gravel Aquifer	10
2.1.3 Lower Regional Gravel Aquifer	10
2.2 DATA VERIFICATION AND VALIDATION.....	11
3. PROFESSIONAL GEOLOGIST AUTHORIZATION.....	13
4. REFERENCES.....	15
APPENDIX A: GROUNDWATER, SURFACE WATER, LEACHATE, AND METHANE MONITORING SAMPLE DATA REPORTING FORM	A-1
APPENDIX B: FACILITY INFORMATION SHEET	B-1
APPENDIX C: GROUNDWATER SAMPLE ANALYSES AND WRITTEN COMMENTS	C-1
APPENDIX D: STATISTICAL ANALYSES AND QUALIFICATION STATEMENT.....	D-1
APPENDIX E: GROUNDWATER FLOW RATE AND DIRECTION	E-1
APPENDIX F: NOTIFICATIONS.....	F-1
APPENDIX G: CHART OF MCL AND UTL EXCEEDANCES.....	G-1
APPENDIX H: METHANE MONITORING DATA.....	H-1
APPENDIX I: SURFACE WATER SAMPLE ANALYSIS AND WRITTEN COMMENTS	I-1

THIS PAGE INTENTIONALLY LEFT BLANK

FIGURES

1. C-746-U Landfill Groundwater Monitoring Well Network	3
2. C-746-U Landfill Surface Water Monitoring Locations	5

TABLES

1. Summary of MCL Exceedances	4
2. Exceedances of Statistically Derived Historical Background Concentrations	4
3. Exceedances of Current Background UTL in Downgradient Wells	4
4. C-746-U Landfill Downgradient Wells Trend Summary Utilizing the Previous Eight Quarters	7
5. Exceedances of Current Background UTL in UCRS Wells	8
6. Monitoring Wells Included in Statistical Analysis	10

THIS PAGE INTENTIONALLY LEFT BLANK

ACRONYMS

<i>CFR</i>	<i>Code of Federal Regulations</i>
<i>KAR</i>	<i>Kentucky Administrative Regulations</i>
KDWM	Kentucky Division of Waste Management
<i>KRS</i>	<i>Kentucky Revised Statutes</i>
LEL	lower explosive limit
LRGA	Lower Regional Gravel Aquifer
MCL	maximum contaminant level
MW	monitoring well
RGA	Regional Gravel Aquifer
UCRS	Upper Continental Recharge System
URGA	Upper Regional Gravel Aquifer
UTL	upper tolerance limit

THIS PAGE INTENTIONALLY LEFT BLANK

1. INTRODUCTION

This report, *C-746-U Contained Landfill Third Quarter Calendar Year 2015 (July–September) Compliance Monitoring Report, Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, is being submitted in accordance with Solid Waste Landfill Permit Number SW07300014, SW07300015, SW07300045. This report was written in accordance with the approved *Groundwater Monitoring Plan for the Solid Waste Permitted Landfills (C-746-S Residential Landfill, C-746-T Inert Landfill, and C-746-U Contained Landfill) at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky* (LATA Kentucky 2014), Technical Application Attachment 25 of the Solid Waste Landfill permit.

The Groundwater, Surface Water, Leachate, and Methane Monitoring Sample Data Reporting Form is provided in Appendix A. The facility information sheet is provided in Appendix B. Groundwater analytical results are recorded on the Kentucky Division of Waste Management (KDWM) Groundwater Sample Analyses forms, which are presented in Appendix C. The statistical analyses and qualification statement are provided in Appendix D. The groundwater flow rate and direction determinations are provided in Appendix E. Appendix F contains the notifications for all permit required parameters whose concentrations exceed the maximum contaminant level (MCL) for Kentucky solid waste facilities provided in 401 KAR 47:030 § 6 and for all permit required parameters listed in 40 CFR § 302.4, Appendix A, that do not have an MCL and whose concentrations exceed the historical background concentrations [upper tolerance limit (UTL), as established at a 95% confidence]. Appendix G provides a chart of MCL exceedances and exceedances of the historical background UTL that have occurred, beginning in the fourth quarter calendar year 2002. Methane monitoring was conducted in accordance with 401 KAR 48:090 § 4 and the approved Explosive Gas Monitoring Program (KEEC 2011), Technical Application Attachment 12 of the Solid Waste Landfill permit. Methane monitoring results are documented on the approved C-746-U Landfill Methane Monitoring Report form provided in Appendix H. The form includes pertinent remarks/observations as required by 401 KAR 48:090 § 4. Surface water was monitored, as specified in 401 KAR 48:300 § 2, and the approved *Surface Water Monitoring Plan for C-746-U Contained Landfill Permit Number KY-073-00045, Paducah Gaseous Diffusion Plant, Paducah, Kentucky* (PRS 2008), Technical Application Attachment 24 of the Solid Waste Landfill permit. Surface water results are provided in Appendix I.

1.1 BACKGROUND

The C-746-U Landfill is an operating solid waste landfill located north of the Paducah Gaseous Diffusion Plant and north of the C-746-S&T Landfills. Construction and operation of the C-746-U Landfill were permitted in November 1996 under Solid Waste Landfill Permit Number SW07300014, SW07300015, SW07300045. The permitted C-746-U Landfill area covers about 60 acres and includes a liner and leachate collection system. C-746-U Landfill currently is operating in Phases 3, 4, and 5. Phases 1, 2, and most of Phase 3 have long-term cover. Phases 6 through 23 have not been constructed.

1.2 MONITORING PERIOD ACTIVITIES

1.2.1 Groundwater Monitoring

Three zones are monitored at the site: the Upper Continental Recharge System (UCRS), Upper Regional Gravel Aquifer (URGA), and the Lower Regional Gravel Aquifer (LRGA). There are 21 monitoring wells (MWs) under permit for the C-746-U Landfill: 9 UCRS wells, 6 URGA wells, and 6 LRGA wells. A map of the MW locations is presented in Figure 1. All MWs were sampled this quarter except MW365, MW368, MW376, and MW377 (all screened in the UCRS), which had an insufficient amount of water to obtain samples; therefore, there are no analytical results for these locations.

Consistent with the approved Groundwater Monitoring Plan (LATA Kentucky 2014), UCRS wells are included in the monitoring program. Groundwater flow gradients are downward through the UCRS, but flow in the underlying RGA is lateral. Groundwater flow in the RGA typically is in a north-northeasterly direction in the vicinity of the C-746-U Landfill. The Ohio River and lower reaches of Little Bayou Creek are the discharge areas for the RGA flow system from the vicinity of the landfills. Consistent with the conceptual site model, the constituent concentrations in UCRS wells are considered to be representative only of the conditions local to the well or sourced from overlying soils; thus, no discussion of potential “upgradient” sources is relevant to the discussion for the UCRS. Nevertheless, a UTL for background also has been calculated for UCRS wells using concentrations from UCRS wells located in the same direction (relative to the landfill) as those RGA wells identified as upgradient. The results from these wells are considered to represent historical “background” for the UCRS water quality. Similarly, other gradient references for UCRS wells are identified using the RGA wells located in the same direction (relative to the landfill) as nearby UCRS wells. Results from UCRS wells are compared to this UTL and exceedances of these values are reported in the quarterly report.

Groundwater sampling was conducted within the third quarter 2015 in accordance with the Groundwater Monitoring Plan (LATA Kentucky 2014) using LATA Environmental Services of Kentucky, LLC, procedure PAD-ENM-2101, *Groundwater Sampling*. The analytical laboratory used U.S. Environmental Protection Agency-approved methods, as applicable. Appropriate sample containers and preservatives were used. The parameters specified in Permit Condition GSTR0001, Special Condition 1, were analyzed for all locations sampled.

The groundwater flow rate and direction determination are provided in Appendix E. Depth-to-water was measured on August 4, 2015, in MWs of the C-746-U Landfill (see Table E.1), in MWs of the C-746-S&T Landfills, and in MWs of the surrounding region (shown on Figure E.4). Water level measurements in 39 vicinity wells define the potentiometric surface for the RGA. Normal regional flow in the RGA is northeastward, toward the Ohio River. The hydraulic gradient in the vicinity of the C-746-U Landfill in August was 3.09×10^{-4} ft/ft. The hydraulic gradient for both the URGA and LRGA at the C-746-U Landfill was 4.32×10^{-4} ft/ft. Calculated groundwater flow rates (average linear velocity) at the C-746-U Landfill range from 0.73 to 1.25 ft/day for the URGA and LRGA (see Table E.3).

1.2.2 Methane Monitoring

In accordance with the Explosive Gas Monitoring Program (KEEC 2011), landfill operations staff monitored for the occurrence of methane in four on-site building locations and four locations along the landfill boundary on September 4, 2015. See Appendix H for a map (Figure H.1) of the monitoring locations. Monitoring identified 0% of the lower explosive limit (LEL) of methane at all locations, which is compliant with the regulatory requirement of < 100% LEL at boundary locations and < 25% LEL at all other locations. The results are documented on the C-746-U Landfill Methane Log provided in Appendix H.




Figure 1. C-746-U Landfill Groundwater Monitoring Well Network

1.2.3 Surface Water Monitoring

Surface water was sampled in accordance with 401 KAR 48:300 § 2 and the approved Surface Water Monitoring Plan (PRS 2008). Sampling was performed at three locations monitored for the C-746-U Landfill. The C-746-U Landfill has an upstream location, L154; a downstream location, L351; and a location capturing runoff from the landfill surface, L150. Figure 2 is a map of the surface water monitoring locations. The parameters identified in the Solid Waste Landfill Permit were analyzed for the three locations sampled, in report only format, pursuant to Permit Condition GMNP0001, Standard Requirement 1. Surface water results are provided in Appendix I.

1.3 KEY RESULTS

Parameters that had concentrations that exceeded the respective MCL are listed in Table 1. Those constituents that exceeded their respective MCL were evaluated further against their historical background UTL. Table 2 identifies parameters (without MCLs) with concentrations that exceeded the statistically derived historical background UTL concentrations¹ during the third quarter 2015, as well as parameters that exceeded their MCL (trichloroethene) and also exceeded their historical background UTL. Those constituents (present in downgradient wells) that exceed their historical background UTL were evaluated against their current UTL-derived background using the most recent eight quarters of data from wells considered to be upgradient (Table 3).

Table 1. Summary of MCL Exceedances

UCRS	URGA	LRGA
	MW357: Trichloroethene	MW361: Trichloroethene
	MW372: Trichloroethene	MW373: Trichloroethene

Table 2. Exceedances of Statistically Derived Historical Background Concentrations

UCRS*	URGA	LRGA
MW359: Dissolved oxygen, oxidation-reduction potential, sulfate	MW357: Oxidation-reduction potential	MW358: Oxidation-reduction potential, technetium-99
MW362: Dissolved oxygen, oxidation-reduction potential, sulfate	MW360: Oxidation-reduction potential	MW361: Oxidation-reduction potential, pH
MW371: Dissolved oxygen, oxidation-reduction potential, sulfate	MW363: Oxidation-reduction potential	MW364: Oxidation-reduction potential, technetium-99
MW374: Oxidation-reduction potential	MW366: Oxidation-reduction potential	MW367: Oxidation-reduction potential
MW375: Oxidation-reduction potential, sulfate	MW369: Oxidation-reduction potential	MW370: Oxidation-reduction potential, technetium-99
	MW372: Calcium, conductivity, dissolved solids, magnesium, oxidation-reduction potential, sulfate	MW373: Oxidation-reduction potential

*Gradients in the UCRS are downward. UCRS gradient designations refer to the locations of wells in the same direction, relative to the landfill as the RGA wells.

Sidegradient wells: MW375, MW376, MW377

Downgradient wells: MW357, MW358, MW359, MW360, MW361, MW362, MW363, MW364, MW365, MW366, MW367, MW368

Upgradient wells: MW369, MW370, MW371, MW372, MW373, MW374

Table 3. Exceedances of Current Background UTL in Downgradient Wells

LRGA—MW361: pH

¹ The term “concentration” may refer to a field measurement result such as pH, oxidation-reduction potential, or an analytical parameter such as trichloroethene or polychlorinated biphenyls.




Figure 2. C-746-U Landfill Surface Water Monitoring Locations

The notification of parameters that exceeded the MCL has been submitted electronically to the KDWM, in accordance with 401 KAR 48:300 § 7, prior to the submittal of this report.

There were no new MCL exceedances for this quarter. The constituents that exceeded their MCL were subjected to a comparison against the UTL concentrations calculated using historical concentrations from wells identified as background. In accordance with the approved Groundwater Monitoring Plan, the MCL exceedances for trichloroethene in MW357 and MW361 (downgradient well), do not exceed the historical background concentrations and are considered to be a Type 1 exceedance—not attributable to the C-746-U Landfill.

This report serves as the notification of parameters that had statistically significant increased concentrations relative to historical background concentrations, as required by Permit Number SW07300014, SW07300015, SW07300045, Condition GSTR0003, Standard Requirement 8; and 401 KAR 48:300 § 7.

The constituents that had exceedances of the statistically derived historical background UTL underwent additional statistical evaluation. The current-quarter concentrations were compared to the current background UTL developed using the most recent eight quarters of data from wells identified as upgradient in order to determine if the current downgradient concentrations are consistent with current background values. Table 3 summarizes the evaluation against current background UTL for those constituents present in downgradient wells with historical UTL exceedances. In accordance with the approved Groundwater Monitoring Plan, constituents in downgradient wells that exceed the historical UTL, but do not exceed the current UTL, are considered not to have a landfill source; therefore, they are a Type 1 exceedance. The constituent listed in Table 3 that exceeded both the historical UTL and the current UTL, pH, does not have an identified source and preliminarily is considered to be a Type 2 exceedance per the approved Groundwater Monitoring Plan. To further evaluate this preliminary Type 2 exceedance, pH was subjected to the Mann-Kendall statistical test for trend using the most recent eight quarters of data. The results are summarized in Table 4. This preliminary Type 2 exceedance in downgradient well did not have an increasing trend and is considered to be Type 1 exceedances (not attributable to the landfill).

Table 4. C-746-U Landfill Downgradient Wells Trend Summary Utilizing the Previous Eight Quarters

Location	Well ID	Parameter	Sample Size	Alpha ¹	p-Value ²	S ³	Var(S) ⁴	Sen's Slope ⁵	Kendall Correlation ⁶	Decision ⁷
C-746-U Landfill Downgradient Well	MW361	pH	8	0.05	0.138	-10.00	0.000	-0.032	-0.357	No Trend

Footnotes:

¹An alpha of 0.05 represents a 95% confidence interval.

²The p-value represents the risk of acceptance the H_1 hypothesis of a trend, in terms of a percentage.

³The initial value of the Mann-Kendall statistic, S, is assumed to be 0 (e.g., no trend). If a data value from a later time period is higher than a data value from an earlier time period, S is incremented by 1. On the other hand, if the data value from a later time period is lower than a data value sampled earlier, S is decremented by 1. The net result of all such increments and decrements yields the final value of S. A very high positive value of S is an indicator of an increasing trend, and a very low negative value indicates a decreasing trend

⁴VAR(S) represents the variance of S in the sample set and takes into account statistical ties.

⁵The magnitude of trend is predicted by the Sen's Slope. Here, the slope is described as the median of all $(x_j - x_k)/(j - k)$, where x is a data point and j and k are values of time.

⁶Kendall's correlation is described as the difference of concordant pairs and discordant pairs, also taking sample size and statistical ties into account. When the Kendall's correlation is positive, it indicates an increasing trend and when it is negative, it indicates a decreasing trend

⁷The Mann-Kendall decision operates on two hypothesis, the H_0 and H_a . H_0 assumes there is no trend in the data, whereas H_a assumes either a positive or negative trend. Two different tests were ran to test for positive or negative trends. This table reports the test with the lowest p-value.

Note: Statistics generated using XLSTAT Version 2015.2.01.16684

The statistical evaluation of current UCRS wells against the current UCRS background UTL identified UCRS wells with dissolved oxygen and sulfate values that exceed both the historical and current background (Table 5). Because these wells are not hydrogeologically downgradient of the C-746-U Landfill, these exceedances are not attributable to C-746-U sources and are considered Type 1 exceedances.

**Table 5. Exceedances of Current Background
UTL in UCRS Wells**

UCRS
MW359: Dissolved oxygen, sulfate
MW362: Dissolved oxygen, sulfate
MW375: Sulfate

All MCL and UTL exceedances reported for this quarter were evaluated and considered to be Type 1 exceedances—not attributable to the C-746-U Landfill.

2. DATA EVALUATION/STATISTICAL SYNOPSIS

The statistical analyses conducted on the third quarter 2015 groundwater data collected from the C-746-U Contained Landfill MWs were performed in accordance with the *Groundwater Monitoring Plan for the Solid Waste Permitted Landfills (C-746-S Residential Landfill, C-746-T Inert Landfill, and C-746-U Contained Landfill) at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky* (LATA Kentucky 2014). The statistical analyses for this report use data from the first eight quarters that were sampled for each parameter, beginning with the first two baseline sampling events in 2002, when available. The sampling dates associated with background data are listed next to the result in the statistical analysis sheets in Appendix D (Attachments D1 and D2).

For those parameters that exceed the respective Kentucky solid waste facility MCL found in 401 KAR 47:030 § 6, these exceedances were documented and evaluated further as follows. Exceedances were reviewed against historical background results (UTL). If the MCL exceedance was found not to exceed the historical UTL, the exceedance was noted as a Type 1 exceedance—an exceedance not attributable to the landfill. If there was an exceedance of the MCL in a downgradient well and this constituent also exceeded the historical background, the quarterly result was compared to the current background UTL (developed using the most recent eight quarters of data from wells identified as upgradient) to identify if this exceedance is attributable to upgradient/non-landfill sources. If the downgradient concentration was less than the current background, the exceedance was noted as a Type 1 exceedance. If a constituent exceeds its Kentucky solid waste facility MCL, historical background UTL, and current background UTL, it was evaluated further to identify the source of the exceedance, if possible. If the source of the exceedance could not be identified, it was reported as a Type 2 exceedance—source undetermined.

For those parameters that do not have a Kentucky solid waste facility MCL, the same process was used. If a constituent without an MCL exceeded its historical background UTL and its current background UTL, it was evaluated further to identify the source of the exceedance, if possible. If the source of the exceedance could not be identified, it was reported as a Type 2 exceedance.

To calculate the UTL, the data are divided into censored (nondetects) and uncensored (detected) observations. The one-sided tolerance interval statistical test is conducted only on parameters that have at least one uncensored observation. Results of the one-sided tolerance interval statistical test are used to determine whether the data show a statistical exceedance in concentrations with respect to historical background concentrations (UTL).

For the statistical analysis of pH, a two-sided tolerance interval statistical test was conducted. The test well results were compared to both an upper and lower tolerance limit to determine if statistically significant deviations in concentrations exist with respect to upgradient (background) well data.

A stepwise list of the one-sided tolerance interval statistical procedures applied to the data is provided in Appendix D under Statistical Analysis Process. The statistical analysis was conducted separately for each parameter in each well. The MWs included historically in the statistical analyses are listed in Table 6.

Table 6. Monitoring Wells Included in Statistical Analysis*

UCRS	URGA	LRGA
MW359	MW357	MW358
MW362	MW360	MW361
MW365***	MW363	MW364
MW368***	MW366	MW367
MW371**	MW369 (upgradient)	MW370 (upgradient)
MW374**	MW372 (upgradient)	MW373 (upgradient)
MW375		
MW376***		
MW377***		

*A map showing the monitoring well locations is shown on Figure 1.

**In the same direction (relative to the landfill) as RGA wells considered to be upgradient.

*** MW365, MW368, MW376, and MW377 had insufficient water to permit a water level measurement and a water sample for laboratory analysis.

2.1 STATISTICAL ANALYSIS OF GROUNDWATER DATA

Parameters requiring statistical analysis are summarized in Appendix D for each hydrological unit. A stepwise list for determining exceedances of statistically derived historical background concentrations is provided in Appendix D under Statistical Analysis Process. A comparison of the current quarter's results to the statistically derived historical background was conducted for parameters that do not have MCLs and also for those parameters whose concentrations exceed MCLs. Appendix G summarizes the occurrences (by well and by quarter) of exceedances of historical UTLs and MCL exceedances. The constituents that had exceedances of the statistically derived historical background UTL underwent additional statistical evaluation. The current-quarter concentrations were compared to the current background UTL developed using the most recent eight quarters of data from wells identified as upgradient in order to determine if the current downgradient concentrations are consistent with current background values.

2.1.1 Upper Continental Recharge System

In this quarter, 26 parameters, including those with MCLs, required statistical analysis in the UCRS. During the third quarter, dissolved oxygen, oxidation-reduction potential, and sulfate displayed concentrations that exceeded their respective historical UTL and are listed in Table 2. Dissolved oxygen and sulfate exceeded the current background UTL and are included on Table 4.

2.1.2 Upper Regional Gravel Aquifer

In this quarter, 29 parameters, including those with MCLs, required statistical analysis in the URGA. During the third quarter, calcium, conductivity, dissolved solids, magnesium, oxidation-reduction potential, and sulfate displayed concentrations that exceeded their respective historical UTL and are listed in Table 2. There were no exceedances of the current background UTL for any downgradient wells as summarized in Table 3.

2.1.3 Lower Regional Gravel Aquifer

In this quarter, 25 parameters, including those with MCLs, required statistical analysis in the LRGA. During the third quarter, oxidation-reduction potential, pH, and technetium-99 displayed concentrations that exceeded their respective historical UTL and are listed in Table 2. The parameter, pH, exceeded the current background UTL for downgradient wells as summarized in Table 3.

2.2 DATA VERIFICATION AND VALIDATION

Data verification is the process of comparing a data set against a set standard or contractual requirements. In accordance with the approved Groundwater Monitoring Plan (LATA Kentucky 2014), data verification is performed for 100% of the data. Data are flagged as necessary.

Data validation was performed on 100% of the organic, inorganic, and radiochemical analytical data by a qualified individual independent from sampling, laboratory, project management, or other decision-making personnel. Data validation evaluates the laboratory adherence to analytical method requirements. Validation qualifiers are added by the independent validator and not the laboratory. Validation qualifiers are not requested on the groundwater reporting forms.

Field quality control samples are collected each sampling event. Field blanks, rinseate blanks, and trip blanks are obtained to ensure quality of field and laboratory practices and data are reported in the Groundwater Sample Analysis forms in Appendix C. Laboratory quality control samples such as matrix spikes, matrix spike duplicates, and method blanks are performed by the laboratory. Both field and laboratory quality control sample results are reviewed as part of the data verification/validation process.

Data validation results for this data set indicated that all data were considered usable.

THIS PAGE INTENTIONALLY LEFT BLANK

3. PROFESSIONAL GEOLOGIST AUTHORIZATION

DOCUMENT IDENTIFICATION: *C-746-U Contained Landfill
Third Quarter Calendar Year 2015 (July–September)
Compliance Monitoring Report,
Paducah Gaseous Diffusion Plant,
Paducah, Kentucky (PAD-ENM-0093/V3)*

Stamped and signed pursuant to my authority as a duly registered geologist under the provisions of KRS Chapter 322A.



Kenneth R. Davis
Kenneth R. Davis

PG1194

November 24, 2015
Date

THIS PAGE INTENTIONALLY LEFT BLANK

4. REFERENCES

- KEEC (Kentucky Energy and Environment Cabinet) 2011. Solid Waste Landfill Permit, Division of Waste Management, Solid Waste Branch, Technical Application Attachment 12, “Explosive Gas Monitoring Program,” January 21.
- LATA Kentucky (LATA Environmental Services of Kentucky, LLC) 2014. *Groundwater Monitoring Plan for the Solid Waste Permitted Landfills (C-746-S Residential Landfill, C-746-T Inert Landfill, and C-746-U Contained Landfill) at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, PAD-PROJ-0139, LATA Environmental Services of Kentucky, LLC, Kevil, KY, June.
- PRS (Paducah Remediation Services, LLC) 2008. *Surface Water Monitoring Plan for C-746-U Contained Landfill Permit Number KY-073-00045, Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, Paducah Remediation Services, LLC, Kevil, KY, June.

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX A

**GROUNDWATER, SURFACE WATER,
LEACHATE, AND METHANE MONITORING
SAMPLE DATA REPORTING FORM**

THIS PAGE INTENTIONALLY LEFT BLANK

**GROUNDWATER, SURFACE WATER, LEACHATE,
AND METHANE MONITORING
SAMPLE DATA REPORTING FORM**

**NATURAL RESOURCES AND ENVIRONMENTAL PROTECTION CABINET
DEPARTMENT FOR ENVIRONMENTAL PROTECTION
DIVISION OF WASTE MANAGEMENT
SOLID WASTE BRANCH
14 REILLY ROAD
FRANKFORT, KY 40601**

Facility Name: U.S. DOE-Paducah Gaseous Diffusion Plant Activity: C-746-U Contained Landfill
(As officially shown on DWM Permit Face)

Permit No: SW07300014, Finds/Unit No: _____ Quarter & Year 3rd Qtr. CY 2015
SW07300015,
SW07300045


Please check the following as applicable:

_____ Characterization X Quarterly _____ Semiannual _____ Annual _____ Assessment

Please check applicable submittal(s): X Groundwater X Surface Water
_____ Leachate X Methane Monitoring

This form is to be utilized by those sites required by regulation (Kentucky Waste Management Regulations-401 KAR 48:300 and 45:160) or by statute (Kentucky Revised Statutes Chapter 224) to conduct groundwater and surface water monitoring under the jurisdiction of the Division of Waste Management. **You must report any indication of contamination within forty-eight (48) hours of making the determination using statistical analyses, direct comparison, or other similar techniques. Submitting the lab report is NOT considered notification.** Instructions for completing the form are attached. Do not submit the instruction pages.


I certify under penalty of law that the document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for such violations.



Mark J. Dunn, Environmental Management Director
Fluor Federal Services, Inc.

11-30-15

Date



Jennifer Woodard, Paducah Site Lead
U.S. Department of Energy

11/30/15

Date

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX B
FACILITY INFORMATION SHEET

THIS PAGE INTENTIONALLY LEFT BLANK

FACILITY INFORMATION SHEET

Sampling Date: Groundwater: July 2015 Surface Water: July 2015 Methane: September 2015 County: McCracken Permit Nos. SW07300014,
SW07300015,
SW07300045

Facility Name: U.S. DOE – Paducah Gaseous Diffusion Plant
(As officially shown on DWM Permit Face)

Site Address: 5501 Hobbs Road Kevil, Kentucky 42053
Street City/State Zip

Phone No: (270) 441-6800 Latitude: N 37° 07' 45" Longitude: W 88° 47' 55"

OWNER INFORMATION

Facility Owner: U.S. DOE – W. E. Murphie, Manager Phone No: (859) 219-4001

Contact Person: Mark J. Duff Phone No: (270) 441-6127

Contact Person Title: Director, Environmental Management, Fluor Federal Services, Inc.

Mailing Address: 5511 Hobbs Road Kevil, Kentucky 42053
Street City/State Zip

SAMPLING PERSONNEL (IF OTHER THAN LANDFILL OR LABORATORY)

Company: LATA Environmental Services of Kentucky, LLC

Contact Person: Jeff Boulton Phone No: (270) 441-5444

Mailing Address: 761 Veterans Avenue Kevil, Kentucky 42053
Street City/State Zip

LABORATORY RECORD #1

Laboratory GEL Laboratories, LLC Lab ID No: KY90129

Contact Person: Valerie Davis Phone No: (843) 769-7391

Mailing Address: 2040 Savage Road Charleston, South Carolina 29047
Street City/State Zip

LABORATORY RECORD #2

Laboratory: . Lab ID No:

Contact Person: Phone No:

Mailing Address:
Street City/State Zip

LABORATORY RECORD #3

Laboratory: Lab ID No:

Contact Person: Phone No:

Mailing Address:
Street City/State Zip

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX C
GROUNDWATER SAMPLE ANALYSES
AND WRITTEN COMMENTS

THIS PAGE INTENTIONALLY LEFT BLANK

Division of Waste Management
Solid Waste Branch
14 Reilly Road
Frankfort, KY 40601 (502)564-6716

RESIDENTIAL/CONTAINED-QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None
For Official Use Only

GROUNDWATER SAMPLE ANALYSIS_(S)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4798		8004-4799		8004-0981		8004-4800		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					357		358		359		360		
Sample Sequence #					1		1		1		1		
If sample is a Blank, specify Type: (F)ield, (T)rip, (M)ethod, or (E)quipment					NA		NA		NA		NA		
Sample Date and Time (Month/Day/Year hour:minutes)					7/8/2015 08:10		7/8/2015 09:31		7/8/2015 11:58		7/9/2015 10:27		
Duplicate ("Y" or "N") ²					N		N		N		N		
Split ("Y" or "N") ³					N		N		N		N		
Facility Sample ID Number (if applicable)					MW357UG4-15		MW358UG4-15		MW359UG4-15		MW360UG4-15		
Laboratory Sample ID Number (if applicable)					376753001		376753003		376753005		376905001		
Date of Analysis (Month/Day/Year) For <u>Volatile Organics</u> Analysis											7/14/2015		
Gradient with respect to Monitored Unit (UP, DOWN, SIDE, UNKNOWN)					DOWN		DOWN		DOWN		DOWN		
CAS RN ⁴		CONSTITUENT	T D S ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S ⁷	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
24959-67-9		Bromide	T	mg/L	9056	0.446		0.483		<0.2		0.165	J
16887-00-6		Chloride(s)	T	mg/L	9056	35.7		36.8		1.13		11.4	
16984-48-8		Fluoride	T	mg/L	9056	0.14		0.147		0.0853	J	0.247	
S0595- -		Nitrate & Nitrite	T	mg/L	9056	1.21		1.03		1.7		0.172	J
14808-79-8		Sulfate	T	mg/L	9056	54.6		80.1		49.7		26.7	
NS1894		Barometric Pressure Reading	T	Inches/Hg	Field	30.04		30.05		30.05		30.08	
S0145- -		Specific Conductance	T	µMH0/cm	Field	466		519		266		521	

¹AKGWA # is 0000-0000 for any type of blank.

²Respond "Y" if the sample was a duplicate of another sample in this report.

³Respond "Y" if the sample was split and analyzed by separate laboratories.

⁴Chemical Abstracts Service Registry Number or unique identifier number assigned by agency.

⁵"T" = Total; "D" = Dissolved

⁶"<" indicates a non-detect; do not use "ND" or "BDL". Value shown is Practical Quantification Limit.

⁷Flags are as designated, do not use any other type. Use "*", then describe on "Written Comments Page."

STANDARD FLAGS:

* = See Comments

J = Estimated Value

B = Analyte found in blank

A = Average value

N = Presumptive ID

D = Concentration from analysis
of a secondary dilution

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4798		8004-4799		8004-0981		8004-4800	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, BLANK-F, etc.)					357		358		359		360	
CAS RN ⁴	CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
S0906 - -	Static Water Level Elevation	T	Ft. MSL	Field	326.5		326.5		333.72		326.5	
N238	Dissolved Oxygen	T	mg/L	Field	4		1.6		7.01		1.11	
S0266- -	Total Dissolved Solids	T	mg/L	160.1	246		299		203		307	
S0296- -	pH	T	Units	Field	6.07		6.3		6.01		6.27	
NS215	Eh	T	mV	Field	489		328		460		454	
S0907 - -	Temperature	T	°C	Field	17.11		18		17.78		18.61	
7429-90-5	Aluminum	T	mg/L	6020	<0.05		<0.05		0.103		0.0156	J
7440-36-0	Antimony	T	mg/L	6020	<0.003		<0.003		<0.003		<0.003	
7440-38-2	Arsenic	T	mg/L	6020	<0.005		<0.005		<0.005		0.00176	J
7440-39-3	Barium	T	mg/L	6020	0.0608		0.0446		0.0337		0.158	
7440-41-7	Beryllium	T	mg/L	6020	<0.0005		<0.0005		<0.0005		<0.0005	*
7440-42-8	Boron	T	mg/L	6020	0.42		0.469		0.00574	J	0.0393	
7440-43-9	Cadmium	T	mg/L	6020	<0.001		<0.001		<0.001		<0.001	
7440-70-2	Calcium	T	mg/L	6020	26.9		33.1		11.7		24.7	
7440-47-3	Chromium	T	mg/L	6020	<0.01		<0.01		<0.01		<0.01	
7440-48-4	Cobalt	T	mg/L	6020	0.00016	BJ	0.00051	BJ	0.00021	BJ	0.00518	
7440-50-8	Copper	T	mg/L	6020	0.00063	*J	0.00124	*	0.00248	*	0.0005	J
7439-89-6	Iron	T	mg/L	6020	0.0418	J	0.269		0.116		0.374	
7439-92-1	Lead	T	mg/L	6020	<0.002		<0.002		<0.002		<0.002	
7439-95-4	Magnesium	T	mg/L	6020	10.9	*B	14.4	*B	4.84	*B	10.8	
7439-96-5	Manganese	T	mg/L	6020	0.00194	J	0.0493		0.00126	J	0.0701	
7439-97-6	Mercury	T	mg/L	7470	<0.0002		<0.0002		<0.0002		<0.0002	

C-4

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4798		8004-4799		8004-0981		8004-4800		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					357		358		359		360		
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
7439-98-7		Molybdenum	T	mg/L	6020	<0.0005		<0.0005		<0.0005		0.00037	J
7440-02-0		Nickel	T	mg/L	6020	0.00284		0.00323		0.00316		0.00261	
7440-09-7		Potassium	T	mg/L	6020	1.66		2.29		0.245	J	0.846	
7440-16-6		Rhodium	T	mg/L	6020	<0.005		<0.005		<0.005		<0.005	
7782-49-2		Selenium	T	mg/L	6020	<0.005		<0.005		<0.005		0.00151	J
7440-22-4		Silver	T	mg/L	6020	<0.001		<0.001		<0.001		<0.001	
7440-23-5		Sodium	T	mg/L	6020	38.3	*	39.3	*	32.7	*	73.4	
7440-25-7		Tantalum	T	mg/L	6020	<0.005		<0.005		<0.005		<0.005	
7440-28-0		Thallium	T	mg/L	6020	<0.002		<0.002		<0.002		<0.002	
7440-61-1		Uranium	T	mg/L	6020	0.00032	*	<0.0002	*	0.00021	*	0.00029	
7440-62-2		Vanadium	T	mg/L	6020	<0.01		<0.01		0.00468	J	0.00721	J
7440-66-6		Zinc	T	mg/L	6020	<0.01		0.00517	J	<0.01		<0.01	
108-05-4		Vinyl acetate	T	mg/L	8260		*		*		*	<0.005	
67-64-1		Acetone	T	mg/L	8260		*		*		*	<0.005	
107-02-8		Acrolein	T	mg/L	8260		*		*		*	<0.005	
107-13-1		Acrylonitrile	T	mg/L	8260		*		*		*	<0.005	
71-43-2		Benzene	T	mg/L	8260		*		*		*	<0.001	
108-90-7		Chlorobenzene	T	mg/L	8260		*		*		*	<0.001	
1330-20-7		Xylenes	T	mg/L	8260		*		*		*	<0.003	
100-42-5		Styrene	T	mg/L	8260		*		*		*	<0.001	
108-88-3		Toluene	T	mg/L	8260		*		*		*	<0.001	
74-97-5		Chlorobromomethane	T	mg/L	8260		*		*		*	<0.001	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4798		8004-4799		8004-0981		8004-4800		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					357		358		359		360		
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
75-27-4		Bromodichloromethane	T	mg/L	8260		*		*		*	<0.001	
75-25-2		Tribromomethane	T	mg/L	8260		*		*		*	<0.001	
74-83-9		Methyl bromide	T	mg/L	8260		*		*		*	<0.001	
78-93-3		Methyl ethyl ketone	T	mg/L	8260		*		*		*	<0.005	
110-57-6		trans-1,4-Dichloro-2-butene	T	mg/L	8260		*		*		*	<0.005	
75-15-0		Carbon disulfide	T	mg/L	8260		*		*		*	<0.005	
75-00-3		Chloroethane	T	mg/L	8260		*		*		*	<0.001	
67-66-3		Chloroform	T	mg/L	8260		*		*		*	<0.001	
74-87-3		Methyl chloride	T	mg/L	8260		*		*		*	<0.001	
156-59-2		cis-1,2-Dichloroethene	T	mg/L	8260		*		*		*	<0.001	
74-95-3		Methylene bromide	T	mg/L	8260		*		*		*	<0.001	
75-34-3		1,1-Dichloroethane	T	mg/L	8260		*		*		*	<0.001	
107-06-2		1,2-Dichloroethane	T	mg/L	8260		*		*		*	<0.001	
75-35-4		1,1-Dichloroethylene	T	mg/L	8260		*		*		*	<0.001	
106-93-4		Ethane, 1,2-dibromo	T	mg/L	8260		*		*		*	<0.001	
79-34-5		Ethane, 1,1,2,2-Tetrachloro	T	mg/L	8260		*		*		*	<0.001	
71-55-6		Ethane, 1,1,1-Trichloro-	T	mg/L	8260		*		*		*	<0.001	
79-00-5		Ethane, 1,1,2-Trichloro	T	mg/L	8260		*		*		*	<0.001	
630-20-6		Ethane, 1,1,1,2-Tetrachloro	T	mg/L	8260		*		*		*	<0.001	
75-01-4		Vinyl chloride	T	mg/L	8260		*		*		*	<0.001	
127-18-4		Ethene, Tetrachloro-	T	mg/L	8260		*		*		*	<0.001	
79-01-6		Ethene, Trichloro-	T	mg/L	8260		*		*		*	<0.001	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4798		8004-4799		8004-0981		8004-4800		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					357		358		359		360		
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
100-41-4		Ethylbenzene	T	mg/L	8260		*		*		*	<0.001	
591-78-6		2-Hexanone	T	mg/L	8260		*		*		*	<0.005	
74-88-4		Iodomethane	T	mg/L	8260		*		*		*	<0.005	
124-48-1		Methane, Dibromochloro-	T	mg/L	8260		*		*		*	<0.001	
56-23-5		Carbon Tetrachloride	T	mg/L	8260		*		*		*	<0.001	
75-09-2		Dichloromethane	T	mg/L	8260		*		*		*	<0.005	
108-10-1		Methyl isobutyl ketone	T	mg/L	8260		*		*		*	<0.005	
96-12-8		Propane, 1,2-Dibromo-3-chloro	T	mg/L	8011	<0.0000188		<0.0000192		<0.0000193		<0.0000188	
78-87-5		Propane, 1,2-Dichloro-	T	mg/L	8260		*		*		*	<0.001	
10061-02-6		trans-1,3-Dichloro-1-propene	T	mg/L	8260		*		*		*	<0.001	
10061-01-5		cis-1,3-Dichloro-1-propene	T	mg/L	8260		*		*		*	<0.001	
156-60-5		trans-1,2-Dichloroethene	T	mg/L	8260		*		*		*	<0.001	
75-69-4		Trichlorofluoromethane	T	mg/L	8260		*		*		*	<0.001	
96-18-4		1,2,3-Trichloropropane	T	mg/L	8260		*		*		*	<0.001	
95-50-1		Benzene, 1,2-Dichloro-	T	mg/L	8260		*		*		*	<0.001	
106-46-7		Benzene, 1,4-Dichloro-	T	mg/L	8260		*		*		*	<0.001	
1336-36-3		PCB,Total	T	ug/L	8082	<0.1		<0.0971		<0.099		<0.0962	
12674-11-2		PCB-1016	T	ug/L	8082	<0.1		<0.0971		<0.099		<0.0962	
11104-28-2		PCB-1221	T	ug/L	8082	<0.1		<0.0971		<0.099		<0.0962	
11141-16-5		PCB-1232	T	ug/L	8082	<0.1		<0.0971		<0.099		<0.0962	
53469-21-9		PCB-1242	T	ug/L	8082	<0.1		<0.0971		<0.099		<0.0962	
12672-29-6		PCB-1248	T	ug/L	8082	<0.1		<0.0971		<0.099		<0.0962	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4798		8004-4799		8004-0981		8004-4800		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					357		358		359		360		
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
11097-69-1		PCB-1254	T	ug/L	8082	<0.1		<0.0971		<0.099		<0.0962	
11096-82-5		PCB-1260	T	ug/L	8082	<0.1		<0.0971		<0.099		<0.0962	
11100-14-4		PCB-1268	T	ug/L	8082	<0.1		<0.0971		<0.099		<0.0962	
12587-46-1		Gross Alpha	T	pCi/L	9310	7.37	*	-5.01	*	1.37	*	-5.74	*
12587-47-2		Gross Beta	T	pCi/L	9310	20.4	*	32.4	*	0.712	*	-0.865	*
10043-66-0		Iodine-131	T	pCi/L			*		*		*		*
13982-63-3		Radium-226	T	pCi/L	HASL 300	0.601	*	0.725	*	0.597	*	0.607	*
10098-97-2		Strontium-90	T	pCi/L	905.0	-0.517	*	-1.56	*	-1.43	*	2.3	*
14133-76-7		Technetium-99	T	pCi/L	Tc-02-RC	41	*	57.6	*	10.9	*	6.98	*
14269-63-7		Thorium-230	T	pCi/L	Th-01-RC	0.432	*	0.0648	*	-0.0763	*	0.167	*
10028-17-8		Tritium	T	pCi/L	906.0	-8.24	*	30.8	*	5.74	*	-14.1	*
S0130- -		Chemical Oxygen Demand	T	mg/L	410.4	<20		<20		15.7	J	<20	
57-12-5		Cyanide	T	mg/L	9012	<0.2		<0.2		<0.2		0.003	J
20461-54-5		Iodide	T	mg/L	300.0	<0.5		<0.5		<0.5		<0.5	
S0268- -		Total Organic Carbon	T	mg/L	9060	0.563	J	0.627	J	1.91	J	1.7	J
S0586- -		Total Organic Halides	T	mg/L	9020	0.00684	J	0.00758	J	<0.01		0.0176	

Division of Waste Management
Solid Waste Branch
14 Reilly Road
Frankfort, KY 40601 (502)564-6716

RESIDENTIAL/CONTAINED-QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None
For Official Use Only

GROUNDWATER SAMPLE ANALYSIS_(S)

AKGWA NUMBER ¹ , Facility Well/Spring Number						8004-4795	8004-0986	8004-4796	8004-4797				
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)						361	362	363	364				
Sample Sequence #						1	1	1	1				
If sample is a Blank, specify Type: (F)ield, (T)rip, (M)ethod, or (E)quipment						NA	NA	NA	NA				
Sample Date and Time (Month/Day/Year hour:minutes)						7/9/2015 08:48	7/9/2015 09:36	7/14/2015 09:17	7/14/2015 10:22				
Duplicate ("Y" or "N") ²						N	N	N	N				
Split ("Y" or "N") ³						N	N	N	N				
Facility Sample ID Number (if applicable)						MW361UG4-15	MW362UG4-15	MW363UG4-15	MW364UG4-15				
Laboratory Sample ID Number (if applicable)						376905003	376905005	377182001	377182003				
Date of Analysis (Month/Day/Year) For <u>Volatile Organics</u> Analysis						7/13/2015	7/13/2015	7/17/2015	7/17/2015				
Gradient with respect to Monitored Unit (UP, DOWN, SIDE, UNKNOWN)						DOWN	DOWN	DOWN	DOWN				
CAS RN ⁴		CONSTITUENT	T D S	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S ⁷	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S		
24959-67-9		Bromide	T	mg/L	9056	0.412		0.147	J	0.136	J	0.404	
16887-00-6		Chloride(s)	T	mg/L	9056	31.1		8.57		30		33.3	
16984-48-8		Fluoride	T	mg/L	9056	0.14		0.345		0.176		0.142	
S0595- -		Nitrate & Nitrite	T	mg/L	9056	0.975		0.53		4.26		0.919	
14808-79-8		Sulfate	T	mg/L	9056	74		33.7		29.1		71.6	
NS1894		Barometric Pressure Reading	T	Inches/Hg	Field	30.04		30.08		29.91		29.91	
S0145- -		Specific Conductance	T	µMH0/cm	Field	487		719		409		455	

¹AKGWA # is 0000-0000 for any type of blank.

²Respond "Y" if the sample was a duplicate of another sample in this report.

³Respond "Y" if the sample was split and analyzed by separate laboratories.

⁴Chemical Abstracts Service Registry Number or unique identifier number assigned by agency.

⁵"T" = Total; "D" = Dissolved

⁶"<" indicates a non-detect; do not use "ND" or "BDL". Value shown is Practical Quantification Limit.

⁷Flags are as designated, do not use any other type. Use "*", then describe on "Written Comments Page."

STANDARD FLAGS:

* = See Comments

J = Estimated Value

B = Analyte found in blank

A = Average value

N = Presumptive ID

D = Concentration from analysis
of a secondary dilution

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4795		8004-0986		8004-4796		8004-4797	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, BLANK-F, etc.)					361		362		363		364	
CAS RN ⁴	CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
S0906 - -	Static Water Level Elevation	T	Ft. MSL	Field	326.52		337.72		327.12		327.09	
N238	Dissolved Oxygen	T	mg/L	Field	3.41		5.33		0.69		1.5	
S0266- -	Total Dissolved Solids	T	mg/L	160.1	271		464		240		250	
S0296- -	pH	T	Units	Field	5.81		6.86		6.13		5.94	
NS215	Eh	T	mV	Field	567		447		731		700	
S0907 - -	Temperature	T	°C	Field	17.06		19.67		20.28		18.78	
7429-90-5	Aluminum	T	mg/L	6020	<0.05		3.2		0.0183	J	0.0172	J
7440-36-0	Antimony	T	mg/L	6020	<0.003		<0.003		<0.003		<0.003	
7440-38-2	Arsenic	T	mg/L	6020	0.00195	J	0.00272	J	<0.005		<0.005	
7440-39-3	Barium	T	mg/L	6020	0.0588		0.105		0.171		0.0665	
7440-41-7	Beryllium	T	mg/L	6020	<0.0005	*	<0.0005	*	<0.0005		<0.0005	
7440-42-8	Boron	T	mg/L	6020	0.327		0.0226		0.0238		0.0107	J
7440-43-9	Cadmium	T	mg/L	6020	<0.001		<0.001		<0.001		<0.001	
7440-70-2	Calcium	T	mg/L	6020	32		21		27.6		29.1	
7440-47-3	Chromium	T	mg/L	6020	<0.01		0.00345	J	<0.01		<0.01	
7440-48-4	Cobalt	T	mg/L	6020	<0.001		0.00161		0.00129		0.00036	J
7440-50-8	Copper	T	mg/L	6020	<0.001		0.00274		0.00037	J	0.00036	J
7439-89-6	Iron	T	mg/L	6020	<0.1		2.09		0.0537	J	0.0358	J
7439-92-1	Lead	T	mg/L	6020	<0.002		0.00146	J	0.00068	J	<0.002	
7439-95-4	Magnesium	T	mg/L	6020	15.8		10.6		11.6		13.4	
7439-96-5	Manganese	T	mg/L	6020	0.00703		0.0156		0.229		0.0164	
7439-97-6	Mercury	T	mg/L	7470	<0.0002		<0.0002		<0.0002		<0.0002	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4795		8004-0986		8004-4796		8004-4797		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					361		362		363		364		
CAS RN ⁴		CONSTITUENT	T D S	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
7439-98-7		Molybdenum	T	mg/L	6020	<0.0005		0.00113		<0.0005		<0.0005	
7440-02-0		Nickel	T	mg/L	6020	0.00141	J	0.00318		0.00068	J	0.00176	J
7440-09-7		Potassium	T	mg/L	6020	2.12		0.529		1.37		2.06	
7440-16-6		Rhodium	T	mg/L	6020	<0.005		<0.005		<0.005		<0.005	
7782-49-2		Selenium	T	mg/L	6020	0.00225	J	<0.005		<0.005		0.005	J
7440-22-4		Silver	T	mg/L	6020	<0.001		<0.001		<0.001		<0.001	
7440-23-5		Sodium	T	mg/L	6020	44.6		139		40.6		46.3	
7440-25-7		Tantalum	T	mg/L	6020	<0.005		<0.005		<0.005		<0.005	
7440-28-0		Thallium	T	mg/L	6020	<0.002		<0.002		<0.002		<0.002	
7440-61-1		Uranium	T	mg/L	6020	<0.0002		0.00647		<0.0002		<0.0002	
7440-62-2		Vanadium	T	mg/L	6020	0.00777	J	0.0125		<0.01		<0.01	
7440-66-6		Zinc	T	mg/L	6020	<0.01		0.0061	J	<0.01		0.0341	
108-05-4		Vinyl acetate	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
67-64-1		Acetone	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
107-02-8		Acrolein	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
107-13-1		Acrylonitrile	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
71-43-2		Benzene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
108-90-7		Chlorobenzene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
1330-20-7		Xylenes	T	mg/L	8260	<0.003		<0.003		<0.003		<0.003	
100-42-5		Styrene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
108-88-3		Toluene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
74-97-5		Chlorobromomethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4795		8004-0986		8004-4796		8004-4797	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					361		362		363		364	
CAS RN ⁴	CONSTITUENT	T D S	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
75-27-4	Bromodichloromethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-25-2	Tribromomethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
74-83-9	Methyl bromide	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
78-93-3	Methyl ethyl ketone	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
110-57-6	trans-1,4-Dichloro-2-butene	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
75-15-0	Carbon disulfide	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
75-00-3	Chloroethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
67-66-3	Chloroform	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
74-87-3	Methyl chloride	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
156-59-2	cis-1,2-Dichloroethene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
74-95-3	Methylene bromide	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-34-3	1,1-Dichloroethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
107-06-2	1,2-Dichloroethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-35-4	1,1-Dichloroethylene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
106-93-4	Ethane, 1,2-dibromo	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
79-34-5	Ethane, 1,1,2,2-Tetrachloro	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
71-55-6	Ethane, 1,1,1-Trichloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
79-00-5	Ethane, 1,1,2-Trichloro	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
630-20-6	Ethane, 1,1,1,2-Tetrachloro	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-01-4	Vinyl chloride	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
127-18-4	Ethene, Tetrachloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
79-01-6	Ethene, Trichloro-	T	mg/L	8260	0.00692		<0.001		0.00084	J	0.0043	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4795		8004-0986		8004-4796		8004-4797		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					361		362		363		364		
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
100-41-4		Ethylbenzene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
591-78-6		2-Hexanone	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
74-88-4		Iodomethane	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
124-48-1		Methane, Dibromochloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
56-23-5		Carbon Tetrachloride	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-09-2		Dichloromethane	T	mg/L	8260	<0.005		<0.005		0.00147	J	0.00137	J
108-10-1		Methyl isobutyl ketone	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
96-12-8		Propane, 1,2-Dibromo-3-chloro	T	mg/L	8011	<0.0000191		<0.0000191		<0.0000203		<0.0000191	
78-87-5		Propane, 1,2-Dichloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
10061-02-6		trans-1,3-Dichloro-1-propene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
10061-01-5		cis-1,3-Dichloro-1-propene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
156-60-5		trans-1,2-Dichloroethene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-69-4		Trichlorofluoromethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
96-18-4		1,2,3-Trichloropropane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
95-50-1		Benzene, 1,2-Dichloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
106-46-7		Benzene, 1,4-Dichloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
1336-36-3		PCB,Total	T	ug/L	8082	<0.0971		<0.098		<1.02		<0.971	
12674-11-2		PCB-1016	T	ug/L	8082	<0.0971		<0.098		<1.02		<0.971	
11104-28-2		PCB-1221	T	ug/L	8082	<0.0971		<0.098		<1.02		<0.971	
11141-16-5		PCB-1232	T	ug/L	8082	<0.0971		<0.098		<1.02		<0.971	
53469-21-9		PCB-1242	T	ug/L	8082	<0.0971		<0.098		<1.02		<0.971	
12672-29-6		PCB-1248	T	ug/L	8082	<0.0971		<0.098		<1.02		<0.971	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

FINDS/UNIT: KY8-890-008-982 / 1

Permit Number: 073-00045

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4795		8004-0986		8004-4796		8004-4797	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					361		362		363		364	
CAS RN ⁴	CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
11097-69-1	PCB-1254	T	ug/L	8082	<0.0971		<0.098		<1.02		<0.971	
11096-82-5	PCB-1260	T	ug/L	8082	<0.0971		<0.098		<1.02		<0.971	
11100-14-4	PCB-1268	T	ug/L	8082	<0.0971		<0.098		<1.02		<0.971	
12587-46-1	Gross Alpha	T	pCi/L	9310	-2.11	*	3.07	*	-1.11	*	4.66	*
12587-47-2	Gross Beta	T	pCi/L	9310	31.3	*	-0.552	*	7.77	*	34.1	*
10043-66-0	Iodine-131	T	pCi/L			*		*		*		*
13982-63-3	Radium-226	T	pCi/L	HASL 300	0.561	*	1.05	*	1.4	*	0.87	*
10098-97-2	Strontium-90	T	pCi/L	905.0	-2.96	*	0.916	*	2.44	*	-1.24	*
14133-76-7	Technetium-99	T	pCi/L	Tc-02-RC	42.8	*	-6.74	*	14.5	*	58.7	*
14269-63-7	Thorium-230	T	pCi/L	Th-01-RC	-0.125	*	0.639	*	0.0827	*	0.752	*
10028-17-8	Tritium	T	pCi/L	906.0	-44	*	-58.1	*	-15.8	*	2.87	*
S0130- -	Chemical Oxygen Demand	T	mg/L	410.4	<20		<20		<20		<20	
57-12-5	Cyanide	T	mg/L	9012	<0.2		<0.2		<0.2		<0.2	
20461-54-5	Iodide	T	mg/L	300.0	<0.5		<0.5		<0.5		<0.5	
S0268- -	Total Organic Carbon	T	mg/L	9060	0.637	J	2.79		0.809	J	0.618	J
S0586- -	Total Organic Halides	T	mg/L	9020	<0.01		0.0233		0.00518	J	0.00574	J

Division of Waste Management
Solid Waste Branch
14 Reilly Road
Frankfort, KY 40601 (502)564-6716

RESIDENTIAL/CONTAINED-QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None
For Official Use Only

GROUNDWATER SAMPLE ANALYSIS_(S)

AKGWA NUMBER ¹ , Facility Well/Spring Number						8004-0984	8004-0982		8004-4793		8004-0983		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)						365	366		367		368		
Sample Sequence #						1	1		1		1		
If sample is a Blank, specify Type: (F)ield, (T)rip, (M)ethod, or (E)quipment						NA	NA		NA		NA		
Sample Date and Time (Month/Day/Year hour:minutes)						NA	7/14/2015 11:56		7/14/2015 11:16		NA		
Duplicate ("Y" or "N") ²						N	N		N		N		
Split ("Y" or "N") ³						N	N		N		N		
Facility Sample ID Number (if applicable)						NA	MW366UG4-15		MW367UG4-15		NA		
Laboratory Sample ID Number (if applicable)						NA	377182005		377182007		NA		
Date of Analysis (Month/Day/Year) For <u>Volatile Organics</u> Analysis						NA	7/17/2015		7/17/2015		NA		
Gradient with respect to Monitored Unit (UP, DOWN, SIDE, UNKNOWN)						DOWN	SIDE		SIDE		SIDE		
CAS RN ⁴		CONSTITUENT	T D S ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S ⁷	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
24959-67-9		Bromide	T	mg/L	9056		*	0.513		0.414			*
16887-00-6		Chloride(s)	T	mg/L	9056		*	37.9		31.2			*
16984-48-8		Fluoride	T	mg/L	9056		*	0.163		0.124			*
S0595- -		Nitrate & Nitrite	T	mg/L	9056		*	0.759		0.205			*
14808-79-8		Sulfate	T	mg/L	9056		*	56		43.4			*
NS1894		Barometric Pressure Reading	T	Inches/Hg	Field		*	29.94		29.95			*
S0145- -		Specific Conductance	T	µMH0/cm	Field		*	430		337			*

¹AKGWA # is 0000-0000 for any type of blank.

²Respond "Y" if the sample was a duplicate of another sample in this report.

³Respond "Y" if the sample was split and analyzed by separate laboratories.

⁴Chemical Abstracts Service Registry Number or unique identifier number assigned by agency.

⁵"T" = Total; "D" = Dissolved

⁶"<" indicates a non-detect; do not use "ND" or "BDL". Value shown is Practical Quantification Limit.

⁷Flags are as designated, do not use any other type. Use "*", then describe on "Written Comments Page."

STANDARD FLAGS:

* = See Comments

J = Estimated Value

B = Analyte found in blank

A = Average value

N = Presumptive ID

D = Concentration from analysis
of a secondary dilution

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-0984		8004-0982		8004-4793		8004-0983	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, BLANK-F, etc.)					365		366		367		368	
CAS RN ⁴	CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
S0906 - -	Static Water Level Elevation	T	Ft. MSL	Field		*	327.17		327.18			*
N238	Dissolved Oxygen	T	mg/L	Field		*	1.02		0.71			*
S0266- -	Total Dissolved Solids	T	mg/L	160.1		*	250		211			*
S0296- -	pH	T	Units	Field		*	6.05		5.9			*
NS215	Eh	T	mV	Field		*	387		416			*
S0907 - -	Temperature	T	°C	Field		*	20.06		18.78			*
7429-90-5	Aluminum	T	mg/L	6020		*	<0.05		<0.05			*
7440-36-0	Antimony	T	mg/L	6020		*	<0.003		<0.003			*
7440-38-2	Arsenic	T	mg/L	6020		*	<0.005		0.00191	J		*
7440-39-3	Barium	T	mg/L	6020		*	0.147		0.187			*
7440-41-7	Beryllium	T	mg/L	6020		*	<0.0005		<0.0005			*
7440-42-8	Boron	T	mg/L	6020		*	0.128		0.0268			*
7440-43-9	Cadmium	T	mg/L	6020		*	<0.001		<0.001			*
7440-70-2	Calcium	T	mg/L	6020		*	31.2		25.1			*
7440-47-3	Chromium	T	mg/L	6020		*	<0.01		<0.01			*
7440-48-4	Cobalt	T	mg/L	6020		*	0.00034	J	0.00669			*
7440-50-8	Copper	T	mg/L	6020		*	<0.001		0.00045	J		*
7439-89-6	Iron	T	mg/L	6020		*	0.0612	J	1.78			*
7439-92-1	Lead	T	mg/L	6020		*	<0.002		<0.002			*
7439-95-4	Magnesium	T	mg/L	6020		*	13.8		12			*
7439-96-5	Manganese	T	mg/L	6020		*	0.017		0.863			*
7439-97-6	Mercury	T	mg/L	7470		*	<0.0002		<0.0002			*

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-0984		8004-0982		8004-4793		8004-0983	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					365		366		367		368	
CAS RN ⁴	CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
7439-98-7	Molybdenum	T	mg/L	6020		*	<0.0005		<0.0005			*
7440-02-0	Nickel	T	mg/L	6020		*	0.00052	J	0.00202			*
7440-09-7	Potassium	T	mg/L	6020		*	1.94		2.95			*
7440-16-6	Rhodium	T	mg/L	6020		*	<0.005		<0.005			*
7782-49-2	Selenium	T	mg/L	6020		*	<0.005		<0.005			*
7440-22-4	Silver	T	mg/L	6020		*	<0.001		<0.001			*
7440-23-5	Sodium	T	mg/L	6020		*	47.3		36.1			*
7440-25-7	Tantalum	T	mg/L	6020		*	<0.005		<0.005			*
7440-28-0	Thallium	T	mg/L	6020		*	<0.002		<0.002			*
7440-61-1	Uranium	T	mg/L	6020		*	<0.0002		<0.0002			*
7440-62-2	Vanadium	T	mg/L	6020		*	<0.01		<0.01			*
7440-66-6	Zinc	T	mg/L	6020		*	<0.01		0.00482	J		*
108-05-4	Vinyl acetate	T	mg/L	8260		*	<0.005		<0.005			*
67-64-1	Acetone	T	mg/L	8260		*	<0.005		<0.005			*
107-02-8	Acrolein	T	mg/L	8260		*	<0.005		<0.005			*
107-13-1	Acrylonitrile	T	mg/L	8260		*	<0.005		<0.005			*
71-43-2	Benzene	T	mg/L	8260		*	<0.001		<0.001			*
108-90-7	Chlorobenzene	T	mg/L	8260		*	<0.001		<0.001			*
1330-20-7	Xylenes	T	mg/L	8260		*	<0.003		<0.003			*
100-42-5	Styrene	T	mg/L	8260		*	<0.001		<0.001			*
108-88-3	Toluene	T	mg/L	8260		*	<0.001		<0.001			*
74-97-5	Chlorobromomethane	T	mg/L	8260		*	<0.001		<0.001			*

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-0984		8004-0982		8004-4793		8004-0983		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					365		366		367		368		
CAS RN ⁴		CONSTITUENT	T D S	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
75-27-4		Bromodichloromethane	T	mg/L	8260		*	<0.001		<0.001			*
75-25-2		Tribromomethane	T	mg/L	8260		*	<0.001		<0.001			*
74-83-9		Methyl bromide	T	mg/L	8260		*	<0.001		<0.001			*
78-93-3		Methyl ethyl ketone	T	mg/L	8260		*	<0.005		<0.005			*
110-57-6		trans-1,4-Dichloro-2-butene	T	mg/L	8260		*	<0.005		<0.005			*
75-15-0		Carbon disulfide	T	mg/L	8260		*	<0.005		<0.005			*
75-00-3		Chloroethane	T	mg/L	8260		*	<0.001		<0.001			*
67-66-3		Chloroform	T	mg/L	8260		*	<0.001		<0.001			*
74-87-3		Methyl chloride	T	mg/L	8260		*	<0.001		<0.001			*
156-59-2		cis-1,2-Dichloroethene	T	mg/L	8260		*	<0.001		<0.001			*
74-95-3		Methylene bromide	T	mg/L	8260		*	<0.001		<0.001			*
75-34-3		1,1-Dichloroethane	T	mg/L	8260		*	<0.001		<0.001			*
107-06-2		1,2-Dichloroethane	T	mg/L	8260		*	<0.001		<0.001			*
75-35-4		1,1-Dichloroethylene	T	mg/L	8260		*	<0.001		<0.001			*
106-93-4		Ethane, 1,2-dibromo	T	mg/L	8260		*	<0.001		<0.001			*
79-34-5		Ethane, 1,1,2,2-Tetrachloro	T	mg/L	8260		*	<0.001		<0.001			*
71-55-6		Ethane, 1,1,1-Trichloro-	T	mg/L	8260		*	<0.001		<0.001			*
79-00-5		Ethane, 1,1,2-Trichloro	T	mg/L	8260		*	<0.001		<0.001			*
630-20-6		Ethane, 1,1,1,2-Tetrachloro	T	mg/L	8260		*	<0.001		<0.001			*
75-01-4		Vinyl chloride	T	mg/L	8260		*	<0.001		<0.001			*
127-18-4		Ethene, Tetrachloro-	T	mg/L	8260		*	<0.001		<0.001			*
79-01-6		Ethene, Trichloro-	T	mg/L	8260		*	0.00378		0.00288			*

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-0984		8004-0982		8004-4793		8004-0983		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					365		366		367		368		
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
100-41-4		Ethylbenzene	T	mg/L	8260		*	<0.001		<0.001			*
591-78-6		2-Hexanone	T	mg/L	8260		*	<0.005		<0.005			*
74-88-4		Iodomethane	T	mg/L	8260		*	<0.005		<0.005			*
124-48-1		Methane, Dibromochloro-	T	mg/L	8260		*	<0.001		<0.001			*
56-23-5		Carbon Tetrachloride	T	mg/L	8260		*	<0.001		<0.001			*
75-09-2		Dichloromethane	T	mg/L	8260		*	0.00132	J	0.00128	J		*
108-10-1		Methyl isobutyl ketone	T	mg/L	8260		*	<0.005		<0.005			*
96-12-8		Propane, 1,2-Dibromo-3-chloro	T	mg/L	8011		*	<0.0000191		<0.000019			*
78-87-5		Propane, 1,2-Dichloro-	T	mg/L	8260		*	<0.001		<0.001			*
10061-02-6		trans-1,3-Dichloro-1-propene	T	mg/L	8260		*	<0.001		<0.001			*
10061-01-5		cis-1,3-Dichloro-1-propene	T	mg/L	8260		*	<0.001		<0.001			*
156-60-5		trans-1,2-Dichloroethene	T	mg/L	8260		*	<0.001		<0.001			*
75-69-4		Trichlorofluoromethane	T	mg/L	8260		*	<0.001		<0.001			*
96-18-4		1,2,3-Trichloropropane	T	mg/L	8260		*	<0.001		<0.001			*
95-50-1		Benzene, 1,2-Dichloro-	T	mg/L	8260		*	<0.001		<0.001			*
106-46-7		Benzene, 1,4-Dichloro-	T	mg/L	8260		*	<0.001		<0.001			*
1336-36-3		PCB,Total	T	ug/L	8082		*	<0.0962		<0.98			*
12674-11-2		PCB-1016	T	ug/L	8082		*	<0.0962		<0.98			*
11104-28-2		PCB-1221	T	ug/L	8082		*	<0.0962		<0.98			*
11141-16-5		PCB-1232	T	ug/L	8082		*	<0.0962		<0.98			*
53469-21-9		PCB-1242	T	ug/L	8082		*	<0.0962		<0.98			*
12672-29-6		PCB-1248	T	ug/L	8082		*	<0.0962		<0.98			*

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

FINDS/UNIT: KY8-890-008-982 / 1

Permit Number: 073-00045

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-0984		8004-0982		8004-4793		8004-0983		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					365		366		367		368		
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
11097-69-1		PCB-1254	T	ug/L	8082		*	<0.0962		<0.98			*
11096-82-5		PCB-1260	T	ug/L	8082		*	<0.0962		<0.98			*
11100-14-4		PCB-1268	T	ug/L	8082		*	<0.0962		<0.98			*
12587-46-1		Gross Alpha	T	pCi/L	9310		*	1.57	*	8.15	*		*
12587-47-2		Gross Beta	T	pCi/L	9310		*	44.9	*	30.2	*		*
10043-66-0		Iodine-131	T	pCi/L			*		*		*		*
13982-63-3		Radium-226	T	pCi/L	HASL 300		*	1.34	*	1.29	*		*
10098-97-2		Strontium-90	T	pCi/L	905.0		*	-0.331	*	-1.79	*		*
14133-76-7		Technetium-99	T	pCi/L	Tc-02-RC		*	47.1	*	35.1	*		*
14269-63-7		Thorium-230	T	pCi/L	Th-01-RC		*	0.149	*	0.748	*		*
10028-17-8		Tritium	T	pCi/L	906.0		*	-29.6	*	-122	*		*
S0130- -		Chemical Oxygen Demand	T	mg/L	410.4		*	<20		<20			*
57-12-5		Cyanide	T	mg/L	9012		*	<0.2		<0.2			*
20461-54-5		Iodide	T	mg/L	300.0		*	<0.5		<0.5			*
S0268- -		Total Organic Carbon	T	mg/L	9060		*	0.595	J	0.655	J		*
S0586- -		Total Organic Halides	T	mg/L	9020		*	0.00454	J	<0.01			*

Division of Waste Management
Solid Waste Branch
14 Reilly Road
Frankfort, KY 40601 (502)564-6716

RESIDENTIAL/CONTAINED-QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None
For Official Use Only

GROUNDWATER SAMPLE ANALYSIS_(S)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4820		8004-4818		8004-4819		8004-4808		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					369		370		371		372		
Sample Sequence #					1		1		1		1		
If sample is a Blank, specify Type: (F)ield, (T)rip, (M)ethod, or (E)quipment					NA		NA		NA		NA		
Sample Date and Time (Month/Day/Year hour:minutes)					7/14/2015 09:06		7/14/2015 09:52		7/14/2015 10:33		7/13/2015 09:35		
Duplicate ("Y" or "N") ²					N		N		N		N		
Split ("Y" or "N") ³					N		N		N		N		
Facility Sample ID Number (if applicable)					MW369UG4-15		MW370UG4-15		MW371UG4-15		MW372UG4-15		
Laboratory Sample ID Number (if applicable)					377182009		377182011		377182015		377062003		
Date of Analysis (Month/Day/Year) For <u>Volatile Organics</u> Analysis					7/17/2015		7/17/2015		7/17/2015		7/16/2015		
Gradient with respect to Monitored Unit (UP, DOWN, SIDE, UNKNOWN)					UP		UP		UP		UP		
CAS RN ⁴		CONSTITUENT	T D S	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S ⁷	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
24959-67-9		Bromide	T	mg/L	9056	0.43		0.477		0.0764	J	0.582	
16887-00-6		Chloride(s)	T	mg/L	9056	35.2		39.7		4.98		44	
16984-48-8		Fluoride	T	mg/L	9056	0.197		0.154		0.276		0.17	
S0595- -		Nitrate & Nitrite	T	mg/L	9056	0.444		1.22		0.497	J	0.108	J
14808-79-8		Sulfate	T	mg/L	9056	8.09		19		18.8		135	
NS1894		Barometric Pressure Reading	T	Inches/Hg	Field	29.75		29.75		29.74		29.89	
S0145- -		Specific Conductance	T	µMH0/cm	Field	390		424		699		758	

¹AKGWA # is 0000-0000 for any type of blank.

²Respond "Y" if the sample was a duplicate of another sample in this report.

³Respond "Y" if the sample was split and analyzed by separate laboratories.

⁴Chemical Abstracts Service Registry Number or unique identifier number assigned by agency.

⁵"T" = Total; "D" = Dissolved

⁶"<" indicates a non-detect; do not use "ND" or "BDL". Value shown is Practical Quantification Limit.

⁷Flags are as designated, do not use any other type. Use "*", then describe on "Written Comments Page."

STANDARD FLAGS:

* = See Comments

J = Estimated Value

B = Analyte found in blank

A = Average value

N = Presumptive ID

D = Concentration from analysis
of a secondary dilution

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4820		8004-4818		8004-4819		8004-4808	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, BLANK-F, etc.)					369		370		371		372	
CAS RN ⁴	CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
S0906 - -	Static Water Level Elevation	T	Ft. MSL	Field	327.92		328.9		343		327.75	
N238	Dissolved Oxygen	T	mg/L	Field	3.28		3.63		2.73		0.76	
S0266- -	Total Dissolved Solids	T	mg/L	160.1	226		230		443		441	
S0296- -	pH	T	Units	Field	6.12		6.05		6.6		6.13	
NS215	Eh	T	mV	Field	410		388		368		220	
S0907 - -	Temperature	T	°C	Field	20.89		20.5		20.28		19.72	
7429-90-5	Aluminum	T	mg/L	6020	0.0723		<0.05		0.814		0.0241	J
7440-36-0	Antimony	T	mg/L	6020	<0.003		<0.003		<0.003		<0.003	
7440-38-2	Arsenic	T	mg/L	6020	<0.005		0.00179	J	0.00284	J	0.0021	J
7440-39-3	Barium	T	mg/L	6020	0.365		0.184		0.134		0.0491	
7440-41-7	Beryllium	T	mg/L	6020	<0.0005		<0.0005		<0.0005		<0.0005	
7440-42-8	Boron	T	mg/L	6020	0.0136	J	0.0329		0.00626	J	1.35	
7440-43-9	Cadmium	T	mg/L	6020	<0.001		<0.001		<0.001		<0.001	
7440-70-2	Calcium	T	mg/L	6020	17.8		27.4		31.1		62.6	
7440-47-3	Chromium	T	mg/L	6020	<0.01		<0.01		<0.01		<0.01	
7440-48-4	Cobalt	T	mg/L	6020	0.00617		0.00047	J	0.00019	J	0.00044	J
7440-50-8	Copper	T	mg/L	6020	0.00133		0.00057	J	0.00138		<0.001	
7439-89-6	Iron	T	mg/L	6020	0.146		<0.1		0.524		0.384	
7439-92-1	Lead	T	mg/L	6020	<0.002		<0.002		<0.002		<0.002	
7439-95-4	Magnesium	T	mg/L	6020	7.73		12.4		13.3		24.8	
7439-96-5	Manganese	T	mg/L	6020	0.0129		0.00151	J	0.0109		0.0161	
7439-97-6	Mercury	T	mg/L	7470	<0.0002		<0.0002		<0.0002		<0.0002	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number						8004-4820		8004-4818		8004-4819		8004-4808	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)						369		370		371		372	
CAS RN ⁴		CONSTITUENT	T D S	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
7439-98-7		Molybdenum	T	mg/L	6020	<0.0005		<0.0005		0.00069		0.00046	J
7440-02-0		Nickel	T	mg/L	6020	0.0114		0.00101	J	0.00129	J	0.00121	J
7440-09-7		Potassium	T	mg/L	6020	0.608		2.44		0.541		2.55	
7440-16-6		Rhodium	T	mg/L	6020	<0.005		<0.005		<0.005		<0.005	
7782-49-2		Selenium	T	mg/L	6020	<0.005		<0.005		<0.005		<0.005	
7440-22-4		Silver	T	mg/L	6020	<0.001		<0.001		<0.001		<0.001	
7440-23-5		Sodium	T	mg/L	6020	57.7		44		120		63.3	
7440-25-7		Tantalum	T	mg/L	6020	<0.005		<0.005		<0.005		<0.005	*
7440-28-0		Thallium	T	mg/L	6020	<0.002		<0.002		<0.002		<0.002	
7440-61-1		Uranium	T	mg/L	6020	<0.0002		<0.0002		0.00143		<0.0002	
7440-62-2		Vanadium	T	mg/L	6020	<0.01		<0.01		0.00675	BJ	<0.01	
7440-66-6		Zinc	T	mg/L	6020	<0.01		<0.01		<0.01		<0.01	
108-05-4		Vinyl acetate	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
67-64-1		Acetone	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
107-02-8		Acrolein	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
107-13-1		Acrylonitrile	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
71-43-2		Benzene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
108-90-7		Chlorobenzene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
1330-20-7		Xylenes	T	mg/L	8260	<0.003		<0.003		<0.003		<0.003	
100-42-5		Styrene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
108-88-3		Toluene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
74-97-5		Chlorobromomethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4820		8004-4818		8004-4819		8004-4808	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					369		370		371		372	
CAS RN ⁴	CONSTITUENT	T D S	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
75-27-4	Bromodichloromethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-25-2	Tribromomethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
74-83-9	Methyl bromide	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
78-93-3	Methyl ethyl ketone	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
110-57-6	trans-1,4-Dichloro-2-butene	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
75-15-0	Carbon disulfide	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
75-00-3	Chloroethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
67-66-3	Chloroform	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
74-87-3	Methyl chloride	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
156-59-2	cis-1,2-Dichloroethene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
74-95-3	Methylene bromide	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-34-3	1,1-Dichloroethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
107-06-2	1,2-Dichloroethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-35-4	1,1-Dichloroethylene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
106-93-4	Ethane, 1,2-dibromo	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
79-34-5	Ethane, 1,1,2,2-Tetrachloro	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
71-55-6	Ethane, 1,1,1-Trichloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
79-00-5	Ethane, 1,1,2-Trichloro	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
630-20-6	Ethane, 1,1,1,2-Tetrachloro	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-01-4	Vinyl chloride	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
127-18-4	Ethene, Tetrachloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
79-01-6	Ethene, Trichloro-	T	mg/L	8260	0.00081	J	0.00083	J	<0.001		0.0082	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4820		8004-4818		8004-4819		8004-4808		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					369		370		371		372		
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
100-41-4		Ethylbenzene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
591-78-6		2-Hexanone	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
74-88-4		Iodomethane	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
124-48-1		Methane, Dibromochloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
56-23-5		Carbon Tetrachloride	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-09-2		Dichloromethane	T	mg/L	8260	0.00122	J	0.0012	J	0.00117	J	<0.005	
108-10-1		Methyl isobutyl ketone	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
96-12-8		Propane, 1,2-Dibromo-3-chloro	T	mg/L	8011	<0.0000189		<0.0000191		<0.0000191		<0.0000189	
78-87-5		Propane, 1,2-Dichloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
10061-02-6		trans-1,3-Dichloro-1-propene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
10061-01-5		cis-1,3-Dichloro-1-propene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
156-60-5		trans-1,2-Dichloroethene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-69-4		Trichlorofluoromethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
96-18-4		1,2,3-Trichloropropane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
95-50-1		Benzene, 1,2-Dichloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
106-46-7		Benzene, 1,4-Dichloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
1336-36-3		PCB,Total	T	ug/L	8082	<0.0971		<0.0952		<0.0971		0.0523	J
12674-11-2		PCB-1016	T	ug/L	8082	<0.0971		<0.0952		<0.0971		<0.0952	
11104-28-2		PCB-1221	T	ug/L	8082	<0.0971		<0.0952		<0.0971		<0.0952	
11141-16-5		PCB-1232	T	ug/L	8082	<0.0971		<0.0952		<0.0971		<0.0952	
53469-21-9		PCB-1242	T	ug/L	8082	<0.0971		<0.0952		<0.0971		0.0523	J
12672-29-6		PCB-1248	T	ug/L	8082	<0.0971		<0.0952		<0.0971		<0.0952	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4820		8004-4818		8004-4819		8004-4808		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					369		370		371		372		
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
11097-69-1		PCB-1254	T	ug/L	8082	<0.0971		<0.0952		<0.0971		<0.0952	
11096-82-5		PCB-1260	T	ug/L	8082	<0.0971		<0.0952		<0.0971		<0.0952	
11100-14-4		PCB-1268	T	ug/L	8082	<0.0971		<0.0952		<0.0971		<0.0952	
12587-46-1		Gross Alpha	T	pCi/L	9310	1.35	*	2.39	*	2.32	*	-0.0562	*
12587-47-2		Gross Beta	T	pCi/L	9310	21.1	*	36.1	*	4.51	*	13.9	*
10043-66-0		Iodine-131	T	pCi/L			*		*		*		*
13982-63-3		Radium-226	T	pCi/L	HASL 300	0.726	*	1.35	*	1.17	*	0.422	*
10098-97-2		Strontium-90	T	pCi/L	905.0	0.424	*	0.603	*	0.338	*	0.889	*
14133-76-7		Technetium-99	T	pCi/L	Tc-02-RC	36.7	*	60.3	*	-4.99	*	37	*
14269-63-7		Thorium-230	T	pCi/L	Th-01-RC	0.604	*	0.623	*	0.33	*	0.563	*
10028-17-8		Tritium	T	pCi/L	906.0	-123	*	28.9	*	32.8	*	49.5	*
S0130- -		Chemical Oxygen Demand	T	mg/L	410.4	<20		<20		<20		<20	
57-12-5		Cyanide	T	mg/L	9012	<0.2		<0.2		<0.2		<0.2	
20461-54-5		Iodide	T	mg/L	300.0	<0.5		<0.5		<0.5		<0.5	
S0268- -		Total Organic Carbon	T	mg/L	9060	0.978	J	0.68	J	2	J	1.25	J
S0586- -		Total Organic Halides	T	mg/L	9020	0.0143		<0.01		0.0037	J	0.00716	J

Division of Waste Management
Solid Waste Branch
14 Reilly Road
Frankfort, KY 40601 (502)564-6716

RESIDENTIAL/CONTAINED-QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None
For Official Use Only

GROUNDWATER SAMPLE ANALYSIS_(S)

AKGWA NUMBER ¹ , Facility Well/Spring Number						8004-4792		8004-0990		8004-0985		8004-0988	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)						373		374		375		376	
Sample Sequence #						1		1		1		1	
If sample is a Blank, specify Type: (F)ield, (T)rip, (M)ethod, or (E)quipment						NA		NA		NA		NA	
Sample Date and Time (Month/Day/Year hour:minutes)						7/13/2015 12:43		7/13/2015 10:20		7/13/2015 13:34		NA	
Duplicate ("Y" or "N") ²						N		N		N		N	
Split ("Y" or "N") ³						N		N		N		N	
Facility Sample ID Number (if applicable)						MW373UG4-15		MW374UG4-15		MW375UG4-15		NA	
Laboratory Sample ID Number (if applicable)						377062005		377062007		377062001		NA	
Date of Analysis (Month/Day/Year) For <u>Volatile Organics</u> Analysis						7/16/2015		7/16/2015		7/16/2015		NA	
Gradient with respect to Monitored Unit (UP, DOWN, SIDE, UNKNOWN)						UP		UP		SIDE		SIDE	
CAS RN ⁴		CONSTITUENT	T D S ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S ⁷	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
24959-67-9		Bromide	T	mg/L	9056	0.607		0.84		<0.2			*
16887-00-6		Chloride(s)	T	mg/L	9056	44		67.8		5.44			*
16984-48-8		Fluoride	T	mg/L	9056	0.175		0.157		0.266			*
S0595- -		Nitrate & Nitrite	T	mg/L	9056	0.928		<0.2		1.54			*
14808-79-8		Sulfate	T	mg/L	9056	149		5.93		23.6			*
NS1894		Barometric Pressure Reading	T	Inches/Hg	Field	29.85		29.89		29.84			*
S0145- -		Specific Conductance	T	µMH0/cm	Field	813		682		362			*

¹AKGWA # is 0000-0000 for any type of blank.

²Respond "Y" if the sample was a duplicate of another sample in this report.

³Respond "Y" if the sample was split and analyzed by separate laboratories.

⁴Chemical Abstracts Service Registry Number or unique identifier number assigned by agency.

⁵"T" = Total; "D" = Dissolved

⁶"<" indicates a non-detect; do not use "ND" or "BDL". Value shown is Practical Quantification Limit.

⁷Flags are as designated, do not use any other type. Use "*", then describe on "Written Comments Page."

STANDARD FLAGS:

* = See Comments

J = Estimated Value

B = Analyte found in blank

A = Average value

N = Presumptive ID

D = Concentration from analysis
of a secondary dilution

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4792		8004-0990		8004-0985		8004-0988	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, BLANK-F, etc.)					373		374		375		376	
CAS RN ⁴	CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
S0906 - -	Static Water Level Elevation	T	Ft. MSL	Field	327.76		338.12		341.93			*
N238	Dissolved Oxygen	T	mg/L	Field	2		0.67		1.98			*
S0266- -	Total Dissolved Solids	T	mg/L	160.1	500		374		243			*
S0296- -	pH	T	Units	Field	6.11		6.6		6.38			*
NS215	Eh	T	mV	Field	468		268		443			*
S0907 - -	Temperature	T	°C	Field	20.17		20.28		24.28			*
7429-90-5	Aluminum	T	mg/L	6020	<0.05		<0.05		0.0458	J		*
7440-36-0	Antimony	T	mg/L	6020	<0.003		<0.003		<0.003			*
7440-38-2	Arsenic	T	mg/L	6020	<0.005		<0.005		0.00186	J		*
7440-39-3	Barium	T	mg/L	6020	0.0223		0.135		0.171			*
7440-41-7	Beryllium	T	mg/L	6020	<0.0005		<0.0005		<0.0005			*
7440-42-8	Boron	T	mg/L	6020	1.62		0.0312		0.00801	J		*
7440-43-9	Cadmium	T	mg/L	6020	<0.001		<0.001		<0.001			*
7440-70-2	Calcium	T	mg/L	6020	71.4		20.1		14.7			*
7440-47-3	Chromium	T	mg/L	6020	<0.01		<0.01		<0.01			*
7440-48-4	Cobalt	T	mg/L	6020	<0.001		0.00092	J	0.00019	J		*
7440-50-8	Copper	T	mg/L	6020	<0.001		<0.001		0.00077	J		*
7439-89-6	Iron	T	mg/L	6020	<0.1		0.353		0.101			*
7439-92-1	Lead	T	mg/L	6020	<0.002		<0.002		<0.002			*
7439-95-4	Magnesium	T	mg/L	6020	26.2		6		5.47			*
7439-96-5	Manganese	T	mg/L	6020	0.00222	J	0.398		0.00359	J		*
7439-97-6	Mercury	T	mg/L	7470	<0.0002		<0.0002		<0.0002			*

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number						8004-4792		8004-0990		8004-0985		8004-0988	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)						373		374		375		376	
CAS RN ⁴		CONSTITUENT	T D S	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
7439-98-7		Molybdenum	T	mg/L	6020	<0.0005		0.00022	J	0.00031	J		*
7440-02-0		Nickel	T	mg/L	6020	0.00142	J	0.00241		0.00218			*
7440-09-7		Potassium	T	mg/L	6020	2.51		0.393		0.259	J		*
7440-16-6		Rhodium	T	mg/L	6020	<0.005		<0.005		<0.005			*
7782-49-2		Selenium	T	mg/L	6020	<0.005		0.0041	J	0.00317	J		*
7440-22-4		Silver	T	mg/L	6020	<0.001		<0.001		0.00034	J		*
7440-23-5		Sodium	T	mg/L	6020	57.1		125		60.4			*
7440-25-7		Tantalum	T	mg/L	6020	<0.005	*	<0.005	*	<0.005	*		*
7440-28-0		Thallium	T	mg/L	6020	<0.002		<0.002		<0.002			*
7440-61-1		Uranium	T	mg/L	6020	<0.0002		0.00033		0.000088	J		*
7440-62-2		Vanadium	T	mg/L	6020	<0.01		<0.01		<0.01			*
7440-66-6		Zinc	T	mg/L	6020	<0.01		<0.01		<0.01			*
108-05-4		Vinyl acetate	T	mg/L	8260	<0.005		<0.005		<0.005			*
67-64-1		Acetone	T	mg/L	8260	<0.005		<0.005		<0.005			*
107-02-8		Acrolein	T	mg/L	8260	<0.005		<0.005		<0.005			*
107-13-1		Acrylonitrile	T	mg/L	8260	<0.005		<0.005		<0.005			*
71-43-2		Benzene	T	mg/L	8260	<0.001		<0.001		<0.001			*
108-90-7		Chlorobenzene	T	mg/L	8260	<0.001		<0.001		<0.001			*
1330-20-7		Xylenes	T	mg/L	8260	<0.003		<0.003		<0.003			*
100-42-5		Styrene	T	mg/L	8260	<0.001		<0.001		<0.001			*
108-88-3		Toluene	T	mg/L	8260	<0.001		<0.001		<0.001			*
74-97-5		Chlorobromomethane	T	mg/L	8260	<0.001		<0.001		<0.001			*

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4792		8004-0990		8004-0985		8004-0988	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					373		374		375		376	
CAS RN ⁴	CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
75-27-4	Bromodichloromethane	T	mg/L	8260	<0.001		<0.001		<0.001			*
75-25-2	Tribromomethane	T	mg/L	8260	<0.001		<0.001		<0.001			*
74-83-9	Methyl bromide	T	mg/L	8260	<0.001		<0.001		<0.001			*
78-93-3	Methyl ethyl ketone	T	mg/L	8260	<0.005		<0.005		<0.005			*
110-57-6	trans-1,4-Dichloro-2-butene	T	mg/L	8260	<0.005		<0.005		<0.005			*
75-15-0	Carbon disulfide	T	mg/L	8260	<0.005		<0.005		<0.005			*
75-00-3	Chloroethane	T	mg/L	8260	<0.001		<0.001		<0.001			*
67-66-3	Chloroform	T	mg/L	8260	<0.001		<0.001		<0.001			*
74-87-3	Methyl chloride	T	mg/L	8260	<0.001		<0.001		<0.001			*
156-59-2	cis-1,2-Dichloroethene	T	mg/L	8260	<0.001		<0.001		<0.001			*
74-95-3	Methylene bromide	T	mg/L	8260	<0.001		<0.001		<0.001			*
75-34-3	1,1-Dichloroethane	T	mg/L	8260	<0.001		<0.001		<0.001			*
107-06-2	1,2-Dichloroethane	T	mg/L	8260	<0.001		<0.001		<0.001			*
75-35-4	1,1-Dichloroethylene	T	mg/L	8260	<0.001		<0.001		<0.001			*
106-93-4	Ethane, 1,2-dibromo	T	mg/L	8260	<0.001		<0.001		<0.001			*
79-34-5	Ethane, 1,1,2,2-Tetrachloro	T	mg/L	8260	<0.001		<0.001		<0.001			*
71-55-6	Ethane, 1,1,1-Trichloro-	T	mg/L	8260	<0.001		<0.001		<0.001			*
79-00-5	Ethane, 1,1,2-Trichloro	T	mg/L	8260	<0.001		<0.001		<0.001			*
630-20-6	Ethane, 1,1,1,2-Tetrachloro	T	mg/L	8260	<0.001		<0.001		<0.001			*
75-01-4	Vinyl chloride	T	mg/L	8260	<0.001		<0.001		<0.001			*
127-18-4	Ethene, Tetrachloro-	T	mg/L	8260	<0.001		<0.001		<0.001			*
79-01-6	Ethene, Trichloro-	T	mg/L	8260	0.00835		<0.001		<0.001			*

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number						8004-4792		8004-0990		8004-0985		8004-0988	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)						373		374		375		376	
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
100-41-4		Ethylbenzene	T	mg/L	8260	<0.001		<0.001		<0.001			*
591-78-6		2-Hexanone	T	mg/L	8260	<0.005		<0.005		<0.005			*
74-88-4		Iodomethane	T	mg/L	8260	<0.005		<0.005		<0.005			*
124-48-1		Methane, Dibromochloro-	T	mg/L	8260	<0.001		<0.001		<0.001			*
56-23-5		Carbon Tetrachloride	T	mg/L	8260	<0.001		<0.001		<0.001			*
75-09-2		Dichloromethane	T	mg/L	8260	<0.005		<0.005		<0.005			*
108-10-1		Methyl isobutyl ketone	T	mg/L	8260	<0.005		<0.005		<0.005			*
96-12-8		Propane, 1,2-Dibromo-3-chloro	T	mg/L	8011	<0.000019		<0.0000189		<0.0000192			*
78-87-5		Propane, 1,2-Dichloro-	T	mg/L	8260	<0.001		<0.001		<0.001			*
10061-02-6		trans-1,3-Dichloro-1-propene	T	mg/L	8260	<0.001		<0.001		<0.001			*
10061-01-5		cis-1,3-Dichloro-1-propene	T	mg/L	8260	<0.001		<0.001		<0.001			*
156-60-5		trans-1,2-Dichloroethene	T	mg/L	8260	<0.001		<0.001		<0.001			*
75-69-4		Trichlorofluoromethane	T	mg/L	8260	<0.001		<0.001		<0.001			*
96-18-4		1,2,3-Trichloropropane	T	mg/L	8260	<0.001		<0.001		<0.001			*
95-50-1		Benzene, 1,2-Dichloro-	T	mg/L	8260	<0.001		<0.001		<0.001			*
106-46-7		Benzene, 1,4-Dichloro-	T	mg/L	8260	<0.001		<0.001		<0.001			*
1336-36-3		PCB,Total	T	ug/L	8082	<0.5		<0.0962		<0.0971			*
12674-11-2		PCB-1016	T	ug/L	8082	<0.5		<0.0962		<0.0971			*
11104-28-2		PCB-1221	T	ug/L	8082	<0.5		<0.0962		<0.0971			*
11141-16-5		PCB-1232	T	ug/L	8082	<0.5		<0.0962		<0.0971			*
53469-21-9		PCB-1242	T	ug/L	8082	<0.5		<0.0962		<0.0971			*
12672-29-6		PCB-1248	T	ug/L	8082	<0.5		<0.0962		<0.0971			*

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4792		8004-0990		8004-0985		8004-0988		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					373		374		375		376		
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
11097-69-1		PCB-1254	T	ug/L	8082	<0.5		<0.0962		<0.0971			*
11096-82-5		PCB-1260	T	ug/L	8082	<0.5		<0.0962		<0.0971			*
11100-14-4		PCB-1268	T	ug/L	8082	<0.5		<0.0962		<0.0971			*
12587-46-1		Gross Alpha	T	pCi/L	9310	-2.18	*	-5.05	*	5.43	*		*
12587-47-2		Gross Beta	T	pCi/L	9310	21.8	*	0.297	*	6.09	*		*
10043-66-0		Iodine-131	T	pCi/L			*		*		*		*
13982-63-3		Radium-226	T	pCi/L	HASL 300	0.413	*	0.605	*	0.501	*		*
10098-97-2		Strontium-90	T	pCi/L	905.0	3.9	*	0.839	*	0.175	*		*
14133-76-7		Technetium-99	T	pCi/L	Tc-02-RC	37.3	*	5.46	*	-0.45	*		*
14269-63-7		Thorium-230	T	pCi/L	Th-01-RC	-0.0174	*	0.343	*	0.318	*		*
10028-17-8		Tritium	T	pCi/L	906.0	-102	*	41.6	*	2.24	*		*
S0130- -		Chemical Oxygen Demand	T	mg/L	410.4	<20		<20		<20			*
57-12-5		Cyanide	T	mg/L	9012	<0.2		<0.2		<0.2			*
20461-54-5		Iodide	T	mg/L	300.0	<0.5		<0.5		<0.5			*
S0268- -		Total Organic Carbon	T	mg/L	9060	0.936	J	1.92	J	0.865	J		*
S0586- -		Total Organic Halides	T	mg/L	9020	0.00702	J	0.0166		0.00828	J		*

Division of Waste Management
Solid Waste Branch
14 Reilly Road
Frankfort, KY 40601 (502)564-6716

RESIDENTIAL/CONTAINED-QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None
For Official Use Only

GROUNDWATER SAMPLE ANALYSIS_(S)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-0989	0000-0000	0000-0000	0000-0000	0000-0000		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					377	E. BLANK	F. BLANK	T. BLANK 1			
Sample Sequence #					1	1	1	1			
If sample is a Blank, specify Type: (F)ield, (T)rip, (M)ethod, or (E)quipment					NA	E	F	T			
Sample Date and Time (Month/Day/Year hour:minutes)					NA	7/9/2015 07:35	7/9/2015 08:55	7/8/2015 07:00			
Duplicate ("Y" or "N") ²					N	N	N	N			
Split ("Y" or "N") ³					N	N	N	N			
Facility Sample ID Number (if applicable)					NA	RI1UG4-15	FB1UG4-15	TB1UG4-15			
Laboratory Sample ID Number (if applicable)					NA	376905008	376905007	376753007			
Date of Analysis (Month/Day/Year) For <u>Volatile Organics</u> Analysis					NA	7/14/2015	7/14/2015	7/14/2015			
Gradient with respect to Monitored Unit (UP, DOWN, SIDE, UNKNOWN)					SIDE	NA	NA	NA			
CAS RN ⁴		CONSTITUENT	T D S	Unit OF MEASURE	METHO D	DETECTED VALUE OR PQL ⁶	F L A G S ⁷	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
24959-67-9		Bromide	T	mg/L	9056		*		*		*
16887-00-6		Chloride(s)	T	mg/L	9056		*		*		*
16984-48-8		Fluoride	T	mg/L	9056		*		*		*
S0595- -		Nitrate & Nitrite	T	mg/L	9056		*		*		*
14808-79-8		Sulfate	T	mg/L	9056		*		*		*
NS1894		Barometric Pressure Reading	T	Inches/Hg	Field		*		*		*
S0145- -		Specific Conductance	T	µMH0/cm	Field		*		*		*

¹AKGWA # is 0000-0000 for any type of blank.

²Respond "Y" if the sample was a duplicate of another sample in this report.

³Respond "Y" if the sample was split and analyzed by separate laboratories.

⁴Chemical Abstracts Service Registry Number or unique identifier number assigned by agency.

⁵"T" = Total; "D" = Dissolved

⁶"<" indicates a non-detect; do not use "ND" or "BDL". Value shown is Practical Quantification Limit.

⁷Flags are as designated, do not use any other type. Use "*", then describe on "Written Comments Page."

STANDARD FLAGS:

* = See Comments

J = Estimated Value

B = Analyte found in blank

A = Average value

N = Presumptive ID

D = Concentration from analysis
of a secondary dilution

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-0989		0000-0000		0000-0000		0000-0000		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, BLANK-F, etc.)					377		E. BLANK		F. BLANK		T. BLANK 1		
CAS RN ⁴		CONSTITUENT	T D ⁵	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
S0906 - -		Static Water Level Elevation	T	Ft. MSL	Field		*		*		*		*
N238		Dissolved Oxygen	T	mg/L	Field		*		*		*		*
S0266- -		Total Dissolved Solids	T	mg/L	160.1		*		*		*		*
S0296- -		pH	T	Units	Field		*		*		*		*
NS215		Eh	T	mV	Field		*		*		*		*
S0907 - -		Temperature	T	°C	Field		*		*		*		*
7429-90-5		Aluminum	T	mg/L	6020		*	<0.05		<0.05			*
7440-36-0		Antimony	T	mg/L	6020		*	<0.003		<0.003			*
7440-38-2		Arsenic	T	mg/L	6020		*	<0.005		<0.005			*
7440-39-3		Barium	T	mg/L	6020		*	<0.002		0.00072	J		*
7440-41-7		Beryllium	T	mg/L	6020		*	<0.0005	*	<0.0005	*		*
7440-42-8		Boron	T	mg/L	6020		*	<0.015		<0.015			*
7440-43-9		Cadmium	T	mg/L	6020		*	<0.001		<0.001			*
7440-70-2		Calcium	T	mg/L	6020		*	<0.2		1.05			*
7440-47-3		Chromium	T	mg/L	6020		*	<0.01		<0.01			*
7440-48-4		Cobalt	T	mg/L	6020		*	<0.001		<0.001			*
7440-50-8		Copper	T	mg/L	6020		*	<0.001		<0.001			*
7439-89-6		Iron	T	mg/L	6020		*	<0.1		<0.1			*
7439-92-1		Lead	T	mg/L	6020		*	<0.002		<0.002			*
7439-95-4		Magnesium	T	mg/L	6020		*	<0.03		0.0136	J		*
7439-96-5		Manganese	T	mg/L	6020		*	<0.005		<0.005			*
7439-97-6		Mercury	T	mg/L	7470		*	<0.0002		<0.0002			*

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-0989		0000-0000		0000-0000		0000-0000		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					377		E. BLANK		F. BLANK		T. BLANK 1		
CAS RN ⁴		CONSTITUENT	T D S	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
7439-98-7		Molybdenum	T	mg/L	6020		*	<0.0005		<0.0005			*
7440-02-0		Nickel	T	mg/L	6020		*	<0.002		<0.002			*
7440-09-7		Potassium	T	mg/L	6020		*	<0.3		<0.3			*
7440-16-6		Rhodium	T	mg/L	6020		*	<0.005		<0.005			*
7782-49-2		Selenium	T	mg/L	6020		*	<0.005		<0.005			*
7440-22-4		Silver	T	mg/L	6020		*	<0.001		<0.001			*
7440-23-5		Sodium	T	mg/L	6020		*	<0.25		0.132	J		*
7440-25-7		Tantalum	T	mg/L	6020		*	<0.005		<0.005			*
7440-28-0		Thallium	T	mg/L	6020		*	<0.002		<0.002			*
7440-61-1		Uranium	T	mg/L	6020		*	<0.0002		<0.0002			*
7440-62-2		Vanadium	T	mg/L	6020		*	<0.01		<0.01			*
7440-66-6		Zinc	T	mg/L	6020		*	<0.01		<0.01			*
108-05-4		Vinyl acetate	T	mg/L	8260		*	<0.005		<0.005			*
67-64-1		Acetone	T	mg/L	8260		*	<0.005		<0.005			*
107-02-8		Acrolein	T	mg/L	8260		*	<0.005		<0.005			*
107-13-1		Acrylonitrile	T	mg/L	8260		*	<0.005		<0.005			*
71-43-2		Benzene	T	mg/L	8260		*	<0.001		<0.001			*
108-90-7		Chlorobenzene	T	mg/L	8260		*	<0.001		<0.001			*
1330-20-7		Xylenes	T	mg/L	8260		*	<0.003		<0.003			*
100-42-5		Styrene	T	mg/L	8260		*	<0.001		<0.001			*
108-88-3		Toluene	T	mg/L	8260		*	<0.001		<0.001			*
74-97-5		Chlorobromomethane	T	mg/L	8260		*	<0.001		<0.001			*

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-0989		0000-0000		0000-0000		0000-0000		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					377		E. BLANK		F. BLANK		T. BLANK 1		
CAS RN ⁴		CONSTITUENT	T D S	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
75-27-4		Bromodichloromethane	T	mg/L	8260		*	<0.001		<0.001			*
75-25-2		Tribromomethane	T	mg/L	8260		*	<0.001		<0.001			*
74-83-9		Methyl bromide	T	mg/L	8260		*	<0.001		<0.001			*
78-93-3		Methyl ethyl ketone	T	mg/L	8260		*	<0.005		<0.005			*
110-57-6		trans-1,4-Dichloro-2-butene	T	mg/L	8260		*	<0.005		<0.005			*
75-15-0		Carbon disulfide	T	mg/L	8260		*	<0.005		<0.005			*
75-00-3		Chloroethane	T	mg/L	8260		*	<0.001		<0.001			*
67-66-3		Chloroform	T	mg/L	8260		*	<0.001		<0.001			*
74-87-3		Methyl chloride	T	mg/L	8260		*	<0.001		<0.001			*
156-59-2		cis-1,2-Dichloroethene	T	mg/L	8260		*	<0.001		<0.001			*
74-95-3		Methylene bromide	T	mg/L	8260		*	<0.001		<0.001			*
75-34-3		1,1-Dichloroethane	T	mg/L	8260		*	<0.001		<0.001			*
107-06-2		1,2-Dichloroethane	T	mg/L	8260		*	<0.001		<0.001			*
75-35-4		1,1-Dichloroethylene	T	mg/L	8260		*	<0.001		<0.001			*
106-93-4		Ethane, 1,2-dibromo	T	mg/L	8260		*	<0.001		<0.001			*
79-34-5		Ethane, 1,1,2,2-Tetrachloro	T	mg/L	8260		*	<0.001		<0.001			*
71-55-6		Ethane, 1,1,1-Trichloro-	T	mg/L	8260		*	<0.001		<0.001			*
79-00-5		Ethane, 1,1,2-Trichloro	T	mg/L	8260		*	<0.001		<0.001			*
630-20-6		Ethane, 1,1,1,2-Tetrachloro	T	mg/L	8260		*	<0.001		<0.001			*
75-01-4		Vinyl chloride	T	mg/L	8260		*	<0.001		<0.001			*
127-18-4		Ethene, Tetrachloro-	T	mg/L	8260		*	<0.001		<0.001			*
79-01-6		Ethene, Trichloro-	T	mg/L	8260		*	<0.001		<0.001			*

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-0989		0000-0000		0000-0000		0000-0000		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					377		E. BLANK		F. BLANK		T. BLANK 1		
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
100-41-4		Ethylbenzene	T	mg/L	8260		*	<0.001		<0.001			*
591-78-6		2-Hexanone	T	mg/L	8260		*	<0.005		<0.005			*
74-88-4		Iodomethane	T	mg/L	8260		*	<0.005		<0.005			*
124-48-1		Methane, Dibromochloro-	T	mg/L	8260		*	<0.001		<0.001			*
56-23-5		Carbon Tetrachloride	T	mg/L	8260		*	<0.001		<0.001			*
75-09-2		Dichloromethane	T	mg/L	8260		*	<0.005		<0.005			*
108-10-1		Methyl isobutyl ketone	T	mg/L	8260		*	<0.005		<0.005			*
96-12-8		Propane, 1,2-Dibromo-3-chloro	T	mg/L	8011		*	<0.0000188		<0.000019		<0.0000192	
78-87-5		Propane, 1,2-Dichloro-	T	mg/L	8260		*	<0.001		<0.001			*
10061-02-6		trans-1,3-Dichloro-1-propene	T	mg/L	8260		*	<0.001		<0.001			*
10061-01-5		cis-1,3-Dichloro-1-propene	T	mg/L	8260		*	<0.001		<0.001			*
156-60-5		trans-1,2-Dichloroethene	T	mg/L	8260		*	<0.001		<0.001			*
75-69-4		Trichlorofluoromethane	T	mg/L	8260		*	<0.001		<0.001			*
96-18-4		1,2,3-Trichloropropane	T	mg/L	8260		*	<0.001		<0.001			*
95-50-1		Benzene, 1,2-Dichloro-	T	mg/L	8260		*	<0.001		<0.001			*
106-46-7		Benzene, 1,4-Dichloro-	T	mg/L	8260		*	<0.001		<0.001			*
1336-36-3		PCB,Total	T	ug/L	8082		*	<0.0971		<0.099			*
12674-11-2		PCB-1016	T	ug/L	8082		*	<0.0971		<0.099			*
11104-28-2		PCB-1221	T	ug/L	8082		*	<0.0971		<0.099			*
11141-16-5		PCB-1232	T	ug/L	8082		*	<0.0971		<0.099			*
53469-21-9		PCB-1242	T	ug/L	8082		*	<0.0971		<0.099			*
12672-29-6		PCB-1248	T	ug/L	8082		*	<0.0971		<0.099			*

C-37

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-0989		0000-0000		0000-0000		0000-0000		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					377		E. BLANK		F. BLANK		T. BLANK1		
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
11097-69-1		PCB-1254	T	ug/L	8082		*	<0.0971		<0.099			*
11096-82-5		PCB-1260	T	ug/L	8082		*	<0.0971		<0.099			*
11100-14-4		PCB-1268	T	ug/L	8082		*	<0.0971		<0.099			*
12587-46-1		Gross Alpha	T	pCi/L	9310		*	1.94	*	0.711	*		*
12587-47-2		Gross Beta	T	pCi/L	9310		*	-0.908	*	-6.8	*		*
10043-66-0		Iodine-131	T	pCi/L			*		*		*		*
13982-63-3		Radium-226	T	pCi/L	HASL 300		*	0.811	*	0.361	*		*
10098-97-2		Strontium-90	T	pCi/L	905.0		*	2.89	*	-3.75	*		*
14133-76-7		Technetium-99	T	pCi/L	Tc-02-RC		*	-10.7	*	-2.53	*		*
14269-63-7		Thorium-230	T	pCi/L	Th-01-RC		*	0.126	*	0.448	*		*
10028-17-8		Tritium	T	pCi/L	906.0		*	69.7	*	69.7	*		*
S0130- -		Chemical Oxygen Demand	T	mg/L	410.4		*		*		*		*
57-12-5		Cyanide	T	mg/L	9012		*		*		*		*
20461-54-5		Iodide	T	mg/L	300.0		*	<0.5		<0.5			*
S0268- -		Total Organic Carbon	T	mg/L	9060		*		*		*		*
S0586- -		Total Organic Halides	T	mg/L	9020		*		*		*		*

Division of Waste Management
Solid Waste Branch
14 Reilly Road
Frankfort, KY 40601 (502)564-6716

RESIDENTIAL/CONTAINED-QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None
For Official Use Only

GROUNDWATER SAMPLE ANALYSIS_(S)

AKGWA NUMBER ¹ , Facility Well/Spring Number					0000-0000	0000-0000	0000-0000	0000-0000				
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					T. BLANK 2	T. BLANK 3	T. BLANK 4	T. BLANK 5				
Sample Sequence #					1	1	1	1				
If sample is a Blank, specify Type: (F)ield, (T)rip, (M)ethod, or (E)quipment					T	T	T	T				
Sample Date and Time (Month/Day/Year hour:minutes)					7/9/2015 07:30	7/13/2015 07:17	7/14/2015 07:30	7/14/2015 08:00				
Duplicate ("Y" or "N") ²					N	N	N	N				
Split ("Y" or "N") ³					N	N	N	N				
Facility Sample ID Number (if applicable)					TB2UG4-15	TB3UG4-15	TB4UG4-15	TB5UG4-15				
Laboratory Sample ID Number (if applicable)					376905009	377062009	377182017	377182018				
Date of Analysis (Month/Day/Year) For <u>Volatile Organics</u> Analysis					7/13/2015	7/15/2015	7/17/2015	7/17/2015				
Gradient with respect to Monitored Unit (UP, DOWN, SIDE, UNKNOWN)					NA	NA	NA	NA				
CAS RN ⁴	CONSTITUENT	T D S	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S ⁷	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
24959-67-9	Bromide	T	mg/L	9056		*		*		*		*
16887-00-6	Chloride(s)	T	mg/L	9056		*		*		*		*
16984-48-8	Fluoride	T	mg/L	9056		*		*		*		*
S0595- -	Nitrate & Nitrite	T	mg/L	9056		*		*		*		*
14808-79-8	Sulfate	T	mg/L	9056		*		*		*		*
NS1894	Barometric Pressure Reading	T	Inches/Hg	Field		*		*		*		*
S0145- -	Specific Conductance	T	µMH0/cm	Field		*		*		*		*

¹AKGWA # is 0000-0000 for any type of blank.

²Respond "Y" if the sample was a duplicate of another sample in this report.

³Respond "Y" if the sample was split and analyzed by separate laboratories.

⁴Chemical Abstracts Service Registry Number or unique identifier number assigned by agency.

⁵"T" = Total; "D" = Dissolved

⁶"<" indicates a non-detect; do not use "ND" or "BDL". Value shown is Practical Quantification Limit.

⁷Flags are as designated, do not use any other type. Use "*", then describe on "Written Comments Page."

STANDARD FLAGS:

* = See Comments

J = Estimated Value

B = Analyte found in blank

A = Average value

N = Presumptive ID

D = Concentration from analysis
of a secondary dilution

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					0000-0000		0000-0000		0000-0000		0000-0000	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, BLANK-F, etc.)					T. BLANK 2		T. BLANK 3		T. BLANK 4		T. BLANK 5	
CAS RN ⁴	CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
S0906 - -	Static Water Level Elevation	T	Ft. MSL	Field		*		*		*		*
N238	Dissolved Oxygen	T	mg/L	Field		*		*		*		*
S0266- -	Total Dissolved Solids	T	mg/L	160.1		*		*		*		*
S0296- -	pH	T	Units	Field		*		*		*		*
NS215	Eh	T	mV	Field		*		*		*		*
S0907 - -	Temperature	T	°C	Field		*		*		*		*
7429-90-5	Aluminum	T	mg/L	6020		*		*		*		*
7440-36-0	Antimony	T	mg/L	6020		*		*		*		*
7440-38-2	Arsenic	T	mg/L	6020		*		*		*		*
7440-39-3	Barium	T	mg/L	6020		*		*		*		*
7440-41-7	Beryllium	T	mg/L	6020		*		*		*		*
7440-42-8	Boron	T	mg/L	6020		*		*		*		*
7440-43-9	Cadmium	T	mg/L	6020		*		*		*		*
7440-70-2	Calcium	T	mg/L	6020		*		*		*		*
7440-47-3	Chromium	T	mg/L	6020		*		*		*		*
7440-48-4	Cobalt	T	mg/L	6020		*		*		*		*
7440-50-8	Copper	T	mg/L	6020		*		*		*		*
7439-89-6	Iron	T	mg/L	6020		*		*		*		*
7439-92-1	Lead	T	mg/L	6020		*		*		*		*
7439-95-4	Magnesium	T	mg/L	6020		*		*		*		*
7439-96-5	Manganese	T	mg/L	6020		*		*		*		*
7439-97-6	Mercury	T	mg/L	7470		*		*		*		*

C-40

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number						0000-0000		0000-0000		0000-0000		0000-0000	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)						T. BLANK 2		T. BLANK 3		T. BLANK 4		T. BLANK 5	
CAS RN ⁴		CONSTITUENT	T D S	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
7439-98-7		Molybdenum	T	mg/L	6020		*		*		*		*
7440-02-0		Nickel	T	mg/L	6020		*		*		*		*
7440-09-7		Potassium	T	mg/L	6020		*		*		*		*
7440-16-6		Rhodium	T	mg/L	6020		*		*		*		*
7782-49-2		Selenium	T	mg/L	6020		*		*		*		*
7440-22-4		Silver	T	mg/L	6020		*		*		*		*
7440-23-5		Sodium	T	mg/L	6020		*		*		*		*
7440-25-7		Tantalum	T	mg/L	6020		*		*		*		*
7440-28-0		Thallium	T	mg/L	6020		*		*		*		*
7440-61-1		Uranium	T	mg/L	6020		*		*		*		*
7440-62-2		Vanadium	T	mg/L	6020		*		*		*		*
7440-66-6		Zinc	T	mg/L	6020		*		*		*		*
108-05-4		Vinyl acetate	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
67-64-1		Acetone	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
107-02-8		Acrolein	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
107-13-1		Acrylonitrile	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
71-43-2		Benzene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
108-90-7		Chlorobenzene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
1330-20-7		Xylenes	T	mg/L	8260	<0.003		<0.003		<0.003		<0.003	
100-42-5		Styrene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
108-88-3		Toluene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
74-97-5		Chlorobromomethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					0000-0000		0000-0000		0000-0000		0000-0000		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					T. BLANK 2		T. BLANK 3		T. BLANK 4		T. BLANK 5		
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
75-27-4		Bromodichloromethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-25-2		Tribromomethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
74-83-9		Methyl bromide	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
78-93-3		Methyl ethyl ketone	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
110-57-6		trans-1,4-Dichloro-2-butene	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
75-15-0		Carbon disulfide	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
75-00-3		Chloroethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
67-66-3		Chloroform	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
74-87-3		Methyl chloride	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
156-59-2		cis-1,2-Dichloroethene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
74-95-3		Methylene bromide	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-34-3		1,1-Dichloroethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
107-06-2		1,2-Dichloroethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-35-4		1,1-Dichloroethylene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
106-93-4		Ethane, 1,2-dibromo	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
79-34-5		Ethane, 1,1,2,2-Tetrachloro	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
71-55-6		Ethane, 1,1,1-Trichloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
79-00-5		Ethane, 1,1,2-Trichloro	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
630-20-6		Ethane, 1,1,1,2-Tetrachloro	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-01-4		Vinyl chloride	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
127-18-4		Ethene, Tetrachloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
79-01-6		Ethene, Trichloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number						0000-0000		0000-0000		0000-0000		0000-0000	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)						T. BLANK 2		T. BLANK 3		T. BLANK 4		T. BLANK 5	
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
100-41-4		Ethylbenzene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
591-78-6		2-Hexanone	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
74-88-4		Iodomethane	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
124-48-1		Methane, Dibromochloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
56-23-5		Carbon Tetrachloride	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-09-2		Dichloromethane	T	mg/L	8260	<0.005		<0.005		0.00138	J	0.00124	J
108-10-1		Methyl isobutyl ketone	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
96-12-8		Propane, 1,2-Dibromo-3-chloro	T	mg/L	8011	<0.000019		<0.0000192		<0.0000189		<0.0000188	
78-87-5		Propane, 1,2-Dichloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
10061-02-6		trans-1,3-Dichloro-1-propene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
10061-01-5		cis-1,3-Dichloro-1-propene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
156-60-5		trans-1,2-Dichloroethene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-69-4		Trichlorofluoromethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
96-18-4		1,2,3-Trichloropropane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
95-50-1		Benzene, 1,2-Dichloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
106-46-7		Benzene, 1,4-Dichloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
1336-36-3		PCB,Total	T	ug/L	8082		*		*		*		*
12674-11-2		PCB-1016	T	ug/L	8082		*		*		*		*
11104-28-2		PCB-1221	T	ug/L	8082		*		*		*		*
11141-16-5		PCB-1232	T	ug/L	8082		*		*		*		*
53469-21-9		PCB-1242	T	ug/L	8082		*		*		*		*
12672-29-6		PCB-1248	T	ug/L	8082		*		*		*		*

C-43

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					0000-0000		0000-0000		0000-0000		0000-0000			
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					T. BLANK 2		T. BLANK 3		T. BLANK 4		T. BLANK 5			
CAS	RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
11097-69-1			PCB-1254	T	ug/L	8082		*		*		*		*
11096-82-5			PCB-1260	T	ug/L	8082		*		*		*		*
11100-14-4			PCB-1268	T	ug/L	8082		*		*		*		*
12587-46-1			Gross Alpha	T	pCi/L	9310		*		*		*		*
12587-47-2			Gross Beta	T	pCi/L	9310		*		*		*		*
10043-66-0			Iodine-131	T	pCi/L			*		*		*		*
13982-63-3			Radium-226	T	pCi/L	HASL 300		*		*		*		*
10098-97-2			Strontium-90	T	pCi/L	905.0		*		*		*		*
14133-76-7			Technetium-99	T	pCi/L	Tc-02-RC		*		*		*		*
14269-63-7			Thorium-230	T	pCi/L	Th-01-RC		*		*		*		*
10028-17-8			Tritium	T	pCi/L	906.0		*		*		*		*
S0130- -			Chemical Oxygen Demand	T	mg/L	410.4		*		*		*		*
57-12-5			Cyanide	T	mg/L	9012		*		*		*		*
20461-54-5			Iodide	T	mg/L	300.0		*		*		*		*
S0268- -			Total Organic Carbon	T	mg/L	9060		*		*		*		*
S0586- -			Total Organic Halides	T	mg/L	9020		*		*		*		*

Division of Waste Management
Solid Waste Branch
14 Reilly Road
Frankfort, KY 40601 (502)564-6716

RESIDENTIAL/CONTAINED-QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None
For Official Use Only

GROUNDWATER SAMPLE ANALYSIS(s)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4819								
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					371								
Sample Sequence #					2								
If sample is a Blank, specify Type: (F)ield, (T)rip, (M)ethod, or (E)quipment					NA								
Sample Date and Time (Month/Day/Year hour:minutes)					7/14/2015 10:33								
Duplicate ("Y" or "N") ²					Y								
Split ("Y" or "N") ³					N								
Facility Sample ID Number (if applicable)					MW371DUG4-15								
Laboratory Sample ID Number (if applicable)					377182013								
Date of Analysis (Month/Day/Year) For <u>Volatile Organics</u> Analysis					7/17/2015								
Gradient with respect to Monitored Unit (UP, DOWN, SIDE, UNKNOWN)					UP								
CAS RN ⁴		CONSTITUENT	T D S	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S ⁷	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
24959-67-9		Bromide	T	mg/L	9056	0.0808	J						
16887-00-6		Chloride(s)	T	mg/L	9056	4.98							
16984-48-8		Fluoride	T	mg/L	9056	0.278							
S0595- -		Nitrate & Nitrite	T	mg/L	9056	0.482	J						
14808-79-8		Sulfate	T	mg/L	9056	18.9							
NS1894		Barometric Pressure Reading	T	Inches/Hg	Field	29.74							
S0145- -		Specific Conductance	T	µMH0/cm	Field	699							

¹AKGWA # is 0000-0000 for any type of blank.

²Respond "Y" if the sample was a duplicate of another sample in this report.

³Respond "Y" if the sample was split and analyzed by separate laboratories.

⁴Chemical Abstracts Service Registry Number or unique identifier number assigned by agency.

⁵"T" = Total; "D" = Dissolved

⁶"<" indicates a non-detect; do not use "ND" or "BDL". Value shown is Practical Quantification Limit.

⁷Flags are as designated, do not use any other type. Use "*", then describe on "Written Comments Page."

STANDARD FLAGS:

* = See Comments

J = Estimated Value

B = Analyte found in blank

A = Average value

N = Presumptive ID

D = Concentration from analysis
of a secondary dilution

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4819							
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, BLANK-F, etc.)					371							
CAS RN ⁴	CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
S0906 - -	Static Water Level Elevation	T	Ft. MSL	Field	343							
N238	Dissolved Oxygen	T	mg/L	Field	2.73							
S0266- -	Total Dissolved Solids	T	mg/L	160.1	434							
S0296- -	pH	T	Units	Field	6.6							
NS215	Eh	T	mV	Field	368							
S0907 - -	Temperature	T	°C	Field	20.28							
7429-90-5	Aluminum	T	mg/L	6020	0.854							
7440-36-0	Antimony	T	mg/L	6020	<0.003							
7440-38-2	Arsenic	T	mg/L	6020	0.00296	J						
7440-39-3	Barium	T	mg/L	6020	0.132							
7440-41-7	Beryllium	T	mg/L	6020	<0.0005							
7440-42-8	Boron	T	mg/L	6020	0.00664	J						
7440-43-9	Cadmium	T	mg/L	6020	<0.001							
7440-70-2	Calcium	T	mg/L	6020	30.9							
7440-47-3	Chromium	T	mg/L	6020	<0.01							
7440-48-4	Cobalt	T	mg/L	6020	0.00018	J						
7440-50-8	Copper	T	mg/L	6020	0.00124							
7439-89-6	Iron	T	mg/L	6020	0.545							
7439-92-1	Lead	T	mg/L	6020	<0.002							
7439-95-4	Magnesium	T	mg/L	6020	13.2							
7439-96-5	Manganese	T	mg/L	6020	0.0109							
7439-97-6	Mercury	T	mg/L	7470	<0.0002							

C-46

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number						8004-4819							
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)						371							
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
7439-98-7		Molybdenum	T	mg/L	6020	0.00068							
7440-02-0		Nickel	T	mg/L	6020	0.00122	J						
7440-09-7		Potassium	T	mg/L	6020	0.542							
7440-16-6		Rhodium	T	mg/L	6020	<0.005							
7782-49-2		Selenium	T	mg/L	6020	<0.005							
7440-22-4		Silver	T	mg/L	6020	<0.001							
7440-23-5		Sodium	T	mg/L	6020	122							
7440-25-7		Tantalum	T	mg/L	6020	<0.005							
7440-28-0		Thallium	T	mg/L	6020	<0.002							
7440-61-1		Uranium	T	mg/L	6020	0.00142							
7440-62-2		Vanadium	T	mg/L	6020	0.00697	BJ						
7440-66-6		Zinc	T	mg/L	6020	<0.01							
108-05-4		Vinyl acetate	T	mg/L	8260	<0.005							
67-64-1		Acetone	T	mg/L	8260	<0.005							
107-02-8		Acrolein	T	mg/L	8260	<0.005							
107-13-1		Acrylonitrile	T	mg/L	8260	<0.005							
71-43-2		Benzene	T	mg/L	8260	<0.001							
108-90-7		Chlorobenzene	T	mg/L	8260	<0.001							
1330-20-7		Xylenes	T	mg/L	8260	<0.003							
100-42-5		Styrene	T	mg/L	8260	<0.001							
108-88-3		Toluene	T	mg/L	8260	<0.001							
74-97-5		Chlorobromomethane	T	mg/L	8260	<0.001							

C-47

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number						8004-4819							
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)						371							
CAS RN ⁴		CONSTITUENT	T D S	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
75-27-4		Bromodichloromethane	T	mg/L	8260	<0.001							
75-25-2		Tribromomethane	T	mg/L	8260	<0.001							
74-83-9		Methyl bromide	T	mg/L	8260	<0.001							
78-93-3		Methyl ethyl ketone	T	mg/L	8260	<0.005							
110-57-6		trans-1,4-Dichloro-2-butene	T	mg/L	8260	<0.005							
75-15-0		Carbon disulfide	T	mg/L	8260	<0.005							
75-00-3		Chloroethane	T	mg/L	8260	<0.001							
67-66-3		Chloroform	T	mg/L	8260	<0.001							
74-87-3		Methyl chloride	T	mg/L	8260	<0.001							
156-59-2		cis-1,2-Dichloroethene	T	mg/L	8260	<0.001							
74-95-3		Methylene bromide	T	mg/L	8260	<0.001							
75-34-3		1,1-Dichloroethane	T	mg/L	8260	<0.001							
107-06-2		1,2-Dichloroethane	T	mg/L	8260	<0.001							
75-35-4		1,1-Dichloroethylene	T	mg/L	8260	<0.001							
106-93-4		Ethane, 1,2-dibromo	T	mg/L	8260	<0.001							
79-34-5		Ethane, 1,1,2,2-Tetrachloro	T	mg/L	8260	<0.001							
71-55-6		Ethane, 1,1,1-Trichloro-	T	mg/L	8260	<0.001							
79-00-5		Ethane, 1,1,2-Trichloro	T	mg/L	8260	<0.001							
630-20-6		Ethane, 1,1,1,2-Tetrachloro	T	mg/L	8260	<0.001							
75-01-4		Vinyl chloride	T	mg/L	8260	<0.001							
127-18-4		Ethene, Tetrachloro-	T	mg/L	8260	<0.001							
79-01-6		Ethene, Trichloro-	T	mg/L	8260	<0.001							

C-48

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number						8004-4819							
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)						371							
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
100-41-4		Ethylbenzene	T	mg/L	8260	<0.001							
591-78-6		2-Hexanone	T	mg/L	8260	<0.005							
74-88-4		Iodomethane	T	mg/L	8260	<0.005							
124-48-1		Methane, Dibromochloro-	T	mg/L	8260	<0.001							
56-23-5		Carbon Tetrachloride	T	mg/L	8260	<0.001							
75-09-2		Dichloromethane	T	mg/L	8260	0.00118	J						
108-10-1		Methyl isobutyl ketone	T	mg/L	8260	<0.005							
96-12-8		Propane, 1,2-Dibromo-3-chloro	T	mg/L	8011	<0.0000191							
78-87-5		Propane, 1,2-Dichloro-	T	mg/L	8260	<0.001							
10061-02-6		trans-1,3-Dichloro-1-propene	T	mg/L	8260	<0.001							
10061-01-5		cis-1,3-Dichloro-1-propene	T	mg/L	8260	<0.001							
156-60-5		trans-1,2-Dichloroethene	T	mg/L	8260	<0.001							
75-69-4		Trichlorofluoromethane	T	mg/L	8260	<0.001							
96-18-4		1,2,3-Trichloropropane	T	mg/L	8260	<0.001							
95-50-1		Benzene, 1,2-Dichloro-	T	mg/L	8260	<0.001							
106-46-7		Benzene, 1,4-Dichloro-	T	mg/L	8260	<0.001							
1336-36-3		PCB, Total	T	ug/L	8082	<0.0962							
12674-11-2		PCB-1016	T	ug/L	8082	<0.0962							
11104-28-2		PCB-1221	T	ug/L	8082	<0.0962							
11141-16-5		PCB-1232	T	ug/L	8082	<0.0962							
53469-21-9		PCB-1242	T	ug/L	8082	<0.0962							
12672-29-6		PCB-1248	T	ug/L	8082	<0.0962							

C-49

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4819							
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					371							
CAS RN ⁴	CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
11097-69-1	PCB-1254	T	ug/L	8082	<0.0962							
11096-82-5	PCB-1260	T	ug/L	8082	<0.0962							
11100-14-4	PCB-1268	T	ug/L	8082	<0.0962							
12587-46-1	Gross Alpha	T	pCi/L	9310	0.302	*						
12587-47-2	Gross Beta	T	pCi/L	9310	4.33	*						
10043-66-0	Iodine-131	T	pCi/L			*						
13982-63-3	Radium-226	T	pCi/L	HASL 300	1.71	*						
10098-97-2	Strontium-90	T	pCi/L	905.0	3.52	*						
14133-76-7	Technetium-99	T	pCi/L	Tc-02-RC	-7.57	*						
14269-63-7	Thorium-230	T	pCi/L	Th-01-RC	0.327	*						
10028-17-8	Tritium	T	pCi/L	906.0	-67.5	*						
S0130- -	Chemical Oxygen Demand	T	mg/L	410.4	<20							
57-12-5	Cyanide	T	mg/L	9012	<0.2							
20461-54-5	Iodide	T	mg/L	300.0	<0.5							
S0268- -	Total Organic Carbon	T	mg/L	9060	2.01							
S0586- -	Total Organic Halides	T	mg/L	9020	0.00402	J						

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-4798 MW357	MW357UG4-15	Copper	N	Sample spike recovery not within control limits.
		Magnesium	X	Other specific flags and footnotes may be required to properly define the results.
		Sodium	X	Other specific flags and footnotes may be required to properly define the results.
		Uranium	*	Duplicate analysis not within control limits.
		Vinyl acetate		Collected during a re-sampling event.
		Acetone		Collected during a re-sampling event.
		Acrolein		Collected during a re-sampling event.
		Acrylonitrile		Collected during a re-sampling event.
		Benzene		Collected during a re-sampling event.
		Chlorobenzene		Collected during a re-sampling event.
		Xylenes		Collected during a re-sampling event.
		Styrene		Collected during a re-sampling event.
		Toluene		Collected during a re-sampling event.
		Chlorobromomethane		Collected during a re-sampling event.
		Bromodichloromethane		Collected during a re-sampling event.
		Tribromomethane		Collected during a re-sampling event.
		Methyl bromide		Collected during a re-sampling event.
		Methyl Ethyl Ketone		Collected during a re-sampling event.
		trans-1,4-Dichloro-2-butene		Collected during a re-sampling event.
		Carbon disulfide		Collected during a re-sampling event.
		Chloroethane		Collected during a re-sampling event.
		Chloroform		Collected during a re-sampling event.
		Methyl chloride		Collected during a re-sampling event.
		cis-1,2-Dichloroethene		Collected during a re-sampling event.
		Methylene bromide		Collected during a re-sampling event.
		1,1-Dichloroethane		Collected during a re-sampling event.
		1,2-Dichloroethane		Collected during a re-sampling event.
		1,1-Dichloroethylene		Collected during a re-sampling event.
		1,2-Dibromoethane		Collected during a re-sampling event.
		1,1,2,2-Tetrachloroethane		Collected during a re-sampling event.
		1,1,1-Trichloroethane		Collected during a re-sampling event.
		1,1,2-Trichloroethane		Collected during a re-sampling event.
		1,1,1,2-Tetrachloroethane		Collected during a re-sampling event.
		Vinyl chloride		Collected during a re-sampling event.
		Tetrachloroethene		Collected during a re-sampling event.
		Trichloroethene		Collected during a re-sampling event.
		Ethylbenzene		Collected during a re-sampling event.
		2-Hexanone		Collected during a re-sampling event.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-4798 MW357	MW357UG4-15	Iodomethane		Collected during a re-sampling event.
		Dibromochloromethane		Collected during a re-sampling event.
		Carbon tetrachloride		Collected during a re-sampling event.
		Dichloromethane		Collected during a re-sampling event.
		Methyl Isobutyl Ketone		Collected during a re-sampling event.
		1,2-Dichloropropane		Collected during a re-sampling event.
		trans-1,3-Dichloropropene		Collected during a re-sampling event.
		cis-1,3-Dichloropropene		Collected during a re-sampling event.
		trans-1,2-Dichloroethene		Collected during a re-sampling event.
		Trichlorofluoromethane		Collected during a re-sampling event.
		1,2,3-Trichloropropane		Collected during a re-sampling event.
		1,2-Dichlorobenzene		Collected during a re-sampling event.
		1,4-Dichlorobenzene		Collected during a re-sampling event.
		Gross alpha	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 6.46. Rad error is 6.35.
		Gross beta		TPU is 9.53. Rad error is 8.93.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		TPU is 0.431. Rad error is 0.43.
		Strontium-90	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 1.65. Rad error is 1.65.
		Technetium-99		TPU is 15.6. Rad error is 14.9.
		Thorium-230	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 0.591. Rad error is 0.581.
		Tritium	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 160. Rad error is 160.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-4799 MW358	MW358UG4-15	Copper	N	Sample spike recovery not within control limits.
		Magnesium	X	Other specific flags and footnotes may be required to properly define the results.
		Sodium	X	Other specific flags and footnotes may be required to properly define the results.
		Uranium	*	Duplicate analysis not within control limits.
		Vinyl acetate		Collected during a re-sampling event.
		Acetone		Collected during a re-sampling event.
		Acrolein		Collected during a re-sampling event.
		Acrylonitrile		Collected during a re-sampling event.
		Benzene		Collected during a re-sampling event.
		Chlorobenzene		Collected during a re-sampling event.
		Xylenes		Collected during a re-sampling event.
		Styrene		Collected during a re-sampling event.
		Toluene		Collected during a re-sampling event.
		Chlorobromomethane		Collected during a re-sampling event.
		Bromodichloromethane		Collected during a re-sampling event.
		Tribromomethane		Collected during a re-sampling event.
		Methyl bromide		Collected during a re-sampling event.
		Methyl Ethyl Ketone		Collected during a re-sampling event.
		trans-1,4-Dichloro-2-butene		Collected during a re-sampling event.
		Carbon disulfide		Collected during a re-sampling event.
		Chloroethane		Collected during a re-sampling event.
		Chloroform		Collected during a re-sampling event.
		Methyl chloride		Collected during a re-sampling event.
		cis-1,2-Dichloroethene		Collected during a re-sampling event.
		Methylene bromide		Collected during a re-sampling event.
		1,1-Dichloroethane		Collected during a re-sampling event.
		1,2-Dichloroethane		Collected during a re-sampling event.
		1,1-Dichloroethylene		Collected during a re-sampling event.
		1,2-Dibromoethane		Collected during a re-sampling event.
		1,1,2,2-Tetrachloroethane		Collected during a re-sampling event.
		1,1,1-Trichloroethane		Collected during a re-sampling event.
		1,1,2-Trichloroethane		Collected during a re-sampling event.
		1,1,1,2-Tetrachloroethane		Collected during a re-sampling event.
		Vinyl chloride		Collected during a re-sampling event.
		Tetrachloroethene		Collected during a re-sampling event.
		Trichloroethene		Collected during a re-sampling event.
		Ethylbenzene		Collected during a re-sampling event.
		2-Hexanone		Collected during a re-sampling event.
		Iodomethane		Collected during a re-sampling event.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-4799 MW358	MW358UG4-15	Dibromochloromethane		Collected during a re-sampling event.
		Carbon tetrachloride		Collected during a re-sampling event.
		Dichloromethane		Collected during a re-sampling event.
		Methyl Isobutyl Ketone		Collected during a re-sampling event.
		1,2-Dichloropropane		Collected during a re-sampling event.
		trans-1,3-Dichloropropene		Collected during a re-sampling event..
		cis-1,3-Dichloropropene		Collected during a re-sampling event.
		trans-1,2-Dichloroethene		Collected during a re-sampling event.
		Trichlorofluoromethane		Collected during a re-sampling event.
		1,2,3-Trichloropropane		Collected during a re-sampling event.
		1,2-Dichlorobenzene		Collected during a re-sampling event.
		1,4-Dichlorobenzene		Collected during a re-sampling event.
		Gross alpha	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 3.97. Rad error is 3.97.
		Gross beta		TPU is 11.6. Rad error is 10.4.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		TPU is 0.47. Rad error is 0.469.
		Strontium-90	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 2.28. Rad error is 2.28.
		Technetium-99		TPU is 17. Rad error is 15.7.
		Thorium-230	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 0.436. Rad error is 0.434.
		Tritium	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 163. Rad error is 162.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0981 MW359	MW359UG4-15	Copper	N	Sample spike recovery not within control limits.
		Magnesium	X	Other specific flags and footnotes may be required to properly define the results.
		Sodium	X	Other specific flags and footnotes may be required to properly define the results.
		Uranium	*	Duplicate analysis not within control limits.
		Vinyl acetate		Collected during a re-sampling event.
		Acetone		Collected during a re-sampling event.
		Acrolein		Collected during a re-sampling event.
		Acrylonitrile		Collected during a re-sampling event.
		Benzene		Collected during a re-sampling event.
		Chlorobenzene		Collected during a re-sampling event.
		Xylenes		Collected during a re-sampling event.
		Styrene		Collected during a re-sampling event.
		Toluene		Collected during a re-sampling event.
		Chlorobromomethane		Collected during a re-sampling event.
		Bromodichloromethane		Collected during a re-sampling event.
		Tribromomethane		Collected during a re-sampling event.
		Methyl bromide		Collected during a re-sampling event.
		Methyl Ethyl Ketone		Collected during a re-sampling event.
		trans-1,4-Dichloro-2-butene		Collected during a re-sampling event.
		Carbon disulfide		Collected during a re-sampling event.
		Chloroethane		Collected during a re-sampling event.
		Chloroform		Collected during a re-sampling event.
		Methyl chloride		Collected during a re-sampling event.
		cis-1,2-Dichloroethene		Collected during a re-sampling event.
		Methylene bromide		Collected during a re-sampling event.
		1,1-Dichloroethane		Collected during a re-sampling event.
		1,2-Dichloroethane		Collected during a re-sampling event.
		1,1-Dichloroethylene		Collected during a re-sampling event.
		1,2-Dibromoethane		Collected during a re-sampling event.
		1,1,2,2-Tetrachloroethane		Collected during a re-sampling event.
		1,1,1-Trichloroethane		Collected during a re-sampling event.
		1,1,2-Trichloroethane		Collected during a re-sampling event.
		1,1,1,2-Tetrachloroethane		Collected during a re-sampling event.
		Vinyl chloride		Collected during a re-sampling event.
		Tetrachloroethene		Collected during a re-sampling event.
		Trichloroethene		Collected during a re-sampling event.
		Ethylbenzene		Collected during a re-sampling event.
		2-Hexanone		Collected during a re-sampling event.
		Iodomethane		Collected during a re-sampling event.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0981 MW359	MW359UG4-15	Dibromochloromethane		Collected during a re-sampling event.
		Carbon tetrachloride		Collected during a re-sampling event.
		Dichloromethane		Collected during a re-sampling event.
		Methyl Isobutyl Ketone		Collected during a re-sampling event.
		1,2-Dichloropropane		Collected during a re-sampling event.
		trans-1,3-Dichloropropene		Collected during a re-sampling event.
		cis-1,3-Dichloropropene		Collected during a re-sampling event.
		trans-1,2-Dichloroethene		Collected during a re-sampling event.
		Trichlorofluoromethane		Collected during a re-sampling event.
		1,2,3-Trichloropropane		Collected during a re-sampling event.
		1,2-Dichlorobenzene		Collected during a re-sampling event.
		1,4-Dichlorobenzene		Collected during a re-sampling event.
		Gross alpha	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 5.34. Rad error is 5.33.
		Gross beta	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 7.08. Rad error is 7.08.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		TPU is 0.409. Rad error is 0.409.
		Strontium-90	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 1.4. Rad error is 1.4.
		Technetium-99	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 14.3. Rad error is 14.3.
		Thorium-230	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 0.3. Rad error is 0.299.
		Tritium	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 162. Rad error is 162.
8004-4800 MW360	MW360UG4-15	Beryllium	N	Sample spike recovery not within control limits.
		Gross alpha	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 4.16. Rad error is 4.16.
		Gross beta	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 7.04. Rad error is 7.04.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		TPU is 0.451. Rad error is 0.451.
		Strontium-90	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 3.51. Rad error is 3.49.
		Technetium-99	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 12.5. Rad error is 12.5.
		Thorium-230	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 0.469. Rad error is 0.465.
		Tritium	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 129. Rad error is 129.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-4795 MW361	MW361UG4-15	Beryllium	N	Sample spike recovery not within control limits.
		Gross alpha	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 4.6. Rad error is 4.6.
		Gross beta		TPU is 12.3. Rad error is 11.1.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		TPU is 0.395. Rad error is 0.394.
		Strontium-90	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 2.32. Rad error is 2.32.
		Technetium-99		TPU is 14.2. Rad error is 13.4.
		Thorium-230	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 0.284. Rad error is 0.284.
8004-0986 MW362	MW362UG4-15	Tritium	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 130. Rad error is 130.
		Beryllium	N	Sample spike recovery not within control limits.
		Gross alpha	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 4.95. Rad error is 4.92.
		Gross beta	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 9.12. Rad error is 9.12.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		TPU is 0.509. Rad error is 0.507.
		Strontium-90	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 2.11. Rad error is 2.11.
		Technetium-99	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 12.9. Rad error is 12.9.
8004-4796 MW363	MW363UG4-15	Thorium-230	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 0.55. Rad error is 0.536.
		Tritium	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 129. Rad error is 129.
		Gross alpha	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 2.87. Rad error is 2.87.
		Gross beta	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 7.44. Rad error is 7.33.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		TPU is 0.66. Rad error is 0.658.
		Strontium-90	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 2.22. Rad error is 2.19.
		Technetium-99	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 14.6. Rad error is 14.5.
		Thorium-230	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 0.371. Rad error is 0.368.
		Tritium	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 129. Rad error is 129.

RESIDENTIAL/CONTAINED – QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
LAB ID: None
For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-4797 MW364	MW364UG4-15	Gross alpha	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 8.21. Rad error is 8.17.
		Gross beta		TPU is 12.5. Rad error is 11.2.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		TPU is 0.578. Rad error is 0.577.
		Strontium-90	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 1.34. Rad error is 1.34.
		Technetium-99		TPU is 16. Rad error is 14.6.
		Thorium-230	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 0.622. Rad error is 0.604.
		Tritium	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 130. Rad error is 130.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0984 MW365		Bromide		During sampling, the well went dry; therefore, no sample was collected.
		Chloride		During sampling, the well went dry; therefore, no sample was collected.
		Fluoride		During sampling, the well went dry; therefore, no sample was collected.
		Nitrate & Nitrite		During sampling, the well went dry; therefore, no sample was collected.
		Sulfate		During sampling, the well went dry; therefore, no sample was collected.
		Barometric Pressure Reading		During sampling, the well went dry; therefore, no sample was collected.
		Specific Conductance		During sampling, the well went dry; therefore, no sample was collected.
		Static Water Level Elevation		During sampling, the well went dry; therefore, no sample was collected.
		Dissolved Oxygen		During sampling, the well went dry; therefore, no sample was collected.
		Total Dissolved Solids		During sampling, the well went dry; therefore, no sample was collected.
		pH		During sampling, the well went dry; therefore, no sample was collected.
		Eh		During sampling, the well went dry; therefore, no sample was collected.
		Temperature		During sampling, the well went dry; therefore, no sample was collected.
		Aluminum		During sampling, the well went dry; therefore, no sample was collected.
		Antimony		During sampling, the well went dry; therefore, no sample was collected.
		Arsenic		During sampling, the well went dry; therefore, no sample was collected.
		Barium		During sampling, the well went dry; therefore, no sample was collected.
		Beryllium		During sampling, the well went dry; therefore, no sample was collected.
		Boron		During sampling, the well went dry; therefore, no sample was collected.
		Cadmium		During sampling, the well went dry; therefore, no sample was collected.
		Calcium		During sampling, the well went dry; therefore, no sample was collected.
		Chromium		During sampling, the well went dry; therefore, no sample was collected.
		Cobalt		During sampling, the well went dry; therefore, no sample was collected.
		Copper		During sampling, the well went dry; therefore, no sample was collected.
		Iron		During sampling, the well went dry; therefore, no sample was collected.
		Lead		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0984 MW365		Magnesium		During sampling, the well went dry; therefore, no sample was collected.
		Manganese		During sampling, the well went dry; therefore, no sample was collected.
		Mercury		During sampling, the well went dry; therefore, no sample was collected.
		Molybdenum		During sampling, the well went dry; therefore, no sample was collected.
		Nickel		During sampling, the well went dry; therefore, no sample was collected.
		Potassium		During sampling, the well went dry; therefore, no sample was collected.
		Rhodium		During sampling, the well went dry; therefore, no sample was collected.
		Selenium		During sampling, the well went dry; therefore, no sample was collected.
		Silver		During sampling, the well went dry; therefore, no sample was collected.
		Sodium		During sampling, the well went dry; therefore, no sample was collected.
		Tantalum		During sampling, the well went dry; therefore, no sample was collected.
		Thallium		During sampling, the well went dry; therefore, no sample was collected.
		Uranium		During sampling, the well went dry; therefore, no sample was collected.
		Vanadium		During sampling, the well went dry; therefore, no sample was collected.
		Zinc		During sampling, the well went dry; therefore, no sample was collected.
		Vinyl acetate		During sampling, the well went dry; therefore, no sample was collected.
		Acetone		During sampling, the well went dry; therefore, no sample was collected.
		Acrolein		During sampling, the well went dry; therefore, no sample was collected.
		Acrylonitrile		During sampling, the well went dry; therefore, no sample was collected.
		Benzene		During sampling, the well went dry; therefore, no sample was collected.
		Chlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		Xylenes		During sampling, the well went dry; therefore, no sample was collected.
		Styrene		During sampling, the well went dry; therefore, no sample was collected.
		Toluene		During sampling, the well went dry; therefore, no sample was collected.
		Chlorobromomethane		During sampling, the well went dry; therefore, no sample was collected.
		Bromodichloromethane		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0984 MW365		Tribromomethane		During sampling, the well went dry; therefore, no sample was collected.
		Methyl bromide		During sampling, the well went dry; therefore, no sample was collected.
		Methyl Ethyl Ketone		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,4-Dichloro-2-butene		During sampling, the well went dry; therefore, no sample was collected.
		Carbon disulfide		During sampling, the well went dry; therefore, no sample was collected.
		Chloroethane		During sampling, the well went dry; therefore, no sample was collected.
		Chloroform		During sampling, the well went dry; therefore, no sample was collected.
		Methyl chloride		During sampling, the well went dry; therefore, no sample was collected.
		cis-1,2-Dichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Methylene bromide		During sampling, the well went dry; therefore, no sample was collected.
		1,1-Dichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1-Dichloroethylene		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dibromoethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,2,2-Tetrachloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,1-Trichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,2-Trichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,1,2-Tetrachloroethane		During sampling, the well went dry; therefore, no sample was collected.
		Vinyl chloride		During sampling, the well went dry; therefore, no sample was collected.
		Tetrachloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Trichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Ethylbenzene		During sampling, the well went dry; therefore, no sample was collected.
		2-Hexanone		During sampling, the well went dry; therefore, no sample was collected.
		Iodomethane		During sampling, the well went dry; therefore, no sample was collected.
		Dibromochloromethane		During sampling, the well went dry; therefore, no sample was collected.
		Carbon tetrachloride		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0984 MW365		Dichloromethane		During sampling, the well went dry; therefore, no sample was collected.
		Methyl Isobutyl Ketone		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dibromo-3-chloropropane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichloropropane		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,3-Dichloropropene		During sampling, the well went dry; therefore, no sample was collected.
		cis-1,3-Dichloropropene		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,2-Dichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Trichlorofluoromethane		During sampling, the well went dry; therefore, no sample was collected.
		1,2,3-Trichloropropane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		1,4-Dichlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		PCB, Total		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1016		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1221		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1232		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1242		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1248		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1254		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1260		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1268		During sampling, the well went dry; therefore, no sample was collected.
		Gross alpha		During sampling, the well went dry; therefore, no sample was collected.
		Gross beta		During sampling, the well went dry; therefore, no sample was collected.
		Iodine-131		During sampling, the well went dry; therefore, no sample was collected.
		Radium-226		During sampling, the well went dry; therefore, no sample was collected.
		Strontium-90		During sampling, the well went dry; therefore, no sample was collected.
		Technetium-99		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0984 MW365		Thorium-230		During sampling, the well went dry; therefore, no sample was collected.
		Tritium		During sampling, the well went dry; therefore, no sample was collected.
		Chemical Oxygen Demand		During sampling, the well went dry; therefore, no sample was collected.
		Cyanide		During sampling, the well went dry; therefore, no sample was collected.
		Iodide		During sampling, the well went dry; therefore, no sample was collected.
		Total Organic Carbon		During sampling, the well went dry; therefore, no sample was collected.
		Total Organic Halides		During sampling, the well went dry; therefore, no sample was collected.
8004-0982 MW366	MW366UG4-15	Gross alpha	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 7.1. Rad error is 7.09.
		Gross beta		TPU is 13.2. Rad error is 11.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		TPU is 0.67. Rad error is 0.668.
		Strontium-90	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 1.86. Rad error is 1.86.
		Technetium-99		TPU is 15.2. Rad error is 14.3.
		Thorium-230	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 0.446. Rad error is 0.442.
8004-4793 MW367	MW367UG4-15	Tritium	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 129. Rad error is 129.
		Gross alpha	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 7.81. Rad error is 7.61.
		Gross beta		TPU is 12.5. Rad error is 11.4.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		TPU is 0.636. Rad error is 0.634.
		Strontium-90	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 1.84. Rad error is 1.84.
		Technetium-99		TPU is 14. Rad error is 13.5.
		Thorium-230	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 0.622. Rad error is 0.604.
		Tritium	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 125. Rad error is 125.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0983 MW368		Bromide		During sampling, the well went dry; therefore, no sample was collected.
		Chloride		During sampling, the well went dry; therefore, no sample was collected.
		Fluoride		During sampling, the well went dry; therefore, no sample was collected.
		Nitrate & Nitrite		During sampling, the well went dry; therefore, no sample was collected.
		Sulfate		During sampling, the well went dry; therefore, no sample was collected.
		Barometric Pressure Reading		During sampling, the well went dry; therefore, no sample was collected.
		Specific Conductance		During sampling, the well went dry; therefore, no sample was collected.
		Static Water Level Elevation		During sampling, the well went dry; therefore, no sample was collected.
		Dissolved Oxygen		During sampling, the well went dry; therefore, no sample was collected.
		Total Dissolved Solids		During sampling, the well went dry; therefore, no sample was collected.
		pH		During sampling, the well went dry; therefore, no sample was collected.
		Eh		During sampling, the well went dry; therefore, no sample was collected.
		Temperature		During sampling, the well went dry; therefore, no sample was collected.
		Aluminum		During sampling, the well went dry; therefore, no sample was collected.
		Antimony		During sampling, the well went dry; therefore, no sample was collected.
		Arsenic		During sampling, the well went dry; therefore, no sample was collected.
		Barium		During sampling, the well went dry; therefore, no sample was collected.
		Beryllium		During sampling, the well went dry; therefore, no sample was collected.
		Boron		During sampling, the well went dry; therefore, no sample was collected.
		Cadmium		During sampling, the well went dry; therefore, no sample was collected.
		Calcium		During sampling, the well went dry; therefore, no sample was collected.
		Chromium		During sampling, the well went dry; therefore, no sample was collected.
		Cobalt		During sampling, the well went dry; therefore, no sample was collected.
		Copper		During sampling, the well went dry; therefore, no sample was collected.
		Iron		During sampling, the well went dry; therefore, no sample was collected.
		Lead		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0983 MW368		Magnesium		During sampling, the well went dry; therefore, no sample was collected.
		Manganese		During sampling, the well went dry; therefore, no sample was collected.
		Mercury		During sampling, the well went dry; therefore, no sample was collected.
		Molybdenum		During sampling, the well went dry; therefore, no sample was collected.
		Nickel		During sampling, the well went dry; therefore, no sample was collected.
		Potassium		During sampling, the well went dry; therefore, no sample was collected.
		Rhodium		During sampling, the well went dry; therefore, no sample was collected.
		Selenium		During sampling, the well went dry; therefore, no sample was collected.
		Silver		During sampling, the well went dry; therefore, no sample was collected.
		Sodium		During sampling, the well went dry; therefore, no sample was collected.
		Tantalum		During sampling, the well went dry; therefore, no sample was collected.
		Thallium		During sampling, the well went dry; therefore, no sample was collected.
		Uranium		During sampling, the well went dry; therefore, no sample was collected.
		Vanadium		During sampling, the well went dry; therefore, no sample was collected.
		Zinc		During sampling, the well went dry; therefore, no sample was collected.
		Vinyl acetate		During sampling, the well went dry; therefore, no sample was collected.
		Acetone		During sampling, the well went dry; therefore, no sample was collected.
		Acrolein		During sampling, the well went dry; therefore, no sample was collected.
		Acrylonitrile		During sampling, the well went dry; therefore, no sample was collected.
		Benzene		During sampling, the well went dry; therefore, no sample was collected.
		Chlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		Xylenes		During sampling, the well went dry; therefore, no sample was collected.
		Styrene		During sampling, the well went dry; therefore, no sample was collected.
		Toluene		During sampling, the well went dry; therefore, no sample was collected.
		Chlorobromomethane		During sampling, the well went dry; therefore, no sample was collected.
		Bromodichloromethane		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0983 MW368		Tribromomethane		During sampling, the well went dry; therefore, no sample was collected.
		Methyl bromide		During sampling, the well went dry; therefore, no sample was collected.
		Methyl Ethyl Ketone		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,4-Dichloro-2-butene		During sampling, the well went dry; therefore, no sample was collected.
		Carbon disulfide		During sampling, the well went dry; therefore, no sample was collected.
		Chloroethane		During sampling, the well went dry; therefore, no sample was collected.
		Chloroform		During sampling, the well went dry; therefore, no sample was collected.
		Methyl chloride		During sampling, the well went dry; therefore, no sample was collected.
		cis-1,2-Dichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Methylene bromide		During sampling, the well went dry; therefore, no sample was collected.
		1,1-Dichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1-Dichloroethylene		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dibromoethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,2,2-Tetrachloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,1-Trichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,2-Trichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,1,2-Tetrachloroethane		During sampling, the well went dry; therefore, no sample was collected.
		Vinyl chloride		During sampling, the well went dry; therefore, no sample was collected.
		Tetrachloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Trichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Ethylbenzene		During sampling, the well went dry; therefore, no sample was collected.
		2-Hexanone		During sampling, the well went dry; therefore, no sample was collected.
		Iodomethane		During sampling, the well went dry; therefore, no sample was collected.
		Dibromochloromethane		During sampling, the well went dry; therefore, no sample was collected.
		Carbon tetrachloride		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0983 MW368		Dichloromethane		During sampling, the well went dry; therefore, no sample was collected.
		Methyl Isobutyl Ketone		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dibromo-3-chloropropane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichloropropane		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,3-Dichloropropene		During sampling, the well went dry; therefore, no sample was collected.
		cis-1,3-Dichloropropene		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,2-Dichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Trichlorofluoromethane		During sampling, the well went dry; therefore, no sample was collected.
		1,2,3-Trichloropropane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		1,4-Dichlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		PCB, Total		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1016		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1221		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1232		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1242		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1248		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1254		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1260		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1268		During sampling, the well went dry; therefore, no sample was collected.
		Gross alpha		During sampling, the well went dry; therefore, no sample was collected.
		Gross beta		During sampling, the well went dry; therefore, no sample was collected.
		Iodine-131		During sampling, the well went dry; therefore, no sample was collected.
		Radium-226		During sampling, the well went dry; therefore, no sample was collected.
		Strontium-90		During sampling, the well went dry; therefore, no sample was collected.
		Technetium-99		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0983 MW368		Thorium-230		During sampling, the well went dry; therefore, no sample was collected.
		Tritium		During sampling, the well went dry; therefore, no sample was collected.
		Chemical Oxygen Demand		During sampling, the well went dry; therefore, no sample was collected.
		Cyanide		During sampling, the well went dry; therefore, no sample was collected.
		Iodide		During sampling, the well went dry; therefore, no sample was collected.
		Total Organic Carbon		During sampling, the well went dry; therefore, no sample was collected.
		Total Organic Halides		During sampling, the well went dry; therefore, no sample was collected.
8004-4820 MW369	MW369UG4-15	Gross alpha	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 5.34. Rad error is 5.33.
		Gross beta		TPU is 9.23. Rad error is 8.58.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		TPU is 0.562. Rad error is 0.561.
		Strontium-90	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 1.82. Rad error is 1.82.
		Technetium-99		TPU is 14.4. Rad error is 13.8.
		Thorium-230	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 0.573. Rad error is 0.559.
8004-4818 MW370	MW370UG4-15	Tritium	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 127. Rad error is 127.
		Gross alpha	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 5.91. Rad error is 5.89.
		Gross beta		TPU is 11.6. Rad error is 10.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		TPU is 0.685. Rad error is 0.683.
		Strontium-90	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 2.06. Rad error is 2.05.
		Technetium-99		TPU is 15.9. Rad error is 14.4.
		Thorium-230	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 0.62. Rad error is 0.606.
		Tritium	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 130. Rad error is 130.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-4819 MW371	MW371UG4-15	Gross alpha	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 5.09. Rad error is 5.07.
		Gross beta	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 7.94. Rad error is 7.91.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		TPU is 0.649. Rad error is 0.647.
		Strontium-90	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 1.68. Rad error is 1.68.
		Technetium-99	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 14. Rad error is 14.
		Thorium-230	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 0.587. Rad error is 0.58.
		Tritium	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 131. Rad error is 131.
8004-4808 MW372	MW372UG4-15	Tantalum	N	Sample spike recovery not within control limits.
		Gross alpha	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 5. Rad error is 5.
		Gross beta		TPU is 7.62. Rad error is 7.24.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		TPU is 0.341. Rad error is 0.341.
		Strontium-90	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 2.26. Rad error is 2.25.
		Technetium-99		TPU is 13.3. Rad error is 12.6.
		Thorium-230	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 0.677. Rad error is 0.663.
8004-4792 MW373	MW373UG4-15	Tantalum	N	Sample spike recovery not within control limits.
		Gross alpha	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 4.76. Rad error is 4.76.
		Gross beta		TPU is 8.68. Rad error is 7.85.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		TPU is 0.338. Rad error is 0.338.
		Strontium-90	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 2.61. Rad error is 2.54.
		Technetium-99		TPU is 13.2. Rad error is 12.5.
		Thorium-230	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 0.381. Rad error is 0.38.
		Tritium	U	Indicates analyte/nucleide was analyzed for, but not detected. TPU is 128. Rad error is 128.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0990 MW374	MW374UG4-15	Tantalum	N	Sample spike recovery not within control limits.
		Gross alpha	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 5.92. Rad error is 5.92.
		Gross beta	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 4.15. Rad error is 4.15.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		TPU is 0.402. Rad error is 0.401.
		Strontium-90	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 2.95. Rad error is 2.95.
		Technetium-99	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 12.1. Rad error is 12.1.
		Thorium-230	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 0.602. Rad error is 0.594.
		Tritium	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 131. Rad error is 131.
8004-0985 MW375	MW375UG4-15	Tantalum	N	Sample spike recovery not within control limits.
		Gross alpha	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 5.82. Rad error is 5.75.
		Gross beta	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 5.66. Rad error is 5.56.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		TPU is 0.406. Rad error is 0.405.
		Strontium-90	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 1.6. Rad error is 1.6.
		Technetium-99	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 12. Rad error is 12.
		Thorium-230	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 0.56. Rad error is 0.553.
		Tritium	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 131. Rad error is 131.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0988 MW376		Bromide		During sampling, the well went dry; therefore, no sample was collected.
		Chloride		During sampling, the well went dry; therefore, no sample was collected.
		Fluoride		During sampling, the well went dry; therefore, no sample was collected.
		Nitrate & Nitrite		During sampling, the well went dry; therefore, no sample was collected.
		Sulfate		During sampling, the well went dry; therefore, no sample was collected.
		Barometric Pressure Reading		During sampling, the well went dry; therefore, no sample was collected.
		Specific Conductance		During sampling, the well went dry; therefore, no sample was collected.
		Static Water Level Elevation		During sampling, the well went dry; therefore, no sample was collected.
		Dissolved Oxygen		During sampling, the well went dry; therefore, no sample was collected.
		Total Dissolved Solids		During sampling, the well went dry; therefore, no sample was collected.
		pH		During sampling, the well went dry; therefore, no sample was collected.
		Eh		During sampling, the well went dry; therefore, no sample was collected.
		Temperature		During sampling, the well went dry; therefore, no sample was collected.
		Aluminum		During sampling, the well went dry; therefore, no sample was collected.
		Antimony		During sampling, the well went dry; therefore, no sample was collected.
		Arsenic		During sampling, the well went dry; therefore, no sample was collected.
		Barium		During sampling, the well went dry; therefore, no sample was collected.
		Beryllium		During sampling, the well went dry; therefore, no sample was collected.
		Boron		During sampling, the well went dry; therefore, no sample was collected.
		Cadmium		During sampling, the well went dry; therefore, no sample was collected.
		Calcium		During sampling, the well went dry; therefore, no sample was collected.
		Chromium		During sampling, the well went dry; therefore, no sample was collected.
		Cobalt		During sampling, the well went dry; therefore, no sample was collected.
		Copper		During sampling, the well went dry; therefore, no sample was collected.
		Iron		During sampling, the well went dry; therefore, no sample was collected.
		Lead		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0988 MW376		Magnesium		During sampling, the well went dry; therefore, no sample was collected.
		Manganese		During sampling, the well went dry; therefore, no sample was collected.
		Mercury		During sampling, the well went dry; therefore, no sample was collected.
		Molybdenum		During sampling, the well went dry; therefore, no sample was collected.
		Nickel		During sampling, the well went dry; therefore, no sample was collected.
		Potassium		During sampling, the well went dry; therefore, no sample was collected.
		Rhodium		During sampling, the well went dry; therefore, no sample was collected.
		Selenium		During sampling, the well went dry; therefore, no sample was collected.
		Silver		During sampling, the well went dry; therefore, no sample was collected.
		Sodium		During sampling, the well went dry; therefore, no sample was collected.
		Tantalum		During sampling, the well went dry; therefore, no sample was collected.
		Thallium		During sampling, the well went dry; therefore, no sample was collected.
		Uranium		During sampling, the well went dry; therefore, no sample was collected.
		Vanadium		During sampling, the well went dry; therefore, no sample was collected.
		Zinc		During sampling, the well went dry; therefore, no sample was collected.
		Vinyl acetate		During sampling, the well went dry; therefore, no sample was collected.
		Acetone		During sampling, the well went dry; therefore, no sample was collected.
		Acrolein		During sampling, the well went dry; therefore, no sample was collected.
		Acrylonitrile		During sampling, the well went dry; therefore, no sample was collected.
		Benzene		During sampling, the well went dry; therefore, no sample was collected.
		Chlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		Xylenes		During sampling, the well went dry; therefore, no sample was collected.
		Styrene		During sampling, the well went dry; therefore, no sample was collected.
		Toluene		During sampling, the well went dry; therefore, no sample was collected.
		Chlorobromomethane		During sampling, the well went dry; therefore, no sample was collected.
		Bromodichloromethane		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0988 MW376		Tribromomethane		During sampling, the well went dry; therefore, no sample was collected.
		Methyl bromide		During sampling, the well went dry; therefore, no sample was collected.
		Methyl Ethyl Ketone		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,4-Dichloro-2-butene		During sampling, the well went dry; therefore, no sample was collected.
		Carbon disulfide		During sampling, the well went dry; therefore, no sample was collected.
		Chloroethane		During sampling, the well went dry; therefore, no sample was collected.
		Chloroform		During sampling, the well went dry; therefore, no sample was collected.
		Methyl chloride		During sampling, the well went dry; therefore, no sample was collected.
		cis-1,2-Dichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Methylene bromide		During sampling, the well went dry; therefore, no sample was collected.
		1,1-Dichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1-Dichloroethylene		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dibromoethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,2,2-Tetrachloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,1-Trichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,2-Trichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,1,2-Tetrachloroethane		During sampling, the well went dry; therefore, no sample was collected.
		Vinyl chloride		During sampling, the well went dry; therefore, no sample was collected.
		Tetrachloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Trichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Ethylbenzene		During sampling, the well went dry; therefore, no sample was collected.
		2-Hexanone		During sampling, the well went dry; therefore, no sample was collected.
		Iodomethane		During sampling, the well went dry; therefore, no sample was collected.
		Dibromochloromethane		During sampling, the well went dry; therefore, no sample was collected.
		Carbon tetrachloride		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0988 MW376		Dichloromethane		During sampling, the well went dry; therefore, no sample was collected.
		Methyl Isobutyl Ketone		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dibromo-3-chloropropane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichloropropane		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,3-Dichloropropene		During sampling, the well went dry; therefore, no sample was collected.
		cis-1,3-Dichloropropene		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,2-Dichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Trichlorofluoromethane		During sampling, the well went dry; therefore, no sample was collected.
		1,2,3-Trichloropropane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		1,4-Dichlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		PCB, Total		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1016		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1221		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1232		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1242		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1248		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1254		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1260		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1268		During sampling, the well went dry; therefore, no sample was collected.
		Gross alpha		During sampling, the well went dry; therefore, no sample was collected.
		Gross beta		During sampling, the well went dry; therefore, no sample was collected.
		Iodine-131		During sampling, the well went dry; therefore, no sample was collected.
		Radium-226		During sampling, the well went dry; therefore, no sample was collected.
		Strontium-90		During sampling, the well went dry; therefore, no sample was collected.
		Technetium-99		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
LAB ID: None
For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0988 MW376		Thorium-230		During sampling, the well went dry; therefore, no sample was collected.
		Tritium		During sampling, the well went dry; therefore, no sample was collected.
		Chemical Oxygen Demand		During sampling, the well went dry; therefore, no sample was collected.
		Cyanide		During sampling, the well went dry; therefore, no sample was collected.
		Iodide		During sampling, the well went dry; therefore, no sample was collected.
		Total Organic Carbon		During sampling, the well went dry; therefore, no sample was collected.
		Total Organic Halides		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0989 MW377		Bromide		During sampling, the well went dry; therefore, no sample was collected.
		Chloride		During sampling, the well went dry; therefore, no sample was collected.
		Fluoride		During sampling, the well went dry; therefore, no sample was collected.
		Nitrate & Nitrite		During sampling, the well went dry; therefore, no sample was collected.
		Sulfate		During sampling, the well went dry; therefore, no sample was collected.
		Barometric Pressure Reading		During sampling, the well went dry; therefore, no sample was collected.
		Specific Conductance		During sampling, the well went dry; therefore, no sample was collected.
		Static Water Level Elevation		During sampling, the well went dry; therefore, no sample was collected.
		Dissolved Oxygen		During sampling, the well went dry; therefore, no sample was collected.
		Total Dissolved Solids		During sampling, the well went dry; therefore, no sample was collected.
		pH		During sampling, the well went dry; therefore, no sample was collected.
		Eh		During sampling, the well went dry; therefore, no sample was collected.
		Temperature		During sampling, the well went dry; therefore, no sample was collected.
		Aluminum		During sampling, the well went dry; therefore, no sample was collected.
		Antimony		During sampling, the well went dry; therefore, no sample was collected.
		Arsenic		During sampling, the well went dry; therefore, no sample was collected.
		Barium		During sampling, the well went dry; therefore, no sample was collected.
		Beryllium		During sampling, the well went dry; therefore, no sample was collected.
		Boron		During sampling, the well went dry; therefore, no sample was collected.
		Cadmium		During sampling, the well went dry; therefore, no sample was collected.
		Calcium		During sampling, the well went dry; therefore, no sample was collected.
		Chromium		During sampling, the well went dry; therefore, no sample was collected.
		Cobalt		During sampling, the well went dry; therefore, no sample was collected.
		Copper		During sampling, the well went dry; therefore, no sample was collected.
		Iron		During sampling, the well went dry; therefore, no sample was collected.
		Lead		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0989 MW377		Magnesium		During sampling, the well went dry; therefore, no sample was collected.
		Manganese		During sampling, the well went dry; therefore, no sample was collected.
		Mercury		During sampling, the well went dry; therefore, no sample was collected.
		Molybdenum		During sampling, the well went dry; therefore, no sample was collected.
		Nickel		During sampling, the well went dry; therefore, no sample was collected.
		Potassium		During sampling, the well went dry; therefore, no sample was collected.
		Rhodium		During sampling, the well went dry; therefore, no sample was collected.
		Selenium		During sampling, the well went dry; therefore, no sample was collected.
		Silver		During sampling, the well went dry; therefore, no sample was collected.
		Sodium		During sampling, the well went dry; therefore, no sample was collected.
		Tantalum		During sampling, the well went dry; therefore, no sample was collected.
		Thallium		During sampling, the well went dry; therefore, no sample was collected.
		Uranium		During sampling, the well went dry; therefore, no sample was collected.
		Vanadium		During sampling, the well went dry; therefore, no sample was collected.
		Zinc		During sampling, the well went dry; therefore, no sample was collected.
		Vinyl acetate		During sampling, the well went dry; therefore, no sample was collected.
		Acetone		During sampling, the well went dry; therefore, no sample was collected.
		Acrolein		During sampling, the well went dry; therefore, no sample was collected.
		Acrylonitrile		During sampling, the well went dry; therefore, no sample was collected.
		Benzene		During sampling, the well went dry; therefore, no sample was collected.
		Chlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		Xylenes		During sampling, the well went dry; therefore, no sample was collected.
		Styrene		During sampling, the well went dry; therefore, no sample was collected.
		Toluene		During sampling, the well went dry; therefore, no sample was collected.
		Chlorobromomethane		During sampling, the well went dry; therefore, no sample was collected.
		Bromodichloromethane		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0989 MW377		Tribromomethane		During sampling, the well went dry; therefore, no sample was collected.
		Methyl bromide		During sampling, the well went dry; therefore, no sample was collected.
		Methyl Ethyl Ketone		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,4-Dichloro-2-butene		During sampling, the well went dry; therefore, no sample was collected.
		Carbon disulfide		During sampling, the well went dry; therefore, no sample was collected.
		Chloroethane		During sampling, the well went dry; therefore, no sample was collected.
		Chloroform		During sampling, the well went dry; therefore, no sample was collected.
		Methyl chloride		During sampling, the well went dry; therefore, no sample was collected.
		cis-1,2-Dichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Methylene bromide		During sampling, the well went dry; therefore, no sample was collected.
		1,1-Dichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1-Dichloroethylene		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dibromoethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,2,2-Tetrachloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,1-Trichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,2-Trichloroethane		During sampling, the well went dry; therefore, no sample was collected.
		1,1,1,2-Tetrachloroethane		During sampling, the well went dry; therefore, no sample was collected.
		Vinyl chloride		During sampling, the well went dry; therefore, no sample was collected.
		Tetrachloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Trichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Ethylbenzene		During sampling, the well went dry; therefore, no sample was collected.
		2-Hexanone		During sampling, the well went dry; therefore, no sample was collected.
		Iodomethane		During sampling, the well went dry; therefore, no sample was collected.
		Dibromochloromethane		During sampling, the well went dry; therefore, no sample was collected.
		Carbon tetrachloride		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0989 MW377		Dichloromethane		During sampling, the well went dry; therefore, no sample was collected.
		Methyl Isobutyl Ketone		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dibromo-3-chloropropane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichloropropane		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,3-Dichloropropene		During sampling, the well went dry; therefore, no sample was collected.
		cis-1,3-Dichloropropene		During sampling, the well went dry; therefore, no sample was collected.
		trans-1,2-Dichloroethene		During sampling, the well went dry; therefore, no sample was collected.
		Trichlorofluoromethane		During sampling, the well went dry; therefore, no sample was collected.
		1,2,3-Trichloropropane		During sampling, the well went dry; therefore, no sample was collected.
		1,2-Dichlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		1,4-Dichlorobenzene		During sampling, the well went dry; therefore, no sample was collected.
		PCB, Total		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1016		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1221		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1232		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1242		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1248		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1254		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1260		During sampling, the well went dry; therefore, no sample was collected.
		PCB-1268		During sampling, the well went dry; therefore, no sample was collected.
		Gross alpha		During sampling, the well went dry; therefore, no sample was collected.
		Gross beta		During sampling, the well went dry; therefore, no sample was collected.
		Iodine-131		During sampling, the well went dry; therefore, no sample was collected.
		Radium-226		During sampling, the well went dry; therefore, no sample was collected.
		Strontium-90		During sampling, the well went dry; therefore, no sample was collected.
		Technetium-99		During sampling, the well went dry; therefore, no sample was collected.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0989 MW377		Thorium-230		During sampling, the well went dry; therefore, no sample was collected.
		Tritium		During sampling, the well went dry; therefore, no sample was collected.
		Chemical Oxygen Demand		During sampling, the well went dry; therefore, no sample was collected.
		Cyanide		During sampling, the well went dry; therefore, no sample was collected.
		Iodide		During sampling, the well went dry; therefore, no sample was collected.
		Total Organic Carbon		During sampling, the well went dry; therefore, no sample was collected.
		Total Organic Halides		During sampling, the well went dry; therefore, no sample was collected.
0000-0000 QC	RI1UG4-15	Bromide		Analysis of constituent not required and not performed.
		Chloride		Analysis of constituent not required and not performed.
		Fluoride		Analysis of constituent not required and not performed.
		Nitrate & Nitrite		Analysis of constituent not required and not performed.
		Sulfate		Analysis of constituent not required and not performed.
		Barometric Pressure Reading		Analysis of constituent not required and not performed.
		Specific Conductance		Analysis of constituent not required and not performed.
		Static Water Level Elevation		Analysis of constituent not required and not performed.
		Dissolved Oxygen		Analysis of constituent not required and not performed.
		Total Dissolved Solids		Analysis of constituent not required and not performed.
		pH		Analysis of constituent not required and not performed.
		Eh		Analysis of constituent not required and not performed.
		Temperature		Analysis of constituent not required and not performed.
		Beryllium	N	Sample spike recovery not within control limits.
		Gross alpha	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 5.25. Rad error is 5.24.
		Gross beta	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 7.34. Rad error is 7.34.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		TPU is 0.485. Rad error is 0.484.
		Strontium-90	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 3.66. Rad error is 3.63.
		Technetium-99	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 11.5. Rad error is 11.5.
		Thorium-230	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 0.498. Rad error is 0.495.
		Tritium	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 131. Rad error is 130.
		Chemical Oxygen Demand		Analysis of constituent not required and not performed.
		Cyanide		Analysis of constituent not required and not performed.
		Total Organic Carbon		Analysis of constituent not required and not performed.
		Total Organic Halides		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
0000-0000 QC	FB1UG4-15	Bromide		Analysis of constituent not required and not performed.
		Chloride		Analysis of constituent not required and not performed.
		Fluoride		Analysis of constituent not required and not performed.
		Nitrate & Nitrite		Analysis of constituent not required and not performed.
		Sulfate		Analysis of constituent not required and not performed.
		Barometric Pressure Reading		Analysis of constituent not required and not performed.
		Specific Conductance		Analysis of constituent not required and not performed.
		Static Water Level Elevation		Analysis of constituent not required and not performed.
		Dissolved Oxygen		Analysis of constituent not required and not performed.
		Total Dissolved Solids		Analysis of constituent not required and not performed.
		pH		Analysis of constituent not required and not performed.
		Eh		Analysis of constituent not required and not performed.
		Temperature		Analysis of constituent not required and not performed.
		Beryllium	N	Sample spike recovery not within control limits.
		Gross alpha	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 3.29. Rad error is 3.28.
		Gross beta	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 7.56. Rad error is 7.56.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 0.331. Rad error is 0.331.
		Strontium-90	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 2.76. Rad error is 2.76.
		Technetium-99	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 13.5. Rad error is 13.5.
		Thorium-230	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 0.492. Rad error is 0.482.
		Tritium	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 131. Rad error is 130.
		Chemical Oxygen Demand		Analysis of constituent not required and not performed.
		Cyanide		Analysis of constituent not required and not performed.
		Total Organic Carbon		Analysis of constituent not required and not performed.
		Total Organic Halides		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
0000-0000 QC	TB1UG4-15	Bromide		Analysis of constituent not required and not performed.
		Chloride		Analysis of constituent not required and not performed.
		Fluoride		Analysis of constituent not required and not performed.
		Nitrate & Nitrite		Analysis of constituent not required and not performed.
		Sulfate		Analysis of constituent not required and not performed.
		Barometric Pressure Reading		Analysis of constituent not required and not performed.
		Specific Conductance		Analysis of constituent not required and not performed.
		Static Water Level Elevation		Analysis of constituent not required and not performed.
		Dissolved Oxygen		Analysis of constituent not required and not performed.
		Total Dissolved Solids		Analysis of constituent not required and not performed.
		pH		Analysis of constituent not required and not performed.
		Eh		Analysis of constituent not required and not performed.
		Temperature		Analysis of constituent not required and not performed.
		Aluminum		Analysis of constituent not required and not performed.
		Antimony		Analysis of constituent not required and not performed.
		Arsenic		Analysis of constituent not required and not performed.
		Barium		Analysis of constituent not required and not performed.
		Beryllium		Analysis of constituent not required and not performed.
		Boron		Analysis of constituent not required and not performed.
		Cadmium		Analysis of constituent not required and not performed.
		Calcium		Analysis of constituent not required and not performed.
		Chromium		Analysis of constituent not required and not performed.
		Cobalt		Analysis of constituent not required and not performed.
		Copper		Analysis of constituent not required and not performed.
		Iron		Analysis of constituent not required and not performed.
		Lead		Analysis of constituent not required and not performed.
		Magnesium		Analysis of constituent not required and not performed.
		Manganese		Analysis of constituent not required and not performed.
		Mercury		Analysis of constituent not required and not performed.
		Molybdenum		Analysis of constituent not required and not performed.
		Nickel		Analysis of constituent not required and not performed.
		Potassium		Analysis of constituent not required and not performed.
		Rhodium		Analysis of constituent not required and not performed.
		Selenium		Analysis of constituent not required and not performed.
		Silver		Analysis of constituent not required and not performed.
		Sodium		Analysis of constituent not required and not performed.
		Tantalum		Analysis of constituent not required and not performed.
		Thallium		Analysis of constituent not required and not performed.
		Uranium		Analysis of constituent not required and not performed.
		Vanadium		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
0000-0000 QC	TB1UG4-15	Zinc		Analysis of constituent not required and not performed.
		Vinyl acetate		Collected during a re-sampling event.
		Acetone		Collected during a re-sampling event.
		Acrolein		Collected during a re-sampling event.
		Acrylonitrile		Collected during a re-sampling event.
		Benzene		Collected during a re-sampling event.
		Chlorobenzene		Collected during a re-sampling event.
		Xylenes		Collected during a re-sampling event.
		Styrene		Collected during a re-sampling event.
		Toluene		Collected during a re-sampling event.
		Chlorobromomethane		Collected during a re-sampling event.
		Bromodichloromethane		Collected during a re-sampling event.
		Tribromomethane		Collected during a re-sampling event.
		Methyl bromide		Collected during a re-sampling event.
		Methyl Ethyl Ketone		Collected during a re-sampling event.
		trans-1,4-Dichloro-2-butene		Collected during a re-sampling event.
		Carbon disulfide		Collected during a re-sampling event.
		Chloroethane		Collected during a re-sampling event.
		Chloroform		Collected during a re-sampling event.
		Methyl chloride		Collected during a re-sampling event.
		cis-1,2-Dichloroethene		Collected during a re-sampling event.
		Methylene bromide		Collected during a re-sampling event.
		1,1-Dichloroethane		Collected during a re-sampling event.
		1,2-Dichloroethane		Collected during a re-sampling event.
		1,1-Dichloroethylene		Collected during a re-sampling event.
		1,2-Dibromoethane		Collected during a re-sampling event.
		1,1,2,2-Tetrachloroethane		Collected during a re-sampling event.
		1,1,1-Trichloroethane		Collected during a re-sampling event.
		1,1,2-Trichloroethane		Collected during a re-sampling event.
		1,1,1,2-Tetrachloroethane		Collected during a re-sampling event.
		Vinyl chloride		Collected during a re-sampling event.
		Tetrachloroethene		Collected during a re-sampling event.
		Trichloroethene		Collected during a re-sampling event.
		Ethylbenzene		Collected during a re-sampling event.
		2-Hexanone		Collected during a re-sampling event.
		Iodomethane		Collected during a re-sampling event.
		Dibromochloromethane		Collected during a re-sampling event.
		Carbon tetrachloride		Collected during a re-sampling event.
		Dichloromethane		Collected during a re-sampling event.
		Methyl Isobutyl Ketone		Collected during a re-sampling event.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
0000-0000 QC	TB1UG4-15	1,2-Dichloropropane		Collected during a re-sampling event.
		trans-1,3-Dichloropropene		Collected during a re-sampling event.
		cis-1,3-Dichloropropene		Collected during a re-sampling event.
		trans-1,2-Dichloroethene		Collected during a re-sampling event.
		Trichlorofluoromethane		Collected during a re-sampling event.
		1,2,3-Trichloropropane		Collected during a re-sampling event.
		1,2-Dichlorobenzene		Collected during a re-sampling event.
		1,4-Dichlorobenzene		Collected during a re-sampling event.
		PCB, Total		Analysis of constituent not required and not performed.
		PCB-1016		Analysis of constituent not required and not performed.
		PCB-1221		Analysis of constituent not required and not performed.
		PCB-1232		Analysis of constituent not required and not performed.
		PCB-1242		Analysis of constituent not required and not performed.
		PCB-1248		Analysis of constituent not required and not performed.
		PCB-1254		Analysis of constituent not required and not performed.
		PCB-1260		Analysis of constituent not required and not performed.
		PCB-1268		Analysis of constituent not required and not performed.
		Gross alpha		Analysis of constituent not required and not performed.
		Gross beta		Analysis of constituent not required and not performed.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		Analysis of constituent not required and not performed.
		Strontium-90		Analysis of constituent not required and not performed.
		Technetium-99		Analysis of constituent not required and not performed.
		Thorium-230		Analysis of constituent not required and not performed.
		Tritium		Analysis of constituent not required and not performed.
		Chemical Oxygen Demand		Analysis of constituent not required and not performed.
		Cyanide		Analysis of constituent not required and not performed.
		Iodide		Analysis of constituent not required and not performed.
		Total Organic Carbon		Analysis of constituent not required and not performed.
		Total Organic Halides		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
0000-0000 QC	TB2UG4-15	Bromide		Analysis of constituent not required and not performed.
		Chloride		Analysis of constituent not required and not performed.
		Fluoride		Analysis of constituent not required and not performed.
		Nitrate & Nitrite		Analysis of constituent not required and not performed.
		Sulfate		Analysis of constituent not required and not performed.
		Barometric Pressure Reading		Analysis of constituent not required and not performed.
		Specific Conductance		Analysis of constituent not required and not performed.
		Static Water Level Elevation		Analysis of constituent not required and not performed.
		Dissolved Oxygen		Analysis of constituent not required and not performed.
		Total Dissolved Solids		Analysis of constituent not required and not performed.
		pH		Analysis of constituent not required and not performed.
		Eh		Analysis of constituent not required and not performed.
		Temperature		Analysis of constituent not required and not performed.
		Aluminum		Analysis of constituent not required and not performed.
		Antimony		Analysis of constituent not required and not performed.
		Arsenic		Analysis of constituent not required and not performed.
		Barium		Analysis of constituent not required and not performed.
		Beryllium		Analysis of constituent not required and not performed.
		Boron		Analysis of constituent not required and not performed.
		Cadmium		Analysis of constituent not required and not performed.
		Calcium		Analysis of constituent not required and not performed.
		Chromium		Analysis of constituent not required and not performed.
		Cobalt		Analysis of constituent not required and not performed.
		Copper		Analysis of constituent not required and not performed.
		Iron		Analysis of constituent not required and not performed.
		Lead		Analysis of constituent not required and not performed.
		Magnesium		Analysis of constituent not required and not performed.
		Manganese		Analysis of constituent not required and not performed.
		Mercury		Analysis of constituent not required and not performed.
		Molybdenum		Analysis of constituent not required and not performed.
		Nickel		Analysis of constituent not required and not performed.
		Potassium		Analysis of constituent not required and not performed.
		Rhodium		Analysis of constituent not required and not performed.
		Selenium		Analysis of constituent not required and not performed.
		Silver		Analysis of constituent not required and not performed.
		Sodium		Analysis of constituent not required and not performed.
		Tantalum		Analysis of constituent not required and not performed.
		Thallium		Analysis of constituent not required and not performed.
		Uranium		Analysis of constituent not required and not performed.
		Vanadium		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
LAB ID: None
For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
0000-0000 QC	TB2UG4-15	Zinc		Analysis of constituent not required and not performed.
		PCB, Total		Analysis of constituent not required and not performed.
		PCB-1016		Analysis of constituent not required and not performed.
		PCB-1221		Analysis of constituent not required and not performed.
		PCB-1232		Analysis of constituent not required and not performed.
		PCB-1242		Analysis of constituent not required and not performed.
		PCB-1248		Analysis of constituent not required and not performed.
		PCB-1254		Analysis of constituent not required and not performed.
		PCB-1260		Analysis of constituent not required and not performed.
		PCB-1268		Analysis of constituent not required and not performed.
		Gross alpha		Analysis of constituent not required and not performed.
		Gross beta		Analysis of constituent not required and not performed.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		Analysis of constituent not required and not performed.
		Strontium-90		Analysis of constituent not required and not performed.
		Technetium-99		Analysis of constituent not required and not performed.
		Thorium-230		Analysis of constituent not required and not performed.
		Tritium		Analysis of constituent not required and not performed.
		Chemical Oxygen Demand		Analysis of constituent not required and not performed.
		Cyanide		Analysis of constituent not required and not performed.
		Iodide		Analysis of constituent not required and not performed.
		Total Organic Carbon		Analysis of constituent not required and not performed.
		Total Organic Halides		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
0000-0000 QC	TB3UG4-15	Bromide		Analysis of constituent not required and not performed.
		Chloride		Analysis of constituent not required and not performed.
		Fluoride		Analysis of constituent not required and not performed.
		Nitrate & Nitrite		Analysis of constituent not required and not performed.
		Sulfate		Analysis of constituent not required and not performed.
		Barometric Pressure Reading		Analysis of constituent not required and not performed.
		Specific Conductance		Analysis of constituent not required and not performed.
		Static Water Level Elevation		Analysis of constituent not required and not performed.
		Dissolved Oxygen		Analysis of constituent not required and not performed.
		Total Dissolved Solids		Analysis of constituent not required and not performed.
		pH		Analysis of constituent not required and not performed.
		Eh		Analysis of constituent not required and not performed.
		Temperature		Analysis of constituent not required and not performed.
		Aluminum		Analysis of constituent not required and not performed.
		Antimony		Analysis of constituent not required and not performed.
		Arsenic		Analysis of constituent not required and not performed.
		Barium		Analysis of constituent not required and not performed.
		Beryllium		Analysis of constituent not required and not performed.
		Boron		Analysis of constituent not required and not performed.
		Cadmium		Analysis of constituent not required and not performed.
		Calcium		Analysis of constituent not required and not performed.
		Chromium		Analysis of constituent not required and not performed.
		Cobalt		Analysis of constituent not required and not performed.
		Copper		Analysis of constituent not required and not performed.
		Iron		Analysis of constituent not required and not performed.
		Lead		Analysis of constituent not required and not performed.
		Magnesium		Analysis of constituent not required and not performed.
		Manganese		Analysis of constituent not required and not performed.
		Mercury		Analysis of constituent not required and not performed.
		Molybdenum		Analysis of constituent not required and not performed.
		Nickel		Analysis of constituent not required and not performed.
		Potassium		Analysis of constituent not required and not performed.
		Rhodium		Analysis of constituent not required and not performed.
		Selenium		Analysis of constituent not required and not performed.
		Silver		Analysis of constituent not required and not performed.
		Sodium		Analysis of constituent not required and not performed.
		Tantalum		Analysis of constituent not required and not performed.
		Thallium		Analysis of constituent not required and not performed.
		Uranium		Analysis of constituent not required and not performed.
		Vanadium		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
LAB ID: None
For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
0000-0000 QC	TB3UG4-15	Zinc		Analysis of constituent not required and not performed.
		PCB, Total		Analysis of constituent not required and not performed.
		PCB-1016		Analysis of constituent not required and not performed.
		PCB-1221		Analysis of constituent not required and not performed.
		PCB-1232		Analysis of constituent not required and not performed.
		PCB-1242		Analysis of constituent not required and not performed.
		PCB-1248		Analysis of constituent not required and not performed.
		PCB-1254		Analysis of constituent not required and not performed.
		PCB-1260		Analysis of constituent not required and not performed.
		PCB-1268		Analysis of constituent not required and not performed.
		Gross alpha		Analysis of constituent not required and not performed.
		Gross beta		Analysis of constituent not required and not performed.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		Analysis of constituent not required and not performed.
		Strontium-90		Analysis of constituent not required and not performed.
		Technetium-99		Analysis of constituent not required and not performed.
		Thorium-230		Analysis of constituent not required and not performed.
		Tritium		Analysis of constituent not required and not performed.
		Chemical Oxygen Demand		Analysis of constituent not required and not performed.
		Cyanide		Analysis of constituent not required and not performed.
		Iodide		Analysis of constituent not required and not performed.
		Total Organic Carbon		Analysis of constituent not required and not performed.
		Total Organic Halides		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
0000-0000 QC	TB4UG4-15	Bromide		Analysis of constituent not required and not performed.
		Chloride		Analysis of constituent not required and not performed.
		Fluoride		Analysis of constituent not required and not performed.
		Nitrate & Nitrite		Analysis of constituent not required and not performed.
		Sulfate		Analysis of constituent not required and not performed.
		Barometric Pressure Reading		Analysis of constituent not required and not performed.
		Specific Conductance		Analysis of constituent not required and not performed.
		Static Water Level Elevation		Analysis of constituent not required and not performed.
		Dissolved Oxygen		Analysis of constituent not required and not performed.
		Total Dissolved Solids		Analysis of constituent not required and not performed.
		pH		Analysis of constituent not required and not performed.
		Eh		Analysis of constituent not required and not performed.
		Temperature		Analysis of constituent not required and not performed.
		Aluminum		Analysis of constituent not required and not performed.
		Antimony		Analysis of constituent not required and not performed.
		Arsenic		Analysis of constituent not required and not performed.
		Barium		Analysis of constituent not required and not performed.
		Beryllium		Analysis of constituent not required and not performed.
		Boron		Analysis of constituent not required and not performed.
		Cadmium		Analysis of constituent not required and not performed.
		Calcium		Analysis of constituent not required and not performed.
		Chromium		Analysis of constituent not required and not performed.
		Cobalt		Analysis of constituent not required and not performed.
		Copper		Analysis of constituent not required and not performed.
		Iron		Analysis of constituent not required and not performed.
		Lead		Analysis of constituent not required and not performed.
		Magnesium		Analysis of constituent not required and not performed.
		Manganese		Analysis of constituent not required and not performed.
		Mercury		Analysis of constituent not required and not performed.
		Molybdenum		Analysis of constituent not required and not performed.
		Nickel		Analysis of constituent not required and not performed.
		Potassium		Analysis of constituent not required and not performed.
		Rhodium		Analysis of constituent not required and not performed.
		Selenium		Analysis of constituent not required and not performed.
		Silver		Analysis of constituent not required and not performed.
		Sodium		Analysis of constituent not required and not performed.
		Tantalum		Analysis of constituent not required and not performed.
		Thallium		Analysis of constituent not required and not performed.
		Uranium		Analysis of constituent not required and not performed.
		Vanadium		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
LAB ID: None
For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
0000-0000 QC	TB4UG4-15	Zinc		Analysis of constituent not required and not performed.
		PCB, Total		Analysis of constituent not required and not performed.
		PCB-1016		Analysis of constituent not required and not performed.
		PCB-1221		Analysis of constituent not required and not performed.
		PCB-1232		Analysis of constituent not required and not performed.
		PCB-1242		Analysis of constituent not required and not performed.
		PCB-1248		Analysis of constituent not required and not performed.
		PCB-1254		Analysis of constituent not required and not performed.
		PCB-1260		Analysis of constituent not required and not performed.
		PCB-1268		Analysis of constituent not required and not performed.
		Gross alpha		Analysis of constituent not required and not performed.
		Gross beta		Analysis of constituent not required and not performed.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		Analysis of constituent not required and not performed.
		Strontium-90		Analysis of constituent not required and not performed.
		Technetium-99		Analysis of constituent not required and not performed.
		Thorium-230		Analysis of constituent not required and not performed.
		Tritium		Analysis of constituent not required and not performed.
		Chemical Oxygen Demand		Analysis of constituent not required and not performed.
		Cyanide		Analysis of constituent not required and not performed.
		Iodide		Analysis of constituent not required and not performed.
		Total Organic Carbon		Analysis of constituent not required and not performed.
		Total Organic Halides		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
0000-0000 QC	TB5UG4-15	Bromide		Analysis of constituent not required and not performed.
		Chloride		Analysis of constituent not required and not performed.
		Fluoride		Analysis of constituent not required and not performed.
		Nitrate & Nitrite		Analysis of constituent not required and not performed.
		Sulfate		Analysis of constituent not required and not performed.
		Barometric Pressure Reading		Analysis of constituent not required and not performed.
		Specific Conductance		Analysis of constituent not required and not performed.
		Static Water Level Elevation		Analysis of constituent not required and not performed.
		Dissolved Oxygen		Analysis of constituent not required and not performed.
		Total Dissolved Solids		Analysis of constituent not required and not performed.
		pH		Analysis of constituent not required and not performed.
		Eh		Analysis of constituent not required and not performed.
		Temperature		Analysis of constituent not required and not performed.
		Aluminum		Analysis of constituent not required and not performed.
		Antimony		Analysis of constituent not required and not performed.
		Arsenic		Analysis of constituent not required and not performed.
		Barium		Analysis of constituent not required and not performed.
		Beryllium		Analysis of constituent not required and not performed.
		Boron		Analysis of constituent not required and not performed.
		Cadmium		Analysis of constituent not required and not performed.
		Calcium		Analysis of constituent not required and not performed.
		Chromium		Analysis of constituent not required and not performed.
		Cobalt		Analysis of constituent not required and not performed.
		Copper		Analysis of constituent not required and not performed.
		Iron		Analysis of constituent not required and not performed.
		Lead		Analysis of constituent not required and not performed.
		Magnesium		Analysis of constituent not required and not performed.
		Manganese		Analysis of constituent not required and not performed.
		Mercury		Analysis of constituent not required and not performed.
		Molybdenum		Analysis of constituent not required and not performed.
		Nickel		Analysis of constituent not required and not performed.
		Potassium		Analysis of constituent not required and not performed.
		Rhodium		Analysis of constituent not required and not performed.
		Selenium		Analysis of constituent not required and not performed.
		Silver		Analysis of constituent not required and not performed.
		Sodium		Analysis of constituent not required and not performed.
		Tantalum		Analysis of constituent not required and not performed.
		Thallium		Analysis of constituent not required and not performed.
		Uranium		Analysis of constituent not required and not performed.
		Vanadium		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
 Facility: US DOE - Paducah Gaseous Diffusion Plant
 Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
 LAB ID: None
 For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
0000-0000 QC	TB5UG4-15	Zinc		Analysis of constituent not required and not performed.
		PCB, Total		Analysis of constituent not required and not performed.
		PCB-1016		Analysis of constituent not required and not performed.
		PCB-1221		Analysis of constituent not required and not performed.
		PCB-1232		Analysis of constituent not required and not performed.
		PCB-1242		Analysis of constituent not required and not performed.
		PCB-1248		Analysis of constituent not required and not performed.
		PCB-1254		Analysis of constituent not required and not performed.
		PCB-1260		Analysis of constituent not required and not performed.
		PCB-1268		Analysis of constituent not required and not performed.
		Gross alpha		Analysis of constituent not required and not performed.
		Gross beta		Analysis of constituent not required and not performed.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		Analysis of constituent not required and not performed.
		Strontium-90		Analysis of constituent not required and not performed.
		Technetium-99		Analysis of constituent not required and not performed.
		Thorium-230		Analysis of constituent not required and not performed.
		Tritium		Analysis of constituent not required and not performed.
		Chemical Oxygen Demand		Analysis of constituent not required and not performed.
		Cyanide		Analysis of constituent not required and not performed.
		Iodide		Analysis of constituent not required and not performed.
		Total Organic Carbon		Analysis of constituent not required and not performed.
		Total Organic Halides		Analysis of constituent not required and not performed.
8004-4819 MW371	MW371DUG4-15	Gross alpha	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 5.43. Rad error is 5.43.
		Gross beta	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 7.12. Rad error is 7.09.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		TPU is 0.744. Rad error is 0.741.
		Strontium-90	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 2.71. Rad error is 2.64.
		Technetium-99	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 13.4. Rad error is 13.4.
		Thorium-230	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 0.569. Rad error is 0.561.
		Tritium	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 127. Rad error is 127.

Division of Waste Management
Solid Waste Branch
14 Reilly Road
Frankfort, KY 40601 (502)564-6716

RESIDENTIAL/CONTAINED-QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None
For Official Use Only

GROUNDWATER SAMPLE ANALYSIS_(S)

AKGWA NUMBER ¹ , Facility Well/Spring Number						8004-4798	8004-4799	8004-0981	0000-0000				
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)						357	358	359	T. BLANK 1				
Sample Sequence #						2	2	2	2				
If sample is a Blank, specify Type: (F)ield, (T)rip, (M)ethod, or (E)quipment						NA	NA	NA	T				
Sample Date and Time (Month/Day/Year hour:minutes)						7/13/2015 08:08	7/13/2015 09:01	7/13/2015 08:32	7/13/2015 07:23				
Duplicate ("Y" or "N") ²						N	N	N	N				
Split ("Y" or "N") ³						N	N	N	N				
Facility Sample ID Number (if applicable)						MW357UG4-15R	MW358UG4-15R	MW359UG4-15R	TB1UG4-15R				
Laboratory Sample ID Number (if applicable)						377078001	377078002	377078003	377078004				
Date of Analysis (Month/Day/Year) For <u>Volatile Organics</u> Analysis						7/16/2015	7/16/2015	7/16/2015	7/16/2015				
Gradient with respect to Monitored Unit (UP, DOWN, SIDE, UNKNOWN)						DOWN	DOWN	DOWN	NA				
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S ⁷	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
24959-67-9		Bromide	T	mg/L	9056		*		*		*		*
16887-00-6		Chloride(s)	T	mg/L	9056		*		*		*		*
16984-48-8		Fluoride	T	mg/L	9056		*		*		*		*
S0595- -		Nitrate & Nitrite	T	mg/L	9056		*		*		*		*
14808-79-8		Sulfate	T	mg/L	9056		*		*		*		*
NS1894		Barometric Pressure Reading	T	Inches/Hg	Field	29.9		29.9		29.9			*
S0145- -		Specific Conductance	T	µMH0/cm	Field	449		502		250			*

¹AKGWA # is 0000-0000 for any type of blank.

²Respond "Y" if the sample was a duplicate of another sample in this report.

³Respond "Y" if the sample was split and analyzed by separate laboratories.

⁴Chemical Abstracts Service Registry Number or unique identifier number assigned by agency.

⁵"T" = Total; "D" = Dissolved

⁶"<" indicates a non-detect; do not use "ND" or "BDL". Value shown is Practical Quantification Limit.

⁷Flags are as designated, do not use any other type. Use "*", then describe on "Written Comments Page."

STANDARD FLAGS:

* = See Comments

J = Estimated Value

B = Analyte found in blank

A = Average value

N = Presumptive ID

D = Concentration from analysis
of a secondary dilution

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4798		8004-4799		8004-0981		0000-0000	
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, BLANK-F, etc.)					357		358		359		T. BLANK 1	
CAS RN ⁴	CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
S0906 - -	Static Water Level Elevation	T	Ft. MSL	Field	41.87		41.98		32.21			*
N238	Dissolved Oxygen	T	mg/L	Field	3.31		1.6		5.29			*
S0266- -	Total Dissolved Solids	T	mg/L	160.1		*		*		*		*
S0296- -	pH	T	Units	Field	6.07		6.1		5.86			*
NS215	Eh	T	mV	Field	460		342		465			*
S0907 - -	Temperature	T	°C	Field	67.2		67.5		66.4			*
7429-90-5	Aluminum	T	mg/L	6020		*		*		*		*
7440-36-0	Antimony	T	mg/L	6020		*		*		*		*
7440-38-2	Arsenic	T	mg/L	6020		*		*		*		*
7440-39-3	Barium	T	mg/L	6020		*		*		*		*
7440-41-7	Beryllium	T	mg/L	6020		*		*		*		*
7440-42-8	Boron	T	mg/L	6020		*		*		*		*
7440-43-9	Cadmium	T	mg/L	6020		*		*		*		*
7440-70-2	Calcium	T	mg/L	6020		*		*		*		*
7440-47-3	Chromium	T	mg/L	6020		*		*		*		*
7440-48-4	Cobalt	T	mg/L	6020		*		*		*		*
7440-50-8	Copper	T	mg/L	6020		*		*		*		*
7439-89-6	Iron	T	mg/L	6020		*		*		*		*
7439-92-1	Lead	T	mg/L	6020		*		*		*		*
7439-95-4	Magnesium	T	mg/L	6020		*		*		*		*
7439-96-5	Manganese	T	mg/L	6020		*		*		*		*
7439-97-6	Mercury	T	mg/L	7470		*		*		*		*

C-94

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4798		8004-4799		8004-0981		0000-0000		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					357		358		359		T. BLANK 1		
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
7439-98-7		Molybdenum	T	mg/L	6020		*		*		*		*
7440-02-0		Nickel	T	mg/L	6020		*		*		*		*
7440-09-7		Potassium	T	mg/L	6020		*		*		*		*
7440-16-6		Rhodium	T	mg/L	6020		*		*		*		*
7782-49-2		Selenium	T	mg/L	6020		*		*		*		*
7440-22-4		Silver	T	mg/L	6020		*		*		*		*
7440-23-5		Sodium	T	mg/L	6020		*		*		*		*
7440-25-7		Tantalum	T	mg/L	6020		*		*		*		*
7440-28-0		Thallium	T	mg/L	6020		*		*		*		*
7440-61-1		Uranium	T	mg/L	6020		*		*		*		*
7440-62-2		Vanadium	T	mg/L	6020		*		*		*		*
7440-66-6		Zinc	T	mg/L	6020		*		*		*		*
108-05-4		Vinyl acetate	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
67-64-1		Acetone	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
107-02-8		Acrolein	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
107-13-1		Acrylonitrile	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
71-43-2		Benzene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
108-90-7		Chlorobenzene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
1330-20-7		Xylenes	T	mg/L	8260	<0.003		<0.003		<0.003		<0.003	
100-42-5		Styrene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
108-88-3		Toluene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
74-97-5		Chlorobromomethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4798		8004-4799		8004-0981		0000-0000		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					357		358		359		T. BLANK 1		
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
75-27-4		Bromodichloromethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-25-2		Tribromomethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
74-83-9		Methyl bromide	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
78-93-3		Methyl ethyl ketone	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
110-57-6		trans-1,4-Dichloro-2-butene	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
75-15-0		Carbon disulfide	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
75-00-3		Chloroethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
67-66-3		Chloroform	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
74-87-3		Methyl chloride	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
156-59-2		cis-1,2-Dichloroethene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
74-95-3		Methylene bromide	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-34-3		1,1-Dichloroethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
107-06-2		1,2-Dichloroethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-35-4		1,1-Dichloroethylene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
106-93-4		Ethane, 1,2-dibromo	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
79-34-5		Ethane, 1,1,2,2-Tetrachloro	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
71-55-6		Ethane, 1,1,1-Trichloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
79-00-5		Ethane, 1,1,2-Trichloro	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
630-20-6		Ethane, 1,1,1,2-Tetrachloro	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-01-4		Vinyl chloride	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
127-18-4		Ethene, Tetrachloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
79-01-6		Ethene, Trichloro-	T	mg/L	8260	0.00588		0.00464		<0.001		<0.001	

RESIDENTIAL/CONTAINED-QUARTERLY

Facility: US DOE - Paducah Gaseous Diffusion Plant

Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None

For Official Use Only

GROUNDWATER SAMPLE ANALYSIS - (Cont.)

AKGWA NUMBER ¹ , Facility Well/Spring Number					8004-4798		8004-4799		8004-0981		0000-0000		
Facility's Local Well or Spring Number (e.g., MW-1, MW-2, etc.)					357		358		359		T. BLANK 1		
CAS RN ⁴		CONSTITUENT	T D 5	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S	DETECTED VALUE OR PQL ⁶	F L A G S
100-41-4		Ethylbenzene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
591-78-6		2-Hexanone	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
74-88-4		Iodomethane	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
124-48-1		Methane, Dibromochloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
56-23-5		Carbon Tetrachloride	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-09-2		Dichloromethane	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
108-10-1		Methyl isobutyl ketone	T	mg/L	8260	<0.005		<0.005		<0.005		<0.005	
96-12-8		Propane, 1,2-Dibromo-3-chloro	T	mg/L	8011		*		*		*		*
78-87-5		Propane, 1,2-Dichloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
10061-02-6		trans-1,3-Dichloro-1-propene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
10061-01-5		cis-1,3-Dichloro-1-propene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
156-60-5		trans-1,2-Dichloroethene	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
75-69-4		Trichlorofluoromethane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
96-18-4		1,2,3-Trichloropropane	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
95-50-1		Benzene, 1,2-Dichloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
106-46-7		Benzene, 1,4-Dichloro-	T	mg/L	8260	<0.001		<0.001		<0.001		<0.001	
1336-36-3		PCB,Total	T	ug/L	8082		*		*		*		*
12674-11-2		PCB-1016	T	ug/L	8082		*		*		*		*
11104-28-2		PCB-1221	T	ug/L	8082		*		*		*		*
11141-16-5		PCB-1232	T	ug/L	8082		*		*		*		*
53469-21-9		PCB-1242	T	ug/L	8082		*		*		*		*
12672-29-6		PCB-1248	T	ug/L	8082		*		*		*		*

C-97

RESIDENTIAL/CONTAINED – QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
LAB ID: None
For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-4798 MW357	MW357UG4-15R	Bromide		Analysis of constituent not required and not performed.
		Chloride		Analysis of constituent not required and not performed.
		Fluoride		Analysis of constituent not required and not performed.
		Nitrate & Nitrite		Analysis of constituent not required and not performed.
		Sulfate		Analysis of constituent not required and not performed.
		Barometric Pressure Reading		Analysis of constituent not required and not performed.
		Specific Conductance		Analysis of constituent not required and not performed.
		Static Water Level Elevation		Analysis of constituent not required and not performed.
		Dissolved Oxygen		Analysis of constituent not required and not performed.
		Total Dissolved Solids		Analysis of constituent not required and not performed.
		pH		Analysis of constituent not required and not performed.
		Eh		Analysis of constituent not required and not performed.
		Temperature		Analysis of constituent not required and not performed.
		Aluminum		Analysis of constituent not required and not performed.
		Antimony		Analysis of constituent not required and not performed.
		Arsenic		Analysis of constituent not required and not performed.
		Barium		Analysis of constituent not required and not performed.
		Beryllium		Analysis of constituent not required and not performed.
		Boron		Analysis of constituent not required and not performed.
		Cadmium		Analysis of constituent not required and not performed.
		Calcium		Analysis of constituent not required and not performed.
		Chromium		Analysis of constituent not required and not performed.
		Cobalt		Analysis of constituent not required and not performed.
		Copper		Analysis of constituent not required and not performed.
		Iron		Analysis of constituent not required and not performed.
		Lead		Analysis of constituent not required and not performed.
		Magnesium		Analysis of constituent not required and not performed.
		Manganese		Analysis of constituent not required and not performed.
		Mercury		Analysis of constituent not required and not performed.
		Molybdenum		Analysis of constituent not required and not performed.
		Nickel		Analysis of constituent not required and not performed.
		Potassium		Analysis of constituent not required and not performed.
		Rhodium		Analysis of constituent not required and not performed.
		Selenium		Analysis of constituent not required and not performed.
		Silver		Analysis of constituent not required and not performed.
		Sodium		Analysis of constituent not required and not performed.
		Tantalum		Analysis of constituent not required and not performed.
		Thallium		Analysis of constituent not required and not performed.
		Uranium		Analysis of constituent not required and not performed.
		Vanadium		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
LAB ID: None
For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-4798 MW357	MW357UG4-15R	Zinc		Analysis of constituent not required and not performed.
		PCB, Total		Analysis of constituent not required and not performed.
		PCB-1016		Analysis of constituent not required and not performed.
		PCB-1221		Analysis of constituent not required and not performed.
		PCB-1232		Analysis of constituent not required and not performed.
		PCB-1242		Analysis of constituent not required and not performed.
		PCB-1248		Analysis of constituent not required and not performed.
		PCB-1254		Analysis of constituent not required and not performed.
		PCB-1260		Analysis of constituent not required and not performed.
		PCB-1268		Analysis of constituent not required and not performed.
		Gross alpha		Analysis of constituent not required and not performed.
		Gross beta		Analysis of constituent not required and not performed.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		Analysis of constituent not required and not performed.
		Strontium-90		Analysis of constituent not required and not performed.
		Technetium-99		Analysis of constituent not required and not performed.
		Thorium-230		Analysis of constituent not required and not performed.
		Tritium		Analysis of constituent not required and not performed.
		Chemical Oxygen Demand		Analysis of constituent not required and not performed.
		Cyanide		Analysis of constituent not required and not performed.
		Iodide		Analysis of constituent not required and not performed.
		Total Organic Carbon		Analysis of constituent not required and not performed.
		Total Organic Halides		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
LAB ID: None
For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-4799 MW358	MW358UG4-15R	Bromide		Analysis of constituent not required and not performed.
		Chloride		Analysis of constituent not required and not performed.
		Fluoride		Analysis of constituent not required and not performed.
		Nitrate & Nitrite		Analysis of constituent not required and not performed.
		Sulfate		Analysis of constituent not required and not performed.
		Barometric Pressure Reading		Analysis of constituent not required and not performed.
		Specific Conductance		Analysis of constituent not required and not performed.
		Static Water Level Elevation		Analysis of constituent not required and not performed.
		Dissolved Oxygen		Analysis of constituent not required and not performed.
		Total Dissolved Solids		Analysis of constituent not required and not performed.
		pH		Analysis of constituent not required and not performed.
		Eh		Analysis of constituent not required and not performed.
		Temperature		Analysis of constituent not required and not performed.
		Aluminum		Analysis of constituent not required and not performed.
		Antimony		Analysis of constituent not required and not performed.
		Arsenic		Analysis of constituent not required and not performed.
		Barium		Analysis of constituent not required and not performed.
		Beryllium		Analysis of constituent not required and not performed.
		Boron		Analysis of constituent not required and not performed.
		Cadmium		Analysis of constituent not required and not performed.
		Calcium		Analysis of constituent not required and not performed.
		Chromium		Analysis of constituent not required and not performed.
		Cobalt		Analysis of constituent not required and not performed.
		Copper		Analysis of constituent not required and not performed.
		Iron		Analysis of constituent not required and not performed.
		Lead		Analysis of constituent not required and not performed.
		Magnesium		Analysis of constituent not required and not performed.
		Manganese		Analysis of constituent not required and not performed.
		Mercury		Analysis of constituent not required and not performed.
		Molybdenum		Analysis of constituent not required and not performed.
		Nickel		Analysis of constituent not required and not performed.
		Potassium		Analysis of constituent not required and not performed.
		Rhodium		Analysis of constituent not required and not performed.
		Selenium		Analysis of constituent not required and not performed.
		Silver		Analysis of constituent not required and not performed.
		Sodium		Analysis of constituent not required and not performed.
		Tantalum		Analysis of constituent not required and not performed.
		Thallium		Analysis of constituent not required and not performed.
		Uranium		Analysis of constituent not required and not performed.
		Vanadium		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
LAB ID: None
For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-4799 MW358	MW358UG4-15R	Zinc		Analysis of constituent not required and not performed.
		PCB, Total		Analysis of constituent not required and not performed.
		PCB-1016		Analysis of constituent not required and not performed.
		PCB-1221		Analysis of constituent not required and not performed.
		PCB-1232		Analysis of constituent not required and not performed.
		PCB-1242		Analysis of constituent not required and not performed.
		PCB-1248		Analysis of constituent not required and not performed.
		PCB-1254		Analysis of constituent not required and not performed.
		PCB-1260		Analysis of constituent not required and not performed.
		PCB-1268		Analysis of constituent not required and not performed.
		Gross alpha		Analysis of constituent not required and not performed.
		Gross beta		Analysis of constituent not required and not performed.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		Analysis of constituent not required and not performed.
		Strontium-90		Analysis of constituent not required and not performed.
		Technetium-99		Analysis of constituent not required and not performed.
		Thorium-230		Analysis of constituent not required and not performed.
		Tritium		Analysis of constituent not required and not performed.
		Chemical Oxygen Demand		Analysis of constituent not required and not performed.
		Cyanide		Analysis of constituent not required and not performed.
		Iodide		Analysis of constituent not required and not performed.
		Total Organic Carbon		Analysis of constituent not required and not performed.
		Total Organic Halides		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
LAB ID: None
For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0981 MW359	MW359UG4-15R	Bromide		Analysis of constituent not required and not performed.
		Chloride		Analysis of constituent not required and not performed.
		Fluoride		Analysis of constituent not required and not performed.
		Nitrate & Nitrite		Analysis of constituent not required and not performed.
		Sulfate		Analysis of constituent not required and not performed.
		Barometric Pressure Reading		Analysis of constituent not required and not performed.
		Specific Conductance		Analysis of constituent not required and not performed.
		Static Water Level Elevation		Analysis of constituent not required and not performed.
		Dissolved Oxygen		Analysis of constituent not required and not performed.
		Total Dissolved Solids		Analysis of constituent not required and not performed.
		pH		Analysis of constituent not required and not performed.
		Eh		Analysis of constituent not required and not performed.
		Temperature		Analysis of constituent not required and not performed.
		Aluminum		Analysis of constituent not required and not performed.
		Antimony		Analysis of constituent not required and not performed.
		Arsenic		Analysis of constituent not required and not performed.
		Barium		Analysis of constituent not required and not performed.
		Beryllium		Analysis of constituent not required and not performed.
		Boron		Analysis of constituent not required and not performed.
		Cadmium		Analysis of constituent not required and not performed.
		Calcium		Analysis of constituent not required and not performed.
		Chromium		Analysis of constituent not required and not performed.
		Cobalt		Analysis of constituent not required and not performed.
		Copper		Analysis of constituent not required and not performed.
		Iron		Analysis of constituent not required and not performed.
		Lead		Analysis of constituent not required and not performed.
		Magnesium		Analysis of constituent not required and not performed.
		Manganese		Analysis of constituent not required and not performed.
		Mercury		Analysis of constituent not required and not performed.
		Molybdenum		Analysis of constituent not required and not performed.
		Nickel		Analysis of constituent not required and not performed.
		Potassium		Analysis of constituent not required and not performed.
		Rhodium		Analysis of constituent not required and not performed.
		Selenium		Analysis of constituent not required and not performed.
		Silver		Analysis of constituent not required and not performed.
		Sodium		Analysis of constituent not required and not performed.
		Tantalum		Analysis of constituent not required and not performed.
		Thallium		Analysis of constituent not required and not performed.
		Uranium		Analysis of constituent not required and not performed.
		Vanadium		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
LAB ID: None
For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
8004-0981 MW359	MW359UG4-15R	Zinc		Analysis of constituent not required and not performed.
		PCB, Total		Analysis of constituent not required and not performed.
		PCB-1016		Analysis of constituent not required and not performed.
		PCB-1221		Analysis of constituent not required and not performed.
		PCB-1232		Analysis of constituent not required and not performed.
		PCB-1242		Analysis of constituent not required and not performed.
		PCB-1248		Analysis of constituent not required and not performed.
		PCB-1254		Analysis of constituent not required and not performed.
		PCB-1260		Analysis of constituent not required and not performed.
		PCB-1268		Analysis of constituent not required and not performed.
		Gross alpha		Analysis of constituent not required and not performed.
		Gross beta		Analysis of constituent not required and not performed.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		Analysis of constituent not required and not performed.
		Strontium-90		Analysis of constituent not required and not performed.
		Technetium-99		Analysis of constituent not required and not performed.
		Thorium-230		Analysis of constituent not required and not performed.
		Tritium		Analysis of constituent not required and not performed.
		Chemical Oxygen Demand		Analysis of constituent not required and not performed.
		Cyanide		Analysis of constituent not required and not performed.
		Iodide		Analysis of constituent not required and not performed.
		Total Organic Carbon		Analysis of constituent not required and not performed.
		Total Organic Halides		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
LAB ID: None
For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
0000-0000 QC	TB1UG4-15R	Bromide		Analysis of constituent not required and not performed.
		Chloride		Analysis of constituent not required and not performed.
		Fluoride		Analysis of constituent not required and not performed.
		Nitrate & Nitrite		Analysis of constituent not required and not performed.
		Sulfate		Analysis of constituent not required and not performed.
		Barometric Pressure Reading		Analysis of constituent not required and not performed.
		Specific Conductance		Analysis of constituent not required and not performed.
		Static Water Level Elevation		Analysis of constituent not required and not performed.
		Dissolved Oxygen		Analysis of constituent not required and not performed.
		Total Dissolved Solids		Analysis of constituent not required and not performed.
		pH		Analysis of constituent not required and not performed.
		Eh		Analysis of constituent not required and not performed.
		Temperature		Analysis of constituent not required and not performed.
		Aluminum		Analysis of constituent not required and not performed.
		Antimony		Analysis of constituent not required and not performed.
		Arsenic		Analysis of constituent not required and not performed.
		Barium		Analysis of constituent not required and not performed.
		Beryllium		Analysis of constituent not required and not performed.
		Boron		Analysis of constituent not required and not performed.
		Cadmium		Analysis of constituent not required and not performed.
		Calcium		Analysis of constituent not required and not performed.
		Chromium		Analysis of constituent not required and not performed.
		Cobalt		Analysis of constituent not required and not performed.
		Copper		Analysis of constituent not required and not performed.
		Iron		Analysis of constituent not required and not performed.
		Lead		Analysis of constituent not required and not performed.
		Magnesium		Analysis of constituent not required and not performed.
		Manganese		Analysis of constituent not required and not performed.
		Mercury		Analysis of constituent not required and not performed.
		Molybdenum		Analysis of constituent not required and not performed.
		Nickel		Analysis of constituent not required and not performed.
		Potassium		Analysis of constituent not required and not performed.
		Rhodium		Analysis of constituent not required and not performed.
		Selenium		Analysis of constituent not required and not performed.
		Silver		Analysis of constituent not required and not performed.
		Sodium		Analysis of constituent not required and not performed.
		Tantalum		Analysis of constituent not required and not performed.
		Thallium		Analysis of constituent not required and not performed.
		Uranium		Analysis of constituent not required and not performed.
		Vanadium		Analysis of constituent not required and not performed.

RESIDENTIAL/CONTAINED – QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Numbers: 073-00045

Finds/Unit: KY8-890-008-982 / 1
LAB ID: None
For Official Use Only

GROUNDWATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
0000-0000 QC	TB1UG4-15R	Zinc		Analysis of constituent not required and not performed.
		PCB, Total		Analysis of constituent not required and not performed.
		PCB-1016		Analysis of constituent not required and not performed.
		PCB-1221		Analysis of constituent not required and not performed.
		PCB-1232		Analysis of constituent not required and not performed.
		PCB-1242		Analysis of constituent not required and not performed.
		PCB-1248		Analysis of constituent not required and not performed.
		PCB-1254		Analysis of constituent not required and not performed.
		PCB-1260		Analysis of constituent not required and not performed.
		PCB-1268		Analysis of constituent not required and not performed.
		Gross alpha		Analysis of constituent not required and not performed.
		Gross beta		Analysis of constituent not required and not performed.
		Iodine-131		Analysis of constituent not required and not performed.
		Radium-226		Analysis of constituent not required and not performed.
		Strontium-90		Analysis of constituent not required and not performed.
		Technetium-99		Analysis of constituent not required and not performed.
		Thorium-230		Analysis of constituent not required and not performed.
		Tritium		Analysis of constituent not required and not performed.
		Chemical Oxygen Demand		Analysis of constituent not required and not performed.
		Cyanide		Analysis of constituent not required and not performed.
		Iodide		Analysis of constituent not required and not performed.
		Total Organic Carbon		Analysis of constituent not required and not performed.
		Total Organic Halides		Analysis of constituent not required and not performed.

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX D

**STATISTICAL ANALYSES AND
QUALIFICATION STATEMENT**

THIS PAGE INTENTIONALLY LEFT BLANK

GROUNDWATER STATISTICAL COMMENTS

Introduction

The statistical analyses conducted on the third quarter 2015 groundwater data collected from the C-746-U Landfill monitoring wells (MWs) were performed in accordance with Permit GSTR0001, Standard Requirement 3, using the U.S. Environmental Protection Agency (EPA) guidance document, *EPA Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities, Interim Final Guidance* (1989).

The statistical evaluation was conducted separately for the three groundwater systems: the Upper Continental Recharge System (UCRS), the Upper Regional Gravel Aquifer (URGA), and the Lower Regional Gravel Aquifer (LRGA). For each groundwater system, data from wells considered to represent background conditions were compared with test wells (downgradient or sidegradient wells) (Exhibit D.1). The third quarter 2015 data used to conduct the statistical analyses were collected in July 2015. The statistical analyses for this report first used data from the first eight quarters that had been sampled for each parameter to develop the historical background value, beginning with the first two baseline sampling events in 2002, when available. Then a second set of statistical analyses was run on analytes that had at least one downgradient well that had exceeded the historical background using the last eight quarters. The sampling dates associated with both the historical and the current background data are listed next to the result in the statistical analysis sheets of this appendix.

Statistical Analysis Process

Constituents of concern that have Kentucky maximum contaminant levels (MCLs) and results that do not exceed their respective MCL are not included in the statistical evaluation. Parameters that have MCLs can be found in 401 KAR 47:030 § 6. For parameters with no established MCL and those parameters that exceed their MCLs, the most recent results are compared to historical background concentrations, as follows: the data are divided into censored and uncensored observations. The one-sided tolerance interval statistical test is conducted only on parameters that have at least one uncensored (detected) observation. The current result is compared to the results of the one-sided tolerance interval statistical test to determine if the current data exceed the historical background concentration calculated using the first eight quarters of data.

For the statistical analysis of pH, a two-sided tolerance interval statistical test is conducted for pH. The test well results are compared to both an upper and lower tolerance limit to determine if statistically significant deviations in concentrations exist with respect to upgradient (background) well data from the first eight quarters. The tolerance interval statistical analysis is conducted separately for each parameter in each well (no pooling of downgradient data).

Statistical analyses are performed on the first eight quarters of historical background data, not on the data for the current quarter. Once a statistical result is obtained using the background data, the result for the

current quarter is compared to that value. If the value is exceeded, the well is considered to have an exceedance of the statistically derived historical background concentration.

For those parameters that are determined to exceed the historical background concentration, a second one-sided tolerance interval statistical test, or a two-sided tolerance interval statistical test in the case of pH, is conducted. The second one-sided tolerance interval statistical test is conducted to determine whether the current concentration in downgradient wells exceeds the current background, as determined by a comparison against the statistically derived upper tolerance limit using the most recent eight quarters of data for the relevant background wells. For the statistical analysis of pH, a two-sided tolerance interval statistical test is conducted, if required. The test well pH results are compared to both an upper and lower tolerance limit to determine if the current pH is different from the current background level to a statistically significant level. The tolerance interval statistical analysis is conducted separately for each parameter in each well (no pooling of downgradient data).

Statistical analyses are performed on the last eight quarters of current background data, not on the data for the current quarter. Once a statistical result is obtained using the background data, the result for the current quarter is compared to that value. If the value is exceeded, the well has an exceedance of the statistically derived current background concentration.

A stepwise list of the one-sided tolerance interval statistical procedure applied to the data is summarized below:¹

1. The tolerance limit (TL) is calculated for the background data (first using the first eight quarters, then using the last eight quarters, if required).
 - For each parameter, the background data are used to establish a baseline. On this data set, the mean (X) and the standard deviation (S) are computed.
 - The data set is checked for normality using coefficient of variation (CV). If $CV \leq 1.0$, then the data are assumed to be normally distributed. Data sets with $CV > 1.0$ are assumed to be log-normally distributed; for data sets with $CV > 1.0$, the data are log-transformed and analyzed.
 - The factor (K) for one-sided upper tolerance limit with 95% minimum coverage is determined (Table 5, Appendix B, *EPA Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities, Interim Final Guidance*, 1989) based on the number of background data points.
 - The one-sided upper tolerance limit is calculated using the following equation:
$$TL = X + (K \times S)$$
2. Each observation from downgradient wells is compared to the calculated one-sided upper tolerance limit in Step 1. If an observation value exceeds the tolerance limit, then there is statistically significant evidence that the well concentration exceeds the historical background.

¹ For pH, two-sided TLs (upper and lower) were calculated with an adjusted K factor using the following equations:
upper TL = $X + (K \times S)$
lower TL = $X - (K \times S)$

Type of Data Used

Exhibit D.1 presents the upgradient or background wells (identified as “BG”), the downgradient or test wells (identified as “TW”), and the sidegradient wells (identified as “SG”) for the C-746-U Contained Landfill. Exhibit D.2 presents the parameters by groundwater system from the available data set and the statistical test performed using the one-sided tolerance interval.

Exhibits D.3, D.4, and D.5 list the number of analyses (observations), nondetects (censored observations), detects (uncensored observations), by parameter in the UCRS, the URGA, and the LRGA, respectively. Those parameters displayed with bold-face type indicate the one-sided tolerance interval statistical test was performed. The data presented in Exhibits D.3, D.4, and D.5 were collected during the current quarter, third quarter 2015. The observations are representative of the current quarter data. Background data are presented in Attachments D1 and D2. The sampling dates associated with background data are listed next to the result in Attachments D1 and D2. When field duplicate data are available, the higher of the two readings is retained for further evaluation. When a well is sampled on two different dates, the most current available data are used. When a data point has been rejected following data validation, this result is not used, and the next available data point is used for the background or current quarter data.

**Exhibit D.1. Station Identification for Monitoring
Wells Analyzed**

Station	Type	Groundwater Unit
MW357	TW	URGA
MW358	TW	LRGA
MW359 ^a	TW	UCRS
MW360	TW	URGA
MW361	TW	LRGA
MW362 ^a	TW	UCRS
MW363	TW	URGA
MW364	TW	LRGA
MW365 ^{a*}	TW	UCRS
MW366	TW	URGA
MW367	TW	LRGA
MW368 ^{a*}	TW	UCRS
MW369	BG	URGA
MW370	BG	LRGA
MW371 ^a	BG	UCRS
MW372	BG	URGA
MW373	BG	LRGA
MW374 ^a	BG	UCRS
MW375 ^a	SG	UCRS
MW376 ^{a*}	SG	UCRS
MW377 ^{a*}	SG	UCRS

***NOTE:** The gradients in UCRS wells are downward and, hydrogeologically, UCRS wells are considered neither upgradient, downgradient, nor sidegradient from the C-746-U Landfill. The UCRS wells identified as upgradient, sidegradient, or downgradient are those wells located in the same general direction as the RGA wells considered to be upgradient, sidegradient, or downgradient.

BG: upgradient or background wells

TW: downgradient or test wells

SG: sidegradient wells

***Well** was dry this quarter and a groundwater sample could not be collected.

Exhibit D.2. List of Parameters Tested Using the One-Sided Upper Tolerance Level Test with Historical Background

Parameters
Aluminum
Boron
Bromide
Calcium
Chemical Oxygen Demand (COD)
Chloride
Cobalt
Conductivity
Copper
Cyanide
Dissolved Oxygen
Dissolved Solids
Iron
Magnesium
Manganese
Molybdenum
Nickel
Oxidation-Reduction Potential
PCB, Total
PCB-1242
pH*
Potassium
Sodium
Sulfate
Technetium-99
Total Organic Carbon (TOC)
Total Organic Halides (TOX)
Trichloroethene
Uranium
Vanadium
Zinc

*For pH, the test well results were compared to both an upper and lower TL to determine if the current result differs to a statistically significant degree from the historical background values.

Exhibit D.3. Summary of Censored, and Uncensored Data—UCRS

Parameters	Observations	Censored Observation	Uncensored Observation	Statistical Analysis?
1,1,1,2-Tetrachloroethane	5	5	0	No
1,1,2,2-Tetrachloroethane	5	5	0	No
1,1,2-Trichloroethane	5	5	0	No
1,1-Dichloroethane	5	5	0	No
1,2,3-Trichloropropane	5	5	0	No
1,2-Dibromo-3-chloropropane	5	5	0	No
1,2-Dibromoethane	5	5	0	No
1,2-Dichlorobenzene	5	5	0	No
1,2-Dichloropropane	5	5	0	No
2-Butanone	5	5	0	No
2-Hexanone	5	5	0	No
4-Methyl-2-pentanone	5	5	0	No
Acetone	5	5	0	No
Acrolein	5	5	0	No
Acrylonitrile	5	5	0	No
Aluminum	5	1	4	Yes
Antimony	5	5	0	No
Aroclor-1268	5	5	0	No
Beryllium	5	5	0	No
Boron	5	0	5	Yes
Bromide	5	2	3	Yes
Bromochloromethane	5	5	0	No
Bromodichloromethane	5	5	0	No
Bromoform	5	5	0	No
Bromomethane	5	5	0	No
Calcium	5	0	5	Yes
Carbon disulfide	5	5	0	No
Chemical Oxygen Demand (COD)	5	4	1	Yes
Chloride	5	0	5	Yes
Chlorobenzene	5	5	0	No
Chloroethane	5	5	0	No
Chloroform	5	5	0	No
Chloromethane	5	5	0	No
<i>cis</i> -1,2-Dichloroethene	5	5	0	No
<i>cis</i> -1,3-Dichloropropene	5	5	0	No
Cobalt	5	1	4	Yes
Conductivity	5	0	5	Yes
Copper	5	1	4	Yes
Cyanide	5	5	0	No
Dibromochloromethane	5	5	0	No
Dibromomethane	5	5	0	No
Dimethylbenzene, Total	5	5	0	No
Dissolved Oxygen	5	0	5	Yes
Dissolved Solids	5	0	5	Yes
Ethylbenzene	5	5	0	No
Iodide	5	5	0	No
Iodomethane	5	5	0	No
Iron	5	0	5	Yes
Magnesium	5	0	5	Yes
Manganese	5	0	5	Yes
Methylene chloride	5	5	0	No

Exhibit D.3. Summary of Censored, and Uncensored Data—UCRS (Continued)

Parameters	Observations	Censored Observation	Uncensored Observation	Statistical Analysis?
Molybdenum	5	2	3	Yes
Nickel	5	0	5	Yes
Oxidation-Reduction Potential	5	0	5	Yes
PCB, Total	5	5	0	No
PCB-1016	5	5	0	No
PCB-1221	5	5	0	No
PCB-1232	5	5	0	No
PCB-1242	5	5	0	No
PCB-1248	5	5	0	No
PCB-1254	5	5	0	No
PCB-1260	5	5	0	No
pH	5	0	5	Yes
Potassium	5	0	5	Yes
Radium-226	5	5	0	No
Rhodium	5	5	0	No
Sodium	5	0	5	Yes
Styrene	5	5	0	No
Sulfate	5	0	5	Yes
Tantalum	5	5	0	No
Technetium-99	5	5	0	No
Tetrachloroethene	5	5	0	No
Thallium	5	5	0	No
Thorium-230	5	5	0	No
Toluene	5	5	0	No
Total Organic Carbon (TOC)	5	0	5	Yes
Total Organic Halides (TOX)	5	1	4	Yes
<i>trans</i> -1,2-Dichloroethene	5	5	0	No
<i>trans</i> -1,3-Dichloropropene	5	5	0	No
<i>trans</i> -1,4-Dichloro-2-Butene	5	5	0	No
Trichloroethene	5	5	0	No
Trichlorofluoromethane	5	5	0	No
Uranium	5	1	4	Yes
Vanadium	5	3	2	Yes
Vinyl Acetate	5	5	0	No
Zinc	5	4	1	Yes

Bold denotes parameters with at least one uncensored observation.

Exhibit D.4. Summary of Censored, and Uncensored Data—URGA

Parameters	Observations	Censored Observation	Uncensored Observation	Statistical Analysis?
1,1,1,2-Tetrachloroethane	6	6	0	No
1,1,2,2-Tetrachloroethane	6	6	0	No
1,1,2-Trichloroethane	6	6	0	No
1,1-Dichloroethane	6	6	0	No
1,2,3-Trichloropropane	6	6	0	No
1,2-Dibromo-3-chloropropane	6	6	0	No
1,2-Dibromoethane	6	6	0	No
1,2-Dichlorobenzene	6	6	0	No
1,2-Dichloropropane	6	6	0	No
2-Butanone	6	6	0	No
2-Hexanone	6	6	0	No
4-Methyl-2-pentanone	6	6	0	No
Acetone	6	6	0	No
Acrolein	6	6	0	No
Acrylonitrile	6	6	0	No
Aluminum	6	2	4	Yes
Antimony	6	6	0	No
Aroclor-1268	6	6	0	No
Beryllium	6	6	0	No
Boron	6	0	6	Yes
Bromide	6	0	6	Yes
Bromochloromethane	6	6	0	No
Bromodichloromethane	6	6	0	No
Bromoform	6	6	0	No
Bromomethane	6	6	0	No
Calcium	6	0	6	Yes
Carbon disulfide	6	6	0	No
Chemical Oxygen Demand (COD)	6	6	0	No
Chloride	6	0	6	Yes
Chlorobenzene	6	6	0	No
Chloroethane	6	6	0	No
Chloroform	6	6	0	No
Chloromethane	6	6	0	No
<i>cis</i> -1,2-Dichloroethene	6	6	0	No
<i>cis</i> -1,3-Dichloropropene	6	6	0	No
Cobalt	6	1	5	Yes
Conductivity	6	0	6	Yes
Copper	6	2	4	Yes
Cyanide	6	5	1	Yes
Dibromochloromethane	6	6	0	No
Dibromomethane	6	6	0	No
Dimethylbenzene, Total	6	6	0	No
Dissolved Oxygen	6	0	6	Yes
Dissolved Solids	6	0	6	Yes
Ethylbenzene	6	6	0	No
Iodide	6	6	0	No
Iodomethane	6	6	0	No
Iron	6	0	6	Yes
Magnesium	6	0	6	Yes
Manganese	6	0	6	Yes
Methylene chloride	6	6	0	No

Exhibit D.4. Summary of Censored, and Uncensored Data—URGA (Continued)

Parameters	Observations	Censored Observation	Uncensored Observation	Statistical Analysis?
Molybdenum	6	4	2	Yes
Nickel	6	0	6	Yes
Oxidation-Reduction Potential	6	0	6	Yes
PCB, Total	6	5	1	Yes
PCB-1016	6	6	0	No
PCB-1221	6	6	0	No
PCB-1232	6	6	0	No
PCB-1242	6	5	1	Yes
PCB-1248	6	6	0	No
PCB-1254	6	6	0	No
PCB-1260	6	6	0	No
pH	6	0	6	Yes
Potassium	6	0	6	Yes
Radium-226	6	6	0	No
Rhodium	6	6	0	No
Sodium	6	0	6	Yes
Styrene	6	6	0	No
Sulfate	6	0	6	Yes
Tantalum	6	6	0	No
Technetium-99	6	2	4	Yes
Tetrachloroethene	6	6	0	No
Thallium	6	6	0	No
Thorium-230	6	6	0	No
Toluene	6	6	0	No
Total Organic Carbon (TOC)	6	0	6	Yes
Total Organic Halides (TOX)	6	0	6	Yes
<i>trans</i> -1,2-Dichloroethene	6	6	0	No
<i>trans</i> -1,3-Dichloropropene	6	6	0	No
<i>trans</i> -1,4-Dichloro-2-Butene	6	6	0	No
Trichloroethene	6	1	5	Yes
Trichlorofluoromethane	6	6	0	No
Uranium	6	5	1	Yes
Vanadium	6	5	1	Yes
Vinyl Acetate	6	6	0	No
Zinc	6	6	0	No

Bold denotes parameters with at least one uncensored observation.

Exhibit D.5. Summary of Censored, and Uncensored Data—LRGA

Parameters	Observations	Censored Observation	Uncensored Observation	Statistical Analysis?
1,1,1,2-Tetrachloroethane	6	6	0	No
1,1,2,2-Tetrachloroethane	6	6	0	No
1,1,2-Trichloroethane	6	6	0	No
1,1-Dichloroethane	6	6	0	No
1,2,3-Trichloropropane	6	6	0	No
1,2-Dibromo-3-chloropropane	6	6	0	No
1,2-Dibromoethane	6	6	0	No
1,2-Dichlorobenzene	6	6	0	No
1,2-Dichloropropane	6	6	0	No
2-Butanone	6	6	0	No
2-Hexanone	6	6	0	No
4-Methyl-2-pentanone	6	6	0	No
Acetone	6	6	0	No
Acrolein	6	6	0	No
Acrylonitrile	6	6	0	No
Aluminum	6	5	1	Yes
Antimony	6	6	0	No
Aroclor-1268	6	6	0	No
Beryllium	6	6	0	No
Boron	6	0	6	Yes
Bromide	6	0	6	Yes
Bromochloromethane	6	6	0	No
Bromodichloromethane	6	6	0	No
Bromoform	6	6	0	No
Bromomethane	6	6	0	No
Calcium	6	0	6	Yes
Carbon disulfide	6	6	0	No
Chemical Oxygen Demand (COD)	6	6	0	No
Chloride	6	0	6	Yes
Chlorobenzene	6	6	0	No
Chloroethane	6	6	0	No
Chloroform	6	6	0	No
Chloromethane	6	6	0	No
<i>cis</i> -1,2-Dichloroethene	6	6	0	No
<i>cis</i> -1,3-Dichloropropene	6	6	0	No
Cobalt	6	3	3	Yes
Conductivity	6	0	6	Yes
Copper	6	2	4	Yes
Cyanide	6	6	0	No
Dibromochloromethane	6	6	0	No
Dibromomethane	6	6	0	No
Dimethylbenzene, Total	6	6	0	No
Dissolved Oxygen	6	0	6	Yes
Dissolved Solids	6	0	6	Yes
Ethylbenzene	6	6	0	No
Iodide	6	6	0	No
Iodomethane	6	6	0	No
Iron	6	3	3	Yes
Magnesium	6	0	6	Yes
Manganese	6	0	6	Yes
Methylene chloride	6	6	0	No

Exhibit D.5. Tests Summary for Qualified Parameters—LRGA (Continued)

Parameters	Observations	Censored Observation	Uncensored Observation	Statistical Analysis?
Molybdenum	6	6	0	No
Nickel	6	0	6	Yes
Oxidation-Reduction Potential	6	0	6	Yes
PCB, Total	6	6	0	No
PCB-1016	6	6	0	No
PCB-1221	6	6	0	No
PCB-1232	6	6	0	No
PCB-1242	6	6	0	No
PCB-1248	6	6	0	No
PCB-1254	6	6	0	No
PCB-1260	6	6	0	No
pH	6	0	6	Yes
Potassium	6	0	6	Yes
Radium-226	6	6	0	No
Rhodium	6	6	0	No
Sodium	6	0	6	Yes
Styrene	6	6	0	No
Sulfate	6	0	6	Yes
Tantalum	6	6	0	No
Technetium-99	6	0	6	Yes
Tetrachloroethene	6	6	0	No
Thallium	6	6	0	No
Thorium-230	6	6	0	No
Toluene	6	6	0	No
Total Organic Carbon (TOC)	6	0	6	Yes
Total Organic Halides (TOX)	6	3	3	Yes
<i>trans</i> -1,2-Dichloroethene	6	6	0	No
<i>trans</i> -1,3-Dichloropropene	6	6	0	No
<i>trans</i> -1,4-Dichloro-2-Butene	6	6	0	No
Trichloroethene	6	0	6	Yes
Trichlorofluoromethane	6	6	0	No
Uranium	6	6	0	No
Vanadium	6	5	1	Yes
Vinyl Acetate	6	6	0	No
Zinc	6	3	3	Yes

Bold denotes parameters with at least one uncensored observation.

Discussion of Results from Historical Background Comparison

For the UCRS, URGAs, and LRGA, the concentrations of this quarter were compared to the results of the one-sided upper tolerance interval test calculated using historical background and are presented in Attachment D1. The statistician qualification statement is presented in Attachment D3. For the UCRS, URGAs, and LRGA, the test was applied to 26, 29, and 25 parameters, respectively, including those listed in bold print in Exhibits D.3, D.4, and D.5, which includes a constituent (trichloroethene) that exceeded its MCL. A summary of exceedances when compared to statistically derived historical upgradient background by well number is shown in Exhibit D.6.

UCRS

This quarter's results identified historical background exceedances for dissolved oxygen, oxidation-reduction potential, and sulfate.

URGA

This quarter's results identified historical background exceedances for calcium, conductivity, dissolved solids, magnesium, oxidation-reduction potential, and sulfate.

LRGA

This quarter's results identified historical background exceedances for oxidation-reduction potential, pH, and technetium-99.

Statistical Summary

Summaries of the results of the statistical tests conducted on data obtained from wells in the UCRS, the URGAs, and in the LRGA in comparison to historical data are presented in Exhibit D.7, Exhibit D.8, and Exhibit D.9, respectively.

Exhibit D.6. Summary of Exceedances of Statistically Derived Historical Background Concentrations

UCRS	URGA	LRGA
MW359: Dissolved Oxygen, Oxidation-Reduction Potential, Sulfate	MW357: Oxidation-Reduction Potential	MW358: Oxidation-Reduction Potential, Technetium-99
MW362: Dissolved Oxygen, Oxidation-Reduction Potential, Sulfate	MW360: Oxidation-Reduction Potential	MW361: Oxidation-Reduction Potential, pH
MW371: Dissolved Oxygen, Oxidation-Reduction Potential, Sulfate	MW363: Oxidation-Reduction Potential	MW364: Oxidation-Reduction Potential, Technetium-99
MW374: Oxidation-Reduction Potential	MW366: Oxidation-Reduction Potential	MW367: Oxidation-Reduction Potential
MW375: Oxidation-Reduction Potential, Sulfate	MW369: Oxidation-Reduction Potential	MW370: Oxidation-Reduction Potential, Technetium-99
	MW372: Calcium, Conductivity, Dissolved Solids, Magnesium, Oxidation-Reduction Potential, Sulfate	MW373: Oxidation-Reduction Potential

Exhibit D.7. Test Summaries for Qualified Parameters for Historical Background—UCRS

Parameter	Performed Test	CV Normality Test*	Results of Tolerance Interval Test Conducted
Aluminum	Tolerance Interval	2.08	No exceedance of statistically derived historical background concentration
Boron	Tolerance Interval	1.24	No exceedance of statistically derived historical background concentration
Bromide	Tolerance Interval	0.34	No exceedance of statistically derived historical background concentration
Calcium	Tolerance Interval	0.40	No exceedance of statistically derived historical background concentration
Chemical Oxygen Demand (COD)	Tolerance Interval	0.97	No exceedance of statistically derived historical background concentration
Chloride	Tolerance Interval	0.95	No exceedance of statistically derived historical background concentration
Cobalt	Tolerance Interval	1.31	No exceedance of statistically derived historical background concentration
Conductivity	Tolerance Interval	0.45	No exceedance of statistically derived historical background concentration
Copper	Tolerance Interval	1.27	No exceedance of statistically derived historical background concentration
Dissolved Oxygen	Tolerance Interval	0.55	Current results exceed statistically derived historical background concentration in MW359, MW362, and MW371
Dissolved Solids	Tolerance Interval	0.42	No exceedance of statistically derived historical background concentration
Iron	Tolerance Interval	0.98	No exceedance of statistically derived historical background concentration
Magnesium	Tolerance Interval	0.27	No exceedance of statistically derived historical background concentration
Manganese	Tolerance Interval	0.89	No exceedance of statistically derived historical background concentration
Molybdenum	Tolerance Interval	1.65	No exceedance of statistically derived historical background concentration
Nickel	Tolerance Interval	0.98	No exceedance of statistically derived historical background concentration

Exhibit D.7. Tests Summary for Qualified Parameters for Historical Background—UCRS (Continued)

Parameter	Performed Test	CV Normality Test*	Results of Tolerance Interval Test Conducted
Oxidation-Reduction Potential	Tolerance Interval	3.54	Current results exceed statistically derived historical background concentration in MW359, MW362, MW371, MW374, and MW375
pH	Tolerance Interval	0.04	No exceedance of statistically derived historical background concentration
Potassium	Tolerance Interval	0.72	No exceedance of statistically derived historical background concentration
Sodium	Tolerance Interval	0.40	No exceedance of statistically derived historical background concentration
Sulfate	Tolerance Interval	0.49	Current results exceed statistically derived historical background concentration in MW359, MW362, MW371, and MW375
Total Organic Carbon (TOC)	Tolerance Interval	1.38	No exceedance of statistically derived historical background concentration
Total Organic Halides (TOX)	Tolerance Interval	1.08	No exceedance of statistically derived historical background concentration
Uranium	Tolerance Interval	1.68	No exceedance of statistically derived historical background concentration
Vanadium	Tolerance Interval	1.32	No exceedance of statistically derived historical background concentration
Zinc	Tolerance Interval	1.38	No exceedance of statistically derived historical background concentration

CV: coefficient of variation

*If CV > 1.0, used log-transformed data.

Exhibit D.8. Test Summaries for Qualified Parameters for Historical Background—URGA

Parameter	Performed Test	CV Normality Test*	Results of Tolerance Interval Test Conducted
Aluminum	Tolerance Interval	1.24	No exceedance of statistically derived historical background concentration
Boron	Tolerance Interval	0.84	No exceedance of statistically derived historical background concentration
Bromide	Tolerance Interval	0.00	No exceedance of statistically derived historical background concentration
Calcium	Tolerance Interval	0.29	Current results exceed statistically derived historical background concentration in MW372
Chloride	Tolerance Interval	0.10	No exceedance of statistically derived historical background concentration
Cobalt	Tolerance Interval	0.84	No exceedance of statistically derived historical background concentration
Conductivity	Tolerance Interval	0.12	Current results exceed statistically derived historical background concentration in MW372
Copper	Tolerance Interval	0.40	No exceedance of statistically derived historical background concentration
Cyanide	Tolerance Interval	0.00	No exceedance of statistically derived historical background concentration
Dissolved Oxygen	Tolerance Interval	0.76	No exceedance of statistically derived historical background concentration
Dissolved Solids	Tolerance Interval	0.16	Current results exceed statistically derived historical background concentration in MW372
Iron	Tolerance Interval	0.95	No exceedance of statistically derived historical background concentration
Magnesium	Tolerance Interval	0.27	Current results exceed statistically derived historical background concentration in MW372
Manganese	Tolerance Interval	0.66	No exceedance of statistically derived historical background concentration
Molybdenum	Tolerance Interval	1.20	No exceedance of statistically derived historical background concentration
Nickel	Tolerance Interval	0.91	No exceedance of statistically derived historical background concentration
Oxidation-Reduction Potential	Tolerance Interval	1.26	Current results exceed statistically derived historical background concentration in MW357, MW360, MW363, MW366, MW369, and MW372

Exhibit D.8. Test Summaries for Qualified Parameters for Historical Background—URGA (Continued)

Parameter	Performed Test	CV Normality Test*	Results of Tolerance Interval Test Conducted
PCB, Total	Tolerance Interval	0.90	No exceedance of statistically derived historical background concentration
PCB-1242	Tolerance Interval	1.36	No exceedance of statistically derived historical background concentration
pH	Tolerance Interval	0.03	No exceedance of statistically derived historical background concentration
Potassium	Tolerance Interval	0.29	No exceedance of statistically derived historical background concentration
Sodium	Tolerance Interval	0.26	No exceedance of statistically derived historical background concentration
Sulfate	Tolerance Interval	0.75	Current results exceed statistically derived historical background concentration in MW372
Technetium-99	Tolerance Interval	0.87	No exceedance of statistically derived historical background concentration
Total Organic Carbon (TOC)	Tolerance Interval	1.23	No exceedance of statistically derived historical background concentration
Total Organic Halides (TOX)	Tolerance Interval	0.95	No exceedance of statistically derived historical background concentration
Trichloroethene	Tolerance Interval	0.64	No exceedance of statistically derived historical background concentration
Uranium	Tolerance Interval	0.92	No exceedance of statistically derived historical background concentration
Vanadium	Tolerance Interval	0.26	No exceedance of statistically derived historical background concentration

CV: coefficient of variation

*If CV > 1.0, used log-transformed data.

Exhibit D.9. Test Summaries for Qualified Parameters for Historical Background—LRGA

Parameter	Performed Test	CV Normality Test*	Results of Tolerance Interval Test Conducted
Aluminum	Tolerance Interval	2.78	No exceedance of statistically derived historical background concentration
Boron	Tolerance Interval	0.68	No exceedance of statistically derived historical background concentration
Bromide	Tolerance Interval	0.00	No exceedance of statistically derived historical background concentration
Calcium	Tolerance Interval	0.31	No exceedance of statistically derived historical background concentration
Chloride	Tolerance Interval	0.16	No exceedance of statistically derived historical background concentration
Cobalt	Tolerance Interval	1.16	No exceedance of statistically derived historical background concentration
Conductivity	Tolerance Interval	0.26	No exceedance of statistically derived historical background concentration
Copper	Tolerance Interval	0.40	No exceedance of statistically derived historical background concentration
Dissolved Oxygen	Tolerance Interval	0.83	No exceedance of statistically derived historical background concentration
Dissolved Solids	Tolerance Interval	0.30	No exceedance of statistically derived historical background concentration
Iron	Tolerance Interval	0.96	No exceedance of statistically derived historical background concentration
Magnesium	Tolerance Interval	0.34	No exceedance of statistically derived historical background concentration
Manganese	Tolerance Interval	0.62	No exceedance of statistically derived historical background concentration
Nickel	Tolerance Interval	0.90	No exceedance of statistically derived historical background concentration
Oxidation-Reduction Potential	Tolerance Interval	1.31	Current results exceed statistically derived historical background concentration in MW358, MW361, MW364, MW367, MW370, and MW373
pH	Tolerance Interval	0.03	Current results exceed statistically derived historical background concentration in MW361
Potassium	Tolerance Interval	0.18	No exceedance of statistically derived historical background concentration

Exhibit D.9. Tests Summary for Qualified Parameters for Historical Background—LRGA (Continued)

Parameter	Performed Test	CV Normality Test*	Results of Tolerance Interval Test Conducted
Sodium	Tolerance Interval	0.30	No exceedance of statistically derived historical background concentration
Sulfate	Tolerance Interval	1.59	No exceedance of statistically derived historical background concentration
Technetium-99	Tolerance Interval	1.73	Current results exceed statistically derived historical background concentration in MW358, MW364, and MW370
Total Organic Carbon (TOC)	Tolerance Interval	1.96	No exceedance of statistically derived historical background concentration
Total Organic Halides (TOX)	Tolerance Interval	0.98	No exceedance of statistically derived historical background concentration
Trichloroethene	Tolerance Interval	0.57	No exceedance of statistically derived historical background concentration
Vanadium	Tolerance Interval	0.32	No exceedance of statistically derived historical background concentration
Zinc	Tolerance Interval	0.67	No exceedance of statistically derived historical background concentration

CV: coefficient of variation

*If CV > 1.0, used log-transformed data.

¹ A tolerance interval was calculated based on an MCL exceedance.

Discussion of Results from Current Background Comparison

For the UCRS, URGAs, and LRGA, the concentrations from downgradient wells were compared to the results of the one-sided upper tolerance interval test compared to current background, and are presented in Attachment D2 and the statistician qualification statement is presented in Attachment D3. For the UCRS, URGAs, and LRGA, the test was applied to 3, 6, and 3 parameters, respectively, because these parameter concentrations exceeded the historical background TL. A summary of instances where downgradient well concentrations exceeded the TL calculated using current background data is shown in Exhibit D.10, presented by well number.

**Exhibit D.10. Summary of
Exceedances (in downgradient wells)
of the TL Calculated Using
Current Background Concentrations**

URGA	LRGA
None	MW361: pH

UCRS

Because gradients in the UCRS are downward, there are no hydrogeologically downgradient UCRS wells that exceed the current background TL derived using the most recent eight quarters of data. NOTE: Sulfate concentrations in three UCRS wells and dissolved oxygen in two UCRS wells exceeded the current TL this quarter.

URGA

This quarter's results showed no exceedances of the current TL in wells located downgradient of the landfill.

LRGA

This quarter's results showed an exceedance for pH in MW361 for this quarter. MW361 is located downgradient of the landfill.

Statistical Summary

Summaries of the statistical tests conducted on data obtained from wells in the UCRS, the URGAs, and the LRGA are presented in Exhibit D.11, Exhibit D.12, and Exhibit D.13, respectively.

Exhibit D.11. Test Summaries for Qualified Parameters for Current Background—UCRS

Parameter	Performed Test	CV Normality Test	Results of Tolerance Interval Test Conducted
Dissolved Oxygen	Tolerance Interval	0.53	MW359 and MW362 exceeded the Upper Tolerance Limit, which is evidence of elevated concentration with respect to current background data.
Oxidation-Reduction Potential	Tolerance Interval	0.35	None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from current background concentrations to a statistically-significant level.
Sulfate	Tolerance Interval	0.51	MW359, MW362, and MW375 exceeded the Upper Tolerance Limit, which is evidence of elevated concentration with respect to current background data.

CV: coefficient of variation

Exhibit D.12. Test Summaries for Qualified Parameters for Current Background—URGA

Parameter	Performed Test	CV Normality Test	Results of Tolerance Interval Test Conducted
Calcium	Tolerance Interval	0.57	None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from current background concentrations to a statistically-significant level.
Conductivity	Tolerance Interval	0.35	None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from current background concentrations to a statistically-significant level.
Dissolved Solids	Tolerance Interval	0.42	None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from current background concentrations to a statistically-significant level.
Magnesium	Tolerance Interval	0.53	None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from current background concentrations to a statistically-significant level.
Oxidation-Reduction Potential	Tolerance Interval	0.51	None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from current background concentrations to a statistically-significant level.
Sulfate	Tolerance Interval	0.92	None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from current background concentrations to a statistically-significant level.

CV: coefficient of variation

Exhibit D.13. Test Summaries for Qualified Parameters for Current Background—LRGA

Parameter	Performed Test	CV Normality Test	Results of Tolerance Interval Test Conducted
Oxidation-Reduction Potential	Tolerance Interval	0.28	None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from current background concentrations to a statistically-significant level.
pH	Tolerance Interval	0.014	MW361 exceeded the Lower Tolerance Limit, which is evidence of elevated concentration with respect to current background data.
Technetium-99	Tolerance Interval	0.45	None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from current background concentrations to a statistically-significant level.

CV: coefficient of variation

THIS PAGE INTENTIONALLY LEFT BLANK

ATTACHMENT D1

**COMPARISON OF CURRENT DATA TO
ONE-SIDED UPPER TOLERANCE INTERVAL TEST
CALCULATED USING
HISTORICAL BACKGROUND DATA**

THIS PAGE INTENTIONALLY LEFT BLANK

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Aluminum****UNITS: mg/L****UCRS**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 3.300 **S**= 6.859 **CV(1)**= 2.078 **K factor****= 2.523 **TL(1)**= 20.604 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= -0.371 **S**= 1.678 **CV(2)**= -4.521 **K factor****= 2.523 **TL(2)**= 3.863 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Well Number: MW371

Date Collected	Result	LN(Result)
3/18/2002	2.24	0.806
4/22/2002	0.2	-1.609
7/15/2002	0.2	-1.609
10/8/2002	0.2	-1.609
1/8/2003	0.2	-1.609
4/3/2003	0.2	-1.609
7/9/2003	0.2	-1.609
10/6/2003	0.2	-1.609

Well Number: MW374

Date Collected	Result	LN(Result)
10/8/2002	21.3	3.059
1/7/2003	20	2.996
4/2/2003	4.11	1.413
7/9/2003	1.41	0.344
10/7/2003	1.09	0.086
1/6/2004	0.854	-0.158
4/7/2004	0.2	-1.609
7/14/2004	0.2	-1.609

Dry/Partially Dry Wells

Well No. Gradient

MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient

Because CV(1) is greater than 1, the natural logarithm of background and test well results were calculated utilizing TL(2) for comparison.

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW359	Downgradient	Yes	0.103	N/A	-2.273	NO
MW362	Downgradient	Yes	3.2	N/A	1.163	NO
MW371	Upgradient	Yes	0.854	N/A	-0.158	NO
MW374	Upgradient	No	0.05	N/A	-2.996	N/A
MW375	Sidegradient	Yes	0.0458	N/A	-3.083	NO

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Boron****UNITS: mg/L****UCRS**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 0.650 **S**= 0.805 **CV(1)**= 1.238 **K factor****= 2.523 **TL(1)**= 2.681 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= -1.034 **S**= 1.030 **CV(2)**= -0.996 **K factor****= 2.523 **TL(2)**= 1.564 **LL(2)**=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Well Number: MW371

Date Collected	Result	LN(Result)
3/18/2002	2	0.693
4/22/2002	2	0.693
7/15/2002	2	0.693
10/8/2002	0.2	-1.609
1/8/2003	0.2	-1.609
4/3/2003	0.2	-1.609
7/9/2003	0.2	-1.609
10/6/2003	0.2	-1.609

Well Number: MW374

Date Collected	Result	LN(Result)
10/8/2002	2	0.693
1/7/2003	0.2	-1.609
4/2/2003	0.2	-1.609
7/9/2003	0.2	-1.609
10/7/2003	0.2	-1.609
1/6/2004	0.2	-1.609
4/7/2004	0.2	-1.609
7/14/2004	0.2	-1.609

Dry/Partially Dry Wells

Well No. Gradient

MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient

Because CV(1) is greater than 1, the natural logarithm of background and test well results were calculated utilizing TL(2) for comparison.

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW359	Downgradient	Yes	0.00574	N/A	-5.160	NO
MW362	Downgradient	Yes	0.0226	N/A	-3.790	NO
MW371	Upgradient	Yes	0.00664	N/A	-5.015	NO
MW374	Upgradient	Yes	0.0312	N/A	-3.467	NO
MW375	Sidegradient	Yes	0.00801	N/A	-4.827	NO

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis	Historical Background Comparison
Bromide	UNITS: mg/L
	UCRS

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data	X= 1.394	S= 0.474	CV(1)=0.340	K factor**= 2.523	TL(1)= 2.590	LL(1)=N/A
-----------------------------------	----------	----------	-------------	-------------------	--------------	-----------

Statistics-Transformed Background Data	X= 0.279	S= 0.332	CV(2)=1.190	K factor**= 2.523	TL(2)= 1.118	LL(2)=N/A
---	----------	----------	-------------	-------------------	--------------	-----------

Historical Background Data from Upgradient Wells with Transformed Result

Well Number: MW371		
Date Collected	Result	LN(Result)
3/18/2002	1	0.000
4/22/2002	1	0.000
7/15/2002	1	0.000
10/8/2002	1	0.000
1/8/2003	1	0.000
4/3/2003	1	0.000
7/9/2003	1	0.000
10/6/2003	1	0.000

Well Number: MW374		
Date Collected	Result	LN(Result)
10/8/2002	2.1	0.742
1/7/2003	2.1	0.742
4/2/2003	1.9	0.642
7/9/2003	1	0.000
10/7/2003	1.9	0.642
1/6/2004	1.9	0.642
4/7/2004	1.8	0.588
7/14/2004	1.6	0.470

Dry/Partially Dry Wells

Well No.	Gradient
MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW359	Downgradient	No	0.2	N/A	-1.609	N/A
MW362	Downgradient	Yes	0.147	NO	-1.917	N/A
MW371	Upgradient	Yes	0.0808	NO	-2.516	N/A
MW374	Upgradient	Yes	0.84	NO	-0.174	N/A
MW375	Sidegradient	No	0.2	N/A	-1.609	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Calcium****UNITS: mg/L****UCRS**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 34.100 **S**= 13.637 **CV(1)**=0.400 **K factor****= 2.523 **TL(1)**= 68.505 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 3.466 **S**= 0.356 **CV(2)**=0.103 **K factor****= 2.523 **TL(2)**= 4.364 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Well Number: MW371

Date Collected	Result	LN(Result)
3/18/2002	17.2	2.845
4/22/2002	22.4	3.109
7/15/2002	25.5	3.239
10/8/2002	26.4	3.273
1/8/2003	27.2	3.303
4/3/2003	30.3	3.411
7/9/2003	25.9	3.254
10/6/2003	27	3.296

Well Number: MW374

Date Collected	Result	LN(Result)
10/8/2002	67.3	4.209
1/7/2003	60.6	4.104
4/2/2003	47.2	3.854
7/9/2003	34.7	3.547
10/7/2003	37.1	3.614
1/6/2004	37.7	3.630
4/7/2004	32.2	3.472
7/14/2004	26.9	3.292

Dry/Partially Dry Wells

Well No. Gradient

MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW359	Downgradient	Yes	11.7	NO	2.460	N/A
MW362	Downgradient	Yes	21	NO	3.045	N/A
MW371	Upgradient	Yes	31.1	NO	3.437	N/A
MW374	Upgradient	Yes	20.1	NO	3.001	N/A
MW375	Sidegradient	Yes	14.7	NO	2.688	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/2009>.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

Chemical Oxygen Demand (COD) UNITS: mg/L UCRS

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data $\bar{X} = 72.938$ $S = 70.749$ $CV(1) = 0.970$ **K factor**** = 2.523 **TL(1)** = 251.437 **LL(1)** = N/A

Statistics-Transformed Background Data $\bar{X} = 4.000$ $S = 0.702$ $CV(2) = 0.175$ **K factor**** = 2.523 **TL(2)** = 5.770 **LL(2)** = N/A

Historical Background Data from Upgradient Wells with Transformed Result

Well Number: MW371

Date Collected	Result	LN(Result)
3/18/2002	35	3.555
4/22/2002	35	3.555
7/15/2002	35	3.555
10/8/2002	35	3.555
1/8/2003	35	3.555
4/3/2003	35	3.555
7/9/2003	35	3.555
10/6/2003	35	3.555

Well Number: MW374

Date Collected	Result	LN(Result)
10/8/2002	260	5.561
1/7/2003	214	5.366
4/2/2003	147	4.990
7/9/2003	72	4.277
10/7/2003	56	4.025
1/6/2004	68	4.220
4/7/2004	35	3.555
7/14/2004	35	3.555

Dry/Partially Dry Wells

Well No. Gradient

MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result > TL(1)?	LN(Result)	LN(Result) > TL(2)
MW359	Downgradient	Yes	15.7	NO	2.754	N/A
MW362	Downgradient	No	20	N/A	2.996	N/A
MW371	Upgradient	No	20	N/A	2.996	N/A
MW374	Upgradient	No	20	N/A	2.996	N/A
MW375	Sidegradient	No	20	N/A	2.996	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/\bar{X}$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - \bar{X})^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = \bar{X} + (K * S)$, LL Lower Tolerance Limit, $LL = \bar{X} - (K * S)$

X Mean, $\bar{X} = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/2009>.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

Chloride UNITS: mg/L UCRS

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data \bar{X} = 91.300 S = 86.959 $CV(1)$ = 0.952 K factor** = 2.523 $TL(1)$ = 310.697 $LL(1)$ = N/A

Statistics-Transformed Background Data \bar{X} = 3.620 S = 1.590 $CV(2)$ = 0.439 K factor** = 2.523 $TL(2)$ = 7.631 $LL(2)$ = N/A

Historical Background Data from Upgradient Wells with Transformed Result

Well Number: MW371

Date Collected	Result	LN(Result)
7/15/2002	8.3	2.116
10/8/2002	7.6	2.028
1/8/2003	7.7	2.041
4/3/2003	8.8	2.175
7/9/2003	8.1	2.092
10/6/2003	8.6	2.152
1/7/2004	7.6	2.028
4/6/2004	7.6	2.028

Well Number: MW374

Date Collected	Result	LN(Result)
10/8/2002	199.2	5.294
1/7/2003	199.7	5.297
4/2/2003	171.8	5.146
7/9/2003	178.7	5.186
10/7/2003	175.6	5.168
1/6/2004	170.4	5.138
4/7/2004	156.4	5.052
7/14/2004	144.7	4.975

Dry/Partially Dry Wells

Well No. Gradient

MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result > TL(1)?	LN(Result)	LN(Result) > TL(2)
MW359	Downgradient	Yes	1.13	NO	0.122	N/A
MW362	Downgradient	Yes	8.57	NO	2.148	N/A
MW371	Upgradient	Yes	4.98	NO	1.605	N/A
MW374	Upgradient	Yes	67.8	NO	4.217	N/A
MW375	Sidegradient	Yes	5.44	NO	1.694	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/\bar{X}$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - \bar{X})^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = \bar{X} + (K * S)$, LL Lower Tolerance Limit, $LL = \bar{X} - (K * S)$

X Mean, $\bar{X} = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/2009>.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Cobalt****UNITS: mg/L****UCRS**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 0.007 **S**= 0.009 **CV(1)**= 1.314 **K factor****= 2.523 **TL(1)**= 0.031 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= -5.843 **S**= 1.392 **CV(2)**= -0.238 **K factor****= 2.523 **TL(2)**= -2.331 **LL(2)**=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Well Number: MW371

Date Collected	Result	LN(Result)
3/18/2002	0.025	-3.689
4/22/2002	0.025	-3.689
7/15/2002	0.025	-3.689
10/8/2002	0.001	-6.908
1/8/2003	0.001	-6.908
4/3/2003	0.001	-6.908
7/9/2003	0.001	-6.908
10/6/2003	0.001	-6.908

Well Number: MW374

Date Collected	Result	LN(Result)
10/8/2002	0.01	-4.605
1/7/2003	0.01	-4.605
4/2/2003	0.01	-4.605
7/9/2003	0.00161	-6.432
10/7/2003	0.001	-6.908
1/6/2004	0.001	-6.908
4/7/2004	0.001	-6.908
7/14/2004	0.001	-6.908

Dry/Partially Dry Wells

Well No. Gradient

MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient

Because CV(1) is greater than 1, the natural logarithm of background and test well results were calculated utilizing TL(2) for comparison.

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW359	Downgradient	No	0.00021	N/A	-8.468	N/A
MW362	Downgradient	Yes	0.00161	N/A	-6.432	NO
MW371	Upgradient	Yes	0.00019	N/A	-8.568	NO
MW374	Upgradient	Yes	0.00092	N/A	-6.991	NO
MW375	Sidegradient	Yes	0.00019	N/A	-8.568	NO

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

Conductivity UNITS: umho/cm UCRS

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data $X = 918.744$ $S = 417.257$ $CV(1) = 0.454$ $K \text{ factor}^{**} = 2.523$ $TL(1) = 1971.483$ $LL(1) = N/A$

Statistics-Transformed Background Data $X = 6.705$ $S = 0.550$ $CV(2) = 0.082$ $K \text{ factor}^{**} = 2.523$ $TL(2) = 8.092$ $LL(2) = N/A$

Historical Background Data from Upgradient Wells with Transformed Result

Well Number: MW371

Date Collected	Result	LN(Result)
3/18/2002	541	6.293
4/22/2002	643	6.466
7/15/2002	632	6.449
10/8/2002	631	6.447
1/8/2003	680	6.522
4/3/2003	749	6.619
7/9/2003	734	6.599
10/6/2003	753	6.624

Well Number: MW374

Date Collected	Result	LN(Result)
3/18/2002	1007	6.915
10/8/2002	1680	7.427
1/7/2003	1715.9	7.448
4/2/2003	172	5.147
7/9/2003	1231	7.116
10/7/2003	1214	7.102
1/6/2004	1172	7.066
4/7/2004	1145	7.043

Dry/Partially Dry Wells

Well No. Gradient

MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result > TL(1)?	LN(Result)	LN(Result) > TL(2)
MW359	Downgradient	Yes	266	NO	5.583	N/A
MW362	Downgradient	Yes	719	NO	6.578	N/A
MW371	Upgradient	Yes	699	NO	6.550	N/A
MW374	Upgradient	Yes	682	NO	6.525	N/A
MW375	Sidegradient	Yes	362	NO	5.892	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background \text{ result} - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/2009>.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Copper****UNITS: mg/L****UCRS**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 0.056 **S**= 0.072 **CV(1)**= 1.275 **K factor****= 2.523 **TL(1)**= 0.237 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= -3.395 **S**= 0.915 **CV(2)**= -0.270 **K factor****= 2.523 **TL(2)**= -1.086 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Well Number: MW371

Date Collected	Result	LN(Result)
3/18/2002	0.025	-3.689
4/22/2002	0.025	-3.689
7/15/2002	0.05	-2.996
10/8/2002	0.02	-3.912
1/8/2003	0.02	-3.912
4/3/2003	0.02	-3.912
7/9/2003	0.02	-3.912
10/6/2003	0.02	-3.912

Well Number: MW374

Date Collected	Result	LN(Result)
10/8/2002	0.2	-1.609
1/7/2003	0.2	-1.609
4/2/2003	0.2	-1.609
7/9/2003	0.02	-3.912
10/7/2003	0.02	-3.912
1/6/2004	0.02	-3.912
4/7/2004	0.02	-3.912
7/14/2004	0.02	-3.912

Dry/Partially Dry Wells

Well No. Gradient

MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient

Because CV(1) is greater than 1, the natural logarithm of background and test well results were calculated utilizing TL(2) for comparison.

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW359	Downgradient	Yes	0.00248	N/A	-5.999	NO
MW362	Downgradient	Yes	0.00274	N/A	-5.900	NO
MW371	Upgradient	Yes	0.00138	N/A	-6.586	NO
MW374	Upgradient	No	0.001	N/A	-6.908	N/A
MW375	Sidegradient	Yes	0.00077	N/A	-7.169	NO

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Dissolved Oxygen****UNITS: mg/L****UCRS**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 1.138 **S**= 0.621 **CV(1)**=0.546 **K factor****= 2.523 **TL(1)**= 2.704 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= -0.013 **S**= 0.577 **CV(2)**=-43.069 **K factor****= 2.523 **TL(2)**= 1.441 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Well Number: MW371

Date Collected	Result	LN(Result)
3/18/2002	2.26	0.815
4/22/2002	1.15	0.140
7/15/2002	0.94	-0.062
10/8/2002	0.74	-0.301
1/8/2003	2.62	0.963
4/3/2003	1.5	0.405
7/9/2003	1.66	0.507
10/6/2003	1.28	0.247

Well Number: MW374

Date Collected	Result	LN(Result)
3/18/2002	0.6	-0.511
10/8/2002	0.67	-0.400
1/7/2003	0.23	-1.470
4/2/2003	0.65	-0.431
7/9/2003	0.92	-0.083
10/7/2003	0.99	-0.010
1/6/2004	1.11	0.104
4/7/2004	0.88	-0.128

Dry/Partially Dry Wells

Well No. Gradient

MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW359	Downgradient	Yes	7.01	YES	1.947	N/A
MW362	Downgradient	Yes	5.33	YES	1.673	N/A
MW371	Upgradient	Yes	2.73	YES	1.004	N/A
MW374	Upgradient	Yes	0.67	NO	-0.400	N/A
MW375	Sidegradient	Yes	1.98	NO	0.683	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

The test well(s) listed exceeded the Upper Tolerance Limit, which is evidence of elevated concentration with respect to historical background data.

Wells with Exceedances

MW359
MW362
MW371

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/2009>.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

Dissolved Solids UNITS: mg/L UCRS

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data \bar{X} = 590.000 S = 248.068 $CV(1)$ =0.420 **K factor****= 2.523 **TL(1)**= 1215.876 **LL(1)**=N/A

Statistics-Transformed Background Data \bar{X} = 6.308 S = 0.383 $CV(2)$ =0.061 **K factor****= 2.523 **TL(2)**= 7.274 **LL(2)**=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Well Number:	MW371	
Date Collected	Result	LN(Result)
3/18/2002	274	5.613
4/22/2002	409	6.014
7/15/2002	418	6.035
10/8/2002	424	6.050
1/8/2003	431	6.066
4/3/2003	444	6.096
7/9/2003	445	6.098
10/6/2003	438	6.082

Well Number:	MW374	
Date Collected	Result	LN(Result)
10/8/2002	1136	7.035
1/7/2003	1101	7.004
4/2/2003	863	6.760
7/9/2003	682	6.525
10/7/2003	589	6.378
1/6/2004	603	6.402
4/7/2004	601	6.399
7/14/2004	582	6.366

Dry/Partially Dry Wells

Well No.	Gradient
MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW359	Downgradient	Yes	203	NO	5.313	N/A
MW362	Downgradient	Yes	464	NO	6.140	N/A
MW371	Upgradient	Yes	443	NO	6.094	N/A
MW374	Upgradient	Yes	374	NO	5.924	N/A
MW375	Sidegradient	Yes	243	NO	5.493	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/\bar{X}$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - \bar{X})^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = \bar{X} + (K * S)$, LL Lower Tolerance Limit, $LL = \bar{X} - (K * S)$

X Mean, $\bar{X} = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/2009>.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Iron****UNITS: mg/L****UCRS**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 6.612 **S**= 6.487 **CV(1)**=0.981 **K factor****= 2.523 **TL(1)**= 22.979 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 1.363 **S**= 1.147 **CV(2)**=0.841 **K factor****= 2.523 **TL(2)**= 4.256 **LL(2)**=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Well Number: MW371

Date Collected	Result	LN(Result)
3/18/2002	1.31	0.270
4/22/2002	0.913	-0.091
7/15/2002	0.881	-0.127
10/8/2002	3.86	1.351
1/8/2003	1.88	0.631
4/3/2003	3.18	1.157
7/9/2003	0.484	-0.726
10/6/2003	2.72	1.001

Well Number: MW374

Date Collected	Result	LN(Result)
10/8/2002	23	3.135
1/7/2003	13.9	2.632
4/2/2003	14	2.639
7/9/2003	14.2	2.653
10/7/2003	7.92	2.069
1/6/2004	7.86	2.062
4/7/2004	4.82	1.573
7/14/2004	4.87	1.583

Dry/Partially Dry Wells

Well No. Gradient

MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW359	Downgradient	Yes	0.116	NO	-2.154	N/A
MW362	Downgradient	Yes	2.09	NO	0.737	N/A
MW371	Upgradient	Yes	0.545	NO	-0.607	N/A
MW374	Upgradient	Yes	0.353	NO	-1.041	N/A
MW375	Sidegradient	Yes	0.101	NO	-2.293	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/2009>.

C-746-U Third Quarter 2015 Statistical Analysis	Historical Background Comparison
Magnesium	UNITS: mg/L
	UCRS

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data	X= 11.347	S= 3.019	CV(1)=0.266	K factor**= 2.523	TL(1)= 18.963	LL(1)=N/A
-----------------------------------	-----------	----------	-------------	-------------------	---------------	-----------

Statistics-Transformed Background Data	X= 2.401	S= 0.237	CV(2)=0.099	K factor**= 2.523	TL(2)= 2.999	LL(2)=N/A
---	----------	----------	-------------	-------------------	--------------	-----------

Historical Background Data from Upgradient Wells with Transformed Result

Well Number: MW371

Date Collected	Result	LN(Result)
3/18/2002	7.1	1.960
4/22/2002	9.77	2.279
7/15/2002	10.4	2.342
10/8/2002	10.2	2.322
1/8/2003	10.7	2.370
4/3/2003	11.9	2.477
7/9/2003	10.8	2.380
10/6/2003	10.9	2.389

Well Number: MW374

Date Collected	Result	LN(Result)
10/8/2002	20	2.996
1/7/2003	16.1	2.779
4/2/2003	13.1	2.573
7/9/2003	10.3	2.332
10/7/2003	11.1	2.407
1/6/2004	11	2.398
4/7/2004	9.69	2.271
7/14/2004	8.49	2.139

Dry/Partially Dry Wells

Well No.	Gradient
----------	----------

MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW359	Downgradient	Yes	4.84	NO	1.577	N/A
MW362	Downgradient	Yes	10.6	NO	2.361	N/A
MW371	Upgradient	Yes	13.3	NO	2.588	N/A
MW374	Upgradient	Yes	6	NO	1.792	N/A
MW375	Sidegradient	Yes	5.47	NO	1.699	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Manganese****UNITS: mg/L****UCRS**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 0.248 **S**= 0.222 **CV(1)**=0.894 **K factor****= 2.523 **TL(1)**= 0.809 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= -1.873 **S**= 1.068 **CV(2)**=-0.570 **K factor****= 2.523 **TL(2)**= 0.821 **LL(2)**=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Well Number: MW371

Date Collected	Result	LN(Result)
3/18/2002	0.063	-2.765
4/22/2002	0.067	-2.703
7/15/2002	0.074	-2.604
10/8/2002	0.0521	-2.955
1/8/2003	0.0385	-3.257
4/3/2003	0.0551	-2.899
7/9/2003	0.0546	-2.908
10/6/2003	0.0543	-2.913

Well Number: MW374

Date Collected	Result	LN(Result)
10/8/2002	0.596	-0.518
1/7/2003	0.565	-0.571
4/2/2003	0.675	-0.393
7/9/2003	0.397	-0.924
10/7/2003	0.312	-1.165
1/6/2004	0.299	-1.207
4/7/2004	0.329	-1.112
7/14/2004	0.342	-1.073

Dry/Partially Dry Wells

Well No. Gradient

MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW359	Downgradient	Yes	0.00126	NO	-6.677	N/A
MW362	Downgradient	Yes	0.0156	NO	-4.160	N/A
MW371	Upgradient	Yes	0.0109	NO	-4.519	N/A
MW374	Upgradient	Yes	0.398	NO	-0.921	N/A
MW375	Sidegradient	Yes	0.00359	NO	-5.630	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/2009>.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Molybdenum****UNITS: mg/L****UCRS**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 0.006 **S**= 0.010 **CV(1)**= 1.650 **K factor****= 2.523 **TL(1)**= 0.030 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= -6.108 **S**= 1.239 **CV(2)**= -0.203 **K factor****= 2.523 **TL(2)**= -2.983 **LL(2)**=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Well Number: MW371

Date Collected	Result	LN(Result)
3/18/2002	0.025	-3.689
4/22/2002	0.025	-3.689
7/15/2002	0.025	-3.689
10/8/2002	0.001	-6.908
1/8/2003	0.00121	-6.717
4/3/2003	0.001	-6.908
7/9/2003	0.00111	-6.803
10/6/2003	0.001	-6.908

Well Number: MW374

Date Collected	Result	LN(Result)
10/8/2002	0.00222	-6.110
1/7/2003	0.00201	-6.210
4/2/2003	0.00159	-6.444
7/9/2003	0.00242	-6.024
10/7/2003	0.001	-6.908
1/6/2004	0.001	-6.908
4/7/2004	0.001	-6.908
7/14/2004	0.001	-6.908

Dry/Partially Dry Wells

Well No. Gradient

MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient

Because CV(1) is greater than 1, the natural logarithm of background and test well results were calculated utilizing TL(2) for comparison.

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW359	Downgradient	No	0.0005	N/A	-7.601	N/A
MW362	Downgradient	Yes	0.00113	N/A	-6.786	NO
MW371	Upgradient	Yes	0.00069	N/A	-7.279	NO
MW374	Upgradient	Yes	0.00022	N/A	-8.422	NO
MW375	Sidegradient	No	0.00031	N/A	-8.079	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Nickel****UNITS: mg/L****UCRS**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 0.023 **S**= 0.022 **CV(1)**=0.980 **K factor****= 2.523 **TL(1)**= 0.078 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= -4.349 **S**= 1.109 **CV(2)**=-0.255 **K factor****= 2.523 **TL(2)**= -1.552 **LL(2)**=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Well Number: MW371

Date Collected	Result	LN(Result)
3/18/2002	0.05	-2.996
4/22/2002	0.05	-2.996
7/15/2002	0.05	-2.996
10/8/2002	0.0124	-4.390
1/8/2003	0.005	-5.298
4/3/2003	0.005	-5.298
7/9/2003	0.005	-5.298
10/6/2003	0.005	-5.298

Well Number: MW374

Date Collected	Result	LN(Result)
10/8/2002	0.05	-2.996
1/7/2003	0.05	-2.996
4/2/2003	0.05	-2.996
7/9/2003	0.00794	-4.836
10/7/2003	0.005	-5.298
1/6/2004	0.005	-5.298
4/7/2004	0.005	-5.298
7/14/2004	0.005	-5.298

Dry/Partially Dry Wells

Well No. Gradient

MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW359	Downgradient	Yes	0.00316	NO	-5.757	N/A
MW362	Downgradient	Yes	0.00318	NO	-5.751	N/A
MW371	Upgradient	Yes	0.00129	NO	-6.653	N/A
MW374	Upgradient	Yes	0.00241	NO	-6.028	N/A
MW375	Sidegradient	Yes	0.00218	NO	-6.128	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

Oxidation-Reduction Potential UNITS: mV UCRS

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data X= 22.281 S= 78.889 CV(1)=3.541 K factor**= 2.523 TL(1)= 221.319 LL(1)=N/A

Statistics-Transformed Background Data X= 3.642 S= 1.729 CV(2)=0.475 K factor**= 2.523 TL(2)= 5.106 LL(2)=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Well Number:	MW371	
Date Collected	Result	LN(Result)
3/18/2002	75	4.317
4/22/2002	165	5.106
7/15/2002	65	4.174
4/3/2003	-19	#Func!
7/9/2003	114	4.736
10/6/2003	-22	#Func!
1/7/2004	20.5	3.020
4/6/2004	113	4.727

Well Number:	MW374	
Date Collected	Result	LN(Result)
3/18/2002	135	4.905
4/2/2003	-56	#Func!
7/9/2003	-68	#Func!
10/7/2003	-50	#Func!
1/6/2004	-85	#Func!
4/7/2004	6	1.792
7/14/2004	-38	#Func!
10/7/2004	1	0.000

Dry/Partially Dry Wells

Well No.	Gradient
MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient

Because CV(1) is greater than 1, the natural logarithm of background and test well results were calculated utilizing TL(2) for comparison.

#Because the natural log was not possible for all background values, the TL was considered equal to the maximum background value.

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW359	Downgradient	Yes	465	N/A	6.142	YES
MW362	Downgradient	Yes	447	N/A	6.103	YES
MW371	Upgradient	Yes	368	N/A	5.908	YES
MW374	Upgradient	Yes	268	N/A	5.591	YES
MW375	Sidegradient	Yes	443	N/A	6.094	YES

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

The test well(s) listed exceeded the Upper Tolerance Limit, which is evidence of elevated concentration with respect to historical background data.

Wells with Exceedances

MW359
MW362
MW371
MW374
MW375

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

pH

UNITS: Std Unit

UCRS

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 6.619 **S**= 0.295 **CV(1)**=0.045 **K factor****= 2.904 **TL(1)**= 7.475 **LL(1)**=5.7635

Statistics-Transformed Background Data **X**= 1.889 **S**= 0.046 **CV(2)**=0.024 **K factor****= 2.904 **TL(2)**= 2.023 **LL(2)**=1.7548

Historical Background Data from Upgradient Wells with Transformed Result

Well Number: MW371

Date Collected	Result	LN(Result)
3/18/2002	6.3	1.841
4/22/2002	6.5	1.872
7/15/2002	6.5	1.872
10/8/2002	6.6	1.887
1/8/2003	6.6	1.887
4/3/2003	6.9	1.932
7/9/2003	6.7	1.902
10/6/2003	7	1.946

Well Number: MW374

Date Collected	Result	LN(Result)
3/18/2002	5.75	1.749
10/8/2002	6.6	1.887
1/7/2003	6.82	1.920
4/2/2003	6.86	1.926
7/9/2003	6.7	1.902
10/7/2003	6.6	1.887
1/6/2004	6.9	1.932
4/7/2004	6.58	1.884

Dry/Partially Dry Wells

Well No. Gradient

MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)? Result <LL(1)?	LN(Result)	LN(Result) >TL(2)? LN(Result) <LL(2)?
MW359	Downgradient	Yes	6.01	NO	1.793	N/A
MW362	Downgradient	Yes	6.86	NO	1.926	N/A
MW371	Upgradient	Yes	6.6	NO	1.887	N/A
MW374	Upgradient	Yes	6.6	NO	1.887	N/A
MW375	Sidegradient	Yes	6.38	NO	1.853	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

Potassium

UNITS: mg/L

UCRS

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data \bar{X} = 1.262 S= 0.907 CV(1)=0.718 K factor**= 2.523 TL(1)= 3.549 LL(1)=N/A

Statistics-Transformed Background Data \bar{X} = -0.023 S= 0.752 CV(2)=-32.218 K factor**= 2.523 TL(2)= 1.874 LL(2)=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Well Number: MW371

Date Collected	Result	LN(Result)
3/18/2002	2	0.693
4/22/2002	2	0.693
7/15/2002	2	0.693
10/8/2002	0.408	-0.896
1/8/2003	0.384	-0.957
4/3/2003	0.368	-1.000
7/9/2003	0.587	-0.533
10/6/2003	0.382	-0.962

Well Number: MW374

Date Collected	Result	LN(Result)
10/8/2002	3.04	1.112
1/7/2003	2.83	1.040
4/2/2003	2	0.693
7/9/2003	1.09	0.086
10/7/2003	0.802	-0.221
1/6/2004	0.897	-0.109
4/7/2004	0.689	-0.373
7/14/2004	0.716	-0.334

Dry/Partially Dry Wells

Well No.	Gradient
MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW359	Downgradient	Yes	0.245	NO	-1.406	N/A
MW362	Downgradient	Yes	0.529	NO	-0.637	N/A
MW371	Upgradient	Yes	0.542	NO	-0.612	N/A
MW374	Upgradient	Yes	0.393	NO	-0.934	N/A
MW375	Sidegradient	Yes	0.259	NO	-1.351	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/\bar{X}$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - \bar{X})^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = \bar{X} + (K * S)$, LL Lower Tolerance Limit, $LL = \bar{X} - (K * S)$

X Mean, $\bar{X} = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/2009>.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Sodium****UNITS: mg/L****UCRS**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 183.063 **S**= 73.222 **CV(1)**=0.400 **K factor****= 2.523 **TL(1)**= 367.800 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 5.146 **S**= 0.356 **CV(2)**=0.069 **K factor****= 2.523 **TL(2)**= 6.044 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Well Number: MW371

Date Collected	Result	LN(Result)
3/18/2002	129	4.860
4/22/2002	131	4.875
7/15/2002	127	4.844
10/8/2002	123	4.812
1/8/2003	128	4.852
4/3/2003	144	4.970
7/9/2003	126	4.836
10/6/2003	120	4.787

Well Number: MW374

Date Collected	Result	LN(Result)
10/8/2002	336	5.817
1/7/2003	329	5.796
4/2/2003	287	5.659
7/9/2003	181	5.198
10/7/2003	182	5.204
1/6/2004	206	5.328
4/7/2004	182	5.204
7/14/2004	198	5.288

Dry/Partially Dry Wells

Well No. Gradient

MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW359	Downgradient	Yes	32.7	NO	3.487	N/A
MW362	Downgradient	Yes	139	NO	4.934	N/A
MW371	Upgradient	Yes	122	NO	4.804	N/A
MW374	Upgradient	Yes	125	NO	4.828	N/A
MW375	Sidegradient	Yes	60.4	NO	4.101	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/2009>.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

Sulfate

UNITS: mg/L

UCRS

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 6.469 **S**= 3.153 **CV(1)**=0.487 **K factor****= 2.523 **TL(1)**= 14.423 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 1.794 **S**= 0.357 **CV(2)**=0.199 **K factor****= 2.523 **TL(2)**= 2.694 **LL(2)**=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Well Number:	MW371	
Date Collected	Result	LN(Result)
3/18/2002	16.3	2.791
4/22/2002	8.6	2.152
7/15/2002	6.7	1.902
10/8/2002	5	1.609
1/8/2003	5	1.609
4/3/2003	5	1.609
7/9/2003	5	1.609
10/6/2003	5	1.609

Well Number:	MW374	
Date Collected	Result	LN(Result)
10/8/2002	5	1.609
1/7/2003	5	1.609
4/2/2003	5	1.609
7/9/2003	5.6	1.723
10/7/2003	5	1.609
1/6/2004	5	1.609
4/7/2004	11.3	2.425
7/14/2004	5	1.609

Dry/Partially Dry Wells

Well No.	Gradient
MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW359	Downgradient	Yes	49.7	YES	3.906	N/A
MW362	Downgradient	Yes	33.7	YES	3.517	N/A
MW371	Upgradient	Yes	18.9	YES	2.939	N/A
MW374	Upgradient	Yes	5.93	NO	1.780	N/A
MW375	Sidegradient	Yes	23.6	YES	3.161	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

The test well(s) listed exceeded the Upper Tolerance Limit, which is evidence of elevated concentration with respect to historical background data.

Wells with Exceedances

MW359
MW362
MW371
MW375

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/2009>.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Total Organic Carbon (TOC)****UNITS: mg/L****UCRS**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 17.631 **S**= 24.314 **CV(1)**=1.379 **K factor****= 2.523 **TL(1)**= 78.977 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 2.318 **S**= 0.979 **CV(2)**=0.422 **K factor****= 2.523 **TL(2)**= 4.788 **LL(2)**=N/A
Historical Background Data from Upgradient Wells with Transformed Result

Well Number: MW371

Date Collected	Result	LN(Result)
3/18/2002	11.1	2.407
4/22/2002	7	1.946
7/15/2002	4.1	1.411
10/8/2002	6	1.792
1/8/2003	5.3	1.668
4/3/2003	5.3	1.668
7/9/2003	2.9	1.065
10/6/2003	3.2	1.163

Well Number: MW374

Date Collected	Result	LN(Result)
10/8/2002	90	4.500
1/7/2003	64	4.159
4/2/2003	25	3.219
7/9/2003	16	2.773
10/7/2003	13	2.565
1/6/2004	10	2.303
4/7/2004	7.2	1.974
7/14/2004	12	2.485

Dry/Partially Dry Wells

Well No. Gradient

MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient

Because CV(1) is greater than 1, the natural logarithm of background and test well results were calculated utilizing TL(2) for comparison.

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW359	Downgradient	Yes	1.91	N/A	0.647	NO
MW362	Downgradient	Yes	2.79	N/A	1.026	NO
MW371	Upgradient	Yes	2.01	N/A	0.698	NO
MW374	Upgradient	Yes	1.92	N/A	0.652	NO
MW375	Sidegradient	Yes	0.865	N/A	-0.145	NO

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Total Organic Halides (TOX)****UNITS: ug/L****UCRS**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 214.094 **S**= 231.089 **CV(1)**= 1.079 **K factor****= 2.523 **TL(1)**= 797.131 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 4.867 **S**= 1.065 **CV(2)**= 0.219 **K factor****= 2.523 **TL(2)**= 7.554 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Well Number: MW371

Date Collected	Result	LN(Result)
3/18/2002	50	3.912
4/22/2002	105	4.654
7/15/2002	70	4.248
10/8/2002	52	3.951
1/8/2003	20.2	3.006
4/3/2003	104	4.644
7/9/2003	34.2	3.532
10/6/2003	46.1	3.831

Well Number: MW374

Date Collected	Result	LN(Result)
10/8/2002	903	6.806
1/7/2003	539	6.290
4/2/2003	295	5.687
7/9/2003	272	5.606
10/7/2003	197	5.283
1/6/2004	330	5.799
4/7/2004	183	5.209
7/14/2004	225	5.416

Dry/Partially Dry Wells

Well No. Gradient

MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient

Because CV(1) is greater than 1, the natural logarithm of background and test well results were calculated utilizing TL(2) for comparison.

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW359	Downgradient	No	10	N/A	2.303	N/A
MW362	Downgradient	Yes	23.3	N/A	3.148	NO
MW371	Upgradient	Yes	4.02	N/A	1.391	NO
MW374	Upgradient	Yes	16.6	N/A	2.809	NO
MW375	Sidegradient	Yes	8.28	N/A	2.114	NO

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis	Historical Background Comparison
Uranium	UNITS: mg/L
	UCRS

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data	X = 0.007	S = 0.012	CV(1) = 1.678	K factor** = 2.523	TL(1) = 0.037	LL(1) =N/A
-----------------------------------	------------------	------------------	----------------------	---------------------------	----------------------	-------------------

Statistics-Transformed Background Data	X = -5.884	S = 1.299	CV(2) = -0.221	K factor** = 2.523	TL(2) = -2.607	LL(2) =N/A
---	-------------------	------------------	-----------------------	---------------------------	-----------------------	-------------------

Historical Background Data from Upgradient Wells with Transformed Result

Well Number: MW371		
Date Collected	Result	LN(Result)
3/18/2002	0.001	-6.908
4/22/2002	0.001	-6.908
7/15/2002	0.001	-6.908
10/8/2002	0.027	-3.612
1/8/2003	0.001	-6.908
4/3/2003	0.001	-6.908
7/9/2003	0.00109	-6.822
10/6/2003	0.001	-6.908

Well Number: MW374		
Date Collected	Result	LN(Result)
10/8/2002	0.0438	-3.128
1/7/2003	0.011	-4.510
4/2/2003	0.00905	-4.705
7/9/2003	0.00694	-4.970
10/7/2003	0.001	-6.908
1/6/2004	0.00315	-5.760
4/7/2004	0.00258	-5.960
7/14/2004	0.0018	-6.320

Dry/Partially Dry Wells

Well No.	Gradient
MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient

Because CV(1) is greater than 1, the natural logarithm of background and test well results were calculated utilizing TL(2) for comparison.

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW359	Downgradient	Yes	0.00021	N/A	-8.468	NO
MW362	Downgradient	Yes	0.00647	N/A	-5.041	NO
MW371	Upgradient	Yes	0.00143	N/A	-6.550	NO
MW374	Upgradient	Yes	0.00033	N/A	-8.016	NO
MW375	Sidegradient	No	0.000088	N/A	-9.338	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

Vanadium

UNITS: mg/L

UCRS

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data $X = 0.055$ $S = 0.072$ $CV(1) = 1.319$ $K \text{ factor}^{**} = 2.523$ $TL(1) = 0.237$ $LL(1) = N/A$

Statistics-Transformed Background Data $X = -3.438$ $S = 0.912$ $CV(2) = -0.265$ $K \text{ factor}^{**} = 2.523$ $TL(2) = -1.138$ $LL(2) = N/A$

Historical Background Data from Upgradient Wells with Transformed Result

Well Number:	MW371	
Date Collected	Result	LN(Result)
3/18/2002	0.025	-3.689
4/22/2002	0.025	-3.689
7/15/2002	0.025	-3.689
10/8/2002	0.02	-3.912
1/8/2003	0.02	-3.912
4/3/2003	0.02	-3.912
7/9/2003	0.02	-3.912
10/6/2003	0.02	-3.912

Well Number:	MW374	
Date Collected	Result	LN(Result)
10/8/2002	0.2	-1.609
1/7/2003	0.2	-1.609
4/2/2003	0.2	-1.609
7/9/2003	0.02	-3.912
10/7/2003	0.02	-3.912
1/6/2004	0.02	-3.912
4/7/2004	0.02	-3.912
7/14/2004	0.02	-3.912

Dry/Partially Dry Wells

Well No.	Gradient
MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient

Because CV(1) is greater than 1, the natural logarithm of background and test well results were calculated utilizing TL(2) for comparison.

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result > TL(1)?	LN(Result)	LN(Result) > TL(2)
MW359	Downgradient	Yes	0.00468	N/A	-5.364	NO
MW362	Downgradient	Yes	0.0125	N/A	-4.382	NO
MW371	Upgradient	No	0.00697	N/A	-4.966	N/A
MW374	Upgradient	No	0.01	N/A	-4.605	N/A
MW375	Sidegradient	No	0.01	N/A	-4.605	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background \text{ result} - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Zinc****UNITS: mg/L****UCRS**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 0.060 **S**= 0.083 **CV(1)**= 1.380 **K factor****= 2.523 **TL(1)**= 0.270 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= -3.259 **S**= 0.840 **CV(2)**= -0.258 **K factor****= 2.523 **TL(2)**= -1.140 **LL(2)**=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Well Number: MW371

Date Collected	Result	LN(Result)
3/18/2002	0.1	-2.303
4/22/2002	0.1	-2.303
7/15/2002	0.1	-2.303
10/8/2002	0.025	-3.689
1/8/2003	0.035	-3.352
4/3/2003	0.035	-3.352
7/9/2003	0.0376	-3.281
10/6/2003	0.02	-3.912

Well Number: MW374

Date Collected	Result	LN(Result)
10/8/2002	0.025	-3.689
1/7/2003	0.35	-1.050
4/2/2003	0.035	-3.352
7/9/2003	0.02	-3.912
10/7/2003	0.02	-3.912
1/6/2004	0.02	-3.912
4/7/2004	0.02	-3.912
7/14/2004	0.02	-3.912

Dry/Partially Dry Wells

Well No. Gradient

MW365	Downgradient
MW368	Sidegradient
MW376	Sidegradient
MW377	Sidegradient

Because CV(1) is greater than 1, the natural logarithm of background and test well results were calculated utilizing TL(2) for comparison.

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW359	Downgradient	No	0.01	N/A	-4.605	N/A
MW362	Downgradient	Yes	0.0061	N/A	-5.099	NO
MW371	Upgradient	No	0.01	N/A	-4.605	N/A
MW374	Upgradient	No	0.01	N/A	-4.605	N/A
MW375	Sidegradient	No	0.01	N/A	-4.605	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

Aluminum

UNITS: mg/L

URGA

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 0.625 **S**= 0.774 **CV(1)**= 1.239 **K factor****= 2.523 **TL(1)**= 2.578 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= -0.973 **S**= 0.935 **CV(2)**= -0.961 **K factor****= 2.523 **TL(2)**= 1.386 **LL(2)**=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Because CV(1) is greater than 1, the natural logarithm of background and test well results were calculated utilizing TL(2) for comparison.

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	0.255	-1.366
4/22/2002	0.2	-1.609
7/15/2002	0.322	-1.133
10/8/2002	0.2	-1.609
1/8/2003	0.2	-1.609
4/3/2003	0.2	-1.609
7/8/2003	0.2	-1.609
10/6/2003	0.689	-0.373

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	2.61	0.959
4/23/2002	0.2	-1.609
7/16/2002	1.14	0.131
10/8/2002	0.862	-0.149
1/7/2003	2.32	0.842
4/2/2003	0.2	-1.609
7/9/2003	0.2	-1.609
10/7/2003	0.2	-1.609

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	No	0.05	N/A	-2.996	N/A
MW360	Downgradient	Yes	0.0156	N/A	-4.160	NO
MW363	Downgradient	Yes	0.0183	N/A	-4.001	NO
MW366	Sidegradient	No	0.05	N/A	-2.996	N/A
MW369	Upgradient	Yes	0.0723	N/A	-2.627	NO
MW372	Upgradient	Yes	0.0241	N/A	-3.726	NO

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Boron****UNITS: mg/L****URGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 0.985 **S**= 0.825 **CV(1)**=0.838 **K factor****= 2.523 **TL(1)**= 3.067 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= -0.430 **S**= 0.990 **CV(2)**=-2.302 **K factor****= 2.523 **TL(2)**= 2.068 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	2	0.693
4/22/2002	2	0.693
7/15/2002	2	0.693
10/8/2002	0.2	-1.609
1/8/2003	0.2	-1.609
4/3/2003	0.2	-1.609
7/8/2003	0.2	-1.609
10/6/2003	0.2	-1.609

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	2	0.693
4/23/2002	2	0.693
7/16/2002	2	0.693
10/8/2002	0.492	-0.709
1/7/2003	0.492	-0.709
4/2/2003	0.6	-0.511
7/9/2003	0.57	-0.562
10/7/2003	0.604	-0.504

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	Yes	0.42	NO	-0.868	N/A
MW360	Downgradient	Yes	0.0393	NO	-3.237	N/A
MW363	Downgradient	Yes	0.0238	NO	-3.738	N/A
MW366	Sidegradient	Yes	0.128	NO	-2.056	N/A
MW369	Upgradient	Yes	0.0136	NO	-4.298	N/A
MW372	Upgradient	Yes	1.35	NO	0.300	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis	Historical Background Comparison
Bromide	UNITS: mg/L
	URGA

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data	X= 1.000	S= 0.000	CV(1)=0.000	K factor**= 2.523	TL(1)= 1.000	LL(1)=N/A
Statistics-Transformed Background Data	X= 0.000	S= 0.000	CV(2)= #Num!	K factor**= 2.523	TL(2)= 0.000	LL(2)=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	1	0.000
4/22/2002	1	0.000
7/15/2002	1	0.000
10/8/2002	1	0.000
1/8/2003	1	0.000
4/3/2003	1	0.000
7/8/2003	1	0.000
10/6/2003	1	0.000

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	1	0.000
4/23/2002	1	0.000
7/16/2002	1	0.000
10/8/2002	1	0.000
1/7/2003	1	0.000
4/2/2003	1	0.000
7/9/2003	1	0.000
10/7/2003	1	0.000

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	Yes	0.446	NO	-0.807	N/A
MW360	Downgradient	Yes	0.165	NO	-1.802	N/A
MW363	Downgradient	Yes	0.136	NO	-1.995	N/A
MW366	Sidegradient	Yes	0.513	NO	-0.667	N/A
MW369	Upgradient	Yes	0.43	NO	-0.844	N/A
MW372	Upgradient	Yes	0.582	NO	-0.541	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Calcium****UNITS: mg/L****URGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 32.763 **S**= 9.391 **CV(1)**=0.287 **K factor****= 2.523 **TL(1)**= 56.456 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 3.449 **S**= 0.299 **CV(2)**=0.087 **K factor****= 2.523 **TL(2)**= 4.202 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	29.5	3.384
4/22/2002	29.8	3.395
7/15/2002	25.3	3.231
10/8/2002	21.9	3.086
1/8/2003	20.9	3.040
4/3/2003	22.2	3.100
7/8/2003	22.9	3.131
10/6/2003	21.7	3.077

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	41.5	3.726
4/23/2002	43.6	3.775
7/16/2002	40.4	3.699
10/8/2002	38.8	3.658
1/7/2003	41.1	3.716
4/2/2003	42.9	3.759
7/9/2003	35.1	3.558
10/7/2003	46.6	3.842

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	Yes	26.9	NO	3.292	N/A
MW360	Downgradient	Yes	24.7	NO	3.207	N/A
MW363	Downgradient	Yes	27.6	NO	3.318	N/A
MW366	Sidegradient	Yes	31.2	NO	3.440	N/A
MW369	Upgradient	Yes	17.8	NO	2.879	N/A
MW372	Upgradient	Yes	62.6	YES	4.137	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

The test well(s) listed exceeded the Upper Tolerance Limit, which is evidence of elevated concentration with respect to historical background data.

Wells with Exceedances

MW372

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

Chloride UNITS: mg/L URGAs

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data \bar{X} = 44.119 S= 4.554 CV(1)=0.103 K factor**= 2.523 TL(1)= 55.607 LL(1)=N/A

Statistics-Transformed Background Data \bar{X} = 3.782 S= 0.099 CV(2)=0.026 K factor**= 2.523 TL(2)= 4.033 LL(2)=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
7/15/2002	48.3	3.877
10/8/2002	47.7	3.865
1/8/2003	45.7	3.822
4/3/2003	47.4	3.859
7/8/2003	55.9	4.024
10/6/2003	47.4	3.859
1/7/2004	45.5	3.818
4/7/2004	43.4	3.770

Well Number: MW372

Date Collected	Result	LN(Result)
7/16/2002	39.8	3.684
10/8/2002	41	3.714
1/7/2003	39.4	3.674
4/2/2003	39.2	3.669
7/9/2003	39.8	3.684
10/7/2003	40	3.689
1/5/2004	43.4	3.770
4/5/2004	42	3.738

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	Yes	35.7	NO	3.575	N/A
MW360	Downgradient	Yes	11.4	NO	2.434	N/A
MW363	Downgradient	Yes	30	NO	3.401	N/A
MW366	Sidegradient	Yes	37.9	NO	3.635	N/A
MW369	Upgradient	Yes	35.2	NO	3.561	N/A
MW372	Upgradient	Yes	44	NO	3.784	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/\bar{X}$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - \bar{X})^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = \bar{X} + (K * S)$, LL Lower Tolerance Limit, $LL = \bar{X} - (K * S)$

X Mean, $\bar{X} = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Cobalt****UNITS: mg/L****URGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 0.025 **S**= 0.021 **CV(1)**=0.845 **K factor****= 2.523 **TL(1)**= 0.077 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= -4.090 **S**= 1.006 **CV(2)**=-0.246 **K factor****= 2.523 **TL(2)**= -1.553 **LL(2)**=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	0.025	-3.689
4/22/2002	0.025	-3.689
7/15/2002	0.025	-3.689
10/8/2002	0.00938	-4.669
1/8/2003	0.00548	-5.207
4/3/2003	0.00587	-5.138
7/8/2003	0.0541	-2.917
10/6/2003	0.0689	-2.675

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	0.025	-3.689
4/23/2002	0.025	-3.689
7/16/2002	0.025	-3.689
10/8/2002	0.00158	-6.450
1/7/2003	0.0147	-4.220
4/2/2003	0.0116	-4.457
7/9/2003	0.0653	-2.729
10/7/2003	0.00788	-4.843

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	No	0.00016	N/A	-8.740	N/A
MW360	Downgradient	Yes	0.00518	NO	-5.263	N/A
MW363	Downgradient	Yes	0.00129	NO	-6.653	N/A
MW366	Sidegradient	Yes	0.00034	NO	-7.987	N/A
MW369	Upgradient	Yes	0.00617	NO	-5.088	N/A
MW372	Upgradient	Yes	0.00044	NO	-7.729	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data
--

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

Conductivity UNITS: umho/cm URG

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 482.856 **S**= 57.603 **CV(1)**=0.119 **K factor****= 2.523 **TL(1)**= 628.189 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 6.173 **S**= 0.123 **CV(2)**=0.020 **K factor****= 2.523 **TL(2)**= 6.484 **LL(2)**=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	388	5.961
4/22/2002	404	6.001
7/15/2002	394	5.976
10/8/2002	403	5.999
1/8/2003	520	6.254
4/3/2003	487	6.188
7/8/2003	478	6.170
10/6/2003	476	6.165

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	508	6.230
4/23/2002	501	6.217
7/16/2002	507	6.229
10/8/2002	495	6.205
1/7/2003	508.7	6.232
4/2/2003	515	6.244
7/9/2003	576	6.356
10/7/2003	565	6.337

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	Yes	466	NO	6.144	N/A
MW360	Downgradient	Yes	521	NO	6.256	N/A
MW363	Downgradient	Yes	409	NO	6.014	N/A
MW366	Sidegradient	Yes	430	NO	6.064	N/A
MW369	Upgradient	Yes	390	NO	5.966	N/A
MW372	Upgradient	Yes	758	YES	6.631	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

The test well(s) listed exceeded the Upper Tolerance Limit, which is evidence of elevated concentration with respect to historical background data.

Wells with Exceedances

MW372

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Copper****UNITS: mg/L****URGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 0.025 **S**= 0.010 **CV(1)**=0.400 **K factor****= 2.523 **TL(1)**= 0.050 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= -3.742 **S**= 0.307 **CV(2)**=-0.082 **K factor****= 2.523 **TL(2)**= -2.967 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	0.025	-3.689
4/22/2002	0.025	-3.689
7/15/2002	0.05	-2.996
10/8/2002	0.02	-3.912
1/8/2003	0.02	-3.912
4/3/2003	0.02	-3.912
7/8/2003	0.02	-3.912
10/6/2003	0.02	-3.912

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	0.025	-3.689
4/23/2002	0.025	-3.689
7/16/2002	0.05	-2.996
10/8/2002	0.02	-3.912
1/7/2003	0.02	-3.912
4/2/2003	0.02	-3.912
7/9/2003	0.02	-3.912
10/7/2003	0.02	-3.912

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	Yes	0.00063	NO	-7.370	N/A
MW360	Downgradient	Yes	0.0005	NO	-7.601	N/A
MW363	Downgradient	Yes	0.00037	NO	-7.902	N/A
MW366	Sidegradient	No	0.001	N/A	-6.908	N/A
MW369	Upgradient	Yes	0.00133	NO	-6.623	N/A
MW372	Upgradient	No	0.001	N/A	-6.908	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

Cyanide UNITS: mg/L URG

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 0.020 **S**= 0.000 **CV(1)**=0.000 **K factor****= 2.523 **TL(1)**= 0.020 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= -3.912 **S**= 0.000 **CV(2)**=0.000 **K factor****= 2.523 **TL(2)**= -3.912 **LL(2)**=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	0.02	-3.912
4/22/2002	0.02	-3.912
7/15/2002	0.02	-3.912
10/8/2002	0.02	-3.912
4/3/2003	0.02	-3.912
7/8/2003	0.02	-3.912
10/6/2003	0.02	-3.912
1/7/2004	0.02	-3.912

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	0.02	-3.912
4/23/2002	0.02	-3.912
7/16/2002	0.02	-3.912
10/8/2002	0.02	-3.912
4/2/2003	0.02	-3.912
7/9/2003	0.02	-3.912
10/7/2003	0.02	-3.912
1/5/2004	0.02	-3.912

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	No	0.2	N/A	-1.609	N/A
MW360	Downgradient	Yes	0.003	NO	-5.809	N/A
MW363	Downgradient	No	0.2	N/A	-1.609	N/A
MW366	Sidegradient	No	0.2	N/A	-1.609	N/A
MW369	Upgradient	No	0.2	N/A	-1.609	N/A
MW372	Upgradient	No	0.2	N/A	-1.609	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

Dissolved Oxygen

UNITS: mg/L

URGA

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data X= 1.781 S= 1.351 CV(1)=0.759 K factor**= 2.523 TL(1)= 5.190 LL(1)=N/A

Statistics-Transformed Background Data X= 0.228 S= 1.065 CV(2)=4.665 K factor**= 2.523 TL(2)= 2.915 LL(2)=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	5.41	1.688
4/22/2002	1.57	0.451
7/15/2002	0.8	-0.223
10/8/2002	1.09	0.086
1/8/2003	2.69	0.990
4/3/2003	2.04	0.713
7/8/2003	1.19	0.174
10/6/2003	1.78	0.577

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	3.89	1.358
4/23/2002	0.05	-2.996
7/16/2002	1.33	0.285
10/8/2002	2.66	0.978
1/7/2003	0.4	-0.916
4/2/2003	0.91	-0.094
7/9/2003	1.42	0.351
10/7/2003	1.26	0.231

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	Yes	4	NO	1.386	N/A
MW360	Downgradient	Yes	1.11	NO	0.104	N/A
MW363	Downgradient	Yes	0.69	NO	-0.371	N/A
MW366	Sidegradient	Yes	1.02	NO	0.020	N/A
MW369	Upgradient	Yes	3.28	NO	1.188	N/A
MW372	Upgradient	Yes	0.76	NO	-0.274	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Dissolved Solids****UNITS: mg/L****URGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 285.188 **S**= 44.908 **CV(1)**=0.157 **K factor****= 2.523 **TL(1)**= 398.489 **LL(1)**=N/A**Statistics-Transformed Background Data** **X**= 5.640 **S**= 0.175 **CV(2)**=0.031 **K factor****= 2.523 **TL(2)**= 6.080 **LL(2)**=N/A**Historical Background Data from
Upgradient Wells with Transformed Result**

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	173	5.153
4/22/2002	246	5.505
7/15/2002	232	5.447
10/8/2002	275	5.617
1/8/2003	269	5.595
4/3/2003	250	5.521
7/8/2003	295	5.687
10/6/2003	276	5.620

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	295	5.687
4/23/2002	322	5.775
7/16/2002	329	5.796
10/8/2002	290	5.670
1/7/2003	316	5.756
4/2/2003	311	5.740
7/9/2003	347	5.849
10/7/2003	337	5.820

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	Yes	246	NO	5.505	N/A
MW360	Downgradient	Yes	307	NO	5.727	N/A
MW363	Downgradient	Yes	240	NO	5.481	N/A
MW366	Sidegradient	Yes	250	NO	5.521	N/A
MW369	Upgradient	Yes	226	NO	5.421	N/A
MW372	Upgradient	Yes	441	YES	6.089	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

The test well(s) listed exceeded the Upper Tolerance Limit, which is evidence of elevated concentration with respect to historical background data.

Wells with Exceedances

MW372

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Iron****UNITS: mg/L****URGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 7.385 **S**= 6.991 **CV(1)**=0.947 **K factor****= 2.523 **TL(1)**= 25.024 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 1.358 **S**= 1.323 **CV(2)**=0.974 **K factor****= 2.523 **TL(2)**= 4.697 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	0.656	-0.422
4/22/2002	0.695	-0.364
7/15/2002	7.1	1.960
10/8/2002	21.5	3.068
1/8/2003	18.5	2.918
4/3/2003	14.9	2.701
7/8/2003	11.3	2.425
10/6/2003	14.9	2.701

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	5.95	1.783
4/23/2002	0.792	-0.233
7/16/2002	1.78	0.577
10/8/2002	0.776	-0.254
1/7/2003	3.55	1.267
4/2/2003	5.02	1.613
7/9/2003	10	2.303
10/7/2003	0.733	-0.311

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	Yes	0.0418	NO	-3.175	N/A
MW360	Downgradient	Yes	0.374	NO	-0.983	N/A
MW363	Downgradient	Yes	0.0537	NO	-2.924	N/A
MW366	Sidegradient	Yes	0.0612	NO	-2.794	N/A
MW369	Upgradient	Yes	0.146	NO	-1.924	N/A
MW372	Upgradient	Yes	0.384	NO	-0.957	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

Magnesium

UNITS: mg/L

URGA

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 12.864 **S**= 3.505 **CV(1)**=0.272 **K factor****= 2.523 **TL(1)**= 21.707 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 2.517 **S**= 0.290 **CV(2)**=0.115 **K factor****= 2.523 **TL(2)**= 3.248 **LL(2)**=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	11.4	2.434
4/22/2002	12	2.485
7/15/2002	10	2.303
10/8/2002	8.62	2.154
1/8/2003	7.89	2.066
4/3/2003	7.97	2.076
7/8/2003	10.3	2.332
10/6/2003	9.14	2.213

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	15.7	2.754
4/23/2002	16.6	2.809
7/16/2002	15.4	2.734
10/8/2002	15.8	2.760
1/7/2003	15.8	2.760
4/2/2003	16.4	2.797
7/9/2003	15.2	2.721
10/7/2003	17.6	2.868

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	Yes	10.9	NO	2.389	N/A
MW360	Downgradient	Yes	10.8	NO	2.380	N/A
MW363	Downgradient	Yes	11.6	NO	2.451	N/A
MW366	Sidegradient	Yes	13.8	NO	2.625	N/A
MW369	Upgradient	Yes	7.73	NO	2.045	N/A
MW372	Upgradient	Yes	24.8	YES	3.211	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

The test well(s) listed exceeded the Upper Tolerance Limit, which is evidence of elevated concentration with respect to historical background data.

Wells with Exceedances

MW372

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

Manganese

UNITS: mg/L

URGA

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 0.413 **S**= 0.274 **CV(1)**=0.664 **K factor****= 2.523 **TL(1)**= 1.105 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= -1.226 **S**= 1.008 **CV(2)**=-0.822 **K factor****= 2.523 **TL(2)**= 1.317 **LL(2)**=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	0.034	-3.381
4/22/2002	0.062	-2.781
7/15/2002	0.436	-0.830
10/8/2002	0.867	-0.143
1/8/2003	0.828	-0.189
4/3/2003	0.672	-0.397
7/8/2003	0.321	-1.136
10/6/2003	0.714	-0.337

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	0.205	-1.585
4/23/2002	0.345	-1.064
7/16/2002	0.21	-1.561
10/8/2002	0.0539	-2.921
1/7/2003	0.537	-0.622
4/2/2003	0.415	-0.879
7/9/2003	0.654	-0.425
10/7/2003	0.254	-1.370

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	Yes	0.00194	NO	-6.245	N/A
MW360	Downgradient	Yes	0.0701	NO	-2.658	N/A
MW363	Downgradient	Yes	0.229	NO	-1.474	N/A
MW366	Sidegradient	Yes	0.017	NO	-4.075	N/A
MW369	Upgradient	Yes	0.0129	NO	-4.351	N/A
MW372	Upgradient	Yes	0.0161	NO	-4.129	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Molybdenum****UNITS: mg/L****URGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 0.010 **S**= 0.012 **CV(1)**= 1.199 **K factor****= 2.523 **TL(1)**= 0.040 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= -5.698 **S**= 1.607 **CV(2)**= -0.282 **K factor****= 2.523 **TL(2)**= -1.643 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Because CV(1) is greater than 1, the natural logarithm of background and test well results were calculated utilizing TL(2) for comparison.

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	0.025	-3.689
4/22/2002	0.025	-3.689
7/15/2002	0.025	-3.689
10/8/2002	0.001	-6.908
1/8/2003	0.001	-6.908
4/3/2003	0.001	-6.908
7/8/2003	0.001	-6.908
10/6/2003	0.001	-6.908

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	0.025	-3.689
4/23/2002	0.025	-3.689
7/16/2002	0.025	-3.689
10/8/2002	0.001	-6.908
1/7/2003	0.001	-6.908
4/2/2003	0.001	-6.908
7/9/2003	0.00105	-6.859
10/7/2003	0.001	-6.908

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	No	0.0005	N/A	-7.601	N/A
MW360	Downgradient	Yes	0.00037	N/A	-7.902	NO
MW363	Downgradient	No	0.0005	N/A	-7.601	N/A
MW366	Sidegradient	No	0.0005	N/A	-7.601	N/A
MW369	Upgradient	No	0.0005	N/A	-7.601	N/A
MW372	Upgradient	Yes	0.00046	N/A	-7.684	NO

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Nickel****UNITS: mg/L****URGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 0.024 **S**= 0.021 **CV(1)**=0.910 **K factor****= 2.523 **TL(1)**= 0.078 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= -4.246 **S**= 1.075 **CV(2)**=-0.253 **K factor****= 2.523 **TL(2)**= -1.535 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	0.05	-2.996
4/22/2002	0.05	-2.996
7/15/2002	0.05	-2.996
10/8/2002	0.005	-5.298
1/8/2003	0.005	-5.298
4/3/2003	0.005	-5.298
7/8/2003	0.013	-4.343
10/6/2003	0.0104	-4.566

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	0.05	-2.996
4/23/2002	0.05	-2.996
7/16/2002	0.05	-2.996
10/8/2002	0.005	-5.298
1/7/2003	0.005	-5.298
4/2/2003	0.005	-5.298
7/9/2003	0.019	-3.963
10/7/2003	0.005	-5.298

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	Yes	0.00284	NO	-5.864	N/A
MW360	Downgradient	Yes	0.00261	NO	-5.948	N/A
MW363	Downgradient	Yes	0.00068	NO	-7.293	N/A
MW366	Sidegradient	Yes	0.00052	NO	-7.562	N/A
MW369	Upgradient	Yes	0.0114	NO	-4.474	N/A
MW372	Upgradient	Yes	0.00121	NO	-6.717	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

Oxidation-Reduction Potential UNITS: mV URG

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data X= 74.563 S= 94.243 CV(1)= 1.264 K factor**= 2.523 TL(1)= 312.337 LL(1)=N/A

Statistics-Transformed Background Data X= 4.554 S= 0.784 CV(2)= 0.172 K factor**= 2.523 TL(2)= 5.371 LL(2)=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	215	5.371
4/22/2002	110	4.700
7/15/2002	20	2.996
1/8/2003	-5	#Func!
4/3/2003	-18	#Func!
7/8/2003	-67	#Func!
10/6/2003	-1	#Func!
1/7/2004	55	4.007

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	210	5.347
4/23/2002	65	4.174
7/16/2002	215	5.371
10/8/2002	185	5.220
1/7/2003	45	3.807
4/2/2003	65	4.174
7/9/2003	-39	#Func!
10/7/2003	138	4.927

Because CV(1) is greater than 1, the natural logarithm of background and test well results were calculated utilizing TL(2) for comparison.

#Because the natural log was not possible for all background values, the TL was considered equal to the maximum background value.

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	Yes	489	N/A	6.192	YES
MW360	Downgradient	Yes	454	N/A	6.118	YES
MW363	Downgradient	Yes	731	N/A	6.594	YES
MW366	Sidegradient	Yes	387	N/A	5.958	YES
MW369	Upgradient	Yes	410	N/A	6.016	YES
MW372	Upgradient	Yes	220	N/A	5.394	YES

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

The test well(s) listed exceeded the Upper Tolerance Limit, which is evidence of elevated concentration with respect to historical background data.

Wells with Exceedances

MW357
MW360
MW363
MW366
MW369
MW372

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**PCB, Total****UNITS: UG/L****URGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 0.390 **S**= 0.350 **CV(1)**=0.897 **K factor****= 2.523 **TL(1)**= 1.272 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= -1.238 **S**= 0.737 **CV(2)**=-0.595 **K factor****= 2.523 **TL(2)**= 0.622 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	1	0.000
4/22/2002	0.17	-1.772
7/15/2002	0.17	-1.772
7/8/2003	1.15	0.140
10/6/2003	0.605	-0.503
7/13/2004	0.42	-0.868
7/20/2005	0.28	-1.273
4/4/2006	0.23	-1.470

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	1	0.000
4/23/2002	0.17	-1.772
7/16/2002	0.17	-1.772
7/9/2003	0.17	-1.772
10/7/2003	0.17	-1.772
7/14/2004	0.18	-1.715
7/21/2005	0.17	-1.772
4/5/2006	0.18	-1.715

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	No	0.1	N/A	-2.303	N/A
MW360	Downgradient	No	0.0962	N/A	-2.341	N/A
MW363	Downgradient	No	1.02	N/A	0.020	N/A
MW366	Sidegradient	No	0.0962	N/A	-2.341	N/A
MW369	Upgradient	No	0.0971	N/A	-2.332	N/A
MW372	Upgradient	Yes	0.0523	NO	-2.951	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis	Historical Background Comparison
PCB-1242	UNITS: UG/L
	URGA

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data	X= 0.281	S= 0.383	CV(1)= 1.361	K factor**= 2.523	TL(1)= 1.247	LL(1)=N/A
-----------------------------------	----------	----------	--------------	-------------------	--------------	-----------

Statistics-Transformed Background Data	X= -1.835	S= 0.938	CV(2)= -0.511	K factor**= 2.523	TL(2)= 0.532	LL(2)=N/A
---	-----------	----------	---------------	-------------------	--------------	-----------

Historical Background Data from Upgradient Wells with Transformed Result

Because CV(1) is greater than 1, the natural logarithm of background and test well results were calculated utilizing TL(2) for comparison.

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	1	0.000
4/22/2002	0.11	-2.207
7/15/2002	0.11	-2.207
7/8/2003	1.15	0.140
10/6/2003	0.09	-2.408
7/13/2004	0.1	-2.303
7/20/2005	0.1	-2.303
4/4/2006	0.1	-2.303

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	1	0.000
4/23/2002	0.11	-2.207
7/16/2002	0.11	-2.207
7/9/2003	0.13	-2.040
10/7/2003	0.09	-2.408
7/14/2004	0.1	-2.303
7/21/2005	0.1	-2.303
4/5/2006	0.1	-2.303

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	No	0.1	N/A	-2.303	N/A
MW360	Downgradient	No	0.0962	N/A	-2.341	N/A
MW363	Downgradient	No	1.02	N/A	0.020	N/A
MW366	Sidegradient	No	0.0962	N/A	-2.341	N/A
MW369	Upgradient	No	0.0971	N/A	-2.332	N/A
MW372	Upgradient	Yes	0.0523	N/A	-2.951	NO

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

pH

UNITS: Std Unit

URGA

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data X= 6.274 S= 0.194 CV(1)=0.031 K factor**= 2.904 TL(1)= 6.837 LL(1)=5.7114

Statistics-Transformed Background Data X= 1.836 S= 0.031 CV(2)=0.017 K factor**= 2.904 TL(2)= 1.925 LL(2)=1.7467

Historical Background Data from Upgradient Wells with Transformed Result

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	6.1	1.808
4/22/2002	6.1	1.808
7/15/2002	6.1	1.808
10/8/2002	6.5	1.872
1/8/2003	6.5	1.872
4/3/2003	6.6	1.887
7/8/2003	6.5	1.872
10/6/2003	6.5	1.872

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	6.1	1.808
4/23/2002	6.12	1.812
7/16/2002	6.1	1.808
10/8/2002	6.06	1.802
1/7/2003	6.26	1.834
4/2/2003	6.15	1.816
7/9/2003	6.3	1.841
10/7/2003	6.4	1.856

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)? Result <LL(1)?	LN(Result)	LN(Result) >TL(2)? LN(Result) <LL(2)?
MW357	Downgradient	Yes	6.07	NO	1.803	N/A
MW360	Downgradient	Yes	6.27	NO	1.836	N/A
MW363	Downgradient	Yes	6.13	NO	1.813	N/A
MW366	Sidegradient	Yes	6.05	NO	1.800	N/A
MW369	Upgradient	Yes	6.12	NO	1.812	N/A
MW372	Upgradient	Yes	6.13	NO	1.813	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

Potassium

UNITS: mg/L

URGA

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 1.663 **S**= 0.488 **CV(1)**=0.293 **K factor****= 2.523 **TL(1)**= 2.895 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 0.456 **S**= 0.362 **CV(2)**=0.794 **K factor****= 2.523 **TL(2)**= 1.368 **LL(2)**=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	2	0.693
4/22/2002	2.21	0.793
7/15/2002	2	0.693
10/8/2002	0.966	-0.035
1/8/2003	0.727	-0.319
4/3/2003	0.8	-0.223
7/8/2003	1.62	0.482
10/6/2003	1.14	0.131

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	2.04	0.713
4/23/2002	2.03	0.708
7/16/2002	2	0.693
10/8/2002	1.54	0.432
1/7/2003	1.88	0.631
4/2/2003	2.09	0.737
7/9/2003	1.78	0.577
10/7/2003	1.79	0.582

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	Yes	1.66	NO	0.507	N/A
MW360	Downgradient	Yes	0.846	NO	-0.167	N/A
MW363	Downgradient	Yes	1.37	NO	0.315	N/A
MW366	Sidegradient	Yes	1.94	NO	0.663	N/A
MW369	Upgradient	Yes	0.608	NO	-0.498	N/A
MW372	Upgradient	Yes	2.55	NO	0.936	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

Sodium

UNITS: mg/L

URGA

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 45.100 **S**= 11.875 **CV(1)**=0.263 **K factor****= 2.523 **TL(1)**= 75.061 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 3.780 **S**= 0.242 **CV(2)**=0.064 **K factor****= 2.523 **TL(2)**= 4.390 **LL(2)**=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	35.7	3.575
4/22/2002	37.6	3.627
7/15/2002	42.4	3.747
10/8/2002	66.9	4.203
1/8/2003	67.9	4.218
4/3/2003	61.8	4.124
7/8/2003	45.6	3.820
10/6/2003	59.1	4.079

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	37.2	3.616
4/23/2002	38.6	3.653
7/16/2002	35.6	3.572
10/8/2002	37.5	3.624
1/7/2003	34.1	3.529
4/2/2003	34.4	3.538
7/9/2003	44.1	3.786
10/7/2003	43.1	3.764

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	Yes	38.3	NO	3.645	N/A
MW360	Downgradient	Yes	73.4	NO	4.296	N/A
MW363	Downgradient	Yes	40.6	NO	3.704	N/A
MW366	Sidegradient	Yes	47.3	NO	3.857	N/A
MW369	Upgradient	Yes	57.7	NO	4.055	N/A
MW372	Upgradient	Yes	63.3	NO	4.148	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Sulfate****UNITS: mg/L****URGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 45.031 **S**= 33.919 **CV(1)**=0.753 **K factor****= 2.523 **TL(1)**= 130.609 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 3.420 **S**= 0.981 **CV(2)**=0.287 **K factor****= 2.523 **TL(2)**= 5.894 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	15.5	2.741
4/22/2002	15.8	2.760
7/15/2002	13.8	2.625
10/8/2002	6.9	1.932
1/8/2003	10.5	2.351
4/3/2003	10.5	2.351
7/8/2003	10.9	2.389
10/6/2003	16.3	2.791

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	71.7	4.272
4/23/2002	74.7	4.313
7/16/2002	74.1	4.305
10/8/2002	70.5	4.256
1/7/2003	75.8	4.328
4/2/2003	81.8	4.404
7/9/2003	83.6	4.426
10/7/2003	88.1	4.478

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	Yes	54.6	NO	4.000	N/A
MW360	Downgradient	Yes	26.7	NO	3.285	N/A
MW363	Downgradient	Yes	29.1	NO	3.371	N/A
MW366	Sidegradient	Yes	56	NO	4.025	N/A
MW369	Upgradient	Yes	8.09	NO	2.091	N/A
MW372	Upgradient	Yes	135	YES	4.905	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

The test well(s) listed exceeded the Upper Tolerance Limit, which is evidence of elevated concentration with respect to historical background data.

Wells with Exceedances

MW372

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis	Historical Background Comparison
Technetium-99	UNITS: pCi/L
	URGA

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 20.821 **S**= 18.044 **CV(1)**=0.867 **K factor****= 2.523 **TL(1)**= 66.344 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 2.770 **S**= 1.150 **CV(2)**=0.415 **K factor****= 2.523 **TL(2)**= 3.972 **LL(2)**=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	41.7	3.731
4/22/2002	53.1	3.972
7/15/2002	18.1	2.896
10/8/2002	16.4	2.797
1/8/2003	3.49	1.250
4/3/2003	9.34	2.234
7/8/2003	17.5	2.862
10/6/2003	17	2.833

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	44.8	3.802
4/23/2002	0.802	-0.221
7/16/2002	19.8	2.986
10/8/2002	46.1	3.831
1/7/2003	-0.973	#Func!
4/2/2003	9.07	2.205
7/9/2003	0	#Func!
10/7/2003	36.9	3.608

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

#Because the natural log was not possible for all background values, the TL was considered equal to the maximum background value.

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	Yes	41	NO	3.714	N/A
MW360	Downgradient	No	6.98	N/A	1.943	N/A
MW363	Downgradient	No	14.5	N/A	2.674	N/A
MW366	Sidegradient	Yes	47.1	NO	3.852	N/A
MW369	Upgradient	Yes	36.7	NO	3.603	N/A
MW372	Upgradient	Yes	37	NO	3.611	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data
--

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Total Organic Carbon (TOC)****UNITS: mg/L****URGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 3.513 **S**= 4.307 **CV(1)**= 1.226 **K factor****= 2.523 **TL(1)**= 14.378 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 0.851 **S**= 0.828 **CV(2)**= 0.973 **K factor****= 2.523 **TL(2)**= 2.940 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Because CV(1) is greater than 1, the natural logarithm of background and test well results were calculated utilizing TL(2) for comparison.

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	1.7	0.531
4/22/2002	1.6	0.470
7/15/2002	3.1	1.131
10/8/2002	17.7	2.874
1/8/2003	9	2.197
4/3/2003	4	1.386
7/8/2003	4.9	1.589
10/6/2003	2.4	0.875

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	1	0.000
4/23/2002	1.2	0.182
7/16/2002	1	0.000
10/8/2002	1	0.000
1/7/2003	1.6	0.470
4/2/2003	1.5	0.405
7/9/2003	3	1.099
10/7/2003	1.5	0.405

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	Yes	0.563	N/A	-0.574	NO
MW360	Downgradient	Yes	1.7	N/A	0.531	NO
MW363	Downgradient	Yes	0.809	N/A	-0.212	NO
MW366	Sidegradient	Yes	0.595	N/A	-0.519	NO
MW369	Upgradient	Yes	0.978	N/A	-0.022	NO
MW372	Upgradient	Yes	1.25	N/A	0.223	NO

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Total Organic Halides (TOX)****UNITS: ug/L****URGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 67.963 **S**= 64.316 **CV(1)**=0.946 **K factor****= 2.523 **TL(1)**= 230.231 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 3.772 **S**= 1.023 **CV(2)**=0.271 **K factor****= 2.523 **TL(2)**= 6.353 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	50	3.912
4/22/2002	50	3.912
7/15/2002	81	4.394
10/8/2002	202	5.308
1/8/2003	177	5.176
4/3/2003	93.1	4.534
7/8/2003	17.5	2.862
10/6/2003	37.5	3.624

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	184	5.215
4/23/2002	50	3.912
7/16/2002	50	3.912
10/8/2002	50	3.912
1/7/2003	10	2.303
4/2/2003	12.7	2.542
7/9/2003	10	2.303
10/7/2003	12.6	2.534

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	Yes	6.84	NO	1.923	N/A
MW360	Downgradient	Yes	17.6	NO	2.868	N/A
MW363	Downgradient	Yes	5.18	NO	1.645	N/A
MW366	Sidegradient	Yes	4.54	NO	1.513	N/A
MW369	Upgradient	Yes	14.3	NO	2.660	N/A
MW372	Upgradient	Yes	7.16	NO	1.969	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Trichloroethene****UNITS: ug/L****URGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 5.625 **S**= 3.594 **CV(1)**=0.639 **K factor****= 2.523 **TL(1)**= 14.693 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 1.571 **S**= 0.565 **CV(2)**=0.360 **K factor****= 2.523 **TL(2)**= 2.995 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	11	2.398
4/22/2002	16	2.773
7/15/2002	8	2.079
10/8/2002	3	1.099
1/8/2003	2	0.693
4/3/2003	3	1.099
7/8/2003	3	1.099
10/6/2003	2	0.693

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	5	1.609
4/23/2002	5	1.609
7/16/2002	4	1.386
10/8/2002	6	1.792
1/7/2003	5	1.609
4/2/2003	6	1.792
7/9/2003	5	1.609
10/7/2003	6	1.792

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	Yes	5.88	NO	1.772	N/A
MW360	Downgradient	No	1	N/A	0.000	N/A
MW363	Downgradient	Yes	0.84	N/A	-0.174	N/A
MW366	Sidegradient	Yes	3.78	N/A	1.330	N/A
MW369	Upgradient	Yes	0.81	N/A	-0.211	N/A
MW372	Upgradient	Yes	8.2	NO	2.104	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis	Historical Background Comparison
Uranium	UNITS: mg/L
	URGA

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data	X= 0.001	S= 0.001	CV(1)=0.917	K factor**= 2.523	TL(1)= 0.005	LL(1)=N/A
-----------------------------------	----------	----------	-------------	-------------------	--------------	-----------

Statistics-Transformed Background Data	X= -6.718	S= 0.528	CV(2)=-0.079	K factor**= 2.523	TL(2)= -5.385	LL(2)=N/A
---	-----------	----------	--------------	-------------------	---------------	-----------

Historical Background Data from Upgradient Wells with Transformed Result

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	0.001	-6.908
4/22/2002	0.001	-6.908
7/15/2002	0.001	-6.908
10/8/2002	0.00355	-5.641
1/8/2003	0.001	-6.908
4/3/2003	0.001	-6.908
7/8/2003	0.001	-6.908
10/6/2003	0.001	-6.908

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	0.001	-6.908
4/23/2002	0.001	-6.908
7/16/2002	0.001	-6.908
10/8/2002	0.00591	-5.131
1/7/2003	0.001	-6.908
4/2/2003	0.001	-6.908
7/9/2003	0.001	-6.908
10/7/2003	0.001	-6.908

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	Yes	0.00032	NO	-8.047	N/A
MW360	Downgradient	No	0.00029	N/A	-8.146	N/A
MW363	Downgradient	No	0.0002	N/A	-8.517	N/A
MW366	Sidegradient	No	0.0002	N/A	-8.517	N/A
MW369	Upgradient	No	0.0002	N/A	-8.517	N/A
MW372	Upgradient	No	0.0002	N/A	-8.517	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Vanadium****UNITS: mg/L****URGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 0.024 **S**= 0.006 **CV(1)**=0.259 **K factor****= 2.523 **TL(1)**= 0.039 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= -3.771 **S**= 0.223 **CV(2)**=-0.059 **K factor****= 2.523 **TL(2)**= -3.208 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
3/18/2002	0.025	-3.689
4/22/2002	0.027	-3.612
7/15/2002	0.025	-3.689
10/8/2002	0.02	-3.912
1/8/2003	0.02	-3.912
4/3/2003	0.02	-3.912
7/8/2003	0.02	-3.912
10/6/2003	0.02	-3.912

Well Number: MW372

Date Collected	Result	LN(Result)
3/19/2002	0.039	-3.244
4/23/2002	0.037	-3.297
7/16/2002	0.025	-3.689
10/8/2002	0.02	-3.912
1/7/2003	0.02	-3.912
4/2/2003	0.02	-3.912
7/9/2003	0.02	-3.912
10/7/2003	0.02	-3.912

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	No	0.01	N/A	-4.605	N/A
MW360	Downgradient	Yes	0.00721	NO	-4.932	N/A
MW363	Downgradient	No	0.01	N/A	-4.605	N/A
MW366	Sidegradient	No	0.01	N/A	-4.605	N/A
MW369	Upgradient	No	0.01	N/A	-4.605	N/A
MW372	Upgradient	No	0.01	N/A	-4.605	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Aluminum****UNITS: mg/L****LRGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 2.026 **S**= 5.626 **CV(1)**=2.777 **K factor****= 2.523 **TL(1)**= 16.219 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= -0.803 **S**= 1.380 **CV(2)**=-1.718 **K factor****= 2.523 **TL(2)**= 2.678 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Because CV(1) is greater than 1, the natural logarithm of background and test well results were calculated utilizing TL(2) for comparison.

Well Number: MW370

Date Collected	Result	LN(Result)
3/17/2002	4.66	1.539
4/23/2002	0.2	-1.609
7/15/2002	0.2	-1.609
10/8/2002	0.2	-1.609
1/8/2003	0.2	-1.609
4/3/2003	0.2	-1.609
7/9/2003	0.2	-1.609
10/6/2003	0.2	-1.609

Well Number: MW373

Date Collected	Result	LN(Result)
3/18/2002	22.7	3.122
4/23/2002	1.46	0.378
7/16/2002	0.253	-1.374
10/8/2002	0.482	-0.730
1/7/2003	0.608	-0.498
4/2/2003	0.446	-0.807
7/9/2003	0.2	-1.609
10/7/2003	0.2	-1.609

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW358	Downgradient	No	0.05	N/A	-2.996	N/A
MW361	Downgradient	No	0.05	N/A	-2.996	N/A
MW364	Downgradient	Yes	0.0172	N/A	-4.063	NO
MW367	Sidegradient	No	0.05	N/A	-2.996	N/A
MW370	Upgradient	No	0.05	N/A	-2.996	N/A
MW373	Upgradient	No	0.05	N/A	-2.996	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Boron****UNITS: mg/L****LRGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 1.140 **S**= 0.780 **CV(1)**=0.684 **K factor****= 2.523 **TL(1)**= 3.108 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= -0.235 **S**= 1.006 **CV(2)**=-4.287 **K factor****= 2.523 **TL(2)**= 2.303 **LL(2)**=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW370

Date Collected	Result	LN(Result)
3/17/2002	2	0.693
4/23/2002	2	0.693
7/15/2002	2	0.693
10/8/2002	0.2	-1.609
1/8/2003	0.2	-1.609
4/3/2003	0.2	-1.609
7/9/2003	0.2	-1.609
10/6/2003	0.2	-1.609

Well Number: MW373

Date Collected	Result	LN(Result)
3/18/2002	2	0.693
4/23/2002	2	0.693
7/16/2002	2	0.693
10/8/2002	0.79	-0.236
1/7/2003	0.807	-0.214
4/2/2003	1.13	0.122
7/9/2003	1.28	0.247
10/7/2003	1.24	0.215

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW358	Downgradient	Yes	0.469	NO	-0.757	N/A
MW361	Downgradient	Yes	0.327	NO	-1.118	N/A
MW364	Downgradient	Yes	0.0107	NO	-4.538	N/A
MW367	Sidegradient	Yes	0.0268	NO	-3.619	N/A
MW370	Upgradient	Yes	0.0329	NO	-3.414	N/A
MW373	Upgradient	Yes	1.62	NO	0.482	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data
--

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis	Historical Background Comparison
Bromide	UNITS: mg/L
	LRGA

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data	X= 1.000	S= 0.000	CV(1)=0.000	K factor**= 2.523	TL(1)= 1.000	LL(1)=N/A
Statistics-Transformed Background Data	X= 0.000	S= 0.000	CV(2)= #Num!	K factor**= 2.523	TL(2)= 0.000	LL(2)=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW370

Date Collected	Result	LN(Result)
3/17/2002	1	0.000
4/23/2002	1	0.000
7/15/2002	1	0.000
10/8/2002	1	0.000
1/8/2003	1	0.000
4/3/2003	1	0.000
7/9/2003	1	0.000
10/6/2003	1	0.000

Well Number: MW373

Date Collected	Result	LN(Result)
3/18/2002	1	0.000
4/23/2002	1	0.000
7/16/2002	1	0.000
10/8/2002	1	0.000
1/7/2003	1	0.000
4/2/2003	1	0.000
7/9/2003	1	0.000
10/7/2003	1	0.000

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW358	Downgradient	Yes	0.483	NO	-0.728	N/A
MW361	Downgradient	Yes	0.412	NO	-0.887	N/A
MW364	Downgradient	Yes	0.404	NO	-0.906	N/A
MW367	Sidegradient	Yes	0.414	NO	-0.882	N/A
MW370	Upgradient	Yes	0.477	NO	-0.740	N/A
MW373	Upgradient	Yes	0.607	NO	-0.499	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

Calcium

UNITS: mg/L

LRGA

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 43.413 **S**= 13.444 **CV(1)**=0.310 **K factor****= 2.523 **TL(1)**= 77.331 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 3.723 **S**= 0.323 **CV(2)**=0.087 **K factor****= 2.523 **TL(2)**= 4.539 **LL(2)**=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW370

Date Collected	Result	LN(Result)
3/17/2002	34.8	3.550
4/23/2002	43.4	3.770
7/15/2002	33.2	3.503
10/8/2002	29.2	3.374
1/8/2003	31.3	3.444
4/3/2003	32.4	3.478
7/9/2003	22.9	3.131
10/6/2003	28	3.332

Well Number: MW373

Date Collected	Result	LN(Result)
3/18/2002	61.9	4.126
4/23/2002	59.2	4.081
7/16/2002	47.6	3.863
10/8/2002	46.1	3.831
1/7/2003	49.2	3.896
4/2/2003	57.8	4.057
7/9/2003	52.7	3.965
10/7/2003	64.9	4.173

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW358	Downgradient	Yes	33.1	NO	3.500	N/A
MW361	Downgradient	Yes	32	NO	3.466	N/A
MW364	Downgradient	Yes	29.1	NO	3.371	N/A
MW367	Sidegradient	Yes	25.1	NO	3.223	N/A
MW370	Upgradient	Yes	27.4	NO	3.311	N/A
MW373	Upgradient	Yes	71.4	NO	4.268	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

Chloride UNITS: mg/L LRGA

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 45.919 **S**= 7.524 **CV(1)**=0.164 **K factor****= 2.523 **TL(1)**= 64.901 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 3.814 **S**= 0.165 **CV(2)**=0.043 **K factor****= 2.523 **TL(2)**= 4.231 **LL(2)**=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Well Number: MW370

Date Collected	Result	LN(Result)
7/15/2002	55.5	4.016
10/8/2002	53.6	3.982
1/8/2003	52.9	3.968
4/3/2003	53.6	3.982
7/9/2003	51.9	3.949
10/6/2003	53	3.970
1/7/2004	53	3.970
4/7/2004	51.6	3.944

Well Number: MW373

Date Collected	Result	LN(Result)
7/16/2002	40.6	3.704
10/8/2002	38.8	3.658
1/7/2003	39	3.664
4/2/2003	38.4	3.648
7/9/2003	38.1	3.640
10/7/2003	38	3.638
1/6/2004	37.9	3.635
4/7/2004	38.8	3.658

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW358	Downgradient	Yes	36.8	NO	3.605	N/A
MW361	Downgradient	Yes	31.1	NO	3.437	N/A
MW364	Downgradient	Yes	33.3	NO	3.506	N/A
MW367	Sidegradient	Yes	31.2	NO	3.440	N/A
MW370	Upgradient	Yes	39.7	NO	3.681	N/A
MW373	Upgradient	Yes	44	NO	3.784	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Cobalt****UNITS: mg/L****LRGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 0.027 **S**= 0.032 **CV(1)**= 1.165 **K factor****= 2.523 **TL(1)**= 0.108 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= -4.058 **S**= 1.011 **CV(2)**= -0.249 **K factor****= 2.523 **TL(2)**= -1.507 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Because CV(1) is greater than 1, the natural logarithm of background and test well results were calculated utilizing TL(2) for comparison.

Well Number: MW370

Date Collected	Result	LN(Result)
3/17/2002	0.025	-3.689
4/23/2002	0.025	-3.689
7/15/2002	0.025	-3.689
10/8/2002	0.0174	-4.051
1/8/2003	0.0105	-4.556
4/3/2003	0.00931	-4.677
7/9/2003	0.137	-1.988
10/6/2003	0.0463	-3.073

Well Number: MW373

Date Collected	Result	LN(Result)
3/18/2002	0.025	-3.689
4/23/2002	0.034	-3.381
7/16/2002	0.025	-3.689
10/8/2002	0.00411	-5.494
1/7/2003	0.00344	-5.672
4/2/2003	0.00368	-5.605
7/9/2003	0.0405	-3.206
10/7/2003	0.00843	-4.776

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW358	Downgradient	No	0.00051	N/A	-7.581	N/A
MW361	Downgradient	No	0.001	N/A	-6.908	N/A
MW364	Downgradient	Yes	0.00036	N/A	-7.929	NO
MW367	Sidegradient	Yes	0.00669	N/A	-5.007	NO
MW370	Upgradient	Yes	0.00047	N/A	-7.663	NO
MW373	Upgradient	No	0.001	N/A	-6.908	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

Conductivity UNITS: umho/cm LRGA

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 608.719 **S**= 156.157 **CV(1)**=0.257 **K factor****= 2.523 **TL(1)**= 1002.702 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 6.380 **S**= 0.260 **CV(2)**=0.041 **K factor****= 2.523 **TL(2)**= 7.036 **LL(2)**=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW370

Date Collected	Result	LN(Result)
3/17/2002	406	6.006
4/23/2002	543	6.297
7/15/2002	476	6.165
10/8/2002	441	6.089
1/8/2003	486	6.186
4/3/2003	466	6.144
7/9/2003	479	6.172
10/6/2003	435	6.075

Well Number: MW373

Date Collected	Result	LN(Result)
3/18/2002	661	6.494
4/23/2002	801	6.686
7/16/2002	774	6.652
10/8/2002	680	6.522
1/7/2003	686.5	6.532
4/2/2003	763	6.637
7/9/2003	828	6.719
10/7/2003	814	6.702

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW358	Downgradient	Yes	519	NO	6.252	N/A
MW361	Downgradient	Yes	487	NO	6.188	N/A
MW364	Downgradient	Yes	455	NO	6.120	N/A
MW367	Sidegradient	Yes	337	NO	5.820	N/A
MW370	Upgradient	Yes	424	NO	6.050	N/A
MW373	Upgradient	Yes	813	NO	6.701	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Copper****UNITS: mg/L****LRGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 0.025 **S**= 0.010 **CV(1)**=0.399 **K factor****= 2.523 **TL(1)**= 0.050 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= -3.739 **S**= 0.308 **CV(2)**=-0.082 **K factor****= 2.523 **TL(2)**= -2.963 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW370

Date Collected	Result	LN(Result)
3/17/2002	0.025	-3.689
4/23/2002	0.025	-3.689
7/15/2002	0.05	-2.996
10/8/2002	0.02	-3.912
1/8/2003	0.02	-3.912
4/3/2003	0.02	-3.912
7/9/2003	0.02	-3.912
10/6/2003	0.02	-3.912

Well Number: MW373

Date Collected	Result	LN(Result)
3/18/2002	0.026	-3.650
4/23/2002	0.025	-3.689
7/16/2002	0.05	-2.996
10/8/2002	0.02	-3.912
1/7/2003	0.02	-3.912
4/2/2003	0.02	-3.912
7/9/2003	0.02	-3.912
10/7/2003	0.02	-3.912

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW358	Downgradient	Yes	0.00124	NO	-6.693	N/A
MW361	Downgradient	No	0.001	N/A	-6.908	N/A
MW364	Downgradient	Yes	0.00036	NO	-7.929	N/A
MW367	Sidegradient	Yes	0.00045	NO	-7.706	N/A
MW370	Upgradient	Yes	0.00057	NO	-7.470	N/A
MW373	Upgradient	No	0.001	N/A	-6.908	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

Dissolved Oxygen

UNITS: mg/L

LRGA

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data X= 1.387 S= 1.153 CV(1)=0.831 K factor**= 2.523 TL(1)= 4.295 LL(1)=N/A

Statistics-Transformed Background Data X= -0.115 S= 1.207 CV(2)=-10.514 K factor**= 2.523 TL(2)= 2.930 LL(2)=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW370

Date Collected	Result	LN(Result)
3/17/2002	4.32	1.463
4/23/2002	1.24	0.215
7/15/2002	0.75	-0.288
10/8/2002	0.94	-0.062
1/8/2003	3.08	1.125
4/3/2003	1.45	0.372
7/9/2003	1.22	0.199
10/6/2003	1.07	0.068

Well Number: MW373

Date Collected	Result	LN(Result)
3/18/2002	3.04	1.112
4/23/2002	0.03	-3.507
7/16/2002	0.23	-1.470
10/8/2002	0.86	-0.151
1/7/2003	0.21	-1.561
4/2/2003	1.19	0.174
7/9/2003	1.1	0.095
10/7/2003	1.46	0.378

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW358	Downgradient	Yes	1.6	NO	0.470	N/A
MW361	Downgradient	Yes	3.41	NO	1.227	N/A
MW364	Downgradient	Yes	1.5	NO	0.405	N/A
MW367	Sidegradient	Yes	0.71	NO	-0.342	N/A
MW370	Upgradient	Yes	3.63	NO	1.289	N/A
MW373	Upgradient	Yes	2	NO	0.693	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Dissolved Solids****UNITS: mg/L****LRGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 356.188 **S**= 106.752 **CV(1)**=0.300 **K factor****= 2.523 **TL(1)**= 625.523 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 5.831 **S**= 0.311 **CV(2)**=0.053 **K factor****= 2.523 **TL(2)**= 6.616 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW370

Date Collected	Result	LN(Result)
3/17/2002	236	5.464
4/23/2002	337	5.820
7/15/2002	266	5.583
10/8/2002	240	5.481
1/8/2003	282	5.642
4/3/2003	238	5.472
7/9/2003	248	5.513
10/6/2003	224	5.412

Well Number: MW373

Date Collected	Result	LN(Result)
3/18/2002	427	6.057
4/23/2002	507	6.229
7/16/2002	464	6.140
10/8/2002	408	6.011
1/7/2003	404	6.001
4/2/2003	450	6.109
7/9/2003	487	6.188
10/7/2003	481	6.176

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW358	Downgradient	Yes	299	NO	5.700	N/A
MW361	Downgradient	Yes	271	NO	5.602	N/A
MW364	Downgradient	Yes	250	NO	5.521	N/A
MW367	Sidegradient	Yes	211	NO	5.352	N/A
MW370	Upgradient	Yes	230	NO	5.438	N/A
MW373	Upgradient	Yes	500	NO	6.215	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Iron****UNITS: mg/L****LRGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 9.230 **S**= 8.841 **CV(1)**=0.958 **K factor****= 2.523 **TL(1)**= 31.535 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 1.942 **S**= 0.713 **CV(2)**=0.367 **K factor****= 2.523 **TL(2)**= 3.740 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW370

Date Collected	Result	LN(Result)
3/17/2002	9.34	2.234
4/23/2002	4.33	1.466
7/15/2002	3.52	1.258
10/8/2002	7.45	2.008
1/8/2003	7.04	1.952
4/3/2003	4.64	1.535
7/9/2003	15.8	2.760
10/6/2003	6.49	1.870

Well Number: MW373

Date Collected	Result	LN(Result)
3/18/2002	37.6	3.627
4/23/2002	19	2.944
7/16/2002	10.7	2.370
10/8/2002	3.75	1.322
1/7/2003	3.87	1.353
4/2/2003	3.5	1.253
7/9/2003	7.72	2.044
10/7/2003	2.93	1.075

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW358	Downgradient	Yes	0.269	NO	-1.313	N/A
MW361	Downgradient	No	0.1	N/A	-2.303	N/A
MW364	Downgradient	Yes	0.0358	NO	-3.330	N/A
MW367	Sidegradient	Yes	1.78	NO	0.577	N/A
MW370	Upgradient	No	0.1	N/A	-2.303	N/A
MW373	Upgradient	No	0.1	N/A	-2.303	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Magnesium****UNITS: mg/L****LRGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 17.544 **S**= 5.911 **CV(1)**=0.337 **K factor****= 2.523 **TL(1)**= 32.458 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 2.810 **S**= 0.343 **CV(2)**=0.122 **K factor****= 2.523 **TL(2)**= 3.676 **LL(2)**=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW370

Date Collected	Result	LN(Result)
3/17/2002	12.1	2.493
4/23/2002	15.1	2.715
7/15/2002	12.4	2.518
10/8/2002	12.2	2.501
1/8/2003	11.5	2.442
4/3/2003	12.3	2.510
7/9/2003	10	2.303
10/6/2003	12.1	2.493

Well Number: MW373

Date Collected	Result	LN(Result)
3/18/2002	24.8	3.211
4/23/2002	22.7	3.122
7/16/2002	18.8	2.934
10/8/2002	21.1	3.049
1/7/2003	19.9	2.991
4/2/2003	25.5	3.239
7/9/2003	23.3	3.148
10/7/2003	26.9	3.292

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW358	Downgradient	Yes	14.4	NO	2.667	N/A
MW361	Downgradient	Yes	15.8	NO	2.760	N/A
MW364	Downgradient	Yes	13.4	NO	2.595	N/A
MW367	Sidegradient	Yes	12	NO	2.485	N/A
MW370	Upgradient	Yes	12.4	NO	2.518	N/A
MW373	Upgradient	Yes	26.2	NO	3.266	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data
--

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Manganese****UNITS: mg/L****LRGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 1.080 **S**= 0.674 **CV(1)**=0.624 **K factor****= 2.523 **TL(1)**= 2.780 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= -0.114 **S**= 0.658 **CV(2)**=-5.762 **K factor****= 2.523 **TL(2)**= 1.547 **LL(2)**=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW370

Date Collected	Result	LN(Result)
3/17/2002	0.244	-1.411
4/23/2002	1.82	0.599
7/15/2002	1.22	0.199
10/8/2002	0.988	-0.012
1/8/2003	0.729	-0.316
4/3/2003	0.637	-0.451
7/9/2003	2.51	0.920
10/6/2003	1.05	0.049

Well Number: MW373

Date Collected	Result	LN(Result)
3/18/2002	0.355	-1.036
4/23/2002	2.16	0.770
7/16/2002	1.39	0.329
10/8/2002	0.717	-0.333
1/7/2003	0.587	-0.533
4/2/2003	0.545	-0.607
7/9/2003	1.76	0.565
10/7/2003	0.57	-0.562

Current Quarter Data						
-----------------------------	--	--	--	--	--	--

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW358	Downgradient	Yes	0.0493	NO	-3.010	N/A
MW361	Downgradient	Yes	0.00703	NO	-4.958	N/A
MW364	Downgradient	Yes	0.0164	NO	-4.110	N/A
MW367	Sidegradient	Yes	0.863	NO	-0.147	N/A
MW370	Upgradient	Yes	0.00151	NO	-6.496	N/A
MW373	Upgradient	Yes	0.00222	NO	-6.110	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data
--

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Nickel****UNITS: mg/L****LRGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 0.024 **S**= 0.022 **CV(1)**=0.901 **K factor****= 2.523 **TL(1)**= 0.078 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= -4.239 **S**= 1.087 **CV(2)**=-0.256 **K factor****= 2.523 **TL(2)**= -1.497 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW370

Date Collected	Result	LN(Result)
3/17/2002	0.05	-2.996
4/23/2002	0.05	-2.996
7/15/2002	0.05	-2.996
10/8/2002	0.005	-5.298
1/8/2003	0.005	-5.298
4/3/2003	0.005	-5.298
7/9/2003	0.0264	-3.634
10/6/2003	0.00971	-4.635

Well Number: MW373

Date Collected	Result	LN(Result)
3/18/2002	0.05	-2.996
4/23/2002	0.05	-2.996
7/16/2002	0.05	-2.996
10/8/2002	0.005	-5.298
1/7/2003	0.005	-5.298
4/2/2003	0.005	-5.298
7/9/2003	0.0112	-4.492
10/7/2003	0.005	-5.298

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW358	Downgradient	Yes	0.00323	NO	-5.735	N/A
MW361	Downgradient	Yes	0.00141	NO	-6.564	N/A
MW364	Downgradient	Yes	0.00176	NO	-6.342	N/A
MW367	Sidegradient	Yes	0.00202	NO	-6.205	N/A
MW370	Upgradient	Yes	0.00101	NO	-6.898	N/A
MW373	Upgradient	Yes	0.00142	NO	-6.557	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

Oxidation-Reduction Potential UNITS: mV LRGA

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data X= 46.688 S= 60.986 CV(1)= 1.306 K factor**= 2.523 TL(1)= 200.555 LL(1)=N/A

Statistics-Transformed Background Data X= 3.829 S= 1.151 CV(2)=0.301 K factor**= 2.523 TL(2)= 4.942 LL(2)=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Well Number: MW370

Date Collected	Result	LN(Result)
3/17/2002	140	4.942
4/23/2002	-15	#Func!
7/15/2002	5	1.609
4/3/2003	49	3.892
7/9/2003	-35	#Func!
10/6/2003	40	3.689
1/7/2004	101	4.615
4/7/2004	105	4.654

Well Number: MW373

Date Collected	Result	LN(Result)
3/18/2002	140	4.942
4/23/2002	-20	#Func!
10/8/2002	10	2.303
1/7/2003	10	2.303
4/2/2003	67	4.205
7/9/2003	-29	#Func!
10/7/2003	127	4.844
1/6/2004	52	3.951

Because CV(1) is greater than 1, the natural logarithm of background and test well results were calculated utilizing TL(2) for comparison.

#Because the natural log was not possible for all background values, the TL was considered equal to the maximum background value.

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW358	Downgradient	Yes	342	N/A	5.835	YES
MW361	Downgradient	Yes	567	N/A	6.340	YES
MW364	Downgradient	Yes	700	N/A	6.551	YES
MW367	Sidegradient	Yes	416	N/A	6.031	YES
MW370	Upgradient	Yes	388	N/A	5.961	YES
MW373	Upgradient	Yes	468	N/A	6.148	YES

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

The test well(s) listed exceeded the Upper Tolerance Limit, which is evidence of elevated concentration with respect to historical background data.

Wells with Exceedances

MW358
MW361
MW364
MW367
MW370
MW373

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

pH

UNITS: Std Unit

LRGA

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data X= 6.283 S= 0.159 CV(1)=0.025 K factor**= 2.904 TL(1)= 6.745 LL(1)=5.8202

Statistics-Transformed Background Data X= 1.837 S= 0.025 CV(2)=0.014 K factor**= 2.904 TL(2)= 1.911 LL(2)=1.7634

Historical Background Data from Upgradient Wells with Transformed Result

Well Number: MW370

Date Collected	Result	LN(Result)
3/17/2002	6.3	1.841
4/23/2002	6.4	1.856
7/15/2002	6.3	1.841
10/8/2002	6.3	1.841
1/8/2003	6.4	1.856
4/3/2003	6.5	1.872
7/9/2003	6.3	1.841
10/6/2003	6.5	1.872

Well Number: MW373

Date Collected	Result	LN(Result)
3/18/2002	6	1.792
4/23/2002	6.3	1.841
7/16/2002	6.45	1.864
10/8/2002	6.18	1.821
1/7/2003	6.35	1.848
4/2/2003	6.14	1.815
7/9/2003	6.1	1.808
10/7/2003	6	1.792

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)? Result <LL(1)?	LN(Result)	LN(Result) >TL(2)? LN(Result) <LL(2)?
MW358	Downgradient	Yes	6.3	NO	1.841	N/A
MW361	Downgradient	Yes	5.81	YES	1.760	N/A
MW364	Downgradient	Yes	5.94	NO	1.782	N/A
MW367	Sidegradient	Yes	5.9	NO	1.775	N/A
MW370	Upgradient	Yes	6.05	NO	1.800	N/A
MW373	Upgradient	Yes	6.11	NO	1.810	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

The test well(s) listed exceeded the Lower Tolerance Limit, which is evidence of elevated concentration with respect to historical background data.

Wells with Exceedances

MW361

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Potassium****UNITS: mg/L****LRGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 2.823 **S**= 0.522 **CV(1)**=0.185 **K factor****= 2.523 **TL(1)**= 4.139 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 1.024 **S**= 0.167 **CV(2)**=0.163 **K factor****= 2.523 **TL(2)**= 1.445 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW370

Date Collected	Result	LN(Result)
3/17/2002	3.22	1.169
4/23/2002	3.43	1.233
7/15/2002	2.98	1.092
10/8/2002	2.46	0.900
1/8/2003	2.41	0.880
4/3/2003	2.43	0.888
7/9/2003	2.44	0.892
10/6/2003	2.48	0.908

Well Number: MW373

Date Collected	Result	LN(Result)
3/18/2002	4.34	1.468
4/23/2002	3.04	1.112
7/16/2002	2.93	1.075
10/8/2002	2.3	0.833
1/7/2003	2.45	0.896
4/2/2003	2.7	0.993
7/9/2003	2.68	0.986
10/7/2003	2.88	1.058

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW358	Downgradient	Yes	2.29	NO	0.829	N/A
MW361	Downgradient	Yes	2.12	NO	0.751	N/A
MW364	Downgradient	Yes	2.06	NO	0.723	N/A
MW367	Sidegradient	Yes	2.95	NO	1.082	N/A
MW370	Upgradient	Yes	2.44	NO	0.892	N/A
MW373	Upgradient	Yes	2.51	NO	0.920	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Sodium****UNITS: mg/L****LRGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 51.544 **S**= 15.227 **CV(1)**=0.295 **K factor****= 2.523 **TL(1)**= 89.962 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 3.906 **S**= 0.272 **CV(2)**=0.070 **K factor****= 2.523 **TL(2)**= 4.592 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW370

Date Collected	Result	LN(Result)
3/17/2002	31.8	3.459
4/23/2002	50	3.912
7/15/2002	44.7	3.800
10/8/2002	40	3.689
1/8/2003	44.6	3.798
4/3/2003	41.9	3.735
7/9/2003	40	3.689
10/6/2003	38.1	3.640

Well Number: MW373

Date Collected	Result	LN(Result)
3/18/2002	43.4	3.770
4/23/2002	79.8	4.380
7/16/2002	87.7	4.474
10/8/2002	61.6	4.121
1/7/2003	59.3	4.083
4/2/2003	62.1	4.129
7/9/2003	50.1	3.914
10/7/2003	49.6	3.904

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW358	Downgradient	Yes	39.3	NO	3.671	N/A
MW361	Downgradient	Yes	44.6	NO	3.798	N/A
MW364	Downgradient	Yes	46.3	NO	3.835	N/A
MW367	Sidegradient	Yes	36.1	NO	3.586	N/A
MW370	Upgradient	Yes	44	NO	3.784	N/A
MW373	Upgradient	Yes	57.1	NO	4.045	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

Sulfate

UNITS: mg/L

LRGA

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 122.381 **S**= 195.095 **CV(1)**= 1.594 **K factor****= 2.523 **TL(1)**= 614.606 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 3.985 **S**= 1.323 **CV(2)**= 0.332 **K factor****= 2.523 **TL(2)**= 7.322 **LL(2)**=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Because CV(1) is greater than 1, the natural logarithm of background and test well results were calculated utilizing TL(2) for comparison.

Well Number: MW370

Date Collected	Result	LN(Result)
3/17/2002	17.4	2.856
4/23/2002	37.9	3.635
7/15/2002	15.7	2.754
10/8/2002	13.4	2.595
1/8/2003	14.4	2.667
4/3/2003	18.1	2.896
7/9/2003	9.6	2.262
10/6/2003	16.5	2.803

Well Number: MW373

Date Collected	Result	LN(Result)
3/18/2002	163.3	5.096
4/23/2002	809.6	6.697
7/16/2002	109.4	4.695
10/8/2002	110.6	4.706
1/7/2003	113.7	4.734
4/2/2003	133	4.890
7/9/2003	182.1	5.205
10/7/2003	193.4	5.265

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW358	Downgradient	Yes	80.1	N/A	4.383	NO
MW361	Downgradient	Yes	74	N/A	4.304	NO
MW364	Downgradient	Yes	71.6	N/A	4.271	NO
MW367	Sidegradient	Yes	43.4	N/A	3.770	NO
MW370	Upgradient	Yes	19	N/A	2.944	NO
MW373	Upgradient	Yes	149	N/A	5.004	NO

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison

Technetium-99 UNITS: pCi/L LRGA

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 7.655 **S**= 13.274 **CV(1)**= 1.734 **K factor****= 2.523 **TL(1)**= 41.146 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 1.946 **S**= 0.939 **CV(2)**= 0.483 **K factor****= 2.523 **TL(2)**= 3.833 **LL(2)**=N/A

Historical Background Data from Upgradient Wells with Transformed Result

Well Number: MW370

Date Collected	Result	LN(Result)
3/17/2002	10.8	2.380
4/23/2002	8.53	2.144
7/15/2002	5.09	1.627
10/8/2002	4.78	1.564
1/8/2003	-5.12	#Func!
4/3/2003	5.11	1.631
7/9/2003	4.25	1.447
10/6/2003	6.54	1.878

Well Number: MW373

Date Collected	Result	LN(Result)
3/18/2002	16.5	2.803
4/23/2002	3.49	1.250
7/16/2002	1.42	0.351
10/8/2002	-6.06	#Func!
1/7/2003	-8.41	#Func!
4/2/2003	26.3	3.270
7/9/2003	3.06	1.118
10/7/2003	46.2	3.833

Because CV(1) is greater than 1, the natural logarithm of background and test well results were calculated utilizing TL(2) for comparison.

#Because the natural log was not possible for all background values, the TL was considered equal to the maximum background value.

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW358	Downgradient	Yes	57.6	N/A	4.054	YES
MW361	Downgradient	Yes	42.8	N/A	3.757	NO
MW364	Downgradient	Yes	58.7	N/A	4.072	YES
MW367	Sidegradient	Yes	35.1	N/A	3.558	NO
MW370	Upgradient	Yes	60.3	N/A	4.099	YES
MW373	Upgradient	Yes	37.3	N/A	3.619	NO

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

The test well(s) listed exceeded the Upper Tolerance Limit, which is evidence of elevated concentration with respect to historical background data.

Wells with Exceedances

MW358
MW364
MW370

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Total Organic Carbon (TOC)****UNITS: mg/L****LRGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 6.169 **S**= 12.072 **CV(1)**= 1.957 **K factor****= 2.523 **TL(1)**= 36.626 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 1.069 **S**= 1.014 **CV(2)**= 0.948 **K factor****= 2.523 **TL(2)**= 3.626 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Because CV(1) is greater than 1, the natural logarithm of background and test well results were calculated utilizing TL(2) for comparison.

Well Number: MW370

Date Collected	Result	LN(Result)
3/17/2002	1.2	0.182
4/23/2002	4.3	1.459
7/15/2002	2.6	0.956
10/8/2002	2.3	0.833
1/8/2003	3	1.099
4/3/2003	1.2	0.182
7/9/2003	2.6	0.956
10/6/2003	1.7	0.531

Well Number: MW373

Date Collected	Result	LN(Result)
3/18/2002	1.1	0.095
4/23/2002	17.5	2.862
7/16/2002	49	3.892
10/8/2002	2.9	1.065
1/7/2003	3.9	1.361
4/2/2003	2.5	0.916
7/9/2003	1.7	0.531
10/7/2003	1.2	0.182

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW358	Downgradient	Yes	0.627	N/A	-0.467	NO
MW361	Downgradient	Yes	0.637	N/A	-0.451	NO
MW364	Downgradient	Yes	0.618	N/A	-0.481	NO
MW367	Sidegradient	Yes	0.655	N/A	-0.423	NO
MW370	Upgradient	Yes	0.68	N/A	-0.386	NO
MW373	Upgradient	Yes	0.936	N/A	-0.066	NO

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Total Organic Halides (TOX)****UNITS: ug/L****LRGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 79.819 **S**= 78.470 **CV(1)**=0.983 **K factor****= 2.523 **TL(1)**= 277.798 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 3.971 **S**= 0.950 **CV(2)**=0.239 **K factor****= 2.523 **TL(2)**= 6.368 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW370

Date Collected	Result	LN(Result)
3/17/2002	50	3.912
4/23/2002	228	5.429
7/15/2002	88	4.477
10/8/2002	58	4.060
1/8/2003	72.4	4.282
4/3/2003	26.6	3.281
7/9/2003	16.4	2.797
10/6/2003	31.1	3.437

Well Number: MW373

Date Collected	Result	LN(Result)
3/18/2002	50	3.912
4/23/2002	276	5.620
7/16/2002	177	5.176
10/8/2002	76	4.331
1/7/2003	45.9	3.826
4/2/2003	57.8	4.057
7/9/2003	10	2.303
10/7/2003	13.9	2.632

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW358	Downgradient	Yes	7.58	NO	2.026	N/A
MW361	Downgradient	No	10	N/A	2.303	N/A
MW364	Downgradient	Yes	5.74	NO	1.747	N/A
MW367	Sidegradient	No	10	N/A	2.303	N/A
MW370	Upgradient	No	10	N/A	2.303	N/A
MW373	Upgradient	Yes	7.02	NO	1.949	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Trichloroethene****UNITS: ug/L****LRGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 12.188 **S**= 6.950 **CV(1)**=0.570 **K factor****= 2.523 **TL(1)**= 29.721 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 2.305 **S**= 0.687 **CV(2)**=0.298 **K factor****= 2.523 **TL(2)**= 4.039 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW370

Date Collected	Result	LN(Result)
3/17/2002	19	2.944
4/23/2002	17	2.833
7/15/2002	15	2.708
10/8/2002	18	2.890
1/8/2003	17	2.833
4/3/2003	18	2.890
7/9/2003	15	2.708
10/6/2003	16	2.773

Well Number: MW373

Date Collected	Result	LN(Result)
3/18/2002	5	1.609
4/23/2002	25	3.219
7/16/2002	3	1.099
10/8/2002	4	1.386
1/7/2003	6	1.792
4/2/2003	5	1.609
7/9/2003	6	1.792
10/7/2003	6	1.792

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW358	Downgradient	Yes	4.64	N/A	1.535	N/A
MW361	Downgradient	Yes	6.92	NO	1.934	N/A
MW364	Downgradient	Yes	4.3	N/A	1.459	N/A
MW367	Sidegradient	Yes	2.88	N/A	1.058	N/A
MW370	Upgradient	Yes	0.83	N/A	-0.186	N/A
MW373	Upgradient	Yes	8.35	NO	2.122	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Vanadium****UNITS: mg/L****LRGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 0.024 **S**= 0.008 **CV(1)**=0.324 **K factor****= 2.523 **TL(1)**= 0.044 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= -3.749 **S**= 0.265 **CV(2)**=-0.071 **K factor****= 2.523 **TL(2)**= -3.080 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW370

Date Collected	Result	LN(Result)
3/17/2002	0.035	-3.352
4/23/2002	0.033	-3.411
7/15/2002	0.025	-3.689
10/8/2002	0.02	-3.912
1/8/2003	0.02	-3.912
4/3/2003	0.02	-3.912
7/9/2003	0.02	-3.912
10/6/2003	0.02	-3.912

Well Number: MW373

Date Collected	Result	LN(Result)
3/18/2002	0.048	-3.037
4/23/2002	0.025	-3.689
7/16/2002	0.025	-3.689
10/8/2002	0.02	-3.912
1/7/2003	0.02	-3.912
4/2/2003	0.02	-3.912
7/9/2003	0.02	-3.912
10/7/2003	0.02	-3.912

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW358	Downgradient	No	0.01	N/A	-4.605	N/A
MW361	Downgradient	Yes	0.00777	NO	-4.857	N/A
MW364	Downgradient	No	0.01	N/A	-4.605	N/A
MW367	Sidegradient	No	0.01	N/A	-4.605	N/A
MW370	Upgradient	No	0.01	N/A	-4.605	N/A
MW373	Upgradient	No	0.01	N/A	-4.605	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

C-746-U Third Quarter 2015 Statistical Analysis Historical Background Comparison**Zinc****UNITS: mg/L****LRGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is evidence of an exceedance of the statistically-derived historical background concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 0.055 **S**= 0.037 **CV(1)**=0.673 **K factor****= 2.523 **TL(1)**= 0.147 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= -3.131 **S**= 0.691 **CV(2)**=-0.221 **K factor****= 2.523 **TL(2)**= -1.388 **LL(2)**=N/A

**Historical Background Data from
Upgradient Wells with Transformed Result**

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW370

Date Collected	Result	LN(Result)
3/17/2002	0.1	-2.303
4/23/2002	0.1	-2.303
7/15/2002	0.1	-2.303
10/8/2002	0.025	-3.689
1/8/2003	0.035	-3.352
4/3/2003	0.035	-3.352
7/9/2003	0.02	-3.912
10/6/2003	0.02	-3.912

Well Number: MW373

Date Collected	Result	LN(Result)
3/18/2002	0.1	-2.303
4/23/2002	0.1	-2.303
7/16/2002	0.1	-2.303
10/8/2002	0.025	-3.689
1/7/2003	0.035	-3.352
4/2/2003	0.035	-3.352
7/9/2003	0.0234	-3.755
10/7/2003	0.02	-3.912

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW358	Downgradient	Yes	0.00517	NO	-5.265	N/A
MW361	Downgradient	No	0.01	N/A	-4.605	N/A
MW364	Downgradient	Yes	0.0341	NO	-3.378	N/A
MW367	Sidegradient	Yes	0.00482	NO	-5.335	N/A
MW370	Upgradient	No	0.01	N/A	-4.605	N/A
MW373	Upgradient	No	0.01	N/A	-4.605	N/A

N/A - Results identified as Non-Detects during laboratory analysis or data validation and were not included in the statistical evaluation. Additionally for parameters that have MCLs, where the result for a well did not exceed the MCL value, that well was not included in the statistical evaluation.

Conclusion of Statistical Analysis on Historical Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from historical background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/>, 2009.

ATTACHMENT D2

**COMPARISON OF CURRENT DATA TO
ONE-SIDED UPPER TOLERANCE INTERVAL TEST
CALCULATED USING
CURRENT BACKGROUND DATA**

THIS PAGE INTENTIONALLY LEFT BLANK

C-746-U Third Quarter 2015 Statistical Analysis**Current Background Comparison****Dissolved Oxygen****UNITS: mg/L****UCRS**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 2.166 **S**= 1.141 **CV(1)**=0.527 **K factor****= 2.523 **TL(1)**= 5.045 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 0.635 **S**= 0.557 **CV(2)**=0.878 **K factor****= 2.523 **TL(2)**= 2.041 **LL(2)**=N/A

Current Background Data from Upgradient Wells with Transformed Result

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW371

Date Collected	Result	LN(Result)
7/16/2013	2.76	1.015
10/8/2013	1.38	0.322
1/14/2014	1.97	0.678
4/14/2014	3.87	1.353
9/22/2014	1.34	0.293
10/20/2014	0.98	-0.020
1/21/2015	1.79	0.582
4/13/2015	4.44	1.491

Well Number: MW374

Date Collected	Result	LN(Result)
7/16/2013	3.41	1.227
10/9/2013	2.74	1.008
1/14/2014	1.67	0.513
4/15/2014	3.44	1.235
7/7/2014	1.76	0.565
10/16/2014	0.86	-0.151
1/21/2015	0.66	-0.416
4/9/2015	1.59	0.464

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW359	Downgradient	Yes	7.01	YES	1.947	N/A
MW362	Downgradient	Yes	5.33	YES	1.673	N/A
MW371	Upgradient	Yes	2.73	NO	1.004	N/A

Conclusion of Statistical Analysis on Current Data

The test well(s) listed exceeded the Upper Tolerance Limit, which is evidence of elevated concentration with respect to current background data.

Wells with Exceedances

MW359
MW362

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result-X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/2009>.

C-746-U Third Quarter 2015 Statistical Analysis**Current Background Comparison****Oxidation-Reduction Potential****UNITS: mV****UCRS**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 450.875 **S**= 159.280 **CV(1)**=0.353 **K factor****= 2.523 **TL(1)**= 852.737 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 6.058 **S**= 0.332 **CV(2)**=0.055 **K factor****= 2.523 **TL(2)**= 6.896 **LL(2)**=N/A

Current Background Data from Upgradient Wells with Transformed Result
--

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW371

Date Collected	Result	LN(Result)
7/16/2013	390	5.966
10/8/2013	544	6.299
1/14/2014	374	5.924
4/14/2014	476	6.165
9/22/2014	311	5.740
10/20/2014	360	5.886
1/21/2015	774	6.652
4/13/2015	384	5.951

Well Number: MW374

Date Collected	Result	LN(Result)
7/16/2013	344	5.841
10/9/2013	802	6.687
1/14/2014	515	6.244
4/15/2014	499	6.213
7/7/2014	259	5.557
10/16/2014	257	5.549
1/21/2015	530	6.273
4/9/2015	395	5.979

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW359	Downgradient	Yes	465	NO	6.142	N/A
MW362	Downgradient	Yes	447	NO	6.103	N/A
MW371	Upgradient	Yes	368	NO	5.908	N/A
MW374	Upgradient	Yes	268	NO	5.591	N/A
MW375	Sidegradient	Yes	443	NO	6.094	N/A

Conclusion of Statistical Analysis on Current Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from current background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/2009>.

C-746-U Third Quarter 2015 Statistical Analysis**Current Background Comparison****Sulfate****UNITS: mg/L****UCRS**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 9.701 **S**= 4.937 **CV(1)**=0.509 **K factor****= 2.523 **TL(1)**= 22.157 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 2.159 **S**= 0.483 **CV(2)**=0.224 **K factor****= 2.523 **TL(2)**= 3.377 **LL(2)**=N/A

Current Background Data from Upgradient Wells with Transformed Result

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW371

Date Collected	Result	LN(Result)
7/16/2013	19	2.944
10/8/2013	13	2.565
1/14/2014	9.9	2.293
4/14/2014	16.4	2.797
7/8/2014	18.6	2.923
10/20/2014	10.5	2.351
1/21/2015	9.23	2.222
4/13/2015	13.2	2.580

Well Number: MW374

Date Collected	Result	LN(Result)
7/16/2013	5.6	1.723
10/9/2013	6.6	1.887
1/14/2014	5.1	1.629
4/15/2014	5.63	1.728
7/7/2014	5.64	1.730
10/16/2014	5.73	1.746
1/21/2015	5.39	1.685
4/9/2015	5.7	1.740

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW359	Downgradient	Yes	49.7	YES	3.906	N/A
MW362	Downgradient	Yes	33.7	YES	3.517	N/A
MW371	Upgradient	Yes	18.9	NO	2.939	N/A
MW375	Sidegradient	Yes	23.6	YES	3.161	N/A

Conclusion of Statistical Analysis on Current Data

The test well(s) listed exceeded the Upper Tolerance Limit, which is evidence of elevated concentration with respect to current background data.

Wells with Exceedances

MW359
MW362
MW375

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/2009>.

C-746-U Third Quarter 2015 Statistical Analysis**Current Background Comparison****Calcium****UNITS: mg/L****URGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 38.444 **S**= 21.982 **CV(1)**=0.572 **K factor****= 2.523 **TL(1)**= 93.904 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 3.478 **S**= 0.618 **CV(2)**=0.178 **K factor****= 2.523 **TL(2)**= 5.037 **LL(2)**=N/A

Current Background Data from Upgradient Wells with Transformed Result
--

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
7/16/2013	19.9	2.991
10/8/2013	16.2	2.785
1/14/2014	21.8	3.082
4/14/2014	16.4	2.797
7/8/2014	15.5	2.741
10/20/2014	16.8	2.821
1/13/2015	16.5	2.803
4/13/2015	28	3.332

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW372	Upgradient	Yes	62.6	NO	4.137	N/A

Well Number: MW372

Date Collected	Result	LN(Result)
7/16/2013	63.5	4.151
10/9/2013	60.2	4.098
1/14/2014	31.3	3.444
4/16/2014	70.5	4.256
7/7/2014	59.1	4.079
10/16/2014	59.3	4.083
1/21/2015	53.5	3.980
4/9/2015	66.6	4.199

Conclusion of Statistical Analysis on Current Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from current background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/2009>.

C-746-U Third Quarter 2015 Statistical Analysis**Current Background Comparison****Conductivity****UNITS: umho/cm****URGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 588.000 **S**= 207.218 **CV(1)**=0.352 **K factor****= 2.523 **TL(1)**= 1110.812 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 6.315 **S**= 0.366 **CV(2)**=0.058 **K factor****= 2.523 **TL(2)**= 7.239 **LL(2)**=N/A

Current Background Data from Upgradient Wells with Transformed Result
--

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
7/16/2013	427	6.057
10/8/2013	376	5.930
1/14/2014	392	5.971
4/14/2014	380	5.940
9/22/2014	370	5.914
10/20/2014	371	5.916
1/13/2015	374	5.924
4/13/2015	434	6.073

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW372	Upgradient	Yes	758	NO	6.631	N/A

Well Number: MW372

Date Collected	Result	LN(Result)
7/16/2013	822	6.712
10/9/2013	791	6.673
1/14/2014	759	6.632
4/16/2014	837	6.730
7/7/2014	839	6.732
10/16/2014	766	6.641
1/21/2015	701	6.553
4/9/2015	769	6.645

Conclusion of Statistical Analysis on Current Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from current background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result-X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/2009>.

C-746-U Third Quarter 2015 Statistical Analysis**Current Background Comparison****Dissolved Solids****UNITS: mg/L****URGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 325.625 **S**= 135.677 **CV(1)**=0.417 **K factor****= 2.523 **TL(1)**= 667.939 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 5.701 **S**= 0.427 **CV(2)**=0.075 **K factor****= 2.523 **TL(2)**= 6.780 **LL(2)**=N/A

Current Background Data from Upgradient Wells with Transformed Result
--

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
7/16/2013	232	5.447
10/8/2013	228	5.429
1/14/2014	216	5.375
4/14/2014	213	5.361
7/8/2014	150	5.011
10/20/2014	193	5.263
1/13/2015	207	5.333
4/13/2015	201	5.303

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW372	Upgradient	Yes	441	NO	6.089	N/A

Well Number: MW372

Date Collected	Result	LN(Result)
7/16/2013	503	6.221
10/9/2013	481	6.176
1/14/2014	455	6.120
4/16/2014	546	6.303
7/7/2014	314	5.749
10/16/2014	476	6.165
1/21/2015	374	5.924
4/9/2015	421	6.043

Conclusion of Statistical Analysis on Current Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from current background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/2009>.

C-746-U Third Quarter 2015 Statistical Analysis**Current Background Comparison****Magnesium****UNITS: mg/L****URGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 14.878 **S**= 7.917 **CV(1)**=0.532 **K factor****= 2.523 **TL(1)**= 34.851 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 2.549 **S**= 0.582 **CV(2)**=0.228 **K factor****= 2.523 **TL(2)**= 4.018 **LL(2)**=N/A

Current Background Data from Upgradient Wells with Transformed Result
--

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
7/16/2013	7.62	2.031
10/8/2013	6.5	1.872
1/14/2014	9.54	2.255
4/14/2014	6.7	1.902
7/8/2014	5.66	1.733
10/20/2014	7.03	1.950
1/13/2015	7.19	1.973
4/13/2015	12.7	2.542

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW372	Upgradient	Yes	24.8	NO	3.211	N/A

Well Number: MW372

Date Collected	Result	LN(Result)
7/16/2013	23.8	3.170
10/9/2013	22.8	3.127
1/14/2014	12.8	2.549
4/16/2014	26.1	3.262
7/7/2014	21.6	3.073
10/16/2014	22.4	3.109
1/21/2015	20.4	3.016
4/9/2015	25.2	3.227

Conclusion of Statistical Analysis on Current Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from current background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/2009>.

C-746-U Third Quarter 2015 Statistical Analysis**Current Background Comparison****Oxidation-Reduction Potential****UNITS: mV****URGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 428.938 **S**= 220.633 **CV(1)**=0.514 **K factor****= 2.523 **TL(1)**= 985.595 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 5.906 **S**= 0.625 **CV(2)**=0.106 **K factor****= 2.523 **TL(2)**= 7.483 **LL(2)**=N/A

Current Background Data from Upgradient Wells with Transformed Result
--

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
7/16/2013	284	5.649
10/8/2013	750	6.620
1/14/2014	438	6.082
4/14/2014	514	6.242
9/22/2014	331	5.802
10/20/2014	405	6.004
1/13/2015	779	6.658
4/13/2015	404	6.001

Well Number: MW372

Date Collected	Result	LN(Result)
7/16/2013	273	5.609
10/9/2013	519	6.252
1/14/2014	740	6.607
4/16/2014	236	5.464
7/7/2014	126	4.836
10/16/2014	88	4.477
1/21/2015	693	6.541
4/9/2015	283	5.645

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW357	Downgradient	Yes	489	NO	6.192	N/A
MW360	Downgradient	Yes	454	NO	6.118	N/A
MW363	Downgradient	Yes	731	NO	6.594	N/A
MW366	Sidegradient	Yes	387	NO	5.958	N/A
MW369	Upgradient	Yes	410	NO	6.016	N/A
MW372	Upgradient	Yes	220	NO	5.394	N/A

Conclusion of Statistical Analysis on Current Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from current background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result-X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/2009>.

C-746-U Third Quarter 2015 Statistical Analysis**Current Background Comparison****Sulfate****UNITS: mg/L****URGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 77.051 **S**= 70.847 **CV(1)**=0.919 **K factor****= 2.523 **TL(1)**= 255.797 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 3.615 **S**= 1.409 **CV(2)**=0.390 **K factor****= 2.523 **TL(2)**= 7.169 **LL(2)**=N/A

Current Background Data from Upgradient Wells with Transformed Result
--

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW369

Date Collected	Result	LN(Result)
7/16/2013	8.7	2.163
10/8/2013	13	2.565
1/14/2014	8.1	2.092
4/14/2014	8.09	2.091
7/8/2014	8.17	2.100
10/20/2014	7.65	2.035
1/13/2015	8.7	2.163
4/13/2015	19.4	2.965

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW372	Upgradient	Yes	135	NO	4.905	N/A

Well Number: MW372

Date Collected	Result	LN(Result)
7/16/2013	150	5.011
10/9/2013	150	5.011
1/14/2014	140	4.942
4/16/2014	176	5.170
7/7/2014	170	5.136
10/16/2014	118	4.771
1/21/2015	109	4.691
4/9/2015	138	4.927

Conclusion of Statistical Analysis on Current Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from current background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/2009>.

C-746-U Third Quarter 2015 Statistical Analysis**Current Background Comparison****Oxidation-Reduction Potential****UNITS: mV****LRGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 475.188 **S**= 135.149 **CV(1)**=0.284 **K factor****= 2.523 **TL(1)**= 816.168 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 6.130 **S**= 0.258 **CV(2)**=0.042 **K factor****= 2.523 **TL(2)**= 6.782 **LL(2)**=N/A

Current Background Data from Upgradient Wells with Transformed Result
--

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW370

Date Collected	Result	LN(Result)
7/16/2013	387	5.958
10/8/2013	811	6.698
1/14/2014	443	6.094
4/15/2014	535	6.282
9/22/2014	353	5.866
10/20/2014	363	5.894
1/13/2015	691	6.538
4/13/2015	380	5.940

Well Number: MW373

Date Collected	Result	LN(Result)
7/16/2013	500	6.215
10/9/2013	627	6.441
1/14/2014	494	6.203
4/16/2014	398	5.986
7/7/2014	374	5.924
10/16/2014	404	6.001
1/21/2015	336	5.817
4/9/2015	507	6.229

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW358	Downgradient	Yes	342	NO	5.835	N/A
MW361	Downgradient	Yes	567	NO	6.340	N/A
MW364	Downgradient	Yes	700	NO	6.551	N/A
MW367	Sidegradient	Yes	416	NO	6.031	N/A
MW370	Upgradient	Yes	388	NO	5.961	N/A
MW373	Upgradient	Yes	468	NO	6.148	N/A

Conclusion of Statistical Analysis on Current Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from current background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/2009>.

C-746-U Third Quarter 2015 Statistical Analysis**Current Background Comparison****pH****UNITS: Std Unit****LRGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 6.119 **S**= 0.087 **CV(1)**=0.014 **K factor****= 2.904 **TL(1)**= 6.372 **LL(1)**=5.8672

Statistics-Transformed Background Data **X**= 1.811 **S**= 0.014 **CV(2)**=0.008 **K factor****= 2.904 **TL(2)**= 1.852 **LL(2)**=1.7703

Current Background Data from Upgradient Wells with Transformed Result
--

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW370

Date Collected	Result	LN(Result)
7/16/2013	6.27	1.836
10/8/2013	6.09	1.807
1/14/2014	6.11	1.810
4/15/2014	6.08	1.805
7/8/2014	6.12	1.812
10/20/2014	6.03	1.797
1/13/2015	6.23	1.829
4/13/2015	6.1	1.808

Well Number: MW373

Date Collected	Result	LN(Result)
7/16/2013	6.13	1.813
10/9/2013	6.08	1.805
1/14/2014	6.28	1.837
4/16/2014	6.08	1.805
7/7/2014	6.08	1.805
10/16/2014	6.22	1.828
1/21/2015	5.99	1.790
4/9/2015	6.02	1.795

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)? Result <LL(1)?	LN(Result)	LN(Result) >TL(2) LN(Result) <LL(2)
MW361	Downgradient	Yes	5.81	YES	1.760	N/A

Conclusion of Statistical Analysis on Current Data

The test well(s) listed exceeded the Lower Tolerance Limit, which is evidence of elevated concentration with respect to current background data.

Wells with Exceedances

MW361

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/2009>.

C-746-U Third Quarter 2015 Statistical Analysis**Current Background Comparison****Technetium-99****UNITS: pCi/L****LRGA**

The CV is calculated to determine if background data are normally distributed. If so, the current test well results are compared to the TL. If not, a transformation is performed on the background and test well results, then each transformed test well result is compared to the transformed TL. If the test well result exceeds the TL, that is statistically significant evidence of elevated concentration in that well. For pH only, the current test well results are compared to the TL and LL. If the test well result for pH exceeds the TL or is less than the LL, that is statistically significant evidence of elevated or lowered concentration in that well.

Statistics-Background Data **X**= 32.138 **S**= 14.481 **CV(1)**=0.451 **K factor****= 2.523 **TL(1)**= 68.674 **LL(1)**=N/A

Statistics-Transformed Background Data **X**= 3.373 **S**= 0.467 **CV(2)**=0.139 **K factor****= 2.523 **TL(2)**= 4.552 **LL(2)**=N/A

Current Background Data from Upgradient Wells with Transformed Result
--

Because CV(1) is less than or equal to 1, assume normal distribution and continue with statistical analysis utilizing TL(1).

Well Number: MW370

Date Collected	Result	LN(Result)
7/16/2013	33.2	3.503
10/8/2013	27.9	3.329
1/14/2014	10.6	2.361
4/15/2014	27.9	3.329
7/8/2014	30.8	3.428
10/20/2014	22.5	3.114
1/13/2015	14.8	2.695
4/13/2015	20.9	3.040

Well Number: MW373

Date Collected	Result	LN(Result)
7/16/2013	63.7	4.154
10/9/2013	59.9	4.093
1/14/2014	37.8	3.632
4/16/2014	43.6	3.775
7/7/2014	20.1	3.001
10/16/2014	38	3.638
1/21/2015	28.8	3.360
4/9/2015	33.7	3.517

Current Quarter Data

Well No.	Gradient	Detected?	Result	Result >TL(1)?	LN(Result)	LN(Result) >TL(2)
MW358	Downgradient	Yes	57.6	NO	4.054	N/A
MW364	Downgradient	Yes	58.7	NO	4.072	N/A
MW370	Upgradient	Yes	60.3	NO	4.099	N/A

Conclusion of Statistical Analysis on Current Data

None of the test wells exceeded the Upper Tolerance Limit, which is evidence that concentrations in these wells are not different from current background concentrations to a statistically-significant level.

NOTE: For UCRS wells, background ("upgradient") wells are those located in the same direction as RGA wells located upgradient from the landfill.

CV Coefficient-of-Variation, $CV = S/X$ If CV is less than or equal to 1 assume normal distribution.

S Standard Deviation, $S = [\text{Sum}([(background\ result - X)^2]/[\text{count of background results} - 1])]^{0.5}$

TL Upper Tolerance Limit, $TL = X + (K * S)$, LL Lower Tolerance Limit, $LL = X - (K * S)$

X Mean, $X = (\text{sum of background results})/(\text{count of background results})$

** Read from Table 5, Appendix B of Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Interim Guidance, EPA, 1989, based on total number of background results - The K-factor for pH to account for a two-sided tolerance interval instead of a one-sided tolerance limit. The K-factor for pH was computed using a formula from NIST/SEMATECH e-Handbook of Statistical Methods, <http://www.itl.nist.gov/div898/handbook/2009>.

ATTACHMENT D3

STATISTICIAN QUALIFICATION STATEMENT

THIS PAGE INTENTIONALLY LEFT BLANK

November 3, 2015

Ms. Myrna Redfield
Fluor Federal Services, Inc.
5511 Hobbs Road
Kevil, KY 42053

Dear Ms. Redfield:

This statement is submitted in response to your request that it be included with the completed statistical analysis that I have performed on the groundwater data for the C-746-S&T and C-746-U Landfills at the Paducah Gaseous Diffusion Plant.

As a Chemist, with a Bachelor of Science degree in chemistry and a minor in biology, I have over 20 years of experience in reviewing and assessing laboratory analytical results associated with environmental sampling and investigation activities. For the generation of these statistical analyses, my work was observed and reviewed by a senior chemist and geologist with Fluor Federal Services, Inc.

For this project, the statistical analyses conducted on the third quarter 2015 monitoring well data collected from the C-746-S&T and C-746-U Landfills were performed in accordance with guidance provided in the U.S. Environmental Protection Agency guidance document, *EPA Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities, Interim Final Guidance* (1989).

Sincerely,



Jennifer R. Blewett

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX E

GROUNDWATER FLOW RATE AND DIRECTION

THIS PAGE INTENTIONALLY LEFT BLANK

GROUNDWATER FLOW RATE AND DIRECTION

Determination of groundwater flow rate and direction of flow in the uppermost aquifer whenever the monitoring wells (MWs) are sampled is a requirement of 401 KAR 48.300, Section 11. The uppermost aquifer below the C-746-U Landfill is the Regional Gravel Aquifer (RGA). Water level measurements currently are recorded in several wells at the landfill on a quarterly basis. These measurements were used to plot the potentiometric surface of the RGA for the third quarter 2015 and determine groundwater flow rate and direction.

Water levels during this reporting period were measured on August 4, 2015. As shown on Figure E.1, all Upper Continental Recharge System (UCRS) wells had sufficient water to permit water level measurement during this reporting period. UCRS wells MW365, MW368, MW376, and MW377 had insufficient water to permit sampling.

The UCRS has a strong vertical hydraulic gradient; therefore, the available UCRS wells screened over different elevations are not sufficient for mapping the potentiometric surface. As shown in Table E.1, the RGA data were converted to elevations to plot the potentiometric surfaces within the Upper Regional Gravel Aquifer (URGA) and Lower Regional Gravel Aquifer (LRGA). (At the request of the Commonwealth of Kentucky, the RGA is differentiated into two zones, the URGA and LRGA.) Based on the potentiometric maps (Figures E.2 and E.3), the hydraulic gradient for both the URGA and LRGA at the C-746-U Landfill were similar (4.32×10^{-4} ft/ft). Water level measurements in wells at the C-746-U Landfill and in wells of the surrounding region (MW98, MW100, MW125, MW139, MW165A, MW173, MW193, MW197, and MW200), along with the C-746-S&T Landfill wells, were used to contour the general RGA potentiometric surface (Figure E.4). The hydraulic gradient for the RGA, as a whole, in the vicinity of the C-746-U Landfill was 3.09×10^{-4} ft/ft. The hydraulic gradients are shown in Table E.2.

The average linear groundwater flow velocity (v) is determined by multiplying the hydraulic gradient (i) by the hydraulic conductivity (K) [resulting in the specific discharge (q)] and dividing by the effective porosity (n_e). The RGA hydraulic conductivity values used are reported in the Administrative Application for the New Solid Waste Landfill Permit No. SW07300045NWC1 and range from 425 to 725 ft/day (0.150 to 0.256 cm/s). RGA (both URGA and LRGA) effective porosity is assumed to be 25%. Flow velocities were calculated for the URGA and LRGA using the low and high values for hydraulic conductivity, as shown in the Table E.3.

Groundwater flow beneath the C-746-U Landfill typically trends northeastward toward the Ohio River. As demonstrated on the potentiometric map for August 2015, the groundwater flow direction in the immediate area of the landfill conforms to the typical regional flow direction.






Table E.1. C-746-U Landfill Third Quarter 2015 (August) Water Levels

C-746-U Landfill (August 2015) Water Levels										
Date	Time	Well	Aquifer	Datum Elev (ft amsl)	BP (in Hg)	Delta BP (ft H2O)	Raw Data		Corrected Data^a	
							DTW (ft)	Elev (ft amsl)	DTW (ft)	Elev (ft amsl)
8/4/2015	7:32	MW357	URGA	368.99	30.01	0.00	41.64	327.35	41.64	327.35
8/4/2015	7:34	MW358	LRGA	369.13	30.01	0.00	41.77	327.36	41.77	327.36
8/4/2015	7:33	MW359	UCRS	369.11	30.01	0.00	34.14	334.97	34.14	334.97
8/4/2015	7:31	MW360	URGA	362.30	30.01	0.00	34.96	327.34	34.96	327.34
8/4/2015	7:29	MW361	LRGA	361.54	30.01	0.00	34.23	327.31	34.23	327.31
8/4/2015	7:30	MW362	UCRS	362.04	30.01	0.00	24.00	338.04	24.00	338.04
8/4/2015	14:03	MW363	URGA	368.83	29.97	0.05	41.57	327.26	41.62	327.21
8/4/2015	7:39	MW364	LRGA	367.75	30.01	0.00	40.53	327.22	40.53	327.22
8/4/2015	7:40	MW365	UCRS	368.37	30.01	0.00	35.79	332.58	35.79	332.58
8/4/2015	13:56	MW366	URGA	369.27	29.97	0.05	41.88	327.39	41.93	327.34
8/4/2015	13:55	MW367	LRGA	369.66	29.97	0.05	42.28	327.38	42.33	327.33
8/4/2015	7:44	MW368	UCRS	369.27	30.01	0.00	36.94	332.33	36.94	332.33
8/4/2015	8:14	MW369	URGA	364.48	30.01	0.00	36.26	328.22	36.26	328.22
8/4/2015	8:16	MW370	LRGA	365.35	30.01	0.00	37.14	328.21	37.14	328.21
8/4/2015	8:15	MW371	UCRS	364.88	30.01	0.00	21.97	342.91	21.97	342.91
8/4/2015	8:06	MW372	URGA	359.66	30.01	0.00	ND ^b	--	ND ^b	--
8/4/2015	8:07	MW373	LRGA	359.95	30.01	0.00	31.81	328.14	31.81	328.14
8/4/2015	8:08	MW374	UCRS	359.71	30.01	0.00	20.92	338.79	20.92	338.79
8/4/2015	7:59	MW375	UCRS	370.53	30.01	0.00	27.93	342.60	27.93	342.60
8/4/2015	8:01	MW376	UCRS	370.61	30.01	0.00	40.15	330.46	40.15	330.46
8/4/2015	8:03	MW377	UCRS	365.92	30.01	0.00	35.35	330.57	35.35	330.57
<p>Initial Barometric Pressure 30.01</p> <p>Elev = elevation</p> <p>amsl = above mean sea level</p> <p>BP = barometric pressure</p> <p>DTW = depth to water in feet below datum</p> <p>URGA = Upper Regional Gravel Aquifer</p> <p>LRGA = Lower Regional Gravel Aquifer</p> <p>UCRS = Upper Continental Recharge System</p> <p>ND = No Data acquired</p> <p>^a Assumes a barometric efficiency of 1.0.</p> <p>^b Presence of wasps prevented measurement of water level.</p>										








Table E.2. C-746-U Landfill Hydraulic Gradients

	ft/ft
Beneath Landfill—Upper RGA	4.32×10^{-4}
Beneath Landfill—Lower RGA	4.32×10^{-4}
Vicinity	3.09×10^{-4}

Table E.3. C-746-U Landfill Groundwater Flow Rate

Hydraulic Conductivity (K)		Specific Discharge (q)		Average Linear Velocity (v)	
ft/day	cm/s	ft/day	cm/s	ft/day	cm/s
<u>Upper RGA</u>					
725	0.256	0.31	1.11×10^{-4}	1.25	4.42×10^{-4}
425	0.150	0.18	6.48×10^{-5}	0.73	2.59×10^{-4}
<u>Lower RGA</u>					
725	0.256	0.31	1.11×10^{-4}	1.25	4.42×10^{-4}
425	0.150	0.18	6.48×10^{-5}	0.73	2.59×10^{-4}

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX F
NOTIFICATIONS

THIS PAGE INTENTIONALLY LEFT BLANK

NOTIFICATIONS

In accordance with 401 KAR 48:300 § 7, the notification for parameters that exceed the maximum contaminant level has been submitted to the Kentucky Division of Waste Management. The parameters submitted are listed on page F-4. The notification for parameters that do not have MCLs, but had statistically significant increased concentrations relative to historical background concentrations is provided below.

Statistical Analysis of Parameters Notification

The statistical analyses conducted on the third quarter 2015 groundwater data collected from the C-746-U Landfill monitoring wells were performed in accordance with *Groundwater Monitoring Plan for the Solid Waste Permitted Landfills (C-746-S Residential Landfill, C-746-T Inert Landfill, and C-746-U Contained Landfill) at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky* (LATA Kentucky 2014).

The following are the permit required parameters in 40 CFR § 302.4, Appendix A, which had statistically significant increased concentrations relative to historical background concentrations.

	<u>Parameter</u>	<u>Monitoring Well</u>
Upper Continental Recharge System	None	
Upper Regional Gravel Aquifer	None	
Lower Regional Gravel Aquifer	Technetium-99	MW358, MW364, MW370

8/31/2015

**Fluor Federal Services
PROJECT ENVIRONMENTAL MEASUREMENTS SYSTEM
C-746-U LANDFILL
PERMIT NUMBER 073-00045
MAXIMUM CONTAMINANT LIMIT (MCL) EXCEEDANCE REPORT
Quarterly Groundwater Sampling**

AKGWA	Station	Analysis	Method	Results	Units	MCL
8004-4798	MW357	Trichloroethene	8260B	5.88	ug/L	5
8004-4795	MW361	Trichloroethene	8260B	6.92	ug/L	5
8004-4808	MW372	Trichloroethene	8260B	8.2	ug/L	5
8004-4792	MW373	Trichloroethene	8260B	8.35	ug/L	5

NOTE 1: These limits are defined in 401 KAR 47:030.

NOTE 2: MW370, MW372, and MW373 are down-gradient wells for the C-746-S and C-746-T Landfills and upgradient for the the C-746-U Landfill. These wells are sampled with the C-746-U Landfill monitoring well network. These wells are reported on the exceedance reports for C-746-S, C-746-T, and C-746-U.

APPENDIX G
CHART OF MCL AND UTL EXCEEDANCES

THIS PAGE INTENTIONALLY LEFT BLANK

Chart of MCL and Historical UTL Exceedances for the C-746-U Contained Landfill

Groundwater Flow System	UCRS										URGA						LRGA					
Gradient	S	S	S	S	D	D	D	U	U		S	D	D	D	U	U	S	D	D	S	U	U
Monitoring Well	368	375	376	377	359	362	365	371	374		366	360	363	357	369	372	367	361	364	358	370	373
ACETONE																						
Quarter 3, 2002											*	*	*									
Quarter 4, 2002											*	*	*									
Quarter 1, 2003												*	*									
Quarter 2, 2003												*	*	*								
Quarter 3, 2003	*						*				*	*	*			*			*			
Quarter 4, 2003						*	*					*			*							
Quarter 3, 2004						*											*					
Quarter 3, 2005						*																
Quarter 4, 2005						*																
ALPHA ACTIVITY																						
Quarter 1, 2004																						■
Quarter 2, 2004							■															■
Quarter 3, 2009							■															
ALUMINUM																						
Quarter 3, 2003												*										
BETA ACTIVITY																						
Quarter 1, 2004																	■					
Quarter 2, 2004																	■					■
Quarter 3, 2004																	■					
Quarter 4, 2004																	■					
Quarter 4, 2005																	■					
Quarter 1, 2006																	■					■
Quarter 2, 2006																	■					■
Quarter 3, 2006																	■					■
Quarter 4, 2006																	■					■
Quarter 1, 2007											■						■					■
Quarter 2, 2007																	■					■
Quarter 3, 2007											■						■					■
Quarter 4, 2007											■						■					■
Quarter 1, 2008											■						■					
Quarter 2, 2008															■		■					
Quarter 3, 2008											■						■			■		
Quarter 4, 2008											■						■			■		
Quarter 1, 2009											■						■					
Quarter 2, 2009																	■	■	■			
Quarter 3, 2009											■						■					
Quarter 4, 2009											■						■					
Quarter 1, 2010																	■					
Quarter 2, 2010											■						■					
Quarter 3, 2010											■											
Quarter 4, 2010																	■					
Quarter 2, 2011											■							■				
Quarter 4, 2011																	■					
Quarter 1, 2012											■											
Quarter 2, 2012											■								■			
Quarter 3, 2012											■						■					
Quarter 4, 2012																	■					■
Quarter 1, 2013																	■					■
Quarter 3, 2013																	■					■
Quarter 4, 2013																	■					
Quarter 1, 2014																	■					
Quarter 4, 2014																	■					
Quarter 1, 2015																	■					
Quarter 2, 2015																	■					
BROMIDE																						
Quarter 2, 2004														*								

Chart of MCL and Historical UTL Exceedances for the C-746-U Contained Landfill (Continued)

Groundwater Flow System	UCRS										URGA						LRGA					
Gradient	S	S	S	S	D	D	D	U	U		S	D	D	D	U	U	S	D	D	S	U	U
Monitoring Well	368	375	376	377	359	362	365	371	374		366	360	363	357	369	372	367	361	364	358	370	373
CALCIUM																						
Quarter 3, 2003											*											
Quarter 2, 2005																						*
Quarter 3, 2006																*						
Quarter 2, 2008																*						
Quarter 3, 2009																*						
Quarter 4, 2009																*						
Quarter 1, 2010																*						
Quarter 2, 2010																*						
Quarter 3, 2010																*						
Quarter 1, 2011																*						
Quarter 2, 2011																*						
Quarter 3, 2011																*						*
Quarter 4, 2011																*						*
Quarter 1, 2012																*						*
Quarter 2, 2012																*						*
Quarter 3, 2012																*						*
Quarter 4, 2012																*						
Quarter 1, 2013																*						*
Quarter 2, 2013																*						
Quarter 3, 2013																*						*
Quarter 4, 2013																*						
Quarter 2, 2014																*						*
Quarter 3, 2014																*						*
Quarter 4, 2014																*						
Quarter 2, 2015																*						
Quarter 3, 2015																*						
CARBON DISULFIDE																						
Quarter 3, 2003											*											
Quarter 2, 2005							*															
Quarter 3, 2005						*																
Quarter 4, 2005						*																
Quarter 1, 2006						*																
Quarter 2, 2006						*																
Quarter 3, 2010		*									*											
Quarter 4, 2010															*							
Quarter 1, 2011																*						
CHEMICAL OXYGEN DEMAND																						
Quarter 3, 2002											*	*	*	*	*	*						
Quarter 4, 2002											*	*	*	*	*	*						
Quarter 1, 2003											*	*	*	*	*	*						
Quarter 2, 2003											*	*	*	*	*	*						
Quarter 3, 2003	*										*	*	*	*	*	*	*					
Quarter 4, 2003						*					*	*	*	*	*	*						
Quarter 3, 2004											*	*	*	*	*	*						
Quarter 3, 2005						*					*	*	*	*	*	*	*			*		
Quarter 4, 2005						*					*	*	*	*	*	*			*	*		
Quarter 1, 2006											*	*	*	*	*	*			*	*		
CHLORIDE																						
Quarter 1, 2006																					*	
Quarter 2, 2014																*						
COBALT																						
Quarter 3, 2003	*						*				*	*	*	*	*	*	*	*	*	*	*	*
Quarter 1, 2004															*							
CONDUCTIVITY																						
Quarter 4, 2002											*											
Quarter 1, 2003											*											
Quarter 2, 2003											*	*										
Quarter 4, 2003											*											
Quarter 1, 2004											*											

Chart of MCL and Historical UTL Exceedances for the C-746-U Contained Landfill (Continued)

Groundwater Flow System	UCRS										URGA						LRGA					
Gradient	S	S	S	S	D	D	D	U	U		S	D	D	D	U	U	S	D	D	S	U	U
Monitoring Well	368	375	376	377	359	362	365	371	374		366	360	363	357	369	372	367	361	364	358	370	373
CONDUCTIVITY																						
Quarter 2, 2004											*											
Quarter 3, 2004											*											
Quarter 1, 2005																*						
Quarter 2, 2005																*						
Quarter 3, 2005						*														*		
Quarter 4, 2005																*		*				
Quarter 1, 2006																*						
Quarter 2, 2006																*						
Quarter 3, 2006																*						
Quarter 1, 2007																*						
Quarter 2, 2007																*						
Quarter 3, 2007																*						
Quarter 4, 2007																*						
Quarter 1, 2008																*						
Quarter 2, 2008																*						
Quarter 3, 2008																*						
Quarter 4, 2008																*						
Quarter 1, 2009																*						
Quarter 2, 2009																*						
Quarter 3, 2009																*						
Quarter 4, 2009																*						
Quarter 1, 2010																*						
Quarter 2, 2010																*						
Quarter 3, 2010																*						
Quarter 4, 2010																*						
Quarter 1, 2011																*						
Quarter 2, 2011																*						
Quarter 3, 2011																*						
Quarter 4, 2011																*						
Quarter 1, 2012															*	*						
Quarter 2, 2012																*						
Quarter 3, 2012																*						
Quarter 4, 2012																*						
Quarter 1, 2013																*						
Quarter 2, 2013																*						
Quarter 3, 2013																*						
Quarter 4, 2013																*						
Quarter 1, 2014																*						
Quarter 2, 2014																*						
Quarter 3, 2014																*						
Quarter 4, 2014																*						
Quarter 1, 2015																*						
Quarter 2, 2015																*						
Quarter 3, 2015																*						
DISSOLVED OXYGEN																						
Quarter 1, 2003					*	*					*											
Quarter 3, 2003					*						*											
Quarter 4, 2003					*																	
Quarter 1, 2004					*																	
Quarter 2, 2004								*									*					
Quarter 1, 2005					*																	
Quarter 2, 2005								*														
Quarter 1, 2006					*																	
Quarter 2, 2006					*			*														
Quarter 3, 2006					*			*														
Quarter 4, 2006					*				*													
Quarter 2, 2007					*			*														
Quarter 3, 2007					*			*	*													
Quarter 1, 2008					*															*		
Quarter 2, 2008								*	*													
Quarter 3, 2008								*														
Quarter 1, 2009							*															
Quarter 2, 2009					*			*	*													
Quarter 3, 2009						*		*	*													

Chart of MCL and Historical UTL Exceedances for the C-746-U Contained Landfill (Continued)

Groundwater Flow System	UCRS										URGA						LRGA					
Gradient	S	S	S	S	D	D	D	U	U		S	D	D	D	U	U	S	D	D	S	U	U
Monitoring Well	368	375	376	377	359	362	365	371	374		366	360	363	357	369	372	367	361	364	358	370	373
DISSOLVED OXYGEN																						
Quarter 1, 2010					*		*															
Quarter 2, 2010					*	*		*	*												*	*
Quarter 3, 2010					*	*																
Quarter 4, 2010							*						*								*	
Quarter 1, 2011						*																
Quarter 2, 2011					*	*	*	*	*						*							
Quarter 3, 2011						*			*													
Quarter 1, 2012							*		*													
Quarter 2, 2012	*			*	*	*		*	*													
Quarter 3, 2012						*																
Quarter 4, 2012									*													
Quarter 1, 2013						*			*													
Quarter 2, 2013							*		*													
Quarter 3, 2013	*				*		*	*	*													
Quarter 4, 2013									*												*	
Quarter 2, 2014	*				*	*	*	*	*										*			
Quarter 3, 2014	*				*	*	*															
Quarter 4, 2014						*																
Quarter 2, 2015					*	*	*	*														
Quarter 3, 2015					*	*		*														
DISSOLVED SOLIDS																						
Quarter 4, 2002											*											
Quarter 1, 2003											*											
Quarter 2, 2003											*											
Quarter 3, 2003							*				*	*										
Quarter 4, 2003											*											
Quarter 3, 2005						*																
Quarter 4, 2006																*						
Quarter 1, 2007																*						
Quarter 2, 2007																*						
Quarter 4, 2008																*						
Quarter 1, 2009																*						
Quarter 2, 2009																*						
Quarter 3, 2009																*						
Quarter 4, 2009																*						
Quarter 1, 2010																*						
Quarter 2, 2010																*						
Quarter 3, 2010																*						
Quarter 4, 2010																*						
Quarter 1, 2011																*						
Quarter 2, 2011																*						
Quarter 3, 2011																*						
Quarter 4, 2011																*						
Quarter 1, 2012															*	*						
Quarter 2, 2012																*					*	
Quarter 3, 2012																*					*	
Quarter 4, 2012																*						
Quarter 1, 2013																*						
Quarter 2, 2013																*						
Quarter 3, 2013																*						
Quarter 4, 2013																*						
Quarter 1, 2014																*						
Quarter 2, 2014																*						
Quarter 4, 2014																*						
Quarter 2, 2015																*						
Quarter 3, 2015																*						
IODIDE																						
Quarter 2, 2003																	*					
Quarter 3, 2003	*										*											
Quarter 4, 2003							*															
Quarter 3, 2010						*		*					*					*				
IODINE-131																						
Quarter 3, 2010																			■			

Chart of MCL and Historical UTL Exceedances for the C-746-U Contained Landfill (Continued)

Groundwater Flow System	UCRS										URGA						LRGA					
Gradient	S	S	S	S	D	D	D	U	U		S	D	D	D	U	U	S	D	D	S	U	U
Monitoring Well	368	375	376	377	359	362	365	371	374		366	360	363	357	369	372	367	361	364	358	370	373
IODOMETHANE																						
Quarter 4, 2003						*																
IRON																						
Quarter 4, 2002						*																
Quarter 3, 2003																	*					
Quarter 4, 2003											*						*					
Quarter 1, 2004											*						*					
Quarter 2, 2004											*											
Quarter 3, 2004											*											
Quarter 3, 2005																	*					
MAGNESIUM																						
Quarter 2, 2005																*						*
Quarter 3, 2005						*																*
Quarter 2, 2006																*						*
Quarter 3, 2006																*						
Quarter 1, 2007																*						
Quarter 2, 2008																*						
Quarter 2, 2009																*						
Quarter 3, 2009																*						
Quarter 4, 2009																*						
Quarter 1, 2010																*						
Quarter 2, 2010																*						
Quarter 3, 2010																*						
Quarter 1, 2011																*						
Quarter 2, 2011																*						
Quarter 3, 2011																*						
Quarter 4, 2011																*						
Quarter 1, 2012																*						
Quarter 2, 2012																*						
Quarter 3, 2012																*						
Quarter 4, 2012																*						
Quarter 1, 2013																*						
Quarter 2, 2013																*						
Quarter 3, 2013																*						
Quarter 4, 2013																*						
Quarter 2, 2014																*						
Quarter 4, 2014																*						
Quarter 2, 2015																*						
Quarter 3, 2015																*						
MANGANESE																						
Quarter 3, 2002											*		*									
Quarter 4, 2002		*				*	*				*		*		*							
Quarter 2, 2003											*		*									
Quarter 3, 2003											*		*	*			*	*	*	*		
Quarter 4, 2003											*	*	*	*			*	*	*			
Quarter 1, 2004											*	*	*				*	*	*			
Quarter 2, 2004							*				*	*	*						*			
Quarter 3, 2004							*				*	*	*				*					
Quarter 4, 2004											*		*				*					
Quarter 1, 2005											*		*									
Quarter 2, 2005											*		*									
Quarter 3, 2005											*		*				*					
Quarter 4, 2005											*						*					
Quarter 1, 2006											*											
Quarter 2, 2006							*				*		*									
Quarter 3, 2006											*						*					
Quarter 4, 2006											*											
Quarter 1, 2007											*											
Quarter 2, 2007							*				*											
Quarter 3, 2007							*															
Quarter 3, 2008							*															
Quarter 4, 2008							*															
Quarter 3, 2009							*															
Quarter 3, 2011							*															

Chart of MCL and Historical UTL Exceedances for the C-746-U Contained Landfill (Continued)

Groundwater Flow System	UCRS										URGA						LRGA					
Gradient	S	S	S	S	D	D	D	U	U		S	D	D	D	U	U	S	D	D	S	U	U
Monitoring Well	368	375	376	377	359	362	365	371	374	366	360	363	357	369	372		367	361	364	358	370	373
NICKEL																						
Quarter 3, 2003										*												
OXIDATION-REDUCTION POTENTIAL																						
Quarter 4, 2002																		*		*		
Quarter 1, 2003																		*		*		
Quarter 2, 2003																				*		
Quarter 3, 2003	*																					
Quarter 4, 2003					*																	
Quarter 2, 2004													*					*				*
Quarter 3, 2004					*			*					*	*	*			*			*	*
Quarter 4, 2004												*										*
Quarter 1, 2005																		*			*	*
Quarter 2, 2005								*					*					*			*	*
Quarter 3, 2005					*	*		*			*	*	*					*		*	*	*
Quarter 4, 2005		*						*					*					*			*	*
Quarter 1, 2006					*			*	*									*				*
Quarter 2, 2006					*		*	*					*					*			*	
Quarter 3, 2006					*			*					*					*			*	
Quarter 4, 2006					*		*			*		*	*					*			*	*
Quarter 1, 2007		*			*			*					*					*			*	*
Quarter 2, 2007					*								*					*			*	*
Quarter 3, 2007					*			*										*			*	*
Quarter 4, 2007																		*			*	*
Quarter 1, 2008					*			*				*	*							*	*	*
Quarter 2, 2008					*			*		*		*	*	*				*		*	*	*
Quarter 3, 2008					*		*	*	*	*		*	*	*	*			*	*	*	*	*
Quarter 4, 2008								*		*		*	*	*				*	*	*	*	*
Quarter 1, 2009							*	*		*		*	*	*				*	*	*	*	*
Quarter 2, 2009					*		*	*		*		*	*	*				*	*	*	*	*
Quarter 3, 2009		*			*	*	*	*	*	*		*	*	*	*			*	*	*	*	*
Quarter 4, 2009		*			*	*	*	*	*	*		*	*	*	*			*	*	*	*	*
Quarter 1, 2010		*			*		*	*		*		*	*	*	*		*	*	*	*	*	*
Quarter 2, 2010					*	*		*		*	*	*	*	*	*		*	*	*	*	*	*
Quarter 3, 2010		*			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Quarter 4, 2010		*			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Quarter 1, 2011					*		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Quarter 2, 2011		*			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Quarter 3, 2011		*			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Quarter 4, 2011		*			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Quarter 1, 2012		*			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Quarter 2, 2012	*	*		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Quarter 3, 2012		*			*		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Quarter 4, 2012		*			*		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Quarter 1, 2013		*			*		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Quarter 2, 2013		*			*		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Quarter 3, 2013	*	*			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Quarter 4, 2013		*			*		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Quarter 1, 2014		*			*		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Quarter 2, 2014	*	*			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Quarter 3, 2014	*	*			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Quarter 4, 2014		*			*		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Quarter 1, 2015		*			*		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Quarter 2, 2015	*	*			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Quarter 3, 2015		*			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
PCB, TOTAL																						
Quarter 4, 2003																		*				
Quarter 3, 2004												*										
Quarter 3, 2005							*															
Quarter 2, 2006							*															
Quarter 3, 2006							*															
Quarter 1, 2007							*															
Quarter 2, 2007							*															
Quarter 3, 2007							*															
Quarter 1, 2008							*															
Quarter 2, 2008							*															

Chart of MCL and Historical UTL Exceedances for the C-746-U Contained Landfill (Continued)

Groundwater Flow System	UCRS										URGA						LRGA					
Gradient	S	S	S	S	D	D	D	U	U		S	D	D	D	U	U	S	D	D	S	U	U
Monitoring Well	368	375	376	377	359	362	365	371	374		366	360	363	357	369	372	367	361	364	358	370	373
PCB, TOTAL																						
Quarter 4, 2008							*															
Quarter 3, 2009							*															
Quarter 1, 2010							*															
Quarter 2, 2010							*															
Quarter 4, 2010							*															
PCB-1016																						
Quarter 3, 2004													*									
Quarter 2, 2006							*						*									
Quarter 1, 2007							*															
Quarter 2, 2007							*															
Quarter 3, 2007							*															
Quarter 2, 2008							*															
Quarter 4, 2008							*															
Quarter 3, 2009							*															
Quarter 1, 2010							*															
Quarter 2, 2010							*															
Quarter 4, 2010							*															
PCB-1242																						
Quarter 3, 2006							*						*									
Quarter 4, 2006											*											
Quarter 1, 2008							*															
Quarter 2, 2012							*															
PCB-1248																						
Quarter 2, 2008							*															
PCB-1260																						
Quarter 2, 2006							*															
pH																						
Quarter 3, 2002											*											
Quarter 4, 2002											*											
Quarter 1, 2003											*											
Quarter 2, 2003											*											
Quarter 3, 2003	*						*				*											
Quarter 4, 2003							*										*					
Quarter 1, 2004							*										*					
Quarter 3, 2005						*													*	*		
Quarter 4, 2005						*													*	*		
Quarter 3, 2006																	*					
Quarter 2, 2011															*							
Quarter 3, 2011															*							
Quarter 4, 2011															*							
Quarter 1, 2012																	*	*				
Quarter 2, 2012													*									
Quarter 1, 2013											*		*				*					
Quarter 3, 2015																		*				
POTASSIUM																						
Quarter 1, 2014																	*					
RADIUM-228																						
Quarter 2, 2005																						
Quarter 4, 2005							■						■		■				■			
SELENIUM																						
Quarter 4, 2003									■													
SODIUM																						
Quarter 3, 2002											*	*		*								
Quarter 4, 2002											*	*			*							
Quarter 1, 2003											*											
Quarter 2, 2003											*	*										
Quarter 3, 2003												*										
Quarter 1, 2007												*										
Quarter 1, 2012															*							
Quarter 1, 2014																*						
Quarter 3, 2014											*											
Quarter 4, 2014											*											

Chart of MCL and Historical UTL Exceedances for the C-746-U Contained Landfill (Continued)

Groundwater Flow System	UCRS										URGA						LRGA					
Gradient	S	S	S	S	D	D	D	U	U		S	D	D	D	U	U	S	D	D	S	U	U
Monitoring Well	368	375	376	377	359	362	365	371	374		366	360	363	357	369	372	367	361	364	358	370	373
STRONTIUM-90																						
Quarter 4, 2008																						
SULFATE																						
Quarter 1, 2003							*															
Quarter 2, 2003						*	*															
Quarter 3, 2003	*					*	*															
Quarter 4, 2003					*		*															
Quarter 1, 2004					*	*	*															
Quarter 2, 2004					*	*	*															
Quarter 3, 2004					*	*	*															
Quarter 1, 2005					*	*			*													
Quarter 2, 2005					*	*	*		*							*						
Quarter 3, 2005					*	*	*															
Quarter 4, 2005																*						
Quarter 1, 2006					*				*													
Quarter 2, 2006						*	*		*							*						
Quarter 3, 2006							*															
Quarter 1, 2007							*															
Quarter 2, 2007							*															
Quarter 3, 2007							*															
Quarter 4, 2007		*																				
Quarter 1, 2008		*			*		*		*													
Quarter 2, 2008		*			*	*	*															
Quarter 3, 2008		*			*	*	*															
Quarter 4, 2008		*				*	*															
Quarter 1, 2009		*					*															
Quarter 2, 2009		*			*	*	*															
Quarter 3, 2009		*			*	*	*									*						
Quarter 4, 2009		*			*	*	*									*						
Quarter 1, 2010		*			*	*	*									*						
Quarter 2, 2010		*			*	*	*									*						
Quarter 3, 2010		*			*	*	*									*						
Quarter 4, 2010		*				*	*									*						
Quarter 1, 2011		*																				
Quarter 2, 2011		*			*	*	*									*						
Quarter 3, 2011		*				*	*	*								*						
Quarter 4, 2011		*				*										*						
Quarter 1, 2012		*					*	*								*						
Quarter 2, 2012	*	*		*	*	*	*	*	*							*						
Quarter 3, 2012		*				*										*						
Quarter 4, 2012		*														*						
Quarter 1, 2013		*				*										*						
Quarter 2, 2013		*														*						
Quarter 3, 2013	*	*		*	*	*	*									*						
Quarter 4, 2013		*														*						
Quarter 1, 2014		*														*						
Quarter 2, 2014	*	*			*		*	*								*						
Quarter 3, 2014	*	*			*	*	*	*								*						
Quarter 4, 2014		*				*																
Quarter 1, 2015		*																				
Quarter 2, 2015	*	*			*		*									*						
Quarter 3, 2015		*			*	*		*								*						
TECHNETIUM-99																						
Quarter 4, 2002																	*	*	*			
Quarter 2, 2003							*						*			*	*	*	*		*	
Quarter 3, 2003																	*					
Quarter 4, 2003																	*				*	
Quarter 1, 2004																*	*				*	
Quarter 2, 2004																*					*	
Quarter 3, 2004																*					*	
Quarter 4, 2004																*		*			*	
Quarter 3, 2005																	*					
Quarter 1, 2006																*					*	
Quarter 2, 2006		*							*												*	
Quarter 3, 2006																					*	

Chart of MCL and Historical UTL Exceedances for the C-746-U Contained Landfill (Continued)

Groundwater Flow System	UCRS										URGA						LRGA					
Gradient	S	S	S	S	D	D	D	U	U		S	D	D	D	U	U	S	D	D	S	U	U
Monitoring Well	368	375	376	377	359	362	365	371	374		366	360	363	357	369	372	367	361	364	358	370	373
TECHNETIUM-99																						
Quarter 4, 2006																*						*
Quarter 1, 2007																						*
Quarter 2, 2007														*		*					*	
Quarter 3, 2007																*		*	*			
Quarter 4, 2007											*					*				*		*
Quarter 1, 2008																*					*	*
Quarter 2, 2008							*	*							*		*			*		
Quarter 3, 2008																*						
Quarter 4, 2008											*							*		*		
Quarter 1, 2009											*											
Quarter 2, 2009																			*			
Quarter 3, 2009								*			*					*						
Quarter 4, 2009											*					*			*	*		
Quarter 2, 2010											*						*	*	*	*		
Quarter 3, 2010											*					*						
Quarter 4, 2010																			*			
Quarter 1, 2011		*									*							*				
Quarter 2, 2011																	*	*	*	*		
Quarter 1, 2012																		*	*	*		
Quarter 2, 2012								*											*			
Quarter 3, 2012																		*	*	*		
Quarter 4, 2012																*		*	*			*
Quarter 1, 2013																		*	*			*
Quarter 2, 2013																						*
Quarter 3, 2013											*											*
Quarter 4, 2013																*		*	*			*
Quarter 1, 2014																*		*	*			
Quarter 2, 2014																			*			
Quarter 3, 2014																		*	*	*		
Quarter 4, 2014																*			*	*		
Quarter 1, 2015																*			*			
Quarter 2, 2015																	*					
Quarter 3, 2015																			*	*	*	
TOLUENE																						
Quarter 2, 2014											*				*							
TOTAL ORGANIC CARBON																						
Quarter 3, 2002											*	*	*		*							*
Quarter 4, 2002											*	*			*							
Quarter 1, 2003												*										
Quarter 3, 2003	*										*	*					*					
Quarter 4, 2003											*	*										
Quarter 1, 2004												*										
Quarter 3, 2005						*					*					*	*			*		
Quarter 4, 2005						*													*	*		
Quarter 1, 2006																				*		
TOTAL ORGANIC HALIDES																						
Quarter 4, 2002											*											
Quarter 1, 2003											*											
Quarter 2, 2003											*											
Quarter 1, 2004																	*					
TRICHLOROETHENE																						
Quarter 3, 2002															■						■	
Quarter 4, 2002																■					■	
Quarter 1, 2003																					■	■
Quarter 2, 2003																	■				■	■
Quarter 3, 2003							■														■	■
Quarter 4, 2003																	■				■	■
Quarter 1, 2004																	■				■	■
Quarter 2, 2004																	■				■	■
Quarter 3, 2004																	■				■	■
Quarter 4, 2004																	■				■	■
Quarter 1, 2005																	■				■	■
Quarter 2, 2005																	■				■	■
Quarter 3, 2005																	■				■	■

Chart of MCL and Historical UTL Exceedances for the C-746-U Contained Landfill (Continued)

Groundwater Flow System	UCRS										URGA						LRGA					
Gradient	S	S	S	S	D	D	D	U	U		S	D	D	D	U	U	S	D	D	S	U	U
Monitoring Well	368	375	376	377	359	362	365	371	374		366	360	363	357	369	372	367	361	364	358	370	373
TRICHLOROETHENE																						
Quarter 4, 2005																■					■	■
Quarter 1, 2006																■					■	■
Quarter 2, 2006																■					■	■
Quarter 3, 2006																■					■	■
Quarter 4, 2006																■					■	■
Quarter 1, 2007																■					■	■
Quarter 2, 2007																■					■	■
Quarter 3, 2007																■					■	■
Quarter 4, 2007																■					■	■
Quarter 1, 2008																■					■	■
Quarter 2, 2008																■				■	■	■
Quarter 3, 2008																■					■	■
Quarter 4, 2008																■					■	■
Quarter 1, 2009																■					■	■
Quarter 2, 2009																■					■	■
Quarter 3, 2009																■					■	■
Quarter 4, 2009						■	■				■		■	■	■	■		■			■	■
Quarter 1, 2010													■	■	■	■					■	■
Quarter 2, 2010													■	■	■	■					■	■
Quarter 3, 2010													■	■	■	■					■	■
Quarter 4, 2010													■	■	■	■					■	■
Quarter 2, 2011													■	■	■	■				■	■	■
Quarter 3, 2011													■	■	■	■				■	■	■
Quarter 4, 2011													■	■	■	■					■	■
Quarter 1, 2012													■	■	■	■		■		■	■	■
Quarter 2, 2012													■	■	■	■		■			■	■
Quarter 3, 2012													■	■	■	■					■	■
Quarter 4, 2012													■	■	■	■					■	■
Quarter 1, 2013													■	■	■	■					■	■
Quarter 2, 2013													■	■	■	■		■		■	■	■
Quarter 3, 2013													■	■	■	■					■	■
Quarter 4, 2013													■	■	■	■				■	■	■
Quarter 1, 2014													■	■	■	■				■	■	■
Quarter 2, 2014													■	■	■	■		■		■	■	■
Quarter 3, 2014													■	■	■	■				■	■	■
Quarter 4, 2014													■	■	■	■				■	■	■
Quarter 1, 2015													■	■	■	■					■	■
Quarter 2, 2015					■								■	■	■	■				■	■	■
Quarter 3, 2015													■	■	■	■		■			■	■
TURBIDITY																						
Quarter 1, 2003											*											
URANIUM																						
Quarter 4, 2002		*			*	*	*				*	*	*	*	*	*	*		*	*	*	*
Quarter 4, 2006																						*
ZINC																						
Quarter 3, 2005																				*		
* Statistical test results indicate an elevated concentration (i.e., a statistical exceedance).																						
■ MCL Exceedance																						
UCRS Upper Continental Recharge System																						
URGA Upper Regional Gravel Aquifer																						
LRGA Lower Regional Gravel Aquifer																						

APPENDIX H
METHANE MONITORING DATA

THIS PAGE INTENTIONALLY LEFT BLANK

C-746-U LANDFILL METHANE LOG

PADUCAH GASEOUS DIFFUSION PLANT

Permit #: 073-00045

McCracken County, Kentucky

Date: September 04, 2015[illegible]


Signature

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX I

SURFACE WATER SAMPLE ANALYSIS AND WRITTEN COMMENTS

THIS PAGE INTENTIONALLY LEFT BLANK

Division of Waste Management
Solid Waste Branch
14 Reilly Road
Frankfort, KY 40601 (502)564-6716

RESIDENTIAL/CONTAINED-QUARTERLY
Facility: US DOE - Paducah Gaseous Diffusion Plant
Permit Number: 073-00045

FINDS/UNIT: KY8-890-008-982 / 1

LAB ID: None
For Official Use Only

SURFACE WATER SAMPLE ANALYSIS (S)

Monitoring Point (KPDES Discharge Number, or "UPSTREAM", or "DOWNSTREAM")					L150 AT SITE		L154 UPSTREAM		L351 DOWNSTREAM				
Sample Sequence #					1		1		1				
If sample is a Blank, specify Type: (F)ield, (T)rip, (M)ethod, or (E)quipment					NA		NA		NA				
Sample Date and Time (Month/Day/Year hour: minutes)					7/7/2015 08:02		7/7/2015 08:12		7/7/2015 07:40				
Duplicate ("Y" or "N") ¹					N		N		N				
Split ('Y' or "N") ²					N		N		N				
Facility Sample ID Number (if applicable)					L150US4-15		L154US4-15		L351US4-15				
Laboratory Sample ID Number (if applicable)					376539001		376539002		376539003				
Date of Analysis (Month/Day/Year)					7/31/2015		7/31/2015		7/31/2015				
CAS RN ³		CONSTITUENT	T D 4	Unit OF MEASURE	METHOD	DETECTED VALUE OR PQL ⁵	F L A G S ⁷	DETECTED VALUE OR PQL ⁵	F L A G S ⁷	DETECTED VALUE OR PQL ⁵	F L A G S ⁷	DETECTED VALUE OR PQL ⁵	F L A G S ⁷
A200-00-0	0	Flow	T	MGD	Field	0.05		0.92		3.55			
16887-00-6	2	Chloride(s)	T	mg/L	300.0	1.07		2.35		2.59			
14808-79-8	0	Sulfate	T	mg/L	300.0	9.3		3.47		3.32			
7439-89-6	0	Iron	T	mg/L	200.8	0.225		0.863		0.963			
7440-23-5	0	Sodium	T	mg/L	200.8	1.46		2.33		1.91			
S0268- -	0	Organic Carbon ⁶	T	mg/L	9060	5.68		14.2		14.8			
S0097- -	0	BOD ⁶	T	mg/L	not applicable		*		*		*		
S0130- -	0	Chemical Oxygen Demand	T	mg/L	410.4	22.5		55.9		85			

3-1

¹Respond "Y" if the sample was a duplicate of another sample in this report

²Respond "Y" if the sample was split and analyzed by separate laboratories.

³Chemical Abstracts Service Registry Number or unique identifier number assigned by agency.

⁴"T" = Total; "D" = Dissolved

⁵"<" indicates a non-detect; do not use "ND" or "BDL". Value then shown is Practical Quantification Limit

⁶Facility has either/or option on Organic Carbon and (BOD) Biochemical Oxygen Demand - both are not required

⁷Flags are as designated, do not use any other type. Use "*", " then describe on "Written Comments" page.

STANDARD FLAGS:

* = See Comments

J = Estimated Value

B = Analyte found in blank

A = Average value

N = Presumptive ID

D = Concentration from analysis of
a secondary dilution factor

I-4

RESIDENTIAL/CONTAINED – QUARTERLY**Facility: US DOE - Paducah Gaseous Diffusion Plant****Permit Numbers: 073-00045****Finds/Unit: KY8-890-008-982 / 1****LAB ID: None****For Official Use Only**

SURFACE WATER WRITTEN COMMENTS

Monitoring Point	Facility Sample ID	Constituent	Flag	Description
L150	L150US4-15	Biochemical Oxygen Demand (BOD)		Analysis of constituent not required and not performed.
		Alpha activity	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 6.17. Rad error is 6.17.
		Beta activity	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 5.22. Rad error is 5.21.
L154	L154US4-15	Biochemical Oxygen Demand (BOD)		Analysis of constituent not required and not performed.
		Alpha activity	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 3.48. Rad error is 3.48.
		Beta activity	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 6.11. Rad error is 6.02.
L351	L351US4-15	Biochemical Oxygen Demand (BOD)		Analysis of constituent not required and not performed.
		Alpha activity	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 5.41. Rad error is 5.4.
		Beta activity	U	Indicates analyte/nuclide was analyzed for, but not detected. TPU is 8.84. Rad error is 8.74.

THIS PAGE INTENTIONALLY LEFT BLANK