



Department of Energy

Portsmouth/Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington, Kentucky 40513
(859) 219-4000

April 28, 2022

RECEIVED
By Carolee Thompson at 10:55 am, May 02, 2022

Mr. Brian Begley
Federal Facility Agreement Manager
Division of Waste Management
Kentucky Department for Environmental Protection
300 Sower Boulevard, 2nd Floor
Frankfort, Kentucky 40601

PPPO-02-10021109-22

Ms. April Webb
Hazardous Waste Branch Manager
Division of Waste Management
Kentucky Department for Environmental Protection
300 Sower Boulevard, 2nd Floor
Frankfort, Kentucky 40601

Mr. Victor Weeks
Federal Facility Agreement Manager
U.S. Environmental Protection Agency, Region 4
61 Forsyth Street
Atlanta, Georgia 30303

Dear Mr. Begley, Ms. Webb, and Mr. Weeks:

**U.S. DEPARTMENT OF ENERGY PADUCAH GASEOUS DIFFUSION PLANT
FEDERAL FACILITY AGREEMENT SEMIANNUAL PROGRESS REPORT FOR THE
FIRST HALF OF FISCAL YEAR 2022 PADUCAH, KENTUCKY, DOE/LX/07-2478/V1**

Enclosed is the *U.S. Department of Energy Paducah Gaseous Diffusion Plant Federal Facility Agreement Semiannual Progress Report for the First Half of Fiscal Year 2022 Paducah, Kentucky*, DOE/LX/07-2478/V1, and the associated certification page. This report is required by Sections XXIII and XXXII.F of the Federal Facility Agreement and Part IV (Corrective Action) of the Hazardous Waste Management Facility Permit.

If you have any questions or require additional information, please contact me at (270) 441-6862.

Sincerely,

Tracey L.
Duncan

Digitally signed by
Tracey L. Duncan
Date: 2022.04.28
15:49:44 -05'00'

Tracey Duncan
Federal Facility Agreement Manager
Portsmouth/Paducah Project Office

Enclosures:

1. Certification Page
2. FFA Semiannual Progress Report for the First Half of Fiscal Year 2022

General Reference Compendium

cc w/enclosures:

abigail.parish@pppo.gov, PPPO
april.ladd@pppo.gov, PPPO
april.webb@ky.gov, KDEP
arcorrespondence@pad.pppo.gov
bart.schaffer@ky.gov, KDEP
brian.begley@ky.gov, KDEP
bruce.ford@pad.pppo.gov, FRNP
bryan.clayton@pad.pppo.gov, FRNP
bwhatton@tva.gov, TVA
christopher.travis@ky.gov, KDEP
dave.dollins@pppo.gov, PPPO
dcnorman0@tva.gov, TVA
frnpcorrespondence@pad.pppo.gov
hjlawrence@tva.gov, TVA
jennifer.woodard@pppo.gov, PPPO
joel.bradburne@pppo.gov, PPPO
kristan.avedikian@TechLawInc.com, EPA
leo.williamson@ky.gov, KDEP
leanne.garner@pad.pppo.gov, FRNP
mac.mcrae@TechLawInc.com, EPA
megan.mulry@pad.pppo.gov, FRNP
myrna.redfield@pad.pppo.gov, FRNP
nathan.garner@ky.gov, KYRHB
pad.rmc@pad.pppo.gov
robert.smith@pppo.gov, PPPO
sebenton@tva.gov, TVA
stephaniec.brock@ky.gov, KYRHB
testther@tva.gov, TVA
tracey.duncan@pppo.gov, PPPO
weeks.victor@epa.gov, EPA

CERTIFICATION

Document Identification: *U.S. Department of Energy Paducah Gaseous Diffusion Plant Federal Facility Agreement Semiannual Progress Report for the First Half of Fiscal Year 2022 Paducah, Kentucky, DOE/LX/07-2478/V1, April 2022*

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision according to a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Four Rivers Nuclear Partnership, LLC

**Myrna E.
Redfield**

Digitally signed by Myrna
E. Redfield
Date: 2022.04.28
06:32:51 -05'00'

Myrna E. Redfield, Program Manager
Four Rivers Nuclear Partnership, LLC

Date Signed

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision according to a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

U.S. Department of Energy

**Tracey L.
Duncan**

Digitally signed by Tracey
L. Duncan
Date: 2022.04.28
14:27:08 -05'00'

Tracey Duncan, Acting Paducah Site Lead
Portsmouth/Paducah Project Office
U.S. Department of Energy

Date Signed

**U.S. Department of Energy
Paducah Gaseous Diffusion Plant
Federal Facility Agreement
Semiannual Progress Report for the
First Half of Fiscal Year 2022
Paducah, Kentucky**



CLEARED FOR PUBLIC RELEASE

DOE/LX/07-2478/V1
Secondary Document

**U.S. Department of Energy
Paducah Gaseous Diffusion Plant
Federal Facility Agreement
Semiannual Progress Report for the
First Half of Fiscal Year 2022
Paducah, Kentucky**

Date Issued—April 2022

U.S. DEPARTMENT OF ENERGY
Office of Environmental Management

Prepared by
FOUR RIVERS NUCLEAR PARTNERSHIP, LLC,
managing the
Deactivation and Remediation Project at the
Paducah Gaseous Diffusion Plant
under Contract DE-EM0004895

CLEARED FOR PUBLIC RELEASE

THIS PAGE INTENTIONALLY LEFT BLANK

CONTENTS

TABLES	v
ACRONYMS.....	vii
INTRODUCTION	1
C-400 COMPLEX OPERABLE UNIT	5
GROUNDWATER OPERABLE UNIT	11
BURIAL GROUNDS OPERABLE UNIT	31
SURFACE WATER OPERABLE UNIT	35
WATER POLICY	39
ADDITIONAL REPORTING	45
APPENDIX A: NORTHEAST AND NORTHWEST PLUME WATER WITHDRAWAL REPORTS.....	A-1
APPENDIX B: NORTHEAST PLUME AND NORTHWEST PLUME GRAPHS, DATA, AND MAPS (FIGURES B.1 THROUGH B.33).....	B-5
APPENDIX C: C-746-K LANDFILL (SWMU 8) DATA	C-1
APPENDIX D: ADMINISTRATIVE RECORD, POST-DECISION RECORD, AND ADMINISTRATIVE RECORD REFERENCE INDICES	D-1
APPENDIX E: C-400 PROJECT GROUNDWATER MONITORING WELLS DATA	E-1
APPENDIX F: C-749 URANIUM BURIAL GROUND (SWMU 2) GROUNDWATER MONITORING WELL DATA	F-1

THIS PAGE INTENTIONALLY LEFT BLANK

TABLES

1.	Operable Units and Corresponding Report Topics	2
2.	Cumulative TCE Removed at Paducah.....	11
3.	TCE Concentrations for Northeast Plume	22
4.	TCE and Tc-99 Concentrations for Northwest Plume (July 1, 2021, through December 31, 2021)	26
5.	TCE and Tc-99 Concentrations for Northwest Plume Extraction Wells (July 1, 2021, through December 31, 2021).....	26

THIS PAGE INTENTIONALLY LEFT BLANK

ACRONYMS

AOC	area of concern
AR	Administrative Record
BGOU	Burial Grounds Operable Unit
CAB	Citizens Advisory Board
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
CRP	community relations plan
DOE	U.S. Department of Energy
EIC	Environmental Information Center
EPA	U.S. Environmental Protection Agency
EW	extraction well
FFA	Federal Facility Agreement
FRNP	Four Rivers Nuclear Partnership, LLC
FS	feasibility study
GRC	general reference compendium
GWOU	Groundwater Operable Unit
IRA	interim remedial action
KDEP	Kentucky Department for Environmental Protection
MCL	maximum contaminant level
MW	monitoring well
NEPCS	Northeast Plume Containment System
NTU	nephelometric turbidity unit
NWPGS	Northwest Plume Groundwater System
O&M	operations and maintenance
OU	operable unit
PD	post-decision
PGDP	Paducah Gaseous Diffusion Plant
PVA	property valuation administrator
RI	remedial investigation
RMD	risk methods document
ROD	Record of Decision
SMP	site management plan
SOU	Soils Operable Unit
SST	Swift & Staley Team
SWMU	solid waste management unit
SWOU	Surface Water Operable Unit
VOC	volatile organic compound
WAG	waste area grouping

THIS PAGE INTENTIONALLY LEFT BLANK

FEDERAL FACILITY AGREEMENT SEMIANNUAL PROGRESS REPORT FIRST HALF OF FISCAL YEAR 2022

Facility: Paducah Gaseous Diffusion Plant
Plant EPA I.D. No.: KY8-890-008-982
Reporting Period: 10/1/2021–3/31/2022

INTRODUCTION

The Paducah Gaseous Diffusion Plant (PGDP) was placed on the National Priorities List on May 31, 1994. In accordance with Section 120 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), the U.S. Department of Energy (DOE) entered into a Federal Facility Agreement (FFA) with the U.S. Environmental Protection Agency (EPA) and Kentucky Department for Environmental Protection (KDEP) on February 13, 1998. The FFA established one set of consistent requirements for achieving comprehensive site remediation in accordance with the Resource Conservation and Recovery Act and CERCLA, including stakeholder involvement.

Site cleanup activities are integrated into the following operable units (OUs).

- C-400 Complex OU
- Groundwater OU (GWOU)
- Surface Water OU (SWOU)
- Soils OU (SOU)
- Burial Grounds OU (BGOU)
- Facility Decontamination and Decommissioning OU
- Lagoons OU
- Depleted Uranium Hexafluoride (DUF₆) Footprint Underlying Soils OU
- Soils and Slabs OU
- CERCLA Waste Disposal Alternatives OU
- Comprehensive Site OU

Section XXIII of the FFA requires that DOE prepare a regulatory semiannual progress report that describes the actions that DOE has taken during the previous six months to implement FFA requirements, as well as the schedules¹ of activities to be taken during the upcoming six months. Activities that have taken place after the reporting period end date are not included in this report, but will be included in the reporting period in which they occur. Projects and activities reported in this update are grouped by the OUs listed in Table 1.

¹ Schedules are included for information and planning purposes only; enforceable schedules are established in the SMP.

Table 1. Operable Units and Corresponding Report Topics

Operable Unit	Project/Activities
C-400 Complex Operable Unit	• C-400 Demolition Removal Action • C-400 Final Remedial Action
Groundwater Operable Unit	• C-400 Interim Remedial Action (IRA) • Southwest Plume Sources Remedial Action • Dissolved-Phase Plumes Remedial Action • Northeast Plume IRA • Northwest Plume IRA
Burial Grounds Operable Unit	• C-749 Uranium Burial Ground Solid Waste Management Unit (SWMU) 2
Surface Water Operable Unit	• Remedial Action
Water Policy	• Removal Action
Additional Reporting	• Waste Area Groupings (WAGs) 1 and 7 • Community Relations Plan (CRP) • SMP • CERCLA Five-Year Review • Plant Industrial Area Vapor Intrusion Assessment

Each section of this update has been divided into nine sections as follows.

- I. Work performed during the reporting period (including summaries of findings and any deviations from the work plan)
- II. Schedules of activities to be performed during the next reporting period (including projected work/crucial phases of construction)
- III. Identity and assigned tasks of DOE contractors for work to be performed for this project
- IV. Statement of the manner and extent to which the requirements and time schedules are being met
- V. Primary/Secondary Document Tracking System
 - A) Documents under review and/or preparation for this reporting period
 - B) Due dates for completion of review/modification tasks
- VI. Anticipated problems/delays (provide summary of problems, schedule, reason for delay, and actions taken to prevent or mitigate delay)
- VII. Summary of all contacts with local community, public interest groups, or state government
- VIII. Changes in relevant personnel
- IX. Actual cost for operations and maintenance (O&M), if appropriate

Each section satisfies a reporting requirement for the FFA Semiannual Progress Report or the Hazardous Waste Management Facility Permit and has been formatted in accordance with the template found in Appendix D of the FFA.

This report includes six appendices as follows.

- Appendix A contains Northeast and Northwest Plumes Water Withdrawal Reports for this reporting period.
- Appendix B contains Figures B.1 through B.33, as referenced in the Northeast and Northwest Plumes updates. Appendix B also contains a summary of data through December 31, 2021, associated with the CERCLA outfall for Northeast Plume and data associated with the Northeast Plume Optimization transect monitoring wells (MWs).
- Appendix C contains a map depicting MW locations for the C-746-K Landfill; a figure summarizing the trichloroethene (TCE) concentrations in these wells over time; and a summary of the C-746-K Landfill groundwater monitoring data from May 1994 through December 31, 2021. These data currently are collected semiannually. Sampling of these MWs is outlined in the Record of Decision (ROD) for WAGs 1 and 7.
- Appendix D contains updates to the Administrative Record (AR) index since the last progress report. This is required by the Paducah FFA (Section XXXII.F). In October 2018, DOE began a comprehensive review of the Paducah Environmental Information Center (EIC) to ensure that the project document files were complete. As part of this effort, DOE reorganized the Paducah EIC to include the original three categories: 1) AR File, 2) Post-Decision (PD) File, and 3) General Reference Compendium (GRC); and added 4) AR Reference File and 5) AR Archive File. The AR Reference File contains programmatic documents that support the AR [e.g., Site Management Plan (SMP), Risk Methods Document (RMD)]. As a result of this reorganization of the EIC, Appendix D has been expanded to include updates to the AR index that include the AR File, PD File, and AR Reference File.

The AR Archive File contains documents for projects that originally were expected to have a decision document (i.e., ROD or Action Memorandum), but had been resequenced prior to a final decision. These documents have been archived within the AR Archive File to establish future AR files for projects and, as a result, are not included in Appendix D. The AR Archive File can be viewed on the EIC website.

The GRC, which supplements the Paducah AR, contains technical documents associated with the Paducah Site that do not meet the CERCLA criteria of an AR File or a PD File (e.g., CRP, CERCLA Five-Year Review, Annual Site Environmental Report); but are deemed important in understanding the Paducah Site environmental remedial efforts. Because the GRC is not part of the AR, it is not included as part of the update to Appendix D. The GRC can be viewed on the EIC website.

- Appendix E contains figures depicting the C-400 MW locations and summaries of the C-400 groundwater trends for TCE and technetium-99 (Tc-99) from June 2009 through December 31, 2021.
- Appendix F contains figures depicting the C-749 Uranium Burial Ground (SWMU 2) groundwater MW and a summary of the SWMU 2 trends for TCE and Tc-99 for reporting dates 1993 through December 31, 2021.

THIS PAGE INTENTIONALLY LEFT BLANK

**FEDERAL FACILITY AGREEMENT
SEMIANNUAL PROGRESS REPORT
FIRST HALF OF FISCAL YEAR 2022**

**Facility: Paducah Gaseous Diffusion Plant
Plant EPA I.D. No.: KY8-890-008-982
Reporting Period: 10/1/2021–3/31/2022**

C-400 COMPLEX OPERABLE UNIT

The C-400 Complex OU was established in a *Memorandum of Agreement on the C-400 Complex under the Federal Facility Agreement for the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, signed August 8, 2017; the agreement then was incorporated into the SMP. The following two projects are included in the C-400 Complex OU.

- C-400 Demolition Removal Action
- C-400 Final Remedial Action

THIS PAGE INTENTIONALLY LEFT BLANK

**FEDERAL FACILITY AGREEMENT
SEMIANNUAL PROGRESS REPORT
FIRST HALF OF FISCAL YEAR 2022**

**Facility: Paducah Gaseous Diffusion Plant
Plant EPA I.D. No.: KY8-890-008-982
Reporting Period: 10/1/2021–3/31/2022**

C-400 COMPLEX OPERABLE UNIT: C-400 Demolition Removal Action

The C-400 Demolition Removal Action is a CERCLA non-time-critical removal action that will result in the demolition and disposal of the C-400 Cleaning Building structure down to the building slab. The building's foundation and concrete slab floor will remain in place at the end of the removal action.

- I. Work performed during the reporting period (including summaries of findings and any deviations from the work plan):**
 - No activities were scheduled for this reporting period.
- II. Schedules of activities to be performed during the next reporting period (including projected work/crucial phases of construction):**
 - No activities are scheduled for this project during the next reporting period.
- III. Identity and assigned tasks of DOE contractors for work to be performed for this project:**
 - Reporting responsibility for the work to be performed in support of the C-400 Complex OU belongs to Four Rivers Nuclear Partnership, LLC (FRNP). FRNP also provides programmatic and technical support, analytical services, and business management services. Swift & Staley Team (SST) manages the AR and the EIC for DOE.
- IV. Statement of the manner and extent to which the requirements and time schedules are being met:**
 - The requirements for the C-400 Complex OU Removal Action subproject are being met consistent with the SMP and as agreed to by the FFA parties.
- V. Primary/Secondary Document Tracking System:**
 - A) Documents under review and/or preparation for this reporting period:**
 - None.
 - B) Due dates for completion of review/modification tasks:**
 - None.

VI. Anticipated problems/delays (provide summary of problems, schedule, reason for delay, and actions taken to prevent or mitigate delay):

- None.

VII. Summary of all contacts with local community, public interest groups, or state government:

- None.

VIII. Changes in relevant personnel:

- None.

IX. Actual cost for O&M, if appropriate:

- None.

**FEDERAL FACILITY AGREEMENT
SEMIANNUAL PROGRESS REPORT
FIRST HALF OF FISCAL YEAR 2022**

**Facility: Paducah Gaseous Diffusion Plant
Plant EPA I.D. No.: KY8-890-008-982
Reporting Period: 10/1/2021–3/31/2022**

C-400 COMPLEX OPERABLE UNIT: C-400 Final Remedial Action

The C-400 Final Remedial Action will investigate the C-400 Complex OU and associated SWMUs, evaluate potential remedial alternatives, develop decision documents selecting an alternative(s), and design and implement the remedial alternative(s).

I. Work performed during the reporting period (including summaries of findings and any deviations from the work plan):

- Completed the remedial investigation/feasibility study (RI/FS) fieldwork in accordance with the approved *Remedial Investigation/Feasibility Study Work Plan for the C-400 Complex Operable Unit at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2433&D2/R1.
- Initiated scoping of the *Remedial Investigation/Feasibility Study Report for the C-400 Complex Operable Unit at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2474&D1, with EPA and KDEP.
- Initiated development of the *Remedial Investigation/Feasibility Study Report for the C-400 Complex Operable Unit at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2474&D1.

II. Schedules of activities to be performed during the next reporting period (including projected work/crucial phases of construction):

- Complete scoping of the *Remedial Investigation/Feasibility Study Report for the C-400 Complex Operable Unit at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2474&D1, with EPA and KDEP.
- Continue development of the *Remedial Investigation/Feasibility Study Report for the C-400 Complex Operable Unit at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2474&D1.

III. Identity and assigned tasks of DOE contractors for work to be performed for this project:

- Reporting responsibility for the work to be performed in support of the C-400 Complex OU belongs to FRNP. FRNP also provides programmatic and technical support, analytical services, and business management services. SST manages the AR and the EIC for DOE.

IV. Statement of the manner and extent to which the requirements and time schedules are being met:

Requirements for the C-400 Complex Remedial Action are being met consistent with the following documents:

- *Memorandum of Agreement on the C-400 Complex under the Federal Facility Agreement for the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, signed August 8, 2017;*
- *Memorandum of Agreement for Resolution of Formal Dispute Regarding the Non-Concurrence by EPA and KDEP on the DOE Milestone Modification Request for Submittal of the Revised Proposed Plan for the Volatile Organic Compound Contamination at the C-400 Cleaning Building at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky (DOE/LX/07-2407&D1), signed September 28, 2017;*
- *Memorandum of Agreement for Resolution of Formal Disputes on EPA Conditional Concurrence on the Removal Notification for Demolition of the C-400 Cleaning Building in the C-400 Complex Operable Unit at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/LX/07-2420&D2 and the Engineering Evaluation/Cost Analysis for Demolition of the C-400 Cleaning Building in the C-400 Complex Operable Unit at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/LX/07-2425&D2, signed August 1, 2019; and*
- *Site Management Plan, Paducah Gaseous Diffusion Plant, Paducah, Kentucky, Annual Revision—FY 2022, DOE/LX/07-2473&D2.*

V. Primary/Secondary Document Tracking System:

A) Documents under review and/or preparation for this reporting period:

- *Remedial Investigation/Feasibility Study Report for the C-400 Complex Operable Unit at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/LX/07-2474&D1, was under development during this reporting period.*

B) Due dates for completion of review/modification tasks:

- None.

VI. Anticipated problems/delays (provide summary of problems, schedule, reason for delay, and actions taken to prevent or mitigate delay):

- None.

VII. Summary of all contacts with local community, public interest groups, or state government:

- DOE provided routine updates on the subproject to the Paducah Site Citizens Advisory Board (CAB), FFA project managers, FFA senior managers, local elected officials, and/or Congressional staff.

VIII. Changes in relevant personnel:

- None.

IX. Actual cost for O&M, if appropriate:

- None.

**FEDERAL FACILITY AGREEMENT
SEMIANNUAL PROGRESS REPORT
FIRST HALF OF FISCAL YEAR 2022**

**Facility: Paducah Gaseous Diffusion Plant
Plant EPA I.D. No.: KY8-890-008-982
Reporting Period: 10/1/2021–3/31/2022**

GROUNDWATER OPERABLE UNIT

The scope of the GWOU includes performing investigations, conducting baseline risk assessments, evaluating removal/remedial alternatives, and selecting and implementing actions necessary to achieve protection of human health and the environment from exposure to groundwater contamination that could result in an unacceptable risk.

Within the GWOU are these projects: C-400 IRA, Southwest Plume Sources Remediation, Dissolved-Phase Plumes, Northeast Plume IRA, and Northwest Plume IRA.

The overall objective of the GWOU is to remove/mitigate ongoing sources and to remediate the groundwater to target contaminant concentrations. The predominant contaminant of concern in the groundwater plumes is TCE. Table 2 provides an overall picture of the TCE mass removed [TCE values may contain other volatile organic compounds (VOCs)] by various actions.

Table 2. Cumulative TCE* Removed at Paducah

Source Area	Cumulative TCE Removed (gal)*
Northwest Plume Pump-and-Treat	3,932**
Northeast Plume Pump-and-Treat	360**
C-400 Six-Phase Treatability Study	1,900
C-400 Phase I	535
C-400 Phase IIa	1,137
Southwest Plume (SWMU 1)	24***
Other sources (i.e., SWMU 91–LASAGNA™)	246
Total	8,134

*TCE values may contain other VOCs.

**Cumulative through December 31, 2021.

***Removed during deep soil mixing operations.

THIS PAGE INTENTIONALLY LEFT BLANK

**FEDERAL FACILITY AGREEMENT
SEMIANNUAL PROGRESS REPORT
FIRST HALF OF FISCAL YEAR 2022**

**Facility: Paducah Gaseous Diffusion Plant
Plant EPA I.D. No.: KY8-890-008-982
Reporting Period: 10/1/2021–3/31/2022**

GROUNDWATER OPERABLE UNIT PROJECT: C-400 IRA

I. Work performed during the reporting period (including summaries of findings and any deviations from the work plan):

- Continued long-term monitoring of the C-400 IRA groundwater monitoring network as required by the *Record of Decision for Interim Remedial Action for the Groundwater Operable Unit for the Volatile Organic Compound Contamination at the C-400 Cleaning Building at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/OR/07-2150&D2/R2*.

II. Schedules of activities to be performed during the next reporting period (including projected work/crucial phases of construction):

- Continue long-term monitoring for the C-400 IRA.

III. Identity and assigned tasks of DOE contractors for work to be performed for this project:

- Reporting responsibility for the work to be performed in support of the C-400 IRA belongs to FRNP. FRNP also provides programmatic and technical support, analytical services, and business management services. SST manages the AR and the EIC for DOE.

IV. Statement of the manner and extent to which the requirements and time schedules are being met:

The requirements for the C-400 IRA are being met consistent with the following documents:

- *Memorandum of Agreement on the C-400 Complex under the Federal Facility Agreement for the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, signed August 8, 2017;*
- *Memorandum of Agreement for Resolution of Formal Dispute Regarding the Non-Concurrence by EPA and KDEP on the DOE Milestone Modification Request for Submittal of the Revised Proposed Plan for the Volatile Organic Compound Contamination at the C-400 Cleaning Building at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky (DOE/LX/07-2407&D1), signed September 28, 2017;*
- *Record of Decision for Interim Remedial Action for the Groundwater Operable Unit for the Volatile Organic Compound Contamination at the C-400 Cleaning Building at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/OR/07-2150&D2/R2; and*
- *Land Use Control Implementation Plan: Interim Remedial Action for the Groundwater Operable Unit for the Volatile Organic Compound Contamination at the C-400 Cleaning*

*Building at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky,
DOE/OR/07-2151&D2/R2.*

V. Primary/Secondary Document Tracking System:

A) Documents under review and/or preparation for this reporting period:

- None.

B) Due dates for completion of review/modification tasks:

- None.

VI. Anticipated problems/delays (provide summary of problems, schedule, reason for delay, and actions taken to prevent or mitigate delay):

- None.

VII. Summary of all contacts with local community, public interest groups, or state government:

- None.

VIII. Changes in relevant personnel:

- None.

IX. Actual cost for O&M, if appropriate:

- Sampling of the C-400 wells has been incorporated into the Environmental Monitoring Program. O&M cost for sampling for the C-400 IRA Project is not tracked separately.

**FEDERAL FACILITY AGREEMENT
SEMIANNUAL PROGRESS REPORT
FIRST HALF OF FISCAL YEAR 2022**

**Facility: Paducah Gaseous Diffusion Plant
Plant EPA I.D. No.: KY8-890-008-982
Reporting Period: 10/1/2021–3/31/2022**

GROUNDWATER OPERABLE UNIT PROJECT: Southwest Plume Sources

I. Work performed during the reporting period (including summaries of findings and any deviations from the work plan):

SWMU 1

- Continued long-term monitoring of the SWMU 1 MW network as required by the *Remedial Action Work Plan for In Situ Source Treatment by Deep Soil Mixing of the Southwest Groundwater Plume Volatile Organic Source at the C-747-C Oil Landfarm (Solid Waste Management Unit 1) at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/LX/07-1287&D2/A1/R1*.
- Conducted inspections of warning signs at SWMU 1 and verified the Excavation/Penetration Permit program for the Southwest Plume area as required by the *Record of Decision for Solid Waste Management Units 1, 211-A, 211-B, and Part of 102 Volatile Organic Compound Sources for the Southwest Groundwater Plume at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/LX/07-0365&D2/R1*.

SWMUs 211-A and 211-B

- Finalized and issued the *Remedial Action Work Plan for SWMU 211-A Enhanced In Situ Bioremediation for Volatile Organic Compound Sources to the Southwest Groundwater Plume at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/LX/07-2443&D2/R1*, incorporating agreements from the *Memorandum of Agreement for Resolution of Informal Dispute Concerning U.S. Environmental Protection Agency Conditional Concurrence on the Remedial Action Work Plan for SWMU 211-A Enhanced In Situ Bioremediation for Volatile Organic Compound Sources to the Southwest Groundwater Plume at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/LX/07-2443&D2*, to EPA and KDEP on November 3, 2021.
- Received EPA conditional approval of the *Remedial Action Work Plan for SWMU 211-A Enhanced In Situ Bioremediation for Volatile Organic Compound Sources to the Southwest Groundwater Plume at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/LX/07-2443&D2/R1*, on November 18, 2021.
- Received KDEP concurrence on the *Remedial Action Work Plan for SWMU 211-A Enhanced In Situ Bioremediation for Volatile Organic Compound Sources to the Southwest Groundwater Plume at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/LX/07-2443&D2/R1*, on November 19, 2021.

- Developed and issued the *Remedial Action Work Plan for SWMU 211-A Enhanced In Situ Bioremediation for Volatile Organic Compound Sources to the Southwest Groundwater Plume at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2443&D2/R2, to EPA and KDEP on December 16, 2021.
- Received KDEP and EPA approval of the *Remedial Action Work Plan for SWMU 211-A Enhanced In Situ Bioremediation for Volatile Organic Compound Sources to the Southwest Groundwater Plume at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2443&D2/R2, on December 17, 2021, and December 21, 2021, respectively.
- Completed procurement activities for securing an implementing subcontractor for the *Remedial Action Work Plan for SWMU 211-A Enhanced In Situ Bioremediation for Volatile Organic Compound Sources to the Southwest Groundwater Plume at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2443&D2/R2, on January 12, 2022.
- Developed and published the *Public Notice Remedial Action Selection for Solid Waste Management Unit 211-A of the Southwest Plume Sources at the Paducah Gaseous Diffusion Plant Site (Groundwater Operable Unit)* in *The Paducah Sun* on February 12, 2022.
- Initiated development of the *Explanation of Significant Differences to the Record of Decision for Solid Waste Management Units 1, 211-A, 211-B, and Part of 102 Volatile Organic Compound Sources for the Southwest Groundwater Plume at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2480&D1.
- Initiated field activities for the SWMU 211-A Enhanced *In Situ* Bioremediation remedial action on March 8, 2022.
 - Completed removal of interfering infrastructure in the treatment area, marked utilities in the treatment area, and surveyed in the initial well locations.
 - Initiated baseline sample collection and completed sampling for 11 of 18 performance well locations.
- Conducted inspections of warning signs at SWMU 211-A and SWMU 211-B and verified the Excavation/Penetration Permit Program for the Southwest Plume areas as required by the *Record of Decision for Solid Waste Management Units 1, 211-A, 211-B, and Part of 102 Volatile Organic Compound Sources for the Southwest Groundwater Plume at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-0365&D2/R1.

II. Schedules of activities to be performed during the next reporting period (including projected work/crucial phases of construction):

SWMU 1

- Continue long-term monitoring of the SWMU 1 MW network as required by the *Remedial Action Work Plan for In Situ Source Treatment by Deep Soil Mixing of the Southwest Groundwater Plume Volatile Organic Source at the C-747-C Oil Landfarm (Solid Waste Management Unit 1) at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-1287&D2/A1/R1.

- Conduct inspections of warning signs at SWMU 1 and verify the Excavation/Penetration Permit Program for the Southwest Plume area as required by the *Record of Decision for Solid Waste Management Units 1, 211-A, 211-B, and Part of 102 Volatile Organic Compound Sources for the Southwest Groundwater Plume at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-0365&D2/R1.

SWMUs 211-A and 211-B

- Complete and issue the *Explanation of Significant Differences to the Record of Decision for Solid Waste Management Units 1, 211-A, 211-B, and Part of 102 Volatile Organic Compound Sources for the Southwest Groundwater Plume at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2480&D1.
- Continue field activities for the SWMU 211-A Enhanced *In Situ* Bioremediation remedial action.
- Conduct inspections of warning signs at SWMU 211-A and SWMU 211-B and verify the Excavation/Penetration Permit Program for the Southwest Plume areas as required by the *Record of Decision for Solid Waste Management Units 1, 211-A, 211-B, and Part of 102 Volatile Organic Compound Sources for the Southwest Groundwater Plume at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-0365&D2/R1.

III. Identity and assigned tasks of DOE contractors for work to be performed for this project:

- Reporting responsibility for the work to be performed in support of the Southwest Plume Sources belongs to FRNP. FRNP also provides programmatic and technical support, analytical services, and business management services. SST manages the AR and the EIC for DOE.

IV. Statement of the manner and extent to which the requirements and time schedules are being met:

- The requirements for the SWMU 1 portion of the Southwest Plume sources remedial action subproject are being met consistent with the SMP and as agreed to by the FFA parties.
- The requirements for the SWMU 211-A portion of the Southwest Plume subproject are being met consistent with the SMP, the FFA, and as agreed to by the FFA parties.

V. Primary/Secondary Document Tracking System:

A) Documents under review and/or preparation for this reporting period:

- *Remedial Action Work Plan for SWMU 211-A Enhanced In Situ Bioremediation for Volatile Organic Compound Sources to the Southwest Groundwater Plume at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2443&D2/R1, was under development and the document was under review by EPA and KDEP during this reporting period.
- *Remedial Action Work Plan for SWMU 211-A Enhanced In Situ Bioremediation for Volatile Organic Compound Sources to the Southwest Groundwater Plume at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2443&D2/R2, was under

development and the document was under review and approved by EPA and KDEP during this reporting period.

- *Public Notice Remedial Action Selection for Solid Waste Management Unit 211-A of the Southwest Plume Sources at the Paducah Gaseous Diffusion Plant Site (Groundwater Operable Unit)* was under development and the notice was published in *The Paducah Sun* during this reporting period.
- *Explanation of Significant Differences to the Record of Decision for Solid Waste Management Units 1, 211-A, 211-B, and Part of 102 Volatile Organic Compound Sources for the Southwest Groundwater Plume at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/LX/07-2480&D1*, was under development during this reporting period.

B) Due dates for completion of review/modification tasks:

- None.

VI. Anticipated problems/delays (provide summary of problems, schedule, reason for delay, and actions taken to prevent or mitigate delay):

- None.

VII. Summary of all contacts with local community, public interest groups, or state government:

- Published the *Public Notice Remedial Action Selection for Solid Waste Management Unit 211-A of the Southwest Plume Sources at the Paducah Gaseous Diffusion Plant Site (Groundwater Operable Unit)* in *The Paducah Sun* on February 12, 2022.

VIII. Changes in relevant personnel:

- None.

IX. Actual cost for O&M, if appropriate:

- None.

**FEDERAL FACILITY AGREEMENT
SEMIANNUAL PROGRESS REPORT
FIRST HALF OF FISCAL YEAR 2022**

**Facility: Paducah Gaseous Diffusion Plant
Plant EPA I.D. No.: KY8-890-008-982
Reporting Period: 10/1/2021–3/31/2022**

GROUNDWATER OPERABLE UNIT PROJECT: Dissolved-Phase Plumes

- I. Work performed during the reporting period (including summaries of findings and any deviations from the work plan):**
- Met quarterly with the Modeling Working Group during this reporting period on October 6, 2021, and January 12, 2022.
 - Developed and issued the compendium of Modeling Working Group meeting summaries on December 13, 2021.
 - Developed and issued the *Evaluation of Anthropogenic Recharge Associated with the Process Buildings in Support of the Sitewide Groundwater Flow Model, Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, FRNP-RPT-0224, on February 15, 2022.
 - Developed and issued the *Evaluation of the 2016 Groundwater Model with Updated Reference Point Elevations for the Groundwater Monitoring Network at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, FRNP-RPT-0234, on February 28, 2022.
 - Initiated development of the *Detailed Correlations between Lithologic Units in the McNairy Formation across the Paducah Gaseous Diffusion Plant*, FRNP-RPT-0249.
- II. Schedule of activities to be performed during the next reporting period (including projected work/crucial phases of construction):**
- Conduct quarterly meetings with the Modeling Working Group which are currently planned for April 6, 2022, and July 13, 2022.
 - Continue development of the *Detailed Correlations between Lithologic Units in the McNairy Formation across the Paducah Gaseous Diffusion Plant*, FRNP-RPT-0249.
- III. Identity and assigned tasks of DOE contractors for work to be performed for this project:**
- Reporting responsibility for the work to be performed in support of the Dissolved-Phase Plume belongs to FRNP. FRNP also provides programmatic and technical support, analytical services, and business management services. SST manages the AR and the EIC for DOE.
- IV. Statement of the manner and extent to which the requirements and time schedules are being met:**
- No activities are scheduled for this project during the upcoming reporting period. The Modeling Working Group will continue to support Paducah Site projects.

V. Primary/Secondary Document Tracking System:

A) Documents under review and/or preparation for this reporting period:

- None.

B) Due dates for completion of review/modification tasks:

- None.

VI. Anticipated problems/delays (provide summary of problems, schedule, reason for delay, and actions taken to prevent or mitigate delay):

- None.

VII. Summary of all contacts with local community, public interest groups, or state government:

- DOE provided routine updates on the subproject to the Paducah Site CAB, FFA project managers, FFA senior managers, local elected officials, and/or Congressional staff, as applicable.

VIII. Changes in relevant personnel:

- None.

IX. Actual cost for O&M, if appropriate:

- None.

**FEDERAL FACILITY AGREEMENT
SEMIANNUAL PROGRESS REPORT
FIRST HALF OF FISCAL YEAR 2022**

**Facility: Paducah Gaseous Diffusion Plant
Plant EPA I.D. No.: KY8-890-008-982
Reporting Period: 10/1/2021–3/31/2022**

GROUNDWATER OPERABLE UNIT PROJECT: Northeast Plume IRA

I. Work performed during the reporting period (including summaries of findings and any deviations from the work plan):

- During this reporting period, the Northeast Plume Containment System (NEPCS) treated 25,929,484 gal of contaminated groundwater, with an average system treatment rate for the reporting period of 98.9 gal/min. The system is designed so that continuous operation of the NEPCS is possible when only one of the two extraction wells (EWs) is functional. The NEPCS achieved an average operational efficiency, as a whole, of 62.1%. Operational online efficiencies for the reporting period for C-765 were as follows: October 2021, 0%; November 2021, 91.1%; December 2021, 42.9%; January 2022, 0%; February 2022, 0%; and March 2022, 11.7%. Operational online efficiencies for the reporting period for C-765-A were as follows: October 2021, 100%; November 2021, 100%; December 2021, 100%; January 2022, 100%; February 2022, 100%; and March 2022, 99.9%.
- Developed and obtained EPA and KDEP acceptance of the *Operation and Maintenance Plan for the Northeast Plume Containment System Interim Remedial Action at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2470&D1, on March 10, 2022

A) Process Operations:

The NEPCS consists of two EWs (EW234 and EW235), transfer piping, two treatment units for air stripping and suspended solids removal, and MW network. The old EWs, EW331 and EW332, equalization tank, and old transfer piping have been placed in standby mode.

B) Process Testing:

Operation of the NEPCS began February 28, 1997. As of March 31, 2022, the NEPCS has processed a total of approximately 2,106,357,174 gal of water. The monthly withdrawal volumes for this reporting period are presented in Appendix A, Table A.1, of this report. This table includes a summary of the withdrawn water volumes and average daily rates.

C) NEPCS Influent, Effluent, and Extraction Well Testing:

Due to sample analysis time and the data assessment process, the analytical data included in this report lags operational data by three months. This report presents analytical data from July 2021 through December 2021.

Influent TCE analytical data from 1997 through the end of December 2021 are presented in Appendix B. Environmental samples were collected monthly from the treatment system influent and weekly from the treatment system effluent for the period of July 1, 2021, through

December 31, 2021. High, low, and average influent and effluent TCE concentrations for these months are presented in Table 3.

Table 3. TCE Concentrations for Northeast Plume

	TCE (µg/L)		
	High	Low	Average
Influent C-765 (EW234)	485	306	352
Influent C-765-A (EW235)	132	113	124
Effluent from C-765	< 1	< 1	< 1
Effluent from C-765-A	< 1	< 1	< 1
Effluent (CERCLA Outfall C001)	< 1	< 1	< 1

As presented in Table 3, the NEPCS continued to remove TCE effectively. The systems operated with an average removal efficiency of 99.7% for EW234 and 99.2% for EW235 for TCE.

The EWs were sampled monthly during this reporting period. For the period of July 1, 2021, through December 31, 2021, EW234 had an average TCE concentration of 352 µg/L, while EW235 had an average concentration of 124 µg/L.

Treated groundwater for the Northeast Plume is discharged to a CERCLA outfall, and data associated with the CERCLA outfall are included as part of Appendix B of this report.

D) Maintenance Activities:

Routine Maintenance Activities:

Daily, monthly, quarterly, and annual routine maintenance activities were conducted in accordance with the *Northwest/Northeast Plume Daily Operational Data Collection and Maintenance*, CP4-ER-0017.

- C-765 system was not shut down for planned maintenance during this reporting period.
- C-765-A system was not shut down for planned maintenance during this reporting period.

Non-routine Maintenance Activities:

- C-765-A system was shut down for a total of one hour due to a power outage during this reporting period.
- C-765 system was shut down for 138 days during this reporting period. Of that time, 137 days of downtime were attributable to EW234 pump motor failures and 12 hours of downtime were attributable to a site plant power outage. During the EW234 pump motor failure, the C-765-A system continued operation, which limited impact to the downgradient plume.

E) Effectiveness Monitoring—Monitoring Well Results:

Figure B.1, included in Appendix B, shows locations of the MWs and EWs. Figure B.2 shows the location of the MWs and EWs with the bottom of the Lower Continental Deposits topography. Figure B.3 shows system influent TCE concentrations, and Figures B.4 and B.5 include a summary of the TCE concentration and Tc-99 activities in the Northeast Plume EWs. Figure B.6 shows the estimated cumulative amount of TCE removed since the NEPCS began operations in 1997. Figures B.7 through B.14, presented in Appendix B, show TCE concentrations and Tc-99 activities in upgradient transect wells, MWs near the EWs (including EW data), downgradient wells, and distal downgradient wells. The EWs are working well to increase TCE mass removal and to enhance control of the plume. This is shown in Figure B.6 in Appendix B with an increase in mass removal beginning in October 2017, with initiation of pumping from the optimized EWs.

During this reporting period, the FFA parties reviewed and assessed the Northeast Plume TCE and Tc-99 transect well results on a quarterly basis. The analytical results can be found in Appendix B, along with analytical results for other NEPCS MWs. This information is used by the FFA parties when considering if additional adjustments are needed to minimize undesirable expansion of high concentrations of Tc-99 and TCE within the Northeast Plume. As agreed to by the FFA parties, 100 gpm and 75 gpm are the target flowrates for EW234 and EW235, respectively. The NEPCS continues to operate under Condition #3 of the *Memorandum of Agreement for Resolution of Formal Dispute of the Explanation of Significant Differences to the Record of Decision for the Interim Remedial Action of the Northeast Plume at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky (DOE/LX/07-1291&D2)*, and *Remedial Action Work Plan for Optimization of the Northeast Plume Interim Remedial Action at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky (DOE/LX/07-1280&D2)*.

F) Modification of the NEPCS Operations or Configuration:

- None.

G) See Section V for work related to document preparation and review.

II. Schedule of activities to be performed during the next reporting period (including projected work/crucial phases of construction):

- Continue monitoring TCE and Tc-99 transect MW sampling results in conjunction with other Northeast Plume MWs results.

III. Identity and assigned tasks of DOE contractors for work to be performed for this project:

- Reporting responsibility for the work to be performed in support of the Northeast Plume IRA belongs to FRNP. FRNP also provides programmatic and technical support, analytical services, and business management services. SST manages the AR and the EIC for DOE.

IV. Statement of the manner and extent to which the requirements and time schedules are being met:

- The effluent concentration goal of 30 µg/L for TCE was met during the reporting period. The NEPCS remained operational 62.1% of the time during this reporting period.

V. Primary/Secondary Document Tracking System:

A) Documents under review and/or preparation for this reporting period:

- *Operation and Maintenance Plan for the Northeast Plume Containment System Interim Remedial Action at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/LX/07-2470&D1*, was under development and the document was under review and accepted by EPA and KDEP during this reporting period.

B) Due dates for completion of review/modification tasks:

- None.

VI. Anticipated problems/delays (provide summary of problems, schedule, reason for delay, and actions taken to prevent or mitigate delay):

- None.

VII. Summary of all contacts with local community, public interest groups, or state government:

- DOE provided routine updates on the subproject to the Paducah Site CAB, FFA project managers, FFA senior managers, local elected officials, and/or Congressional staff.

VIII. Changes in relevant personnel:

- None.

IX. Actual cost for O&M, if appropriate:

- Actual costs for O&M of the Northwest and Northeast Plume facilities are tracked jointly. The total operating cost for the reporting period was approximately \$672,000.

**FEDERAL FACILITY AGREEMENT
SEMIANNUAL PROGRESS REPORT
FIRST HALF OF FISCAL YEAR 2022**

**Facility: Paducah Gaseous Diffusion Plant
Plant EPA I.D. No.: KY8-890-008-982
Reporting Period: 10/1/2021–3/31/2022**

GROUNDWATER OPERABLE UNIT PROJECT: Northwest Plume IRA

I. Work performed during the reporting period (including summaries of findings and any deviations from the work plan):

- During this reporting period, the Northwest Plume Groundwater System (NWPGS) treated 48,495,040 gal of contaminated groundwater, with an average monthly operational efficiency of 93.5%. The average system treatment rate for the reporting period was approximately 185 gal/min. Operational efficiencies for the reporting period were as follows: October 2021, 100%; November 2021, 100%; December 2021, 88.4%; January 2022, 99.5%; February 2022, 74.4%; and March 2022, 97.2%.
- Developed and obtained EPA and KDEP acceptance of the *Operation and Maintenance Plan for the Northwest Plume Groundwater System Interim Remedial Action at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2469&D2, on December 10, 2021.

A) Process Operations:

The NWPGS consists of two EWs (EW232 and EW233), located just north of the Paducah Site, and underground transfer pipeline for moving contaminated groundwater. The treatment facility has an operational capacity of 220 gal/min and utilizes air stripping for removal of TCE in groundwater, ion exchange for removal of Tc-99 in groundwater, and vapor phase carbon for capturing TCE from the exhaust of the air stripper. Treated groundwater is released to a tributary that flows to KPDES Outfall 001. A MW network is used to evaluate performance and effectiveness of the optimized EWs.

B) Process Testing:

Operation of the NWPGS began on August 28, 1995. As of March 31, 2022, the NWPGS has processed a total of approximately 2,659,451,090 gal of water. The monthly withdrawal volumes for the reporting period are presented in Appendix A, Table A.2, of this report. This table includes a summary of the withdrawn water volumes and average daily rates.

C) NWPGS Influent, Effluent, and Extraction Well Testing:

Due to sample analysis time and the data assessment process, the analytical data included in this report lags operational data by three months. This report presents analytical data from July 2021 through December 2021.

Figure B.15, included in Appendix B, shows locations of the Northwest Plume MWs. Figure B.16 shows the location of the MWs with the bottom of the Lower Continental Deposits topography. Influent TCE and Tc-99 analytical data are presented in Appendix B on

Figures B.17 and B.18. Figures B.19 and B.20 include a summary of the TCE and Tc-99 concentrations of the effluent versus time at the NWPGS. Figure B.21 shows the cumulative estimated amount of TCE removed since the NWPGS began operations in 1995. The influent sample results, compared to the NWPGS effluent results, indicated that the NWPGS continues to remove TCE and Tc-99 effectively.

For radionuclides, all reported values, including negative values, are used to derive averages. Negative Tc-99 results may be reported due to a statistical determination of the counts seen by a detector, minus a background count. High, low, and average influent and effluent TCE and Tc-99 concentrations from July 1, 2021, through December 31, 2021, are presented in Table 4.

**Table 4. TCE and Tc-99 Concentrations for Northwest Plume
(July 1, 2021, through December 31, 2021)**

	TCE (µg/L)			Tc-99 (pCi/L)		
	High	Low	Average	High	Low	Average
Influent	1,250	566	874	243	202	220
Effluent	1.50	< 1	1.02	88.0	41.8	64.4

The treatment system influent was sampled monthly. The effluent was sampled weekly. These sampling frequencies were conducted in accordance with the *Operation and Maintenance Plan for the Northwest Plume Groundwater System Interim Remedial Action at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2469&D2. As presented in Table 4, the NWPGS continued to remove TCE and Tc-99 effectively. The system operated with an average removal efficiency of 99.9% for TCE and 70.7% for Tc-99.

The average TCE effluent concentration for this reporting period was 1.02 µg/L, which is less than the treatment goal of 5 µg/L. The average Tc-99 effluent value was 64.4 pCi/L, which is less than the operational goal of 900 pCi/L, during the reporting period.

High, low, and average sample results for this reporting period at the EWs are shown in Table 5. EW232 and EW233 were sampled quarterly in accordance with the *Operation and Maintenance Plan for the Northwest Plume Groundwater System Interim Remedial Action at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2469&D2.

**Table 5. TCE and Tc-99 Concentrations for Northwest Plume Extraction Wells
(July 1, 2021, through December 31, 2021)**

	TCE (µg/L)			Tc-99 (pCi/L)		
	High	Low	Average	High	Low	Average
EW232	557	452	487	158	110	129
EW233	1,760	1,120	1,440	365	280	323

D) Treatment Media:

Ion Exchange Resins:

The NWPGS is equipped with four ion exchange columns used for Tc-99 removal. Purolite® A520E resin is used in the columns, which are arranged in a lead/lag configuration in a trailer.

Activated Carbon Media:

The NWPGS is equipped with two carbon columns that contain granular activated carbon for absorption of VOCs from the vapor-phase effluent of the air stripper unit. The *Operation and Maintenance Plan for the Northwest Plume Groundwater System Interim Remedial Action at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2469&D2, requires that spent carbon be replaced every 6 months. The last carbon changeout was completed on March 21, 2022. The next carbon changeout is projected for September 2022.

E) Maintenance Activities:

Routine Maintenance Activities:

Daily, monthly, quarterly, and annual routine maintenance activities were conducted in accordance with the *Northwest/Northeast Plume Daily Operational Data Collection and Maintenance*, CP4-ER-0017, and *Monthly, Quarterly, and Annual Maintenance at the C-612 Northwest Plume Groundwater System*, CP4-ER-0016.

- The NWPGS was shut down for a total of 13 hours for planned maintenance, including carbon changeout activities.

Non-routine Maintenance Activities:

- The NWPGS was shut down for a total of 269 hours with the majority of the downtime due to the failure of the air stripper blower motor and a failure of the autodialer notification equipment during this reporting period.

F) Effectiveness Monitoring—Monitoring Well Results:

Figures B.22 through B.33 presented in Appendix B, show TCE and Tc-99 concentrations in MWs at the south and north fields of the Northwest Plume and the EWs, respectively. These graphs show all data since monitoring began in 1995 and indicate the position of the MWs relative to the extraction wells.

G) Modification of the NWPGS Operations or Configuration:

- None.

H) See Section V for work related to document preparation and review.

- II. Schedules of activities to be performed during the next reporting period (including projected work/crucial phases of construction):**
- Continue to conduct and document the necessary tasks required for equipment maintenance, calibration, and operation, as specified in the *Operation and Maintenance Plan for the Northwest Plume Groundwater System Interim Remedial Action at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2469&D2.
- III. Identity and assigned tasks of DOE contractors for work to be performed for this project:**
- Reporting responsibility for the work to be performed in support of the Northwest Plume IRA belongs to FRNP. FRNP also provides programmatic and technical support, analytical services, and business management services. SST manages the AR and the EIC for DOE.
- IV. Statement of the manner and extent to which the requirements and time schedules are being met:**
- The average NWPGS water effluent concentrations met the operational goals of 5 µg/L for TCE and 900 pCi/L for Tc-99 during the reporting period. The NWPGS has maintained an average monthly operational efficiency of 93.5% during this reporting period.
- V. Primary/Secondary Document Tracking System:**
- A) Documents under review and/or preparation for this reporting period:**
- *Operation and Maintenance Plan for the Northwest Plume Groundwater System Interim Remedial Action at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2469&D2, was under development and the document was under review and accepted by EPA and KDEP during this reporting period.
- B) Due dates for completion of review/modification tasks:**
- None.
- VI. Anticipated problems/delays (provide summary of problems, schedule, and reason for delay, and actions taken to prevent or mitigate delay):**
- None.
- VII. Summary of all contacts with local community, public interest groups, or state government:**
- DOE provided routine updates on the subproject to the Paducah Site CAB, FFA project managers, FFA senior managers, local elected officials, and/or Congressional staff.
- VIII. Changes in relevant personnel:**
- None.

IX. Actual cost for O&M, if appropriate:

- Actual costs for O&M of the Northwest and Northeast Plume facilities are tracked jointly. The total operating cost for the reporting period was approximately \$672,000.

THIS PAGE INTENTIONALLY LEFT BLANK

**FEDERAL FACILITY AGREEMENT
SEMIANNUAL PROGRESS REPORT
FIRST HALF OF FISCAL YEAR 2022**

**Facility: Paducah Gaseous Diffusion Plant
Plant EPA I.D. No.: KY8-890-008-982
Reporting Period: 10/1/2021–3/31/2022**

BURIAL GROUNDS OPERABLE UNIT

The scope of the BGOU includes an RI, baseline human health risk assessment, evaluation of remedial alternatives, remedy selection, and implementation of actions, as necessary, for protection of human health and the environment for the following burial grounds: C-749 (SWMU 2); C-404 (SWMU 3); C-747/C-748-B (SWMU 4); C-746-F (SWMU 5); C-747-B (SWMU 6); C-747-A (SWMUs 7 and 30), which includes the area beneath C-747-A (SWMU 12); the residential/inert borrow area (SWMU 145); and the C-746-S&T Landfills (SWMUs 9 and 10, respectively).

This section also includes information on the sampling activities being conducted at the C-749 Uranium Burial Ground, as required in the *Record of Decision for Interim Remedial Action at Solid Waste Management Units 2 and 3 of Waste Area Group 22 at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/06-1351&D1, signed in 1995.

THIS PAGE INTENTIONALLY LEFT BLANK

**FEDERAL FACILITY AGREEMENT
SEMIANNUAL PROGRESS REPORT
FIRST HALF OF FISCAL YEAR 2022**

**Facility: Paducah Gaseous Diffusion Plant
Plant EPA I.D. No.: KY8-890-008-982
Reporting Period: 10/1/2021–3/31/2022**

BURIAL GROUNDS OPERABLE UNIT PROJECT: C-749 Uranium Burial Ground (SWMU 2)

- I. Work performed during the reporting period (including summaries of findings and any deviations from the work plan):**
- Continued groundwater monitoring at the C-749 Uranium Burial Ground, as required by the *Record of Decision for Interim Remedial Action at Solid Waste Management Unit 2 and 3 of Waste Area Group 22 at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/OR/06-1351&D1*. The results for the groundwater monitoring from May 1993 through December 31, 2021, have been included as part of this report. The results of the groundwater monitoring trends from 1996 through December 31, 2021, are presented in Appendix F.
- II. Schedules of activities to be performed during the next reporting period (including projected work/crucial phases of construction):**
- Continue groundwater monitoring at the C-749 Uranium Burial Ground, as required by the *Record of Decision for Interim Remedial Action at Solid Waste Management Unit 2 and 3 of Waste Area Group 22 at the Paducah Gaseous Diffusion Plant Paducah, Kentucky, DOE/OR/06-1351&D1*.
- III. Identity and assigned tasks of DOE contractors for work to be performed for this project:**
- Reporting responsibility for the work to be performed in support of the C-749 Uranium Burial Ground belongs to FRNP. FRNP also provides programmatic and technical support, analytical services, and business management services. SST manages the AR and the EIC for DOE and maintains existing burial ground cover.
- IV. Statement of the manner and extent to which the requirements and time schedules are being met:**
- The requirements and time schedules are being met.
- V. Primary/Secondary Document Tracking System:**
- A) Documents under review and/or preparation during this reporting period:**
- None.
- B) Due dates for completion of review/modification tasks:**
- None.

VI. Anticipated problems/delays (provide summary of problems, schedule, reason for delay, and actions taken to prevent or mitigate delay):

- None.

VII. Summary of all contacts with local community, public interest groups, or state government:

- None.

VIII. Changes in relevant personnel:

- None.

IX. Actual cost for O&M, if appropriate:

- Sampling of the C-749 Uranium Burial Ground has been incorporated into the Environmental Monitoring Program. O&M cost for this project is not tracked separately.

**FEDERAL FACILITY AGREEMENT
SEMIANNUAL PROGRESS REPORT
FIRST HALF OF FISCAL YEAR 2022**

**Facility: Paducah Gaseous Diffusion Plant
Plant EPA I.D. No.: KY8-890-008-982
Reporting Period: 10/1/2021–3/31/2022**

SURFACE WATER OPERABLE UNIT

The SWOU includes the Surface Water Removal Action and Surface Water Remedial Action projects. O&M is performed on North-South Diversion Ditch Sections 1 and 2 and institutional controls, as required by the *Operation and Maintenance Plan for Sections 1 and 2 of the North-South Diversion Ditch at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/07-2057&D2, and *Operation and Maintenance Plan for the Surface Water Operable Unit at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/07-1904&D1/R2; and O&M activities for the C-613 Sedimentation Basin are maintained in accordance with the *Operation and Maintenance Plan for the Northwest Storm Water Control Facility at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/07-2044&D1/R4, respectively.

Per the *Operation and Maintenance Plan for the Northwest Storm Water Control Facility at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/07-2044&D1/R4, the relationship of turbidity to total suspended solids is compared on a quarterly basis. An update to the existing linear regression model was performed in February 2022, and the current maximum discharge limit for turbidity is 95 nephelometric turbidity units (NTUs), with a 30-day average not to exceed 45 NTUs.

THIS PAGE INTENTIONALLY LEFT BLANK

**FEDERAL FACILITY AGREEMENT
SEMIANNUAL PROGRESS REPORT
FIRST HALF OF FISCAL YEAR 2022**

**Facility: Paducah Gaseous Diffusion Plant
Plant EPA I.D. No.: KY8-890-008-982
Reporting Period: 10/1/2021–3/31/2022**

SURFACE WATER OPERABLE UNIT PROJECT: Remedial Action

- I. Work performed during the reporting period (including summaries of findings and any deviations from the work plan):**
- Conducted inspections in accordance with the *Land Use Control Implementation Plan for the North-South Diversion Ditch at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/OR/07-1949&D2/R2*.
- II. Schedules of activities to be performed during the next reporting period (including projected work/crucial phases of construction):**
- Conduct inspections in accordance with the *Land Use Control Implementation Plan for the North-South Diversion Ditch at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/OR/07-1949&D2/R2*.
- III. Identity and assigned tasks of DOE contractors for work to be performed for this project:**
- Reporting responsibility for the work to be performed in support of the SWOU Remedial Action belongs to FRNP. FRNP also provides programmatic and technical support, analytical services, and business management services. SST manages the AR and the EIC for DOE.
- IV. Statement of the manner and extent to which the requirements and time schedules are being met:**
- The requirements and time schedules are being met for the SWOU consistent with the SMP and as agreed to by the FFA parties.
- V. Primary/Secondary Document Tracking System:**
- A) Documents under review and/or preparation for this reporting period:**
- None.
- B) Due dates for completion of review/modification tasks:**
- None.
- VI. Anticipated problems/delays (provide summary of problems, schedule, reason for delay, and actions taken to prevent or mitigate delay):**
- None.

VII. Summary of all contacts with local community, public interest groups, or state government:

- DOE provided routine updates on the subproject to the Paducah Site CAB, FFA project managers, FFA senior managers, local elected officials, and/or Congressional staff.

VIII. Changes in relevant personnel:

- None.

IX. Actual cost for O&M, if appropriate:

- O&M activities have been incorporated into the Environmental Monitoring Program. O&M cost for this project is not tracked separately.

**FEDERAL FACILITY AGREEMENT
SEMIANNUAL PROGRESS REPORT
FIRST HALF OF FISCAL YEAR 2022**

**Facility: Paducah Gaseous Diffusion Plant
Plant EPA I.D. No.: KY8-890-008-982
Reporting Period: 10/1/2021–3/31/2022**

WATER POLICY

Pursuant to the June 1994 *Action Memorandum for the Water Policy at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/06-1201&D2, that was approved by EPA in August 1994, municipal water service was offered at no cost to all existing private residences and businesses within the Water Policy affected area. The affected area is defined as follows:

The affected area is generally bounded by the Ohio River to the north, DOE property boundary to the south, Metropolis Lake Road to the east, and Bethel Church Road to the west. Specifically, on the west side, the boundary follows the DOE property boundary northwest to the intersection with Big Bayou Creek. At that point, it moves west to the intersection of Bethel Church Road and the centerline of a powerline easement just south of Bobo Lane. Property fronting the north end of Bethel Church Road is included in the affected area north of the intersection with the powerline easement to the Ohio River. Specifically, on the east side, the boundary follows the DOE property boundary northwest to the southern point of private property that fronts Ogden Landing Road (identified in McCracken County Property Valuation Office records as #20-27-1A). At that point, it moves east along the southern edge of properties that front the south side of Ogden Landing Road to the intersection of Ogden Landing Road with Metropolis Lake Road. Property fronting on both sides of Metropolis Lake Road is included in the affected area north of this intersection of the roads to the Ohio River.

There are 680.5 acres within the Water Policy affected area (i.e., excluding DOE property) that lie over the 2020 TCE groundwater plume above the 5 µg/L maximum contaminant level (MCL); 522.5 acres are owned by either WKWMA or TVA, and 158 acres are owned by private residents or businesses. DOE has implemented various water policy activities that ensure proper management of the Water Policy and assist in DOE's long-term protectiveness of residents and businesses located within the Water Policy affected area. These activities include the following: (1) update water policy area information by maintaining an annual subscription to the online McCracken County Property Valuation Administrator (PVA) office and verifying land ownership with the PVA office; (2) review the monthly billing register, ensuring water bill payments and assessing trends; (3) manage license agreements; (4) provide sampling results; (5) provide an annual water policy educational fact sheet to all residents and businesses within the affected area; (6) perform annual cap and lock inspections; and (7) demonstrate, on an annual basis, that residents and businesses located over the groundwater plume are not utilizing the groundwater.

THIS PAGE INTENTIONALLY LEFT BLANK

**FEDERAL FACILITY AGREEMENT
SEMIANNUAL PROGRESS REPORT
FIRST HALF OF FISCAL YEAR 2022**

**Facility: Paducah Gaseous Diffusion Plant
Plant EPA I.D. No.: KY8-890-008-982
Reporting Period: 10/1/2021–3/31/2022**

PROJECT: Water Policy

I. Work performed during this reporting period (including summaries of findings and any deviations from the work plan):

License Agreements:

- Offered seven license agreements during this reporting period. Of the seven license agreements offered, three license agreements have been signed by landowners, and four license agreements are pending signature. One license agreement that was sent during the previous reporting period was signed by the landowner during this reporting period. As of March 31, 2022, 98 of 126 parcels within the Water Policy affected area are covered by a license agreement. The number of license agreements counted also includes parcels on the west side of Bethel Church Road.

Water Bills:

- Reviewed all water bills for properties that DOE pays and noted no significant trends during this reporting period. The West McCracken Water District has merged with Paducah Water; therefore, Paducah Water now supplies water to the Water Policy area.

Water Policy Educational Fact Sheet Mailer

- Developed and submitted the water policy educational fact sheet mailer to EPA and KDEP on January 25, 2022.
- Received EPA and KDEP approval on the water policy educational fact sheet mailer on January 25, 2022, and January 28, 2022, respectively.
- Issued the water policy educational fact sheet mailer to area residents on February 26, 2022, and made the fact sheet available to the public in the Paducah EIC on March 2, 2022.

Demonstration that Residents Located over the Contaminated Groundwater Plume Are Protected:

- Completed the annual demonstration that residents located over the contaminated groundwater plume are not using groundwater. This demonstration included the following:
 - Continued to review the water bills of the 10 parcels that lie over the 5 µg/L or greater portion of the TCE groundwater plumes and ensured no downward trends in usage that could indicate that property owners are using groundwater instead of municipal water. No issues were identified during this review.

- Reviewed the Kentucky Geological Survey water well database and ensured that no additional groundwater wells have been installed in the Water Policy Area, which included the area over the 5 µg/L or greater portion of the TCE groundwater plumes. No issues were identified during this review.
- Conducted visual assessments (i.e., drive-by, Google Earth images) of properties overlying or immediately adjacent to the 5 µg/L or greater TCE groundwater plumes. No issues were identified during this assessment.
- Verified land ownership by reviewing the PVA website. No issues were identified during this assessment.

Cap and Lock Inspection

- Conducted the annual inspections of the caps and locks installed on residential wells located on properties with current license agreements. During the cap and lock inspection, two residential wells were discovered to have issues. One residential well had the lock removed. The property owner stated that they had removed the lock to fill in the well and had not completed the task at the time of inspection. The property owner stated that they had not used groundwater from the well. The lock has been replaced, and the well is secure. Another residential well located in a crop field had the cap broken on the well. The property owner stated that they had not used groundwater from the well. The cap has been replaced, and the well is secure.

Monitoring:

- Routine monitoring was conducted in accordance with the following documents:
 - *Operation and Maintenance Plan for the Northeast Plume Containment System Interim Remedial Action at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/LX/07-2470&D1*; and
 - *Operation and Maintenance Plan for the Northwest Plume Groundwater System Interim Remedial Action at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/LX/07-2469&D2*.
- Data collected in support of water policy monitoring will be made available in the Portsmouth/Paducah Project Office Environmental Geographic Analytical Spatial Information System once data have been reported to the landowners.

Northeast:

- Nine MWs and seven residential wells are monitored routinely in accordance with the *Operation and Maintenance Plan for the Northeast Plume Containment System Interim Remedial Action at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/LX/07-2470&D1*.
- Sampled seven residential wells in November 2021 during this reporting period. None of the residential wells sampled in November 2021 exhibited detections greater than the MCL for TCE (5 µg/L).

Northwest:

- Thirteen MWs and five residential wells are monitored routinely in accordance with the *Operation and Maintenance Plan for the Northwest Plume Groundwater System Interim Remedial Action at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/LX/07-2469&D2*. (Note: Tc-99 was added as a result of the *Memorandum of Agreement for Resolution of Informal Dispute Concerning U.S. Environmental Protection Agency and Kentucky Department for Environmental Protection Requirements for Additional Actions or Modifications Regarding the CY 2018 Five-Year Review for Remedial Actions at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/LX/07-2426&D2*, dated June 22, 2020.)
- Sampled fourteen MWs and eight residential wells in November 2021, and February 2022, respectively, during this reporting period, in accordance with the Water Policy Boundary Monitoring Program per the Environmental Monitoring Plan. Analytical data for MWs and residential wells sampled in August 2021 were not available for reporting in the previous reporting period; the analytical data have been included in this report. Two of the MWs or residential wells sampled in August 2021 and November 2021 exhibited a detection of greater than the MCL for TCE (5 µg/L). All other MWs or residential wells sampled in August 2021 and November 2021 were below the MCL for TCE. None of the MWs or residential wells sampled exhibited detections of Tc-99. Analytical data is pending for samples collected in February 2022.

II. Schedules of activities to be performed during the next reporting period (including projected work/crucial phases of construction):

- Continue routine monitoring and reporting in accordance with the *Operation and Maintenance Plan for the Northeast Plume Containment System Interim Remedial Action at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/LX/07-2470&D1*; and the *Operation and Maintenance Plan for the Northwest Plume Groundwater System Interim Remedial Action at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/LX/07-2469&D2*.

III. Identity and assigned tasks of DOE contractors for work to be performed for this project:

- Reporting responsibility for the work to be performed in support of the Water Policy belongs to FRNP. FRNP also provides programmatic and technical support, analytical services, and business management services. SST manages the AR and the EIC for DOE.

IV. Statement of the manner and extent to which the requirements and time schedules are being met:

- The requirements and time schedules are being met.

V. Primary/Secondary Document Tracking System:

A) Documents under review and/or preparation for this reporting period:

- None.

B) Due dates for completion of review/modification tasks:

- None.

VI. Anticipated problems/delays (provide summary of problems, schedule, reason for delay, and actions taken to prevent or mitigate delay):

- None.

VII. Summary of all contacts with local community, public interest groups, or state government:

- DOE provided routine updates on the subproject to the Paducah Site CAB, FFA project managers, FFA senior managers, local elected officials, and/or Congressional staff.

VIII. Changes in relevant personnel:

- None.

IX. Actual cost for O&M, if appropriate:

- Water bill payments are included in DOE's annual operating budget for the Paducah Site.

**FEDERAL FACILITY AGREEMENT
SEMIANNUAL PROGRESS REPORT
FIRST HALF OF FISCAL YEAR 2022**

**Facility: Paducah Gaseous Diffusion Plant
Plant EPA I.D. No.: KY8-890-008-982
Reporting Period: 10/1/2021–3/31/2022**

ADDITIONAL REPORTING

Presented in this Additional Reporting section are updates for the following:

- WAGs 1 and 7 (C-746-K Landfill, TCE Spill Sites, Underground Storage Tanks, and Kentucky Ordnance Works sites);
- CRP;
- SMP;
- CERCLA Five-Year Review; and
- Plant Industrial Area Vapor Intrusion Assessment.

THIS PAGE INTENTIONALLY LEFT BLANK

**FEDERAL FACILITY AGREEMENT
SEMIANNUAL PROGRESS REPORT
FIRST HALF OF FISCAL YEAR 2022**

**Facility: Paducah Gaseous Diffusion Plant
Plant EPA I.D. No.: KY8-890-008-982
Reporting Period: 10/1/2021–3/31/2022**

**PROJECT: WAGs 1 and 7 (C-746-K Landfill, TCE Spill Sites,
Underground Storage Tanks, and Kentucky Ordnance Works Sites)**

- I. Work performed during this reporting period (including summaries of findings and any deviations from the work plan):**
- Continued monitoring around the C-746-K Landfill, as required by the *Record of Decision for Waste Area Groups 1 and 7 at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/OR/06-1470&D3. WAGs 1 and 7 ROD requires these data to be submitted semiannually. The results of the groundwater monitoring data from May 1994 through December 31, 2021, are presented graphically in Appendix C.
- II. Schedules of activities to be performed during the next reporting period (including projected work/crucial phases of construction):**
- Monitoring will continue around C-746-K Landfill, as required by the ROD. This monitoring is conducted and reported in accordance with other site programs, such as the Environmental Monitoring Program.
- III. Identity and assigned tasks of DOE contractors for work to be performed for this project:**
- Reporting responsibility for the work to be performed in support of WAGs 1 and 7 belongs to FRNP. FRNP also provides programmatic and technical support, analytical services, and business management services. SST manages the AR and the EIC for DOE.
- IV. Statement of the manner and extent to which the requirements and time schedules are being met:**
- The requirements and time schedules are being met.
- V. Primary/Secondary Document Tracking System:**
- A) Documents under review and/or preparation for this reporting period:**
- None.
- B) Due dates for completion of review/modification tasks:**
- None.

VI. Anticipated problems/delays (provide summary of problems, schedule, reason for delay, and actions taken to prevent or mitigate delay):

- None.

VII. Summary of all contacts with local community, public interest groups, or state government:

- None.

VIII. Changes in relevant personnel:

- None.

IX. Actual cost for O&M, if appropriate:

- Sampling activities for the C-746-K Landfill have been incorporated into the Environmental Monitoring Program. O&M cost for this project is not tracked separately.

**FEDERAL FACILITY AGREEMENT
SEMIANNUAL PROGRESS REPORT
FIRST HALF OF FISCAL YEAR 2022**

**Facility: Paducah Gaseous Diffusion Plant
Plant EPA I.D. No.: KY8-890-008-982
Reporting Period: 10/1/2021–3/31/2022**

PROJECT: Community Relations Plan

- I. Work performed during this reporting period (including summaries of findings and any deviations from the work plan):**
- Initiated development of the *Community Relations Plan under the Federal Facility Agreement at the U.S. Department of Energy Paducah Gaseous Diffusion Plant*, DOE/LX/07-2481&D1.
- II. Schedules of activities to be performed during the next reporting period (including projected work/crucial phases of construction):**
- Finalize and submit the *Community Relations Plan under the Federal Facility Agreement at the U.S. Department of Energy Paducah Gaseous Diffusion Plant*, DOE/LX/07-2481&D1, to EPA and KDEP on or before June 30, 2022.
- III. Identity and assigned tasks of DOE contractors for work to be performed for this project:**
- Reporting responsibility for the work to be performed in support of the CRP belongs to FRNP. FRNP also provides programmatic and technical support, analytical services, and business management services. SST manages the AR and the EIC for DOE.
- IV. Statement of the manner and extent to which the requirements and time schedules are being met:**
- The requirements and time schedules are being met.
- V. Primary/Secondary Document Tracking System:**
- A) Documents under review and/or preparation for this reporting period:**
- *Community Relations Plan under the Federal Facility Agreement at the U.S. Department of Energy Paducah Gaseous Diffusion Plant*, DOE/LX/07-2481&D1, has been under development during this reporting period.
- B) Due dates for completion of review/modification tasks:**
- *Community Relations Plan under the Federal Facility Agreement at the U.S. Department of Energy Paducah Gaseous Diffusion Plant*, DOE/LX/07-2481&D1, is due to EPA and KDEP on June 30, 2022.

VI. Anticipated problems/delays (provide summary of problems, schedule, reason for delay, and actions taken to prevent or mitigate delay):

- None.

VII. Summary of all contacts with local community, public interest groups, or state government:

- DOE provided routine updates on the subproject to the Paducah Site CAB, FFA project managers, local elected officials, and/or Congressional staff.

VIII. Changes in relevant personnel:

- None.

IX. Actual cost for O&M, if appropriate:

- None.

**FEDERAL FACILITY AGREEMENT
SEMIANNUAL PROGRESS REPORT
FIRST HALF OF FISCAL YEAR 2022**

**Facility: Paducah Gaseous Diffusion Plant
Plant EPA I.D. No.: KY8-890-008-982
Reporting Period: 10/1/2021–3/31/2022**

PROJECT: Site Management Plan

I. Work performed during this reporting period (including summaries of findings and any deviations from the work plan):

- Consulted with EPA and KDEP regarding the third set of remaining facilities listed in Appendix 6 of *Site Management Plan, Paducah Gaseous Diffusion Plant, Paducah, Kentucky, Annual Revision—FY 2021*, DOE/LX/07-2450&D1, on October 18, 2021. The third set of remaining facilities included C-207, C-615-H, C-752-C, C-755-A, C-755-B, and C-755-C.
- Consulted with EPA and KDEP regarding the fourth set of remaining facilities listed in Appendix 6 of *Site Management Plan, Paducah Gaseous Diffusion Plant, Paducah, Kentucky, Annual Revision—FY 2021*, DOE/LX/07-2450&D1, on October 25, 2021. The fourth set of remaining facilities included C-205, C-300, C-301, C-612, C-754-B, and C-757.
- Consulted with EPA and KDEP regarding the fifth and final set of remaining facilities listed in Appendix 6 of *Site Management Plan, Paducah Gaseous Diffusion Plant, Paducah, Kentucky, Annual Revision—FY 2021*, DOE/LX/07-2450&D1, on November 8, 2021. The fifth set of remaining facilities included C-100, C-101, and C-102.
- Developed and submitted the *Site Management Plan, Paducah Gaseous Diffusion Plant, Paducah, Kentucky, Annual Revision—FY 2022*, DOE/LX/07-2473&D1, to EPA and KDEP on November 15, 2021.
- Received KDEP comments on the *Site Evaluation Report for the C-611 Water Treatment Plant Ancillary Facilities at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2467&D1, on November 17, 2021.
- Received EPA and KDEP comments on the *Site Management Plan, Paducah Gaseous Diffusion Plant, Paducah, Kentucky, Annual Revision—FY 2022*, DOE/LX/07-2473&D1, on December 10, 2021.
- Developed and submitted the *Site Evaluation Report for the C-611 Water Treatment Plant Ancillary Facilities at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2467&D2, to EPA and KDEP on December 16, 2021.
- Developed and submitted the *Site Management Plan, Paducah Gaseous Diffusion Plant, Paducah, Kentucky, Annual Revision—FY 2022*, DOE/LX/07-2473&D2, to EPA and KDEP on December 16, 2021.

- Received EPA and KDEP approval on the *Site Management Plan, Paducah Gaseous Diffusion Plant, Paducah, Kentucky, Annual Revision—FY 2022*, DOE/LX/07-2473&D2, on December 17, 2021.
- Received EPA and KDEP approval on the *Site Evaluation Report for the C-611 Water Treatment Plant Ancillary Facilities at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2467&D2, on December 21, 2021.

II. Schedules of activities to be performed during the next reporting period (including projected work/crucial phases of construction):

- Begin scoping meetings for the *Site Management Plan, Paducah Gaseous Diffusion Plant, Paducah, Kentucky, Annual Revision—FY 2023*, with EPA and KDEP in July 2022.

III. Identity and assigned tasks of DOE contractors for work to be performed for this project:

- Reporting responsibility for the work to be performed in support of the SMP belongs to FRNP. FRNP also provides programmatic and technical support, analytical services, and business management services. SST manages the AR and the EIC for DOE.

IV. Statement of the manner and extent to which the requirements and time schedules are being met:

- The requirements and time schedules are being met.

V. Primary/Secondary Document Tracking System:

A) Documents under review and/or preparation for this reporting period:

- *Site Evaluation Report for the C-611 Water Treatment Plant Ancillary Facilities at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2467&D2, was under development, and the document was under review and approved by EPA and KDEP during this reporting period.
- *Site Management Plan, Paducah Gaseous Diffusion Plant, Paducah, Kentucky, Annual Revision—FY 2022*, DOE/LX/07-2473&D1, was under development, and the document was under review by EPA and KDEP during this reporting period.
- *Site Management Plan, Paducah Gaseous Diffusion Plant, Paducah, Kentucky, Annual Revision—FY 2022*, DOE/LX/07-2473&D2, was under development, and the document was under review and approved by EPA and KDEP during this reporting period.

B) Due dates for completion of review/modification tasks:

- None.

VI. Anticipated problems/delays (provide summary of problems, schedule, reason for delay, and actions taken to prevent or mitigate delay):

- The requirements and time schedules are being met.

VII. Summary of all contacts with local community, public interest groups, or state government:

- DOE provided routine updates on the subproject to the Paducah Site CAB, FFA project managers, FFA senior managers, local elected officials, and/or Congressional staff.

VIII. Changes in relevant personnel:

- None.

IX. Actual cost for O&M, if appropriate:

- None.

THIS PAGE INTENTIONALLY LEFT BLANK

**FEDERAL FACILITY AGREEMENT
SEMIANNUAL PROGRESS REPORT
FIRST HALF OF FISCAL YEAR 2022**

**Facility: Paducah Gaseous Diffusion Plant
Plant EPA I.D. No.: KY8-890-008-982
Reporting Period: 10/1/2021–3/31/2022**

PROJECT: CERCLA Five-Year Review

- I. Work performed during this reporting period (including summaries of findings and any deviations from the work plan):**
- No activities were scheduled or performed for this project during this reporting period.
- II. Schedules of activities to be performed during the next reporting period (including projected work/crucial phases of construction):**
- Initiate scoping of the 2023 CERCLA Five-Year Review.
- III. Identity and assigned tasks of DOE contractors for work to be performed for this project:**
- Reporting responsibility for the work to be performed in support of the Five-Year Review belongs to FRNP. FRNP also provides programmatic and technical support, analytical services, and business management services. SST manages the AR and the EIC for DOE.
- IV. Statement of the manner and extent to which the requirements and time schedules are being met:**
- The requirements and time schedules are being met.
- V. Primary/Secondary Document Tracking System:**
- A) Documents under review and/or preparation for this reporting period:**
- None.
- B) Due dates for completion of review/modification tasks:**
- None.
- VI. Anticipated problems/delays (provide summary of problems, schedule, reason for delay, and actions taken to prevent or mitigate delay):**
- None.

VII. Summary of all contacts with local community, public interest groups, or state government:

- None.

VIII. Changes in relevant personnel:

- None.

IX. Actual cost for O&M, if appropriate:

- None.

**FEDERAL FACILITY AGREEMENT
SEMIANNUAL PROGRESS REPORT
FIRST HALF OF FISCAL YEAR 2022**

**Facility: Paducah Gaseous Diffusion Plant
Plant EPA I.D. No.: KY8-890-008-982
Reporting Period: 10/1/2021–3/31/2022**

PROJECT: Plant Industrial Area Vapor Intrusion Assessment

I. Work performed during this reporting period (including summaries of findings and any deviations from the work plan):

- Received EPA and KDEP comments on the *Plant Industrial Area Vapor Intrusion Preliminary Risk Assessment Report, Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2471&D1, on December 21, 2021, and December 28, 2021, respectively.
- Held comment resolution meetings with EPA and KDEP on January 10, 2022; January 20, 2022; and February 3, 2022, for the *Plant Industrial Area Vapor Intrusion Preliminary Risk Assessment Report, Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2471&D1.
- Developed and submitted the *Plant Industrial Area Vapor Intrusion Preliminary Risk Assessment Report, Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2471&D2, to EPA and KDEP on February 10, 2022.
- Received EPA and KDEP acceptance of the *Plant Industrial Area Vapor Intrusion Preliminary Risk Assessment Report, Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2471&D2, on February 12, 2022, and February 14, 2022, respectively.
- *Plant Industrial Area Vapor Intrusion Preliminary Risk Assessment Report, Paducah Gaseous Diffusion Plant, Paducah, Kentucky*, DOE/LX/07-2471&D2, recommends additional vapor intrusion sampling at select locations in C-310, C-409, and C-720; this sampling is planned to be performed as part of a separate, future activity. Additionally, consistent with the requirements in the RMD, if or when the use of an occupiable building at the Paducah Site changes, a new building is constructed, or a parcel of land is transferred for a different use, the vapor intrusion pathway to the building or proposed building will be evaluated.

II. Schedules of activities to be performed during the next reporting period (including projected work/crucial phases of construction):

- Evaluate the vapor intrusion pathway to a building or proposed building if or when the use of an occupiable building at the Paducah Site changes, a new building is constructed, or a parcel of land is transferred for a different use, consistent with the requirements in the RMD.

III. Identity and assigned tasks of DOE contractors for work to be performed for this project:

- Reporting responsibility for the work to be performed in support of the Plant Industrial Area Vapor Intrusion Assessment subproject belongs to FRNP. FRNP also provides programmatic

and technical support, analytical services, and business management services. SST manages the AR and the EIC for DOE.

IV. Statement of the manner and extent to which the requirements and time schedules are being met:

- The requirements and time schedules related to the Plant Industrial Area Vapor Intrusion subproject are being met.

V. Primary/Secondary Document Tracking System:

A) Documents under review and/or preparation for this reporting period:

- *Plant Industrial Area Vapor Intrusion Preliminary Risk Assessment Report, Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/LX/07-2471&D1*, was under review by EPA and KDEP during this reporting period.
- *Plant Industrial Area Vapor Intrusion Preliminary Risk Assessment Report, Paducah Gaseous Diffusion Plant, Paducah, Kentucky, DOE/LX/07-2471&D2*, was under development and the document was under review and accepted by EPA and KDEP during this reporting period.

B) Due dates for completion of review/modification tasks:

- None.

VI. Anticipated problems/delays (provide summary of problems, schedule, reason for delay, and actions taken to prevent or mitigate delay):

- None.

VII. Summary of all contacts with local community, public interest groups, or state government:

- DOE provided routine updates on the subproject to the Paducah Site CAB, FFA project managers, FFA senior managers, local elected officials, and/or Congressional staff.

VIII. Changes in relevant personnel:

- None.

IX. Actual cost for O&M, if appropriate:

- None.

APPENDIX A

NORTHEAST AND NORTHWEST PLUME WATER WITHDRAWAL REPORTS

THIS PAGE INTENTIONALLY LEFT BLANK

**Table A.1. Northeast Plume Containment System Water Withdrawal Reporting Form
(Gallons of Water Pumped)**

Day	October 2021	November 2021	December 2021	January 2022	February 2022	March 2022
1	108,998	108,843	264,376	108,289	107,244	102,863
2	108,998	105,730	255,158	108,289	108,135	109,606
3	108,998	111,916	250,273	108,289	107,910	106,098
4	108,996	206,699	250,273	113,552	107,910	109,294
5	107,256	253,583	250,273	99,563	107,910	109,294
6	108,810	253,583	250,273	111,015	107,910	109,294
7	106,480	253,583	226,243	108,079	107,910	109,295
8	108,068	253,582	197,774	108,079	107,910	104,755
9	108,068	250,056	232,245	108,079	110,687	117,715
10	108,068	252,512	253,849	108,079	107,077	95,083
11	108,066	267,053	253,849	103,621	108,038	107,063
12	107,475	248,423	253,849	107,460	108,038	107,063
13	110,986	248,423	253,847	109,925	108,038	107,063
14	106,680	248,423	254,304	108,361	108,036	107,061
15	107,770	248,422	169,190	108,361	103,228	107,748
16	107,770	251,790	109,251	108,361	105,592	108,356
17	107,770	245,283	109,003	108,361	120,788	107,600
18	107,769	252,592	109,003	108,359	106,291	108,067
19	107,540	267,007	109,003	105,282	106,291	108,067
20	104,141	267,007	109,002	110,963	106,291	108,067
21	118,479	267,007	103,841	108,065	106,292	108,066
22	106,889	267,007	108,284	108,065	106,911	105,001
23	106,889	219,389	108,284	108,065	109,053	114,988
24	106,889	252,500	108,284	108,065	108,618	103,650
25	106,887	252,500	108,284	103,632	108,618	107,897
26	106,296	252,500	108,284	108,186	108,618	109,523
27	108,856	252,500	108,286	109,646	108,618	107,897
28	106,750	252,500	110,254	107,687	108,620	107,895
29	108,844	252,502	104,654	107,687		238,732
30	108,844	236,188	108,289	107,687		254,016
31	108,844		108,289	107,686		252,599
Monthly Total	3,353,174	7,099,103	5,346,071	3,344,838	3,026,582	3,759,716
Daily Average	108,167	236,637	172,454	107,898	108,092	121,281

Total (October 2021–March 2022) =	25,929,484 gal
Average (October 2021–March 2022) =	142,470 gpd

**Table A.2. Northwest Plume Groundwater System Water Withdrawal Reporting Form
(Gallons of Water Pumped)**

Day	October 2021	November 2021	December 2021	January 2022	February 2022	March 2022
1	287,050	287,150	297,630	283,162	298,720	257,390
2	287,050	281,001	257,050	283,162	272,390	290,820
3	287,050	289,220	284,161	283,162	286,638	280,070
4	287,050	285,230	284,161	293,530	286,638	288,428
5	289,280	287,193	284,161	261,150	286,638	288,428
6	286,260	287,193	284,157	282,090	286,638	288,428
7	282,110	287,193	282,550	282,363	286,638	288,426
8	286,201	287,191	292,140	282,363	273,030	214,390
9	286,201	283,640	264,970	282,363	291,960	308,050
10	286,201	284,400	245,293	282,361	278,300	253,030
11	286,197	300,120	245,293	278,600	285,791	284,405
12	285,360	284,645	245,293	275,390	285,791	284,405
13	292,560	284,645	245,291	291,670	285,791	284,405
14	283,370	284,645	283,580	284,696	285,787	284,405
15	283,948	284,645	208,740	284,696	283,970	285,710
16	283,948	286,480	283,110	284,696	0	289,230
17	283,948	266,930	285,210	284,696	0	285,060
18	283,946	283,630	285,210	284,696	0	287,556
19	277,460	289,256	285,210	278,800	0	287,556
20	276,960	289,256	285,210	293,550	0	287,556
21	281,610	289,256	277,690	273,843	0	287,552
22	285,773	289,252	156,773	273,843	0	162,150
23	285,773	269,020	156,773	273,843	249,360	275,920
24	285,773	284,677	156,773	273,841	286,152	292,040
25	285,771	284,677	156,773	274,760	286,152	287,845
26	282,560	284,677	156,773	284,630	286,152	287,845
27	287,030	284,677	156,775	282,780	286,152	287,845
28	284,030	284,677	285,480	284,115	286,152	287,845
29	287,153	284,675	280,970	284,115		286,190
30	287,153	271,230	283,162	284,115		286,410
31	287,153		283,162	284,115		287,680
Monthly Total Daily Average	8,841,929	8,540,481	7,779,524	8,731,196	5,954,840	8,647,070
	285,224	284,683	250,952	281,651	212,673	278,938

Total (October 2021–March 2022) =	48,495,040 gal
Average (October 2021–March 2022) =	266,456 gpd

APPENDIX B

NORTHEAST PLUME AND NORTHWEST PLUME GRAPHS, DATA, AND MAPS (FIGURES B.1 THROUGH B.33)

THIS PAGE INTENTIONALLY LEFT BLANK




Figure B.1. Northeast Plume Groundwater Wells and Extraction Wells






Figure B.2. Northeast Plume with Bottom of Regional Gravel Aquifer Topography




NOTE: Data rejected by validation or assessment have not been graphed.

Figure B.3. Northeast Plume Containment System Influent TCE Concentrations



NOTE: Data rejected by validation or assessment have not been graphed.

Figure B.4. Northeast Plume—TCE Concentrations in Extraction Wells (before 10/10/2017)



NOTE: Data rejected by validation or assessment have not been graphed.

Figure B.5. Northeast Plume—Tc-99 Activities in Extraction Wells




Figure B.6. Northeast Plume Containment System TCE Removed




Figure B.7. Northeast Plume—Upgradient Transect Wells—TCE Trends










Figure B.8. Northeast Plume—Upgradient Transect Wells—Tc-99 Trends




Figure B.9. Northeast Plume—Monitoring Wells near Extraction Wells—TCE Trends




Figure B.10. Northeast Plume—Monitoring Wells near Extraction Wells—Tc-99 Trends






Figure B.11. Northeast Plume—TCE Concentrations in Downgradient Wells




NOTE: Data rejected by validation or assessment have not been graphed.

Figure B.12. Northeast Plume—Tc-99 Activities in Downgradient Wells



NOTE: Data rejected by validation or assessment have not been graphed.

Figure B.13. Northeast Plume—TCE Concentrations in Distal Downgradient Wells



NOTE: Data rejected by validation or assessment have not been graphed.

Figure B.14. Northeast Plume—Tc-99 Activities in Distal Downgradient Wells




Figure B.15. Northwest Plume Groundwater Wells






Figure B.16. Northwest Plume with Bottom of Regional Gravel Aquifer Topography




NOTE: Data rejected by validation or assessment have not been graphed.

Figure B.17. Northwest Plume Groundwater System Influent TCE Concentrations




NOTE: Data rejected by validation or assessment have not been graphed.

Figure B.18. Northwest Plume Groundwater System Influent Tc-99 Activities




NOTE: Data rejected by validation or assessment have not been graphed.

Figure B.19. Northwest Plume Groundwater System Effluent TCE Concentrations



NOTE: Data rejected by validation or assessment have not been graphed.

Figure B.20. Northwest Plume Groundwater System Effluent Tc-99 Activities



NOTE: Data rejected by validation or assessment are not included on the graph.

Figure B.21. Northwest Plume Groundwater System TCE Removed





Figure B.22. Northwest Plume—South Well Field TCE Concentrations



NOTE: Data rejected by validation or assessment have not been graphed.

Figure B.23. Northwest Plume—North Well Field TCE Concentrations






Figure B.24. Northwest Plume—South Well Field Tc-99 Activities




NOTE: Data rejected by validation or assessment have not been graphed.

Figure B.25. Northwest Plume—North Well Field Tc-99 Activities




NOTE: Data rejected by validation or assessment have not been graphed.

Figure B.26. Northwest Plume—TCE Concentrations in Extraction Wells




NOTE: Data rejected by validation or assessment have not been graphed.

Figure B.27. Northwest Plume—Tc-99 Activities in Extraction Wells




NOTE: Data rejected by validation or assessment have not been graphed.

Figure B.28. Northwest Plume—Downgradient of New Well Field TCE Concentrations




NOTE: Data rejected by validation or assessment have not been graphed.

Figure B.29. Northwest Plume—Downgradient of New Well Field Tc-99 Activities




NOTE: Data rejected by validation or assessment have not been graphed.

Figure B.30. Northwest Plume—New Well Field TCE Concentrations




NOTE: Data rejected by validation or assessment have not been graphed.

Figure B.31. Northwest Plume—New Well Field Tc-99 Activities



NOTE: Data rejected by validation or assessment have not been graphed.

Figure B.32. Northwest Plume—TCE Concentrations Upgradient of Extraction Wells



NOTE: Data rejected by validation or assessment have not been graphed.

Figure B.33. Northwest Plume—Tc-99 Activities Upgradient of Extraction Wells

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE μg/L	1,1-DCE μg/L		Ceriodaphnia dubia	TUc	Pimephales Promelas TUc	
9/3/2013	6.3	< 1					C13246018001
9/10/2013	10	< 5					C13253015001
9/10/2013	9.4	< 5					C13253015002
9/13/2013				< 1		< 1	QTXC0019-13
9/16/2013	9	< 5					C13259014001
9/23/2013	8.3	< 5					C13266024001
10/3/2013	9.4	< 1					C13276032002
10/3/2013			16.2				C13276015001
10/7/2013	6.6	< 1					C13280028001
10/14/2013	3.8	< 1					C13287017001
10/21/2013	< 1	< 1					C13294018001
10/25/2013				< 1		< 1	QTXC00110-13
10/28/2013	2.9	< 5					C13301021001
11/4/2013			20.2				C13308024001
11/4/2013	3	< 5					C13308025001
11/11/2013	3.3	< 5					C13315031001
11/11/2013	3.4	< 5					C13315031002
11/20/2013	3	< 5					C13324011001
11/25/2013	< 1	< 1					C13329036001

B-36

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE μg/L	1,1-DCE μg/L		Ceriodaphnia dubia	TUc	Pimephales Promelas TUc	
12/2/2013	< 1	< 1					C13336090001
1/21/2014			21.2				C14021027001
1/21/2014			19.1				C14021027002
1/21/2014	3.7	< 1					C14021029001
1/27/2014	3.5	< 1					C14027014001
1/31/2014				< 1		< 1	QTXC0011-14
2/5/2014	< 1	< 1					C14036044001
2/10/2014	4.7	< 1					C14041021001
2/17/2014	5.4	< 1					C14048023001
2/17/2014	5.7	< 1					C14048023002
2/24/2014	4.8	< 1					C14055021001
3/4/2014	4.6	< 1					C14063020001
3/10/2014	5.2	< 1					C14069033001
3/17/2014	4.8	< 1					C14076022001
3/24/2014	2.5	< 1					C14083021001
4/1/2014	2.68	< 1					345636002
4/10/2014			< 10.5				346575006
4/10/2014	3.05	< 1					346575008
4/14/2014	3.42	< 1					346699001

B-37

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE μg/L	1,1-DCE μg/L		Ceriodaphnia dubia	TUc	Pimephales Promelas TUc	
4/23/2014	3.48	< 1					347434001
4/28/2014	3.63	< 1					347629001
5/7/2014	4.29	< 1					348446001
5/7/2014	4.17	< 1					348446002
5/12/2014	5.02	< 1					348596001
5/19/2014	5.4	< 1					349038001
5/27/2014	11.1	< 1					349629001
6/2/2014	15	< 1					349858001
6/10/2014	4.1	< 1					350426001
6/16/2014	4.5	< 1					350780001
6/23/2014	5.79	< 1					351207001
6/29/2014				< 1		< 1	QTXC001-0614
6/30/2014	6.56	< 1					351615001
7/8/2014	5.68	< 1					352237001
7/14/2014	4.73	< 1					352624001
7/21/2014	3.73	< 1					353177001
7/21/2014			< 12.7				353177002
7/25/2014				< 1		< 1	QTXC001-0714
7/29/2014	4.95	< 1					353694001

B-38

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE μg/L	1,1-DCE μg/L		Ceriodaphnia dubia	TUc	Pimephales Promelas TUc	
8/5/2014	7.05	< 1					354137001
8/11/2014	4.35	< 1					354637001
8/18/2014	4.57	< 1					355052001
8/25/2014	6.14	< 1					355488001
9/2/2014	5.39	< 1					355872001
9/8/2014	4.55	< 1					356338001
9/15/2014	4.6	< 1					356868001
9/23/2014	3.92	< 1					357338002
9/29/2014	4.44	< 1					357703001
10/7/2014	6.35	< 1					358590002
10/13/2014	0.52	< 1					358950002
10/13/2014			31.3				358950004
10/20/2014	0.51	< 1					359488004
10/27/2014	2.07	< 1					360011002
10/31/2014				< 1		< 1	QTXC001-1014
11/4/2014	< 1	< 1					360615002
11/11/2014	0.33	< 1					361080002
11/17/2014	< 1	< 1					361458003
11/17/2014	< 1	< 1					361458002

B-39

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE µg/L	1,1-DCE µg/L		Ceriodaphnia dubia	TUc	Pimephales Promelas TUc	
11/24/2014	< 1	< 1					361948003
12/1/2014	0.35	< 1					362225002
12/9/2014	< 1	< 1					362804003
12/15/2014	5.35	< 1					363245004
12/22/2014	5.34	< 1					363660002
12/29/2014	3.26	< 1					363851002
1/29/2015	7.68	< 1					366169002
2/2/2015	5.58	< 1					366311002
2/4/2015			22.5				366545001
2/4/2015			23.4				366545002
2/6/2015				< 1		< 1	QTXC001-0215
2/10/2015	3.96	< 1					366969005
2/18/2015	3.45	< 1					367365002
2/18/2015	3.81	< 1					367365003
2/23/2015	3	< 1					367607002
3/2/2015	3.36	< 1					367959002
3/11/2015	4.63	< 1					368692003
3/16/2015	1.19	< 1					368893002
3/16/2015	1.13	< 1					368893003

B-40

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE μg/L	1,1-DCE μg/L		Ceriodaphnia dubia	TUc	Pimephales Promelas TUc	
3/23/2015	4.16	< 1					369408002
3/30/2015	4.45	< 1					369759002
4/7/2015	5.84	< 1					370571006
4/13/2015	5.78	< 1					370982003
4/20/2015			18.2				371423001
4/20/2015	4.83	< 1					371423003
4/24/2015				< 1		< 1	QTXC001-0415
4/28/2015	4.26	< 1					371963002
5/5/2015	4.94	< 1					372605003
5/5/2015	5.31	< 1					372605002
5/11/2015	4.8	< 1					372848003
5/18/2015	4.1	< 1					373300002
5/26/2015	5.68	< 1					373775002
6/2/2015	5.36	< 1					374232002
6/8/2015	6.39	< 1					374647003
6/15/2015	7.27	< 1					375139002
6/22/2015	6.12	< 1					375551002
6/29/2015	6.74	< 1					375908003
7/6/2015	6.47	< 1					376221002

B-41

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE μg/L	1,1-DCE μg/L		Ceriodaphnia dubia	TUc	Pimephales Promelas TUc	
7/13/2015			38				377120004
7/13/2015	7.59	< 1					377120006
7/17/2015				< 1		< 1	QTXC001-0715
7/20/2015	7.72	< 1					377564002
7/30/2015	7.86	< 1					378414002
8/3/2015	7.15	< 1					378504001
8/11/2015	7.6	< 1					379137003
8/17/2015	6.16	< 1					379518002
8/24/2015	5.1	< 1					379891004
8/31/2015	7.58	< 1					380316002
9/8/2015	8.55	< 1					380778002
9/15/2015	6.68	< 1					381232003
9/21/2015	5.86	< 1					381607002
9/28/2015	6.48	< 1					381967002
10/6/2015	6.11	< 1					382713002
10/13/2015	5.06	< 1					383173005
10/19/2015	3.12	< 1					383605003
10/19/2015			< 13.3				383605001
10/23/2015				< 1		< 1	QTXC001-1015

B-42

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE μg/L	1,1-DCE μg/L		Ceriodaphnia dubia	TUc	Pimephales Promelas TUc	
10/26/2015	3.34	< 1					384073001
11/3/2015	3.72	< 1					384687002
11/9/2015	3.29	< 1					385132003
11/16/2015	3.23	< 1					385708003
11/16/2015	3.33	< 1					385708002
11/23/2015	3.14	< 1					386250003
11/30/2015	3.52	< 1					386486002
12/7/2015	3.62	< 1					386947002
12/14/2015	6.21	< 1					387486003
12/21/2015	3.44	< 1					387961002
12/28/2015	4.04	< 1					388160002
1/4/2016	3.09	< 1					388627007
1/4/2016			< 16.3				388627005
1/4/2016			< 18.3				388627004
1/11/2016	5.15	< 1					389075002
1/19/2016	2.9	< 1					389669002
1/25/2016	3.36	< 1					390034002
1/29/2016				< 1		< 1	QTXC001-0116
2/1/2016	3.33	< 1					390453002

B-43

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE μg/L	1,1-DCE μg/L		Ceriodaphnia dubia	TUc	Pimephales Promelas TUc	
2/8/2016	3.3	< 1					390933003
2/17/2016	3.24	< 1					391578002
2/17/2016	3.24	< 1					391578003
2/22/2016	3.04	< 1					391842002
2/29/2016	3.41	< 1					392231002
3/8/2016	4.14	< 1					392896004
3/14/2016	3.72	< 1					393230001
3/21/2016	2.82	< 1					393611002
3/28/2016	5.09	< 1					393963002
4/5/2016	2.66	< 1					394654001
4/5/2016			< 16.5				394654006
4/5/2016	2.66	< 1					394654002
4/11/2016	3.69	< 1					395009002
4/18/2016	3.84	< 1					395559002
4/22/2016				< 1		< 1	QTXC001-0416
4/26/2016	6.13	< 1					396121001
5/3/2016	2.55	< 1					396568003
5/9/2016	3.2	< 1					397075002
5/16/2016	2.42	< 1					397535002

B-44

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE μg/L	1,1-DCE μg/L		Ceriodaphnia dubia	TUc	Pimephales Promelas TUc	
5/23/2016	2.95	< 1					397984002
6/7/2016	3.2	< 1					398913002
6/13/2016	3.58	< 1					399291002
6/20/2016	3.68	< 1					399780002
6/27/2016	3.44	< 1					400228002
7/6/2016			< 15				401038005
7/6/2016	3.33	< 1					401038007
7/6/2016			20.1				401038004
7/11/2016	2.95	< 1					401330002
7/18/2016	3.77	< 1					401899002
7/25/2016	3.18	< 1					402378002
7/29/2016				< 1		< 1	QTXC001-0716
8/1/2016	3.5	< 1					402874004
8/8/2016	3.15	< 1					403433002
8/15/2016	3.63	< 1					403928002
8/22/2016	1.83	< 1					404376002
8/29/2016	3.46	< 1					404871002
9/6/2016	< 3.13	< 1					405309003
9/13/2016	< 3.11	1					405843002

B-45

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE μg/L	1,1-DCE μg/L		Ceriodaphnia dubia	TUc	Pimephales Promelas TUc	
9/19/2016	3.46	< 1					406268002
9/26/2016	< 1	< 1					406761002
10/3/2016	< 1	< 1					407409002
10/10/2016	< 1	< 1					407689007
10/10/2016			22				407689005
10/14/2016				< 1		< 1	QTXC001-1016
10/17/2016	< 3.79	< 1					408434002
10/24/2016	< 3.01	< 1					409012002
10/31/2016	< 3.68	< 1					409492002
11/8/2016	3.41	< 1					410178004
11/8/2016	3.25	< 1					410178005
11/14/2016	3.09	< 1					410597002
11/21/2016	2.79	< 1					411177002
11/28/2016	3.39	< 1					411421002
12/6/2016	2.61	< 1					412013002
12/12/2016	2.41	< 1					412498003
12/19/2016	1.62	< 1					413001002
12/27/2016	2.28	< 1					413365001
1/4/2017	1.71	< 1					413711002

B-46

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE μg/L	1,1-DCE μg/L		Ceriodaphnia dubia	TUc	Pimephales Promelas TUc	
1/9/2017	4.16	< 1					413954007
1/9/2017			32.6				413954005
1/17/2017	2.78	< 1					414480002
1/23/2017	2.66	< 1					414875002
1/30/2017	2.22	< 1					415330002
2/6/2017	3.06	< 1					415797003
2/13/2017	2.32	< 1					416621002
2/21/2017	2.92	< 1					417084002
2/21/2017	2.92	< 1					417084003
2/27/2017	2.58	< 1					417486002
3/6/2017	2.81	< 1					417894004
3/10/2017				< 1		< 1	QTXC001-0317
3/13/2017	2	< 1					418494002
3/20/2017	2.79	< 1					418903002
3/27/2017	2.92	< 1					419376002
4/4/2017	2.73	< 1					419842005
4/4/2017	< 1	< 1					419842006
4/10/2017	2.78	< 1					420352002
4/17/2017	3.12	< 1					420901002

B-47

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results		Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE μg/L	1,1-DCE μg/L	Tc-99 pCi/L		Ceriodaphnia dubia	TUc	Pimephales Promelas TUc	
4/24/2017	2.66	< 1						421403002
5/1/2017	2.62	< 1						422065003
5/8/2017			< 19.9					422691001
5/8/2017	3.04	< 1						422691003
5/12/2017					< 1			QTXC0015-17
5/15/2017	2.62	< 1						423225002
5/22/2017	1.92	< 1						423789002
5/30/2017	2.3	< 1						424351002
6/5/2017	2.9	< 1						424743004
6/19/2017	2.79	< 1						425832002
6/26/2017	2.24	< 1						426426001
7/5/2017	2.59	< 1						427251001
7/5/2017			26.8					427251005
7/5/2017			28.4					427251006
7/11/2017	3	< 1						427613002
7/17/2017	2.94	< 1						428085001
7/24/2017	3.14	< 1						428713002
8/14/2017	1.97	< 1						430615001
8/21/2017	3.42	< 1						431181002

B-48

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE μg/L	1,1-DCE μg/L		Ceriodaphnia dubia	TUc	Pimephales Promelas TUc	
8/25/2017				< 1		< 1	QTXC0018-17
8/28/2017	3.06	< 1					431681002
10/11/2017	0.67	< 1					434895007
10/11/2017			59.4				439669001
10/11/2017			45.5				434895003
10/16/2017	0.42	< 1					435322003
10/25/2017	< 1	< 1					436374003
10/30/2017	0.44	< 1					436651003
11/6/2017	0.63	< 1					437150004
11/10/2017				< 1		< 1	QTXC00111-17
11/13/2017	< 1	< 1					437793005
11/30/2017	0.55	< 1					439009002
12/5/2017	< 1	< 1					439319004
12/5/2017	< 1	< 1					439319001
12/11/2017	< 1	< 1					439844005
12/18/2017	< 1	< 1					440275003
12/27/2017	< 1	< 1					440755003
1/2/2018	< 1	< 1					440964004
1/8/2018	< 1	< 1					441177005

B-49

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE μg/L	1,1-DCE μg/L		Ceriodaphnia dubia	TUc	Pimephales Promelas TUc	
1/16/2018	< 1	< 1					441723003
1/22/2018	0.59	< 1					442150003
1/26/2018				< 1		< 1	QTXC0011-18
1/29/2018	< 1	< 1					442610003
2/5/2018	< 1	< 1					443103003
2/5/2018	< 1	< 1					443103004
2/12/2018			48.1				443651003
2/12/2018	< 1	< 1					443651006
2/26/2018	< 1	< 1					444677002
3/5/2018	< 1	< 1					445176002
3/12/2018	< 1	< 1					445734003
3/22/2018	0.49	< 1					446468005
3/26/2018	< 1	< 1					446833003
4/2/2018	< 1	< 1					447095004
4/2/2018	< 1	< 1					447095005
4/9/2018			55.5				447603003
4/9/2018	< 1	< 1					447603007
4/16/2018	< 1	< 1					448142003
4/20/2018				< 1		< 1	QTXC001-0418

B-50

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE μg/L	1,1-DCE μg/L		Ceriodaphnia dubia	TUc	Pimephales Promelas TUc	
4/23/2018	0.46	< 1					448638003
4/30/2018	< 1	< 1					449102003
5/7/2018	< 1	< 1					449583002
5/14/2018	0.76	< 1					450117006
5/21/2018	0.74	< 1					450656003
5/29/2018	0.76	< 1					451371004
6/4/2018	0.5	< 1					451691003
6/11/2018	0.77	< 1					452284006
6/18/2018	< 1	< 1					452744003
6/25/2018	< 1	< 1					453275003
7/5/2018	< 1	< 1					454018003
7/9/2018			40.1				454174003
7/9/2018			40				454174004
7/9/2018	< 1	< 1					454174007
7/16/2018	< 1	< 1					454684003
7/23/2018	< 1	< 1					455228003
7/27/2018				< 1		< 1	QTXC001-0718
7/30/2018	< 1	< 1					455783003
8/15/2018	< 1	< 1					457414003

B-51

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE µg/L	1,1-DCE µg/L		Ceriodaphnia dubia	TUc	Pimephales Promelas TUc	
8/20/2018	< 1	< 1					457750003
8/27/2018	< 1	< 1					458237003
9/4/2018	< 1	< 1					458722006
9/10/2018	< 1	< 1					459154003
9/17/2018	< 1	< 1					459343003
9/24/2018	< 1	< 1					460040003
10/1/2018	< 1	< 1					460642001
10/1/2018	< 1	< 1					460642002
10/8/2018	< 1	< 1					461227001
10/8/2018			45.8				461227002
10/8/2018			57.8				461227003
10/15/2018	< 1	< 1					461905001
10/19/2018				< 1		< 1	QTXC001-1018
10/22/2018	< 1	< 1					462350001
10/29/2018	< 1	< 1					462903001
11/5/2018	< 1	< 1					463536001
11/12/2018	< 1	< 1					464149001
11/19/2018	< 1	< 1					465010001
11/26/2018	< 1	< 1					465410001

B-52

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE μg/L	1,1-DCE μg/L		Ceriodaphnia dubia	TUc	Pimephales Promelas TUc	
12/3/2018	< 1	< 1					466003001
12/10/2018	< 1	< 1					466599001
12/17/2018	< 1	< 1					467137001
12/26/2018	< 1	< 1					467685001
12/31/2018	< 1	< 1					467894001
1/7/2019	< 1	< 1					468186001
1/14/2019			57.8				468903001
1/14/2019	< 1	< 1					468903002
1/14/2019				< 1		< 1	QTXC001-0119
1/22/2019	< 1	< 1					469618001
1/28/2019	< 1	< 1					469976001
2/4/2019	< 1	< 1					470490002
2/4/2019	< 1	< 1					470490001
2/11/2019	< 1	< 1					471081001
2/18/2019	< 1	< 1					471564001
2/25/2019	< 1	< 1					472156001
3/4/2019	< 1	< 1					472747001
3/11/2019	< 1	< 1					473295001
3/18/2019	< 1	< 1					473891001

B-53

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE μg/L	1,1-DCE μg/L	Tc-99 pCi/L	Ceriodaphnia dubia TUC	Pimephales Promelas TUC		
3/25/2019	< 1	< 1					474505001
4/1/2019	< 1	< 1					475090001
4/8/2019			52.5				475771001
4/8/2019	< 1	< 1					475771002
4/8/2019				< 1		< 1	QTXC001-0419
4/15/2019	< 1	< 1					476567001
4/22/2019	< 1	< 1					477234001
4/29/2019	< 1	< 1					477787001
5/6/2019	< 1	< 1					478397001
5/13/2019	< 1	< 1					479072001
5/20/2019	< 1	< 1					479744001
5/28/2019	< 1	< 1					480358001
6/3/2019	< 1	< 1					480765001
6/12/2019	< 1	< 1					481736001
6/17/2019	< 1	< 1					482200001
6/24/2019	< 1	< 1					482803001
7/1/2019	< 1	< 1					483432001
7/1/2019	< 1	< 1					483432002
7/8/2019	< 1	< 1					484141001

B-54

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE μg/L	1,1-DCE μg/L		Ceriodaphnia dubia TUc	Pimephales Promelas TUc		
7/15/2019	< 1	< 1					484766001
7/15/2019			37.4				484766002
7/15/2019				1.04	< 1		QTXC001-0719
7/23/2019	< 1	< 1					485483001
7/29/2019	< 1	< 1					486020001
8/5/2019				< 1	< 1		QTXC001-0819
8/5/2019	< 1	< 1					486696001
8/12/2019	< 1	< 1					487390001
8/21/2019	< 1	< 1					488410001
8/26/2019	< 1	< 1					488707001
9/5/2019	< 1	< 1					489508001
9/9/2019	< 1	< 1					489508002
9/16/2019	< 1	< 1					490373001
9/23/2019	< 1	< 1					490999001
9/30/2019	< 1	< 1					491590001
10/7/2019	< 1	< 1					492259001
10/7/2019	< 1	< 1					492259002
10/14/2019	< 1	< 1					492995003
10/14/2019				< 1	< 1		QTXC001-1019

B-55

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE μg/L	1,1-DCE μg/L		Ceriodaphnia dubia TUC	Pimephales Promelas TUC		
10/14/2019			74.1				492995002
10/14/2019			54.4				492995001
10/21/2019	< 1	< 1					493740001
10/28/2019	< 1	< 1					494522001
11/4/2019	< 1	< 1					495157001
11/11/2019	< 1	< 1					495889001
11/18/2019	< 1	< 1					496857001
11/25/2019	< 1	< 1					497555001
12/2/2019	< 1	< 1					497937001
12/9/2019	< 1	< 1					498570001
12/16/2019	< 1	< 1					499223001
12/23/2019	< 1	< 1					499746001
12/30/2019	< 1	< 1					499991001
1/6/2020	< 1	< 1					500367001
1/13/2020			47.4				500950001
1/13/2020	< 1	< 1					500950002
1/21/2020	< 1	< 1					501835001
1/27/2020	< 1	< 1					502334001
2/3/2020	< 1	< 1					503239001

B-56

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE μg/L	1,1-DCE μg/L		Ceriodaphnia dubia	TUc	Pimephales Promelas TUc	
2/3/2020	< 1	< 1					503239002
2/10/2020	< 1	< 1					503875001
2/17/2020	< 1	< 1					504575001
2/24/2020	< 1	< 1					505123001
3/2/2020	< 1	< 1					505785001
3/9/2020				< 1		< 1	QTXC001-0320-2
3/9/2020	< 1	< 1					506476001
3/16/2020	< 1	< 1					507106001
3/23/2020	< 1	< 1					507672001
3/30/2020	< 1	< 1					508100001
4/6/2020	< 1	< 1					508930001
4/13/2020	< 1	< 1					509327001
4/13/2020			46.1				509327002
4/20/2020	< 1	< 1					509801001
4/27/2020	< 1	< 1					510192001
5/4/2020	< 1	< 1					510571001
5/11/2020				< 1		< 1	QTXC001-0520
5/11/2020	< 1	< 1					511022001
5/18/2020	< 1	< 1					511451001

B-57

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE μg/L	1,1-DCE μg/L		Ceriodaphnia dubia	TUc	Pimephales Promelas TUc	
5/26/2020	< 1	< 1					511936001
6/1/2020	< 1	< 1					512426001
6/8/2020	< 1	< 1					512999001
6/15/2020	< 1	< 1					513627001
6/22/2020	< 1	< 1					514213001
6/29/2020	< 1	< 1					514755001
7/8/2020	< 1	< 1					515368001
7/8/2020	< 1	< 1					515368002
7/13/2020			48.5				515730001
7/13/2020	< 1	< 1					515730002
7/23/2020	< 1	< 1					516599001
7/27/2020	< 1	< 1					516820001
8/3/2020	< 1	< 1					517470001
8/10/2020	< 1	< 1					518038001
8/17/2020	< 1	< 1					518893001
8/17/2020				< 1		< 1	QTXC001-0820-2
8/24/2020	< 1	< 1					519504001
8/31/2020	< 1	< 1					520147001
9/9/2020	< 1	< 1					520938001

B-58

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE μg/L	1,1-DCE μg/L		Ceriodaphnia dubia	TUc	Pimephales Promelas TUc	
9/14/2020	< 1	< 1					521338001
9/21/2020	< 1	< 1					521936001
9/28/2020	< 1	< 1					522677001
10/8/2020	< 1	< 1					523820001
10/8/2020	< 1	< 1					523820002
10/15/2020			60.5				524549001
10/15/2020			54.9				524549002
10/15/2020	< 1	< 1					524549003
10/19/2020	< 1	< 1					524773001
10/26/2020	< 1	< 1					525467001
11/2/2020	< 1	< 1					526156001
11/9/2020	< 1	< 1					526922001
11/9/2020				< 1		< 1	QTXC001-1120
11/16/2020	< 1	< 1					527642001
11/23/2020	< 1	< 1					528350001
11/30/2020	< 1	< 1					528840001
12/10/2020	< 1	< 1					529828001
12/14/2020	< 1	< 1					530079001
12/21/2020	< 1	< 1					530703001

B-59

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE μg/L	1,1-DCE μg/L	Tc-99 pCi/L	Ceriodaphnia dubia TUC	Pimephales Promelas TUC		
12/28/2020	< 1	< 1					530990001
1/4/2021	< 1	< 1					531218001
1/11/2021			36.4				531741001
1/11/2021	< 1	< 1					531741002
1/11/2021				< 1		< 1	QTXC001-0121
1/19/2021	< 1	< 1					532477001
1/25/2021	< 1	< 1					532975002
2/1/2021	< 1	< 1					533717001
2/1/2021	< 1	< 1					533717002
2/8/2021	< 1	< 1					534540001
2/18/2021	< 1	< 1					535689001
2/22/2021	< 1	< 1					535689002
3/1/2021	< 1	< 1					536332001
3/8/2021	< 1	< 1					537103001
3/15/2021	< 1	< 1					537907001
3/22/2021	< 1	< 1					538566001
3/29/2021	< 1	< 1					539131001
4/8/2021	< 1	< 1					540322001
4/12/2021	< 1	< 1					540561001

B-60

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE μg/L	1,1-DCE μg/L		Ceriodaphnia dubia	TUc	Pimephales Promelas TUc	
4/12/2021			48.1				540561002
4/12/2021				< 1		< 1	QTXC001-0421
4/19/2021	< 1	< 1					541298001
4/26/2021	< 1	< 1					541966001
5/3/2021	< 1	< 1					542965001
5/10/2021	< 1	< 1					544065001
5/17/2021	< 1	< 1					544830001
5/24/2021	< 1	< 1					545482001
6/1/2021	< 1	< 1					546046001
6/7/2021	< 1	< 1					546571001
6/14/2021	< 1	< 1					547263001
6/21/2021	< 1	< 1					547832001
6/28/2021	< 1	< 1					548410001
7/6/2021	< 1	< 1					548993002
7/6/2021	< 1	< 1					548993001
7/12/2021			35.8				549413001
7/12/2021	< 1	< 1					549413002
7/19/2021	< 1	< 1					550073001
7/19/2021				< 1		< 1	QTXC001-0721

B-61

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE μg/L	1,1-DCE μg/L		Ceriodaphnia dubia	TUc	Pimephales Promelas TUc	
7/26/2021	< 1	< 1					550697001
8/2/2021	< 1	< 1					551524001
8/9/2021	< 1	< 1					552273001
8/16/2021	< 1	< 1					552917001
8/23/2021	< 1	< 1					553571001
8/30/2021	< 1	< 1					554372001
9/7/2021	< 1	< 1					555033001
9/13/2021	< 1	< 1					555641001
9/20/2021	< 1	< 1					556326001
9/27/2021	< 1	< 1					556995001
10/4/2021	< 1	< 1					557813002
10/4/2021	< 1	< 1					557813001
10/11/2021			26.1				558531001
10/11/2021			28.5				558531002
10/11/2021	< 1	< 1					558531003
10/11/2021				< 1		< 1	QTXC001-1021
10/18/2021	< 1	< 1					559268001
10/25/2021	< 1	< 1					560036001
11/4/2021	< 1	< 1					561225001

B-62

Northeast Plume CERCLA Outfall Monitoring

Water Quality Records for

Sample Date Range: 9/3/2013 - 12/27/2021

C001

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Chronic Toxicity Analysis Results			Lab Sample ID*
	TCE μg/L	1,1-DCE μg/L		Ceriodaphnia dubia TUC	Pimephales Promelas TUC		
11/8/2021	< 1	< 1					561459001
11/15/2021	< 1	< 1					562184001
11/22/2021	< 1	< 1					563041001
11/29/2021	< 1	< 1					563429001
12/9/2021	< 1	< 1					564593001
12/13/2021	< 1	< 1					564866001
12/20/2021	< 1	< 1					565607001
12/27/2021	0.34	< 1					565957001

B-63

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW124

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
2/21/1990	160	< 5		15481001
2/21/1990	160	< 5		15479002
2/22/1990	44		1	900223-025
3/1/1990	170			900301-296
4/30/1990	98	< 5		15883002
4/30/1990	130	< 5		15883003
4/30/1990			< 12	6682
4/30/1990			< 14	6683
4/30/1990	123		0	900503-082
6/29/1990			2	900629-165
8/20/1990			< 4	7333
8/20/1990	340	< 5		16644001
3/25/1991	720	< 5		9103L086-9
3/25/1991			< 2	21327
3/25/1991			< 3	21328
10/18/1991	480		8	911018-068
5/20/1993	730	< 100	2	930524-073
5/20/1993	670		119	930524-074
5/21/1993	760	< 50	9	930524-081
5/21/1993		< 25	84.1	930524-082

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW124

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
6/1/1993	850		17	930604-037
6/5/1995	260	< 100		950606-026
11/7/1995	590	< 50	6	951108-132
3/26/1996	710	< 10	0	960326-036
6/5/1996	760	< 50	11	960606-017
9/3/1996	860	< 50	21	960904-010
12/12/1996	20	< 50	6	961212-169
3/5/1997	960	< 100	0	970306-083
5/13/1997	1100	< 100	8	970515-049
6/5/1997	1100	< 100	7	970605-147
9/9/1997	790	< 100	-8	970909-072
12/8/1997	370	< 100	< -1	C973430023
3/2/1998	240	< 130	< -0.4	C980620038
6/15/1998	220	< 100	< 13.2	C981660106
9/17/1998	200	< 100	< 0.8	C982610006
12/10/1998	120	< 100	< 11.1	C983450000
2/2/1999	82	< 50	< 11.8	C990340069
5/10/1999	95	< 50	< 14.4	C991310032
5/10/1999	96	< 50	< 16.7	C991310033
8/3/1999	100	< 100	< 0	C992170039

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW124

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
11/16/1999	140	< 50	< -15.6	C993210012
2/15/2000	73	< 5	< 3.48	C000470004
5/8/2000	320	< 50	< 0.33	C001300044
8/17/2000	720	< 5	< 19.9	C002300082
11/15/2000	360	< 50	< 11.8	C003200062
2/12/2001	2	< 5	< -9.44	C010430092
5/14/2001	92	< 5	< -0.705	C011350007
8/15/2001	59	< 25	< -1.65	C012280037
11/14/2001	110	< 10	< 3.87	C013180045
3/27/2002	56	< 50	< 11.2	C020860180
5/2/2002	55	< 5	< -8.93	C021220089
5/2/2002	53	< 5	< -3.85	C021220090
8/29/2002	44	< 5	< 3.08	C022420102
11/11/2002	170	< 10	< -7.81	C023160005
2/18/2003	160	< 10	< 15.8	C030500032
5/7/2003	40	< 5	< 0.175	C031270172
8/27/2003	22	< 5	< 7.7	C032390098
11/17/2003	110	< 25	< 7.3	C033210103
2/11/2004	23	< 5	< 12.4	C040420077
5/12/2004	23	< 10	< -7.25	C041330034

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW124

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
8/12/2004	21	< 5	< 3.11	C042250117
11/18/2004	16	< 5	< 3.49	C043240003
2/10/2005	18	< 5	< 3.35	C050410062
5/11/2005	18	< 5	< 1.29	C051310089
8/10/2005	14	< 5	< 6	C052220134
11/14/2005	220	< 25	< 5.48	C053180044
5/17/2006	52	< 5	< 7.52	C061370046
11/6/2006	21	< 5	< 8.1	C063100054
5/9/2007	14	< 5	< -4.96	C071300009
11/13/2007	350	14	17.9	C073180004
5/28/2008	65	2	< 5.74	C081490029
11/11/2008	140	3.2	< -3.8	C08316042006
5/5/2009	80	2.7	< 4.29	C09125023007
11/2/2009	40	< 5	< -4.1	C09306041001
5/11/2010	19	< 1	< 14.1	C10131023006
2/22/2011	49	< 5	23	C11053015006
8/4/2011	13	< 5	< -3.33	C11216014003
2/2/2012	12	< 5	< 0.804	C12033015003
8/7/2012	5.4	< 5	< 6.07	C12220024004
2/4/2013	19	< 1	< -4.83	C13035045001

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW124

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
8/21/2013	2.4	< 1	< 1.7	C13233026005
2/24/2014	9.2	< 1	< -2.69	C14055028001
8/26/2014	6.18	< 1	< -6.23	355748001
2/4/2015	69.9	0.88	< 1.44	366647001
8/24/2015	7.12	< 1	< -4.04	379998002
2/8/2016	5.94	< 1	< -8.87	391039001
8/4/2016	3.1	< 1	< 7.97	403256001
2/15/2017	30.5	0.51	< -0.649	416791001
7/10/2017	5.65	< 1	< 1.27	427964002
8/1/2017	5.88	< 1	< -4.11	429710002
10/6/2017	16.6	< 1	< 0.124	434637002
1/9/2018	61.7	1.17	< 8.01	441537002
2/14/2018	20.4	< 1	< -12.6	443984002
4/9/2018	26.6	< 1	< -5.57	447628001
7/3/2018	13.8	0.36	< -2.31	453993002
8/27/2018	25.5	0.6	< 0.296	458313002
10/3/2018	44.3	0.9	< -11.6	461070001
1/2/2019	40	0.7	< -1.35	468013001
4/9/2019	34.4	1.33	< 1.25	476088002
7/2/2019	25.4	0.49	< -8.24	483632001

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW124

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
10/2/2019	27.3	0.6	< 0.735	491969002
1/7/2020	39	0.86	< -1.59	500738002
4/15/2020	39	1.71	< 1.61	509637001
7/8/2020	37.1	0.88	< -4.38	515469002
10/8/2020	44.9	0.9	< 0.361	523841002
1/7/2021	46.1	1.16	< -1.89	531524001
4/6/2021	29.8	0.86	< 0.118	540117008
7/6/2021	35.7	0.48	< 2.59	549100001
10/7/2021	36.8	0.63	< 2.04	558300002

B-69

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW126

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
2/23/1990	140	< 5		15488001
2/23/1990			< 10	2267
2/23/1990	130		6	900226-054
3/1/1990	180			900301-297
4/27/1990	52	< 5		15867008
4/27/1990			< 6	4166
8/15/1990			< 3	7334
8/15/1990	180	< 5		16614004
3/11/1991			< 4	21332
3/11/1991			< 4	21333
3/11/1991	200	< 10		29076001
10/18/1991	180		2	911018-069
5/19/1993		< 20	57.5	930524-068
5/19/1993	600	< 20		930521-075
5/19/1993	140	< 5		930521-077
5/19/1993	160	< 25	2	930524-065
5/19/1993	140			930524-066
5/19/1993	600	< 50	9	930524-067
5/20/1993	150			930524-076
5/20/1993	170	< 25	14	930524-075

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW126

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
5/21/1993	180	< 25	10	930524-083
5/21/1993		< 10	40	930524-084
6/1/1993	200		2	930604-041
9/20/1993	200		38	930922-055
12/7/1993	230		9	931208-069
3/21/1994	270		0	940322-018
6/8/1994	220		15	940609-019
9/8/1994	230		3	940908-103
12/5/1994	310		2	941206-027
3/20/1995	270	< 50	1	950322-076
6/5/1995	130	< 100	12	950606-031
9/20/1995	240	< 50	11	950921-179
11/7/1995	260	< 50	5	951108-136
3/13/1996	270	< 50	2	960314-051
6/5/1996	250	< 50	0	960606-018
9/3/1996	230	< 50	17	960904-009
12/16/1996	170	< 50	5	961217-012
3/4/1997	380	< 50	0	970305-028
6/5/1997	190	< 50	13	970605-148
9/9/1997	53	< 50	1	970909-073

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW126

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
12/8/1997	22	< 5	< 1	C973430024
3/2/1998	13	< 5	< 2.3	C980620039
6/15/1998	27	< 5	< 6.7	C981660107
9/17/1998	14	< 5	< 1.4	C982610007
12/10/1998	10	< 50	< 10.1	C983450001
2/2/1999	4	< 5	< 8.27	C990340070
5/10/1999	9	< 5	< 8.11	C991310034
8/3/1999	6	< 5	< 0	C992170036
11/16/1999	70	< 25	< -13.8	C993210013
2/15/2000	110	< 5	< 8.42	C000470005
5/8/2000	60	< 25	< -8.91	C001300045
8/17/2000	12	< 5	< 9.56	C002300081
11/14/2000	6	< 5	< 4.12	C003190124
2/12/2001	2	< 5	< -7.37	C010430093
5/14/2001	3	< 5	< -1.35	C011350004
8/15/2001	4	< 5	< 5.31	C012280038
11/14/2001	12	< 5	< -1.8	C013180044
2/5/2002	3	< 5	< 15.1	C020370099
5/2/2002	7	< 5	< -8.34	C021220093
8/29/2002	3	< 5	< 7.47	C022420103

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW126

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
11/12/2002	7	< 5	< 5.26	C023170002
2/18/2003	2	< 5	< 7.34	C030500033
5/7/2003	3	< 5	< 10.8	C031270173
8/27/2003	1	< 5	< 0.875	C032390099
11/17/2003	< 1	< 5	< 5.52	C033210104
2/11/2004	2	< 5	< 8.66	C040420078
5/12/2004	3	< 5	< -5.99	C041330033
8/12/2004	2.2	< 5	< -10.4	C042250116
11/18/2004	< 1	< 5	< 0.261	C043240004
2/10/2005	2.4	< 5	< 5.05	C050410063
5/11/2005	2.5	< 5	< -4.42	C051310090
8/10/2005	< 1	< 5	< 1.88	C052220135
11/14/2005	1.1	< 5	< 5.18	C053180045
5/17/2006	3.4	< 5	< 6.15	C061370047
11/6/2006	< 1	< 5	< 13.2	C063100055
5/9/2007	1.3	< 5	< -5.35	C071300010
11/13/2007	56	< 1	< 2.51	C073180005
5/28/2008	1.8	< 1	< 6.06	C081490030
11/11/2008	14	< 1	< 1.18	C08316042008
5/5/2009	2.6	< 1	< 10.2	C09125023009

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW126

***Sample Date Range:
2/21/1990 - 12/28/2021***

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
11/2/2009	18	< 5	< -5.34	C09306041002
5/11/2010	4	< 1	< 13.5	C10131023007
2/22/2011	5.5	< 5	< 11.5	C11053015007
8/4/2011	< 1	< 5	< -2.16	C11216014004
8/4/2011	< 1	< 5	< -1.94	C11216014005
2/2/2012	< 1	< 5	< 2.31	C12033015004
8/7/2012	< 1	< 5	< 14.2	C12220024007
8/7/2012	< 1	< 5	< 6.34	C12220024008
2/7/2013	1.5	< 1	< 0.787	C13038014001
8/21/2013	< 1	< 1	< -2.88	C13233026003
8/21/2013	< 1	< 1	< -4.75	C13233026004
2/24/2014	2.1	< 1	< -5	C14055028002
8/26/2014	0.69	< 1	< -2.86	355748002
8/26/2014	0.71	< 1	< 4.67	355748003
2/9/2015	30.4	< 1	< 5.34	366889001
8/24/2015	0.63	< 1	< -5.75	379998003
2/8/2016	0.51	< 1	< -8.34	391039002
8/4/2016	1.66	< 1	< 7.6	403256002
2/15/2017	1.42	< 1	< -1.5	416791002
7/10/2017	0.38	< 1	< -2.35	427964003

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW126

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
8/1/2017	1.07	< 1	< 1.2	429710003
10/6/2017	27.5	0.35	< 1.38	434637003
1/9/2018	134	4.94	< 10.2	441537003
2/14/2018	104	3.1	< -2.67	443984003
4/9/2018	101	3.26	< -1.07	447628002
7/3/2018	54.7	1.83	< 3.73	453993003
8/27/2018	55.7	2.16	< -6.78	458313003
10/3/2018	96.7	3.91	< -9.14	461070002
1/2/2019	67.4	2.32	< 2.34	468013002
4/9/2019	70	2.73	< 5.01	476088003
7/2/2019	37.5	1.08	< -2.45	483632002
10/2/2019	39.1	1.49	< 2.58	491969003
1/7/2020	29.4	1.13	< 2.21	500738003
4/15/2020	49.5	2.2	< 2.43	509637002
7/8/2020	26.4	0.96	< -7.56	515469003
10/8/2020	31.9	1.11	< 1.45	523841003
1/7/2021	13.1	0.48	< 3.77	531524002
4/6/2021	37.9	1.37	< -0.998	540117009
7/6/2021	13.4	0.43	< -2.13	549100002
10/7/2021	13.3	0.36	< 0.69	558300003

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW144

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
4/24/1990	36	< 5		535-006
4/24/1990	38		0	900503-084
4/24/1990			< 8	6278
6/29/1990			5	900629-167
9/11/1990			< 8.7	7352
9/11/1990	95	< 5		9009L725-1
3/5/1991			6.8	21370
3/5/1991			45	21371
3/5/1991	260	< 5		29038008
5/19/1993	180	< 10		930521-079
5/19/1993	190	< 25	13	930524-063
5/19/1993		< 10	63.4	930524-064
5/20/1993	190		168	930524-072
5/20/1993	230	< 25	7	930524-071
5/21/1993	230	< 25	17	930524-079
5/21/1993	190		70.3	930524-080
6/7/1993			8	930608-153
6/17/1993	280			930617-145
7/27/1993	280		0	930729-168
8/26/1993	260	< 50	12	930830-026

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW144

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
9/22/1993	230		30	930923-068
10/19/1993	270		17	931020-069
12/8/1993	220		11	931209-097
1/24/1994	240		16	940125-041
2/23/1994	220		15	940223-130
3/3/1994	380		15	940304-026
4/7/1994	270		1	940408-065
5/4/1994	310		0	940505-027
6/2/1994	320		4	940602-089
7/1/1994	244	2.4		1110101-0235
7/1/1994	260		53	940701-058
8/30/1994	240		17	940830-069
9/20/1994	270		22	940921-085
10/10/1994	250		17	941011-100
11/2/1994	270		1	941103-095
12/1/1994	270		4	941201-125
7/11/2017	115	0.5	46.9	427964004
10/6/2017	104	< 2	52.7	434637004
1/4/2018	128	1.92	39.1	441199001
4/5/2018	104	1.26	53.9	447608002

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW144

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
7/3/2018	101	1.54	58.2	453993004
7/3/2018	101	< 2	58.4	453993005
10/3/2018	129	2.2	63	461070003
1/2/2019	94.4	1.42	60.9	468013003
4/9/2019	106	1.78	62.6	476088004
7/9/2019	113	1.22	42.4	484299002
7/9/2019	110	1.2	44.9	484299003
10/1/2019	105	1.69	50	491830002
1/6/2020	104	1.81	52.4	500415002
4/8/2020	94.2	2.62	61.3	509142002
7/8/2020	102	1.56	34.9	515469004
7/8/2020	101	1.6	26.3	515469005
10/8/2020	101	1.34	37.6	523841004
1/7/2021	101	1.56	51	531524003
4/6/2021	95.8	1.46	61.2	540117010
7/6/2021	92.2	1.62	57.6	549100003
7/6/2021	95.3	1.58	51.9	549100004
10/6/2021	82.1	1.39	54.5	558300004

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW145

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
4/24/1990	62	< 5		15849001
4/24/1990			11	6280
4/24/1990	59		0	900503-087
7/2/1990			4	900702-051
8/21/1990			< 6	7353
8/21/1990	210	< 5		9008L481-2
3/7/1991			4.6	21374
3/7/1991	300	< 5		29054004
3/7/1991			5.6	21373
6/7/1993			1	930608-157
6/7/1993	360			3077603
6/17/1993	480			930617-146
7/27/1993	480		0	930729-159
8/26/1993	460	< 50	1	930830-022
9/22/1993	460		24	930923-072
10/19/1993	510		10	931020-073
12/8/1993	480		12	931209-093
1/24/1994	490		0	940125-154
2/23/1994	450		12	940223-134
3/3/1994	470		15	940304-030

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW145

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
4/7/1994	380		5	940408-061
5/4/1994	410		0	940505-031
6/2/1994	490		0	940602-093
7/1/1994	450	1.6		1110101-0234
7/1/1994	460		1	940701-054
8/30/1994	450		17	940830-073
9/20/1994	510		13	940921-081
10/10/1994	490		10	941011-104
11/2/1994	530		5	941103-099
12/1/1994	530		12	941201-129
12/13/1995	440	< 50	1	951214-097
3/26/1996	400	< 10	2	960326-040
6/5/1996	370	< 50	2	960606-016
9/4/1996	470	< 50	21	960905-034
12/16/1996	340	< 50	15	961217-016
3/4/1997	470	< 25	7	970305-023
6/4/1997	480	< 50	6	970605-008
9/5/1997	440	< 50	10	970905-104
12/8/1997	< 310	< 50	< 5	C973430025
3/3/1998	250	< 50	< 6	C980630112

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW145

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
6/16/1998	200	< 50	22.1	C981670101
9/17/1998	160	< 50	< 5.4	C982610008
12/10/1998	170	< 50	< 18.3	C983450002
2/2/1999	120	< 50	< 16.33	C990340071
5/12/1999	100	< 50	< -12.4	C991320088
8/4/1999	97	< 50	< 0	C992170040
11/17/1999	100	< 50	< -7.11	C993210085
2/14/2000	100	< 5	< 9.53	C000460031
5/9/2000	94	< 10	< 3.41	C001300130
8/16/2000	120	< 25	< 17.5	C002290083
11/13/2000	100	< 10	< 5.77	C003190005
2/8/2001	92	< 5	< 3.82	C010390158
5/14/2001	78	< 10	< -1.41	C011350008
8/15/2001	74	< 10	< 12.2	C012280049
11/14/2001	77	< 10	< 9.43	C013180041
2/27/2002	80	< 10	< 4.87	C020590012
5/2/2002	98	< 5	< 10.6	C021220088
8/30/2002	93	< 5	< 12.9	C022420157
11/13/2002	91	< 5	< 13.7	C023170076
11/13/2002	91	< 5	< 13.6	C023170077

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW145

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
2/18/2003	75	< 5	18.6	C030500038
5/7/2003	70	< 5	< 9.57	C031270176
8/27/2003	61	< 5	< 12	C032390095
11/12/2003	57	< 5	29.4	C033170057
11/12/2003	54	< 5	16	C033170058
2/10/2004	52	< 10	23.1	C040410058
5/11/2004	56	< 5	< 13.7	C041330012
8/12/2004	55	< 5	< 11.2	C042250114
11/23/2004	51	< 5	< 15.2	C043280023
11/23/2004	48	< 5	< 10.6	C043280024
2/9/2005	56	< 5	< 12.6	C050400038
5/10/2005	51	< 5	22.6	C051300061
8/10/2005	50	< 5	< 11.6	C052220136
11/14/2005	58	< 5	< 13	C053180046
11/14/2005	57	< 5	23.3	C053180047
5/16/2006	75	< 5	33.5	C061370014
11/6/2006	68	< 5	19.6	C063100047
5/10/2007	63	< 5	< 8.63	C071300075
11/13/2007	68	1.2	30.4	C073180003
5/22/2008	70	< 2	47.3	C081440004

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW145

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
5/22/2008	71	< 2	44.2	C081440005
11/11/2008	66	< 1	32.5	C08316042009
5/5/2009	50	< 1	42.4	C09125023003
5/5/2009	62	1	36.6	C09125023004
11/4/2009	59	< 1	25.2	C09308040001
5/10/2010	45	< 1	40.7	C10130027003
5/10/2010	50	< 1	56	C10130027004
2/24/2011	58	< 5	36	C11055019002
8/3/2011	53	< 5	30.1	C11215009001
2/1/2012	51	< 5	32.5	C12032020002
8/7/2012	34	< 5	36.3	C12220024003
2/5/2013	42	< 1	34.5	C13036014003
8/20/2013	34	< 1	35.5	C13233002003
2/13/2014	50	< 1	32.5	C14044026002
8/26/2014	48	0.47	42.4	355748004
2/3/2015	47.8	0.41	52.5	366647002
8/24/2015	44.4	0.39	34.9	379998004
2/8/2016	35.3	< 1	26.6	391039003
8/17/2016	35.6	< 1	34.9	404230002
2/15/2017	30.1	< 1	29.6	416791003

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW145

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
7/11/2017	35	0.37	25	427964005
8/1/2017	26.8	< 1	29.1	429710004
10/6/2017	28.9	< 1	18.8	434637001
1/4/2018	32.7	< 1	27.2	441199002
1/4/2018	34.1	< 1	33.6	441199003
2/14/2018	48.1	0.45	29.2	443984004
4/5/2018	48.4	0.42	28.5	447608003
7/10/2018	40.1	< 1	31.7	454274001
8/27/2018	42.7	0.44	32.4	458313004
10/3/2018	51.7	0.68	48.7	461070004
1/2/2019	27.4	< 1	23.8	468013005
1/2/2019	28.1	< 1	23.2	468013004
4/9/2019	57	0.76	35.6	476088005
7/9/2019	48.7	< 1	20.8	484299004
10/1/2019	50.2	0.7	35.3	491830003
1/6/2020	38.1	0.49	27.1	500415004
1/6/2020	38.2	0.47	32.6	500415003
4/8/2020	48.8	1.22	45.3	509142003
7/8/2020	53.3	0.56	26.2	515469006
10/8/2020	44.1	0.49	18.1	523841005

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW145

***Sample Date Range:
2/21/1990 - 12/28/2021***

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
1/7/2021	31.3	0.4	19.2	531524005
1/7/2021	32	0.4	18.1	531524004
4/6/2021	51.2	0.5	29.2	540117011
7/6/2021	50	0.78	30.4	549100005
10/6/2021	40.8	0.56	35	558300005

B-85

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW155

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
12/6/1990	220	< 14		17377003
3/13/1991			190	21405
3/13/1991	1800		120	910314-108
3/13/1991	2000	< 5		9103L937-9
3/13/1991			200	21404
5/6/1991			110	21406
5/6/1991	1900	< 5		9105L550-6
7/19/1991	2400			910719-033
7/28/1993	2300		181	930729-164
8/31/1993	1800		11	930831-065
9/14/1993	1900		220	930914-093
10/27/1993	2200		191	931028-017
11/8/1993	1900		207	931109-028
12/29/1993	1800		189	931230-109
1/27/1994	2100		193	940128-062
2/3/1994	1800		181	940204-028
3/22/1994	2100		158	940322-178
4/27/1994	2200		248	940428-051
5/26/1994	1900		221	940526-204
6/8/1994	1900		234	940608-196

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW155

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
8/3/1994	2000			940804-002
8/9/1994	1600			940810-002
8/15/1994	1500			940816-071
8/19/1994	1500			940819-068
8/25/1994	1600			940825-165
8/25/1994	1600			940825-069
9/27/1994	2500		260	940928-011
10/17/1994	1900		246	941019-016
11/28/1994	390		240	941129-043
12/6/1994	1800		226	941206-090
5/8/1995	1300		276	950509-067
5/8/1996	1800	< 500	347	960509-007
5/12/1997			557	5376-97TC
5/12/1997	710	< 100		970512-101
5/12/1997	700	< 100	682	970512-116
12/9/1997			616	9712071-11AC
12/9/1997	524	24		011009WA100
12/9/1997	410	< 13		9712064-05RE-AC
5/11/1998	740	< 125	669.3	C981310067
8/9/1999	7500	< 1000	339	C992220060

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW155

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
3/21/2000	1500	< 250	468	C000820016
3/21/2000	1600	< 250	420	C000820017
3/19/2001	1100	< 50	422	C010780111
8/21/2001	2100	< 100	396	C012340001
3/25/2002	1700	< 250	251	C020840051
9/11/2002	2400	< 250		C022540082
6/12/2003	6800	< 500	186	C031630079
12/9/2003	16000	< 250	123	C033430057
6/4/2004	6200	< 250	138	C041590030
12/2/2004	9600	< 500	157	C043380001
6/16/2005	6900	< 500	179	C051670012
2/8/2006	20000	< 2500	157	C060390060
9/6/2006	12000	< 1200	179	C062500002
3/14/2007	23000	< 500	131	C070730158
9/5/2007	15000	< 250	150	C072490063
3/10/2008	21000	< 250	144	C080710002
8/28/2008	15000	< 200	141	C082410123
5/13/2009	20000	< 200	142	C09133031001
9/10/2009	14000	< 200	130	C09253025001
9/10/2009	14000	< 1000		C09254002003

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW155

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
9/15/2009	14000	< 500		C09258030001
9/22/2009	13000	< 500		C09265022002
1/19/2011	3100	< 25		C11019028004
1/25/2011	3800	< 250		C11026001006
1/25/2011	6000	< 250		C11026001005
1/31/2011	3500	< 250		C11031038005
6/23/2011	3700	< 100	124	C11174017005
12/14/2011	2400	< 500	117	C11348018003
3/13/2012	2400	< 50	137	C12073014001
6/19/2012	1900	< 250	110	C12171014003
9/19/2012	2300	< 20	136	C12263022001
12/28/2012	2200	< 20	125	C12363012001
12/28/2012	2200	< 20	120	C12363012002
3/27/2013	1900	< 20	129	C13086008001
9/16/2013	2000	< 100	131	C13259034001
12/17/2013	1600	< 20	98.6	C13351094006
12/17/2013	1600	< 20	99.1	C13351094007
3/26/2014	1900	< 20	106	C14085027001
6/12/2014	1590	< 25	107	350627004
9/15/2014	1850	0.44	153	356931002

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW155

***Sample Date Range:
2/21/1990 - 12/28/2021***

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
12/2/2014	817	< 1	160	362435001
12/2/2014	810	< 1	161	362435002
3/31/2015	583	< 10	142	369938002
6/16/2015	2500	< 50	110	375398002
9/14/2015	4560	< 100	76.5	381234002
12/8/2015	4110	< 50	120	387183002
12/8/2015	4080	< 50	123	387183003
3/23/2016	3760	< 50	109	393849001
6/6/2016	5370	< 100	149	398881002
9/21/2016	5800	< 100	96.7	406611002
12/13/2016	6320	< 100	97.5	412748002
12/13/2016	6520	< 100	88	412748003
3/7/2017	8160	< 100	87.9	418299002
6/8/2017	6840	< 100	102	425123001
7/11/2017	7650	< 100	90.1	427964006
9/12/2017	9830	< 200	92.2	432724002
10/11/2017	4470	< 100	114	435057002
10/11/2017	4130	< 50	113	435057003
12/18/2017	5260	< 100	87.5	440362002
12/18/2017	5720	< 100	107	440362003

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW155

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
1/10/2018	10300	< 200	82.1	441541002
3/21/2018	6370	< 100	92.3	446475002
4/9/2018	5450	< 100	100	447628003
5/15/2018	6950	< 100	96.3	450363001
7/9/2018	3550	< 200	83.2	454258002
9/24/2018	2250	< 50	114	460260001
10/4/2018	3970	< 50	103	461079002
10/4/2018	4080	< 50	105	461079003
12/18/2018	3550	< 50	89.2	467410001
12/18/2018	3530	< 50	86.1	467410002
1/7/2019	6800	< 100	67.5	468221001
3/20/2019	7230	< 100	68.7	474242002
4/8/2019	7160	< 100	56.8	475898002
6/18/2019	5240	< 100	53.7	482490001
7/8/2019	5260	< 100	50.7	484303002
9/11/2019			94.3	490247001
9/17/2019	2970	< 50		490762001
10/7/2019	2790	< 100	112	492544003
10/7/2019	2780	< 100	122	492544002
12/10/2019	3790	1.11	76.5	498960002

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW155

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
1/7/2020	2900	1.23	88.2	500738004
3/11/2020	5470	< 100	42	506866002
4/14/2020	4200	< 100	54.9	509618001
6/9/2020	4420	< 100	54.3	513232001
7/8/2020	3460	< 100	67.1	515469007
9/21/2020	2940	< 100	91.8	522415002
10/7/2020	3260	< 100	75.5	523870002
10/7/2020	3320	< 100	74.8	523870003
12/2/2020	3030	< 50	118	529203001
1/6/2021	2040	< 100	86.9	531524006
3/17/2021	3150	< 100	87	538351001
4/6/2021	3860	3.43	67.8	540117012
4/19/2021	2300	2.78	76.9	541464001
6/14/2021	3340	< 50	90.3	547351001
7/12/2021	2310	< 50	116	549864001
7/19/2021	2510	< 50	82.2	550341001
9/20/2021	3230	< 50	91.4	556737001
10/6/2021	2410	1.96	82.9	558300006
10/6/2021	2300	1.97	86.5	558300007
10/19/2021	3290	< 1	76.9	559558001

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW155

***Sample Date Range:
2/21/1990 - 12/28/2021***

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
12/13/2021	1690	< 50	106	565140002

B-93

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW156

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
3/15/1991	360000	< 10000		29115005DL
3/15/1991	300000		135	910315-053
3/15/1991			85	21408
3/15/1991			190	21407
5/8/1991	360000	15		9105L569-2
5/8/1991			130	21409
7/19/1991	550000			910719-034
6/15/1993	460000		110	930616-136
7/28/1993	400000	< 50000	123	930729-154
8/30/1993	380000		122	930831-072
9/14/1993	400000		136	930914-097
10/27/1993	380000		110	931028-021
11/8/1993	370000		139	931109-032
12/29/1993	340000		94	931230-104
1/14/1994	340000			940119-006
1/14/1994	380000			940119-007
1/14/1994	360000			940119-008
1/14/1994	320000			940119-003
1/14/1994	340000			940119-004
1/14/1994	380000			940119-005

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW156

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
1/27/1994	380000		98	940128-066
2/3/1994	340000		100	940204-032
3/22/1994	410000		73	940322-170
4/27/1994	360000		99	940428-055
5/26/1994	350000		109	940526-208
6/8/1994	370000		96	940608-188
7/1/1994	370000		96	940701-050
8/3/1994			109	940804-102
8/3/1994			107	940804-105
8/3/1994			106	940804-103
8/3/1994	400000			940804-101
8/3/1994			104	940804-100
8/3/1994	370000		120	940804-003
8/3/1994	390000			940804-104
8/4/1994	400000		109	940804-099
8/9/1994	15000			940810-057
8/9/1994	1300		55	940810-001
8/9/1994	5500		211	940810-053
8/9/1994			72	940810-054
8/9/1994	11000		117	940810-055

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW156

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
8/9/1994			39	940810-056
8/10/1994			30	940811-118
8/10/1994			32	940811-120
8/10/1994	24000			940811-121
8/10/1994	30000		33	940811-119
8/10/1994	19000		33	940811-116
8/10/1994			52	940811-113
8/10/1994	35000			940811-117
8/10/1994			26	940811-115
8/11/1994			35	940812-141
8/11/1994	38000		40	940812-142
8/11/1994			47	940812-143
8/11/1994	44000			940812-144
8/11/1994			49	940812-145
8/12/1994			67	940816-054
8/12/1994			54	940816-058
8/12/1994	59000			940816-057
8/12/1994			53	940816-055
8/12/1994	52000		65	940816-056
8/13/1994			84	940816-062

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW156

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
8/13/1994	85000		80	940816-059
8/13/1994	80000		72	940816-060
8/13/1994			89	940816-061
8/14/1994	110000		97	940816-063
8/14/1994			86	940816-065
8/14/1994	100000		104	940816-066
8/14/1994			93	940816-064
8/15/1994			115	940816-068
8/15/1994	120000		101	940816-069
8/15/1994			95	940816-070
8/15/1994	130000		92	940816-067
8/16/1994	150000		94	940816-072
8/16/1994	150000		105	940817-067
8/16/1994			88	940817-068
8/17/1994			100	940818-061
8/17/1994			93	940817-040
8/17/1994			103	940818-058
8/17/1994	210000		93	940818-059
8/17/1994	170000		113	940818-060
8/18/1994			107	940819-073

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW156

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
8/18/1994	200000		90	940819-072
8/18/1994	210000		106	940819-070
8/18/1994			112	940819-071
8/19/1994	210000		107	940819-069
8/19/1994			94	940823-135
8/19/1994	210000		100	940823-149
8/19/1994			112	940823-150
8/20/1994	190000		117	940823-148
8/20/1994			108	940823-136
8/20/1994			115	940823-137
8/20/1994	200000		95	940823-139
8/21/1994			100	940823-142
8/21/1994			111	940823-141
8/21/1994	200000		98	940823-140
8/21/1994	230000		102	940823-138
8/22/1994	220000		107	940823-143
8/22/1994			92	940823-144
8/22/1994	210000		105	940823-145
8/22/1994			98	940823-147
8/23/1994	220000		97	940823-146

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW156

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
8/23/1994			96	940824-153
8/23/1994	240000		111	940824-154
8/23/1994			104	940824-155
8/24/1994			105	940825-065
8/24/1994	220000		113	940825-067
8/24/1994	230000		95	940824-152
8/24/1994			109	940825-068
8/25/1994	210000		121	940825-070
8/25/1994	220000		105	940825-166
9/27/1994	320000		67	940928-015
10/17/1994	290000		40	941019-012
11/28/1994	310000		24	941129-047
12/6/1994	310000		2	941206-094
5/8/1995	280000		5	950509-075
5/8/1996	350000	< 50000	0	960509-008
12/9/1997			-5.2	9712071-10AD
12/9/1997	141649	< 1000		011010WA070
12/9/1997	250000	< 13000		9712064-04DL-AC
5/11/1998	260000	< 25000	< -7.2	C981310064
8/9/1999	220000	< 25000	< 6.23	C992220059

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW156

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
3/21/2000	240000	< 25000	< -3.81	C000820018
3/19/2001	180000	< 12000	< 8.88	C010780112
8/21/2001	170000	< 20000	< 3.71	C012340002
3/25/2002	160000	< 25000	< -5.2	C020840071
9/19/2002	150000	< 10000	< 13.4	C022620163
6/12/2003	190000	< 10000	20.6	C031630080
12/9/2003	91000	< 10000	< 6.13	C033430058
6/4/2004	42000	< 5000	< 0.822	C041590029
12/2/2004	31000	< 5000	24	C043380002
6/16/2005	26000	< 2000	< 4.55	C051670013
2/8/2006	9000	< 2000	< 7.32	C060390061
9/6/2006	3300	< 5000	< -3.72	C062500003
3/14/2007	4600	< 5000	< -1.6	C070730159
9/5/2007	21000	< 1000	< -0.987	C072490064
3/10/2008	47000	< 2000	< 1.25	C080710003
8/28/2008	5200	< 1000	< 3.38	C082410124
5/13/2009	32000	< 1000	< 9.32	C09133031002
9/8/2009	34000	< 2000	< 0.0531	C09252004001
9/8/2009	34000	< 5000		C09252006001
9/15/2009	36000	< 5000		C09258030002

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW156

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
9/22/2009	39000	< 5000		C09265022001
1/20/2011	52000	< 1000		C11020026003
1/25/2011	52000	< 2500		C11026003001
1/31/2011	58000	< 2500		C11031038006
6/27/2011	83000	< 5000	< -8.94	C11178014001
12/14/2011	65000	< 5000	< -5.13	C11348018004
3/13/2012	62000	< 2000	< 6.21	C12073014002
6/19/2012	64000	< 5000	< 9.77	C12171014004
9/19/2012	23000	< 500	< 5.12	C12263022002
12/28/2012	1700	< 500	< -0.798	C12363012003
3/27/2013	32000	< 1000	< 3.7	C13086008002
9/16/2013	31000	< 2500	< -2.19	C13259034002
12/17/2013	600	< 500	< 2.71	C13351094008
3/26/2014	37000	< 500	< -4.56	C14085027002
6/12/2014	81800	< 1000	< -3.61	350627005
8/13/2014	50000	< 20	< 0.723	160-7947-6
9/3/2014	57000	< 40	< 1.81	160-8215-12
9/15/2014	56500	15.2	< 1.62	356931003
12/2/2014	925	< 500	< 9.1	362435003
3/31/2015	3390	< 500	< -3.32	369938003

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW156

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
6/16/2015	9720	< 500	< 3.72	375398003
6/16/2015	8270	< 500	< 1.43	375398004
9/14/2015	1190	< 50	< -9.6	381234003
12/8/2015	14100	< 500	< -0.175	387183001
3/23/2016	13100	170	< -8.5	393849002
6/6/2016	15300	< 500	< 2.38	398881003
6/6/2016	14600	< 500	< 1.33	398881001
9/21/2016	12500	< 500	< -2.91	406611003
12/13/2016	2140	< 100	< -7.97	412748001
3/7/2017	15000	< 500	< 3.88	418299003
6/8/2017	10300	< 500	< 5.59	425123003
6/8/2017	11800	< 500	< -5.94	425123002
7/11/2017	13700	< 500	< -2.35	427964008
7/11/2017	13800	< 500	< -8.3	427964007
9/12/2017	13100	< 500	< 2.86	432724003
10/11/2017	16700	116	< -6.64	435057004
12/18/2017	8910	71.2	< 6.73	440362001
1/10/2018	13100	< 250	< -4.91	441541001
3/21/2018	10200	< 250	< 9.83	446475003
4/9/2018	8010	< 250	< -3.04	447628005

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW156

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
4/9/2018	6580	< 250	< -4.14	447628004
5/15/2018	7090	< 250	< 14.2	450363002
5/15/2018	7020	< 250	< -5.19	450363003
7/9/2018	5020	< 250	< -5.22	454258003
9/24/2018	2210	< 100	< 1.84	460260002
10/4/2018	3200	< 50	< 0.537	461079001
12/18/2018	1940	< 50	< -1.65	467410003
1/7/2019	3350	19	< -3.11	468221002
3/20/2019	2570	17.5	< 6.56	474242003
4/8/2019	2090	< 50	< -7.21	475898004
4/8/2019	1950	< 50	< -5.27	475898003
6/18/2019	1460	< 50	< 2.42	482490002
7/8/2019	1150	< 50	< -2.24	484303003
9/11/2019			< -5.8	490247002
9/17/2019	1240	< 50		490762002
10/7/2019	1430	< 50	< -0.0844	492544004
12/10/2019	2380	8.7	< 4	498960003
1/7/2020	2230	9.41	< 0.239	500738005
3/11/2020	2940	< 50	< -5.89	506866003
4/14/2020	2290	< 50	< -1.57	509618003

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW156

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
4/14/2020	2230	< 50	< 1.23	509618002
6/9/2020	1970	< 100	< -13.3	513232002
7/8/2020	1870	< 50	< -7.48	515469008
9/21/2020	3020	< 100	< 2.3	522415003
10/7/2020	3040	< 50	< 1.68	523870004
12/2/2020	3380	< 50	< 1.94	529203002
1/6/2021	3120	< 50	< -4.61	531524007
3/17/2021	4510	< 100	< -3.63	538351002
4/6/2021	5230	8.51	< -2.9	540117014
4/6/2021	5150	8.59	< -0.885	540117013
4/19/2021	4670	7.83	< -1.76	541464002
6/14/2021	4540	< 100	< -5.51	547351002
7/12/2021	5690	< 100	< 0.795	549864002
7/19/2021	6410	< 100	< -1.12	550341002
9/20/2021	4580	< 100	< 5.02	556737002
10/6/2021	5350	5.11	< 0.799	558300008
10/19/2021	5700	5.7	< 1.36	559558002
12/8/2021	2860	< 50	< 3.21	564616001

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW163

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
12/11/1990	< 1	< 6		17412002
12/11/1990	< 1	< 6		17412003
12/11/1990	< 1	< 6		17412004
3/20/1991			19	21439
3/20/1991	860		27	910325-004
3/20/1991			20	21440
3/20/1991	95	< 5		29186005
5/9/1991			4.5	21441
5/9/1991	92	3		9105L583-9
10/30/1991	86		37	911031-025
6/15/1993	116		27	930616-128
8/16/1993	140		57	930816-105
11/4/1993	110		38	931104-251
2/16/1994	180		44	940216-127
5/4/1994	150		23	940505-173
8/11/1994	130		60	940811-146
10/11/1994	120		47	941012-001
5/2/1995	280		50	950503-090
5/13/1996	210	< 50	34	960514-004
5/11/1998	81	8	20.7	C981310070

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW163

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
8/5/1999	120	< 50	18.5	C992170152
3/20/2000	100	< 25	< 16.2	C000810001
3/21/2001	120	11	23.4	C010800076
8/22/2001	96	< 50	< 13.3	C012350003
3/25/2002	< 1	< 5	26.4	C020850015
9/10/2002	97	9		C022530137
6/9/2003	73	7	26	C031600085
12/4/2003	69	10	22.8	C033380086
6/2/2004	60	5	29.1	C041550048
12/2/2004	110	6.2	20.9	C043380000
6/13/2005	73	< 5	< 13.6	C051650009
2/8/2006	170	6.4	23	C060390063
9/12/2006	130	< 10	< 8.23	C062550160
3/20/2007	67	< 10	< 5.2	C070790075
9/6/2007	150	5	< 13.9	C072490154
3/11/2008	85	2.7	26.3	C080710142
9/11/2008	75	2.2	24.8	C082550121
4/9/2009	78	2.2	< 6.64	C09099015003
9/2/2009	80	3.3	24.2	C09245027004
3/5/2010	65	2.7	< 13.9	C10064035006

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW163

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
9/2/2010	100	2.9	17.8	C10245022006
5/10/2011	78	< 5	< 6.14	C11130022006
5/10/2013	93	3.3	18.8	C13130033001
6/2/2015	35.1	1.03	< 3.38	374344001
5/23/2017	57	1.96	< 6.97	424148002
8/14/2018	103	1.76	18.5	457540002
8/14/2018	124	1.32	22.5	457540001
10/4/2018	146	3.02	30.5	461079004
1/7/2019	119	2.84	15.1	468221003
4/8/2019	43.1	0.91	20.2	475898005
5/8/2019	37.6	0.6	22.6	478809002
7/2/2019	45.1	0.55	< 11.1	483632003
10/7/2019	48.2	1.02	27	492544005
1/7/2020	52.2	0.92	19	500738001
4/14/2020	44	0.64	23.4	509618004
7/7/2020	37.3	0.64	18.8	515463001
10/7/2020	34	0.72	20.9	523870005
1/6/2021	43.1	0.95	24.3	531524008
4/5/2021	80.7	1.54	36	540117001
5/21/2021	47.6	0.8	< 17.6	545554001

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW163

***Sample Date Range:
2/21/1990 - 12/28/2021***

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
7/7/2021	32.7	0.44	15.5	549217001
10/6/2021	38.8	0.96	33.5	558300009

B-108

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW255

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
5/15/1995	1100	< 500	7	950523-188
8/17/1995	1500		10	950818-001
9/14/1995	1300	< 250	9	950915-013
12/12/1995	1400	< 100	4	951213-089
3/19/1996	1300	< 500	17	960320-058
6/17/1996	1200	< 500	11	960618-010
9/5/1996	1200	< 500	17	960906-049
12/13/1996	1100	< 500	25	961217-013
3/4/1997	1200	< 100	0	970305-024
5/13/1997	1300	< 125	8	970515-046
6/4/1997	1300	< 100	0	970605-006
9/5/1997	1200	< 130	7	970905-105
12/9/1997	1000	< 100	< 2	C973440067
3/2/1998	970	< 125	< -0.4	C980620035
6/17/1998	1000	< 100	< 10	C981680060
9/21/1998	860	< 125	< 8.9	C982640120
12/9/1998	890	< 250	< 4.1	C983440002
2/2/1999	900	< 100	< 7	C990340072
5/11/1999	850	< 250	< 8.88	C991310084
8/4/1999	830	< 100	< 0	C992170041

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW255

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
11/17/1999	750	< 100	< 1.87	C993210086
2/14/2000	1400	< 100	< 13.1	C000460035
5/9/2000	810	< 100	< 4.84	C001300128
8/16/2000	710	< 50	< 4.64	C002290081
8/16/2000	650	< 50	< 14.1	C002290082
11/13/2000	740	< 50	< 10.8	C003190007
11/13/2000	830	< 50	< 1.34	C003190006
2/12/2001	710	< 50	< 4.58	C010430091
5/15/2001	730	< 50	< 13.6	C011350052
8/15/2001	730	< 100	< 2.55	C012280050
11/12/2001	710	< 50	< 2.07	C013170007
2/5/2002	740	< 100	17	C020370095
5/2/2002	680	< 100	< -2.74	C021220087
8/30/2002	650	< 50	< 14.8	C022420158
11/13/2002	590	< 50	< -2.66	C023170075
2/18/2003	520	< 50	19.2	C030500039
5/8/2003	520	< 50	< -11.4	C031280135
5/8/2003	510	< 50	< 1.63	C031280134
8/28/2003	500	< 50	< 13	C032400189
11/12/2003	460	< 50	< 12	C033170061

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW255

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
2/11/2004	440	< 50	< 12.9	C040420068
5/11/2004	490	< 50	< -4.01	C041330009
5/11/2004	480	< 50	< 7.07	C041330010
8/12/2004	540	< 50	< -4.62	C042250115
11/17/2004	420	< 50	< -11.4	C043230015
2/9/2005	470	< 25	< 2.64	C050400039
5/10/2005	470	< 25	< 15.3	C051300063
5/10/2005	460	< 25	< 1.68	C051300062
8/10/2005	450	< 25	< 8.82	C052220128
11/14/2005	430	< 25	< -1.59	C053180048
5/17/2006	500	< 50	< 9.76	C061370055
5/17/2006	480	< 50	< 13.6	C061370056
8/22/2006			< 2.74	C062340050
11/6/2006	420	< 25	< 10.2	C063100048
2/22/2007			< -12.1	C070530117
5/10/2007	430	< 25	< -0.437	C071300078
8/29/2007			< 0.146	C072410073
11/13/2007	420	< 5	< 0.106	C073180001
2/13/2008			< -4.98	C080440016
5/29/2008	310	< 5	< 8.45	C081500062

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW255

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
8/19/2008			< 3.9	C082330004
11/12/2008	380	< 5	< 0.855	C08317011002
2/17/2009			< 10.5	C09048025004
5/5/2009	370	< 25	< 4.13	C09125024003
8/4/2009			< -8.45	C09216023005
11/9/2009	350	< 5	< -9.38	C09313029001
2/2/2010			20.3	C10033014003
5/11/2010	330	< 5	19.2	C10131023008
8/2/2010			< 7.72	C10214022003
12/9/2010			< -3.37	C10343021004
2/23/2011	330	< 25	< -10.3	C11054029005
5/5/2011			< -3.91	C11126003001
8/9/2011	330	< 25	< 6.08	C11221021006
11/2/2011			< 3.69	C11307019002
2/1/2012	320	< 25	< -2.11	C12032008003
5/2/2012			< 5.97	C12123025002
8/6/2012	230	< 25	< 3.42	C12219037002
11/5/2012			< -1.24	C12310038002
2/4/2013	260	< 2	< 2.73	C13035045002
6/18/2013			< -1.02	C13169022001

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW255

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
8/20/2013	230	< 2	< 0.176	C13233002004
11/19/2013			< -0.455	C13323017001
2/13/2014	280	< 2	< -1.59	C14044005003
5/13/2014			< 0.961	348903001
8/26/2014	320	1.29	< -0.985	355748005
11/12/2014			< 1.41	361215001
2/5/2015	286	< 5	< 8.54	366647003
5/12/2015			< -16.9	373064001
5/12/2015			< 12.7	373064002
8/24/2015	224	< 5	< 5.01	379998005
11/24/2015			< -5.5	386382001
2/9/2016	229	< 5	< -8.7	391039004
5/17/2016			< 9.04	397601002
5/17/2016			< 12.4	397601001
8/17/2016	240	2.15	< 7.27	404230003
11/17/2016			< -1.29	410957001
2/15/2017	190	2	< -2.25	416791004
5/17/2017			< 4.82	423616001
5/17/2017			< 14.2	423616002
8/2/2017	166	1.18	< 0.281	429710005

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW255

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
11/14/2017			< 5.65	437928001
11/14/2017			< 3.86	437928002
2/26/2018	184	< 5	< 5.56	444774001
5/8/2018			< -2.55	449823001
8/14/2018	177	1.84	< -1.92	457540003
8/28/2018	173	1.69	< -5.48	458313001
10/4/2018	206	2.4	< -4.57	461079005
1/7/2019	162	2.58	< -1.67	468221004
4/8/2019	195	2.02	< 1.2	475898006
7/9/2019	173	2.12	< -6.71	484299005
10/7/2019	173	2.4	< 3.85	492544006
1/9/2020	222	3.43	< -3.97	500742002
4/7/2020	182	1.48	< -4.26	509137002
7/7/2020	189	2.92	< 4.36	515463002
10/7/2020	153	2.52	< 0.21	523870006
1/6/2021	155	1.68	< 0.518	531524009
4/5/2021	163	2.68	< -0.602	540117002
7/7/2021	161	1.84	< -3.5	549217002
10/6/2021	118	1.99	< -0.365	558300010

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW256

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
5/15/1995	340	< 50	16	950523-196
9/15/1995	360	< 50	19	950914-031
12/12/1995	350	< 50	19	951213-081
3/19/1996	340	< 50	18	960320-054
6/17/1996	240	< 50	15	960618-009
9/5/1996	250	< 50	46	960906-050
12/16/1996	220	< 50	24	961217-015
3/4/1997	240	< 50	8	970305-025
6/4/1997	300	< 50	9	970605-005
9/24/1997	320	< 50	19	970924-094
12/9/1997	280	< 50	< 17	C973440068
3/2/1998	350	< 50	< 15.2	C980620034
6/17/1998	320	< 50	19.7	C981680061
9/24/1998	290	< 50	34.8	C982680007
12/9/1998	340	65	57.9	C983440003
2/2/1999	360	79	82.01	C990340073
5/11/1999	360	70	82.7	C991310083
8/4/1999	310	< 100	85	C992170037
11/17/1999	300	68	59.9	C993210087
2/14/2000	380	81	96.2	C000460036

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW256

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
5/9/2000	350	77	74.8	C001300129
8/16/2000	340	78	79.1	C002290085
11/13/2000	390	< 25	76.5	C003190008
2/12/2001	230	50	98.9	C010430089
5/15/2001	370	80	101	C011350051
8/15/2001	430	< 50	118	C012280051
11/12/2001	440	90	114	C013170006
2/5/2002	460	110	120	C020370097
2/5/2002	450	100	117	C020370098
5/2/2002	430	100	115	C021220086
8/30/2002	480	99	127	C022420159
11/13/2002	480	100	108	C023170074
2/18/2003	420	84	129	C030500040
5/8/2003	400	82	133	C031280136
8/28/2003	380	83	126	C032400188
11/12/2003	410	93	109	C033170060
2/11/2004	440	92	139	C040420067
5/11/2004	500	110	143	C041330011
8/12/2004	450	100	115	C042250118
11/17/2004	360	69	105	C043230014

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW256

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
2/9/2005	480	93	134	C050400040
5/10/2005	460	97	151	C051300064
8/10/2005	470	86	131	C052220129
11/14/2005	530	95	127	C053180049
5/16/2006	740	130	169	C061370015
8/22/2006			110	C062340049
11/6/2006	640	120	139	C063100049
11/6/2006	680	120	139	C063100050
2/21/2007			115	C070530119
5/10/2007	540	110	118	C071300077
8/29/2007			116	C072410074
11/13/2007	540	110	138	C073180002
2/13/2008			133	C080440015
5/29/2008	460	< 94	135	C081500061
8/19/2008			128	C082330003
11/12/2008	410	92	123	C08317011001
2/17/2009			132	C09048025003
5/5/2009	460	130	111	C09125024002
8/4/2009			110	C09216023004
11/5/2009	140	37	80.2	C09309021001

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW256

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
2/2/2010			105	C10033014002
5/10/2010	310	82	107	C10130027005
8/2/2010			77.7	C10214022002
12/9/2010			81.1	C10343021003
2/23/2011	340	100	94	C11054029003
2/23/2011	340	100	92.3	C11054029004
5/5/2011			83.3	C11126003002
8/9/2011	290	97	90.6	C11221021005
11/2/2011			76.7	C11307019003
2/1/2012	220	75	69.4	C12032008004
2/1/2012	250	82	65.6	C12032008005
5/2/2012			60.9	C12123025003
5/2/2012			64.5	C12123025004
8/6/2012	190	99	66	C12219037001
11/5/2012			75.2	C12310038003
2/4/2013	240	83	80.3	C13035045004
2/4/2013	240	84	77.4	C13035045003
6/18/2013			69.7	C13169022002
8/20/2013	230	110	70.1	C13233002005
11/18/2013			50.3	C13322025006

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW256

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
2/13/2014	170	62	37	C14044005004
2/13/2014	170	64	45.1	C14044005005
5/13/2014			60.3	348903002
8/26/2014	168	57	40.7	355748006
11/12/2014			50.2	361215002
2/5/2015	193	70.4	48.7	366647005
2/5/2015	194	70.8	48.8	366647004
5/12/2015			32.8	373064003
8/24/2015	207	78.3	70.7	379998006
11/24/2015			89.8	386382002
2/9/2016	321	65.4	96.5	391039005
2/9/2016	329	67.2	93.6	391039006
5/17/2016			102	397601003
8/17/2016	330	67.4	102	404230004
11/17/2016			90	410957002
2/15/2017	298	56.9	81.7	416791005
2/15/2017	306	55.7	95.5	416791006
5/17/2017			99.6	423616003
8/2/2017	294	60.6	99.2	429710006
11/14/2017			97.7	437928003

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW256

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
2/26/2018	207	46.5	62	444774003
2/26/2018	215	46	65	444774002
5/8/2018			56.5	449823002
5/8/2018			47.9	449823003
8/14/2018	145	21.9	30	457540004
8/28/2018	126	14.9	38.9	458313005
10/4/2018	137	18.5	26.2	461079006
1/7/2019	150	22.3	26.3	468221005
4/8/2019	109	14.8	21.5	475898007
7/8/2019	130	15.5	18.2	484303004
10/7/2019	182	22.5	37.1	492544007
1/9/2020	179	35.5	35.5	500742003
4/7/2020	179	29.8	21.2	509137003
7/7/2020	161	26	29.3	515463003
10/7/2020	130	21.2	28.2	523870007
1/6/2021	117	15.9	21.3	531524010
4/5/2021	135	19.2	23.8	540117003
7/7/2021	130	20.8	23.5	549217003
12/13/2021	98.7	12.3	17.5	565132001

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW258

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
5/15/1995	2000	< 500	8	950523-192
6/7/1995	2200	< 250	6	950608-247
8/17/1995	2200		19	950818-002
9/15/1995	2200	< 250	10	950914-019
12/12/1995	2300	< 250	4	951213-069
3/13/1996	2100	< 250	6	960314-007
6/19/1996	1900	< 500	3	960620-135
9/18/1996			10	960919-005
12/16/1996	2000	< 500	5	961217-014
3/4/1997	2200	< 500	0	970305-022
6/4/1997	2200	< 250	3	970605-007
9/9/1997	2100	< 250	-2	970909-066
12/9/1997	1700	< 250	< -3	C973440069
3/2/1998	1600	< 250	< 4.8	C980620033
6/17/1998	1600	< 250	< 11.7	C981680062
9/21/1998	1500	< 250	< 5.4	C982640119
12/9/1998	1300	< 500	< 2.8	C983440004
2/2/1999	1300	< 500	< 13.21	C990340074
5/12/1999	1200	< 500	< -11.6	C991320089
8/4/1999	1300	< 500	< 0	C992170038

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW258

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
11/18/1999	1100	< 250	< -2.03	C993230018
11/18/1999	1100	< 250	< 8.95	C993230017
2/14/2000	1000	< 250	17.3	C000460037
5/9/2000	1100	< 100	< -7.48	C001300131
8/16/2000	980	< 100	< 10.2	C002290084
11/14/2000	880	< 250	< 9.48	C003190125
2/12/2001	960	< 50	< -0.928	C010430090
5/14/2001	760	< 100	< 12.2	C011350005
8/15/2001	940	< 100	< 3.91	C012280052
11/14/2001	800	< 50	< 7.79	C013180040
2/5/2002	1000	< 100	19.9	C020370096
5/2/2002	890	< 100	< 0.642	C021220085
8/30/2002	820	< 50	18.7	C022420156
11/13/2002	740	< 100	< 14.4	C023170073
2/18/2003	640	< 50	< 11.9	C030500041
5/8/2003	610	< 50	< 7.87	C031280137
8/27/2003	590	< 50	< 3.7	C032390093
8/27/2003	580	< 50	< 4.89	C032390094
11/12/2003	510	< 50	< 13.8	C033170059
2/10/2004	510	< 50	< 8.03	C040410059

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW258

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
5/11/2004	530	< 50	< 4.07	C041330013
8/17/2004	550	< 50	< 4.93	C042300096
8/17/2004	540	< 50	< 8.52	C042300097
11/23/2004	420	< 50	< 1.32	C043280022
2/8/2005	450	< 25	< 4.95	C050390027
5/12/2005	440	< 25	< 8.17	C051320129
8/10/2005	390	< 25	< 4.75	C052220130
11/14/2005	370	< 25	< 6.61	C053180050
2/6/2006			< 11.9	C060380059
5/16/2006	400	< 25	18.1	C061370013
8/21/2006			< 11.9	C062330122
8/21/2006			< 13.8	C062330123
11/6/2006	350	< 25	20.6	C063100051
2/21/2007			< -4.62	C070530118
5/10/2007	290	< 25	< 5.19	C071300076
8/29/2007			< 0.73	C072410072
11/12/2007	290	11	< 7.29	C073170019
2/13/2008			< -0.254	C080440017
5/22/2008	290	11	18.7	C081440006
8/19/2008			< 13.8	C082330002

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW258

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
11/11/2008	260	8.2	< 6.54	C08316042007
2/17/2009			< 12	C09048025002
5/5/2009	270	< 10	< 11.8	C09125024001
8/4/2009			< -1.44	C09216023003
11/4/2009	120	3.9	< -2.28	C09308040002
2/2/2010			< 12	C10033014001
5/10/2010	260	7.9	< 13.6	C10130027006
8/2/2010			< 11	C10214022001
12/9/2010			< 13.8	C10343021002
2/24/2011	260	< 10	< 6.74	C11055019001
5/5/2011			< 5.17	C11125014002
8/9/2011	270	< 10	< 9.45	C11221021004
11/2/2011			< 2.39	C11307019004
2/1/2012	220	< 10	< -0.166	C12032020001
5/2/2012			< 5.36	C12123025005
8/6/2012	190	< 10	< 12.2	C12219037003
11/5/2012			< -2.04	C12310038004
2/4/2013	190	4.5	< 2.36	C13035045005
6/18/2013			< 4.03	C13169022003
8/20/2013	190	3.7	< 0.704	C13233002006

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW258

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
11/18/2013			< 6.31	C13322025005
2/13/2014	240	4	< 4.08	C14044026001
5/13/2014			< 4.94	348903003
8/26/2014	241	2.85	< 5.78	355748007
11/12/2014			< 1.87	361215003
2/3/2015	233	2.9	< 3.2	366647006
5/12/2015			< 14.4	373064004
8/24/2015	209	3	< -1.63	379998007
11/24/2015			< 4.09	386382003
2/8/2016	197	3.44	< 3.3	391039007
5/17/2016			< 4.04	397601004
8/17/2016	170	0.8	< 11.4	404230001
11/17/2016			< 8.94	410957003
2/15/2017	141	3.8	< 1.19	416791007
5/17/2017			< 11.1	423616004
7/11/2017	134	0.72	< 1.92	427964009
8/2/2017	136	4.2	< 5.13	429710007
10/6/2017	126	3.42	< 0.689	434637005
1/9/2018	165	4.36	< 0.517	441537001
2/14/2018	178	2.28	< -3.38	443984001

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW258

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
4/5/2018	199	2.24	< -3.87	447608001
7/10/2018	199	3.63	< 2.63	454274002
8/27/2018	216	3.56	< 1.98	458313007
8/27/2018	191	3.12	< 0.749	458313006
10/3/2018	264	4.48	< -7.22	461070005
1/2/2019	211	2.32	< 2.29	468013006
4/9/2019	324	3.72	< 9.67	476088001
7/9/2019	302	2.76	< -2.76	484299006
10/1/2019	294	3.94	< 3.21	491830004
1/6/2020	284	4.07	< 3.46	500415001
4/8/2020	302	4.85	< 9.08	509142001
7/8/2020	313	3.4	< -2.72	515469009
10/8/2020	298	2.95	< 1.26	523841001
1/7/2021	287	3.5	< 0.872	531524011
4/6/2021	310	3.94	< 0.675	540122001
7/6/2021	315	4.55	< 2.23	549100006
10/6/2021	182	2.41	< 4.75	558300011

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW260

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
5/16/1995	760	< 500	23	950523-200
9/14/1995	730	< 100	17	950915-005
12/12/1995	840	< 100	28	951213-085
3/13/1996	740	< 50	11	960314-003
6/18/1996	560	< 100	2	960619-029
9/12/1996	820	< 50	28	960912-090
12/13/1996	680	< 50	18	961219-012
3/10/1997	630	< 50	13	970312-036
6/9/1997	690	< 50	35	970609-053
9/2/1997	680	< 50	36	970902-148
12/29/1997	940	< 50	32	C973640027
3/4/1998	870	< 50	38	C980640021
6/24/1998	800	< 50	36.7	C981750113
12/2/1998	820	< 100	43.3	C983360184
3/2/1999	700	< 100	45.12	C990610178
6/2/1999	690	< 200	24.7	C991540045
9/13/1999			41.5	C992560162
12/6/1999	540	< 50	38.7	C993400093
3/7/2000	560	< 50	< 10.6	C000680015
6/20/2000	600	< 50	< 11.8	C001720151

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW260

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
6/20/2000	610	< 50	< 16.8	C001720152
9/8/2000	570	< 50	28.8	C002520105
12/12/2000	620	< 25	39.1	C003470043
3/12/2001	610	18	34.7	C010710106
6/4/2001	500	< 50	47.4	C011560013
9/24/2001	560	< 50	25.7	C012670052
12/12/2001	530	< 50	40.5	C013460073
3/5/2002	530	< 50	35.4	C020650007
6/5/2002	440	< 50	27.1	C021560163
9/5/2002	520	< 50	38.2	C022480078
12/2/2002	560	< 50	37.9	C023370009
6/3/2003	620	< 50	54.1	C031550065
12/4/2003	620	< 25	22.3	C033380095
6/4/2004	680	< 50	36.1	C041590028
12/13/2004	630	< 50	52.2	C043480118
12/13/2004	640	< 50	56.1	C043480119
6/9/2005	460	< 50	56.1	C051600079
11/17/2005	680	< 50	79.1	C053210098
5/24/2006	590	< 50	86.3	C061450011
3/20/2007	420	< 50	89.9	C070790077

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW260

***Sample Date Range:
2/21/1990 - 12/28/2021***

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
9/13/2007	520	5.9	133	C072570004
3/19/2008	540	< 5	143	C080800007
3/19/2008	520	5.2	137	C080800008
9/11/2008	470	< 10	106	C082550120
4/9/2009	85	< 1	171	C09099015002
4/9/2009	67	< 1	154	C09099015001
9/2/2009	380	9.2	115	C09245027006
3/5/2010	390	< 10	109	C10064035003
3/5/2010	380	< 10	105	C10064035004
9/7/2010	420	8.3	109	C10250033005
5/11/2011	410	< 25	70.7	C11131034004
5/10/2013	320	5.6	69.6	C13130033002
6/1/2015	403	3.11	29.1	374452003
5/23/2017	258	3	61.1	424148001
8/14/2018	123	1.09	51.7	457540005
10/4/2018	126	1.2	47.8	461079007
1/3/2019	68.8	< 2	26	468013007
4/8/2019	80.4	< 2	27.8	475898008
5/8/2019	80.5	0.6	26.5	478809008
7/2/2019	92.6	< 2	28.5	483632004

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW260

***Sample Date Range:
2/21/1990 - 12/28/2021***

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
10/7/2019	72.9	0.75	34.3	492544008
1/7/2020	75.9	0.58	30.3	500738006
4/14/2020	52.1	0.37	32.2	509618005
7/8/2020	72.1	0.69	28.1	515469001
10/7/2020	51.3	0.45	36.4	523870008
1/6/2021	50.5	0.54	30.2	531524012
4/5/2021	59.2	0.57	34.5	540117004
5/21/2021	55.4	0.43	34.7	545554005
7/7/2021	62.6	0.51	29.7	549217004
10/6/2021	45.6	0.58	39.6	558300012

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW283

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
6/11/1996			4	960612-041
8/22/1996	680	< 50	12	960826-020
12/16/1996	700	< 50	4	961217-005
12/16/1996	790	< 50	0	961217-006
3/4/1997	1300	< 50	1	970305-029
6/9/1997	650	< 100	5	970610-077
9/9/1997	400	< 100	-1	970909-074
12/8/1997	270	< 100	< 6	C973430026
3/2/1998	290	< 125	< 8.1	C980620040
3/2/1998	280	< 125	< 8.6	C980620041
6/16/1998	220	< 100	< 13	C981670102
9/17/1998	260	< 100	< 12.3	C982610009
12/10/1998	220	< 100	21.2	C983450003
2/3/1999	220	< 50	25.43	C990340152
5/11/1999	250	< 250	< 11	C991310085
8/4/1999	190	< 100	< 3.64	C992170043
8/4/1999	190	< 100	< 16.2	C992170052
11/17/1999	220	< 100	< 3.01	C993210088
2/14/2000	210	< 25	< 5.09	C000460038
5/9/2000	190	< 50	< -2.26	C001310008

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW283

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
8/16/2000	180	< 50	< 15.1	C002290078
11/15/2000	180	< 10	< 9.17	C003200065
2/12/2001	180	< 10	< -2.24	C010430095
5/14/2001	160	< 25	< 7.18	C011350015
5/14/2001	150	< 25	< 5.38	C011350016
8/16/2001	160	< 25	< 1.86	C012280069
11/12/2001	170	< 25	< 11.2	C013170005
3/27/2002	170	< 25	< 6.22	C020860181
5/2/2002	180	< 25	< -3.27	C021220080
8/29/2002	200	< 25	< 12.3	C022420097
8/29/2002	200	< 25	< 14.9	C022420096
11/13/2002	170	< 25	< 5.6	C023170027
2/24/2003	150	< 25	< 11.6	C030550072
5/8/2003	140	< 10	< 3.32	C031280142
8/27/2003	120	< 10	< 2.1	C032390100
11/13/2003	140	< 25	18.3	C033180000
2/11/2004	120	< 25	< 12.7	C040420076
5/11/2004	100	< 10	< -5.63	C041330014
8/12/2004	130	< 10	< -2.9	C042250112
11/17/2004	130	< 10	< -5.37	C043230023

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW283

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
2/28/2005	100	< 5	< 5.87	C050590086
5/11/2005	110	< 5	< -0.28	C051310086
8/11/2005	110	< 5	< 6.78	C052230253
11/14/2005	110	< 10	< 4.76	C053180038
5/17/2006	120	< 10	< 10.9	C061370048
11/6/2006	110	< 5	< 9.24	C063100057
5/10/2007	88	< 5	< 2.13	C071300074
11/12/2007	90	< 1	< 3.88	C073170014
11/12/2007	99	< 1	< -2.5	C073170013
5/27/2008	74	< 1	< 11.2	C081480099
11/11/2008	88	< 1	< 6.43	C08316042003
11/11/2008	87	< 1	< 0.536	C08316042004
5/4/2009	81	< 1	< 11.7	C09125009002
11/3/2009	84	1.1	< 0.976	C09308004005
11/3/2009	70	1.2	< -6.83	C09308004004
5/11/2010	77	< 1	23.9	C10131023002
2/22/2011	86	< 5	28.6	C11053015002
8/8/2011	61	< 5	< 6.53	C11220029001
2/1/2012	65	< 5	19	C12032020004
8/8/2012	52	< 5	18.2	C12221010001

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW283

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
2/5/2013	57	< 1	< 12.1	C13036014004
8/12/2013	22	< 5	< 2.18	C13224033002
2/24/2014	62	< 1	< -4.42	C14055028004
8/26/2014	56.8	0.35	< 13.4	355748008
2/4/2015	67.6	0.6	< 14.3	366647007
8/24/2015	52	0.33	< 8.19	379998008
2/8/2016	50.7	< 1	< 8.77	391039008
8/4/2016	47.8	< 1	< 6.1	403256003
2/15/2017	51.2	0.46	< 7.25	416791008
7/10/2017	41.3	< 1	< 2.93	427964010
8/1/2017	45.3	0.41	< 0.842	429710008
10/6/2017	55.9	0.48	18.5	434637006
1/9/2018	29.8	< 1	< 6.53	441537004
2/14/2018	11.8	< 1	< -4.79	443984005
4/5/2018	28.6	< 1	< 11.9	447608004
7/10/2018	13.9	< 1	< 4.58	454274003
8/27/2018	22.6	< 1	< 1.77	458313008
10/3/2018	30.3	0.41	< -7.88	461070007
1/2/2019	8.26	< 1	< 3.9	468013008
4/9/2019	38.6	0.34	< 6.01	476088006

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW283

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
7/9/2019	78.4	< 1	< 3.22	484299001
10/2/2019	39	< 1	< 1.84	491969004
1/7/2020	3.95	< 1	< -0.0948	500738007
4/15/2020	15.8	< 1	< -4.68	509637003
7/8/2020	40.2	< 1	< -1.65	515469010
10/8/2020	13.7	< 1	< 0.314	523841006
1/7/2021	1.34	< 1	< -4.41	531524013
4/6/2021	5.7	< 1	< -0.227	540122002
7/6/2021	5.98	< 1	< -0.202	549100007
10/7/2021	7.46	< 1	< -1	558300013

B-135

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW288

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
6/4/1996			4	960612-034
8/22/1996	1800	< 500	11	960826-019
12/16/1996	1800	< 500	0	961217-017
3/5/1997	1600	< 250	7	970306-082
6/10/1997	1400	< 125	8	970610-118
9/10/1997	1400	< 130	9	970910-101
12/9/1997	1300	< 250	< -6	C973440070
3/3/1998	1300	< 125	< 7	C980630113
6/16/1998	1200	< 100	19.2	C981670104
9/16/1998	880	< 250	< 5	C982600071
12/14/1998	640	< 250	< 5.4	C983490003
2/2/1999	760	< 250	24.82	C990340075
5/12/1999	810	< 250	< -6.97	C991320090
8/4/1999	410	< 100	< 5.48	C992170047
11/17/1999	860	< 100	< 10.5	C993210090
2/15/2000	740	< 100	< 9.83	C000470006
5/9/2000	1000	< 250	< 1.1	C001310012
5/9/2000	1100	< 100	< 5.45	C001310011
8/17/2000	410	< 100	< 4.21	C002300084
11/15/2000	120	< 25	26.3	C003200063

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW288

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
2/8/2001		< 10	< 16	C010390159
5/14/2001	620	< 50	< 13.2	C011350010
8/15/2001	280	< 50	22.1	C012280040
11/13/2001	470	< 50	< 11.7	C013170053
3/27/2002	560	< 100	< 10.2	C020860179
5/2/2002	650	< 50	< 5.19	C021220091
8/29/2002	280	< 50		C022420104
8/29/2002			26.3	C030210107
11/11/2002	370	< 25	25.3	C023160007
2/18/2003	420	< 25	26	C030500034
2/18/2003	420	< 25	31.5	C030500035
5/7/2003	470	< 25	19.2	C031270174
8/27/2003	290	< 25	< 15.2	C032390097
11/13/2003	240	< 25	49.5	C033180002
2/11/2004	330	< 50	31.3	C040420074
2/11/2004	330	< 50	32.9	C040420073
5/12/2004	330	< 25	29.2	C041330035
8/16/2004	290	< 25	30.2	C042290045
11/18/2004	210	< 50	21.5	C043240001
2/8/2005	300	17	43.2	C050390063

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW288

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
2/8/2005	310	15	33	C050390064
5/11/2005	280	< 25	29.8	C051310091
8/10/2005	220	< 25	37	C052220138
11/14/2005	190	< 25	36.5	C053180039
2/6/2006			39	C060380060
5/17/2006	240	21	44.5	C061370057
8/21/2006			55.1	C062330124
11/6/2006	230	< 25	49.4	C063100053
2/22/2007			26.1	C070530115
5/9/2007	220	22	32.1	C071300006
5/9/2007	210	20	25.5	C071300007
8/29/2007			33	C072410069
11/12/2007	240	22	23.5	C073170017
2/20/2008			34.9	C080510148
5/27/2008	200	20	38.6	C081480101
8/19/2008			40.9	C082330001
11/11/2008	230	21	37.3	C08316042005
2/17/2009			44.2	C09048025001
5/5/2009	220	22	45.8	C09125023006
8/4/2009			31.4	C09216023001

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW288

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
9/17/2009	250	22	42.4	C09260022002
10/27/2009	190	19	40.7	C09300023004
10/27/2009	190	20	49.4	C09300023003
11/3/2009	180	22	26.2	C09308004006
2/2/2010			52.5	C10033014004
5/11/2010	180	19	43.5	C10131023004
8/5/2010			42	C10217037001
12/7/2010			38	C10341027001
12/7/2010			31.2	C10341027002
2/22/2011	190	16	37.3	C11053015004
5/4/2011			24.5	C11124021001
8/9/2011	280	35	41.2	C11221021002
11/3/2011			45.8	C11307020003
11/3/2011			41.7	C11307020002
2/2/2012	210	17	48	C12033015001
5/3/2012			32.5	C12124008001
8/7/2012	130	12	35.3	C12220024006
11/5/2012			28.7	C12310038005
11/5/2012			21.5	C12310038006
2/4/2013	140	15	37.5	C13035045006

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW288

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
6/19/2013			34.9	C13170009001
8/21/2013	170	31	37.6	C13233026002
11/18/2013			35.2	C13322025003
11/18/2013			31.6	C13322025004
2/24/2014	200	25	32.6	C14055028003
5/13/2014			38.6	348903004
8/26/2014	191	16.6	37.4	355748009
11/12/2014			35.2	361215005
11/12/2014			22.4	361215004
2/4/2015	199	17.6	46.3	366647008
5/12/2015			< 6.6	373064005
8/24/2015	183	20.1	32.4	379998001
11/24/2015			< 8.62	386382004
11/24/2015			< 14.7	386382005
2/8/2016	163	< 2	38.4	391039009
5/17/2016			47.4	397601005
8/4/2016	155	9.24	50.8	403256004
11/17/2016			31.4	410957004
11/17/2016			35.9	410957005
2/15/2017	141	10.8	36.8	416791009

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW288

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
5/17/2017			41.3	423616005
7/10/2017	139	7.13	30.6	427964011
8/1/2017	130	8.42	37.6	429710001
10/6/2017	154	6.82	44.3	434637007
1/9/2018	177	7.08	42.6	441537005
2/14/2018	151	6.6	39.9	443984006
4/5/2018	162	7.92	27.1	447608005
7/3/2018	152	11	29.4	453993006
8/27/2018	125	11.7	38.7	458313009
10/3/2018	186	16.6	46.7	461070006
1/2/2019	123	9.64	38.7	468013009
4/9/2019	174	20.1	29	476088007
7/2/2019	164	19	16.9	483632005
10/2/2019	163	20	35.5	491969001
1/6/2020	165	20.9	32.8	500415005
4/15/2020	177	27.4	28	509637004
7/8/2020	173	15.8	16	515469011
10/8/2020	176	16.7	27.4	523841007
1/7/2021	153	15.4	21.6	531524014
4/6/2021	173	18.3	28.5	540122003

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW288

***Sample Date Range:
2/21/1990 - 12/28/2021***

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
7/6/2021	165	7.72	22.2	549100008
10/7/2021	141	8.28	28.6	558300014

B-142

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW291

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
6/13/1996			2	960618-058
6/13/1996			2	960618-064
6/13/1996			0	960618-063
6/13/1996			11	960618-062
6/13/1996	600		8	960618-061
6/13/1996			5	960618-059
6/13/1996			0	960618-057
6/13/1996			8	960618-060
8/22/1996	1200	< 500	16	960826-018
12/12/1996	1200	< 500	0	961212-167
3/4/1997	1400	< 250	0	970305-031
3/4/1997	1300	< 250	3	970305-032
6/5/1997	1100	< 125	0	970605-145
6/5/1997	1100	< 125	0	970605-146
9/9/1997	650	< 130	-2	970909-067
12/8/1997	500	< 250	< -5	C973430028
3/3/1998	350	< 125	< -10	C980630114
6/15/1998	440	< 100	< 3.9	C981660108
9/17/1998	320	< 100	< 5.8	C982610010
9/17/1998	380	< 100	< 7.5	C982610011

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW291

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
12/10/1998	420	< 250	< -0.4	C983450005
2/3/1999	280	< 120	< 4.96	C990340154
5/12/1999	260	< 100	< -6.97	C991320091
8/3/1999	270	< 200	< 0	C992170048
11/18/1999	240	< 200	< 8.78	C993230019
2/15/2000	240	< 25	< 10.4	C000460084
5/8/2000	240	< 100	< -9.85	C001300046
8/17/2000	200	< 10	< -12.9	C002300086
11/14/2000	200	< 25	< 5.72	C003200033
2/8/2001	170	< 10	< -3.71	C010390157
5/15/2001	140	< 25	< 8.69	C011350053
8/15/2001	150	< 25	< 12.7	C012280042
8/15/2001	170	< 25	< 2.42	C012280043
11/14/2001	170	< 25	< 0.0545	C013180042
2/5/2002	180	< 25	< 4.27	C020370100
5/2/2002	180	< 25	< 0.35	C021220084
8/29/2002	170	< 25	< 9.13	C022420101
11/11/2002	160	< 25	< 7.81	C023160006
2/24/2003	150	< 25	< 12.4	C030550073
5/8/2003	120	< 10	< -7.23	C031280143

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW291

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
8/27/2003	100	< 10	< 4.14	C032390102
11/13/2003	120	< 10	25.7	C033180003
2/11/2004	120	< 10	< 14.8	C040420063
5/12/2004	120	< 10	< 0.419	C041330031
8/16/2004	100	< 10	< 3.95	C042290041
11/17/2004	98	< 5	< -11.4	C043230022
2/8/2005	110	< 5	< 0.844	C050390066
5/11/2005	100	< 5	< 7.77	C051310087
8/10/2005	84	< 10	< 12.8	C052220139
11/14/2005	95	< 5	< 3.36	C053180036
5/17/2006	97	< 5	18	C061370058
11/6/2006	83	< 5	< 10.9	C063100056
5/10/2007	72	< 5	< -6.49	C071300073
11/12/2007	75	< 1	< -2.61	C073170016
5/27/2008	76	< 1	< 12.1	C081480100
11/6/2008	66	< 1	< 7.02	C08312002001
5/4/2009	65	< 1	< 11.6	C09125009001
5/11/2010	61	< 1	25.1	C10131023001
2/22/2011	61	< 5	< 11.7	C11053015001
8/9/2011	63	< 5	< 2.27	C11221021001

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW291

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
2/1/2012	59	< 5	< 1.75	C12032020003
8/8/2012	38	< 5	< 2.47	C12221010002
2/5/2013	43	< 1	< 10	C13036014005
8/12/2013	49	< 5	< 2.91	C13224033001
2/24/2014	54	< 1	< 0.737	C14055028005
8/26/2014	48	< 1	< 5.41	355748010
2/4/2015	47.1	< 1	< 2.07	366647009
8/24/2015	53.3	< 1	< 1.99	379998009
2/8/2016	43.9	< 1	< -2.27	391039010
8/4/2016	34.6	< 1	< 8.3	403256005
2/15/2017	33.9	< 1	< -4.14	416791010
7/10/2017	32	< 1	< -1.76	427964012
8/1/2017	29.3	< 1	< 3.78	429710009
10/6/2017	32.2	< 1	< 6.4	434637008
1/9/2018	50.9	0.58	13.2	441537006
2/14/2018	59.4	< 1	< 3.85	443984007
4/5/2018	61.2	0.54	< 11.1	447608006
7/3/2018	40.5	< 1	< 0.947	453993007
8/27/2018	35.1	< 1	< 0.641	458313010
10/3/2018	37	< 1	< -6.33	461070008

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW291

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
1/2/2019	24.8	< 1	< 5.88	468013010
4/9/2019	53	0.36	< 5.26	476088008
7/2/2019	56	< 1	< -5.75	483632006
10/2/2019	63.3	< 1	< 5.92	491969005
1/6/2020	42.6	< 1	< 6.76	500415006
4/15/2020	83.6	0.91	< 5.68	509637005
7/8/2020	77.8	< 1	< -2.27	515469012
10/8/2020	31.6	< 1	< -7.13	523841008
1/7/2021	30.9	< 1	< 1.15	531524015
4/6/2021	85.2	1.39	< 6.71	540122004
7/6/2021	14.3	< 1	< -2.56	549100009
10/7/2021	1.72	< 1	< 1.75	558300001

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW292

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
8/29/1996	710	< 50	20	960903-003
12/12/1996	910	< 50	0	961212-168
3/5/1997	800	< 100	7	970306-084
6/10/1997	1000	< 100	8	970610-117
9/10/1997	1100	< 100	7	970910-102
12/11/1997	1300	< 100	< 3	C973460125
12/11/1997	1300	< 100	8	C973460124
3/3/1998	1300	< 100	< 2	C980630115
6/15/1998	1400	< 100	18.6	C981660109
9/16/1998	1200	< 100	< 5.5	C982600073
12/9/1998	57	< 5	< 9.9	C983440005
12/9/1998	1200	< 100	< 14	C983440006
2/2/1999	1200	< 250	< 15.94	C990340076
2/2/1999	1100	< 250	< 16.93	C990340077
5/12/1999	1100	< 250	24.2	C991320092
8/3/1999	1100	< 100	< 6.19	C992170049
11/17/1999	1000	< 100	< 1.56	C993220002
2/15/2000	960	< 100	15.9	C000460083
5/9/2000	960	< 100	< -0.935	C001310006
8/17/2000	800	< 50	< 0.93	C002300085

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW292

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
11/13/2000	880	< 50	< 8.75	C003190009
2/8/2001	770	< 50	< 8.02	C010390156
5/14/2001	650	< 100	< 8.97	C011350006
8/15/2001	830	< 100	< 8.86	C012280044
11/12/2001	820	< 100	< 9.21	C013170003
11/12/2001	760	< 100	< 12.2	C013170004
2/5/2002	850	< 100	20.6	C020370101
5/2/2002	740	< 50	< 8.17	C021220092
8/29/2002	780	< 50	28.3	C022420105
11/11/2002	610	< 100	< 12.7	C023160008
2/18/2003	550	< 50	35.3	C030500036
5/7/2003	510	< 50	19.5	C031270175
8/27/2003	430	< 50	22.6	C032390096
11/17/2003	440	< 50	35	C033210102
2/11/2004	430	< 50	29	C040420066
5/12/2004	480	< 50	26.4	C041330036
8/16/2004	440	< 50	27.8	C042290044
11/18/2004	290	< 25	< 13.3	C043240002
2/9/2005	410	< 25	40.6	C050400041
5/12/2005	340	< 25	30.8	C051320128

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW292

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
8/10/2005	350	< 25	37.5	C052220131
11/14/2005	370	27	34.1	C053180040
2/6/2006			51.8	C060380061
5/17/2006	370	33	54.6	C061370049
8/21/2006			42.7	C062330125
11/6/2006	370	34	49.6	C063100052
2/22/2007			24.9	C070530116
5/9/2007	320	35	29.5	C071300008
8/29/2007			31.2	C072410070
8/29/2007			29	C072410071
11/12/2007	350	36	48.1	C073170018
2/20/2008			39.2	C080510149
5/28/2008	250	28	61.1	C081490028
8/19/2008			49.5	C082330000
11/6/2008	320	35	51.9	C08312002003
2/23/2009			46.8	C09054020001
5/5/2009	290	35	55	C09125023008
8/4/2009			45.7	C09216023002
11/3/2009	300	38	33.3	C09308004003
2/2/2010			54.9	C10033014005

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW292

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
5/11/2010	260	36	56.5	C10131023005
8/5/2010			50.7	C10217037002
12/7/2010			36.4	C10341027003
2/22/2011	270	39	39.2	C11053015005
5/4/2011			45.1	C11124021002
8/9/2011	280	38	38.4	C11221021003
11/3/2011			46.8	C11307020001
2/2/2012	280	37	78.2	C12033015002
5/3/2012			43.4	C12124008002
8/7/2012	200	37	56	C12220024005
11/5/2012			28	C12310038007
2/4/2013	210	34	43.5	C13035045007
6/12/2013			39.2	C13163026001
8/21/2013	180	32	36.4	C13233026001
11/18/2013			33.4	C13322025002
2/24/2014	270	42	36.1	C14055028006
5/13/2014			41.3	348903005
8/26/2014	240	32.1	29.2	355748011
11/12/2014			42.1	361215006
2/4/2015	215	26.8	36.5	366647010

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW292

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
5/12/2015			42.2	373064006
8/24/2015	208	31.3	29.8	379998010
8/24/2015	216	31.4	45.6	379998011
11/24/2015			29.4	386382006
2/8/2016	198	29.6	33.5	391039011
5/17/2016			43.9	397601006
8/17/2016	202	31.8	44.1	404230005
8/17/2016	180	13.7	32.4	404230006
11/17/2016			39.7	410957006
2/15/2017	161	24.4	26.8	416791011
5/17/2017			45.9	423616006
7/10/2017	145	24	28.7	427964001
8/1/2017	150	24.1	40.5	429710010
8/1/2017	151	23.6	38.6	429710011
10/6/2017	152	18.6	39.3	434637009
1/9/2018	184	30.5	41.8	441537007
2/14/2018	153	21.2	28.7	443984008
4/5/2018	160	21.7	18.5	447608007
7/3/2018	180	26.8	34.8	453993008
8/27/2018	197	28.4	33.9	458313011

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW292

*Sample Date Range:
2/21/1990 - 12/28/2021*

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
10/3/2018	224	32.3	42.3	461070009
1/2/2019	160	18.2	24.9	468013011
4/9/2019	202	31.4	29.9	476088009
7/2/2019	202	24.5	17.9	483632007
10/1/2019	236	22.2	29.8	491830005
1/6/2020	254	20.4	19.5	500415007
4/15/2020	239	34.6	25.5	509637006
7/8/2020	275	20.4	17.1	515469013
10/8/2020	283	14.7	17.1	523841009
1/7/2021	271	11.7	15.5	531524016
4/6/2021	271	15.2	< 6.11	540122005
7/6/2021	301	13.1	14.2	549100010
10/7/2021	219	7.84	9.73	558300015

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW293A

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
8/21/2003	280	< 25	< 0.053	C032330095
11/13/2003	480	< 50	< 10.4	C033180004
2/11/2004	610	< 50	< 3.25	C040420064
5/12/2004	470	< 25	< -1.68	C041330032
8/16/2004	450	< 50	< -3.95	C042290042
11/18/2004	430	< 50	< -9.01	C043240000
2/9/2005	510	< 25	< 4.12	C050400042
5/11/2005	380	< 25	< -1.62	C051310092
8/10/2005	360	< 25	< 2.92	C052220132
11/14/2005	470	< 25	< 6.36	C053180037
5/17/2006	440	< 25	19.5	C061370059
11/6/2006	410	< 25	< -3.51	C063100058
5/9/2007	430	< 25	< -4.48	C071300011
11/12/2007	310	< 5	< -0.798	C073170015
5/28/2008	260	< 5	< 2.23	C081490027
11/6/2008	270	< 5	< 5.64	C08312002002
5/5/2009	230	< 5	< -0.751	C09125023005
11/2/2009	270	< 10	< -4.19	C09306041003
5/11/2010	250	< 2	18.7	C10131023003
2/22/2011	94	< 10	< 14	C11053015003

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW293A

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
8/3/2011	220	< 10	< 4.7	C11215009002
2/1/2012	230	< 10	< -0.483	C12032020005
8/8/2012	200	< 10	< 4.03	C12221010003
2/5/2013	200	< 2	< 1.39	C13036014006
8/12/2013	180	< 10	< -2.29	C13224033003
2/19/2014	73	< 2	< 0.276	C14050020001
8/26/2014	40.6	< 1	< -3.21	355748012
2/4/2015	31.9	< 1	< 5.67	366647011
8/24/2015	32.1	< 1	< -3.7	379998012
2/8/2016	156	< 1	< -9.06	391039012
8/4/2016	97.7	< 1	< 3.76	403256006
2/15/2017	182	< 1	< -1.27	416791012
7/10/2017	85	< 1	< -6.25	427964013
8/1/2017	82	< 1	< -0.716	429710012
10/6/2017	101	< 2	< -0.519	434637010
1/9/2018	99.3	< 1	< 9.43	441537008
2/14/2018	111	< 2	< -3.26	443984009
4/5/2018	112	< 2	< -9.09	447608008
7/3/2018	147	< 2	< -3.27	453993009
8/27/2018	127	< 2	< 0.606	458313012

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW293A

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
10/3/2018	152	1.2	< -6.35	461070010
1/2/2019	108	< 2	< 8.96	468013012
4/9/2019	191	< 2	< 3.92	476088010
7/2/2019	177	< 2	< -4.77	483632008
10/2/2019	161	0.66	< 6.76	491969006
1/6/2020	144	0.73	< 3.54	500415008
4/15/2020	175	0.73	< -1.14	509637007
7/8/2020	160	< 2.5	< -6.61	515469014
10/8/2020	128	0.95	< 3.35	523841010
1/7/2021	102	< 2.5	< -2.09	531524017
4/6/2021	124	< 1	< 3.37	540122006
7/6/2021	115	0.78	< -2.01	549100011
10/7/2021	0.89	< 1	< 0.729	558300016

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW341

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
12/3/1998	1200	< 100	216.3	C983380051
3/4/1999	730	< 100	243.58	C990630086
6/3/1999	660	< 200	245	C991540176
9/15/1999			316	C992580211
12/6/1999	790	< 100	260	C993400090
3/7/2000	1100	< 100	276	C000680021
6/21/2000	64	< 5	281	C001730079
9/11/2000	1200	< 100	286	C002560010
12/12/2000	1000	< 5	358	C003470050
3/21/2001	1400	< 100	305	C010800073
6/4/2001	1100	< 100	282	C011560012
9/25/2001	1200	< 100	327	C012680236
12/13/2001	990	< 100	310	C013470168
3/27/2002	690	< 250	339	C020860184
6/10/2002	730	< 100	297	C021610050
9/5/2002	1700	< 100	271	C022480142
12/3/2002	2200	< 100	328	C023370122
6/9/2003	2400	< 50	271	C031600082
12/5/2003	2700	< 100	327	C033420032
6/7/2004	2400	< 100	354	C041590181

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW341

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
12/8/2004	1800	< 100	322	C043430125
6/15/2005	6200	< 100	265	C051660051
11/30/2005	12000	< 500	271	C053340079
5/23/2006	14000	< 500	264	C061430071
3/19/2007	21000	< 1000	251	C070780103
9/20/2007	14000	< 200	212	C072630187
3/12/2008	11000	< 200	246	C080720035
8/28/2008	15000	< 100	207	C082410122
5/7/2009	14000	< 500	226	C09127062001
9/23/2009	17000	< 1000	251	C09266034004
3/10/2010	15000	< 200	207	C10069026006
9/13/2010	19000	< 200	213	C10256039001
6/2/2011	15000	< 1000	172	C11153017005
6/2/2011	15000	< 1000	172	C11153017006
5/17/2013	5100	< 250	150	C13137015003
5/17/2013	5200	< 250	166	C13137015004
6/1/2015	4460	< 1	138	374452005
5/24/2017	3460	< 50	310	424148013
7/13/2017	4280	< 50	257	427964014
10/11/2017	3790	< 50	345	435057005

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW341

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
1/11/2018	3520	< 1	354	441547001
4/5/2018	6010	< 100	309	447608009
7/10/2018	6950	3.1	183	454274004
10/4/2018	7260	< 100	171	461079008
12/18/2018	5220	< 100	122	467410005
1/7/2019	5860	< 100	119	468221006
3/20/2019	5930	< 100	99.1	474242007
3/20/2019	5860	< 100	100	474242008
4/8/2019	5400	< 100	109	475898009
5/13/2019	4650	< 100	74.5	479291003
5/13/2019	5860	< 100	89.9	479291004
6/6/2019	6220	< 100	99.3	481177002
7/8/2019	5610	< 100	100	484303005
9/18/2019	6760	< 100	139	490775004
10/7/2019	6690	< 100	144	492544009
12/10/2019	6590	1.98	189	498960005
1/7/2020	6680	1.49	213	500738008
3/11/2020	7070	< 100	210	506866004
3/11/2020	6840	< 100	208	506866005
4/14/2020	6110	< 100	241	509618006

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW341

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
6/8/2020	6170	< 100	236	513232004
7/8/2020	6350	< 100	248	515469015
9/21/2020	6600	< 100	338	522415007
10/7/2020	5910	< 100	381	523870001
12/9/2020	6300	< 100	555	529822001
1/6/2021	5150	< 100	580	531524018
3/17/2021	4160	< 100	872	538351006
3/17/2021	4630	< 100	878	538351007
4/5/2021	4840	< 1	853	540117005
4/19/2021	4300	1.66	933	541464004
4/19/2021	4230	1.71	878	541464005
5/21/2021	3380	< 50	763	545554006
5/21/2021	3430	< 50	758	545554013
6/14/2021	3890	< 50	885	547351004
7/12/2021	4960	< 50	873	549864003
7/20/2021	3250	< 50	751	550346002
7/20/2021	2650	< 50	754	550346003
9/15/2021	2850	1.56	890	556100001
10/6/2021	3550	1.71	1070	558309001
10/19/2021	3390	< 1	1120	559558005

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW341

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
10/19/2021	2860	< 1	1120	559558006
12/13/2021	3940	< 100	1240	565140001
12/28/2021	6300			280-157305-5
12/28/2021	4400			566012005

B-161

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW478

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
10/22/2009	220	< 5	< -8.59	C09295018001
5/11/2010	490	11	< -7.99	C10131015007
5/10/2011	280	< 25	< 10.5	C11130019004
5/21/2013	240	< 25	< 2.27	C13141010001
5/28/2015	232	2.1	< -1.95	374017004
5/15/2017	163	1.52	< 4.78	423664015
7/11/2017	152	1.6	< -4.46	427964015
10/11/2017	127	1.1	< -1.18	435057001
1/9/2018	182	3.6	< 10.1	441537009
4/5/2018	194	1.96	< -1.12	447608010
7/3/2018	205	2.88	< 0.479	453993010
10/3/2018	270	3.44	< -6.55	461070011
1/2/2019	191	1.8	< 5.88	468013013
4/9/2019	294	3.6	< 4.32	476088011
5/1/2019	284	3.3	< 16.6	478096003
7/9/2019	302	2.1	< -1.03	484299007
10/1/2019	290	3.28	< -1.07	491830006
1/6/2020	300	3.33	< 9.02	500415009
4/8/2020	291	6.05	< 3.7	509142004
7/8/2020	309	3.55	< -5.01	515469016

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW478

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
10/8/2020	309	3	< -4.39	523841011
1/7/2021	282	2.75	< 2.31	531524019
4/6/2021	297	3.53	< 3.7	540122007
5/12/2021	318	3.3	< 12.9	544393004
7/6/2021	304	4	< 4.84	549100012
10/6/2021	285	3.3	< 4.58	558309002
12/20/2021	380			280-157094-4
12/20/2021	344			565585003

B-163

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW479

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
10/22/2009	2.6	< 1	< -14.8	C09295018002
5/5/2010	< 1	< 1	< -4.67	C10125032008
5/11/2011	8.1	< 5	< -8.28	C11131028003
5/28/2013	< 1	< 1	< -2.12	C13148029001
6/9/2015	< 1	< 1	< 1.11	374981008
5/15/2017	< 1	< 1	< 4.18	423664016
7/11/2017	1.34	< 1	< -7.77	427964016
10/11/2017	1.15	< 1	< -5.9	435057006
1/9/2018	1.21	< 1	< 3.76	441537010
4/5/2018	3.41	< 1	< -9.16	447608011
7/3/2018	4.04	0.63	< -1.19	453993001
10/3/2018	0.94	< 1	< -8.4	461070012
1/2/2019	< 1	< 1	< 3.48	468013014
4/9/2019	36.1	4.61	14.7	476088012
5/1/2019	41.5	5.39	18.9	478096004
7/9/2019	24.5	2.86	< 1.9	484299008
10/1/2019	2.22	< 1	< 0.584	491830007
1/6/2020	0.94	< 1	< 0.53	500415010
4/8/2020	24.9	2.9	15.7	509142005
7/8/2020	4.4	0.48	< -9.72	515469017

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW479

***Sample Date Range:
2/21/1990 - 12/28/2021***

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
10/8/2020	1.18	< 1	< -8.46	523841012
1/7/2021	2.15	< 1	< 2.2	531524020
4/6/2021	1.55	< 1	< -3.19	540122008
5/12/2021	1.33	< 1	< -3.52	544393005
7/6/2021	0.69	< 1	< -5.54	549100013
10/6/2021	1.03	< 1	< -5.51	558309003

B-165

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW480

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
10/22/2009	58	5.8	< 0.509	C09295018003
5/5/2010	38	3.6	< 3.38	C10125032009
5/11/2011	70	6	< 10.4	C11131028004
5/28/2013	55	8	21.6	C13148029002
5/28/2015	46.2	6.41	< 3.34	374017005
5/28/2015	42.1	6.13	< 5.85	374017006
5/15/2017	70.9	10.4	32.9	423664017
7/11/2017	61.8	9.16	21.9	427964017
10/11/2017	55.5	8.23	< 15.6	435057007
1/9/2018	115	14.3	46.8	441537011
4/5/2018	118	9.2	38	447608012
7/3/2018	126	11.4	33.8	453993011
10/3/2018	145	12.8	51	461070013
1/2/2019	124	7.68	34.8	468013015
4/9/2019	163	11.3	38.8	476088013
5/1/2019	150	10.6	53	478096005
7/9/2019	159	10.3	22.5	484299009
10/1/2019	153	9.07	45.6	491830008
1/6/2020	160	10.3	41	500415011
4/8/2020	153	8.78	45.3	509142006

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW480

***Sample Date Range:
2/21/1990 - 12/28/2021***

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
7/8/2020	185	10	36.6	515469018
10/8/2020	173	8.48	41	523841013
1/7/2021	179	8.48	40.1	531526013
4/6/2021	165	7.62	32	540122009
5/12/2021	160	7.36	32.6	544393006
7/6/2021	151	7.92	41.6	549100014
10/6/2021	171	7.61	36.2	558309004

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW495

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
12/29/2009	250	8.6	< 17	C09363017001
5/10/2011	510	< 25	30.8	C11130019005
5/21/2013	110	< 25	< 1.11	C13141010002
5/27/2015	431	8.1	28.1	374017008
5/15/2017	365	5	33.8	423670001
7/11/2017	373	6.2	36.4	427964018
10/11/2017	376	6.35	25.9	435057008
1/9/2018	373	6.7	42	441537012
4/5/2018	372	5	27.7	447608013
7/3/2018	378	5.3	41.9	453993012
10/4/2018	417	5.9	48.3	461079009
1/2/2019	272	< 10	47.2	468013016
4/9/2019	362	5.3	42.1	476088014
5/1/2019	307	3.9	56.8	478096011
7/9/2019	404	< 10	38.4	484299010
10/1/2019	394	6.04	37	491830009
1/6/2020	292	4.13	50.6	500415012
4/8/2020	250	5.75	51.9	509142007
7/8/2020	333	4.5	39.4	515469019
10/8/2020	355	4.45	42.9	523841014

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW495

***Sample Date Range:
2/21/1990 - 12/28/2021***

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
1/7/2021	229	2.9	48.5	531526014
4/6/2021	248	3.21	41.3	540122010
5/12/2021	222	2.5	46.7	544393009
7/6/2021	257	3.45	44.7	549100015
10/6/2021	232	4	40.4	558294002

B-169

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW496

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
12/31/2009	67	1.6	< 3.2	C09365021001
5/10/2011	83	< 5	< 9.02	C11130019006
5/21/2013	500	11	43.1	C13141010003
5/27/2015	114	1.84	< 2.15	374017009
5/17/2017	116	1.56	22.4	423670002
7/11/2017	120	< 2	16	427964019
10/11/2017	124	1.62	23.6	435057009
1/4/2018	143	1.88	27.6	441199004
4/5/2018	129	1.6	21.7	447608014
7/3/2018	142	2.08	24.4	453993013
10/4/2018	139	2.14	25.3	461079010
1/2/2019	146	2.04	24.1	468013017
4/9/2019	149	2.28	21.6	476088015
5/1/2019	158	2.5	26.5	478096012
7/9/2019	151	1.72	< 10.5	484299011
10/1/2019	133	1.92	19.1	491830010
1/6/2020	129	2.02	30.2	500415013
4/8/2020	129	2.92	26.6	509142008
7/8/2020	154	2.36	< 1.94	515469020
10/8/2020	134	1.82	18.9	523841015

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW496

***Sample Date Range:
2/21/1990 - 12/28/2021***

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
1/7/2021	129	1.76	17.1	531526015
4/6/2021	148	2.18	14.4	540122011
5/12/2021	147	2	< 14.7	544393010
7/6/2021	140	2.22	18.1	549100016
10/6/2021	102	1.77	11.4	558294003
12/20/2021	110			280-157094-5
12/20/2021	110			280-157094-6
12/20/2021	144			565585004
12/20/2021	143			565585005

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW524

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
10/4/2016	5.52	< 1	< -1.43	407700002
10/4/2016	4.13	< 1	< -2.15	407700003
1/10/2017	3.74	< 1	< -3.88	414020001
4/3/2017	3.58	< 1	14.5	419846001
7/13/2017	2.36	< 1	< 9.65	427964020
10/11/2017	4.53	< 1	< 1.65	435057010
1/10/2018	1.24	< 1	< -2.43	441541003
1/10/2018	1.08	< 1	< -2.75	441541004
4/5/2018	12.3	< 1	< 11.4	447608015
7/9/2018	21.2	< 1	< 7.02	454258004
10/2/2018			< 1.87	469659001
10/2/2018	2.44	< 1		461050001
1/3/2019	31.4	< 1	16.8	468013018
1/3/2019	31	< 1	17	468013019
4/2/2019	113	< 1	25	475591001
7/8/2019	37.6	< 1	< 2.23	484303001
10/3/2019	1.24	< 1	< -2.36	492271001
1/8/2020	6.47	< 1	< 7.63	500742005
1/8/2020	5.11	< 1	< -1.17	500742004
4/7/2020	16.1	< 1	< 4.54	509137004

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW524

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
7/7/2020	1.99	< 1	< 6.17	515463004
10/7/2020	22.6	< 1	< 0.129	523870009
1/6/2021	1.67	< 1	< 3.61	531526001
1/6/2021	2	< 1	< 2.43	531526002
4/5/2021	49.8	< 1	48.1	540117006
4/5/2021			24.3	545631001
7/7/2021	1.68	< 1	< 3.75	549217005
10/5/2021	1.78	< 1	< 0.0139	558294001

B-173

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW525

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
10/4/2016	403	0.77	27.2	407700004
1/10/2017	607	< 5	82.6	414020002
1/10/2017	599	< 5	88.4	414020003
4/3/2017	606	< 10	102	419846002
7/11/2017	510	< 10	64.4	427966001
10/11/2017	302	< 10	52.5	435057011
10/11/2017	635	< 10	46.9	435057012
1/10/2018	406	< 10	71.6	441541005
4/5/2018	501	< 10	115	447608016
7/9/2018	952	< 10	106	454258005
10/2/2018	696	< 10		461050002
10/2/2018	693	< 10		461050003
10/2/2018			103	469659002
10/2/2018			106	469659003
1/3/2019	914	< 10	119	468013020
4/2/2019	805	< 10	127	475591002
7/8/2019	808	< 10	112	484303006
10/3/2019	713	< 10	142	492271003
10/3/2019	794	< 10	133	492271002
1/8/2020	1000	1.05	142	500742006

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW525

***Sample Date Range:
2/21/1990 - 12/28/2021***

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
4/7/2020	1140	< 20	144	509137005
7/7/2020	946	< 20	136	515463005
10/7/2020	754	< 20	133	523870010
10/7/2020	757	< 20	133	523870011
1/6/2021	824	< 20	146	531526003
4/5/2021	875	1.16	146	540117007
7/7/2021	875	< 10	121	549217006
10/5/2021	378	< 1	88.7	558294005
10/5/2021	372	0.36	90.4	558294004

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW526

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
10/4/2016	145	1.73	139	407700005
1/10/2017	214	1.72	134	414020004
4/3/2017	173	1.2	164	419846003
4/3/2017	168	1.24	175	419846004
7/11/2017	123	< 2	156	427966002
10/11/2017	131	1.04	90.2	435057013
1/10/2018	134	< 2	71.8	441541006
4/5/2018	1320	< 20	96.5	447608017
4/5/2018	1290	< 20	125	447608018
7/9/2018	1980	< 20	109	454258006
10/2/2018	1870	< 50		461050004
10/2/2018			122	469659004
1/3/2019	2790	< 50	169	468031001
4/2/2019	1270	< 50	180	475591003
4/2/2019	1290	< 50	184	475591004
7/8/2019	1250	< 50	168	484303007
10/3/2019	1460	< 50	188	492271004
1/8/2020	3180	1.73	219	500742007
4/7/2020	2430	< 50	197	509137006
4/7/2020	2520	< 50	195	509137007

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW526

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
7/7/2020	2800	< 50	202	515463006
10/7/2020	2680	< 50	207	523870012
1/6/2021	2890	< 50	221	531526004
4/5/2021	2950	< 1	209	540120002
4/5/2021	2820	< 1	215	540120001
7/7/2021	2750	< 50	198	549217007
10/5/2021	1940	1.22	208	558294006

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW527

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
10/4/2016	5.01	< 1	14.4	407700006
1/10/2017	8.67	< 1	32	414020005
4/3/2017	6.82	< 1	26.3	419846005
7/11/2017	4.91	< 1	20.1	427966004
7/11/2017	4.92	< 1	24.6	427966003
10/11/2017	5	< 1	< 15.7	435057014
1/10/2018	12.3	< 1	< 10.9	441541007
4/5/2018	12.3	< 1	25.7	447608019
7/9/2018	33.6	< 1	21.4	454258007
7/9/2018	34.2	< 1	25.4	454258008
10/2/2018	11.6	< 1		461050005
10/2/2018			32.3	469659005
1/3/2019	54.4	< 1	28.4	468031002
4/2/2019	27.9	< 1	27	475591005
7/8/2019	50.4	< 1	31.3	484303009
7/8/2019	50.6	< 1	34.2	484303008
10/3/2019	10.3	< 1	27.2	492271005
1/8/2020	38.3	< 1	41.6	500742008
4/7/2020	59.9	< 1	41.9	509137008
7/7/2020	47.4	< 1	53.1	515463007

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW527

***Sample Date Range:
2/21/1990 - 12/28/2021***

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
7/7/2020	44.6	< 1	50.3	515463008
10/7/2020	42.4	< 1	44	523870013
1/6/2021	32.6	< 1	39.8	531526005
4/5/2021	57.9	< 1	46.2	540120003
7/7/2021	18.9	< 1	35.7	549217008
7/7/2021	19.2	< 1	37.9	549217009
10/5/2021	30.5	< 1	51.2	558294007

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW528

***Sample Date Range:
2/21/1990 - 12/28/2021***

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
10/4/2016	32.2	< 1	< -2.63	407700007
1/10/2017	24.4	< 1	< 0.895	414020006
4/3/2017	26.7	< 1	< 9.06	419846006
7/11/2017	21.1	< 1	< 3.27	427966005
10/11/2017	20	< 1	< 3.96	435057015
1/11/2018	48.6	< 1	18.7	441547002
4/5/2018	161	< 2	36.2	447608020
7/9/2018	135	< 2	31.6	454258009
10/2/2018	135	< 2		461050006
10/2/2018			38.3	469659006
1/3/2019	185	< 2	39.2	468031003
4/2/2019	92.1	< 2	34.5	475591006
7/8/2019	89.3	< 2	45.3	484303010
10/3/2019	80.4	< 2	48.1	492271006
1/8/2020	130	< 1	63.1	500742001
4/7/2020	92	< 2	57.8	509137009
7/7/2020	73.6	< 1	58.3	515463009
10/7/2020	92.2	< 1	73.9	523870014
1/6/2021	136	< 1	76.1	531526006
4/5/2021	157	< 1	83	540120004

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW528

***Sample Date Range:
2/21/1990 - 12/28/2021***

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
7/7/2021	123	< 4	73.5	549217010
10/5/2021	80.6	< 1	78.5	558294008

B-181

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW529

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
10/4/2016	63.3	1.4	105	407700008
1/10/2017	95.8	2.14	165	414020007
4/3/2017	90.9	3.55	146	419846007
7/11/2017	98.9	2.07	139	427966006
10/11/2017	94.2	4.56	104	435057016
1/10/2018	207	< 4	153	441541008
4/5/2018	1010	< 20	137	447617002
7/9/2018	1570	8.6	179	454258001
10/2/2018	1350	< 20		461050007
10/2/2018			193	469659007
1/3/2019	3070	< 20	176	468031004
4/2/2019	6380	< 50	128	475591007
7/8/2019	8320	< 100	90	484303011
10/3/2019	4150	< 100	194	492271007
1/8/2020	4020	< 1	205	500742009
4/7/2020	5880	< 50	181	509137010
7/7/2020	3240	< 100	211	515463010
10/7/2020	3180	< 100	210	523870015
1/6/2021	3230	< 100	213	531526007
4/5/2021	4730	< 1	178	540120005

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW529

***Sample Date Range:
2/21/1990 - 12/28/2021***

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
7/7/2021	3650	< 50	187	549217011
10/5/2021	2400	3.28	184	558294009

B-183

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW530

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
10/4/2016	49.3	< 1	110	407700001
1/10/2017	63.2	< 1	204	414020008
4/3/2017	53	< 1	236	419846008
7/11/2017	58.3	< 1	209	427966007
10/11/2017	52.1	< 1	156	435057017
1/10/2018	72.5	< 1	117	441541009
4/5/2018	88.5	< 1	146	447617003
7/9/2018	808	< 10	110	454258010
10/2/2018	797	< 10		461050008
10/2/2018			82.7	465463001
10/2/2018			96.4	465463001-2
1/3/2019	569	< 10	90.4	468031005
4/2/2019	490	< 10	78.2	475591008
7/8/2019	530	< 10	80.5	484303012
10/3/2019	269	< 10	76.9	492271008
1/8/2020	171	< 1	65.9	500742010
4/7/2020	108	< 2	41	509137011
7/7/2020	104	< 2	42.3	515463011
10/7/2020	80.1	< 2	41.7	523870016
1/6/2021	60.1	< 2	50.6	531526008

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW530

***Sample Date Range:
2/21/1990 - 12/28/2021***

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
4/5/2021	66.4	< 1	37.3	540120006
7/7/2021	59.5	< 1	37.6	549217012
10/5/2021	39.2	< 1	37.9	558294010

B-185

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW531

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
7/13/2017	91.8	0.49	90.6	427966008
10/11/2017	110	< 2	57	435057018
1/11/2018	99.7	0.5	75	441547003
4/5/2018	97.4	0.58	65.4	447617001
7/9/2018	94.2	0.8	74.2	454258011
10/2/2018			73.6	465463002-2
10/2/2018	91.9	1.02		461050009
10/2/2018			62.9	465463002
1/7/2019	99.2	1.18	74.3	468221007
4/8/2019	84.8	1.04	66.5	475898010
7/2/2019	94.3	< 2	61.9	483632009
10/7/2019	95.9	1.44	85.5	492544010
1/8/2020	101	1.83	85.2	500742011
4/14/2020	94	1.08	84.6	509618007
7/8/2020	97.5	1.44	82	515485001
10/7/2020	104	1.44	73.6	523870017
1/6/2021	112	1.56	92.3	531526009
4/5/2021	122	1.82	73.5	540120007
7/7/2021	109	1.3	70.8	549217013
10/5/2021	79.1	1.09	69.4	558294011

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW533

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
7/13/2017	88.9	< 1	69.7	427966009
10/11/2017	109	< 2	60.8	435057019
1/11/2018	58.1	< 1	46.7	441547004
4/5/2018	70.2	< 1	50.5	447617004
7/9/2018	72.4	0.42	74.9	454258012
10/2/2018	67.5	0.4		461050010
10/2/2018			67.5	469659008
1/7/2019	71.1	0.54	87.3	468221008
4/8/2019	63.2	0.44	68.9	475898011
7/8/2019	74.9	0.39	58	484303013
10/7/2019	134	< 2	77.3	492544011
1/8/2020	281	< 1	77.9	500742012
4/14/2020	434	< 10	69.6	509618008
7/8/2020	632	< 10	57.7	515485003
10/7/2020	141	< 2	56.6	523870018
1/6/2021	843	< 2	67.6	531526010
4/5/2021	1100	< 1	60.1	540120008
7/12/2021	990	< 20	51.4	549864004
10/5/2021	699	0.48	41.6	558294012

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW536

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
7/13/2017	173	0.56	33.5	427966010
10/11/2017	199	1.94	28.3	435057020
1/11/2018	225	1.52	51.1	441547005
4/5/2018	195	< 4	63	447617005
7/10/2018	158	0.81	68.6	454274005
10/2/2018			80.2	469659009
10/2/2018	153	0.8		461050011
1/7/2019	125	< 2	112	468221009
4/8/2019	164	< 2	79.8	475898001
7/2/2019	178	< 2	68.2	483632010
10/7/2019	131	< 2	109	492544012
1/9/2020	134	0.63	106	500742013
4/14/2020	121	< 2	116	509618009
7/7/2020	137	< 2	104	515463012
10/7/2020	118	< 2	101	523870019
1/6/2021	107	< 2	133	531526011
4/5/2021	91.7	0.45	127	540120009
7/12/2021	99.2	< 2	128	549864005
10/5/2021	86.8	< 1	93.5	558294013

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW537

***Sample Date Range:
2/21/1990 - 12/28/2021***

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
7/13/2017	181	4.51	34	427966011
10/11/2017	187	3.62	50.1	435058001
1/11/2018	139	< 2	92.4	441547006
4/5/2018	155	1.02	94.8	447617006
7/10/2018	100	0.37	123	454274006
10/2/2018	89.9	< 2		461050012
10/2/2018			144	469659010
1/7/2019	134	0.98	110	468221010
4/8/2019	79.1	< 2	134	475898012
7/2/2019	80.3	< 2	142	483632011
10/7/2019	82.5	< 2	160	492544001
1/9/2020	59	< 1	146	500742014
4/14/2020	66.1	< 1	155	509618010
7/7/2020	71	< 1	137	515463013
10/7/2020	58	< 1	140	523870020
1/6/2021	63	< 1	152	531526012
4/5/2021	81.7	0.41	135	540120010
7/12/2021	56.7	< 1	157	549864006
10/5/2021	42.6	< 1	145	558294014

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW538

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
7/13/2017	54.6	2.55	< 2.92	427966012
10/11/2017	50.5	2.16	< 4.28	435058002
1/11/2018	5.05	< 1	< 4.45	441547008
4/5/2018	0.42	< 1	< 1.37	447617007
7/10/2018	20.3	0.85	< 10.9	454274007
10/2/2018	7.69	< 1		461050013
10/2/2018			15.6	469659011
1/7/2019	10.1	< 1	< 8.32	468221011
4/8/2019	66.6	2	< 2.87	475898013
7/2/2019	81	1.95	14.2	483632012
10/3/2019	82.9	1.92	20.5	492271009
1/8/2020	84.6	1.83	18.7	500742015
4/7/2020	98.1	< 2	13.8	509137001
7/7/2020	102	0.98	19.1	515463014
10/7/2020	179	1.28	25.1	523883001
1/6/2021	101	< 2	19	531525001
4/5/2021	81.2	< 1	14.6	540120011
7/7/2021	74.7	< 1	17.2	549217014
10/5/2021	52.3	< 1	14.4	558294015

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW539

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
7/13/2017	62	0.77	< 7.55	427966013
10/11/2017	116	1.09	< 6.51	435058003
1/11/2018	66	1.88	< 5.39	441547007
4/5/2018	91.2	0.98	9.62	447617008
7/10/2018	120	1.35	< 5.71	454274008
10/2/2018	110	1.14		461050014
10/2/2018			10.4	469659012
1/7/2019	120	0.96	12	468221012
4/8/2019	105	< 2	13.5	475898014
7/2/2019	118	< 2	22.2	483632013
10/3/2019	105	< 2	25.5	492271010
1/9/2020	111	0.58	25.5	500742016
4/7/2020	109	< 2	< 12.7	509137012
7/7/2020	112	< 2	20	515463015
10/7/2020	111	< 2	21.3	523883002
1/6/2021	117	< 2	17.4	531525002
4/5/2021	114	< 1	20.9	540120012
7/7/2021	101	< 2	16.2	549217015
10/5/2021	75.8	< 1	14.9	558294016

Northeast Plume Optimization Monitoring Wells

Water Quality Records for

MW556

Sample Date Range:
2/21/1990 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results		Radiological Laboratory Analysis Results	Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	Tc-99 pCi/L	
7/11/2017	195	38	42.2	427966014
10/11/2017	171	30	46.3	435058004
1/9/2018	183	36.5	62.5	441537013
4/5/2018	148	22.1	44.6	447617009
7/10/2018	122	27.1	42.8	454274009
10/3/2018	147	27.7	61.3	461070014
1/2/2019	73.1	14.4	23	468031006
4/9/2019	136	25.3	40.2	476088016
7/9/2019	110	20.8	22	484299012
10/1/2019	74.2	13.3	25	491830001
1/6/2020	88.1	16.8	30	500415014
4/8/2020	86.5	14.4	32.3	509142009
7/8/2020	94.4	13.6	29.5	515485002
10/8/2020	82.4	14.1	22.6	523841016
1/7/2021	70.3	12.8	24.1	531525003
4/6/2021	81.1	13.3	15.6	540122012
7/13/2021	75.8	13.2	28.6	549864007
10/6/2021	55.1	8.72	16	558294017

APPENDIX C

C-746-K LANDFILL (SWMU 8) DATA

THIS PAGE INTENTIONALLY LEFT BLANK




Figure C.1. TCE Trends in SWMU 8 Wells

C-746-K Landfill Monitoring

Water Quality Records for

Sample Date Range: 5/31/1994 - 10/13/2021

MW300

C4

Sample Date	Organic Laboratory Analysis Results					Inorganic Laboratory Analysis Results			Radiological Laboratory Analysis Results			Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Al mg/L	Fe mg/L	Mn mg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	
5/31/1994	27	18	23	< 5		87.7	1230	< 50.7	25.8	< 31.3	7.68	3220303
3/21/1995	52	72	61	< 50	< 50		973	49	33.8	27	1	950322-056
7/12/1995	38	< 50	< 50	< 50	< 50		761	52.4	47	143	3	950713-153
9/12/1995	38	< 50	< 50	< 50	< 50	52.8	679	57.5	24	33	12	950913-029
12/7/1995	42	56	47	< 5	< 5		767	44.6	59.9	-6	0	951211-006
2/13/1996	600	54	< 50	< 50	< 50	64.5	985	60			4	960214-062
5/9/1996	30	< 50	< 50	< 50	< 50	44.9	792	44.9	0.4	16	2	960513-011
8/19/1996	30	< 50	< 50	< 50	< 50	37.2	568	44.4	22.9	31.5	0	960819-088
11/18/1996	26	< 50	< 50	< 50	< 50	35.8	570	37.5	7.4	48	0	961118-095
2/10/1997	28	49	30	< 25	< 25	21.3	412	20.6	5	45	0	970211-009
5/13/1997	110	120	61	< 50	< 50	31.3	518	27.6	5.2	11	0	970514-042
8/7/1997	59	< 50	68	< 50	< 50	27	497	31.2	12	13	0	970807-104
11/10/1997	59	110	66	< 25	< 25	31.8	521	32.3	-7.7	6	4	971110-114
2/4/1998	100	240	140	< 50	< 50	36.2	674	33.8	< -0.4	< 2	< -2	C980370056
5/19/1998	78	460	< 250	< 250	< 250	30.8	534	30.5	< 6.3	< 54	< 4.8	C981400029
8/11/1998	89	230	120	< 5	< 5	27.3	532	31	< 37.7	< 11	< 9.2	C982240047
11/16/1998	80	< 250	< 250	< 250	< 250	25.2	406	28.1	32.52	< 37.03	< -4.1	C983200080
1/25/1999	120	250	< 250	< 250	< 250	27	490	27.4	< 1.11	< 4.76	< -8.4	C990250154
4/19/1999	100	240	110	< 100	< 100	26.7	559	25.7	< 28.48	< 55.05	< -4.95	C991090060
7/15/1999	88	210	< 100	< 100	< 100	24.8	506	28.3	< 2.73	< -19.36	< 3.06	C991960146
10/14/1999	94	210	< 200	< 200	< 200	23.2	500	27.2	< 18.8	< 40.17	< -1.57	C992870104
1/13/2000	2	< 5	< 5	< 5	< 5	19.2	303	20.8	< -2.5	< 24.46	< 8.53	C000130120
1/13/2000	2	< 5	< 5	< 5	< 5	15.9	301	19	< -4.85	< -7.6	< 8.59	C000130123
4/27/2000	67	130	80	< 50	< 50	18.2	310	21.4	< 10.97	66.12	< -1.63	C001190009
7/27/2000	52	< 100	< 100	< 100	< 100	15.2	318	23.7	< 15.87	< 55.01	< 11.9	C002090106
10/16/2000	46	100	60	< 5	< 5	14.8	278	23	< 8.41	< 36.69	< 2.75	C002910044
1/10/2001	28	64	39	< 5	< 5	10.3	217	18	< -9.46	< 4.09	< 2.2	C010100097
4/16/2001	44	100	64	< 50	< 50	15	340	24.1	< -7.63	< 25.6	< 27.4	C011060085
7/24/2001	44	93	59	< 50	< 50	16.4	331	28.6	< 27	< 8.41	< 7.99	C012060008
10/15/2001	26	< 50	< 50	< 50	< 50	10.6	220	18.8	< 32.5	33.9	< -2.48	C012880074
1/22/2002	29	< 100	< 100	< 100	< 100	10	286	20.9	< 43.8	< 19.4	< 3.36	C020220046
4/10/2002	30	57	< 50	< 50	< 50	13	381	26.6	< -15.1	< 50.8	< 2.75	C021010048

C-746-K Landfill Monitoring

Water Quality Records for

Sample Date Range: 5/31/1994 - 10/13/2021

MW300

C-5

Sample Date	Organic Laboratory Analysis Results					Inorganic Laboratory Analysis Results			Radiological Laboratory Analysis Results			Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Al mg/L	Fe mg/L	Mn mg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	
7/24/2002	26	< 100	< 100	< 100	< 100	12.9	339	26.8	< 47.4	62.2	< 8.97	C022060004
7/24/2002	26	< 100	< 100	< 100	< 100	12.6	363	24.8	< 23.2	< 43.3	21.5	C022060003
10/3/2002	34	66	< 50	< 50	< 50	0.0101	0.33	36.9	< 26.9	< 24.9	17.5	C022760027
1/30/2003	58	160	100	< 50	< 50	10.8	395	23.5	< 3.65	< 3.52	< 1.19	C030310020
4/15/2003	58	180	< 100	< 100	< 100	6.86	437	22.9	< 2.47	< 20.3	< 4.19	C031050068
7/30/2003	42	< 100	< 100	< 100	< 100	21.9	409	27	< 9.4	< 48.7	< 1.31	C032110044
7/30/2003	50	< 100	< 100	< 100	< 100	14.3	382	25.4	< 51.5	53.5	< 4.26	C032110045
10/21/2003	53	92	63	< 50	< 50	0.55	497	24.9	< 39.1	< 38	< -4.59	C032950017
1/26/2004	41	120	< 100	< 100	< 100	0.471	414	1.91	< 50.1	< 1.36	< 6.71	C040260079
4/21/2004	50	140	< 100	< 100	< 100	0.591	327	17.2	< -5.55	< 8.26	< -1.58	C041130033
7/15/2004	68	160	< 100	< 100	< 100	0.69	424	24.2	< 21.8	< -11.1	< -7.47	C041970166
7/15/2004	55	140	< 100	< 100	< 100	0.882	396	22.9	< 15	< 17.4	< -6.91	C041970167
11/9/2004	130	110	< 100	< 100	< 100	0.99	369	22.9	< 12	< 29.7	< -2.6	C043150018
4/27/2005	12	51	< 50	< 50	< 50	0.289	126	11.8	< 19.1	39.8	< -2.41	C051170049
10/25/2005	14	65	< 50	< 50	< 50	0.344	178	15.2	< 2.14	29.6	< 6.49	C052990006
10/25/2005	13	55	< 50	< 50	< 50	0.259	199	16.1	< 18.1	38.4	< 8.37	C052990007
4/11/2006	26	120	77	< 50	< 50	< 0.2	161	16.5	< 0.896	< 28.2	< -2.86	C061020009
10/23/2006	< 20	< 100	< 100	< 100	< 100	0.334	124	16.2	< -0.251	< 16.2	< 8.62	C062960050
4/12/2007	< 22	< 120	< 60	< 50	< 50	< 0.2	203	18.1	< -3.16	< 33.1	< -1.66	C071030007
10/25/2007	14	120	77	< 5	< 5	< 0.2	162	19.7	< -0.658	< 25.1	< 1.82	C072980183
10/25/2007	13	120	75	< 5	< 5	< 0.2	166	20.2	< 4.54	27.8	< 1.13	C072980184
4/28/2008	< 5	42	34	< 25	< 5		117	16.8	< -0.155	64.4	< 0.8	C081200001
10/29/2008	< 5	48	32	< 25	< 5	< 0.2	63.9	15	< 6.06	43.7	< 11.7	C08304013001
10/29/2008	< 5	46	29	< 25	< 5	< 0.2	110	16.9	< 5.22	34.8	< 6.45	C08304013002
4/30/2009	14	93	52	< 5	< 5	< 0.2	104	27.4	< -0.39	37	< 5.55	C09120015001
10/19/2009	11	39	24	< 2	< 2	< 0.2	36.9	11.2	< -1.13	28.4	< -8.36	C09292035001
10/19/2009	9	41	24	< 2	< 2	< 0.2	65	9.73	< -2.41	27.1	< -8.19	C09292035002
4/20/2010	16	130	58	< 25	< 5	< 0.2	121	19.2	< -4.11	33.6	< -1.74	C10110009002
10/13/2010	8	130	72	< 25	< 5	< 0.4	241	27.2	< 21.9	48.4	< -7.38	C10286021002
10/13/2010	8	140	78	< 25	< 5	< 0.4	165	25.5	< 2.34	62.3	< -3.09	C10286021003
4/26/2011	< 5	68	44	< 25	< 5	0.625	129	14.1	< 0.246	34.3	< -0.327	C11116009001
10/19/2011	< 5	68	42	< 5	< 5	0.558	155	18.4	< 2.93	65.7	< 0.89	C11292015001

C-746-K Landfill Monitoring

Water Quality Records for

Sample Date Range: 5/31/1994 - 10/13/2021

MW300

Sample Date	Organic Laboratory Analysis Results					Inorganic Laboratory Analysis Results			Radiological Laboratory Analysis Results			Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Al mg/L	Fe mg/L	Mn mg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	
10/19/2011	< 5	71	44	< 5	< 5	0.358	78.8	15.8	< 13.2	53.9	< -4.3	C11292015002
4/24/2012	7.8	100	59	< 5	< 5	< 2	218	18.2	< 3.57	80.6	< 3.84	C12115011001
10/29/2012	< 5	100	69	< 5	< 5	1.65	217	25.3	< 12.6	57.8	< -2.74	C12303019002
10/29/2012	< 5	93	56	< 5	< 5	0.271	222	25.5	< 1.27	49.6	< -4.68	C12303019003
4/23/2013	< 5	93	73	< 5	< 5	< 0.2	292	23.6	< 4.25	< 42	< -2.67	C13113007001
10/21/2013	< 10	76	53	< 10	2.2	< 0.2	201	21.4	< 3.28	61.9	< 0.287	C13294037002
10/21/2013	< 10	76	52	< 10	< 2	< 0.2	208	20.7	< -6.52	< 36.5	< 11.5	C13294037003
4/29/2014	4.9	82.4	56.8	< 10	< 10	0.0253	276	19.3	< 10.4	37.4	< 0.00258	347676009
10/7/2014	< 10	64.3	55.2	< 10	< 10	< 0.05	236	18.9	< 5	23.5	< -2.04	358703001
10/7/2014	< 10	66.7	54	< 10	< 10	0.0224	253	19.5	< 2.03	29.1	< -4.11	358703003
4/28/2015	3.9	< 1	< 1	< 1	< 1	< 0.05	26.9	3.38	< 1.86	21.2	< 3.96	371985001
10/27/2015	2.56	46.6	35.9	< 1	0.51	< 0.5	192	16.8	< 6.99	30.2	< 4.16	384156001
4/13/2016	0.94	22.1	16.7	< 1	< 1	0.0364	99.1	10.8	< -4.3	31.5	< -4.87	395245003
4/13/2016	0.97	22	17.2	< 1	< 1	0.0608	92.1	10.5	< -4.61	27.8	< -5.55	395245005
10/11/2016	1.17	19.6	14.5	< 1	< 1	0.0314	79.6	8.18	< 3.41	25.3	< -5	407853001
4/6/2017	1.06	24.6	19.5	< 2	< 2	0.0241	129	14.6	< 0.27	20.6	< 0.563	420096001
10/6/2017	< 1	< 1	< 1	< 1	< 1	0.127	77.5	12.5	< -0.084	23.7	< 1.57	434592001
4/9/2018	3.04	15.6	13.1	< 2	< 2	0.151	65.4	11.2	< 8.97	44.9	< -3.45	447581001
10/11/2018	1.1	19.7	15	< 2	< 2	< 0.05	70.5	12.2	< 12.5	42.6	< 2.26	461582001
4/2/2019	1.6	22	17	< 2	< 2	< 0.05	138	15.8	< 5.3	29.9	< 13.5	475418001
10/17/2019	0.9	22.4	16	< 1	< 1	0.195	141	13.6	< 7.36	30.7	< -1.33	493426001
4/28/2020	0.78	15.3	10.5	< 1	< 1	0.0195	140	11.8	< 13.6	25.7	< -8.22	510274001
10/21/2020	0.55	9.56	9.36	< 1	< 1	< 0.05	59.5	9.86	< 1.72	21.8	< -4.72	525049001
4/7/2021	0.36	4.91	4.95	< 1	< 1	< 0.05	67.8	4.7	< 3.04	17	< -0.925	540119001
10/13/2021	0.67	13.3	13.9	< 1	< 1	< 0.05	29	4.43	< 2.74	12.3	< -0.317	558863001

C-6

C-746-K Landfill Monitoring

Water Quality Records for

Sample Date Range: 5/31/1994 - 10/13/2021

MW301

C-7

Sample Date	Organic Laboratory Analysis Results					Inorganic Laboratory Analysis Results			Radiological Laboratory Analysis Results			Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Al mg/L	Fe mg/L	Mn mg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	
6/1/1994	< 5	< 5	3	< 5		0.823	470	28.3	< 10.4	< 19.4	5.07	3220101
3/21/1995	< 1	< 5	< 5	< 5	< 5		236	22	-5.9	34	3	950322-052
7/12/1995	< 1	< 5	< 5	< 5	< 5		249	22.1	14	102	9	950713-157
9/12/1995	< 1	< 5	< 5	< 5	< 5	< 0.625	171	17.8	-2.6	17	3	950913-025
12/7/1995	1	< 5	< 5	< 5	< 5		99	12.3	30.3	49	6	951211-014
2/13/1996	< 1	< 5	< 5	< 5	< 5	0.766	166	18.9	6.3	82	0	960214-066
5/9/1996	< 1	< 5	< 5	< 5	< 5	0.975	224	18	0.3	22	3	960513-010
8/19/1996	< 1	< 5	< 5	< 5	< 5	1.58	284	21.3	5.5	42.4	7	960819-087
11/18/1996	< 1	< 5	< 5	< 5	< 5	1.32	175	19.5	-1.4	47	0	961118-096
11/18/1996	< 1	< 5	< 5	< 5	< 5	< 0.75	< 0.3	< 0.05	6	15	0	961118-097
2/10/1997	< 1	< 5	< 5	< 5	< 5	1.13	225	19.8	12.6	47	0	970211-015
5/13/1997	4	< 5	< 5	< 5	< 5	< 0.75	248	22	-11	45	0	970514-043
8/7/1997	< 1	< 5	< 5	< 5	< 5	< 1	203	17.2	19.2	160	0	970807-105
11/10/1997	< 1	< 5	< 5	< 5	< 5	< 1	72.4	10	4.3	18	3	971110-115
2/4/1998	< 1	< 5	< 5	< 5	< 5	2.44	160	15.8	< -11.3	106	< 4	C980370057
5/19/1998	< 1	< 5	< 5	< 5	< 5	< 1	169	17.4	< -2.3	< 25	< 8.2	C981400028
8/11/1998	< 1	< 5	< 5	< 5	< 5	2.13	170	16.3	< -2.3	< 35	< 4.3	C982240046
11/16/1998	< 1	< 5	< 5	< 5	< 5	< 1	102	12.8	< 11.32	55.82	< -15.9	C983200081
1/25/1999	< 1	< 5	< 5	< 5	< 5	< 1	138	14.9	< 3.83	< 52.42	< -5.8	C990250155
4/19/1999	< 1	< 5	< 5	< 5	< 5	< 0.2	203	18.2	< -6.97	< 49.78	< -10.6	C991090061
7/15/1999	< 1	< 5	< 5	< 5	< 5	< 0.2	210	17.5	< -12.3	< 32.1	< -6.69	C991960147
10/14/1999	< 1	< 5	< 5	< 5	< 5	< 0.2	73.1	10.3	< 1.83	41.56	< 0.419	C992870105
10/14/1999	< 1	< 5	< 5	< 5	< 5	< 0.2	73.7	10.6	17.2	50.79	< 2.57	C992870106
1/13/2000	< 1	< 5	< 5	< 5	< 5	< 0.2	77.8	9.32	< 6.93	52.05	< 6.54	C000130122
4/27/2000	< 1	< 5	< 5	< 5	< 5	< 0.2	152	15.6	< 4.87	< -6.93	< -12.6	C001190010
7/27/2000	< 1	< 5	< 5	< 5	< 5	< 0.2	135	14.9	< 2.09	< 4.03	< -2.23	C002090105
10/16/2000	< 1	< 5	< 5	< 5	< 5	< 0.2	70.6	10.6	< -16.56	63.66	< -2.02	C002910045
1/10/2001	< 1	< 5	< 5	< 5	< 5	< 0.2	95.6	12.2	< 6.56	27.9	< -1.62	C010100098
4/16/2001	< 1	< 5	< 5	< 5	< 5	0.231	128	13.8	< 11.1	30.1	< 5.23	C011060088
4/16/2001	< 1	< 5	< 5	< 5	< 5	1.86	139	13.8	< 16.1	32.7	< 10.7	C011060087
7/24/2001	< 1	< 5	< 5	< 5	< 5	< 0.2	106	13.1	< -0.871	54.4	< 7.08	C012060010
10/15/2001	< 1	< 5	< 5	< 5	< 5	< 0.2	107	12.8	< 21.9	37.9	< 5.53	C012880075

C-746-K Landfill Monitoring

Water Quality Records for

Sample Date Range: 5/31/1994 - 10/13/2021

MW301

C-8

Sample Date	Organic Laboratory Analysis Results					Inorganic Laboratory Analysis Results			Radiological Laboratory Analysis Results			Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Al mg/L	Fe mg/L	Mn mg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	
1/25/2002	< 1	< 5	< 5	< 5	< 5	< 0.2	146	14.5	< 3.69	< 28.3	< 2.51	C020250055
1/25/2002	< 1	< 5	< 5	< 5	< 5	< 0.2	154	15.4	< -2.44	51.6	< 6.3	C020250056
4/10/2002	< 1	< 5	< 5	< 5	< 5	0.317	172	16.2	< 19	< 5.09	< 0.617	C021010049
7/24/2002	< 1	< 5	< 5	< 5	< 5	< 0.2	186	15.4	< 36.1	< 23.5	17.8	C022060005
10/3/2002	3	< 5	< 5	< 5	< 5	< 0.002	< 0.2	14.5	< 5.72	46.8	< 15	C022760029
1/30/2003	< 1	< 5	< 5	< 5	< 5	0.287	166	15.5	< -1.71	< 6.29	< -0.324	C030310017
1/30/2003	< 1	< 5	< 5	< 5	< 5	4.62	203	16.1	< 0.197	< 3.65	< 3.3	C030310018
4/14/2003	< 1	< 5	< 5	< 5	< 5	1.03	232	17.2	< 0.227	< 37.1	< -0.162	C031040077
7/30/2003	< 1	< 5	< 5	< 5	< 5	0.71	218	15.4	< 32.9	50.2	< 2.84	C032110046
10/21/2003	< 1	< 5	< 5	< 5	< 5	< 0.2	257	17.4	< 9.47	< 31.4	< 0	C032950018
1/26/2004	< 1	< 5	< 5	< 5	< 5	0.39	267	19.6	< 14.9	53.3	< 10.8	C040260080
1/26/2004	< 1	< 5	< 5	< 5	< 5	0.577	266	19.3	< 17.7	73	< 11.7	C040260081
4/21/2004	< 1	< 5	< 5	< 5	< 5	< 0.2	238	18	< 9.42	< 42.4	< -3	C041130034
7/15/2004	< 1	5	5	< 5	< 5	< 0.2	277	19.8	< 17.3	< 40.3	< -12.4	C041970168
10/19/2004	< 1	< 5	< 5	< 5	< 5	< 0.2	152	13.7	< -32.8	< 33.7	< -1.56	C042940033
4/27/2005	< 1	< 5	< 5	< 5	< 5	< 0.2	232	20.1	< -0.987	129	< -6.58	C051170050
10/25/2005	< 1	5.1	5.6	< 5	< 5	< 0.2	289	19.9	< -12.7	51.3	< 4.49	C052990008
4/11/2006	< 1	< 5	5.2	< 5	< 5	< 0.2	287	20.9	< 8.03	50.9	< -2.97	C061020010
4/11/2006	< 1	< 5	5.4	< 5	< 5	< 0.2	279	19.6	< 3.04	62	< 8.86	C061020011
10/23/2006	< 1	5.9	5.8	< 5	< 5	0.76	295	20.5	< 13.7	< 31.7	< 15.3	C062960051
4/12/2007	< 1	< 5	< 5	< 5	< 5	2.42	265	15.8	< 7.86	60.8	< 4.66	C071030005
10/25/2007	< 1	3.6	3.1	< 1	< 1	1.06	117	8.42	< 1.59	39.3	< -9.49	C072980109
4/28/2008	< 1	< 1	2.8	< 5	< 1		185	14.7	< 20.4	79.9	< -4.91	C081190048
4/28/2008	< 1	< 1	2.9	< 5	< 1		192	15.3	< 25.6	45.9	< -3.1	C081190047
10/29/2008	< 1	3.8	3.9	< 5	< 1	< 0.2	240	16.3	< 7.81	77.1	< 5.16	C08304013003
4/30/2009	< 1	3.8	3.9	< 1	< 1	< 0.2	228	15.9	< 7.32	71	< 7.74	C09120015002
4/30/2009	< 1	4.5	4.4	< 1	< 1	< 0.2	160	14.5	< 17.8	85	< 12.3	C09120015003
10/19/2009	3.8	5.5	4.8	< 1	< 1	< 0.2	208	14	< 0.393	58.6	< -1.75	C09292035003
4/20/2010	< 1	< 5	3	< 5	< 1	< 0.2	198	13.8	< 11.5	50.7	< -8.41	C10110009004
4/20/2010	< 1	< 5	2.9	< 5	< 1	< 0.2	196	13.7	< -7.51	45.2	< -8.84	C10110009005
10/13/2010	< 1	< 5	1.9	< 5	< 1	< 0.4	133	11	< -0.711	56.4	< -4.72	C10286021005
4/26/2011	< 1	< 5	< 1	< 5	< 1	0.247	176	14.5	< 8.21	68	< -13.4	C11116009002

C-746-K Landfill Monitoring

Water Quality Records for

Sample Date Range: 5/31/1994 - 10/13/2021**MW301**

Sample Date	Organic Laboratory Analysis Results					Inorganic Laboratory Analysis Results			Radiological Laboratory Analysis Results			Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Al mg/L	Fe mg/L	Mn mg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	
10/19/2011	< 1	< 5	1.7	< 1	< 1	0.298	183	11.8	< 8.7	86.5	< 4.3	C11292015003
4/24/2012	< 1	2.1	< 1	< 1	< 1	< 2	119	9.63	< 5.31	< 35.7	< 2.86	C12115011002
10/29/2012	< 1	< 1	< 1	< 1	< 1	6.98	163	8.35	< 15.1	58.9	< 1.99	C12303019004
4/23/2013	< 1	1.2	1.4	< 1	< 1	0.216	120	9.8	< 10.1	< 46.9	< 0.0556	C13113007002
10/21/2013	< 1	2.4	2.2	< 1	< 1	10.9	200	10.7	< 6.61	< 54.4	< 8.32	C13294037004
4/29/2014	< 1	1.73	1.95	< 1	< 1	0.0277	121	8.95	6.95	52.9	< 2.71	347676005

C-9

C-746-K Landfill Monitoring

Water Quality Records for

Sample Date Range: 5/31/1994 - 10/13/2021

MW302

C-10

Sample Date	Organic Laboratory Analysis Results					Inorganic Laboratory Analysis Results			Radiological Laboratory Analysis Results			Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Al mg/L	Fe mg/L	Mn mg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	
6/1/1994	< 5	< 5	< 5	< 5		< 0.415	0.238	0.189	< 3.09	< 3.11	< 0.94	3220301
3/21/1995	< 1	< 5	< 5	< 5	< 5		2.6	0.26	2.2	5	8	950322-048
7/12/1995	< 1	< 5	< 5	< 5	< 5		0.702	0.175	4	13	6	950713-149
9/11/1995	< 1	< 5	< 5	< 5	< 5	1.3	1.06	0.139	7.2	2	13	950912-007
12/7/1995	< 1	< 5	< 5	< 5	< 5		2.39	0.087	6.2	3	2	951211-018
2/13/1996	< 1	< 5	< 5	< 5	< 5	2.14	1.68	0.08	-6	-2	1	960214-054
2/13/1996	< 1	< 5	< 5	< 5	< 5	2.61	2.14	0.099	-5.4	-4	0	960214-058
5/9/1996	< 1	< 5	< 5	< 5	< 5	< 0.75	< 0.3	0.041	0.9	17	6	960513-009
8/20/1996	< 1	< 5	< 5	< 5	< 5	< 0.75	< 0.3	< 0.05	12.3	5	11	960821-020
8/20/1996	< 1	< 5	< 5	< 5	< 5	< 0.75	< 0.3	0.058	4.4	6	6	960821-022
2/10/1997	< 1	< 5	< 5	< 5	< 5	< 0.75	0.31	0.157	-0.2	1	0	970211-011
2/10/1997	< 1	< 5	< 5	< 5	< 5	< 0.75	1.64	0.19	2.9	3	0	970211-010
5/13/1997	< 1	< 5	< 5	< 5	< 5	< 0.75	< 0.3	0.099	5.9	3	10	970514-044
8/7/1997	< 1	< 5	< 5	< 5	< 5	< 1	< 0.25	< 0.1	2.8	1	0	970807-144
8/7/1997	< 1	< 5	< 5	< 5	< 5	< 1	< 0.25	0.12	1.6	1	2	970807-145
11/10/1997	< 1	< 5	< 5	< 5	< 5	1.02	1.09	0.11	9.8	14	0	971110-118
2/5/1998	< 1	< 5	< 5	< 5	< 5	< 1	< 0.5	0.114	< 1.8	< 0	< 5	C980370102
2/5/1998	< 1	< 5	< 5	< 5	< 5	< 1	< 0.5	< 0.1	< 1.2	< 4	< -2	C980370103
5/20/1998	< 1	< 5	< 5	< 5	< 5	< 1	< 0.25	0.167	< -0.9	8	< 2.8	C981400087
5/20/1998	< 1	< 5	< 5	< 5	< 5	< 1	< 0.25	0.164	< 2.3	37	< 2.1	C981400088
8/11/1998	< 1	< 5	< 5	< 5	< 5	< 1	< 0.2	0.143	< 1	< 4	< -1	C982240044
8/11/1998	< 1	< 5	< 5	< 5	< 5	< 1	< 0.2	0.173	< 7.6	11	< -7.6	C982240043
11/16/1998	< 1	< 5	< 5	< 5	< 5	< 1	< 0.2	0.1	< 3.6	8.03	< -7.2	C983200082
1/25/1999	< 1	< 5	< 5	< 5	< 5	< 1	< 0.2	0.11	< 0.86	< 0.3	< -19.8	C990250156
4/19/1999	< 1	< 5	< 5	< 5	< 5	0.22	< 0.2	0.122	< 1.67	< 4.72	< -18.5	C991090062
7/15/1999	< 1	< 5	< 5	< 5	< 5	< 0.2	< 0.2	0.157	< 0.82	< -20.12	< 5.04	C991960148
10/14/1999	< 1	< 5	< 5	< 5	< 5	< 0.2	< 0.2	0.069	< 4.18	< 3.33	< -1.15	C992870107
1/13/2000	< 1	< 5	< 5	< 5	< 5	< 0.2	0.381	0.05	< 0.05	< 5.09	< 1.59	C000130119
4/27/2000	< 1	< 5	< 5	< 5	< 5	< 0.2	< 0.2	0.118	< 1.91	< 4.14	< -16.4	C001190012
4/27/2000	< 1	< 5	< 5	< 5	< 5	< 0.2	< 0.2	0.11	< 4.56	< 2.89	< -21.3	C001190011
7/27/2000	< 1	< 5	< 5	< 5	< 5	0.203	0.315	0.185	< 6.72	< 4.08	< -2.03	C002090104
10/16/2000	< 1	< 5	< 5	< 5	< 5	< 0.2	< 0.2	0.08	< 2.79	22.54	< 5.95	C002910046

C-746-K Landfill Monitoring

Water Quality Records for

Sample Date Range: 5/31/1994 - 10/13/2021

MW302

C-11

Sample Date	Organic Laboratory Analysis Results					Inorganic Laboratory Analysis Results			Radiological Laboratory Analysis Results			Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Al mg/L	Fe mg/L	Mn mg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	
1/10/2001	< 1	< 5	< 5	< 5	< 5	< 0.2	< 0.2	0.112	< 0.329	< 5.56	< 8.77	C010100096
1/10/2001	< 1	< 5	< 5	< 5	< 5	< 0.2	< 0.2	0.101	< -4.7	< 3.52	< 2.65	C010100095
4/16/2001	< 1	< 5	< 5	< 5	< 5	< 0.2	< 0.2	0.068	< -4.37	< 1	< 12.2	C011060086
7/24/2001	< 1	< 5	< 5	< 5	< 5	< 0.2	< 0.2	0.053	< 1.09	< 1.72	< 12.4	C012060011
10/15/2001	< 1	< 5	< 5	< 5	< 5	< 0.2	< 0.2	0.207	< 2.32	< 0.344	< 4.48	C012880076
1/22/2002	< 1	< 5	< 5	< 5	< 5	< 0.2	< 0.2	0.047	< 5.75	< 1.7	< 11.5	C020220047
4/10/2002	< 1	< 5	< 5	< 5	< 5	< 0.2	< 0.2	0.054	< 5.56	< -1.95	< 4.88	C021010050
4/10/2002	2	< 5	< 5	< 5	< 5	< 0.2	< 0.2	0.062	< 2.37	< -2.75	< -3.64	C021010051
7/24/2002	< 1	< 5	< 5	< 5	< 5	< 0.2	< 0.2	0.056	9.53	< 2.21	< 14.7	C022060006
10/3/2002	< 1	< 5	< 5	< 5	< 5	< 0.002	< 0.002	0.0688	< 9.5	< 2.76	< 10.1	C022760028
1/30/2003	< 1	< 5	< 5	< 5	< 5	0.639	0.762	0.144	< -0.209	< 1.74	< 2.05	C030310021
4/15/2003	< 1	< 5	< 5	< 5	< 5	< 0.2	< 0.2	0.0609	< -4.39	43.1	16.2	C031050067
4/15/2003	< 1	< 5	< 5	< 5	< 5	< 0.2	< 0.2	0.0607	< 2.62	< 1.04	< 4.54	C031050066
7/30/2003	< 1	< 5	< 5	< 5	< 5	< 0.2	0.523	1.3	< 6.9	< 4.11	< -9.55	C032110047
10/21/2003	< 1	< 5	< 5	< 5	< 5	< 0.2	5.77	1.88	< 4.13	< 2.82	< -6.62	C032950016
1/26/2004	< 1	< 5	< 5	< 5	< 5	< 0.2	2.64	1.98	< -3.37	9.48	< 6.25	C040260078
4/21/2004	< 1	< 5	< 5	< 5	< 5	< 0.2	0.302	1.71	< -1.61	< -0.897	< 5.4	C041130036
4/21/2004	< 1	< 5	< 5	< 5	< 5	< 0.2	0.611	1.63	< 6.89	< -1.62	< -0.819	C041130035
7/15/2004	< 1	< 5	< 5	< 5	< 5	< 0.2	1.18	1.63	< 5.85	< -0.825	< -12.4	C041970169
10/19/2004	< 1	< 5	< 5	< 5	< 5	< 0.2	0.244	1.06	< -4.94	< 3.65	< 4.4	C042940032
4/27/2005	< 1	< 5	< 5	< 5	< 5	< 0.2	< 0.1	0.675	< 1.48	< 3.76	< 15.3	C051170052
4/27/2005	< 1	< 5	< 5	< 5	< 5	< 0.2	0.154	0.708	< 0.394	< 0.723	< 15.5	C051170051
10/25/2005	< 1	< 5	< 5	< 5	< 5	< 0.2	< 0.1	1.35	< -1.17	< 0.46	< 9.83	C052990009
4/11/2006	< 1	< 5	< 5	< 5	< 5	0.418	1.02	0.572	< -1.64	< 3.54	< 0.914	C061020008
10/26/2006	< 1	< 5	< 5	< 5	< 5	0.347	0.479	0.99	< -0.702	< 3.23	< 8.62	C062990102
10/26/2006	< 1	< 5	< 5	< 5	< 5	< 0.2	0.128	0.986	< -3.44	< 2.09	< 8.97	C062990103
4/12/2007	< 1	< 5	< 5	< 5	< 5	< 0.2	0.131	0.345	< 4.96	< 3.59	< 13.1	C071030006
10/25/2007	< 1	< 1	< 1	< 1	< 1	< 0.2	0.317	0.622	< 3.48	< 4.7	< -3.38	C072980110
4/28/2008	< 1	< 1	< 1	< 5	< 1		< 0.1	0.263	< 3.99	< -0.184	< -5.34	C081190049
10/29/2008	< 1	< 1	< 1	< 5	< 1	0.23	0.281	0.319	< 1.16	< 0.994	< 10.6	C08304013004
4/30/2009	< 1	< 1	< 1	< 1	< 1	< 0.2	< 0.1	0.215	< 1.78	< 1.17	< 1.39	C09120016001
10/19/2009	2.1	< 1	< 1	< 1	< 1	0.493	0.425	0.433	< 0.942	< 1.51	< -6.33	C09292035004

C-746-K Landfill Monitoring

Water Quality Records for

Sample Date Range: 5/31/1994 - 10/13/2021

MW302

C-12

Sample Date	Organic Laboratory Analysis Results					Inorganic Laboratory Analysis Results			Radiological Laboratory Analysis Results			Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Al mg/L	Fe mg/L	Mn mg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	
4/20/2010	< 1	< 5	< 1	< 5	< 1	0.933	1.5	1.01	< 1.13	< 1.46	< -0.868	C10110009001
10/13/2010	< 1	< 5	< 1	< 5	< 1	< 0.4	0.21	0.245	< 4.95	< 2.61	< 2.66	C10286021004
4/26/2011	< 1	< 5	< 1	< 5	< 1	< 0.2	0.112	0.095	< 0.402	< 3.67	< -0.163	C11116009003
10/19/2011	< 1	< 5	< 1	< 1	< 1	< 0.2	0.235	0.208	< 1.9	6.89	< 2.99	C11292015004
4/24/2012	< 1	< 1	< 1	< 1	< 1	< 0.4	0.333	0.163	< 0.867	< 0.188	< 3.89	C12115011003
10/29/2012	< 1	< 1	< 1	< 1	< 1	< 0.2	< 0.1	0.0704	< 0.308	< -0.308	< -6.18	C12303019001
4/23/2013	< 1	< 1	< 1	< 1	< 1	< 0.2	< 0.1	0.0804	< 3.53	< 1.37	< -2.15	C13113007003
10/21/2013	< 1	< 1	< 1	< 1	< 1	< 0.2	< 0.1	0.19	< 2.39	< 2.41	< 1.2	C13294037001
4/29/2014	< 1	< 1	< 1	< 1	< 1	0.0339	0.112	0.156	< -0.306	< 2.95	< 2.13	347676007
10/7/2014	< 1	< 1	< 1	< 1	< 1	0.0573	0.163	0.414	< -1.1	< 1.86	< 12.8	358703005
4/28/2015	< 1	< 1	< 1	< 1	< 1	0.0504	0.106	0.674	< 7.44	< 3.78	< -0.946	371985003
10/27/2015	< 1	< 1	< 1	< 1	< 1	0.0205	0.13	0.402	< -2.37	< -2.28	< 3.12	384156003
10/27/2015	< 1	< 1	< 1	< 1	< 1	0.0272	0.157	0.454	< -3.02	< -1.71	< -2.76	384156005
4/13/2016	< 1	< 1	< 1	< 1	< 1	0.0496	0.275	0.326	< 3.35	8.77	< -11	395245001
10/11/2016	< 1	< 1	< 1	< 1	< 1	0.0458	0.109	0.297	< -1.69	< -6.03	< -4.58	407853003
10/11/2016	< 1	< 1	< 1	< 1	< 1	0.102	0.222	0.31	< -3.58	< 4.11	< -7.9	407853005
4/6/2017	< 1	< 1	< 1	< 1	< 1	0.106	0.274	0.0465	< -2.09	< 5.58	< 3.16	420096003
10/6/2017	< 1	< 1	< 1	< 1	< 1	0.0659	0.296	0.332	< -0.704	< 8.85	< 0.00131	434592003
10/6/2017	< 1	< 1	< 1	< 1	< 1	0.0885	0.333	0.41	< 2.18	< 5.43	< 2.4	434592005
4/9/2018	5.1	< 1	< 1	< 1	< 1	0.0749	0.219	0.205	< -0.121	< -0.119	< 5.28	447581003
5/31/2018	< 1	< 1	< 1	< 1	< 1							451547001
10/11/2018	< 1	< 1	< 1	< 1	< 1	0.0318	0.0881	0.29	< 2.78	< 2.78	< -4.71	461582003
10/11/2018	< 1	< 1	< 1	< 1	< 1	0.0203	0.035	0.266	< 2.29	< 7.02	< -9.38	461582005
4/2/2019	< 1	< 1	< 1	< 1	< 1	0.0362	0.0523	0.0997	< 2.55	< -0.754	< 3.9	475418005
4/2/2019	< 1	< 1	< 1	< 1	< 1	0.0319	0.0349	0.0974	< 1.5	< 5.84	< 4.36	475418003
10/17/2019	< 1	< 1	< 1	< 1	< 1	< 0.05	< 0.1	0.181	< -0.181	< -7.29	< -14.4	493426005
10/17/2019	< 1	< 1	< 1	< 1	< 1	< 0.05	< 0.1	0.179	< -0.383	< 4.05	< -0.561	493426003
4/28/2020	< 1	< 1	< 1	< 1	< 1	0.255	0.59	0.364	< 4.09	< 3.77	< 6.59	510274003
10/21/2020	< 1	< 1	< 1	< 1	< 1	0.31	0.776	0.592	< 8.48	< 3.82	< -6.7	525049005
10/21/2020	< 1	< 1	< 1	< 1	< 1	0.102	0.292	0.357	< 1.79	< -4	< -0.626	525049003
4/7/2021	< 1	< 1	< 1	< 1	< 1	0.0283	0.0664	0.0993	< 5.53	< 0.231	< 0.783	540119003
10/13/2021	< 1	< 1	< 1	< 1	< 1	0.0215	0.0699	0.162	< 8.3	< 8.42	< -2.97	558863003

C-746-K Landfill Monitoring

Water Quality Records for

MW302

Sample Date Range: 5/31/1994 - 10/13/2021

Sample Date	Organic Laboratory Analysis Results					Inorganic Laboratory Analysis Results			Radiological Laboratory Analysis Results			Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Al mg/L	Fe mg/L	Mn mg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	
10/13/2021	< 1	< 1	< 1	< 1	< 1	0.0361	0.079	0.165	< -1.38	< 2.76	< -8.01	558863005

C-13

C-746-K Landfill Monitoring

Water Quality Records for

Sample Date Range: 5/31/1994 - 10/13/2021

MW344

C-14

Sample Date	Organic Laboratory Analysis Results					Inorganic Laboratory Analysis Results			Radiological Laboratory Analysis Results			Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Al mg/L	Fe mg/L	Mn mg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	
5/20/1998	< 1	< 5	< 5	< 5	< 5	5.43	11.2	0.663	< 4	24	< -2.8	C981400089
8/11/1998	< 1	< 5	< 5	< 5	< 5	7.65	13.1	0.946	< 3.2	11	< -1.3	C982240042
11/16/1998	< 1	< 5	< 5	< 5	< 5	2.65	12.2	0.83	< 5.66	8.45	< 6.8	C983200078
11/16/1998	< 1	< 5	< 5	< 5	< 5	2.43	9.51	0.65	< 2.27	9.59	< -3.1	C983200079
1/25/1999	< 1	< 5	< 5	< 5	< 5	8.54	13	0.79	< 0.1	14.19	< 8.4	C990250157
4/19/1999	< 1	< 5	< 5	< 5	< 5	9.26	16.1	0.827	< 4.05	8.24	< -9.06	C991090063
7/15/1999	< 1	< 5	< 5	< 5	< 5	3.21	13.6	0.756	< 3.29	< 3.03	< 7.03	C991960149
10/14/1999	< 1	< 5	< 5	< 5	< 5	8.76	13.1	0.871	5.38	< 5.75	< 7.28	C992870108
1/13/2000	< 1	< 5	< 5	< 5	< 5	1.35	9.06	0.565	< 0.74	12.89	< 6.94	C000130121
4/27/2000	< 1	< 5	< 5	< 5	< 5	3.68	10.8	0.523	< 2.81	19.31	< -2.65	C001190013
7/27/2000	< 1	< 5	< 5	< 5	< 5	1.92	8.16	0.531	7.68	12.31	< 10.4	C002090102
7/27/2000	< 1	< 5	< 5	< 5	< 5	1.27	6.22	0.404	< 4.3	14.19	< -6.62	C002090103
10/16/2000	< 1	< 5	< 5	< 5	< 5	1.92	6.81	0.525	< 1.79	15.94	< 0.674	C002910047
10/16/2000	< 1	< 5	< 5	< 5	< 5	1.5	5.4	0.37	< -0.9	21.88	< 1.57	C002910048
1/10/2001	< 1	< 5	< 5	< 5	< 5	4.4	6.02	0.396	< 0.529	< 1.5	< 4.46	C010100099
4/16/2001	< 1	< 5	< 5	< 5	< 5	2.3	7.02	0.411	< 1.98	6.24	< -7.79	C011060089
7/19/2001	< 1	< 5	< 5	< 5	< 5	1.83	5.1	0.355	< -2.34	< 1.95	< 7.79	C012010060
7/24/2001	46	100	59	< 50	< 50	15.8	315	27.7	< 32.1	< 25.1	< 12.4	C012060009
10/15/2001	< 1	< 5	< 5	< 5	< 5	0.655	3.55	0.399	< 4.6	< 2.4	< -2	C012880066
10/15/2001	< 1	< 5	< 5	< 5	< 5	0.797	3.79	0.329	< 0.901	9.99	< -8.48	C012880067
1/22/2002	< 1	< 5	< 5	< 5	< 5	1.37	5.33	0.366	< 5.38	6.15	< 6.69	C020220045
4/10/2002	< 1	< 5	< 5	< 5	< 5	1.63	7.58	0.378	< -0.899	< 2.73	< 4.04	C021010052
7/24/2002	< 1	< 5	< 5	< 5	< 5	2.07	5.44	0.49	10.2	< 6.95	< 4.82	C022060007
10/3/2002	< 1	< 5	< 5	< 5	< 5	0.00323	0.00478	0.366	< 2.54	< 2.37	< 13.8	C022760031
10/3/2002	< 1	< 5	< 5	< 5	< 5	0.00423	0.00456	0.323	< 5.83	< 5.09	18.5	C022760030
1/30/2003	< 1	< 5	< 5	< 5	< 5	1.68	4.16	0.378	< -2.18	< 0.631	< 2	C030310019
4/14/2003	< 1	< 5	< 5	< 5	< 5	3.92	3.28	0.268	< 0.0183	< 8.74	20.4	C031040078
7/30/2003	< 1	< 5	< 5	< 5	< 5	21.9	35.4	6.18	< 12.1	< 6.22	< 12.3	C032110048
10/21/2003	< 1	< 5	< 5	< 5	< 5	4.19	32.6	0.388	< 5.8	< 4.3	< 3.31	C032950014
10/21/2003	< 1	< 5	< 5	< 5	< 5	3.63	34.8	3.99	< 3.45	< 3.49	< -1.39	C032950015
1/26/2004	< 1	< 5	< 5	< 5	< 5	4.22	18.2	2.32	10.1	7.74	< 5.32	C040260082
4/21/2004	< 1	< 5	< 5	< 5	< 5	2.91	13.3	1.23	< 2.26	< 1.95	< -4.04	C041130037

C-746-K Landfill Monitoring

Water Quality Records for

Sample Date Range: 5/31/1994 - 10/13/2021

MW344

C-15

Sample Date	Organic Laboratory Analysis Results					Inorganic Laboratory Analysis Results			Radiological Laboratory Analysis Results			Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Al mg/L	Fe mg/L	Mn mg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	
7/15/2004	< 1	< 5	< 5	< 5	< 5	< 0.2	12.9	1.61	< 0.82	< 2.89	< -8.52	C041970170
10/19/2004	< 1	< 5	< 5	< 5	< 5	2.51	13.2	1.56	< -0.79	9.99	< -3.88	C042940034
10/19/2004	< 1	< 5	< 5	< 5	< 5	2.99	11.8	1.63	< -2.19	< 0.172	< 4.34	C042940035
4/27/2005	< 1	< 5	< 5	< 5	< 5	3.67	7.9	0.692	< 0.794	5.87	< 10.7	C051170053
10/25/2005	< 1	< 5	< 5	< 5	< 5	1.49	5.25	0.714	< 2.1	< 5.13	< 8.07	C052990010
4/11/2006	< 1	< 5	< 5	< 5	< 5	2.55	6.79	0.419	< 2.13	< 5.53	< 0.686	C061020012
10/26/2006	< 1	< 5	< 5	< 5	< 5	4.32	5.55	0.472	< 2.45	< 5.05	< 13.9	C062990104
4/12/2007	< 1	< 5	< 5	< 5	< 5	13.5	7.9	0.279	< 6.28	< 4.88	< -3.22	C071030003
4/12/2007	< 1	< 5	< 5	< 5	< 5	7.87	6.28	0.286	8.77	< 7.36	< 7.1	C071030004
10/25/2007	< 1	< 1	< 1	< 1	< 1	5.46	4.1	0.217	< 2.24	< 2.43	< 1.88	C072980185
4/28/2008	< 1	< 1	< 1	< 5	< 1		0.947	0.183	< 1.35	< 4.02	< 2.67	C081200002
10/29/2008	< 1	< 1	< 1	< 5	< 1	3.36	3.64	0.256	< 2.88	< 4.82	< 0.645	C08304013005
4/30/2009	< 1	< 1	< 1	< 1	< 1	4	3.56	0.19	< 2.62	5.57	< 10.1	C09120016002
10/19/2009	1.3	< 1	< 1	< 1	< 1	3.55	3.04	0.299	< 1.6	< 4.25	< -0.283	C09292035005
4/20/2010	< 1	< 5	< 1	< 5	< 1	11.5	22	0.262	9.17	8.43	< 10	C10110009003
10/13/2010	< 1	< 5	< 1	< 5	< 1	9.93	13.8	0.233	8.01	9.96	< -7.65	C10286021001
4/26/2011	< 1	< 5	< 1	< 5	< 1	4.7	8.17	0.154	< -0.331	< 5.11	< -7.02	C11116009004
4/26/2011	< 1	< 5	< 1	< 5	< 1	4.48	7.89	0.155	< 0.101	5.63	< -3.92	C11116009005
10/19/2011	< 1	< 5	< 1	< 1	< 1	2.86	7.14	0.188	< 2.34	9.7	< 2.78	C11292015005
4/24/2012	< 1	< 1	< 1	< 1	< 1	4.39	7.54	0.167	< 3.64	< 3.59	< -0.511	C12115011004
4/24/2012	< 1	< 1	< 1	< 1	< 1	3.92	6.46	0.118	< 6.28	< 5.53	< 7.1	C12115011005
10/29/2012	< 1	< 1	< 1	< 1	< 1	2.12	3.89	0.143	< 0.405	< 3.49	< -8.39	C12303019005
4/23/2013	< 1	< 1	< 1	< 1	< 1	2.77	3.82	0.107	< 1.89	< 3.93	< -1.43	C13113014002
4/23/2013	< 1	< 1	< 1	< 1	< 1	2.65	4.66	0.116	< 4.97	< 3.39	< -3.25	C13113014001
10/21/2013	< 1	< 1	< 1	< 1	< 1	8.79	6.63	0.185	< 4.86	4.56	< 4.93	C13294037005
4/29/2014	< 1	< 1	< 1	< 1	< 1	4.42	10.1	0.139	6.34	9.4	< -2.93	347676003
4/29/2014	< 1	< 1	< 1	< 1	< 1	3.92	9.31	0.138	9.05	7.89	< 1.14	347676001
10/7/2014	< 1	< 1	< 1	< 1	< 1	3.61	8.09	0.253	< 0.965	< 11	< 3.57	358703007
4/28/2015	< 1	< 1	< 1	< 1	< 1	0.906	1.78	0.0971	< -1.64	< 5.21	< -3.42	371985007
4/28/2015	0.87	12.6	7.7	< 1	< 1	1.37	3.05	0.116	< 0.878	< 5.5	< -0.00901	371985005
10/27/2015	< 1	< 1	< 1	< 1	< 1	1.71	4.22	0.138	< 2.02	< 3.58	< -0.265	384156007
4/13/2016	< 1	< 1	< 1	< 1	< 1	2.07	4.76	0.153	< 10	26	< -15.1	395245007

C-746-K Landfill Monitoring**Water Quality Records for****Sample Date Range: 5/31/1994 - 10/13/2021****MW344**

Sample Date	Organic Laboratory Analysis Results					Inorganic Laboratory Analysis Results			Radiological Laboratory Analysis Results			Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Al mg/L	Fe mg/L	Mn mg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	
10/11/2016	< 1	< 1	< 1	< 1	< 1	1.46	3.17	0.125	< -3.18	< 0.375	< 0.299	407853007
4/6/2017	< 1	< 1	< 1	< 1	< 1	3.31	6.42	0.129	< -7.42	< 2.91	< 5.27	420096005
4/6/2017	< 1	< 1	< 1	< 1	< 1	3.94	8.11	0.139	< -4.29	10.7	< 6.53	420096007
10/6/2017	< 1	< 1	< 1	< 1	< 1	11	21.9	0.249	< 8.2	16.1	< 1.81	434592007
4/9/2018	< 1	< 1	< 1	< 1	< 1	10.8	18.4	0.182	< 10	< 7.56	< 0.551	447581005
4/9/2018	< 1	< 1	< 1	< 1	< 1	8.39	15.3	0.162	< 7.02	12.8	< 15.9	447581007
10/11/2018	< 1	< 1	< 1	< 1	< 1	3.64	6.4	0.124	< 2.55	< 5.25	< -7.53	461582007
4/2/2019	< 1	< 1	< 1	< 1	< 1	3.54	6.23	0.0902	< 5.71	< 3.96	< 11.9	475418007
10/17/2019	< 1	< 1	< 1	< 1	< 1	0.418	1.24	0.0926	< 0.0322	< 1.56	< -12.9	493426007
4/28/2020	< 1	< 1	< 1	< 1	< 1	2.6	5.75	0.142	< 9.59	11.5	< 1.77	510274005
10/21/2020	< 1	< 1	< 1	< 1	< 1	4.27	10	0.117	< 7.99	15.9	< -4	525049007
4/7/2021	< 1	< 1	< 1	< 1	< 1	3.27	5.67	0.121	< 1.32	6.79	< -4.46	540119005
10/13/2021	< 1	< 1	< 1	< 1	< 1	0.789	1.73	0.0605	< 1.23	< 3.77	< -7.45	558863007

C-16

APPENDIX D

ADMINISTRATIVE RECORD, POST-DECISION RECORD, AND ADMINISTRATIVE RECORD REFERENCE INDICES

THIS PAGE INTENTIONALLY LEFT BLANK

Paducah Documents Added to the Post-Decision Files-Fourth Quarter CY2021

Document Status	Document Date	Document ID	Title	Author Affiliation	To Affiliation	Name	Date Added
C400SOURCE-PD	9/30/2021	SA-FY21-0085	SELF-ASSESSMENT REPORT - C-400 AND NORTH-SOUTH DIVERSION DITCH (NSDD) LAND USE CONTROL IMPLEMENTATION PLAN (LUCIP) IMPLEMENTATION - FISCAL YEAR 2022 SITE MANAGEMENT PLAN	FRNP	N/A	INF-RECMGMT-SA-FY21-0085-SELF ASSESS REP C400 NSDD LUCIP-2021-09-30	10/18/2021
NEP PT-PD	12/6/2021	PPPO-02-10012927-22C DOE/LX/07-2470&D1	TRANSMITTAL OF THE OPERATION AND MAINTENANCE PLAN FOR THE NORTHEAST PLUME CONTAINMENT SYSTEM INTERIM REMEDIAL ACTION AT THE PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY, DOE/LX/07-2470&D1 (PREVIOUSLY DOE/OR/07-1535&D3/R8)	DOE	KDEP, USEPA-4	INF-RECMGMT-PPPO-02-10012927-22C-OP MAIN NE PLUME-2021-12-06	12/16/2021
NSDD-PD	9/30/2021	CP4-ES-0041-F03	WALKTHROUGH CHECKLIST- NORTH-SOUTH DIVERSION DITCH (WEEKLY) - SEPTEMBER 2021	FRNP	N/A	INF-RECMGMT-CP4-ES-0041-F03-CHECKLIST NORTH SOUTH DITCH-2021-09-30	10/18/2021
NSDD-PD	9/13/2021	CP4-ES-0041-F06	WALKTHROUGH CHECKLIST- NORTH-SOUTH DIVERSION DITCH (ANNUAL) 2021	FRNP	N/A	INF-RECMGMT-CP4-ES-0041-F06-CHECKLIST NORTH SOUTH DITCH-2021-09-13	10/18/2021
NSDD-PD	9/30/2021	SA-FY21-0085	SELF-ASSESSMENT REPORT - C-400 AND NORTH-SOUTH DIVERSION DITCH (NSDD) LAND USE CONTROL IMPLEMENTATION PLAN (LUCIP) IMPLEMENTATION - FISCAL YEAR 2022 SITE MANAGEMENT PLAN	FRNP	N/A	INF-RECMGMT-SA-FY21-0085-SELF ASSESS REP C400 NSDD LUCIP-2021-09-30	10/18/2021
NSDD-PD	10/28/2021	CP4-ES-0041-F03	WALKTHROUGH CHECKLIST - NORTH-SOUTH DIVERSION DITCH (WEEKLY)	FRNP	N/A	INF-RECMGMT-CP4-ES-0041-F03-N-S DITCH WALKTHROUGH-2021-10-28	11/17/2021
NSDD-PD	10/25/2021	CP4-ES-0041-F07	WALKTHROUGH CHECKLIST - NORTH-SOUTH DIVERSION DITCH (STORM EVENT)	FRNP	N/A	INF-RECMGMT-CP4-ES-0041-F07-NW DITCH STORM WALKTHROUGH-2021-10-25	11/17/2021
NSDD-PD	10/26/2021	CP4-ES-0041-F20	WINTERIZATION CHECKLIST - NORTH-SOUTH DIVERSION DITCH (WEEKLY) OCTOBER THROUGH MARCH ONLY	FRNP	N/A	INF-RECMGMT-CP4-ES-0041-F20-NS DITCH WINTERIZATION-2021-10-26	11/17/2021

D-3

Paducah Documents Added to the Post-Decision Files-Fourth Quarter CY2021

Document Status	Document Date	Document ID	Title	Author Affiliation	To Affiliation	Name	Date Added
NWP PT-PD	10/12/2021	PPPO-02-10017164-22 DOE/LX/07-2469&D2	EXTENSION REQUEST FOR SUBMITTAL OF THE OPERATION AND MAINTENANCE PLAN FOR THE NORTHWEST PLUME GROUNDWATER SYSTEM INTERIM REMEDIAL ACTION AT THE PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY, DOE/LX/07-2469&D2	USEPA-4	KDEP, USEPA-4	INF-RECMGMT-PPPO-02-10017164-22-OP MAIN NW PLUME-2021-10-12	10/18/2021
NWP PT-PD	10/20/2021	PPPO-02-10017203-22B DOE/LX/07-2469&D2	TRANSMITTAL OF THE OPERATION AND MAINTENANCE PLAN FOR THE NORTHWEST PLUME GROUNDWATER SYSTEM INTERIM REMEDIAL ACTION AT THE PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY DOE/LX/07-2469&D2	DOE	KDEP, USEPA-4	INF-RECMGMT-PPPO-02-10017203-22B-NW PLUME OP MAIN-2021-10-20	11/17/2021
NWP PT-PD	11/19/2021	FR-22-0607	EXTENSION REQUEST FOR SUBMITTAL OF COMMENTS TO THE OPERATION AND MAINTENANCE PLAN FOR THE NORTHWEST PLUME GROUNDWATER SYSTEM INTERIM REMEDIAL ACTION (2469&D1) PADUCAH SITE PADUCAH, MCCracken COUNTY, KENTUCKY KY8-890-008-982	KDEP	DOE	INF-RECMGMT-FR-22-0607-OP MAIN NW PLUME EXTENSION-2021-11-19	12/16/2021
NWP PT-PD	12/10/2021	FR-22-0621	APPROVAL OF THE OPERATION AND MAINTENANCE PLAN FOR THE NORTHWEST PLUME GROUNDWATER SYSTEM INTERIM REMEDIAL ACTION (2469&D2) PADUCAH SITE PADUCAH, MCCracken COUNTY, KENTUCKY KY8-890-008-982	KDEP	DOE	INF-RECMGMT-FR-22-0621-OP MAIN NW PLUME GROUND-2021-12-10	12/16/2021
NWP PT-PD	12/10/2021	FR-22-0622 DOE/LX/07-2469&D2	U.S. ENVIRONMENTAL PROTECTION AGENCY ACKNOWLEDGEMENT OF RECEIPT AND REVIEW FOR THE OPERATION AND MAINTENANCE PLAN FOR THE NORTHWEST PLUME GROUNDWATER SYSTEM (DOE/LX/07-2469&D2)	USEPA-4	DOE	INF-RECMGMT-FR-22-0622-EPA ACK OP MAIN NW PLUME-2021-12-10	12/16/2021
SWP-PD	9/14/2021	CP4-ES-0041-F17	QUARTERLY SOUTHWEST (SW) PLUME SOLID WASTE MANAGEMENT UNIT (SWMU) INSPECTIONS - SEPTEMBER 2021	FRNP	N/A	INF-RECMGMT-CP4-ES-0041-F17-SW PLUME SWMU INSPECT-2021-09-14	10/18/2021
SWP-PD	09/23/21	PPPO-02-10016870-21 DOE/LX/07-2443&D2	PADUCAH FEDERAL FACILITY AGREEMENT-MINOR MODIFICATION TO EXTEND THE TIME PERIOD FOR INFORMAL DISPUTE RESOLUTION RELATED TO THE REMEDIAL ACTION WORK PLAN FOR SOLID WASTE MANAGEMENT UNIT 211-A ENHANCED IN SITU BIOREMEDIATION FOR VOLATILE ORGANIC COMPOUND SOURCES TO THE SOUTHWEST GROUNDWATER PLUME AT THE PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY, DOE/LX/07-2443&D2	USEPA-4	KDEP, USEPA-4	INF-RECMGMT-PPPO-02-10016870-21-SWMU 211A SW PLUME-2021-09-23	10/18/2021

D-4

Paducah Documents Added to the Post-Decision Files-Fourth Quarter CY2021

Document Status	Document Date	Document ID	Title	Author Affiliation	To Affiliation	Name	Date Added
SWP-PD	10/04/21	PPPO-02-10016872-21 DOE/LX/07-2443&D2	PADUCAH FEDERAL FACILITY AGREEMENT-SIGNED MEMORANDUM OF AGREEMENT FOR RESOLUTION OF INFORMAL DISPUTE CONCERNING U.S. ENVIRONMENTAL PROTECTION AGENCY CONDITIONAL CONCURRENCE ON THE REMEDIAL ACTION WORK PLAN FOR SOLID WASTE MANAGEMENT UNIT 211-A ENHANCED IN SITU BIOREMEDIATION FOR VOLATILE ORGANIC COMPOUND SOURCES TO THE SOUTHWEST GROUNDWATER PLUME	USEPA-4	KDEP, USEPA-4	INF-RECMGMT-PPPO-02-10016872-21-SWMU 211A SW PLUME-2021-10-04	10/18/2021
SWP-PD	09/28/21	SA-FY21-0086	SELF-ASSESSMENT REPORT - SOUTHWEST (SW) PLUME LAND USE CONTROL(LUC) IMPLEMENTATION - FISCAL YEAR 2021 SITE MANAGEMENT PLAN	FRNP	USEPA-4	INF-RECMGMT-SA-FY21-0086-SELF ASSESS SW PLUME LUC-2021-09-28	10/18/2021
SWP-PD	11/03/21	PPPO-02-10017070-22B DOE/LX/07-2443&D2/R1	TRANSMITTAL OF THE REMEDIAL ACTION WORK PLAN FOR SOLID WASTE MANAGEMENT UNIT 211-A ENHANCED IN SITU BIOREMEDIATION FOR VOLATILE ORGANIC COMPOUND SOURCES TO THE SOUTHWEST GROUNDWATER PLUME AT THE PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY, DOE/LX/07-2443&D2/R1	DOE	KDEP, USEPA-4	INF-RECMGMT-PPPO-02-10017070-22B-SWMU 211A PLUME-2021-11-03	11/17/2021
SWP-PD	11/18/2021	FR-22-0605 DOE/LX/07-2443&D2/R1	U.S. ENVIRONMENTAL PROTECTION AGENCY CONDITIONS FOR APPROVAL FOR THE REMEDIAL ACTION WORK PLAN FOR SOLID WASTE MANAGEMENT UNIT 211-A ENHANCED IN-SITU BIOREMEDIATION FOR VOLATILE ORGANIC COMPOUND SOURCES TO THE SOUTHWEST GROUNDWATER PLUME AT THE PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY (DOE/LX/07-2443&D2/R1) TRANSMITTAL DATE OF NOVEMBER 2, 2021	USEPA-4	DOE	INF-RECMGMT-FR-22-0605-EPA COND SWMU 211A SW PLUME-2021-11-18	12/16/2021
SWP-PD	11/19/21	FR 22-0606 DOE/LX/07-2443&D2/R1	KENTUCKY APPROVAL OF THE REMEDIAL ACTION WORK PLAN FOR SOLID WASTE MANAGEMENT UNIT 211-A ENHANCED IN SITU BIOREMEDIATION FOR VOLATILE ORGANIC COMPOUND SOURCES TO THE SOUTHWEST GROUNDWATER PLUME (DOE/LX/07-2443&D2/R1)	KDEP	DOE	INF-RECMGMT-FR-22-0606-KY APP SWMU 211A SW PLUME-2021-11-19	12/16/2021

D-5

Paducah Documents Added to the Administrative Record Reference Files-Fourth Quarter CY2021

Document Status	Document Date	Document ID	Title	Author Affiliation	To Affiliation	Name	Date Added
ARF ARR	1/28/2004	2004-01-28	REQUEST FOR SUBMITTAL OF SOLID WASTE MANAGEMENT ASSESSMENT REPORTS FOR UNIDENTIFIED SOLID WASTE MANAGEMENT UNITS AT THE PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY MCCracken COUNTY KY8-890-008-982	KDEP	DOE, BECHTEL	INF-RECMGMT-2004-01-28-SOLID WASTE MGMT ASSESS REP-2004-01-28	10/18/2021
ARF ARR	3/1/2004	2004-03-01	REQUEST FOR SUBMITTAL OF SOLID WASTE MANAGEMENT ASSESSMENT REPORTS FOR UNIDENTIFIED SOLID WASTE MANAGEMENT UNITS AT THE PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY MCCracken COUNTY KY8-890-008-982	KDEP	DOE, BECHTEL	INF-RECMGMT-2004-03-01-SOLID WASTE MGMT ASSESS REP-2004-03-01	10/18/2021
ARF ARR	9/21/2021	FR-21-0582 DOE/LX/07-2463&D2	APPROVAL OF THE SITE EVALUATION REPORT FOR THE C-611-P BUILDING – PUMP HOUSE AT THE PADUCAH GASEOUS DIFFUSION PLANT (2463&D2) PADUCAH SITE PADUCAH, MCCracken COUNTY,	KDEP	DOE	INF-RECMGMT-FR-21-0582-SITE EVAL REP C611P BLDG-2021-09-21	10/18/2021
ARF ARR	9/21/2021	FR-21-0583 DOE/LX/07-2464&D2	APPROVAL OF THE SITE EVALUATION REPORT FOR THE C-611-T BOOSTER PUMP STATION PLANT WATER AT THE PADUCAH GASEOUS DIFFUSION PLANT (2464&D2) PADUCAH SITE PADUCAH, MCCracken COUNTY, KENTUCKY KY8-890-008-982	KDEP	DOE	INF-RECMGMT-FR-21-0583-SITE EVAL REP C611-T PUMP STATION-2021-09-21	10/18/2021
ARF ARR	9/21/2021	FR-21-0584 DOE/LX/07-2464&D2	U.S. ENVIRONMENTAL PROTECTION AGENCY ACKNOWLEDGEMENT OF RECEIPT AND REVIEW FOR THE SITE EVALUATION REPORT FOR THE C-611-T BOOSTER PUMP STATION WATER PLANT AT THE PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY, DOE/LX/07-2464&D2	USEPA-4	DOE	INF-RECMGMT-FR-21-0584-EPA SITE EVAL REP C611T-2021-09-21	10/18/2021
ARF ARR	9/21/2021	FR-21-0585 DOE/LX/07-2463&D2	U. S. ENVIRONMENTAL PROTECTION AGENCY ACKNOWLEDGEMENT OF RECEIPT AND REVIEW FOR THE SITE EVALUATION REPORT FOR THE C-611-P BUILDING - PUMP HOUSE AT THE PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY (DOE/LX/07-2463&D2)	USEPA-4	DOE	INF-RECMGMT-FR-21-0585-EPA SITE EVAL REP-C611P BLDG-2021-09-21	10/18/2021
ARF ARR	9/20/2021	PPPO-02-10016708-21 DOE/LX/07-2463&D2	TRANSMITTAL OF THE SITE EVALUATION REPORT FOR THE C-611-P BUILDING-PUMP HOUSE AT THE PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY, DOE/LX/07-2463&D2	USEPA-4	KDEP, USEPA-4	INF-RECMGMT-PPPO-02-10016708-21-SITE EVAL REP C611P-2021-09-20	10/18/2021
ARF ARR	10/12/2021	PPPO-02-10016923-22	PADUCAH FEDERAL FACILITY AGREEMENT FISCAL YEAR 2021 FUNDING ALLOCATION EVALUATION	USEPA-4	KDEP, USEPA-4	INF-RECMGMT-PPPO-02-10016923-22-FFA FUNDING ALLOCATION-2021-10-12	10/18/2021
ARF ARR	10/12/2021	PPPO-02-10017032-22	PADUCAH FEDERAL FACILITY AGREEMENT BUDGET NOTIFICATION-CONTINUING RESOLUTION	USEPA-4	KDEP, USEPA-4	INF-RECMGMT-PPPO-02-10017032-22-FFA CONTINUING RESOLUTION-2021-10-12	10/18/2021
ARF ARR	10/13/2021	PPPO-02-10017061-22B	NOTIFICATION OF NEW SOLID WASTE MANAGEMENT UNIT 574 AT THE U.S. DEPARTMENT OF ENERGY PADUCAH SITE UNDER HAZARDOUS WASTE MANAGEMENT FACILITY PERMIT NUMBER KY8-890-008-982, AGENCY INTEREST NUMBER 3059	USEPA-4	KDEP	INF-RECMGMT-PPPO-02-10017061-22B-NEW SWMU 574-2021-10-13	10/18/2021
ARF ARR	2/17/2004	PPPO-02-501-04	RESPONSE TO REQUEST FOR SUBMITTAL OF SOLID WASTE MANAGEMENT UNIT ASSESSMENT REPORTS FOR UNIDENTIFIED SOLID WASTE MANAGEMENT UNITS AT THE PADUCAH GASEOUS DIFFUSION PLANT, MCCracken COUNTY, KENTUCKY, PERMIT NUMBER KY8-890-	USEPA-4	KDEP	INF-RECMGMT-PPPO-02-501-04-SWMU ASSESS REP-2004-02-17	10/18/2021
ARF ARR	9/29/2021	PPPO-02-10013169-21B DOE/LX/07-2471&D1	TRANSMITTAL OF THE PLANT INDUSTRIAL AREA VAPOR INTRUSION PRELIMINARY RISK ASSESSMENT REPORT, PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY, DOE/LX/07-2471&D1	USEPA-4	KDEP, USEPA-4	INF-RECMGMT-PPPO-02-10013169-21B-VAPOR INSTRUS RISK ASSESS-2021-09-29	10/18/2021

Paducah Documents Added to the Administrative Record Reference Files-Fourth Quarter CY2021

Document Status	Document Date	Document ID	Title	Author Affiliation	To Affiliation	Name	Date Added
ARF ARR	9/20/2021	PPPO-02-10016705-21 DOE/LX/07-2464&D2	TRANSMITTAL OF THE SITE EVALUATION REPORT FOR THE C-611-T BOOSTER PUMP STATION PLANT WATER AT THE PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY, DOE/LX/07-2464&D2	USEPA-4	KDEP, USEPA-4	INF-RECMGMT-PPPO-02-10016705-21-C611T SITE EVAL REP-2021-09-20	10/18/2021
ARF ARR	6/7/2021	FR-21-0556	STATUS AND PATH FORWARD FOR THE DEPARTMENT OF ENERGY'S EVALUATION OF PER- AND POLYFLUOROALKYL SUBSTANCES AT THE PADUCAH SITE	USEPA-4	DOE	INF-RECMGMT-FR-21-0556-PFAS EVAL-2021-06-07	11/17/2021
ARF ARR	10/26/2021	PPPO-02-10015447-22	RESPONSE TO REQUEST FOR STATUS AND PATH FORWARD FOR THE DEPARTMENT OF ENERGY'S EVALUATION OF PER- AND POLYFLUOROALKYL SUBSTANCES AT THE PADUCAH SITE	DOE	USEPA-4	INF-RECMGMT-PPPO-02-10015447-22-PFAS EVAL-2021-10-26	11/17/2021
ARF ARR	10/15/2021	PPPO-02-10017003-22	C-411 CELL MAINTENANCE ROOM SUMP SOLID WASTE MANAGEMENT UNIT (SWMU) ASSESSMENT REPORT (DOE/LX/07-2438&D1/R1) FOR SOLID WASTE MANAGEMENT UNIT 513, HAZARDOUS WASTE MANAGEMENT FACILITY PERMIT NUMBER KY8-890-008- 982, AGENCY INTEREST	DOE	KDEP, USEPA-4	INF-RECMGMT-PPPO-02-10017003-22-C411 SWMU ASSESS REP-2021-10-15	11/17/2021
ARF ARR	11/8/2021	PPPO-02-10018409-22	UPDATED LISTING OF MEMORANDUMS OF AGREEMENT RESULTING FROM PADUCAH FEDERAL FACILITY AGREEMENT FORMAL DISPUTE RESOLUTIONS, INFORMAL DISPUTE RESOLUTIONS, AND RESOLUTIONS OF OTHER FEDERAL FACILITY AGREEMENT PROJECTS	DOE	KDEP, USEPA-4	INF-RECMGMT-PPPO-02-10018409-22-FFA MOA-2021-11-08	11/17/2021
ARF ARR	11/16/2021	FR-22-0598	CONCURRENCE WITH THE C-404 HAZARDOUS WASTE LANDFILL ALTERNATE SOURCE DEMONSTRATION - SOURCE OF TECHNETIUM-99 IN MW84A (FRNP-RPT-0206) PADUCAH SITE PADUCAH, MCCRACKEN	KDEP	DOE	INF-RECMGMT-FR-22-0598-C04 LANDFILL TC99-2021-11-16.pdf	12/16/2021
ARF ARR	11/17/2021	FR-22-0601 DOE/LX/07-2467&D1	SUBMITTAL OF A COMMENT TO THE SITE EVALUATION REPORT FOR THE C-611 WATER TREATMENT PLANT ANCILLARY FACILITIES (DOE/LX/07-2467&D1) PADUCAH SITE PADUCAH, MCCRACKEN COUNTY, KENTUCKY #KY8-890-008-982	KDEP	DOE	INF-RECMGMT-FR-22-0601-SITE EVAL REP C611-2021-11-17.pdf	12/16/2021
ARF ARR	11/17/2021	FR-22-0604 DOE/LX/07-2467&D1	U.S. ENVIRONMENTAL PROTECTION AGENCY ACKNOWLEDGEMENT OF RECEIPT AND REVIEW FOR THE SITE EVALUATION REPORT FOR THE SITE EVALUATION REPORT FOR THE C-611 WATER TREATMENT PLANT	USEPA-4	DOE	INF-RECMGMT-FR-22-0604-EPA ACK SITE EVAL REP C611-2021-11-17.pdf	12/16/2021
ARF ARR	11/23/2021	FR-22-0608	ACKNOWLEDGEMENT OF THE REVISED SOLID WASTE MANAGEMENT UNIT (SWMU) ASSESSMENT REPORT (SAR) FOR SOLID WASTE MANAGEMENT UNIT 20 (2476&D1) PADUCAH SITE PADUCAH, MCCRACKEN COUNTY, KENTUCKY KY8-890-008-982	KDEP	DOE	INF-RECMGMT-FR-22-0608-KDWM ACK SWMU ASSESS REP SWMU20-2021-11-23	12/16/2021
ARF ARR	11/23/2021	FR-22-0609	ACKNOWLEDGEMENT OF THE REVISED SOLID WASTE MANAGEMENT UNIT (SWMU) ASSESSMENT REPORT (SAR) FOR SOLID WASTE MANAGEMENT UNIT 513 (2438&D1/R1) PADUCAH SITE PADUCAH, MCCRACKEN COUNTY, KENTUCKY KY8-890-008-982	KDEP	DOE	INF-RECMGMT-FR-22-0609-ACK SWMU ASSESS REP SWMU513-2021-11-23	12/16/2021
ARF ARR	8/17/2021	PPPO-02-10014280-21C	"C-404 HAZARDOUS WASTE LANDFILL ALTERNATE SOURCE DEMONSTRATION - SOURCE OF TECHNETIUM-99 IN MW 84A AT THE PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY, HAZARDOUS WASTE MANAGEMENT FACILITY PERMIT NUMBER KY8-890-	DOE	KDEP	INF-RECMGMT-PPPO-02-10014280-21C-C404 LANDFILL TC99-2021-08-17	12/16/2021
ARF ARR	11/16/2021	PPPO-02-10017176-22 DOE/LX/07-2476&D1	C-410-E HYDROGEN FLUORIDE (HF) EMERGENCY HOLDING POND SOLID WASTE MANAGEMENT UNIT (SWMU) ASSESSMENT REPORT, DOE/LX/07-2476&D1, SOLID WASTE MANAGEMENT UNIT 20, HAZARDOUS WASTE MANAGEMENT FACILITY PERMIT NO. KY8-890-008-982, AGENCY	DOE	KDEP, USEPA-4	INF-RECMGMT-PPPO-02-10017176-22-C410E HF POND-2021-11-16	12/16/2021

Paducah Documents Added to the Administrative Record Reference Files-Fourth Quarter CY2021

Document Status	Document Date	Document ID	Title	Author Affiliation	To Affiliation	Name	Date Added
ARF ARR	11/15/2021	PPPO-02-10017310-22 DOE/LX/07-2473&D1	TRANSMITTAL OF THE D1 SITE MANAGEMENT PLAN, PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY, ANNUAL REVISION—FISCAL YEAR 2022, DOE/LX/07-2473&D1	DOE	KDEP, USEPA-4	INF-RECMGMT-PPPO-02-10017310-22-D1 SITE MGMT PLAN-2021-11-15	12/16/2021

Paducah Documents Added to the Post-Decision Files-First Quarter CY2022

Document Status	Document Date	Document ID	Title	Author Affiliation	To Affiliation	Name	Date Added
NEP PT-PD	3/6/2016	N/A	U.S. DEPARTMENT OF ENERGY PUBLIC NOTICE - EXPLANATION OF SIGNIFICANT DIFFERENCES TO THE RECORD OF DECISION FOR THE INTERIM REMEDIAL ACTION FOR THE NORTHEAST PLUME AT THE PADUCAH GASEOUS DIFFUSION PLANT - THE PADUCAH SUN 3/6/2016	DOE	RESIDENT	INF-RECMGMT-PAD SUN SIGN DIF REC NE PLUME-2016-03-06	2/17/2022
NEP PT-PD	3/10/2022	FR-22-0668 DOE/LX/07-2470&D1	APPROVAL OF THE OPERATION AND MAINTENANCE PLAN FOR THE NORTHEAST PLUME CONTAINMENT SYSTEM INTERIM REMEDIAL ACTION (DOE/LX/07-2470&D1) PADUCAH SITE PADUCAH, MCCracken COUNTY, KENTUCKY #KY8-890-008-982	KDEP	DOE	INF-RECMGMT-FR-22-0668-OP MAIN PLAN NE PLUME-2022-03-10	3/16/2022
NEP PT-PD	3/10/2022	FR-22-0669 DOE/LX/07-2470&D1	U.S. ENVIRONMENTAL PROTECTION AGENCY ACKNOWLEDGEMENT OF RECEIPT AND REVIEW FOR THE OPERATION AND MAINTENANCE PLAN FOR THE NORTHEAST PLUME GROUNDWATER SYSTEM (DOE/LX/07-2470&D1)	EPA	DOE	INF-RECMGMT-FR-22-0669-EPA ACK OP MAIN PLAN NE PLUME-2022-03-10	3/16/2022
NSDD-PD	12/28/2021	CP4-ES-0041-F03	WALKTHROUGH CHECKLIST - NORTH-SOUTH DIVERSION DITCH (WEEKLY) DECEMBER 2021	FRNP	N/A	INF-RECMGMT-CP4-ES-0041-F03-WALKTHROUGH CHECKLIST NSDD-2021-12-28	1/18/2022
NSDD-PD	12/16/21	CPD-ES-0041-F07	WALKTHROUGH CHECKLIST - NORTH-SOUTH DIVERSION DITCH (STORM EVENT) DECEMBER 2021	FRNP	N/A	INF-RECMGMT-CP4-ES-0041-F07-WALKTHROUGH NSDD STORM-2021-12-16	1/18/2022
NSDD-PD	12/28/21	CP4-ES-0041-F20	WINTERIZATION CHECKLIST - NORTH-SOUTH DIVERSION DITCH (WEEKLY) DECEMBER 2021	FRNP	N/A	INF-RECMGMT-CP4-ES-0041-F20-WINTERIZATION NSDD DEC-2021-12-28	1/18/2022
NSDD-PD	1/27/2022	CP4-ES-0041-F03	WALKTHROUGH CHECKLIST - NORTH-SOUTH DIVERSION DITCH (WEEKLY) - JANUARY 2022	N/A	FRNP	INF-RECMGMT-CP4-ES-0041-F03-WALKTHROUGH CHECK NSDD-2022-01-27	2/17/2022
NSDD-PD	1/10/2022	CP4-ES-0041-F07	WALKTHROUGH CHECKLIST - NORTH-SOUTH DIVERSION DITCH (STORM EVENT) - JANUARY 2022	N/A	FRNP	INF-RECMGMT-CP4-ES-0041-F07-WALKTHROUGH CHECK NSDD-2022-01-10	2/17/2022
NSDD-PD	1/26/2022	CP4-ES-0041-F20	WINTERIZATION CHECKLIST - NORTH-SOUTH DIVERSION DITCH (WEEKLY) - JANUARY 2022	N/A	FRNP	INF-RECMGMT-CP4-ES-0041-F20-WINTERIZATION NSDD-2022-01-26	2/17/2022
NSDD-PD	2/23/2022	CP4-ES-0041-F03	WALKTHROUGH CHECKLIST - NORTH-SOUTH DIVERSION DITCH (WEEKLY) FEBRUARY 2022	FRNP	N/A	INF-RECMGMT-CP4-ES-0041-F03-WALKTHROUGH NSDD WEEKLY FEB-2022-02-23	3/16/2022

D-9

Paducah Documents Added to the Post-Decision Files-First Quarter CY2022

Document Status	Document Date	Document ID	Title	Author Affiliation	To Affiliation	Name	Date Added
NSDD-PD	2/28/2022	CP4-ES-0041-F04	WALKTHROUGH CHECKLIST - NORTH-SOUTH DIVERSION DITCH (QUARTERLY) FEBRUARY 2022	FRNP	N/A	INF-RECMGMT-CP4-ES-0041-F04-WALKTHROUGH NSDD QUART-2022-02-28	3/16/2022
NSDD-PD	2/28/2022	CP4-ES-0041-F05	WALKTHROUGH CHECKLIST - NORTH-SOUTH DIVERSION DITCH SURGE BASIN/CONCRETE DITCH (SEMI-ANNUAL) FEBRUARY 2022	FRNP	N/A	INF-RECMGMT-CP4-ES-0041-F05-WALK NSDD SURGE BASIN DITCH-2022-02-28	3/16/2022
NSDD-PD	2/22/2022	CP4-ES-0041-F07	WALKTHROUGH CHECKLIST - NORTH-SOUTH DIVERSION DITCH (STORM EVENT) FEBRUARY 2022	FRNP	N/A	INF-RECMGMT-CP4-ES-0041-F07-WALKTHROUGH NSDD STORM FEB-2022-02-22	3/16/2022
NSDD-PD	2/23/2022	CP4-ES-0041-F20	WINTERIZATION CHECKLIST - NORTH-SOUTH DIVERSION DITCH (WEEKLY) FEBRUARY 2022	FRNP	N/A	INF-RECMGMT-CP4-ES-0041-F20-WINTERIZATION NSDD FEB-2022-02-23	3/16/2022
SWP-PD	12/17/21	FR-22-0628 DOE/LX/07-2443&D2/R2	KENTUCKY APPROVAL OF THE REMEDIAL ACTION WORK PLAN FOR SOLID WASTE MANAGEMENT UNIT 211-A ENHANCED IN SITU BIOREMEDIATION FOR VOLATILE ORGANIC COMPOUND SOURCES TO THE SOUTHWEST GROUNDWATER PLUME (DOE/LX/07-2443&D2/R2) PADUCAH SITE PADUCAH, MCCracken COUNTY, KENTUCKY #KY8 800 008 082	KDEP	DOE	INF-RECMGMT-FR-22-0628-KDEP SWMU 211A SW PLUME-2021-12-17	1/18/2022
SWP-PD	12/21/21	FR-22-0629 DOE-LX/07-2443&D2/R2	U.S. ENVIRONMENTAL PROTECTION AGENCY ACKNOWLEDGEMENT OF RECEIPT AND CONCURRENCE FOR THE D2/R2 REMEDIAL ACTION WORK PLAN FOR THE SOLID WASTE MANAGEMENT UNIT 211-A ENHANCED IN SITU BIOREMEDIATION FOR VOLATILE ORGANIC COMPOUND SOURCES TO THE SOUTHWEST GROUNDWATER PLUME AT THE PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY, DOE/LX/07-2443&D2/R2	USEPA-4	DOE	INF-RECMGMT-FR-22-0629-EPA ACK SWMU 211A PLUME-2021-12-21	1/18/2022
SWP-PD	12/16/2021	PPPO-02-10018761-22B DOE/LC/07-2443&D3/R2	TRANSMITTAL OF THE REMEDIAL ACTION WORK PLAN FOR SOLID WASTE MANAGEMENT UNIT 211-A ENHANCED IN SITU BIOREMEDIATION FOR VOLATILE ORGANIC COMPOUND SOURCES TO THE SOUTHWEST GROUNDWATER PLUME AT THE PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY, DOE/LX/07-2443&D3/R2	DOE	KDEP USEPA-4	INF-RECMGMT-PPPO-02-10018761-22B-SWMU 211 A PLUME-2021-12-16	1/18/2022
SWP-PD	2/12/2022	N/A	U.S. DEPARTMENT OF ENERGY PUBLIC NOTICE REMEDIAL ACTION SELECTION FOR SOLID WASTE MANAGEMENT UNIT 211-A OF THE SOUTHWEST PLUME SOURCES AT THE PADUCAH GASEOUS DIFFUSION PLANT SITE (GROUNDWATER OPERABLE UNIT) - PUBLIC NOTICE THE PADUCAH SUN 2/12/2022	DOE	RESIDENT	INF-RECMGMT-PAD SUN SWMU 211A SW PLUME-2022-02-12	2/17/2022
WP-PD	3/1/2022	N/A	INFORMATIONAL BROCHURE PADUCAH GASEOUS DIFFUSION PLANT DEPARTMENT OF ENERGY WATER POLICY RESIDENTS AND BUSINESSES - MARCH 2022	DOE	RESIDENT	INF-RECMGMT-INFO BROCHURE WATER POLICY-	3/16/2022

Paducah Documents Added to the Administrative Record Reference Files-First Quarter CY2022

Document Status	Document Date	Document ID	Title	Author Affiliation	To Affiliation	Name	Date Added
ARF ARR	12/10/2021	FR-22-0619 DOE/LX/07-2473&D1	U.S. ENVIRONMENTAL PROTECTION AGENCY ACKNOWLEDGEMENT OF RECEIPT AND REVIEW FOR THE D1 FISCAL YEAR 2022 SITE MANAGEMENT PLAN FOR THE PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY, DOE/LX/07-2473&D1	USEPA-4	DOE	INF-RECMGMT-FR-22-0619-EPA ACK SITE MGMT PLAN-2021-12-10	1/6/2022
ARF ARR	12/10/2021	FR-22-0620 DOE/LX/07-2473&D1	SUBMITTAL OF COMMENTS TO THE FISCAL YEAR 2022 SITE MANAGEMENT PLAN (DOE/LX/07-2473&D1)	KDEP	DOE	INF-RECMGMT-FR-22-0620-KDEP SITE MGMT PLAN-2021-12-10	1/6/2022
ARF ARR	12/17/2021	FR-22-0625 DOE/LX/07-2473&D2	APPROVAL OF THE FISCAL YEAR 2022 SITE MANAGEMENT PLAN (DOE/LX/07-2473&D2) PADUCAH SITE PADUCAH, MCCracken COUNTY, KENTUCKY #KY8-890-008-982	KDEP	DOE	INF-RECMGMT-FR-22-0625-APPROVAL SITE MGMT PLAN-2021-12-17	1/18/2022
ARF ARR	12/17/2021	FR-22-0626 DOE/LX/07-2473&D2	U.S. ENVIRONMENTAL PROTECTION AGENCY ACKNOWLEDGEMENT OF RECEIPT AND CONCURRENCE FOR THE D2 FISCAL YEAR 2022 SITE MANAGEMENT PLAN FOR THE PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY, DOE/LX/07-2473&D2	USEPA-4	DOE	INF-RECMGMT-FR-22-0626-EPA ACK D2 SITE MGMT PLAN-2021-12-17	1/18/2022
ARF ARR	12/21/2021	FR-22-0630 DOE/LX/07-2471&D1	U.S. ENVIRONMENTAL PROTECTION AGENCY ACKNOWLEDGEMENT OF RECEIPT AND REVIEW FOR THE D1 PLANT INDUSTRIAL AREA VAPOR INTRUSION PRELIMINARY RISK ASSESSMENT REPORT FOR THE PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY, DOE/LX/07-2471&D1	USEPA-4	DOE	INF-RECMGMT-FR-22-0630-EPA ACK D1 RISK ASSESS-2021-12-21	1/18/2022
ARF ARR	12/21/2021	FR-22-0631 DOE/LX/07-2467&D2	APPROVAL OF THE SITE EVALUATION REPORT FOR THE C-611 WATER TREATMENT PLANT ANCILLARY FACILITIES (DOE/LX/07-2467&D2) PADUCAH SITE PADUCAH, MCCracken COUNTY, KENTUCKY #KY8-890-008-982	KDEP	DOE	INF-RECMGMT-FR-22-0631-C611 SITE EVAL REP-2021-12-21	1/18/2022
ARF ARR	12/21/2021	FR-22-0632 DOE/LX/07-2467&D2	U.S. ENVIRONMENTAL PROTECTION AGENCY ACKNOWLEDGEMENT OF RECEIPT AND REVIEW FOR THE SITE EVALUATION REPORT FOR THE C-611 WATER TREATMENT PLANT ANCILLARY FACILITIES AT THE PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY, DOE/LX/07-2467&D2	USEPA-4	DOE	INF-RECMGMT-FR-22-0632-EPA ACK SITE EVAL REP C611-2021-12-21	1/18/2022
ARF ARR	3/1/1998	N/A	U.S. DEPARTMENT OF ENERGY PUBLIC NOTICE - THE U.S. DEPARTMENT OF ENERGY, IN CONJUNCTION WITH THE UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION IV AND THE COMMONWEALTH OF KENTUCKY, ANNOUNCES THE AVAILABILITY OF THE FEDERAL FACILITIES AGREEMENT (FFA) FOR THE PADUCAH GASEOUS DIFFUSION PLANT (PGDP) - THE PADUCAH SUN 3/1/1998	DOE	RESIDENT	INF-RECMGMT-PAD SUN PUBLIC NOTICE FFA-1998-03-01	1/18/2022
ARF ARR	1/10/2022	PPPO-02-10018692-22B DOE/LX/07-2477&D1	SITE EVALUATION REPORT [INTEGRATED REMOVAL/REMEDIAL SITE EVALUATION AND SOLID WASTE MANAGEMENT UNIT ASSESSMENT REPORT] FOR SOLID WASTE MANAGEMENT UNIT 574, C-709-A ACID NEUTRALIZATION VAULT, PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY, DOE/LX/07-2477&D1, HAZARDOUS WASTE MANAGEMENT FACILITY PERMIT NUMBER KY8-890-008-982, AGENCY INTEREST NUMBER 2060	DOE	KDEP USEPA-4	INF-RECMGMT-PPPO-02-10018692-22B-SITE EVAL REP SWMU 574-2022-01-10	1/18/2022
ARF ARR	12/16/2021	PPPO-02-10018745-22	PADUCAH FEDERAL FACILITY AGREEMENT BUDGET NOTIFICATION-CONTINUING RESOLUTION	DOE	KDEP USEPA-4	INF-RECMGMT-PPPO-02-10018745-22-PAD FFA BUDGET NOTIF-2021-12-16	1/18/2022
ARF ARR	12/16/2021	PPPO-02-10018748-22 DOE/LX/07-2467&D2	TRANSMITTAL OF THE SITE EVALUATION REPORT FOR THE C-611 WATER TREATMENT PLANT ANCILLARY FACILITIES AT THE PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY, DOE/LX/07-2467&D2	DOE	KDEP USEPA-4	INF-RECMGMT-PPPO-02-10018748-22-SITE EVAL REP C611-2021-12-16	1/18/2022
ARF ARR	12/16/2021	PPPO-02-10018869-22 DOE/LX/07-2473&D2	"TRANSMITTAL OF THE D2 SITE MANAGEMENT PLAN, PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY, ANNUAL REVISION-FISCAL YEAR 2022, DOE/LX/07-2473&D2"	DOE	KDEP USEPA-4	INF-RECMGMT-PPPO-02-10018869-22-SITE MGMT PLAN-2021-12-16	1/18/2022
ARF ARR	12/28/2021	FR-22-0633	SUBMITTAL OF COMMENTS TO THE PLANT INDUSTRIAL AREA VAPOR INTRUSION PRELIMINARY RISK ASSESSMENT REPORT, PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY (DOE/LX/07-2471&D1) PADUCAH SITE PADUCAH, MCCracken COUNTY, KENTUCKY #KY8-890-008-982	KDEP	DOE	INF-RECMGMT-FR-22-0633-COMMENTS VAP INTRU ASSESS-2021-12-28	2/17/2022

Paducah Documents Added to the Administrative Record Reference Files-First Quarter CY2022

Document Status	Document Date	Document ID	Title	Author Affiliation	To Affiliation	Name	Date Added
ARF ARR	1/13/2022	FR-22-0638 DOE/LX/07-2477&D1	APPROVAL OF THE SITE EVALUATION REPORT [INTEGRATED REMOVAL/REMEDIAL SITE EVALUATION AND SOLID WASTE MANAGEMENT UNIT ASSESSMENT REPORT] FOR SOLID WASTE MANAGEMENT UNIT 574, C-709-A ACID NEUTRALIZATION VAULT (DOE/LX/07-2477&D1) PADUCAH SITE PADUCAH, MCCRACKEN COUNTY, KENTUCKY #KY8-890-008-982	KDEP	DOE	INF-RECMGMT-FR-22-0638-SITE EVAL SWMU 574 C709A-2022-01-13	2/17/2022
ARF ARR	1/13/2022	FR-22-0639 DOE/LX/07-2477&D1	APPROVAL OF THE SOLID WASTE MANAGEMENT UNIT ASSESSMENT REPORT FOR THE C-709-A ACID NEUTRALIZATION VAULT (2477&D1) PADUCAH SITE PADUCAH, MCCRACKEN COUNTY, KENTUCKY KY8-890-008-982	KDEP	DOE	INF-RECMGMT-FR-22-0639-SWMU ASSESS REP C-709A-2022-01-13	2/17/2022
ARF ARR	1/13/2022	FR-22-0640 DOE/LX/07-2477&D1	U.S. ENVIRONMENTAL PROTECTION AGENCY ACKNOWLEDGEMENT OF RECEIPT AND REVIEW FOR THE SITE EVALUATION REPORT FOR SOLID WASTE MANAGEMENT UNIT 574 ALSO KNOWN AS C-709-A ACID NEUTRALIZATION VAULT, AT THE PADUCAH GASEOUS DIFFUSION PLANT PADUCAH KENTUCKY DOE/LX/07-2477&D1	USEPA-4	DOE	INF-RECMGMT-FR-22-0640-EPA ACK SITE EVAL SWMU 574-2022-01-13	2/17/2022
ARF ARR	1/27/2022	FR-22-0644	U.S. ENVIRONMENTAL PROTECTION AGENCY ACKNOWLEDGEMENT OF RECEIPT AND REVIEW FOR THE FEDERAL FACILITY AGREEMENT SEMIANNUAL PROGRESS REPORT FOR THE SECOND HALF OF FISCAL YEAR 2021, DOE/LX/07-2468/V2, TRANSMITTAL DATE OF OCTOBER 29, 2021	USEPA-4	DOE	INF-RECMGMT-FR-22-0644-EPA ACK FFA REP-2022-01-27	2/17/2022
ARF ARR	2/12/2022	FR-22-0653	U.S. ENVIRONMENTAL PROTECTION AGENCY ACKNOWLEDGEMENT OF RECEIPT AND REVIEW FOR THE D2 PLANT INDUSTRIAL AREA VAPOR INTRUSION PRELIMINARY RISK ASSESSMENT REPORT FOR THE PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY, DOE/LX/07-2471&D2	USEPA-4	DOE	INF-RECMGMT-FR-22-0653-EPA ACK D2 ASSESS REP-2022-02-12	2/17/2022
ARF ARR	2/14/2022	FR-22-0657 DOE/LX/07-2471&D2	APPROVAL OF THE PLANT INDUSTRIAL AREA VAPOR INTRUSION PRELIMINARY RISK ASSESSMENT REPORT, PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY (DOE/LX/07-2471&D2) PADUCAH SITE PADUCAH, MCCRACKEN COUNTY, KENTUCKY, #KY8-890-008-982	KDEP	DOE	INF-RECMGMT-FR-22-0657-VAP INTRUS ASSESS REP-2022-02-14	2/17/2022
ARF ARR	2/10/2022	PPPO-02-10018973-22B	TRANSMITTAL OF THE PLANT INDUSTRIAL AREA VAPOR INTRUSION PRELIMINARY RISK ASSESSMENT REPORT, PADUCAH GASEOUS DIFFUSION PLANT, PADUCAH, KENTUCKY (DOE/LX/07-2471&D2)	DOE	KDEP USEPA-4	INF-RECMGMT-PPPO-02-10018973-22B-VAP INTRU RISK ASSESS-2022-02-10	2/17/2022
ARF ARR	2/10/2022	PPPO-02-10020161-22	PADUCAH FEDERAL FACILITY AGREEMENT DRAFT INTEGRATED PRIORITY LIST AND ASSESSMENT OF BUDGET TARGETS ON SITE PRIORITIES-FISCAL YEAR 2024	DOE	KDEP USEPA-4	INF-RECMGMT-PPPO-02-10020161-22-FFA PRIORITY LIST ASSESS-2022-02-10	2/17/2022
ARF ARR	2/9/2022	PPPO-02-10020362-22	FEDERAL FACILITY AGREEMENT BUDGET REPORTING-FISCAL YEAR 2024 BUDGET FORMULATION GUIDANCE NOTIFICATION	DOE	KDEP USEPA-4	INF-RECMGMT-PPPO-02-10020362-22-FFA BUDGET REP-2022-02-09	2/17/2022
ARF ARR	3/14/2022	FR-22-0678	PADUCAH FEDERAL FACILITY AGREEMENT DRAFT INTEGRATED PRIORITY LIST AND ASSESSMENT OF BUDGET TARGETS ON SITE PRIORITIES - FISCAL YEAR 2024 PADUCAH SITE PADUCAH, MCCRACKEN COUNTY KENTUCKY #KY8-890-008-982	KDEP	DOE	INF-RECMGMT-FR-22-0678-FFA BUDGET TARGETS PRIORITY-2022-03-14	3/16/2022
ARF ARR	2/25/2022	PPPO-02-10020434-22	PADUCAH FEDERAL FACILITY AGREEMENT BUDGET NOTIFICATION-CONTINUING RESOLUTION THROUGH MARCH 11, 2022	DOE	KDEP USEPA-4	INF-RECMGMT-PPPO-02-10020434-22-FFA BUDGET NOTIF-2022-02-25	3/16/2022

APPENDIX E

C-400 PROJECT GROUNDWATER MONITORING WELLS DATA

THIS PAGE INTENTIONALLY LEFT BLANK




Figure E.1. C-400 Monitoring Wells




Figure E.2. C-400 TCE Trends in MWs in Source Areas




Figure E.3. C-400 TCE Trends in MWs Downgradient of Source Areas




Figure E.4. C-400 Tc-99 Trends in MWs in Source Areas




Figure E.5. C-400 Tc-99 Trends in MWs Downgradient of Source Areas

C-400 Monitoring
Water Quality Records for
MW155

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 µg/L	PCB 1221 µg/L	PCB 1232 µg/L	PCB 1242 µg/L	PCB 1248 µg/L	PCB 1254 µg/L	PCB 1260 µg/L	PCB 1268 µg/L	
9/10/2009	14000	< 1000			< 1000													C09254002003
9/10/2009	14000	< 200	< 200	< 200	< 200	< 1.12	93.2	130	< 0.005									C09253025001
9/15/2009	14000	< 500			< 500													C09258030001
9/22/2009	13000	< 500			< 500													C09265022002
1/19/2011	3100	< 25			< 25					< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C11019028004
1/25/2011	3800	< 250			< 50													C11026001006
1/25/2011	6000	< 250			< 50													C11026001005
1/31/2011	3500	< 250			< 50													C11031038005
6/23/2011	3700	< 100	< 20	< 20	< 20	7.65	130	124	< 0.005									C11174017005
12/14/2011	2400	< 500			< 100	< 3.61	111	117	< 0.005									C11348018003
3/13/2012	2400	< 50			< 50	< 2.35	89.7	137	< 0.005									C12073014001
6/19/2012	1900	< 250			< 50	6.46	121	110	< 0.005									C12171014003
9/19/2012	2300	< 20			< 20	< 3.19	131	136	< 0.005									C12263022001
12/28/2012	2200	< 20			< 20			120										C12363012002
12/28/2012	2200	< 20			< 20			125										C12363012001
3/27/2013	1900	< 20			< 20			129										C13086008001
9/16/2013	2000	< 100			< 20			131										C13259034001
12/17/2013	1600	< 20			< 20			98.6										C13351094006
12/17/2013	1600	< 20			< 20			99.1										C13351094007
3/26/2014	1900	< 20			< 20			106										C14085027001
6/12/2014	1590	< 25			< 25			107										350627004

C-400 Monitoring
Water Quality Records for
MW155

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 µg/L	PCB 1221 µg/L	PCB 1232 µg/L	PCB 1242 µg/L	PCB 1248 µg/L	PCB 1254 µg/L	PCB 1260 µg/L	PCB 1268 µg/L	
9/15/2014	1850	0.44			0.31			153										356931002
12/2/2014	810	< 1			< 1			161										362435002
12/2/2014	817	< 1			< 1			160										362435001
3/31/2015	583	< 10			< 10			142										369938002
6/16/2015	2500	< 50			< 50			110										375398002
9/14/2015	4560	< 100			< 100			76.5										381234002
12/8/2015	4110	< 50			< 50			120										387183002
12/8/2015	4080	< 50			< 50			123										387183003
3/23/2016	3760	< 50			< 50			109										393849001
6/6/2016	5370	< 100			< 100			149										398881002
9/21/2016	5800	< 100			< 100			96.7										406611002
12/13/2016	6520	< 100			< 100			88										412748003
12/13/2016	6320	< 100			< 100			97.5										412748002
3/7/2017	8160	< 100			< 100			87.9										418299002
6/8/2017	6840	< 100			< 100			102										425123001
7/11/2017	7650	< 100						90.1										427964006
9/12/2017	9830	< 200			< 200			92.2										432724002
10/11/2017	4470	< 100						114										435057002
10/11/2017	4130	< 50						113										435057003
12/18/2017	5720	< 100			< 100			107										440362003
12/18/2017	5260	< 100			< 100			87.5										440362002

C-400 Monitoring
Water Quality Records for
MW155

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
1/10/2018	10300	< 200						82.1										441541002
3/21/2018	6370	< 100			< 100			92.3										446475002
4/9/2018	5450	< 100						100										447628003
5/15/2018	6950	< 100			< 100			96.3										450363001
7/9/2018	3550	< 200						83.2										454258002
9/24/2018	2250	< 50			< 50			114										460260001
10/4/2018	4080	< 50						105										461079003
10/4/2018	3970	< 50						103										461079002
12/18/2018	3530	< 50			< 50			86.1										467410002
12/18/2018	3550	< 50			< 50			89.2										467410001
1/7/2019	6800	< 100						67.5										468221001
3/20/2019	7230	< 100			< 100			68.7										474242002
4/8/2019	7160	< 100						56.8										475898002
6/18/2019	5240	< 100			< 100			53.7										482490001
7/8/2019	5260	< 100						50.7										484303002
9/11/2019								94.3										490247001
9/17/2019	2970	< 50			< 50													490762001
10/7/2019	2790	< 100						112										492544003
10/7/2019	2780	< 100						122										492544002
12/10/2019	3790	1.11			0.34			76.5										498960002
1/7/2020	2900	1.23						88.2										500738004

C-400 Monitoring
Water Quality Records for
MW155

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 µg/L	PCB 1221 µg/L	PCB 1232 µg/L	PCB 1242 µg/L	PCB 1248 µg/L	PCB 1254 µg/L	PCB 1260 µg/L	PCB 1268 µg/L	
3/11/2020	5470	< 100			< 100			42										506866002
4/14/2020	4200	< 100						54.9										509618001
6/9/2020	4420	< 100			< 100			54.3										513232001
7/8/2020	3460	< 100						67.1										515469007
9/21/2020	2940	< 100			< 100			91.8										522415002
10/7/2020	3260	< 100						75.5										523870002
10/7/2020	3320	< 100						74.8										523870003
12/2/2020	3030	< 50			< 50			118										529203001
1/6/2021	2040	< 100						86.9										531524006
3/17/2021	3150	< 100			< 100			87										538351001
4/6/2021	3860	3.43						67.8										540117012
4/19/2021	2300	2.78	< 1	< 1	< 1			76.9		< 0.099	< 0.099	< 0.099	< 0.099	< 0.099	< 0.0997	< 0.099		541464001
6/14/2021	3340	< 50			< 50			90.3										547351001
7/12/2021	2310	< 50						116										549864001
7/19/2021	2510	< 50	< 50	< 50	< 50			82.2		< 0.497	< 0.497	< 0.497	< 0.497	< 0.497	< 0.497	< 0.497		550341001
9/20/2021	3230	< 50			< 50			91.4										556737001
10/6/2021	2410	1.96						82.9										558300006
10/6/2021	2300	1.97						86.5										558300007
10/19/2021	3290	< 1	< 1	< 1	< 1			76.9		< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1		559558001
12/13/2021	1690	< 50			< 50			106										565140002

E-11

C-400 Monitoring
Water Quality Records for
MW156

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 µg/L	PCB 1221 µg/L	PCB 1232 µg/L	PCB 1242 µg/L	PCB 1248 µg/L	PCB 1254 µg/L	PCB 1260 µg/L	PCB 1268 µg/L	
9/8/2009	34000	< 2000	< 2000	< 2000	< 2000	< 3.89	4.01	< 0.0531	< 0.005									C09252004001
9/8/2009	34000	< 5000			< 5000													C09252006001
9/15/2009	36000	< 5000			< 5000													C09258030002
9/22/2009	39000	< 5000			< 5000													C09265022001
1/20/2011	52000	< 1000			< 1000					< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C11020026003
1/25/2011	52000	< 2500			< 500													C11026003001
1/31/2011	58000	< 2500			< 500													C11031038006
6/27/2011	83000	< 5000	< 1000	< 1000	< 1000	< 3.86	5.6	< -8.94	< 0.005									C11178014001
12/14/2011	65000	< 5000			< 1000	< 2.55	7.54	< -5.13	< 0.005									C11348018004
3/13/2012	62000	< 2000			< 2000	6.83	< 4.93	< 6.21	< 0.005									C12073014002
6/19/2012	64000	< 5000			< 1000	< 6.32	< 6.31	< 9.77	< 0.005									C12171014004
9/19/2012	23000	< 500			< 500	< 3.24	< 5.54	< 5.12	< 0.005									C12263022002
12/28/2012	1700	< 500			< 500			< -0.798										C12363012003
3/27/2013	32000	< 1000			< 1000			< 3.7										C13086008002
9/16/2013	31000	< 2500			< 500			< -2.19										C13259034002
12/17/2013	600	< 500			< 500			< 2.71										C13351094008
3/26/2014	37000	< 500			< 500			< -4.56										C14085027002
6/12/2014	81800	< 1000			< 1000			< -3.61										350627005
8/13/2014	50000	< 20			< 20			< 0.723										160-7947-6
9/3/2014	57000	< 40			< 40			< 1.81										160-8215-12
9/15/2014	56500	15.2			3.67			< 1.62										356931003

C-400 Monitoring
Water Quality Records for
MW156

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
12/2/2014	925	< 500			8.79			< 9.1										362435003
3/31/2015	3390	< 500			< 500			< -3.32										369938003
6/16/2015	9720	< 500			< 500			< 3.72										375398003
6/16/2015	8270	< 500			< 500			< 1.43										375398004
9/14/2015	1190	< 50			< 50			< -9.6										381234003
12/8/2015	14100	< 500			< 500			< -0.175										387183001
3/23/2016	13100	170			< 50			< -8.5										393849002
6/6/2016	14600	< 500			< 500			< 1.33										398881001
6/6/2016	15300	< 500			< 500			< 2.38										398881003
9/21/2016	12500	< 500			< 500			< -2.91										406611003
12/13/2016	2140	< 100			< 100			< -7.97										412748001
3/7/2017	15000	< 500			< 500			< 3.88										418299003
6/8/2017	11800	< 500			< 500			< -5.94										425123002
6/8/2017	10300	< 500			< 500			< 5.59										425123003
7/11/2017	13800	< 500						< -8.3										427964007
7/11/2017	13700	< 500						< -2.35										427964008
9/12/2017	13100	< 500			< 500			< 2.86										432724003
10/11/2017	16700	116						< -6.64										435057004
12/18/2017	8910	71.2			9.11			< 6.73										440362001
1/10/2018	13100	< 250						< -4.91										441541001
3/21/2018	10200	< 250			< 250			< 9.83										446475003

C-400 Monitoring
Water Quality Records for
MW156

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
4/9/2018	8010	< 250						< -3.04										447628005
4/9/2018	6580	< 250						< -4.14										447628004
5/15/2018	7090	< 250			< 250			< 14.2										450363002
5/15/2018	7020	< 250			< 250			< -5.19										450363003
7/9/2018	5020	< 250						< -5.22										454258003
9/24/2018	2210	< 100			< 100			< 1.84										460260002
10/4/2018	3200	< 50						< 0.537										461079001
12/18/2018	1940	< 50			< 50			< -1.65										467410003
1/7/2019	3350	19						< -3.11										468221002
3/20/2019	2570	17.5			< 50			< 6.56										474242003
4/8/2019	2090	< 50						< -7.21										475898004
4/8/2019	1950	< 50						< -5.27										475898003
6/18/2019	1460	< 50			< 50			< 2.42										482490002
7/8/2019	1150	< 50						< -2.24										484303003
9/11/2019								< -5.8										490247002
9/17/2019	1240	< 50			< 50													490762002
10/7/2019	1430	< 50						< -0.0844										492544004
12/10/2019	2380	8.7			1.86			< 4										498960003
1/7/2020	2230	9.41						< 0.239										500738005
3/11/2020	2940	< 50			< 50			< -5.89										506866003
4/14/2020	2290	< 50						< -1.57										509618003

C-400 Monitoring
Water Quality Records for
MW156

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 µg/L	PCB 1221 µg/L	PCB 1232 µg/L	PCB 1242 µg/L	PCB 1248 µg/L	PCB 1254 µg/L	PCB 1260 µg/L	PCB 1268 µg/L	
4/14/2020	2230	< 50						< 1.23										509618002
6/9/2020	1970	< 100			< 100			< -13.3										513232002
7/8/2020	1870	< 50						< -7.48										515469008
9/21/2020	3020	< 100			< 100			< 2.3										522415003
10/7/2020	3040	< 50						< 1.68										523870004
12/2/2020	3380	< 50			< 50			< 1.94										529203002
1/6/2021	3120	< 50						< -4.61										531524007
3/17/2021	4510	< 100			< 100			< -3.63										538351002
4/6/2021	5150	8.59						< -0.885										540117013
4/6/2021	5230	8.51						< -2.9										540117014
4/19/2021	4670	7.83	< 1	< 1	2.18			< -1.76		< 0.101	< 0.101	< 0.101	< 0.101	< 0.101	< 0.101	< 0.101		541464002
6/14/2021	4540	< 100			< 100			< -5.51										547351002
7/12/2021	5690	< 100						< 0.795										549864002
7/19/2021	6410	< 100	< 100	< 100	< 100			< -1.12		< 0.098	< 0.098	< 0.098	< 0.098	< 0.098	< 0.0987	< 0.098		550341002
9/20/2021	4580	< 100			< 100			< 5.02										556737002
10/6/2021	5350	5.11						< 0.799										558300008
10/19/2021	5700	5.7	< 1	< 1	1.49			< 1.36		< 0.102	< 0.102	< 0.102	< 0.102	< 0.102	< 0.102	< 0.102		559558002
12/8/2021	2860	< 50			< 50			< 3.21										564616001

E-15

C-400 Monitoring
Water Quality Records for
MW175

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
E-16 6/16/2009	4900	< 50			< 50	11.7	447	508	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09168007001
7/20/2009	4400	< 250			< 50	< 3.65	415	438	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09201015001
8/18/2009	4400	< 50			< 50	9.43	416	375	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09230023001
12/14/2009	7900	< 250			< 50	< -0.722	363	357	< 0.005	< 0.16	< 0.17	< 0.13	< 0.09	< 0.11	< 0.07	< 0.05	< 0.08	C09348024001
3/24/2010	5600	< 50			< 50	< 1.61	211	360	< 0.005	< 0.16	< 0.17	< 0.13	< 0.09	< 0.11	< 0.07	< 0.05	< 0.08	C10083023001
6/23/2010	4800	< 250			< 50	< 4.95	292	343	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10174017001
6/23/2010	5100	< 250			< 50	12.9	301	315	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C10174017002
9/23/2010	5100	< 250			< 50	7.46	226	275	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10266013001
12/13/2010	9800	< 250			< 50	26.6	274	363	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10347023005
3/23/2011	5800	< 100			< 100	24.3	366	488	< 0.005	< 167	< 176	< 137	< 98	< 118	< 68.6	6730	< 88.2	C11082024002
6/13/2011	5900	< 250			< 50	9.43	190	267	< 0.005									C11165011003
6/13/2011										< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	1106040-02
6/13/2011										< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	1106040-01
6/13/2011	5900	< 250			< 50	13.5	201	292	< 0.005									C11165011004
9/14/2011	6900	< 250			< 50	< -1.01	218	228	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C11257087005
3/12/2012	3700	< 50			< 50	< 5.16	156	279	< 0.005									C12072031011
9/25/2012	1700	< 20			< 20	< 3.18	245	282	< 0.005									C12269015003
9/25/2012	1700	< 20			< 20	< 3.25	245	284	< 0.005									C12269015004
3/27/2013	770	< 10			< 10			226										C13086008003
9/18/2013	710	< 100			< 20			139										C13261023005
3/20/2014	460	< 5			< 5			102										C14079018002

C-400 Monitoring
Water Quality Records for
MW175

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
3/20/2014	460	< 5			< 5			110										C14079018001
9/15/2014	855	< 10			< 10			111										356931004
3/30/2015	623	< 10			6.1			124										369938005
3/30/2015	575	< 10			5.2			98.2										369938004
3/23/2016	1350	< 20			< 20			160										393849003
3/23/2016	1330	< 20			< 20			167										393849004
9/21/2016	1200	< 20			< 20			189										406611004
3/7/2017	1460	< 20			< 20			285										418299004
3/7/2017	1420	< 20			< 20			293										418299005
9/12/2017	2010	< 50			< 50			272										432724001
3/22/2018	4340	< 50			< 50			211										446481001
3/22/2018	4550	< 100			< 100			208										446481002
9/26/2018	3960	< 100			< 100			360										460380002
3/20/2019	3990	< 100			< 100			225										474242004
3/20/2019	3690	< 100			< 100			235										474242005
9/16/2019	2880	6.53			1.04			290										490775001
3/10/2020	3590	< 100			< 100			268										506701002
3/10/2020	3510	< 100			< 100			273										506701003
9/21/2020	3430	< 100			< 100			273										522415004
3/17/2021	3760	< 100			< 100			253										538351004
3/17/2021	3710	< 100			< 100			248										538351003

C-400 Monitoring
Water Quality Records for
MW175

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
4/19/2021	3570	5.29	0.68	< 1	1.34			259		< 0.096	< 0.096	< 0.096	< 0.096	< 0.096	< 0.0965	< 0.096		541464003
7/20/2021	2280	< 50	< 50	< 50	< 50			213		< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1		550346001
9/20/2021	2770	8.08			1.28			278										556737003
10/19/2021	2640	7.1	< 1	< 1	0.88			280		< 0.102	< 0.102	< 0.102	< 0.102	< 0.102	< 0.102	< 0.102		559558003

E-18

C-400 Monitoring
Water Quality Records for
MW178

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
12/19/2018	63.9	< 1			1.05			95.8										467410004
3/20/2019	68.8	< 1			1.39			115										474242006
6/18/2019	68.9	< 1			1.14			111										482490003
9/17/2019	84.2	< 1			1.47			122										490775002
9/17/2019	85.8	< 1			1.46			106										490775003
12/11/2019	200	< 1			1.21			130										498960004
3/10/2020	37	< 4			< 4			96.6										506701001
6/9/2020	38.7	< 4			< 4			101										513232003
9/21/2020	282	< 4			< 4			120										522415005
9/21/2020	288	< 4			< 4			120										522415006
12/9/2020	356	< 4			< 4			121										529822002
3/17/2021	104	< 4			< 4			101										538351005
4/20/2021	142	< 1	< 1	< 1	< 1			97.7		< 0.097	< 0.097	< 0.097	< 0.097	< 0.097	< 0.0972	< 0.097		541588001
6/14/2021	59.1	< 1			0.51			95.7										547351003
7/19/2021	51.9	< 1	< 1	< 1	0.47			91.3		< 0.104	< 0.104	< 0.104	< 0.104	< 0.104	< 0.104	< 0.104		550341003
9/15/2021	133	< 1			0.38			80.1										556100002
9/15/2021	124	< 1			< 1			87.9										556100003
10/19/2021	393	< 1	< 1	< 1	< 1			89.1		< 0.102	< 0.102	< 0.102	< 0.102	< 0.102	< 0.102	< 0.102		559558004
12/8/2021	309	< 4			< 4			91.7										564616002

E-19

C-400 Monitoring
Water Quality Records for
MW341

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
9/23/2009	17000	< 1000	< 200	< 1000	< 200	6.77	200	251	< 0.005									C09266034004
3/10/2010	15000	< 200	< 200	< 200	< 200	< 2.42	193	207	< 0.005									C10069026006
9/13/2010	19000	< 200	< 200	< 200	< 200	< 3.35	132	213	< 0.005									C10256039001
6/2/2011	15000	< 1000	< 200	< 200	< 200	< 4.37	159	172	< 0.005									C11153017005
6/2/2011	15000	< 1000	< 200	< 200	< 200	6.41	174	172	< 0.005									C11153017006
5/17/2013	5200	< 250	< 50	< 50	< 50			166										C13137015004
5/17/2013	5100	< 250	< 50	< 50	< 50			150										C13137015003
6/1/2015	4460	< 1	0.33	< 1	1.28			138										374452005
5/24/2017	3460	< 50	< 50	< 50	< 50			310										424148013
7/13/2017	4280	< 50						257										427964014
10/11/2017	3790	< 50						345										435057005
1/11/2018	3520	< 1						354										441547001
4/5/2018	6010	< 100						309										447608009
7/10/2018	6950	3.1						183										454274004
10/4/2018	7260	< 100						171										461079008
12/18/2018	5220	< 100			< 100			122										467410005
1/7/2019	5860	< 100						119										468221006
3/20/2019	5860	< 100			< 100			100										474242008
3/20/2019	5930	< 100			< 100			99.1										474242007
4/8/2019	5400	< 100						109										475898009
5/13/2019	4650	< 100	< 100	< 100	< 100			74.5										479291003

C-400 Monitoring
Water Quality Records for
MW341

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
5/13/2019	5860	< 100	< 100	< 100	< 100			89.9										479291004
6/6/2019	6220	< 100			< 100			99.3										481177002
7/8/2019	5610	< 100						100										484303005
9/18/2019	6760	< 100			< 100			139										490775004
10/7/2019	6690	< 100						144										492544009
12/10/2019	6590	1.98			0.6			189										498960005
1/7/2020	6680	1.49						213										500738008
3/11/2020	7070	< 100			< 100			210										506866004
3/11/2020	6840	< 100			< 100			208										506866005
4/14/2020	6110	< 100						241										509618006
6/8/2020	6170	< 100			< 100			236										513232004
7/8/2020	6350	< 100						248										515469015
9/21/2020	6600	< 100			< 100			338										522415007
10/7/2020	5910	< 100						381										523870001
12/9/2020	6300	< 100			< 100			555										529822001
1/6/2021	5150	< 100						580										531524018
3/17/2021	4630	< 100			< 100			878										538351007
3/17/2021	4160	< 100			< 100			872										538351006
4/5/2021	4840	< 1						853										540117005
4/19/2021	4300	1.66	< 1	< 1	< 1			933		< 0.104	< 0.104	< 0.104	< 0.104	< 0.104	< 0.104	< 0.104		541464004
4/19/2021	4230	1.71	< 1	< 1	< 1			878		< 0.096	< 0.096	< 0.096	< 0.096	< 0.096	< 0.0969	< 0.096		541464005

C-400 Monitoring
Water Quality Records for
MW341

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 µg/L	PCB 1221 µg/L	PCB 1232 µg/L	PCB 1242 µg/L	PCB 1248 µg/L	PCB 1254 µg/L	PCB 1260 µg/L	PCB 1268 µg/L	
5/21/2021	3380	< 50	< 50	< 50	< 50			763										545554006
5/21/2021	3430	< 50	< 50	< 50	< 50			758										545554013
6/14/2021	3890	< 50			< 50			885										547351004
7/12/2021	4960	< 50						873										549864003
7/20/2021	2650	< 50	< 50	< 50	< 50			754		< 0.099	< 0.099	< 0.099	< 0.099	< 0.099	< 0.0992	< 0.099		550346003
7/20/2021	3250	< 50	< 50	< 50	< 50			751		< 0.098	< 0.098	< 0.098	< 0.098	< 0.098	< 0.0985	< 0.098		550346002
9/15/2021	2850	1.56			0.55			890										556100001
10/6/2021	3550	1.71						1070										558309001
10/19/2021	3390	< 1	< 1	< 1	< 1			1120		< 0.105	< 0.105	< 0.105	< 0.105	< 0.105	< 0.105	< 0.105		559558005
10/19/2021	2860	< 1	< 1	< 1	< 1			1120		< 0.107	< 0.107	< 0.107	< 0.107	< 0.107	< 0.107	< 0.107		559558006
12/13/2021	3940	< 100			< 100			1240										565140001
12/28/2021	6300				0.4													280-157305-5
12/28/2021	4400				< 100													566012005

E-22

C-400 Monitoring
Water Quality Records for
MW342

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
6/16/2009	3000	< 50			< 50	16.7	616	805	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09168006001
7/20/2009	4300	< 250			< 50	< -0.785	510	837	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C09201016001
8/18/2009	5800	< 50			< 50	16	985	1130	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09230024001
12/14/2009	9500	< 250			< 50	< -6.46	978	1290	< 0.005	< 0.16	< 0.17	< 0.13	< 0.09	< 0.11	< 0.07	< 0.05	< 0.08	C09348024002
12/14/2009	9900	< 250			< 50	< 0.633	926	1280	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C09348024003
3/23/2010	4700	< 50			< 50	10.3	386	827	< 0.005	< 0.16	< 0.17	< 0.13	< 0.09	< 0.11	< 0.07	< 0.05	< 0.08	C10082025007
6/22/2010	5400	< 250			< 50	11.4	642	750	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C10173039001
9/23/2010	7600	< 250			< 50	< -52	3690	5330	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10266013002
9/23/2010	8100	< 250			< 50	< -57.1	3720	4720	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10266013003
12/13/2010	12000	< 200			< 200	56	3960	5190	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10347023003
12/13/2010	12000	< 200			< 200	41	4120	5000	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10347023002
3/23/2011	8100	< 100			< 100	26.8	835	980	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.32	< 0.09	C11082024001
6/14/2011										< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	1106059-01
6/14/2011	2100	< 500			< 100	28.8	457	456	< 0.005									C11165038001
9/14/2011	11000	< 250			< 50	< -9.47	1800	2150	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C11257087003
9/14/2011	10000	< 250			< 50	< -4.68	1750	1930	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C11257087004
3/12/2012	7500	< 100			< 100	< 2.56	420	678	< 0.005									C12072031010
9/19/2012	8600	< 100			< 100	10.4	2820	2780	< 0.005									C12263022003
3/12/2013	5400	< 100			< 100			564										C13072002001
9/18/2013	3900	< 500			< 100			728										C13261023004
3/20/2014	2100	< 20			< 20			287										C14079016010

C-400 Monitoring
Water Quality Records for
MW342

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
9/15/2014	1490	5.8			0.6			303										356931001
3/26/2015	1140	5.96			0.66			322										369707001
3/23/2016	1800	< 25			< 25			237										393849005
9/21/2016	1200	< 25			< 25			562										406611001
3/7/2017	1000	< 20			< 20			341										418299006
9/11/2017	1070	< 20			< 20			1670										432728002
3/21/2018	1520	5.91			0.58			467										446475004
9/26/2018	2610	10.6			< 20			714										460380003
3/20/2019	2590	< 50			< 50			390										474242001
9/11/2019								6230										490247004
9/11/2019								6180										490247003
9/18/2019	3670	9.32			1.41													490762003
9/18/2019	3730	9.46			1.37													490762004
3/10/2020	2150	< 100			< 100			1430										506701004
9/24/2020	3600	< 50			< 50			18000										522450002
9/24/2020	3290	< 50			20			18200										522450003
3/17/2021	2280	< 50			< 50			4910										538351008
4/19/2021	1890	3.26	< 1	< 1	0.64			1510		< 0.099	< 0.099	< 0.099	< 0.099	< 0.099	< 0.0993	< 0.099		541464006
7/19/2021	2630	< 50	< 50	< 50	< 50			5270		< 0.097	< 0.097	< 0.097	< 0.097	< 0.097	< 0.0977	< 0.097		550341004
9/20/2021	2390	< 50			< 50			11400										556737005
9/20/2021	2640	< 50			< 50			11300										556737004

C-400 Monitoring
Water Quality Records for
MW342

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
10/19/2021	2420	5.57	< 1	< 1	0.8			15700		< 0.104	< 0.104	< 0.104	< 0.104	< 0.104	< 0.104	< 0.104		559558007

E-25

C-400 Monitoring
Water Quality Records for
MW343

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
6/16/2009	41000	< 500			< 500	82.1	6710	9090	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09168007002
7/20/2009	31000	< 2500			< 500	< 4.65	6730	9010	< 0.005	< 0.16	< 0.17	< 0.13	< 0.09	< 0.11	< 0.07	< 0.05	< 0.08	C09201066001
8/18/2009	31000	< 400			< 400	19.7	7420	8770	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09230023002
9/21/2009	27000	< 1000	< 200	< 1000	< 200	< -119	6980	9230	< 0.005									C09265006005
12/14/2009	43000	< 2000			< 400	< -176	6970	9250	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09348027001
3/22/2010	37000	< 250			< 250	92.1	5660	9010	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10082005002
3/22/2010	37000	< 250			< 250	37.4	6850	< 8920	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C10082005001
3/22/2010	37000	< 400	< 250	< 250	< 250	< -90.6	5370	8960	< 0.005									C10082002001
6/22/2010	32000	< 2500			< 500	22	6440	9250	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C10173027001
9/22/2010	28000	< 2500			< 500	< -114	6340	8860	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10265020004
12/13/2010	34000	< 2500			< 500	< -77.3	6970	9230	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10347023006
3/22/2011	39000	< 400			< 400	134	5310	7600	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.53	< 0.09	C11081023003
3/22/2011	47000	< 400			< 400	46.5	6570	7610	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.13	< 0.09	C11081023004
5/12/2011	36000	< 2500	< 500	< 500	< 500	150	5510	7530	< 0.005									C11132027003
6/15/2011										< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	1106059-02
6/15/2011	33000	< 2000			< 400	< -4.39	7110	6760	< 0.005									C11166026001
9/13/2011	34000	< 2000			< 400	< -144	6990	7550	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C11256012004
3/12/2012	28000	< 400			< 400	< -85.1	4680	8320	< 0.005									C12072031006
3/12/2012	29000	< 400			< 400	< -56.9	4670	7030	< 0.005									C12072031007
9/24/2012	39000	< 500			< 500	< -23.7	4970	6650	< 0.005									C12268086002
3/12/2013	29000	< 400			< 400			4700										C13072002002

C-400 Monitoring
Water Quality Records for
MW343

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
5/17/2013	28000	< 1000	< 200	< 200	< 200			5790										C13137019001
9/12/2013	25000	< 1000			< 200			5330										C13255009004
9/12/2013	26000	< 1000			< 200			5150										C13255009005
3/20/2014	27000	< 200			< 200			4940										C14079016011
9/12/2014	22000	< 50			< 50			4750										356931005
9/12/2014	22800	< 50			< 50			4710										356931006
3/26/2015	29300	9.73			2.09			4590										369707002
6/1/2015	28600	< 500	< 500	< 500	< 500			4030										374452006
3/21/2016	27700	0.84			10.5			4070										393717001
9/19/2016	20400	< 250			< 250			5480										406359010
3/7/2017	16300	< 250			< 250			5490										418299007
5/24/2017	22500	< 500	< 500	< 500	< 500			5540										424148014
9/11/2017	18900	< 200			< 200			4880										432728003
3/22/2018	11900	< 250			< 250			3290										446481003
9/25/2018	21800	< 250			< 250			4180										460388001
3/19/2019	19400	< 500			< 500			2970										474190002
5/13/2019	17500	< 500	< 500	< 500	< 500			2760										479291005
9/11/2019								7060										490207001
9/17/2019	10700	< 200			< 200													490762005
3/10/2020	10900	< 500			< 500			7990										506701005
9/21/2020	15300	< 500			< 500			9920										522415008

C-400 Monitoring
Water Quality Records for
MW343

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
3/17/2021	11800	< 500			< 500			14700										538351009
4/19/2021	12400	5.71	< 1	< 1	0.51			22600		< 0.097	< 0.097	< 0.097	< 0.097	< 0.097	< 0.0977	< 0.097		541464007
5/21/2021	12300	8.39	< 1	< 1	1.62			8970										545554014
7/26/2021	13400	< 200	< 200	< 200	< 200			17200		< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1		550917002
9/15/2021	9650	7.56			1.49			12200										556100004
10/19/2021	4760	9.04	< 1	< 1	0.53			14100		< 0.103	< 0.103	< 0.103	< 0.103	< 0.103	< 0.103	< 0.103		559558008

E-28

C-400 Monitoring
Water Quality Records for
MW405

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
6/23/2011	52000	< 2500	< 500	< 500	< 500	8.66	22.7	< 16.1	0.014									C11174017004

E-29

C-400 Monitoring
Water Quality Records for
MW405-PRT5

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	Uranium mg/L	PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
6/20/2012	97000	< 5000			< 1000	< 4.86	15.7	< -4.94	< 0.005									C12172011001
9/20/2012	90000	< 1000			< 1000	< 0.778	14.6	< 17.9	< 0.005									C12264031001
12/28/2012	41000	< 1000			< 1000			27.7										C12363012004
9/16/2013	19000	< 1000			< 200			70.4										C13259034003
12/18/2013	7400	< 100			< 100			59.1										C13353003001
3/26/2014	13000	< 100			< 100			33.1										C14085027003
6/16/2014	1190	< 20			< 20			63.8										350866002
9/16/2014	261	2.45			< 5			50										356931007
12/2/2014	481	< 10			< 10			79.8										362435004
3/30/2015	1000	< 20			< 20			41.8										369938006
6/12/2015	4010	< 50			< 50			41.9										375132002
6/12/2015	4270	< 100	< 100	< 100	< 100			34.4										375135001
9/15/2015	622	< 10			< 10			< -6.41										381234004
12/9/2015	663	< 10			< 10			32.5										387183004
3/23/2016	2930	< 10			< 10			< 10.5										393849006
6/7/2016	2180	< 50			< 50			29.5										398881004
9/22/2016	1130	< 20			< 20			< -1.98										406611005
12/13/2016	393	< 5			< 5			< 13.9										412748004
3/9/2017	784	< 10			< 10			< 7.61										418299008
5/24/2017	358	< 10	< 10	< 10	< 10			< 12.1										424148017
6/12/2017	125	< 10			< 10			< -1.71										425662001

C-400 Monitoring
Water Quality Records for
MW405-PRT5

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 µg/L	PCB 1221 µg/L	PCB 1232 µg/L	PCB 1242 µg/L	PCB 1248 µg/L	PCB 1254 µg/L	PCB 1260 µg/L	PCB 1268 µg/L	
9/12/2017	96	< 2			< 2			< 5.3										432724004
12/18/2017	396	< 5			< 5			< -0.144										440362004
3/19/2018	562	< 10			< 10			< 12.9										446475005
5/16/2018	874	< 10			< 10			< 17.8										450363004
9/26/2018	184	< 10			< 10			< 1.67										460380004
12/18/2018	204	< 10			< 10			< 4.42										467410006
3/20/2019	4470	< 10			< 10			42.4										474242009
5/14/2019	5530	< 100	< 100	< 100	< 100			56.2										479297001
6/18/2019	1690	< 25			< 25			46.4										482490004
9/18/2019	1610	< 25			< 25			26.8										490775005
12/12/2019	1590	< 25			< 25			35.8		< 0.121	< 0.121	< 0.121	< 0.121	< 0.121	< 0.121	< 0.121		498960007
12/12/2019	1420	< 25			< 25			33.2		< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11		498960006
3/20/2020	1360	< 25			< 25			56		< 0.119	< 0.119	< 0.119	< 0.119	< 0.119	< 0.119	< 0.119		507677002
6/10/2020	586	< 25			< 25			< 22.9		< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5		513368001
9/24/2020	111	< 2			< 2			< 17.7		< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11		522450004
12/9/2020	279	< 5			< 5			51.9		< 0.105	< 0.105	< 0.105	< 0.105	< 0.105	< 0.105	< 0.105		529822003
12/9/2020	296	< 5			< 5			46.8		< 0.118	< 0.118	< 0.118	< 0.118	< 0.118	< 0.118	< 0.118		529822004
3/16/2021	225	< 5			< 5			23		< 0.112	< 0.112	< 0.112	< 0.112	< 0.112	< 0.112	< 0.112		538339001
4/26/2021	273	< 1	< 1	< 1	0.62			53		< 0.099	< 0.099	< 0.099	< 0.099	< 0.099	< 0.0997	< 0.099		542198002
4/26/2021	159	< 1	< 1	< 1	< 1			49.7		< 0.101	< 0.101	< 0.101	< 0.101	< 0.101	< 0.101	< 0.101		542198001
5/27/2021	566	1.11	< 1	< 1	3.35			< 21.2										545785003

C-400 Monitoring
Water Quality Records for
MW405-PRT5

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
6/14/2021	368	< 10			< 10			49.9		< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1		547351005
7/27/2021	275	< 5	< 5	< 5	< 5			21.8		< 0.101	< 0.101	< 0.101	< 0.101	< 0.101	< 0.101	< 0.101		550917006
9/21/2021	25	< 1			< 1			39.5		< 0.104	< 0.104	< 0.104	< 0.104	< 0.104	< 0.104	< 0.104		556744001
10/25/2021	242	< 1	< 1	< 1	< 1			36.6		< 0.114	< 0.114	< 0.114	< 0.114	< 0.114	< 0.114	< 0.114		560306005
12/8/2021	64.2	< 1			< 1			< 12		< 0.103	< 0.103	< 0.103	< 0.103	< 0.103	< 0.103	< 0.103		564616004
12/8/2021	65.1	< 1			< 1			< 15.3		< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1		564616003

E-32

C-400 Monitoring
Water Quality Records for
MW406

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
6/23/2011	6500	< 500	< 100	< 100	< 100	11.4	45.5	47.7	< 0.005									C11174017003

E-33

C-400 Monitoring
Water Quality Records for
MW406-PRT5

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
12/28/2011	24000	< 500			< 100	7.77	54.5	51.5	< 0.005									C11362008002
3/15/2012	10000	< 100			< 100	< -2.11	45.3	48.6	< 0.005									C12075015001
6/20/2012	5100	< 500			< 100	< 1.89	23.6	< 17.5	< 0.005									C12172011002
9/20/2012	4800	< 100			< 100	< -0.0458	31.2	23.5	< 0.005									C12264031002
12/28/2012	1200	< 10			< 10			< 4.01										C12363012005
3/27/2013	940	< 20			< 20			< 7.56										C13086018001
9/16/2013	9600	< 100			< 20			35.5										C13259034004
12/18/2013	790	< 10			< 10			26.5										C13353003002
3/26/2014	460	< 5			< 5			55.9										C14085027004
6/16/2014	95.4	< 2			< 2			32.5										350866003
9/16/2014	812	< 10			< 10			30.1										356931008
12/2/2014	2290	1.1			0.87			52										362435005
3/30/2015	183	< 4			< 4			68.6										369938007
6/12/2015	100	< 2			< 2			47.1										375132003
6/12/2015	111	< 2	< 2	< 2	< 2			43.2										375135002
9/15/2015	12500	< 250			< 250			< 18.3										381234005
12/9/2015	2660	< 50			< 50			74.3										387183005
3/23/2016	4120	< 50			< 50			49										393849007
6/7/2016	9270	< 100			< 100			52.7										398881005
9/22/2016	12400	< 250			< 250			< 9.62										406611006
12/13/2016	7960	< 100			< 100			< -0.0598										412748005

C-400 Monitoring
Water Quality Records for
MW406-PRT5

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
3/9/2017	15500	< 250			< 250			< 5.12										418299009
5/24/2017	1390	< 25	< 25	< 25	< 25			23.6										424148018
6/12/2017	13000	< 250			< 250			< 4.63										425662002
9/12/2017	5760	< 100			< 100			< 8.05										432724005
12/18/2017	4810	< 100			< 100			< -2.88										440362005
3/19/2018	6210	< 100			< 100			< 2.75										446475006
5/16/2018	5740	< 100			< 100			< 16.2										450363005
9/26/2018	6540	< 100			< 100			< -4.57										460380005
12/18/2018	4370	< 100			< 100			< -2.89										467410007
3/20/2019	6650	< 100			< 100			< 15.2										474242010
5/14/2019	9370	< 100	< 100	< 100	< 100			< -7.15										479297002
6/18/2019	3350	< 100			< 100			< 12.5										482490005
9/18/2019	5460	< 100			< 100			< -5.14										490775006
12/12/2019	1540	< 25			< 25			< 5.79		< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1		498960001
3/20/2020	4000	< 25			< 25			< 3.8		< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1		507677001
6/10/2020	1320	< 100			< 100			< -6.48		< 0.538	< 0.538	< 0.538	< 0.538	< 0.538	< 0.538	< 0.538		513368002
9/24/2020	975	< 20			< 20			< 11.8		< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1		522450005
12/9/2020	473	< 10			< 10			< 6.97		< 0.105	< 0.105	< 0.105	< 0.105	< 0.105	< 0.105	< 0.105		529822005
3/16/2021	1330	< 20			< 20			< 3.07		< 0.116	< 0.116	< 0.116	< 0.116	< 0.116	< 0.116	< 0.116		538339002
4/27/2021	4450	< 50	< 50	< 50	< 50			< -0.0391		< 0.096	< 0.096	< 0.096	< 0.096	< 0.096	< 0.0964	< 0.096		542405005
5/27/2021	2390	< 1	< 1	< 1	0.6			< -8.3										545785004

C-400 Monitoring
Water Quality Records for
MW406-PRT5

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
6/14/2021	1890	< 50			< 50			< 2.65		< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1		547351006
7/27/2021	1070	< 20	< 20	< 20	< 20			< -0.472		< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1		550911001
9/21/2021	163	< 5			< 5			< 1.92		< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1		556744002
10/26/2021	450	< 1	< 1	< 1	< 1			< 1.4		< 0.107	< 0.107	< 0.107	< 0.107	< 0.107	< 0.107	< 0.107		560309005
12/13/2021	472	< 1			< 1			< 6.05		< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1		565140003
12/28/2021	448				< 5													566012006
12/28/2021	470				< 1													280-157305-6

E-36

C-400 Monitoring
Water Quality Records for
MW407-PRT4

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
12/28/2011	4900	< 500			< 100	< 3.09	10.7	< 5.26	< 0.005									C11362008001
3/14/2012	14000	< 100			< 100	< 3.36	5.57	< -5.15	< 0.005									C12074017002
6/20/2012	13000	< 500			< 100	< 4.76	8.43	< 8.61	< 0.005									C12172011003
9/20/2012	13000	< 100			< 100	< 0.291	< 3.11	< -10.2	< 0.005									C12264031003
12/28/2012	7000	< 50			< 50			< 0.433										C12363012006
3/27/2013	14000	< 200			< 200			< 0.435										C13086018002
9/16/2013	24000	< 500			< 100			< 13.4										C13259034005
12/18/2013	7000	< 100			< 100			< 3.81										C13353003003
3/26/2014	2300	< 20			< 20			67.6										C14085027005
6/16/2014	32100	< 500			< 500			58.3										350866004
9/16/2014	23800	< 500			< 500			< 11.5										356931009
12/2/2014	13900	< 1			0.8			< 2.74										362435006
3/30/2015	10300	< 200			< 200			45.8										369938008
6/12/2015	18200	< 250			< 250			< 11.6										375132001
6/12/2015	18600	< 250	< 250	< 250	< 250			< 11.3										375135003
9/15/2015	671	< 10			< 10			55.1										381234006
12/9/2015	544	< 10			< 10			81										387183006
3/23/2016	3300	< 10			< 10			57.6										393849008
6/7/2016	9180	< 100			< 100			115										398881006
9/22/2016	9990	< 100			< 100			50.6										406611007
12/13/2016	2100	< 50			< 50			65.2										412748006

C-400 Monitoring
Water Quality Records for
MW407-PRT4

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
3/9/2017	2810	< 50			< 50			54.3										418299010
5/24/2017	3710	< 100	< 100	< 100	< 100			53.1										424148019
6/12/2017	2960	< 40			< 40			49.4										425662003
9/12/2017	2160	< 50			< 50			59.4										432724006
12/18/2017	468	< 10			< 10			37.5										440362006
3/19/2018	696	< 10			< 10			29.9										446475007
5/16/2018	1360	< 10			< 10			29.4										450363006
9/26/2018	385	< 20			< 20			< -2.75										460380006
12/18/2018	97.1	< 1			< 1			< 7.99										467410008
3/20/2019	1190	< 20			< 20			< 15.3										474242011
5/14/2019	6590	< 100	< 100	< 100	< 100			29.7										479297003
6/18/2019	2880	< 50			< 50			28										482490006
9/18/2019	1170	< 50			< 50			< 12										490775007
12/12/2019	1010	< 20			< 20			< -13.3		< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1		498960008
3/20/2020	588	< 10			< 10			< 12.5		< 0.104	< 0.104	< 0.104	< 0.104	< 0.104	< 0.104	< 0.104		507677003
6/10/2020	824	< 20			< 20			< 9.11		< 0.52	< 0.52	< 0.52	< 0.52	< 0.52	< 0.52	< 0.52		513368003
9/24/2020	372	< 4			< 4			< 9.31		< 0.109	< 0.109	< 0.109	< 0.109	< 0.109	< 0.109	< 0.109		522450006
12/9/2020	7470	< 100			< 100			25.8		< 0.119	< 0.119	< 0.119	< 0.119	< 0.119	< 0.119	< 0.119		529822006
3/16/2021	167	< 2.5			< 2.5			< 15.2		< 0.119	< 0.119	< 0.119	< 0.119	< 0.119	< 0.119	< 0.119		538339003
4/27/2021	3430	< 1	< 1	< 1	< 1			22.5										542198006
5/4/2021										< 0.097	< 0.097	< 0.097	< 0.097	< 0.097	< 0.0979	< 0.097		543602003

C-400 Monitoring
Water Quality Records for
MW407-PRT4

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
5/27/2021	1770	1.22	< 1	< 1	1.03			< 3.03										545785005
6/21/2021	298	< 50			< 50			< 1.54		< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1		548108001
7/28/2021	584	< 10	< 10	< 10	< 10			9.14		< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1		551046001
9/21/2021	4400	< 50			< 50			< 13.8		< 0.115	< 0.115	< 0.115	< 0.115	< 0.115	< 0.115	< 0.115		556744003
10/27/2021	6650	< 50	< 50	< 50	< 50			41.5		< 0.112	< 0.112	< 0.112	< 0.112	0.404	< 0.112	0.0683		560446003
12/8/2021	126	< 2			< 2			< 8.87		< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11	< 0.11		564616005

E-39

C-400 Monitoring
Water Quality Records for
MW408

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
6/23/2011	95000	< 5000	< 1000	< 1000	< 1000	< 2.51	13.3	< 14.5	< 0.005									C11174017001

E-40

C-400 Monitoring
Water Quality Records for
MW408-PRT5

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
12/14/2011	71000	< 5000			< 1000	< 1.93	32.9	23.2	< 0.005									C11348026001
6/20/2012	390000	< 20000			< 4000	< 3.79	12.2	< 1.58	< 0.005									C12172011004
9/20/2012	1400000	< 4000			< 4000	< -1.52	13.4	< -1.7	< 0.005									C12264031004
12/28/2012	1100000	< 5000			< 5000			< 4.33										C12363012007
3/27/2013	480000	< 10000			< 10000			< 7.73										C13086018003
9/16/2013	97000	< 2500			< 500			52.9										C13259034006
12/18/2013	65000	< 1000			< 1000			< 8.07										C13353003004
3/26/2014	7700	< 50			< 50			67.7										C14085027006
6/16/2014	2560	< 40			< 40			111										350866001
8/13/2014	6000	< 2			< 2			88.2										160-7947-7
9/3/2014	110	< 0.08			< 0.08			102										160-8215-10
9/16/2014	49.1	< 1			< 1			63										356931010
12/2/2014	37.6	< 1			< 1			93.7										362435007
3/30/2015	234	< 4			< 4			103										369938009
6/12/2015	3490	< 50			< 50			43.1										375132004
6/12/2015	8990	< 200	< 200	< 200	< 200			36										375135004
9/15/2015	115	< 2			< 2			51.5										381234001
12/9/2015	52.4	< 1			< 1			39.5										387183007
3/23/2016	665	0.94			0.84			24.5										393849009
6/7/2016	371	< 5			< 5			71.6										398881007
9/22/2016	207	< 5			< 5			< 15.4										406611008

C-400 Monitoring
Water Quality Records for
MW408-PRT5

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
12/13/2016	86.2	< 1			< 1			20.9										412748007
3/9/2017	168	< 2			< 2			24.8										418299011
5/24/2017	59.8	< 1	< 1	< 1	< 1			31.5										424148020
6/12/2017	56.9	< 1			< 1			< 14.5										425662004
9/12/2017	97.9	< 2			< 2			17.1										432724007
12/18/2017	< 1	< 1			< 1			< 4.89										440362007
3/19/2018	194	< 1			< 1			< 8.91										446475008
5/16/2018	148	< 5			< 5			24.5										450363007
9/26/2018	109	< 5			< 5			< 2.41										460380007
12/18/2018	41.2	< 1			< 1			< 4.18										467410009
3/20/2019	560	< 5			< 5			< 15.1										474242012
5/14/2019	284	< 5	< 5	< 5	< 5			< 0.209										479297004
6/18/2019	216	< 5			< 5			< 9.66										482490007
9/18/2019	186	< 5			< 5			< 1.37										490775008
12/12/2019	41600	< 500			< 500			< 12.2		< 0.114	< 0.114	< 0.114	< 0.114	< 0.114	< 0.114	< 0.114		498960009
3/20/2020	113	< 5			< 5			< 7.09		< 0.127	< 0.127	< 0.127	< 0.127	< 0.127	< 0.127	< 0.127		507677004
6/10/2020	188	< 5			< 5			< 8.12		< 0.534	< 0.534	< 0.534	< 0.534	< 0.534	< 0.534	< 0.534		513368004
9/24/2020	105	< 2			< 2			< 4.49		< 0.112	< 0.112	< 0.112	< 0.112	< 0.112	< 0.112	< 0.112		522450007
12/9/2020	145	< 2			< 2			< 8.69		< 0.124	< 0.124	< 0.124	< 0.124	< 0.124	< 0.124	< 0.124		529822007
3/16/2021	115	< 2.5			< 2.5			< 6.99		< 0.117	< 0.117	< 0.117	< 0.117	< 0.117	< 0.117	< 0.117		538339004
4/26/2021	51.7	< 1	< 1	< 1	< 1			4.78		< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1		542198008

C-400 Monitoring
Water Quality Records for
MW408-PRT5

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
5/27/2021	213	< 1	< 1	< 1	0.4			< 8.18										545785006
6/21/2021	497	< 4			< 4			< -1.47		< 0.142	< 0.142	< 0.142	< 0.142	< 0.142	< 0.142	< 0.142		548108002
7/28/2021	705	0.39	< 1	< 1	0.7			< 2.05		< 0.098	< 0.098	< 0.098	< 0.098	< 0.098	< 0.0982	< 0.098		551046006
9/21/2021	23.2	< 1			< 1			< 6.75		< 0.112	< 0.112	< 0.112	< 0.112	< 0.112	< 0.112	< 0.112		556744004
10/26/2021	98.6	< 1	< 1	< 1	< 1			5.4		< 0.117	< 0.117	< 0.117	< 0.117	< 0.117	< 0.117	< 0.117		560309010
12/13/2021	284	< 1			1.02			< 15		< 0.108	< 0.108	< 0.108	< 0.108	< 0.108	< 0.108	< 0.108		565140004

E-43

C-400 Monitoring
Water Quality Records for
MW421-PRT1

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
7/21/2009	20000	< 1000			< 200	38	1780	1650	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09202027001
8/25/2009	21000	< 200			< 200	< -0.377	1300	1670	< 0.005	< 0.16	< 0.17	< 0.13	< 0.09	< 0.11	< 0.07	< 0.05	< 0.08	C09237029001
9/29/2009	22000	< 200			< 200	33	878	1240	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09273002001
12/16/2009	27000	< 1000			< 200	27.7	906	1160	< 0.005	< 0.16	< 0.17	< 0.13	< 0.09	< 0.11	< 0.07	< 0.05	< 0.08	C09350025004
3/23/2010	24000	< 200			< 200	15.5	1180	1780	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C10082025004
6/23/2010	58000	< 500			< 500	18.4	1710	2340	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C10172026001
9/21/2010	34000	< 500			< 500	15.1	826	1190	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10264016001
12/14/2010	28000	< 2500			< 500	9.44	789	916	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10348026001
E-44 3/23/2011	28000	< 250			< 250	< 4.35	623	859	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.06	< 0.09	C11082024003
6/22/2011										< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	1106092-01
6/22/2011	29000	< 2000			< 400	< -121	3300	3930	< 0.005									C11173026001
9/12/2011	32000	< 1000			< 200	9.06	2190	2500	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C11255015001
3/19/2013	26000	< 400			< 400			912										C13078013003
9/17/2013	34000	< 2000			< 400			1750										C13260018001
3/19/2014	31000	< 400			< 400			761										C14078013004
9/10/2014	26000	< 500			< 500			944										356723001
3/24/2015	19300	< 500			< 500			892										369707003
3/21/2016	9860	21.5			0.54			4160										393717002
9/19/2016	10300	< 200			< 200			1750										406359001
3/7/2017	9260	< 200			< 200			898										418299001
9/11/2017	9440	< 100			< 100			1500										432728004

C-400 Monitoring
Water Quality Records for
MW421-PRT1

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 µg/L	PCB 1221 µg/L	PCB 1232 µg/L	PCB 1242 µg/L	PCB 1248 µg/L	PCB 1254 µg/L	PCB 1260 µg/L	PCB 1268 µg/L	
3/14/2018	4980	11.9			0.4			770										446010001
9/24/2018	4510	< 100			< 100			4500										460260003
3/19/2019	6210	< 100			< 100			6210										474190003
9/10/2019								4000										490247005
9/16/2019	7260	< 100			< 100													490760001
3/11/2020	8350	< 100			< 100			2990										506866006
9/21/2020	6260	< 100			< 100			2560										522415009
3/16/2021	3550	< 100			< 100			1300										538339005
4/20/2021	4860	5.51	< 1	< 1	0.6			2190		< 0.099	< 0.099	< 0.099	< 0.099	< 0.099	< 0.0995	< 0.099		541464008
7/20/2021	1960	< 50	< 50	< 50	< 50			2510		< 0.103	< 0.103	< 0.103	< 0.103	< 0.103	< 0.103	< 0.103		550346004
9/20/2021	2830	< 100			< 100			2130										556737006
10/8/2021	2980	9.93	< 1	< 1	< 1			1730		< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1		558539001

E-45

C-400 Monitoring
Water Quality Records for
MW421-PRT2

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	Uranium mg/L	PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
E-46 7/21/2009	52000	< 2500			< 500	15.2	830	856	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09202027002
8/25/2009	53000	< 500			< 500	6.73	865	1120	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09237029002
9/29/2009	53000	< 500			< 500	27.9	639	882	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09273002002
12/16/2009	62000	< 2500			< 500	4.74	475	618	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C09350025005
3/23/2010	55000	< 500			< 500	12.7	417	777	< 0.005	< 0.16	< 0.17	< 0.13	< 0.09	< 0.11	< 0.07	< 0.05	< 0.08	C10082025005
6/21/2010	51000	< 500			< 500	26.9	514	813	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C10172026002
9/21/2010	51000	< 500			< 500	8.44	255	416	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10264016002
12/14/2010	62000	< 500			< 500	10.4	280	348	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10348026002
3/23/2011	62000	< 500			< 500	8.6	220	340	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.15	< 0.09	C11082024004
6/22/2011	55000	< 2500			< 500	< -24.9	853	996	< 0.005									C11173026002
6/22/2011										< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	1106092-02
9/12/2011	51000	< 2000			< 400	14.5	582	694	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C11255015002
3/19/2013	56000	< 500			< 500			265										C13078013004
9/17/2013	63000	< 2000			< 400			377										C13260018002
3/19/2014	68000	< 400			< 400			216										C14078013005
9/12/2014	58600	< 50			< 50			255										356931011
3/24/2015	55900	< 1000			< 1000			249										369707004
3/21/2016	27400	8.01			1.39			1240										393717003
9/19/2016	24800	< 500			< 500			609										406359002
3/7/2017	22400	< 500			< 500			311										418299012
9/11/2017	21700	< 500			< 500			339										432728001

C-400 Monitoring
Water Quality Records for
MW421-PRT2

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 µg/L	PCB 1221 µg/L	PCB 1232 µg/L	PCB 1242 µg/L	PCB 1248 µg/L	PCB 1254 µg/L	PCB 1260 µg/L	PCB 1268 µg/L	
3/14/2018	40600	6.75			1.56			219										446010002
9/24/2018	12800	< 250			< 250			1570										460260004
3/19/2019	10100	< 250			< 250			3610										474190004
9/10/2019								3420										490247006
9/16/2019	12800	< 200			< 200													490760002
3/11/2020	16800	< 200			< 200			1770										506866007
9/21/2020	15300	< 200			< 200			933										522415001
3/16/2021	15500	< 200			< 200			581										538339006
4/20/2021	3130	4.06	< 1	< 1	0.45			905		< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1		541464009
7/20/2021	6610	< 200	< 200	< 200	< 200			700		< 0.099	< 0.099	< 0.099	< 0.099	< 0.099	< 0.0997	< 0.099		550346005
9/20/2021	7880	< 200			< 200			644										556737007
10/8/2021	9120	2.8	< 1	< 1	0.59			597		< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1		558539002

E-47

C-400 Monitoring
Water Quality Records for
MW421-PRT3

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
E-48 7/21/2009	63000	< 2500			< 500	< 3.73	327	302	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09202027003
8/25/2009	66000	< 500			< 500	< 3.62	398	451	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C09237029003
9/29/2009	61000	< 500			< 500	8.99	323	335	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C09273002003
12/16/2009	77000	< 2500			< 500	4.67	226	345	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C09350025006
3/23/2010	70000	< 500			< 500	12.8	218	376	< 0.005	< 0.16	< 0.17	< 0.13	< 0.09	< 0.11	< 0.07	< 0.05	< 0.08	C10082025006
6/21/2010	68000	< 500			< 500	< 4.02	278	251	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C10173001001
9/21/2010	64000	< 500			< 500	6.83	215	285	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10264016003
12/14/2010	65000	< 500			< 500	< 5.08	209	278	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10348026003
3/23/2011	61000	< 500			< 500	19	186	278	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.34	< 0.09	C11082024005
6/22/2011	72000	< 2500			< 500	15.7	289	399	< 0.005									C11173026003
6/22/2011										< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	1106092-03
9/12/2011	67000	< 2500			< 500	5.7	272	313	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C11255015003
3/12/2012	73000	< 500			< 500	5.39	177	283	< 0.005									C12072031003
9/25/2012	96000	< 1000			< 1000	< 1.59	225	211	< 0.005									C12270003002
3/19/2013	80000	< 1000			< 1000			216										C13078013005
9/17/2013	63000	< 2500			< 500			191										C13260018003
3/19/2014	67000	< 500			< 500			202										C14078013006
9/12/2014	62800	< 50			< 50			181										356931012
3/24/2015	45500	4.96			1.92			200										369707005
3/21/2016	49300	4.07			1.22			318										393717004
9/19/2016	49500	< 500			< 500			261										406359003

C-400 Monitoring
Water Quality Records for
MW421-PRT3

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 µg/L	PCB 1221 µg/L	PCB 1232 µg/L	PCB 1242 µg/L	PCB 1248 µg/L	PCB 1254 µg/L	PCB 1260 µg/L	PCB 1268 µg/L	
E-49 3/7/2017	49600	< 1000			< 1000			155										418299013
9/11/2017	42100	< 1000			< 1000			194										432728005
3/14/2018	53200	7.28			2.36			180										446010003
9/24/2018	43600	< 1000			< 1000			574										460260005
3/19/2019	25100	< 1000			< 1000			63.1										474190005
9/10/2019								850										490247007
9/16/2019	52800	< 1000			< 1000													490760003
3/11/2020	78700	< 1000			< 1000			485										506866008
9/21/2020	57900	< 1000			< 1000			225										522415010
3/16/2021	48100	< 1000			< 1000			230										538339007
4/20/2021	43300	< 1	< 1	< 1	1.88			328		< 0.095	< 0.095	< 0.095	< 0.095	< 0.095	< 0.0958	< 0.095		541588002
7/20/2021	33200	< 1000	< 1000	< 1000	< 1000			232		< 0.099	< 0.099	< 0.099	< 0.099	< 0.099	< 0.0991	< 0.099		550346006
9/20/2021	49300	< 1000			< 1000			235										556737008
10/8/2021	55200	6.53	< 1	0.6	1.84			231		< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1		558539003

C-400 Monitoring
Water Quality Records for
MW422-PRT1

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
E-50	7/21/2009	10000	< 500		< 100	< -96.7	10400	13600	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C09202018001
	8/24/2009	13000	< 100		< 100	95	12900	15600	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C09237007001
	9/28/2009	12000	< 100		< 100	59.7	14200	16900	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09271021004
	12/16/2009	16000	< 1000		< 200	< -15.7	10200	13900	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C09350025001
	3/23/2010	14000	< 100		< 100	< -25.6	8460	13400	< 0.005	< 0.16	< 0.17	< 0.13	< 0.09	< 0.11	< 0.07	< 0.05	< 0.08	C10082025001
	6/21/2010	14000	< 100		< 100	< -60.6	11600	15500	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10173001002
	9/20/2010	15000	< 200		< 200	< -51	8500	12900	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10263039004
	12/13/2010	23000	< 1000		< 200	< -3.47	5090	6610	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10347024004
	3/22/2011	20000	< 200		< 200	87.5	4860	6410	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C11081023005
	6/15/2011	14000	< 1000		< 200	< -13.8	7910	9730	< 0.005									C11166026002
	6/15/2011									< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	1106059-03
	9/12/2011	16000	< 1000		< 200	< -54.7	10600	12300	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C11255022001
	3/13/2013	16000	< 250		< 250			6720										C13072022004
	9/17/2013	17000	< 500		< 100			14200										C13260018004
	3/19/2014	15000	< 100		< 100			5800										C14078013007
	9/12/2014	10800	32.8		< 25			10400										356931013
	3/24/2015	9330	< 100		< 100			7120										369707006
	3/21/2016	4720	43.2		0.4			10800										393717005
	9/19/2016	4490	34		< 100			14900										406359004
	3/8/2017	7020	< 100		< 100			7680										418299014
	9/11/2017	4230	< 100		< 100			15000										432728006

C-400 Monitoring
Water Quality Records for
MW422-PRT1

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 µg/L	PCB 1221 µg/L	PCB 1232 µg/L	PCB 1242 µg/L	PCB 1248 µg/L	PCB 1254 µg/L	PCB 1260 µg/L	PCB 1268 µg/L	
3/14/2018	4910	42			< 100			7480										446010004
9/24/2018	2750	< 100			< 100			6210										460260006
3/19/2019	2950	50.5			< 50			10100										474190006
9/10/2019								20100										490247008
9/16/2019	5740	< 100			< 100													490760004
3/11/2020	7060	49			< 100			18900										506866009
9/21/2020	5990	43			< 100			23900										522415011
3/16/2021	5010	< 100			< 100			22700										538339008
4/20/2021	4700	36.2	1.23	< 1	< 1			24500		< 0.095	< 0.095	< 0.095	< 0.095	< 0.095	< 0.0956	< 0.095		541588003
7/20/2021	2430	< 100	< 100	< 100	< 100			27500		< 0.102	< 0.102	< 0.102	< 0.102	< 0.102	< 0.102	< 0.102		550346007
9/20/2021	3190	< 100			< 100			28500										556737009
10/8/2021	3510	38.2	1.29	< 1	0.38			25100		< 0.102	< 0.102	< 0.102	< 0.102	< 0.102	< 0.102	< 0.102		558539004

E-51

C-400 Monitoring
Water Quality Records for
MW422-PRT2

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
E-52 7/21/2009	43000	< 2500			< 500	32.8	1570	1970	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C09202019001
8/24/2009	47000	< 500			< 500	28.2	1650	2150	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09237008001
9/28/2009	45000	< 500			< 500	18.5	1490	2020	< 0.005	< 0.16	< 0.17	< 0.13	< 0.09	< 0.11	< 0.07	< 0.05	< 0.08	C09271021005
12/16/2009	53000	< 2500			< 500	16.1	1110	1660	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C09350025002
3/23/2010	51000	< 500			< 500	24	823	1600	< 0.005	< 0.16	< 0.17	< 0.13	< 0.09	< 0.11	< 0.07	< 0.05	< 0.08	C10082025002
6/21/2010	90000	< 400			< 400	17.5	1060	1620	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C10173001003
9/20/2010	51000	< 1000			< 1000	9.61	808	1420	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10263039005
12/13/2010	54000	< 2500			< 500	41.2	789	1170	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10347024005
3/22/2011	40000	< 500			< 500	27.3	823	1090	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.44	< 0.09	C11081023006
6/15/2011	50000	< 2500			< 500	35.3	1000	1310	< 0.005									C11166026003
6/15/2011										< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	1106059-04
9/12/2011	52000	< 2000			< 400	10.6	900	1130	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C11255022002
3/13/2013	43000	< 500			< 500			643										C13072022005
9/17/2013	49000	< 2000			< 400			535										C13260018005
3/19/2014	49000	< 400			< 400			559										C14078013008
9/12/2014	41800	< 50			< 50			514										356931014
3/24/2015	48700	< 100			< 100			567										369707007
3/21/2016	38200	3.2			1.2			634										393717006
9/19/2016	39200	< 500			< 500			707										406359005
3/8/2017	41200	< 500			< 500			608										418299015
9/11/2017	29100	< 500			< 500			663										432728007

C-400 Monitoring
Water Quality Records for
MW422-PRT2

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 µg/L	PCB 1221 µg/L	PCB 1232 µg/L	PCB 1242 µg/L	PCB 1248 µg/L	PCB 1254 µg/L	PCB 1260 µg/L	PCB 1268 µg/L	
3/14/2018	38300	< 500			< 500			558										446010005
9/24/2018	27000	< 500			< 500			629										460260007
3/19/2019	28100	< 500			< 500			629										474190007
9/10/2019								1520										490247009
9/16/2019	27300	< 500			< 500													490760005
3/11/2020	34700	< 500			< 500			1630										506866010
9/21/2020	28900	< 500			< 500			1550										522415012
3/16/2021	23100	< 500			< 500			1780										538339009
4/20/2021	22600	2.75	< 1	< 1	0.76			2960		< 0.096	< 0.096	< 0.096	< 0.096	< 0.096	< 0.0964	< 0.096		541464010
7/20/2021	16700	< 250	< 250	< 250	< 250			1890		< 0.101	< 0.101	< 0.101	< 0.101	< 0.101	< 0.101	< 0.101		550346008
9/20/2021	23100	< 500			< 500			1610										556737010
10/8/2021	20600	2.96	< 1	< 1	0.86			1450		< 0.102	< 0.102	< 0.102	< 0.102	< 0.102	< 0.102	< 0.102		558539005

E-53

C-400 Monitoring
Water Quality Records for
MW422-PRT3

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
E-54 7/21/2009	45000	< 2500			< 500	< -0.394	1650	2310	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C09202019002
8/24/2009	46000	< 500			< 500	15.4	1380	1960	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09237008002
9/28/2009	45000	< 500			< 500	15.5	1560	1940	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09271021006
12/16/2009	58000	< 2500			< 500	20.7	1230	1630	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09350025003
3/23/2010	53000	< 500			< 500	19.6	866	1490	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C10082025003
6/21/2010	72000	< 1000			< 1000	15.1	883	1520	< 0.005	< 0.16	< 0.17	< 0.13	< 0.09	< 0.11	< 0.07	< 0.05	< 0.08	C10173001004
9/20/2010	61000	< 1000			< 1000	16.3	777	1320	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10263039006
12/13/2010	54000	< 2500			< 500	22.6	782	1070	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10347024006
3/22/2011	54000	< 500			< 500	23.3	677	1010	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.36	< 0.09	C11081023007
6/15/2011										< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	1106059-05
6/15/2011	49000	< 2500			< 500	13.5	864	1140	< 0.005									C11166026004
9/12/2011	53000	< 2000			< 400	7.69	718	910	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C11255022003
3/12/2012	69000	< 500			< 500	< 4.11	575	774	< 0.005									C12072031004
9/25/2012	48000	< 1000			< 1000	< 4.02	524	631	< 0.005									C12270003001
3/13/2013	35000	< 500			< 500			559										C13072022006
9/17/2013	47000	< 2000			< 400			535										C13260018006
3/19/2014	49000	< 400			< 400			543										C14078013009
9/12/2014	46700	< 50			< 50			496										356931015
3/24/2015	44600	< 100			< 100			550										369707008
3/21/2016	37800	3.13			1.09			635										393717007
9/19/2016	44300	< 500			< 500			678										406359006

C-400 Monitoring
Water Quality Records for
MW422-PRT3

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 µg/L	PCB 1221 µg/L	PCB 1232 µg/L	PCB 1242 µg/L	PCB 1248 µg/L	PCB 1254 µg/L	PCB 1260 µg/L	PCB 1268 µg/L	
3/8/2017	39700	< 500			< 500			622										418299016
9/11/2017	25200	< 500			< 500			623										432728008
3/14/2018	37300	< 500			< 500			605										446010006
9/24/2018	29100	< 500			< 500			620										460260008
3/19/2019	29500	< 500			< 500			652										474190008
9/10/2019								1630										490247010
9/16/2019	26800	< 500			< 500													490760006
3/11/2020	27500	< 500			< 500			1660										506866011
9/21/2020	30300	< 500			< 500			1610										522415013
3/16/2021	20800	< 500			< 500			1740										538339010
4/20/2021	19800	2.57	< 1	< 1	0.74			2010		< 0.099	< 0.099	< 0.099	< 0.099	< 0.099	< 0.099	< 0.099		541464011
7/20/2021	16900	< 500	< 500	< 500	< 500			1610		< 0.099	< 0.099	< 0.099	< 0.099	< 0.099	< 0.0994	< 0.099		550346009
9/20/2021	18500	< 500			< 500			1550										556737011
10/8/2021	20700	2.86	< 1	< 1	0.84			1460		< 0.104	< 0.104	< 0.104	< 0.104	< 0.104	< 0.104	< 0.104		558539006

E-55

C-400 Monitoring
Water Quality Records for
MW423-PRT1

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
E-56 7/22/2009	13000	< 500			< 100	< -60	8610	10400	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C09203009001
8/25/2009	12000	< 200			< 200	81	9720	12100	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09237022001
9/28/2009	11000	< 100			< 100	87.3	11100	14000	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C09271021001
12/15/2009	15000	< 1000			< 200	< -236	11500	14400	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09349015001
3/22/2010	15000	64			< 25	45.5	8550	13800	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10082005003
6/22/2010	12000	< 500			< 100	< -79.6	10100	13400	< 0.005	< 0.16	< 0.17	< 0.13	< 0.09	< 0.11	< 0.07	< 0.05	< 0.08	C10173027002
9/20/2010	12000	< 200			< 200	52.9	9500	16000	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10263039001
12/13/2010	18000	< 500			< 100	< -161	8180	10800	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10347024001
3/21/2011	15000	< 200			< 200	95.2	6870	8960	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C11080075002
6/14/2011										< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	1106059-06
6/14/2011	15000	< 500			< 100	< -273	9620	9790	< 0.005									C11165038005
9/13/2011	14000	< 1000			< 200	< -18.7	8820	10500	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C11256012001
3/13/2013	18000	< 200			< 200			9070										C13072009001
9/12/2013	13000	< 1000			< 200			14900										C13255083001
3/20/2014	13000	< 100			< 100			8350										C14079016004
9/12/2014	8980	32.8			< 25			9080										356931016
3/24/2015	8970	35.5			< 50			8220										369707009
3/21/2016	3350	35.7			0.4			8560										393717008
9/19/2016	4890	41.5			< 50			12600										406359007
3/8/2017	4520	< 100			< 100			8980										418299017
9/11/2017	3370	22.5			< 50			13000										432728009

C-400 Monitoring
Water Quality Records for
MW423-PRT1

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 µg/L	PCB 1221 µg/L	PCB 1232 µg/L	PCB 1242 µg/L	PCB 1248 µg/L	PCB 1254 µg/L	PCB 1260 µg/L	PCB 1268 µg/L	
3/14/2018	3410	44.5			< 50			10300										446010007
9/25/2018	2720	53.5			< 50			4530										460388002
3/19/2019	1980	38.5			< 50			7090										474190009
9/11/2019								18500										490207002
9/17/2019	2620	44			< 50													490762006
3/10/2020	4180	25.5			< 50			19700										506701006
9/21/2020	4660	46.5			< 50			25300										522415014
3/17/2021	4010	39.5			< 50			30300										538351010
4/20/2021	4090	40.9	1.18	< 1	0.46			31700		< 0.095	< 0.095	< 0.095	< 0.095	< 0.095	< 0.0954	< 0.095		541464012
7/20/2021	1600	24.5	< 50	< 50	< 50			22700		< 0.097	< 0.097	< 0.097	< 0.097	< 0.097	< 0.0975	< 0.097		550346010
9/20/2021	3110	32.5			< 50			28400										556737012
10/8/2021	3490	46.6	1.44	< 1	0.55			29000		< 0.104	< 0.104	< 0.104	< 0.104	< 0.104	< 0.104	< 0.104		558539007

E-57

C-400 Monitoring
Water Quality Records for
MW423-PRT2

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
E-58 7/22/2009	42000	< 2500			< 500	<-8.97	3760	4840	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09203009002
8/25/2009	47000	< 500			< 500	34.3	3420	4880	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C09237022002
9/28/2009	44000	< 500			< 500	35.8	3820	5230	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C09271021002
12/15/2009	54000	< 2500			< 500	<-51.8	3650	4930	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C09349015002
3/22/2010	52000	< 500			< 500	40.2	2260	4310	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C10082005004
6/22/2010	45000	< 2500			< 500	<-2.09	3050	4530	< 0.005	< 0.16	< 0.17	< 0.13	< 0.09	< 0.11	< 0.07	< 0.05	< 0.08	C10173027003
9/20/2010	46000	< 500			< 500	14.3	2590	4070	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10263039002
12/13/2010	52000	< 2500			< 500	42.7	2070	4280	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10347024002
3/21/2011	41000	< 500			< 500	114	1990	3430	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.15	< 0.09	C11080075003
6/14/2011	43000	< 2500			< 500	<-23.6	2810	3970	< 0.005									C11165038006
6/14/2011										< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	1106059-07
9/13/2011	46000	< 2000			< 400	<-37.2	2730	3710	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C11256012002
3/13/2013	34000	< 500			< 500			1780										C13072009002
9/12/2013	35000	< 2000			< 400			1430										C13255083002
3/20/2014	35000	< 400			< 400			1490										C14079016005
9/12/2014	38100	< 500			< 500			1550										356937007
3/24/2015	29900	< 1000			< 1000			1460										369707010
3/21/2016	31900	2.39			1.49			1690										393717009
9/19/2016	40400	< 500			< 500			1690										406359008
3/8/2017	36300	< 500			< 500			1330										418299018
9/11/2017	25200	< 500			< 500			1620										432728010

C-400 Monitoring
Water Quality Records for
MW423-PRT2

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
3/14/2018	32500	< 500			< 500			1620										446010008
9/25/2018	34400	< 500			< 500			1690										460388003
3/19/2019	24800	< 500			< 500			1540										474190010
9/11/2019								1790										490207003
9/17/2019	18200	< 500			< 500													490762007
3/10/2020	17000	< 500			< 500			1740										506701007
9/21/2020	24600	< 500			< 500			1940										522415015
3/17/2021	3270	< 100			< 100			3290										538351011
4/20/2021	21400	2.36	< 1	< 1	0.59			10100		< 0.099	< 0.099	< 0.099	< 0.099	< 0.099	< 0.0994	< 0.099		541464013
7/20/2021	13000	< 250	< 250	< 250	< 250			6210		< 0.098	< 0.098	< 0.098	< 0.098	< 0.098	< 0.0986	< 0.098		550346011
9/20/2021	14800	< 500			< 500			2960										556737013
10/8/2021	17000	2.71	< 1	< 1	0.71			2820		< 0.101	< 0.101	< 0.101	< 0.101	< 0.101	< 0.101	< 0.101		558539008

E-59

C-400 Monitoring
Water Quality Records for
MW423-PRT3

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
E-60 7/22/2009	42000	< 2500			< 500	< -4.38	2660	4350	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09203009003
8/25/2009	47000	< 500			< 500	23.4	2850	4440	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09237022003
9/28/2009	14000	< 500			< 500	97.8	10600	13500	< 0.005	< 0.16	< 0.17	< 0.13	< 0.09	< 0.11	< 0.07	< 0.05	< 0.08	C09271021003
12/15/2009	53000	< 2500			< 500	< -48.6	2970	4030	< 0.005	< 0.16	< 0.17	< 0.13	< 0.09	< 0.11	< 0.07	< 0.05	< 0.08	C09349015003
3/22/2010	51000	< 500			< 500	43.5	1960	3810	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C10082005005
6/22/2010	49000	< 2500			< 500	5.16	2930	3850	< 0.005	< 0.16	< 0.17	< 0.13	< 0.09	< 0.11	< 0.07	< 0.05	< 0.08	C10173027004
9/20/2010	50000	< 500			< 500	34.3	2080	3730	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10263039003
12/13/2010	50000	< 2500			< 500	19	2120	3140	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	0.15	< 0.09	C10347024003
3/21/2011	41000	< 500			< 500	89.1	1880	2900	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.12	< 0.09	C11080075004
6/14/2011										< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	1106059-08
6/14/2011	43000	< 2500			< 500	< -17.1	2540	3680	< 0.005									C11165038007
9/13/2011	47000	< 2000			< 400	< -27.3	2490	2990	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C11256012003
3/12/2012	37000	< 500			< 500	< -9.6	1620	2350	< 0.005									C12072031005
9/24/2012	67000	< 500			< 500	19.2	1550	1820	< 0.005									C12268086001
3/13/2013	34000	< 500			< 500			1800										C13072009003
9/12/2013	35000	< 2000			< 400			1730										C13255083003
3/20/2014	36000	< 400			< 400			1480										C14079016006
9/13/2014	38300	< 50			< 50			1500										356931017
3/24/2015	34900	< 1000			< 1000			1470										369707011
3/21/2016	32800	2.35			0.98			1820										393717010
9/19/2016	37800	< 500			< 500			1600										406359009

C-400 Monitoring
Water Quality Records for
MW423-PRT3

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 µg/L	PCB 1221 µg/L	PCB 1232 µg/L	PCB 1242 µg/L	PCB 1248 µg/L	PCB 1254 µg/L	PCB 1260 µg/L	PCB 1268 µg/L	
3/8/2017	31800	< 500			< 500			1230										418299019
9/11/2017	26800	< 500			< 500			1670										432728011
3/14/2018	32500	< 500			< 500			1570										446010009
9/25/2018	30100	< 500			< 500			1870										460388004
3/19/2019	28000	< 500			< 500			1460										474190011
9/11/2019								1560										490207004
9/17/2019	20600	< 500			< 500													490762008
3/10/2020	18500	< 500			< 500			1550										506701008
9/21/2020	26700	< 500			< 500			2050										522415016
3/17/2021	22200	< 500			< 500			2910										538351012
4/20/2021	22600	1.82	< 1	< 1	0.53			3310		< 0.098	< 0.098	< 0.098	< 0.098	< 0.098	< 0.0986	< 0.098		541464014
7/20/2021	15200	< 250	< 250	< 250	< 250			2430		< 0.097	< 0.097	< 0.097	< 0.097	< 0.097	< 0.0975	< 0.097		550346012
9/20/2021	17600	< 500			< 500			2910										556737014
10/8/2021	21400	2.67	< 1	0.35	0.76			2860		< 0.101	< 0.101	< 0.101	< 0.101	< 0.101	< 0.101	< 0.101		558539009

E-61

C-400 Monitoring
Water Quality Records for
MW424-PRT1

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
7/23/2009	7200	< 500			< 100	< -7	2300	1790	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C09204021001
8/27/2009	7100	< 50			< 50	< 3.09	2680	3330	< 0.005	< 0.16	< 0.17	< 0.13	< 0.09	< 0.11	< 0.07	< 0.05	< 0.08	C09239018001
9/30/2009	7700	< 100			< 100	125	4580	6150	< 0.005	< 0.16	< 0.17	< 0.13	< 0.09	< 0.11	< 0.07	< 0.05	< 0.08	C09273021001
12/17/2009	9200	< 100			< 100	< -31.9	7760	10000	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09351022002
3/24/2010	7900	< 100			< 100	86.8	4420	6540	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C10083023002
6/23/2010	7900	< 250			< 50	14	4020	5080	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C10174017003
9/22/2010	7900	< 1000			< 200	< -79.8	7420	10300	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10265020001
12/15/2010	8400	< 100			< 100	< -325	9940	13900	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10349020001
E-62 6/14/2011										< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	1106059-09
6/14/2011	7900	< 500			< 100	< -211	7890	8220	< 0.005									C11165038002
9/13/2011	9000	< 500			< 100	< -150	5730	6730	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C11256019001
3/13/2013	7900	< 100			< 100			10300										C13072022001
9/17/2013	5900	< 250			< 50			5540										C13260018007
3/20/2014	3900	< 50			< 50			6530										C14079016007
9/13/2014	2630	18.8			< 25			3070										356931018
3/26/2015	2520	18.5			< 50			5140										369707012
3/23/2016	1410	22.2			< 20			2400										393849010
9/20/2016	1650	23			< 20			6870										406359011
3/8/2017	1380	< 20			< 20			8620										418299020
9/11/2017	1180	11			< 20			6110										432728012
3/21/2018	936	11.6			< 1			3750										446475009

C-400 Monitoring
Water Quality Records for
MW424-PRT1

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
9/25/2018	1600	32.3			< 10			2160										460388005
3/19/2019	810	10.5			< 25			1470										474193001
9/11/2019								15900										490207005
9/17/2019	2030	33.3			< 25													490762009
3/10/2020	2830	11			< 25			17800										506701009
9/21/2020	3520	25.5			< 50			21300										522415017
3/17/2021	3170	23.5			< 50			25000										538351013
4/20/2021	2840	17.1	< 1	< 1	0.78			22300		< 0.096	< 0.096	< 0.096	< 0.096	< 0.096	< 0.0962	< 0.096		541588004
7/20/2021	1750	< 100	< 100	< 100	< 100			12400		< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1		550346013
9/21/2021	2790	< 50			< 50			17400										556744005
10/21/2021	2590	17.6	0.74	< 1	0.62			21600		< 0.105	< 0.105	< 0.105	< 0.105	< 0.105	< 0.105	< 0.105		559703002

E-63

C-400 Monitoring
Water Quality Records for
MW424-PRT2

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
E-64 7/23/2009	17000	< 1000			< 200	< -29.4	4170	5680	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09204022001
8/27/2009	16000	< 200			< 200	< -4.44	6130	5900	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C09239019001
9/30/2009	16000	< 200			< 200	91.8	5200	7100	< 0.005	< 0.16	< 0.17	< 0.13	< 0.09	< 0.11	< 0.07	< 0.05	< 0.08	C09273023001
12/17/2009	18000	< 200			< 200	7.27	4010	6180	< 0.005	< 0.16	< 0.17	< 0.13	< 0.09	< 0.11	< 0.07	< 0.05	< 0.08	C09351022003
3/24/2010	17000	< 250			< 250	52.8	2940	6240	< 0.005	< 0.16	< 0.17	< 0.13	< 0.09	< 0.11	< 0.07	< 0.05	< 0.08	C10083023003
6/22/2010	17000	< 1000			< 200	12.7	5150	7070	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10174017004
9/22/2010	15000	< 1000			< 200	< -41.8	4000	6040	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10265020002
12/15/2010	14000	< 200			< 200	< -161	5510	7850	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10349020002
3/22/2011	12000	< 100			< 100	170	4620	6990	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.26	< 0.09	C11081023001
6/14/2011	14000	< 500			< 100	< -51.5	4820	5790	< 0.005									C11165038003
6/14/2011										< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	1106059-10
9/13/2011	12000	< 500			< 100	< -138	5900	6890	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C11256019002
3/13/2013	10000	< 100			< 100			4320										C13072022002
9/17/2013	11000	< 500			< 100			3810										C13260018008
3/20/2014	13000	< 100			< 100			3540										C14079016008
9/13/2014	13900	< 250			< 250			3820										356931019
3/31/2015	17600	< 250			< 250			3260										369938010
3/23/2016	20600	< 250			< 250			3220										393849011
9/20/2016	16700	< 250			< 250			2970										406359012
3/8/2017	10900	< 250			< 250			2750										418307001
9/11/2017	10100	< 250			< 250			3100										432728013

C-400 Monitoring
Water Quality Records for
MW424-PRT2

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
3/21/2018	10200	1.94			0.63			4100										446475010
9/25/2018	11800	< 200			< 200			3530										460388006
3/19/2019	9720	< 200			< 200			3320										474193002
9/11/2019								3870										490207006
9/17/2019	8330	< 100			< 100													490762010
3/10/2020	6330	< 200			< 200			7900										506701010
9/21/2020	5040	< 50			< 50			7230										522450008
3/17/2021	5320	< 100			< 100			15700										538351014
4/20/2021	6110	4.97	< 1	< 1	0.42			19100		< 0.096	< 0.096	< 0.096	< 0.096	< 0.096	< 0.096	< 0.096		541588005
7/20/2021	4200	< 100	< 100	< 100	< 100			15300		< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1		550346014
9/22/2021	5320	< 100			< 100			13600										556744006
10/21/2021	6250	3.26	< 1	< 1	0.36			17600		< 0.102	< 0.102	< 0.102	< 0.102	< 0.102	< 0.102	< 0.102		559703003

E-65

C-400 Monitoring
Water Quality Records for
MW424-PRT3

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
E-66 7/23/2009	22000	< 1000			< 200	< -7.72	1900	2770	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C09204023001
8/27/2009	23000	< 200			< 200	< 5.21	3400	4970	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09239020001
9/30/2009	23000	< 250			< 250	78.9	3350	4660	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C09273024001
12/17/2009	23000	< 200			< 200	12.3	2960	4500	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C09351022004
3/24/2010	23000	< 250			< 250	< -39.3	2810	4600	< 0.005	< 0.16	< 0.17	< 0.13	< 0.09	< 0.11	< 0.07	< 0.05	< 0.08	C10083023004
6/23/2010	21000	< 1000			< 200	10.2	3160	4740	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10174017005
9/22/2010	21000	< 1000			< 200	< -14.6	2650	4440	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10265020003
12/15/2010	19000	< 200			< 200	< -54.8	2840	4300	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10349020003
3/22/2011	16000	< 200			< 200	93.3	2580	3430	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.28	< 0.09	C11081023002
6/14/2011	18000	< 1000			< 200	< -23	2990	3940	< 0.005									C11165038004
6/14/2011										< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	1106059-11
9/13/2011	16000	< 1000			< 200	< -42.4	2720	4190	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C11256019003
3/12/2012	12000	< 200			< 200	15.3	2120	3500	< 0.005									C12072031008
9/25/2012	11000	< 200			< 200	< -2.6	3010	3600	< 0.005									C12269015005
3/13/2013	10000	< 100			< 100			3070										C13072022003
9/17/2013	9300	< 500			< 100			2870										C13260018009
3/20/2014	10000	< 100			< 100			2500										C14079016009
9/13/2014	11100	< 250			< 250			2600										356931020
3/31/2015	14000	< 250			< 250			2570										369938011
3/23/2016	16800	< 250			< 250			2680										393849012
9/20/2016	16600	< 250			< 250			2580										406359013

C-400 Monitoring
Water Quality Records for
MW424-PRT3

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 µg/L	PCB 1221 µg/L	PCB 1232 µg/L	PCB 1242 µg/L	PCB 1248 µg/L	PCB 1254 µg/L	PCB 1260 µg/L	PCB 1268 µg/L	
3/8/2017	13500	< 250			< 250			2190										418307002
9/11/2017	13300	< 250			< 250			2330										432728014
3/21/2018	15100	1.43			1.02			2220										446475011
9/25/2018	14700	< 200			< 200			2330										460388007
3/19/2019	13400	< 200			< 200			2050										474193003
9/11/2019								2550										490207007
9/17/2019	8890	< 200			< 200													490762011
3/10/2020	10200	< 200			< 200			2600										506701011
9/21/2020	9560	< 200			< 200			2370										522450009
3/17/2021	8130	< 200			< 200			3710										538351015
4/20/2021	8650	1.3	< 1	< 1	< 1			5010		< 0.096	< 0.096	< 0.096	< 0.096	< 0.096	< 0.0963	< 0.096		541588006
7/20/2021	6410	< 100	< 100	< 100	< 100			3930		< 0.102	< 0.102	< 0.102	< 0.102	< 0.102	< 0.102	< 0.102		550346015
9/22/2021	7920	< 200			< 200			4100										556744007
10/21/2021	7640	1.13	< 1	< 1	< 1			5540		< 0.105	< 0.105	< 0.105	< 0.105	< 0.105	< 0.105	< 0.105		559703004

E-67

C-400 Monitoring
Water Quality Records for
MW425-PRT1

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
E-68 7/22/2009	5100	< 250			< 50	< 2.26	755	789	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09203011001
8/26/2009	8200	< 100			< 100	9.62	4390	3870	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09238024001
9/29/2009	11000	< 100			< 100	107	6500	8580	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C09273002004
12/16/2009	13000	< 500			< 100	26.5	6360	9490	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09350025007
3/23/2010	8900	< 100			< 100	51.4	2200	3010	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10082005006
6/22/2010	8300	< 500			< 100	25	1340	1330	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10173039002
9/21/2010	12000	< 500			< 100	< -221	10000	12700	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10264016004
12/15/2010	13000	< 200			< 200	< -819	15000	18300	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10349020004
3/21/2011	11000	< 100			< 100	81.2	10800	14000	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.17	< 0.09	C11080075005
6/13/2011										< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	1106040-03
6/13/2011	7600	< 500			< 100	75.3	2130	2530	< 0.005									C11165011005
9/14/2011	12000	< 500			< 100	< -143	7140	9190	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C11257087006
3/12/2013	6500	< 100			< 100			5630										C13072002003
9/18/2013	4600	< 500			< 100			5220										C13261023001
3/20/2014	3000	< 50			< 50			2810										C14079016001
9/15/2014	2260	< 50			< 50			2220										356937001
3/26/2015	1820	12.8			< 25			2220										369707013
3/28/2016	1080	14.2			< 20			1040										393954001
9/21/2016	1320	9.4			< 20			6810										406611009
3/8/2017	1160	11.6			< 20			4280										418307003
9/11/2017	1140	< 20			< 20			6150										432728015

C-400 Monitoring
Water Quality Records for
MW425-PRT1

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 µg/L	PCB 1221 µg/L	PCB 1232 µg/L	PCB 1242 µg/L	PCB 1248 µg/L	PCB 1254 µg/L	PCB 1260 µg/L	PCB 1268 µg/L	
3/21/2018	1340	17.6			0.45			1890										446475001
9/26/2018	1800	20			< 20			3640										460380008
3/19/2019	2700	18.4			< 20			1870										474193004
9/11/2019								16300										490207008
9/17/2019	2550	< 50			< 50													490762012
3/10/2020	2440	< 50			< 50			12500										506701012
9/24/2020	3180	< 50			< 50			24300										522450001
3/17/2021	2670	< 50			< 50			17900										538351016
4/20/2021	2400	7.71	< 1	< 1	1.96			14100		< 0.095	< 0.095	< 0.095	< 0.095	< 0.095	< 0.0951	< 0.095		541588007
7/26/2021	2240	< 100	< 100	< 100	< 100			12100		< 0.096	< 0.096	< 0.096	< 0.096	< 0.096	< 0.0963	< 0.096		550911003
9/20/2021	2230	< 50			< 50			17400										556737015
10/19/2021	2580	6.91	< 1	< 1	0.79			24400		< 0.104	< 0.104	< 0.104	< 0.104	< 0.104	< 0.104	< 0.104		559558009

E-69

C-400 Monitoring
Water Quality Records for
MW425-PRT2

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
E-70 7/22/2009	6300	< 250			< 50	< 3.37	2930	4460	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09203011002
8/26/2009	6100	< 50			< 50	< -19.6	3370	4550	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C09238024002
9/29/2009	7500	< 50			< 50	121	4600	5900	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09273002005
12/16/2009	11000	< 500			< 100	< -17.7	5550	7850	< 0.005	< 0.16	< 0.17	< 0.13	< 0.09	< 0.11	< 0.07	< 0.05	< 0.08	C09350025008
3/23/2010	9300	< 50			< 50	49.5	3710	5600	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C10082005007
6/22/2010	8400	< 250			< 50	43.7	2900	3850	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10173039003
9/21/2010	10000	< 500			< 100	< -37.4	4910	5000	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10264016005
12/15/2010	11000	< 100			< 100	< -456	9930	13200	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10349020005
3/21/2011	9200	< 100			< 100	28.2	8260	12500	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.36	< 0.09	C11080075006
6/13/2011										< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	1106040-04
6/13/2011	8700	< 500			< 100	< -26.5	4870	5930	< 0.005									C11165011006
9/14/2011	10000	< 500			< 100	< -98.5	4370	4600	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C11257087007
3/12/2013	9100	< 100			< 100			6260										C13072002004
9/18/2013	6700	< 500			< 100			3280										C13261023002
3/20/2014	5400	< 50			< 50			4240										C14079016002
9/15/2014	4080	< 50			< 50			1860										356937002
3/26/2015	3540	< 50			< 50			2750										369707014
3/28/2016	2060	< 25			< 25			1400										393954002
9/21/2016	1590	< 25			< 25			3790										406611010
3/8/2017	1530	< 25			< 25			5400										418307004
9/12/2017	1430	< 25			< 25			3530										432724008

C-400 Monitoring
Water Quality Records for
MW425-PRT2

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
3/21/2018	1620	< 25			< 25			3030										446475012
9/26/2018	1790	< 25			< 25			2060										460380009
3/19/2019	2400	< 25			< 25			2190										474193005
9/11/2019								11500										490207009
9/17/2019	2250	< 50			< 50													490762013
3/10/2020	2940	< 50			< 50			15500										506701013
9/24/2020	3460	< 50			< 50			19300										522450010
3/17/2021	3160	< 50			< 50			26100										538351017
4/20/2021	3150	5.46	< 1	< 1	1.01			23700		< 0.095	< 0.095	< 0.095	< 0.095	< 0.095	< 0.0953	< 0.095		541588008
7/26/2021	2500	< 100	< 100	< 100	< 100			18000		< 0.099	< 0.099	< 0.099	< 0.099	< 0.099	< 0.0992	< 0.099		550911004
9/20/2021	3130	< 50			< 50			20400										556737016
10/19/2021	2660	5.79	< 1	< 1	0.78			22900		< 0.099	< 0.099	< 0.099	< 0.099	< 0.099	< 0.0998	< 0.099		559558010

E-71

C-400 Monitoring
Water Quality Records for
MW425-PRT3

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 µg/L	PCB 1221 µg/L	PCB 1232 µg/L	PCB 1242 µg/L	PCB 1248 µg/L	PCB 1254 µg/L	PCB 1260 µg/L	PCB 1268 µg/L	
7/22/2009	6200	< 250			< 50	< 0.86	3380	4420	< 0.005	< 0.16	< 0.17	< 0.13	< 0.1	< 0.11	< 0.07	< 0.05	< 0.09	C09203011003
8/26/2009	4700	< 50			< 50	< -23.2	3770	4120	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09238024003
9/29/2009	6900	< 50			< 50	96.2	3490	4570	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C09273002006
12/17/2009	8100	< 100			< 100	39.3	3620	5210	< 0.005	< 0.16	< 0.17	< 0.13	< 0.09	< 0.11	< 0.07	< 0.05	< 0.08	C09351022001
3/23/2010	7600	< 50			< 50	57	2590	4290	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10082005008
6/22/2010	7700	< 250			< 50	33.6	2790	3760	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10173039004
9/21/2010	8500	< 500			< 100	< -22.6	3270	5070	< 0.005	< 0.16	< 0.17	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10264016006
12/15/2010	9100	< 100			< 100	< -325	7150	8570	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C10349020006
E-72 6/13/2011										< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	1106040-05
6/13/2011	7400	< 500			< 100	< -23.1	3310	4310	< 0.005									C11165011007
9/14/2011	8500	< 500			< 100	< -99.4	4540	4360	< 0.005	< 0.17	< 0.18	< 0.14	< 0.1	< 0.12	< 0.07	< 0.05	< 0.09	C11257087008
3/12/2012	8000	< 100			< 100	< -25.1	3230	5410	< 0.005									C12072031009
9/19/2012	9900	< 100			< 100	< -28.6	4490	5320	< 0.005									C12263022004
3/12/2013	11000	< 100			< 100			4600										C13072002005
9/18/2013	9600	< 500			< 100			2530										C13261023003
3/20/2014	9500	< 100			< 100			3230										C14079016003
9/15/2014	8610	< 100			< 100			1950										356937003
3/26/2015	7170	< 100			< 100			2340										369707015
3/28/2016	4430	< 50			< 50			1200										393954003
9/21/2016	3320	< 50			< 50			1890										406611011
3/8/2017	2850	< 50			< 50			3480										418307005

C-400 Monitoring
Water Quality Records for
MW425-PRT3

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 µg/L	PCB 1221 µg/L	PCB 1232 µg/L	PCB 1242 µg/L	PCB 1248 µg/L	PCB 1254 µg/L	PCB 1260 µg/L	PCB 1268 µg/L	
9/12/2017	2630	< 50			< 50			2430										432724009
3/21/2018	2990	< 50			< 50			2630										446475013
9/26/2018	2350	< 50			< 50			1580										460380010
3/19/2019	2810	< 50			< 50			1360										474193006
9/11/2019								6440										490207010
9/17/2019	4310	< 100			< 100													490762014
3/10/2020	2750	< 100			< 100			9160										506701014
9/24/2020	3540	< 100			< 100			11700										522450011
3/17/2021	2810	< 100			< 100			20200										538351018
4/20/2021	2950	3.68	< 1	< 1	1.7			19100		< 0.096	< 0.096	< 0.096	< 0.096	< 0.096	< 0.0965	< 0.096		541588009
7/26/2021	2570	< 100	< 100	< 100	< 100			17500		< 0.098	< 0.098	< 0.098	< 0.098	< 0.098	< 0.0986	< 0.098		550911005
9/20/2021	4670	< 100			< 100			19900										556737017
10/19/2021	2390	4.33	< 1	< 1	< 1			20600		< 0.102	< 0.102	< 0.102	< 0.102	< 0.102	< 0.102	< 0.102		559558011

E-73

C-400 Monitoring
Water Quality Records for
MW505

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
3/13/2012	160	< 5			< 5	< -2.14	48.8	51.6	< 0.005									C12073014003
6/18/2012	18	< 5			< 1	< -1.58	54	51.4	< 0.005									C12170024001
9/19/2012	22	< 1			< 1	< 1.39	45.1	61.8	< 0.005									C12263015001
12/5/2012	22	< 5			< 1			56.2										C12340029002
3/19/2013	34	< 1			< 1			49.2										C13078040001
3/19/2013	32	< 1			< 1			53.9										C13078040002
6/11/2013	31	< 1			< 1			55.5										C13162015006
9/12/2013	26	< 5			< 1			74.3										C13255009001
12/17/2013	28	< 1			< 1			56.2										C13351094003
3/19/2014	23	< 1			< 1			69										C14078013001
6/11/2014	26.2	< 1			< 1			52.8										350627002
9/13/2014	150	< 1			< 1			63.4										356937004
12/2/2014	22.8	< 1			< 1			71.4										362435008
3/30/2015	16.3	< 1			< 1			61.1										369938012
6/16/2015	16.8	< 1			< 1			53.1										375398001
9/14/2015	18.9	< 1			< 1			40.7										381234007
9/14/2015	19	< 1			< 1			36.5										381234008
12/8/2015	49.2	< 1			< 1			56.4										387183008
3/23/2016	22.6	< 1			< 1			62.2										393849013
6/6/2016	32.6	< 1			< 1			86.4										398881008
9/20/2016	19.7	< 1			< 1			63.1										406359015

C-400 Monitoring
Water Quality Records for
MW505

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
9/20/2016	56.1	< 1			< 1			70										406359014
12/13/2016	10.5	< 1			< 1			47.1										412748008
3/9/2017	13.9	< 1			< 1			51.1										418307006
6/20/2017	109	< 2			< 2			50.1										425938001
9/12/2017	9.44	< 1			< 1			59.9										432724010
9/12/2017	15	< 1			< 1			56.2										432724011
12/18/2017	36.2	< 1			< 1			57										440362008
3/22/2018	20.9	< 1			< 1			51.4										446481004
5/15/2018	10.2	< 1			< 1			59.7										450363008
9/26/2018	8.6	< 1			< 1			53.6										460380012
9/26/2018	9.17	< 1			< 1			43										460380011
12/18/2018	10.3	< 1			< 1			57.1										467410010
3/19/2019	9.63	< 1			< 1			37.1										474193007
6/6/2019	11.8	< 1			< 1			54.3										481177003
6/6/2019	11.4	< 1			< 1			42.6										481177004
9/16/2019	67.4	< 1			< 1			50.4										490775009
12/10/2019	25.5	< 1			< 1			58										498960010
3/11/2020	9.97	< 1			< 1			41.4										506866001
6/8/2020	65.3	< 1			< 1			58.7										513232006
6/8/2020	63.3	< 1			< 1			45.4										513232005
9/21/2020	8.15	< 1			< 1			55.4										522450012

E-75

C-400 Monitoring
Water Quality Records for
MW505

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
12/2/2020	5.33	< 1			< 1			57.6										529203003
3/16/2021	5.6	< 1			< 1			42.1										538339011
4/20/2021	8.87	< 1	< 1	< 1	< 1			58.6		< 0.094	< 0.094	< 0.094	< 0.094	< 0.094	< 0.0943	< 0.094		541588010
6/21/2021	30.7	< 1			< 1			42.3										548108003
6/21/2021	35.8	< 1			< 1			29.7										548108004
7/26/2021	11.4	< 1	< 1	< 1	< 1			48.8		< 0.098	< 0.098	< 0.098	< 0.098	< 0.098	< 0.0988	< 0.098		550911006
7/26/2021	6.91	< 1	< 1	< 1	< 1			47.8		< 0.098	< 0.098	< 0.098	< 0.098	< 0.098	< 0.0984	< 0.098		550911007
9/22/2021	11.2	< 1			< 1			48.9										556744008
10/20/2021	16.3	< 1	< 1	< 1	< 1			57.7		< 0.102	< 0.102	< 0.102	< 0.102	< 0.102	< 0.102	< 0.102		559709002
10/20/2021	18.5	< 1	< 1	< 1	< 1			51.3		< 0.101	< 0.101	< 0.101	< 0.101	< 0.101	< 0.101	< 0.101		559709001
12/8/2021	10.4	< 1			< 1			52										564616006

E-76

C-400 Monitoring
Water Quality Records for
MW506

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
3/13/2012	4300	< 50			< 50	< 0.856	50.5	62.6	< 0.005									C12073014004
6/18/2012	4100	< 250			< 50	< 3.44	66.4	59.7	< 0.005									C12170024002
9/19/2012	3700	< 50			< 50	< 3.84	50.8	59	< 0.005									C12263015002
12/5/2012	4200	< 250			< 50			42.8										C12340029004
3/19/2013	2100	< 50			< 50			49.7										C13078040003
6/11/2013	2400	< 50			< 50			64										C13162015005
9/12/2013	2100	< 100			< 20			63.1										C13255009002
12/17/2013	2000	< 20			< 20			60.9										C13351094004
3/19/2014	1200	< 20			< 20			65.4										C14078013002
6/11/2014	954	< 20			< 20			56.8										350627003
9/13/2014	641	< 10			< 10			59.6										356937005
12/2/2014	1080	< 1			0.47			72.7										362435009
3/30/2015	906	< 10			< 10			66.8										369938001
6/16/2015	2690	< 50			< 50			73.4										375398005
9/14/2015	7110	< 100			< 100			46.3										381234009
12/8/2015	9040	< 100			< 100			72.7										387183009
3/23/2016	17600	< 100			< 100			54.8										393849014
6/6/2016	24400	< 250			< 250			108										398881009
9/20/2016	19700	< 500			< 500			69.1										406359016
12/13/2016	22200	< 500			< 500			59.2										412748009
3/9/2017	15000	< 500			< 500			75.2										418307007

C-400 Monitoring
Water Quality Records for
MW506

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
6/20/2017	17800	< 250			< 250			52.5										425938002
9/12/2017	17400	< 250			< 250			72.4										432724012
12/18/2017	19600	< 250			< 250			89.3										440362009
3/22/2018	15500	< 250			< 250			51.8										446481005
5/15/2018	17900	< 250			< 250			62.4										450363009
9/26/2018	7660	< 250			< 250			37.1										460380001
12/18/2018	9370	< 250			< 250			54.3										467410011
3/19/2019	9680	< 250			< 250			42.1										474190001
6/6/2019	12300	< 250			< 250			56.8										481177001
9/16/2019	8500	< 100			< 100			60										490775010
12/10/2019	8150	0.88			0.92			62.6										498960011
3/11/2020	10500	< 200			< 200			56.4										506866012
6/8/2020	10100	< 200			< 200			52.3										513232007
9/21/2020	10900	< 200			< 200			78.1										522450013
12/2/2020	8220	< 100			< 100			56.1										529203004
3/16/2021	8750	< 200			< 200			60										538339012
4/20/2021	8950	< 1	< 1	< 1	0.87			68.9		< 0.095	< 0.095	< 0.095	< 0.095	< 0.095	< 0.0954	< 0.095		541588011
6/21/2021	6470	< 200			< 200			47.1										548108005
7/26/2021	6670	< 200	< 200	< 200	< 200			54.2		< 0.098	< 0.098	< 0.098	< 0.098	< 0.098	< 0.0985	< 0.098		550911008
9/22/2021	8350	< 200			< 200			56.7										556744009
10/20/2021	6930	0.8	< 1	< 1	0.74			54.1		< 0.104	< 0.104	< 0.104	< 0.104	< 0.104	< 0.104	< 0.104		559709003

C-400 Monitoring
Water Quality Records for
MW506

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
12/8/2021	5200	< 200			< 200			63.5										564616007

E-79

C-400 Monitoring
Water Quality Records for
MW507

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
3/13/2012	1200	< 10			< 10	< 3.11	38.7	53.4	< 0.005									C12073014005
6/18/2012	1200	< 100			< 20	< 5.7	51.2	41.2	< 0.005									C12170024003
9/19/2012	1800	< 10			< 10	< 0.808	34.4	30.7	< 0.005									C12263015003
12/5/2012	1900	< 100			< 20			42.9										C12340029005
3/19/2013	770	< 20			< 20			48.3										C13078040004
6/11/2013	1000	< 10			< 10			72.4										C13162015003
6/11/2013	1100	< 10			< 10			65.1										C13162015004
9/12/2013	530	< 50			< 10			86.6										C13255009003
12/17/2013	870	< 10			< 10			64.6										C13351094005
3/19/2014	190	< 1			< 1			82.7										C14078013003
6/12/2014	245	< 5			< 5			77.6										350627001
6/12/2014	260	< 5			< 5			80.4										350627006
9/13/2014	582	< 10			< 10			57.3										356937006
12/2/2014	510	< 1			< 1			71.7										362435010
3/30/2015	265	< 5			< 5			74.1										369938013
6/16/2015	913	< 20			< 20			52.1										375398006
9/14/2015	2700	< 50			< 50			53.2										381234010
12/8/2015	6030	< 100			< 100			61.6										387183010
3/23/2016	6960	< 100			< 100			67.9										393849015
6/6/2016	9720	< 200			< 200			105										398881010
9/20/2016	11100	< 200			< 200			77.5										406359017

C-400 Monitoring
Water Quality Records for
MW507

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
12/13/2016	10900	< 200			< 200			65.4										412748010
3/9/2017	6990	< 200			< 200			59.6										418307008
6/20/2017	4240	< 100			< 100			55.6										425938003
9/12/2017	7590	< 200			< 200			55.3										432724013
12/18/2017	5300	< 100			< 100			75.7										440362010
3/22/2018	4630	< 100			< 100			68.2										446481006
5/15/2018	5590	< 100			< 100			65.5										450363010
9/26/2018	3960	< 100			< 100			51.4										460380013
12/18/2018	4620	< 100			< 100			45.4										467410012
3/19/2019	4290	< 100			< 100			45.2										474193008
6/6/2019	5110	< 100			< 100			58.3										481177005
9/16/2019	3980	< 100			< 100			62.3										490775011
12/10/2019	2140	0.78			< 1			58.8										498960012
3/11/2020	2830	< 50			< 50			51.3										506866013
6/8/2020	4370	< 50			< 50			54.5										513232008
9/21/2020	2550	< 50			< 50			67.4										522450014
12/2/2020	2220	< 25			< 25			53.5										529203005
3/16/2021	2390	< 50			< 50			55.6										538339013
4/20/2021	2590	1.46	< 1	< 1	< 1			56		< 0.099	< 0.099	< 0.099	< 0.099	< 0.099	< 0.0994	< 0.099		541588012
6/21/2021	2600	< 50			< 50			35.6										548108006
7/26/2021	2560	< 100	< 100	< 100	< 100			47.3		< 0.099	< 0.099	< 0.099	< 0.099	< 0.099	< 0.0996	< 0.099		550911009

C-400 Monitoring
Water Quality Records for
MW507

Sample Date Range: 6/16/2009 - 12/28/2021

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results			Metal	Polychlorinated biphenyl Analysis Results								Lab Sample ID
	TCE μg/L	1,1-DCE μg/L	1,1-DCA μg/L	1,2-DCA μg/L	trans-1,2-DCE μg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L		PCB 1016 μg/L	PCB 1221 μg/L	PCB 1232 μg/L	PCB 1242 μg/L	PCB 1248 μg/L	PCB 1254 μg/L	PCB 1260 μg/L	PCB 1268 μg/L	
9/22/2021	3240	< 50			< 50			45.2										556744010
10/20/2021	1880	< 1	< 1	< 1	< 1			56.1		< 0.104	< 0.104	< 0.104	< 0.104	< 0.104	< 0.104	< 0.104		559709004
12/8/2021	1980	< 50			< 50			56.5										564616008

E-82

APPENDIX F

C-749 URANIUM BURIAL GROUND (SWMU 2) GROUNDWATER MONITORING WELL DATA

THIS PAGE INTENTIONALLY LEFT BLANK




Figure F.1. SWMU 2 Wells Location




Figure F.2. TCE Trends in SWMU 2 Wells




Figure F.3. Tc-99 Trends in SWMU 2 Wells

C-749 Uranium Burial Ground (SWMU2) Monitoring

Water Quality Records for

Sample Date Range: 5/6/1993 - 12/27/2021

MW226

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results						Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	U-234 pCi/L	U-235 pCi/L	U-238 pCi/L	
5/6/1993	2							6				930507-101
5/6/1993	8							11				930507-105
5/13/1993	7							12				930513-235
6/2/1993	8							10				930602-113
6/16/1993	8							8				930617-116
6/16/1993	2											930617-118
7/14/1993	9							16				930715-049
7/20/1993	10							8				930721-106
8/9/1993	11							15				930810-018
8/16/1993	11							18				930819-067
9/30/1993	11							18				930930-169
10/26/1993	12							35				931027-061
11/8/1993	11							32				931109-073
11/16/1993	11							22				931117-105
1/11/1994	11							25				940111-177
1/25/1994	12							13				940126-013
2/8/1994	10							32				940209-005
2/15/1994	12							14				940216-023
7/18/1994	12							18				940719-065
7/26/1994	14							35				940726-198
8/11/1994	15							32				940812-033
8/18/1994	15							15				940818-135
1/17/1995	17							26				950117-115
1/17/1995	17							30				950117-119
1/23/1995	17							31				950125-081

C-749 Uranium Burial Ground (SWMU2) Monitoring

Water Quality Records for

Sample Date Range: 5/6/1993 - 12/27/2021

MW226

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results						Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	U-234 pCi/L	U-235 pCi/L	U-238 pCi/L	
2/6/1995	16							28				950207-055
2/13/1995	16							36				950215-031
4/19/1995								39				950419-194
4/24/1995								44				950425-170
5/3/1995								15				950503-140
5/8/1995								43				950509-033
5/8/1995								49				950509-041
7/19/1995	16							32				950720-047
7/25/1995	11							32				950726-034
8/7/1995								41				950808-083
8/14/1995								43				950815-023
8/14/1995								30				950815-031
10/23/1995								34				951024-036
10/30/1995								40				951031-056
10/30/1995								36				951031-060
11/8/1995								54				951110-059
11/15/1995								55				951116-020
1/22/1996	20							42				960122-119
5/17/1996								59				960521-007
7/10/1996	20							65				960710-204
10/14/1996								35				961015-019
1/16/1997	24							86				970121-043
4/14/1997								84				970414-100
7/14/1997	26							84				970714-133
7/14/1997	27							85				970714-134

C-749 Uranium Burial Ground (SWMU2) Monitoring

Water Quality Records for

Sample Date Range: 5/6/1993 - 12/27/2021

MW226

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results						Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	U-234 pCi/L	U-235 pCi/L	U-238 pCi/L	
10/14/1997								95				971014-047
1/12/1998	30							101				C980140119
7/13/1998	25											C981960004
7/13/1998	25											C981960005
1/11/1999	26											C990110084
7/20/1999	40											C992020007
7/20/1999	42											C992020008
1/11/2000	71											C000110092
7/12/2000	61							148				C001940098
1/9/2001	81							148				C010100017
7/11/2001	55							107				C011930007
1/8/2002	140							166				C020080098
7/22/2002	89							64.7				C022030173
1/21/2003	230							134				C030210115
7/23/2003	130							98.9				C032040144
1/21/2004	280							146				C040210090
7/22/2004	394											C042050002
7/22/2004	340	12	< 5	< 5	< 5	< 0.668	57.7	132	< 0.0902	< 0.0122	< 0.348	C042050009
7/27/2004	320							112				C042090056
1/24/2005	440							134	< 0.0357	< 0.0147	< -0.0135	C050240045
7/27/2005	420							118	< 0.0346	< 0.00589	< 0.00252	C052080180
1/24/2006	410							101	< 0.0973	< -0.0183	< 0.0768	C060240039
7/24/2006	550							119	< 1.07	< 0.187	< 0.282	C062050057
1/24/2007	610							118	< 1.03	< -0.00311	< 0.21	C070240038
7/24/2007	660							112	< 0.0971	< -0.0355	< 0.0361	C072060043

C-749 Uranium Burial Ground (SWMU2) Monitoring

Water Quality Records for

Sample Date Range: 5/6/1993 - 12/27/2021

MW226

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results						Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	U-234 pCi/L	U-235 pCi/L	U-238 pCi/L	
1/15/2008	640							110	< -0.0264	< 0.0644	< 0.00478	C080160004
7/24/2008	640							98.7	< 0.0399	< 0.00678	< -0.00253	C082060091
2/5/2009	760							86.5				C09036036004
5/12/2009	850	26	< 5	< 5	< 5	< -0.403	49.2	92.3				C09132009001
7/28/2009	730							74.6				C09209020001
9/21/2009	780	< 25	< 5	< 25	< 5	< 2.56	46.3	88.1				C09265006002
12/10/2009	880							79.1				C09344026005
1/26/2010	610							69.3				C10026023001
3/9/2010	650	22	< 10	< 10	< 10	4.2	49.4	74				C10068052005
6/1/2010	640							75.7				C10152026001
7/14/2010	710							60.7				C10195040002
9/7/2010	720	22	< 10	< 10	< 10	< 4.04	38.8	73.8				C10250033001
1/3/2011	690							47.6				C11003029002
5/11/2011	830	28	< 5	< 5	< 5	4.3	41	54.5				C11131023001
7/28/2011	780							53.2				C11209031001
1/20/2012	680							74.7				C12020022001
7/31/2012	390							30.5				C12213022002
1/23/2013	380							30.3				C13023019002
5/14/2013	480	< 25	< 5	< 5	< 5			< 16.5				C13134021006
8/12/2013	400							39.3				C13224030001
1/8/2014	360							33				C14008024003
7/28/2014	350							< 7.97				353626001
1/26/2015	351							20.5				365824001
6/1/2015	267	5.4	< 1	0.32	< 1			< 2.55				374452002
7/11/2015	270							23.2				377100001

C-749 Uranium Burial Ground (SWMU2) Monitoring

Water Quality Records for

Sample Date Range: 5/6/1993 - 12/27/2021

MW226

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results						Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	U-234 pCi/L	U-235 pCi/L	U-238 pCi/L	
1/25/2016	311							< 14.9				390095001
7/5/2016	194							< 10.7				401035001
1/23/2017	177							< 9.01				414959002
5/19/2017	271	5.5	< 5	< 5	< 5			< 8				423910002
7/17/2017	235							< 7.1				428290002
1/8/2018	150							< 6.27				441372001
7/11/2018	226							< 10				454526002
1/9/2019	214							< 0.552				468710001
5/9/2019	206	3.48	< 4	< 4	< 4			< 11.1				478812001
7/18/2019	207							< -0.518				485139001
1/13/2020	152							< -9.8				501292001
7/13/2020	235							< 3.89				515982001
1/13/2021	172							< -4.14				532325001
5/19/2021	146	1.86	< 2	< 2	< 2			< -0.479				545244004
7/14/2021	169							< -0.645				549874001

F-10

C-749 Uranium Burial Ground (SWMU2) Monitoring

Water Quality Records for

Sample Date Range: 5/6/1993 - 12/27/2021

MW227

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results						Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	U-234 pCi/L	U-235 pCi/L	U-238 pCi/L	
5/13/1993	2							17				930513-239
6/2/1993	2							0				930602-124
6/16/1993	2							0				930617-138
7/13/1993	2							12				930713-156
7/19/1993	2							10				930721-102
8/9/1993	2							5				930810-014
8/16/1993	2							13				930820-001
9/30/1993	2							13				930930-173
10/26/1993	2							7				931027-053
11/8/1993	2							0				931109-077
11/16/1993	2							9				931117-134
1/11/1994	3							18				940111-181
1/25/1994	3							11				940126-017
2/8/1994	3							0				940209-001
2/15/1994	3							5				940216-019
4/29/1994	4											940429-116
7/18/1994	2							0				940719-061
7/26/1994	3							6				940726-202
8/10/1994	4							14				940811-063
8/10/1994	4							10				940811-075
8/10/1994	3	< 5	< 5	< 5	< 5							S408081-01V
8/18/1994	4							3				940818-131
1/17/1995	4							9				950118-204
1/23/1995	3							18				950125-093
1/23/1995	4							10				950125-097

C-749 Uranium Burial Ground (SWMU2) Monitoring

Water Quality Records for

Sample Date Range: 5/6/1993 - 12/27/2021

MW227

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results						Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	U-234 pCi/L	U-235 pCi/L	U-238 pCi/L	
2/6/1995	3							9				950207-059
2/13/1995	4							17				950215-027
4/19/1995								16				950419-202
4/24/1995								23				950425-178
4/24/1995								20				950425-162
5/3/1995								5				950503-136
5/8/1995								14				950509-049
7/19/1995	5							6				950720-043
7/25/1995	4							23				950726-038
8/7/1995								14				950808-067
8/7/1995								17				950808-087
8/14/1995								12				950815-027
10/23/1995								0				951024-032
10/23/1995								0				951024-040
10/30/1995								6				951031-064
11/8/1995								7				951110-063
11/15/1995								22				951116-024
1/22/1996	4							3	2.9	0.18	6.69	960122-115
1/22/1996	4							4				960122-123
5/17/1996								10				960521-008
7/9/1996	5							7				960709-085
10/14/1996								0				961015-018
1/16/1997	6							3				970121-042
1/16/1997	6							11				970121-041
4/14/1997								367				970414-099

C-749 Uranium Burial Ground (SWMU2) Monitoring

Water Quality Records for

Sample Date Range: 5/6/1993 - 12/27/2021

MW227

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results						Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	U-234 pCi/L	U-235 pCi/L	U-238 pCi/L	
7/14/1997	6							2				970714-135
10/14/1997								< 12				971014-048
1/12/1998	4							< 9				C980140120
1/12/1998	4							< 8				C980140122
7/13/1998	6											C981960003
1/11/1999	6											C990110085
1/11/1999	6											C990110086
7/20/1999	8											C992020009
1/11/2000	3											C000110093
7/12/2000	6							< 3.92				C001940099
1/9/2001	3							< 3.82				C010100018
7/11/2001	7							< 7.5				C011930006
1/8/2002	23							20.2				C020080097
7/22/2002	23							33.4				C022030172
1/21/2003	24							< 9.75				C030210114
7/23/2003	26							22.5				C032040145
1/21/2004	31							< 17				C040210091
7/22/2004	40											C042050003
7/22/2004	33	< 1	< 1	< 1	< 1	5.9	10.1	< 10.4	< 0.284	< 0.00706	< 0.412	C042050010
7/27/2004	39							< -0.469				C042090057
1/24/2005	76							22.8	< 0.348	< -0.0287	< 0.122	C050240047
7/27/2005	45							18.9	< 0.0822	< 0.0131	< 0.0649	C052080181
1/25/2006	38							20.3	< 0.0898	< 0.004	< 0.0169	C060250133
7/24/2006	61							< 4.11	< 1.36	< 0.263	< 0.298	C062050058
1/24/2007	180							< 11	< 0.219	< 0.0426	< 0.0696	C070240039

C-749 Uranium Burial Ground (SWMU2) Monitoring

Water Quality Records for

Sample Date Range: 5/6/1993 - 12/27/2021

MW227

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results						Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	U-234 pCi/L	U-235 pCi/L	U-238 pCi/L	
7/24/2007	73							24	< 0.124	< -0.0338	< 0.0891	C072060044
1/16/2008	79							< 11	< 0.21	< 0.00145	< 0.0742	C080160068
7/24/2008	110							< 10.9	< 0.0526	< 0.00769	< -0.00691	C082060092
2/5/2009	82							< 9.22				C09036036005
5/12/2009	210	4.2	< 1	< 1	< 1	< 1.54	7.61	< -2.16				C09132009002
7/28/2009	140							16.5				C09209020002
9/21/2009	140	< 5	< 1	< 5	< 1	< 0.447	7.47	< 14.8				C09265006003
12/10/2009	150							< 12.6				C09344026006
1/26/2010	110							< 17.1				C10026023002
3/9/2010	150	3.5	< 1	< 1	< 1	< 2.74	7.52	< -4.34				C10068052006
6/1/2010	160							< 11.8				C10152026002
7/14/2010	140							< 8.12				C10195040003
9/7/2010	110	2.5	< 1	< 1	< 1	< -0.521	5.85	< 13.6				C10250033002
1/3/2011	94							< 7.15				C11003029001
5/11/2011	310	6.2	< 1	< 1	< 1	< 0.974	10.6	< 0.676				C11131023002
7/28/2011	160							< 4.69				C11209031002
1/20/2012	150							17.9				C12020022003
7/31/2012	74							< 5.99				C12213022003
1/22/2013	63							< 11.8				C13022086002
5/14/2013	190	< 5	< 1	< 1	< 1			< 3.61				C13134021005
8/12/2013	110							< 4.08				C13224030002
1/8/2014	120							< -7.61				C14008024004
7/28/2014	104							< -4.4				353626002
1/26/2015	97.8							< -1.45				365824002
6/2/2015	110	1.68	< 2	< 2	< 2			< 3.74				374344008

C-749 Uranium Burial Ground (SWMU2) Monitoring

Water Quality Records for

Sample Date Range: 5/6/1993 - 12/27/2021

MW227

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results						Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	U-234 pCi/L	U-235 pCi/L	U-238 pCi/L	
7/11/2015	94.3							< 7.22				377100002
1/25/2016	110							< -6.66				390095002
7/5/2016	75.5							< -4.03				401035002
1/23/2017	55							< -2.64				414959001
5/19/2017	112	1.31	< 1	< 1	< 1			< -14.1				423910003
7/17/2017	66.7							< 0.795				428290003
1/8/2018	39.1							< 0.655				441372002
7/11/2018	76.9							< 4.79				454526001
1/9/2019	86.3							< -15.8				468710002
1/9/2019	89.8							< -12				468710004
5/9/2019	121	0.78	< 2	< 2	< 2			< 11.2				478812004
7/18/2019	127							< -4.58				485139002
1/13/2020	294							< -1.75				501292002
1/13/2020	290							< -5.08				501292004
7/13/2020	320							< -1.56				515982002
1/13/2021	353							< -3.15				532231003
1/13/2021	330							< 0.947				532231001
5/19/2021	236	< 5	< 5	< 5	< 5			< 4.61				545244005
7/14/2021	238							< -3.89				549874002
12/27/2021	370				< 2							280-157250-5
12/27/2021	377				< 1							565961009

F-15

C-749 Uranium Burial Ground (SWMU2) Monitoring

Water Quality Records for

Sample Date Range: 5/6/1993 - 12/27/2021

MW333

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results						Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	U-234 pCi/L	U-235 pCi/L	U-238 pCi/L	
10/14/1996	10				< 0.48							96M04623-3717
10/14/1996								-1.1				96M04623-3761
10/14/1996									9.66		0.14	96M04623-3731
1/29/1997	5	< 5	< 5	< 5	< 5							970130-051
9/23/1997	5	< 5	< 5	< 5	< 5	-0.2	2	6				970923-064
11/19/1997	6	< 5	< 5	< 5	< 5	-0.7	2	-8				971119-080
2/9/1998	8	< 5	< 5	< 5	< 5	< 2.3	< 1	< 1				C980420046
5/4/1998	14	< 5	< 5	< 5	< 5	< 5.1	15	< 3				C981250036
8/10/1998	16	< 5	< 5	< 5	< 5	< 4.3	6	< 3.9				C982220109
11/12/1998	16	< 5	< 5	< 5	< 5	< -1.37	5.36	< 16				C983160089
3/3/1999	30	< 5	< 5	< 5	< 5	< 0.68	< 2.83	19.27				C990620037
6/4/1999	33	< 5	< 5	< 5	< 5	< 1.23	< 0.07	< 2.81				C991580024
9/15/1999						< -0.79		< 4.13				C992580210
12/7/1999	29	< 5	< 5	< 5	< 5	2.48	< 1.48	< 0.475				C993410100
12/7/1999	33	< 5	< 5	< 5	< 5	< 0.45	< 0.49	< -6.17				C993410101
3/8/2000	46	< 5	< 5	< 5	< 5	< 1.58	< 4.62	< -12.8		< 0		C000680108
6/14/2000	110	< 5	< 5	< 5	< 5	< 0.52	< -0.97	< -4.54				C001670002
9/12/2000	140	< 5	< 5	< 5	< 5	< 2.67	< 3.97	< 9.38				C002560135
12/18/2000	110	< 10	< 10	< 10	< 10	< 0.462	< 0.604	< 3.24				C003540006
3/19/2001	310	< 5	< 5	< 5	< 5	< -0.5	< 0.794	< 8.5				C010780093
6/6/2001	230	< 25	< 25	< 25	< 25	< 1.62	4.76	< -0.303				C011570178
9/25/2001	290	< 25	< 25	< 25	< 25	< 2.25	< 1.41	< -2.35		< -9.94		C012680234
12/17/2001	390	< 25	< 25	< 25	< 25	< 1.86	< -0.125	< -0.337				C013510092
3/13/2002	410	< 25	< 25	< 25	< 25	< 1.13	< 0.94	< -0.654				C020720130
3/13/2002										< -3.95		C020720129

C-749 Uranium Burial Ground (SWMU2) Monitoring

Water Quality Records for

Sample Date Range: 5/6/1993 - 12/27/2021

MW333

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results						Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	U-234 pCi/L	U-235 pCi/L	U-238 pCi/L	
6/10/2002	420	< 50	< 50	< 50	< 50	< 1.57	< -2.59	< -15.7				C021610047
9/5/2002	330	< 50	< 50	< 50	< 50	< -0.977	< -0.125	< 8.51				C022480132
12/2/2002	530	< 25	< 25	< 25	< 25	< 1.7	< 0.462	< -6.2				C023370013
6/10/2003	550	< 25	< 25	< 25	< 25	< 1.08	< 1.1	< 12.4				C031620013
12/4/2003	440	< 25	< 25	< 25	< 25	< 0.213	< 2.21	< 0				C033380096
6/7/2004	750	< 50	< 50	< 50	< 50	< -0.231	< -0.683	< -0.384	< 30	< 2.2	< 0.35	C041590175
7/20/2004	430	< 10	< 10	< 10	< 10	< 1.44	< 1.43	< 2.73	< 0.198	< 0.00505	< 0.363	C042020116
12/30/2004	1100	< 50	< 50	< 50	< 50	< -0.0341	< 0.436	< 1.21				C043650022
6/14/2005	760	< 50	< 50	< 50	< 50	< 0.455	< 2.91	< 6.24	< 0.0723	< -0.0127	< 0.0115	C051650114
2/14/2006	1300	< 50	< 50	< 50	< 50	< 2.43	< 3.19	< 5.18				C060450088
2/14/2006	1500	< 50	< 50	< 50	< 50	< -0.267	< 3.66	< 6.25				C060450089
9/12/2006	1600	< 120	< 120	< 120	< 120	< 1.58	4.31	< -12.7				C062550163
3/19/2007	2700	< 100	< 100	< 100	< 100	4.34	8.66	< 13.8				C070780102
9/19/2007	1900	< 20	< 20	< 100	< 20	< 2.81	6.15	< 0.212				C072630092
3/11/2008	4100	< 25	< 25	< 120	< 25	< 1.75	16.9	19				C080710145
9/3/2008	2700	< 25	< 25	< 120	< 25	< 0.456	6.72	27.3				C082470086
2/9/2009	4500							22.7				C09040013001
5/7/2009	7100	< 250	< 50	< 250	< 50	< 2.35	22	39.9				C09127062003
7/28/2009	4500							21.1				C09209012001
9/25/2009	1400	< 50	< 50	< 50	< 50	< 0.535	17.7	21.3				C09268017001
1/26/2010	2800							38.1				C10026023004
3/8/2010	6700	< 50	< 50	< 50	< 50	< 0.795	24.7	38.6				C10067037002
7/9/2010	2700							< 10.3				C10190027002
9/8/2010	2500	< 50	< 50	< 50	< 50	< 1.48	10.6	18.7				C10251037004
1/4/2011	2800							< 15.6				C11005004006

C-749 Uranium Burial Ground (SWMU2) Monitoring

Water Quality Records for

Sample Date Range: 5/6/1993 - 12/27/2021

MW333

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results						Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	U-234 pCi/L	U-235 pCi/L	U-238 pCi/L	
5/11/2011	5200	< 100	< 20	< 20	< 20	< 2.14	13.1	< 16.3				C11131034002
7/28/2011	5800							23.4				C11209031004
1/20/2012	6300							33.7				C12020022002
7/26/2012	1900							< 17.2				C12208015003
1/22/2013	1800							18				C13022086003
5/15/2013	5900	< 250	< 50	< 50	< 50			34.7				C13135012003
8/6/2013	4500							45				C13219005002
1/8/2014	5800							44.4				C14008024002
7/23/2014	5980							40.1				353402002
1/26/2015	10200							70				365824003
6/3/2015	10700	< 200	< 200	< 200	< 200			61				374344009
7/11/2015	9380							85.7				377100003
1/25/2016	10400							93.9				390095003
7/5/2016	5780							72.8				401035003
1/23/2017	7400							91.9				414959003
5/24/2017	8420	< 200	< 200	< 200	< 200			111				424148010
7/17/2017	7350							122				428290001
1/8/2018	3190							65.1				441372003
7/11/2018	4520							101				454526003
1/10/2019	5130							78.4				468710006
5/9/2019	5020	< 100	< 100	< 100	< 100			91.4				478812005
7/18/2019	3230							88				485139004
1/13/2020	2860							86.9				501292006
7/13/2020	2560							74.6				515982004
1/13/2021	1770							69.1				532231005

C-749 Uranium Burial Ground (SWMU2) Monitoring

Water Quality Records for

Sample Date Range: 5/6/1993 - 12/27/2021

MW333

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results						Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	U-234 pCi/L	U-235 pCi/L	U-238 pCi/L	
5/19/2021	1520	< 50	< 50	< 50	< 50			82.3				545244007
7/14/2021	1020							55.2				549874004

F-19

C-749 Uranium Burial Ground (SWMU2) Monitoring

Water Quality Records for

Sample Date Range: 5/6/1993 - 12/27/2021

MW337

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results						Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	U-234 pCi/L	U-235 pCi/L	U-238 pCi/L	
10/4/1996	8.3				< 0.48							96M04622-3716
10/4/1996									0.38		0.27	96M04622-3730
10/4/1996								14				96M04622-3760
1/29/1997	10	< 5	< 5	< 5	< 5							970130-050
9/22/1997	38	< 5	< 5	< 5	< 5	3.8	21	26				970923-040
11/19/1997	41	< 5	< 5	< 5	< 5	0.9	22	21				971119-081
2/9/1998	48	< 5	< 5	< 5	< 5	< 1.3	18	26				C980420047
5/4/1998	34	< 5	< 5	< 5	< 5	< 4.4	37	36.8				C981250037
8/10/1998	58	< 5	< 5	< 5	< 5	< 0.6	35	55.1				C982220110
11/17/1998	61	< 5	< 5	< 5	< 5	3.06	37.83	69.2				C983210021
3/3/1999	110	< 25	< 25	< 25	< 25	< 1.91	< 2.49	62.71				C990620038
6/4/1999	47	< 5	< 5	< 5	< 5	< 0.4	48.8	73.5				C991580025
9/15/1999						< 0.8	48.9	72.4				C992580183
12/7/1999	44	< 5	< 5	< 5	< 5	4.34	69.36	77.7				C993410097
3/7/2000	44	< 5	< 5	< 5	< 5	< -0.43	79.03	84.8		< -9.63		C000680019
6/14/2000	75	< 5	< 5	< 5	< 5	< 1.02	97.07	117				C001670003
9/12/2000	44	< 5	< 5	< 5	< 5	< 3.09	112.58	129				C002560134
12/18/2000	50	< 5	< 5	< 5	< 5	< -0.451	75.1	124				C003540007
3/19/2001	90	< 5	< 5	< 5	< 5	< 1.05	81.1	147				C010780094
6/6/2001	97	< 5	< 5	< 5	< 5	< 0.921	97.6	98.5				C011570179
9/24/2001	75	< 5	< 5	< 5	< 5	< -2.29	97.2	175		< -8.42		C012680004
12/17/2001	150	< 10	< 10	< 10	< 10	4.96	103	158				C013510093
3/13/2002	240	< 25	< 25	< 25	< 25	< 4.6	68	91.3				C020720126
3/13/2002										< -7.31	< 0	C020720125
6/10/2002	320	< 25	< 25	< 25	< 25	< -1.91	43.3	55.1				C021610048

C-749 Uranium Burial Ground (SWMU2) Monitoring

Water Quality Records for

Sample Date Range: 5/6/1993 - 12/27/2021

MW337

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results						Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	U-234 pCi/L	U-235 pCi/L	U-238 pCi/L	
9/5/2002	96	< 25	< 25	< 25	< 25	< 0.989	115	196				C022480133
12/2/2002	100	< 5	< 5	< 5	< 5	< 1.72	127	205				C023370011
6/9/2003	580	< 25	< 25	< 25	< 25	< 0.265	63.1	113				C031600083
12/4/2003	110	< 25	< 25	< 25	< 25	10.8	159	168				C033380097
6/8/2004	180	< 25	< 25	< 25	< 25	< -1.26	111	208	< 30	< 2.2	< 0.35	C041600042
7/20/2004	120	< 2	2.2	< 2	< 2	3.45	111	203	< 0.101	< -0.00296	< 0.275	C042020117
12/8/2004	140	< 10	< 10	< 10	< 10	< -2.1	129	195				C043430086
6/21/2005	180	< 10	< 10	< 10	< 10	4.73	113	177	< 0.059	< -0.0123	< 0.00534	C051720110
2/14/2006	780	< 25	< 25	< 25	< 25	< 0.0576	21.5	216				C060450090
9/12/2006	670	< 50	< 50	< 50	< 50	3.19	157	229				C062550177
3/19/2007	750	< 5	14	< 5	< 5	< 2.38	163	237				C070790063
9/19/2007	450	< 5	< 5	< 25	< 5	4.99	123	222				C072630052
3/6/2008	2000	< 10	< 10	< 50	< 10	4.24	173	224				C080670001
12/18/2008	640	< 10	< 10	< 10	< 10	< 1.52	97.5	282				C08353022001
2/10/2009	1600							256				C09041031001
5/11/2009	2300	< 25	< 25	< 25	< 25	< 1.82	177	205				C09131017003
7/28/2009	860							282				C09209006001
9/25/2009	500	< 10	< 10	< 10	< 10	4.01	196	284				C09268025002
1/27/2010	660							278				C10027031002
3/16/2010	790	< 50	< 10	< 50	< 10	5.77	191	298				C10075019002
7/14/2010	840							298				C10195017001
9/13/2010	900	< 10	< 10	< 10	< 10	< 1.14	155	271				C10256034001
1/3/2011	820							309				C11003029004
5/19/2011	1800	< 50	< 10	< 10	< 10	6.63	172	264				C11139019001
8/10/2011	880							347				C11222050002

C-749 Uranium Burial Ground (SWMU2) Monitoring

Water Quality Records for

Sample Date Range: 5/6/1993 - 12/27/2021

MW337

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results						Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	U-234 pCi/L	U-235 pCi/L	U-238 pCi/L	
8/10/2011	1100							333				C11222050003
1/23/2012	1300							324				C12023024006
7/30/2012	800							298				C12212050001
7/30/2012	810							294				C12212050002
1/24/2013	840							281				C13024007001
6/11/2013	2100	< 20	< 20	< 20	< 20			213				C13162014003
8/26/2013	1600							219				C13238022001
1/13/2014	2000							231				C14013030001
7/24/2014	1160							336				353464001
1/27/2015	1990							298				365920001
6/11/2015	1570	0.8	< 1	< 1	3.37			254				374981003
7/20/2015	1430							330				377570001
1/27/2016	1230							132				390195001
7/12/2016	1310							277				401419001
1/24/2017	1370							253				414959004
5/25/2017	1020	< 20	< 20	< 20	< 20			179				424148011
7/17/2017	1320							312				428290004
1/10/2018	1230							231				441372004
7/12/2018	1340							276				454512001
1/24/2019	1020							127				469754001
5/13/2019	881	< 20	< 20	< 20	< 20			239				479291001
7/23/2019	712							316				485512001
1/14/2020	349							194				501299002
7/15/2020	452							265				515982006
1/13/2021	198							157				532325002

C-749 Uranium Burial Ground (SWMU2) Monitoring

Water Quality Records for

Sample Date Range: 5/6/1993 - 12/27/2021

MW337

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results						Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	U-234 pCi/L	U-235 pCi/L	U-238 pCi/L	
5/26/2021	405	< 1	0.35	< 1	3.95			230				545782005
7/22/2021	1080							188				550470001

F-23

C-749 Uranium Burial Ground (SWMU2) Monitoring

Water Quality Records for

Sample Date Range: 5/6/1993 - 12/27/2021

MW338

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results						Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	U-234 pCi/L	U-235 pCi/L	U-238 pCi/L	
10/4/1996									0.56		0.67	96M04621-3729
10/4/1996	0.7				< 0.48							96M04621-3715
10/4/1996								-0.82				96M04621-3759
1/29/1997	< 1	< 5	< 5	< 5	< 5							970130-049
9/22/1997	< 1	< 5	< 5	< 5	< 5	-1.1	3	8				970923-041
11/19/1997	< 1	< 5	< 5	< 5	< 5	0.8	2	-10				971119-082
2/9/1998	< 1	< 5	< 5	< 5	< 5	< 4.2	< 5	< 0				C980420048
5/4/1998	2	< 5	< 5	< 5	< 5	< 0.2	12	< -0.6				C981250038
8/6/1998	< 1	< 5	< 5	< 5	< 5	< -1.9	< 3	< 0.2				C982180120
11/17/1998	< 1	< 5	< 5	< 5	< 5	< 1.15	< 2.58	< -9.2				C983210022
3/3/1999	5	< 5	< 5	< 5	< 5	< 0.35	< 1.7	19.04				C990620039
6/3/1999	1	< 5	< 5	< 5	< 5	< 0.96	19.31	< -0.869				C991540178
9/15/1999						< 1.1		< 8.63				C992580184
12/7/1999	< 1	< 5	< 5	< 5	< 5	< 1.51	< 2.91	< -2.48				C993410096
3/7/2000	< 1	< 5	< 5	< 5	< 5	< 0	5.93	< -4.97		< -11.6		C000680018
6/14/2000	24	< 5	< 5	< 5	< 5	< 1.83	< -2.5	< -9.54				C001670001
9/12/2000	21	< 5	< 5	< 5	< 5	< 2.6	8.27	< 7.94				C002560133
12/18/2000	< 1	< 5	< 5	< 5	< 5	< 3.14	5.38	< 7.73				C003540008
3/19/2001	5	< 5	< 5	< 5	< 5	< -0.418	< 0.657	< 0.481				C010780095
6/6/2001	8	< 5	< 5	< 5	< 5	< 0.866	< 2.9	< -3.53				C011570180
9/24/2001	3	< 5	< 5	< 5	< 5	< -0.18	< 2.92	< -7.31		< -4.82		C012680005
12/17/2001	24	< 5	< 5	< 5	< 5	< 1.14	< 0.738	< -20.6				C013510094
3/13/2002										< 0		C020720127
3/13/2002	78	< 5	< 5	< 5	< 5	< -0.652	< 4	< 1.2				C020720128
6/10/2002	130	< 10	< 10	< 10	< 10	< 1.08	< 5.59	< 1.54				C021610049

C-749 Uranium Burial Ground (SWMU2) Monitoring

Water Quality Records for

Sample Date Range: 5/6/1993 - 12/27/2021

MW338

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results						Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	U-234 pCi/L	U-235 pCi/L	U-238 pCi/L	
9/5/2002	11	< 5	< 5	< 5	< 5	< 0.0927	< 2.41	< 2.99				C022480134
12/3/2002	8	< 5	< 5	< 5	< 5	< 0.447	< 3.19	< 13.4				C023370048
6/9/2003	140	< 10	< 10	< 10	< 10	< -0.525	8.03	18.8				C031600084
12/4/2003	9	< 5	< 5	< 5	< 5	< 1.42	6.17	< 0				C033380098
6/8/2004	22	< 5	< 5	< 5	< 5	< -1.41	< 0.409	< 9.88	< 30	< 2.2	< 0.35	C041600043
7/20/2004	4.6	< 1	< 1	< 1	< 1	< 0.125	< 2.32	< -0.111	< 0.169	< 0.0261	< 0.423	C042020118
12/8/2004	13	< 5	< 5	< 5	< 5	< 0.742	< 3.48	< 5.2				C043430088
6/16/2005	11	< 5	< 5	< 5	< 5	< 1.43	< 2.46	< 12.4	< 0.0101	< -0.0133	< -0.0335	C051670015
2/14/2006	82	< 5	< 5	< 5	< 5	< -0.143	6.12	< 3.55				C060450091
9/12/2006	25	< 5	< 5	< 5	< 5	< 0.511	7.01	< -7.99				C062550178
3/19/2007	130	< 5	< 5	< 5	< 5	< 1.6	18.3	29.4				C070790064
9/19/2007	44	< 1	< 1	< 5	< 1	< 1.36	7.27	18.2				C072630053
9/19/2007	44	< 1	< 1	< 5	< 1	< 2.72	9.39	< 12.3				C072630054
3/6/2008	520	< 1	< 1	< 5	< 1	< 2.16	60.8	74.6				C080670002
9/2/2008	33	< 1	< 1	< 5	< 1	< 2.39	7.6	< 9.04				C082460126
2/9/2009	220							35.1				C09040021003
5/7/2009	690	< 25	< 5	< 25	< 5	< -0.167	64.6	83.5				C09127062004
7/28/2009	80							26.3				C09209006002
9/25/2009	40	< 1	< 1	< 1	< 1	< 3.07	< 3.87	< 3.76				C09268017003
1/27/2010	89							22.4				C10027031001
3/16/2010	36	< 10	< 2	< 10	< 2	< 1.76	8.45	< 10.3				C10075019003
7/14/2010	14							< -3.51				C10195017002
7/14/2010	14							< 0.779				C10195017003
9/13/2010	14	< 1	< 1	< 1	< 1	< 1.25	< 3.53	< 7.51				C10256034002
1/3/2011	39							< 9.16				C11003029005

C-749 Uranium Burial Ground (SWMU2) Monitoring

Water Quality Records for

Sample Date Range: 5/6/1993 - 12/27/2021

MW338

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results						Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	U-234 pCi/L	U-235 pCi/L	U-238 pCi/L	
5/19/2011	1300	< 5	< 1	< 1	< 1	< 1.41	94.2	158				C11139019002
8/10/2011	200							32.7				C11222050004
1/23/2012	170							18				C12023024007
7/30/2012	44							< 2.01				C12212050003
1/24/2013	54							< 8.03				C13024007002
6/11/2013	1100	< 20	< 20	< 20	< 20			214				C13162014004
8/26/2013	900							197				C13238022002
1/13/2014	100							69.4				C14013030002
8/20/2014								44.4				355247001
8/25/2014	133											355531001
1/27/2015	404							32.6				365920002
6/11/2015	963	0.71	< 1	< 1	0.74			89.3				374981004
7/20/2015	193							< 16.7				377570002
1/27/2016	1670							195				390195002
7/12/2016	211							< 6.49				401419002
1/24/2017	267							19				414959005
5/25/2017	1540	< 40	< 40	< 40	< 40			211				424148012
7/17/2017	335							35.1				428290005
1/10/2018	288							< 12.9				441372005
7/12/2018	584							36.1				454512002
1/24/2019	1680							161				469754002
5/13/2019	519	< 20	< 20	< 20	< 20			54.2				479291002
7/23/2019	472							< 14.9				485512002
1/14/2020	386							37.2				501299003
7/15/2020	403							28.3				515982007

C-749 Uranium Burial Ground (SWMU2) Monitoring

Water Quality Records for

Sample Date Range: 5/6/1993 - 12/27/2021

MW338

Sample Date	Organic Laboratory Analysis Results					Radiological Laboratory Analysis Results						Lab Sample ID
	TCE µg/L	1,1-DCE µg/L	1,1-DCA µg/L	1,2-DCA µg/L	trans-1,2-DCE µg/L	Alpha Activity pCi/L	Beta Activity pCi/L	Tc-99 pCi/L	U-234 pCi/L	U-235 pCi/L	U-238 pCi/L	
1/13/2021	456							52				532325003
5/26/2021	310	< 1	< 1	< 1	1.82			< 20.3				545782006
7/22/2021	432							21				550470002

F-27

THIS PAGE INTENTIONALLY LEFT BLANK