CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	HV217(EW232) (RGA)	08/25/10	TRUE	433	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	08/26/10	TRUE	462	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	09/01/10	TRUE	721	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	09/08/10	TRUE	683	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	09/14/10	TRUE	726	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	09/23/10	TRUE	933	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	10/12/10	TRUE	943	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	11/10/10	TRUE	787	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	12/28/10	TRUE	1210	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	01/06/11	TRUE	797	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	02/10/11	TRUE	687	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	04/07/11	TRUE	530	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	07/06/11	TRUE	268	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	10/03/11	TRUE	279	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	01/17/12	TRUE	229	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	04/02/12	TRUE	180	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	07/09/12	TRUE	195	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	10/01/12	TRUE	277	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	01/15/13	TRUE	369	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	04/02/13	TRUE	183	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	07/01/13	TRUE	107	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	10/14/13	TRUE	178	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	01/13/14	TRUE	159	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	04/14/14	TRUE	118	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	07/14/14	TRUE	93.6	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	10/13/14	TRUE	176	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	01/12/15	TRUE	169	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	04/13/15	TRUE	30.8	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	07/13/15	TRUE	80.5	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	10/06/15	TRUE	140	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	02/17/16	TRUE	145	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	04/11/16	TRUE	73.8	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	07/11/16	TRUE	127	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	10/04/16	TRUE	140	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	01/04/17	TRUE	154	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	04/10/17	TRUE	117	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	07/11/17	TRUE	68.4	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	10/03/17	TRUE	128	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	01/03/18	TRUE	150	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	04/03/18	TRUE	58.3	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	07/03/18	TRUE	42.5	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	10/02/18	TRUE	63	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	01/08/19	TRUE	72.2	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	04/02/19	TRUE	39.2	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	07/02/19	TRUE	78.4	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	10/08/19	TRUE	145	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	01/07/20	TRUE	97.2	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	04/07/20	TRUE	55.2	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	07/08/20	TRUE	98.7	900
Technetium-99	pCi/L	HV217(EW232) (RGA)	10/06/20	TRUE	144	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	HV217(EW232) (RGA)	08/25/10	TRUE	4400	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	08/26/10	TRUE	4600	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	09/01/10	TRUE	7800	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	09/08/10	TRUE	7600	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	09/14/10	TRUE	7900	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	09/23/10	TRUE	7300	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	10/12/10	TRUE	8700	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	11/10/10	TRUE	7800	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	12/28/10	TRUE	12000	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	01/06/11	TRUE	7700	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	02/10/11	TRUE	5900	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	04/07/11	TRUE	4900	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	07/06/11	TRUE	1800	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	10/03/11	TRUE	1800	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	01/17/12	TRUE	1600	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	04/02/12	TRUE	290	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	07/09/12	TRUE	700	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	10/01/12	TRUE	1300	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	01/15/13	TRUE	1700	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	04/02/13	TRUE	800	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	07/01/13	TRUE	410	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	10/14/13	TRUE	600	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	01/13/14	TRUE	1100	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	04/14/14	TRUE	394	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	07/14/14	TRUE	447	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	10/13/14	TRUE	709	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	01/12/15	TRUE	797	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	04/13/15	TRUE	132	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	07/13/15	TRUE	265	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	10/06/15	TRUE	617	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	02/17/16	TRUE	590	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	04/11/16	TRUE	265	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	07/11/16	TRUE	494	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	10/04/16	TRUE	567	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	01/04/17	TRUE	583	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	04/10/17	TRUE	444	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	07/11/17	TRUE	293	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	10/03/17	TRUE	451	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	01/03/18	TRUE	550	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	04/03/18	TRUE	125	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	07/03/18	TRUE	153	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	10/02/18	TRUE	256	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	01/08/19	TRUE	257	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	04/02/19	TRUE	120	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	07/02/19	TRUE	248	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	10/08/19	TRUE	485	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	01/07/20	TRUE	516	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	04/07/20	TRUE	229	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	07/08/20	TRUE	438	5
Trichloroethene	ug/L	HV217(EW232) (RGA)	10/06/20	TRUE	553	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	HV222(EW233) (RGA)	08/25/10	TRUE	272	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	08/26/10	TRUE	254	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	09/01/10	TRUE	336	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	09/08/10	TRUE	325	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	09/14/10	TRUE	277	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	09/23/10	TRUE	244	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	10/12/10	TRUE	269	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	11/10/10	TRUE	234	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	12/16/10	TRUE	270	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	01/06/11	TRUE	264	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	02/10/11	TRUE	303	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	04/07/11	TRUE	310	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	07/06/11	TRUE	445	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	10/03/11	TRUE	498	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	01/17/12	TRUE	537	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	04/02/12	TRUE	611	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	07/09/12	TRUE	522	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	01/15/13	TRUE	301	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	04/02/13	TRUE	384	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	07/01/13	TRUE	561	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	10/14/13	TRUE	490	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	01/13/14	TRUE	389	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	04/14/14	TRUE	588	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	07/14/14	TRUE	579	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	10/13/14	TRUE	449	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	01/12/15	TRUE	395	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	04/13/15	TRUE	746	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	07/13/15	TRUE	479	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	10/06/15	TRUE	472	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	02/17/16	TRUE	398	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	04/11/16	TRUE	482	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	07/11/16	TRUE	431	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	10/04/16	TRUE	432	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	01/04/17	TRUE	329	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	04/10/17	TRUE	482	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	07/11/17	TRUE	530	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	10/03/17	TRUE	400	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	01/03/18	TRUE	365	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	04/03/18	TRUE	434	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	07/03/18	TRUE	478	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	10/02/18	TRUE	363	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	01/08/19	TRUE	369	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	04/02/19	TRUE	373	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	07/02/19	TRUE	343	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	10/08/19	TRUE	305	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	01/07/20	TRUE	343	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	04/07/20	TRUE	419	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	07/08/20	TRUE	345	900
Technetium-99	pCi/L	HV222(EW233) (RGA)	10/06/20	TRUE	291	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	HV222(EW233) (RGA)	08/25/10	TRUE	130	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	08/26/10	TRUE	150	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	09/01/10	TRUE	190	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	09/08/10	TRUE	190	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	09/14/10	TRUE	190	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	09/23/10	TRUE	210	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	10/12/10	TRUE	260	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	11/10/10	TRUE	510	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	12/16/10	TRUE	720	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	01/06/11	TRUE	1100	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	02/10/11	TRUE	1300	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	04/07/11	TRUE	2100	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	07/06/11	TRUE	3500	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	10/03/11	TRUE	4500	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	01/17/12	TRUE	6100	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	04/02/12	TRUE	4300	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	07/09/12	TRUE	3100	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	01/15/13	TRUE	1000	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	04/02/13	TRUE	1900	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	07/01/13	TRUE	3900	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	10/14/13	TRUE	3000	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	01/13/14	TRUE	3500	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	04/14/14	TRUE	3900	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	07/14/14	TRUE	4020	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	10/13/14	TRUE	3300	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	01/12/15	TRUE	2940	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	04/13/15	TRUE	4830	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	07/13/15	TRUE	4220	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	10/06/15	TRUE	4340	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	02/17/16	TRUE	3030	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	04/11/16	TRUE	3940	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	07/11/16	TRUE	4480	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	10/04/16	TRUE	4050	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	01/04/17	TRUE	2990	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	04/10/17	TRUE	4720	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	07/11/17	TRUE	3690	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	10/03/17	TRUE	2570	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	01/03/18	TRUE	2860	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	04/03/18	TRUE	3350	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	07/03/18	TRUE	3230	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	10/02/18	TRUE	3530	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	01/08/19	TRUE	2850	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	04/02/19	TRUE	2260	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	07/02/19	TRUE	2590	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	10/08/19	TRUE	1820	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	01/07/20	TRUE	2040	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	04/07/20	TRUE	2520	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	07/08/20	TRUE	2270	5
Trichloroethene	ug/L	HV222(EW233) (RGA)	10/06/20	TRUE	1320	5







Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	LBCSP5 (Seep)	06/29/10	TRUE	240	5
Trichloroethene	ug/L	LBCSP5 (Seep)	08/11/10	TRUE	220	5
Trichloroethene	ug/L	LBCSP5 (Seep)	12/09/10	TRUE	150	5
Trichloroethene	ug/L	LBCSP5 (Seep)	02/23/11	TRUE	120	5
Trichloroethene	ug/L	LBCSP5 (Seep)	06/16/11	TRUE	62	5
Trichloroethene	ug/L	LBCSP5 (Seep)	08/23/11	TRUE	110	5
Trichloroethene	ug/L	LBCSP5 (Seep)	02/21/12	TRUE	78	5
Trichloroethene	ug/L	LBCSP5 (Seep)	05/22/12	TRUE	100	5
Trichloroethene	ug/L	LBCSP5 (Seep)	08/22/12	TRUE	51	5
Trichloroethene	ug/L	LBCSP5 (Seep)	08/26/13	TRUE	41	5
Trichloroethene	ug/L	LBCSP5 (Seep)	11/26/13	TRUE	38	5
Trichloroethene	ug/L	LBCSP5 (Seep)	06/17/14	TRUE	47.5	5
Trichloroethene	ug/L	LBCSP5 (Seep)	08/25/15	TRUE	5	5
Trichloroethene	ug/L	LBCSP5 (Seep)	11/09/15	TRUE	9.15	5
Trichloroethene	ug/L	LBCSP5 (Seep)	05/19/16	TRUE	2.17	5
Trichloroethene	ug/L	LBCSP5 (Seep)	08/03/16	TRUE	2.13	5
Trichloroethene	ug/L	LBCSP5 (Seep)	11/02/16	TRUE	4.22	5
Trichloroethene	ug/L	LBCSP5 (Seep)	02/16/17	TRUE	3.32	5
Trichloroethene	ug/L	LBCSP5 (Seep)	06/29/17	TRUE	1.94	5
Trichloroethene	ug/L	LBCSP5 (Seep)	08/10/17	TRUE	1.49	5
Trichloroethene	ug/L	LBCSP5 (Seep)	05/09/18	TRUE	1.38	5
Trichloroethene	ug/L	LBCSP5 (Seep)	08/07/18	TRUE	0.98	5
Trichloroethene	ug/L	LBCSP5 (Seep)	11/27/18	TRUE	1.14	5
Trichloroethene	ug/L	LBCSP5 (Seep)	08/14/19	TRUE	0.96	5
Trichloroethene	ug/L	LBCSP5 (Seep)	11/06/19	TRUE	0.99	5
Trichloroethene	ug/L	LBCSP5 (Seep)	06/17/20	TRUE	0.99	5
Trichloroethene	ug/L	LBCSP5 (Seep)	08/20/20	TRUE	0.63	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW63 (RGA)	03/08/10	TRUE	26.5	900
Technetium-99	pCi/L	MW63 (RGA)	09/08/10	FALSE	12.9	900
Technetium-99	pCi/L	MW63 (RGA)	03/14/11	TRUE	39.4	900
Technetium-99	pCi/L	MW63 (RGA)	09/07/11	FALSE	4.43	900
Technetium-99	pCi/L	MW63 (RGA)	03/13/12	FALSE	12.6	900
Technetium-99	pCi/L	MW63 (RGA)	09/07/12	FALSE	1.49	900
Technetium-99	pCi/L	MW63 (RGA)	03/12/13	FALSE	0.215	900
Technetium-99	pCi/L	MW63 (RGA)	09/16/13	FALSE	5.07	900
Technetium-99	pCi/L	MW63 (RGA)	03/17/14	FALSE	11.5	900
Technetium-99	pCi/L	MW63 (RGA)	09/03/14	FALSE	11.9	900
Technetium-99	pCi/L	MW63 (RGA)	03/18/15	FALSE	5.26	900
Technetium-99	pCi/L	MW63 (RGA)	09/28/15	FALSE	6.29	900
Technetium-99	pCi/L	MW63 (RGA)	03/16/16	TRUE	22.2	900
Technetium-99	pCi/L	MW63 (RGA)	09/14/16	FALSE	3.56	900
Technetium-99	pCi/L	MW63 (RGA)	03/14/17	FALSE	0.065	900
Technetium-99	pCi/L	MW63 (RGA)	09/07/17	FALSE	5.38	900
Technetium-99	pCi/L	MW63 (RGA)	03/13/18	TRUE	35.7	900
Technetium-99	pCi/L	MW63 (RGA)	09/19/18	FALSE	13.2	900
Technetium-99	pCi/L	MW63 (RGA)	03/13/19	TRUE	30.7	900
Technetium-99	pCi/L	MW63 (RGA)	09/24/19	FALSE	10	900
Technetium-99	pCi/L	MW63 (RGA)	03/09/20	TRUE	24.6	900
Technetium-99	pCi/L	MW63 (RGA)	09/14/20	FALSE	-0.133	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW63 (RGA)	03/08/10	TRUE	74	5
Trichloroethene	ug/L	MW63 (RGA)	09/08/10	TRUE	32	5
Trichloroethene	ug/L	MW63 (RGA)	03/14/11	TRUE	38	5
Trichloroethene	ug/L	MW63 (RGA)	09/07/11	TRUE	19	5
Trichloroethene	ug/L	MW63 (RGA)	03/13/12	TRUE	9.3	5
Trichloroethene	ug/L	MW63 (RGA)	09/07/12	TRUE	5	5
Trichloroethene	ug/L	MW63 (RGA)	03/12/13	TRUE	8	5
Trichloroethene	ug/L	MW63 (RGA)	09/16/13	TRUE	5.9	5
Trichloroethene	ug/L	MW63 (RGA)	03/17/14	TRUE	5.2	5
Trichloroethene	ug/L	MW63 (RGA)	09/03/14	TRUE	5.86	5
Trichloroethene	ug/L	MW63 (RGA)	03/18/15	TRUE	3.63	5
Trichloroethene	ug/L	MW63 (RGA)	09/28/15	TRUE	4.03	5
Trichloroethene	ug/L	MW63 (RGA)	03/16/16	TRUE	7.52	5
Trichloroethene	ug/L	MW63 (RGA)	09/14/16	TRUE	3.18	5
Trichloroethene	ug/L	MW63 (RGA)	03/14/17	TRUE	4.55	5
Trichloroethene	ug/L	MW63 (RGA)	09/07/17	TRUE	2.57	5
Trichloroethene	ug/L	MW63 (RGA)	03/13/18	TRUE	10.3	5
Trichloroethene	ug/L	MW63 (RGA)	09/19/18	TRUE	2.16	5
Trichloroethene	ug/L	MW63 (RGA)	03/13/19	TRUE	7.42	5
Trichloroethene	ug/L	MW63 (RGA)	09/24/19	TRUE	3.25	5
Trichloroethene	ug/L	MW63 (RGA)	03/09/20	TRUE	8.5	5
Trichloroethene	ug/L	MW63 (RGA)	09/14/20	TRUE	2.28	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW65 (RGA)	03/14/11	TRUE	161	900
Technetium-99	pCi/L	MW65 (RGA)	09/07/11	TRUE	83.9	900
Technetium-99	pCi/L	MW65 (RGA)	03/13/12	TRUE	54.2	900
Technetium-99	pCi/L	MW65 (RGA)	09/07/12	TRUE	50	900
Technetium-99	pCi/L	MW65 (RGA)	03/12/13	TRUE	31.5	900
Technetium-99	pCi/L	MW65 (RGA)	09/09/13	TRUE	24.9	900
Technetium-99	pCi/L	MW65 (RGA)	03/17/14	TRUE	17.9	900
Technetium-99	pCi/L	MW65 (RGA)	09/03/14	FALSE	12.6	900
Technetium-99	pCi/L	MW65 (RGA)	03/18/15	FALSE	11.6	900
Technetium-99	pCi/L	MW65 (RGA)	09/28/15	FALSE	5.65	900
Technetium-99	pCi/L	MW65 (RGA)	03/16/16	FALSE	16.1	900
Technetium-99	pCi/L	MW65 (RGA)	09/14/16	FALSE	10.4	900
Technetium-99	pCi/L	MW65 (RGA)	03/14/17	FALSE	9.14	900
Technetium-99	pCi/L	MW65 (RGA)	09/07/17	FALSE	10.4	900
Technetium-99	pCi/L	MW65 (RGA)	03/13/18	FALSE	12.2	900
Technetium-99	pCi/L	MW65 (RGA)	09/19/18	FALSE	14.1	900
Technetium-99	pCi/L	MW65 (RGA)	03/13/19	FALSE	8.59	900
Technetium-99	pCi/L	MW65 (RGA)	09/24/19	FALSE	13	900
Technetium-99	pCi/L	MW65 (RGA)	03/09/20	FALSE	7.64	900
Technetium-99	pCi/L	MW65 (RGA)	09/14/20	FALSE	-0.67	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW65 (RGA)	03/14/11	TRUE	81	5
Trichloroethene	ug/L	MW65 (RGA)	09/07/11	TRUE	75	5
Trichloroethene	ug/L	MW65 (RGA)	03/13/12	TRUE	14	5
Trichloroethene	ug/L	MW65 (RGA)	09/07/12	TRUE	10	5
Trichloroethene	ug/L	MW65 (RGA)	03/12/13	TRUE	6.9	5
Trichloroethene	ug/L	MW65 (RGA)	09/09/13	TRUE	5.7	5
Trichloroethene	ug/L	MW65 (RGA)	03/17/14	TRUE	3.6	5
Trichloroethene	ug/L	MW65 (RGA)	09/03/14	TRUE	5.09	5
Trichloroethene	ug/L	MW65 (RGA)	03/18/15	TRUE	2.35	5
Trichloroethene	ug/L	MW65 (RGA)	09/28/15	TRUE	2.08	5
Trichloroethene	ug/L	MW65 (RGA)	03/16/16	TRUE	2.43	5
Trichloroethene	ug/L	MW65 (RGA)	09/14/16	TRUE	2.11	5
Trichloroethene	ug/L	MW65 (RGA)	03/14/17	TRUE	1.37	5
Trichloroethene	ug/L	MW65 (RGA)	09/07/17	TRUE	1.6	5
Trichloroethene	ug/L	MW65 (RGA)	03/13/18	TRUE	2.95	5
Trichloroethene	ug/L	MW65 (RGA)	09/19/18	TRUE	1.54	5
Trichloroethene	ug/L	MW65 (RGA)	03/13/19	TRUE	1.88	5
Trichloroethene	ug/L	MW65 (RGA)	09/24/19	TRUE	1.99	5
Trichloroethene	ug/L	MW65 (RGA)	03/09/20	TRUE	1.85	5
Trichloroethene	ug/L	MW65 (RGA)	09/14/20	TRUE	1.26	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW66 (RGA)	03/10/10	TRUE	853	900
Technetium-99	pCi/L	MW66 (RGA)	09/08/10	TRUE	320	900
Technetium-99	pCi/L	MW66 (RGA)	03/15/11	TRUE	535	900
Technetium-99	pCi/L	MW66 (RGA)	09/07/11	TRUE	331	900
Technetium-99	pCi/L	MW66 (RGA)	03/20/12	TRUE	296	900
Technetium-99	pCi/L	MW66 (RGA)	09/11/12	TRUE	355	900
Technetium-99	pCi/L	MW66 (RGA)	03/12/13	TRUE	237	900
Technetium-99	pCi/L	MW66 (RGA)	09/16/13	TRUE	262	900
Technetium-99	pCi/L	MW66 (RGA)	03/19/14	TRUE	141	900
Technetium-99	pCi/L	MW66 (RGA)	09/09/14	TRUE	198	900
Technetium-99	pCi/L	MW66 (RGA)	03/24/15	TRUE	185	900
Technetium-99	pCi/L	MW66 (RGA)	09/28/15	TRUE	226	900
Technetium-99	pCi/L	MW66 (RGA)	03/16/16	TRUE	183	900
Technetium-99	pCi/L	MW66 (RGA)	09/14/16	TRUE	248	900
Technetium-99	pCi/L	MW66 (RGA)	03/14/17	TRUE	444	900
Technetium-99	pCi/L	MW66 (RGA)	09/07/17	TRUE	242	900
Technetium-99	pCi/L	MW66 (RGA)	03/12/18	TRUE	139	900
Technetium-99	pCi/L	MW66 (RGA)	09/19/18	TRUE	239	900
Technetium-99	pCi/L	MW66 (RGA)	03/13/19	TRUE	91.8	900
Technetium-99	pCi/L	MW66 (RGA)	09/24/19	TRUE	203	900
Technetium-99	pCi/L	MW66 (RGA)	03/09/20	TRUE	168	900
Technetium-99	pCi/L	MW66 (RGA)	09/14/20	TRUE	148	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW66 (RGA)	03/10/10	TRUE	2600	5
Trichloroethene	ug/L	MW66 (RGA)	09/08/10	TRUE	1100	5
Trichloroethene	ug/L	MW66 (RGA)	03/15/11	TRUE	1400	5
Trichloroethene	ug/L	MW66 (RGA)	09/07/11	TRUE	1200	5
Trichloroethene	ug/L	MW66 (RGA)	03/20/12	TRUE	1200	5
Trichloroethene	ug/L	MW66 (RGA)	09/11/12	TRUE	860	5
Trichloroethene	ug/L	MW66 (RGA)	03/12/13	TRUE	980	5
Trichloroethene	ug/L	MW66 (RGA)	09/16/13	TRUE	920	5
Trichloroethene	ug/L	MW66 (RGA)	03/19/14	TRUE	640	5
Trichloroethene	ug/L	MW66 (RGA)	09/09/14	TRUE	840	5
Trichloroethene	ug/L	MW66 (RGA)	03/24/15	TRUE	549	5
Trichloroethene	ug/L	MW66 (RGA)	09/28/15	TRUE	746	5
Trichloroethene	ug/L	MW66 (RGA)	03/16/16	TRUE	613	5
Trichloroethene	ug/L	MW66 (RGA)	09/14/16	TRUE	509	5
Trichloroethene	ug/L	MW66 (RGA)	03/14/17	TRUE	1310	5
Trichloroethene	ug/L	MW66 (RGA)	09/07/17	TRUE	499	5
Trichloroethene	ug/L	MW66 (RGA)	03/12/18	TRUE	541	5
Trichloroethene	ug/L	MW66 (RGA)	09/19/18	TRUE	487	5
Trichloroethene	ug/L	MW66 (RGA)	03/13/19	TRUE	358	5
Trichloroethene	ug/L	MW66 (RGA)	09/24/19	TRUE	432	5
Trichloroethene	ug/L	MW66 (RGA)	03/09/20	TRUE	554	5
Trichloroethene	ug/L	MW66 (RGA)	09/14/20	TRUE	488	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW67 (RGA)	01/27/10	TRUE	83	900
Technetium-99	pCi/L	MW67 (RGA)	03/16/10	TRUE	61.9	900
Technetium-99	pCi/L	MW67 (RGA)	07/14/10	TRUE	78.5	900
Technetium-99	pCi/L	MW67 (RGA)	09/13/10	TRUE	64.5	900
Technetium-99	pCi/L	MW67 (RGA)	01/03/11	TRUE	91.6	900
Technetium-99	pCi/L	MW67 (RGA)	05/12/11	TRUE	49.6	900
Technetium-99	pCi/L	MW67 (RGA)	07/28/11	TRUE	96.8	900
Technetium-99	pCi/L	MW67 (RGA)	01/23/12	TRUE	106	900
Technetium-99	pCi/L	MW67 (RGA)	07/30/12	TRUE	110	900
Technetium-99	pCi/L	MW67 (RGA)	01/22/13	TRUE	107	900
Technetium-99	pCi/L	MW67 (RGA)	05/31/13	TRUE	125	900
Technetium-99	pCi/L	MW67 (RGA)	08/06/13	TRUE	116	900
Technetium-99	pCi/L	MW67 (RGA)	01/08/14	TRUE	111	900
Technetium-99	pCi/L	MW67 (RGA)	07/23/14	TRUE	131	900
Technetium-99	pCi/L	MW67 (RGA)	01/27/15	TRUE	125	900
Technetium-99	pCi/L	MW67 (RGA)	06/03/15	TRUE	125	900
Technetium-99	pCi/L	MW67 (RGA)	07/11/15	TRUE	119	900
Technetium-99	pCi/L	MW67 (RGA)	01/25/16	TRUE	151	900
Technetium-99	pCi/L	MW67 (RGA)	07/05/16	TRUE	122	900
Technetium-99	pCi/L	MW67 (RGA)	01/23/17	TRUE	125	900
Technetium-99	pCi/L	MW67 (RGA)	05/24/17	TRUE	125	900
Technetium-99	pCi/L	MW67 (RGA)	07/17/17	TRUE	131	900
Technetium-99	pCi/L	MW67 (RGA)	01/08/18	TRUE	127	900
Technetium-99	pCi/L	MW67 (RGA)	07/11/18	TRUE	140	900
Technetium-99	pCi/L	MW67 (RGA)	01/09/19	TRUE	106	900
Technetium-99	pCi/L	MW67 (RGA)	05/13/19	TRUE	96	900
Technetium-99	pCi/L	MW67 (RGA)	07/18/19	TRUE	113	900
Technetium-99	pCi/L	MW67 (RGA)	01/13/20	TRUE	134	900
Technetium-99	pCi/L	MW67 (RGA)	07/13/20	TRUE	118	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW67 (RGA)	01/27/10	TRUE	750	5
Trichloroethene	ug/L	MW67 (RGA)	03/16/10	TRUE	1200	5
Trichloroethene	ug/L	MW67 (RGA)	07/14/10	TRUE	1500	5
Trichloroethene	ug/L	MW67 (RGA)	09/13/10	TRUE	1400	5
Trichloroethene	ug/L	MW67 (RGA)	01/03/11	TRUE	2000	5
Trichloroethene	ug/L	MW67 (RGA)	05/12/11	TRUE	1100	5
Trichloroethene	ug/L	MW67 (RGA)	07/28/11	TRUE	1600	5
Trichloroethene	ug/L	MW67 (RGA)	01/23/12	TRUE	1500	5
Trichloroethene	ug/L	MW67 (RGA)	07/30/12	TRUE	1100	5
Trichloroethene	ug/L	MW67 (RGA)	01/22/13	TRUE	1400	5
Trichloroethene	ug/L	MW67 (RGA)	05/31/13	TRUE	460	5
Trichloroethene	ug/L	MW67 (RGA)	08/06/13	TRUE	2000	5
Trichloroethene	ug/L	MW67 (RGA)	01/08/14	TRUE	2300	5
Trichloroethene	ug/L	MW67 (RGA)	07/23/14	TRUE	2200	5
Trichloroethene	ug/L	MW67 (RGA)	01/27/15	TRUE	2990	5
Trichloroethene	ug/L	MW67 (RGA)	06/03/15	TRUE	2100	5
Trichloroethene	ug/L	MW67 (RGA)	07/11/15	TRUE	2250	5
Trichloroethene	ug/L	MW67 (RGA)	01/25/16	TRUE	2300	5
Trichloroethene	ug/L	MW67 (RGA)	07/05/16	TRUE	1940	5
Trichloroethene	ug/L	MW67 (RGA)	01/23/17	TRUE	1540	5
Trichloroethene	ug/L	MW67 (RGA)	05/24/17	TRUE	1640	5
Trichloroethene	ug/L	MW67 (RGA)	07/17/17	TRUE	1700	5
Trichloroethene	ug/L	MW67 (RGA)	01/08/18	TRUE	1120	5
Trichloroethene	ug/L	MW67 (RGA)	07/11/18	TRUE	1370	5
Trichloroethene	ug/L	MW67 (RGA)	01/09/19	TRUE	1460	5
Trichloroethene	ug/L	MW67 (RGA)	05/13/19	TRUE	1180	5
Trichloroethene	ug/L	MW67 (RGA)	07/18/19	TRUE	1520	5
Trichloroethene	ug/L	MW67 (RGA)	01/13/20	TRUE	996	5
Trichloroethene	ug/L	MW67 (RGA)	07/13/20	TRUE	1380	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW68 (RGA)	06/08/20	TRUE	41.1	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW68 (RGA)	06/08/20	TRUE	96.6	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs





Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW71 (RGA)	06/20/17	FALSE	12.4	900
Technetium-99	pCi/L	MW71 (RGA)	05/15/18	FALSE	7	900
Technetium-99	pCi/L	MW71 (RGA)	05/16/19	FALSE	17.4	900
Technetium-99	pCi/L	MW71 (RGA)	06/08/20	FALSE	6.76	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW71 (RGA)	06/20/17	TRUE	2.43	5
Trichloroethene	ug/L	MW71 (RGA)	05/15/18	TRUE	23.7	5
Trichloroethene	ug/L	MW71 (RGA)	05/16/19	FALSE	1	5
Trichloroethene	ug/L	MW71 (RGA)	06/08/20	TRUE	0.37	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW76 (RGA)	01/27/10	TRUE	110	900
Technetium-99	pCi/L	MW76 (RGA)	03/10/10	TRUE	75.6	900
Technetium-99	pCi/L	MW76 (RGA)	07/14/10	TRUE	80.1	900
Technetium-99	pCi/L	MW76 (RGA)	09/08/10	TRUE	103	900
Technetium-99	pCi/L	MW76 (RGA)	01/03/11	TRUE	72.9	900
Technetium-99	pCi/L	MW76 (RGA)	05/11/11	TRUE	45.8	900
Technetium-99	pCi/L	MW76 (RGA)	07/28/11	TRUE	68.3	900
Technetium-99	pCi/L	MW76 (RGA)	01/20/12	TRUE	82.8	900
Technetium-99	pCi/L	MW76 (RGA)	07/26/12	TRUE	49.1	900
Technetium-99	pCi/L	MW76 (RGA)	01/23/13	TRUE	37.8	900
Technetium-99	pCi/L	MW76 (RGA)	05/31/13	TRUE	32.1	900
Technetium-99	pCi/L	MW76 (RGA)	08/06/13	TRUE	46.8	900
Technetium-99	pCi/L	MW76 (RGA)	01/08/14	TRUE	33.3	900
Technetium-99	pCi/L	MW76 (RGA)	07/28/14	TRUE	35	900
Technetium-99	pCi/L	MW76 (RGA)	01/26/15	TRUE	20.6	900
Technetium-99	pCi/L	MW76 (RGA)	06/03/15	FALSE	9.61	900
Technetium-99	pCi/L	MW76 (RGA)	07/11/15	TRUE	21	900
Technetium-99	pCi/L	MW76 (RGA)	01/25/16	FALSE	15.7	900
Technetium-99	pCi/L	MW76 (RGA)	07/05/16	TRUE	24.5	900
Technetium-99	pCi/L	MW76 (RGA)	01/23/17	FALSE	15.6	900
Technetium-99	pCi/L	MW76 (RGA)	05/24/17	FALSE	17.3	900
Technetium-99	pCi/L	MW76 (RGA)	07/17/17	FALSE	15.8	900
Technetium-99	pCi/L	MW76 (RGA)	01/08/18	FALSE	6.23	900
Technetium-99	pCi/L	MW76 (RGA)	07/11/18	FALSE	13.5	900
Technetium-99	pCi/L	MW76 (RGA)	01/10/19	FALSE	-2.25	900
Technetium-99	pCi/L	MW76 (RGA)	05/09/19	FALSE	9.79	900
Technetium-99	pCi/L	MW76 (RGA)	07/18/19	FALSE	10.8	900
Technetium-99	pCi/L	MW76 (RGA)	01/13/20	FALSE	0.347	900
Technetium-99	pCi/L	MW76 (RGA)	07/13/20	FALSE	9.94	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW76 (RGA)	01/27/10	TRUE	430	5
Trichloroethene	ug/L	MW76 (RGA)	03/10/10	TRUE	560	5
Trichloroethene	ug/L	MW76 (RGA)	07/14/10	TRUE	720	5
Trichloroethene	ug/L	MW76 (RGA)	09/08/10	TRUE	730	5
Trichloroethene	ug/L	MW76 (RGA)	01/03/11	TRUE	690	5
Trichloroethene	ug/L	MW76 (RGA)	05/11/11	TRUE	680	5
Trichloroethene	ug/L	MW76 (RGA)	07/28/11	TRUE	720	5
Trichloroethene	ug/L	MW76 (RGA)	01/20/12	TRUE	550	5
Trichloroethene	ug/L	MW76 (RGA)	07/26/12	TRUE	480	5
Trichloroethene	ug/L	MW76 (RGA)	01/23/13	TRUE	440	5
Trichloroethene	ug/L	MW76 (RGA)	05/31/13	TRUE	570	5
Trichloroethene	ug/L	MW76 (RGA)	08/06/13	TRUE	550	5
Trichloroethene	ug/L	MW76 (RGA)	01/08/14	TRUE	460	5
Trichloroethene	ug/L	MW76 (RGA)	07/28/14	TRUE	467	5
Trichloroethene	ug/L	MW76 (RGA)	01/26/15	TRUE	538	5
Trichloroethene	ug/L	MW76 (RGA)	06/03/15	TRUE	383	5
Trichloroethene	ug/L	MW76 (RGA)	07/11/15	TRUE	374	5
Trichloroethene	ug/L	MW76 (RGA)	01/25/16	TRUE	335	5
Trichloroethene	ug/L	MW76 (RGA)	07/05/16	TRUE	381	5
Trichloroethene	ug/L	MW76 (RGA)	01/23/17	TRUE	277	5
Trichloroethene	ug/L	MW76 (RGA)	05/24/17	TRUE	251	5
Trichloroethene	ug/L	MW76 (RGA)	07/17/17	TRUE	286	5
Trichloroethene	ug/L	MW76 (RGA)	01/08/18	TRUE	222	5
Trichloroethene	ug/L	MW76 (RGA)	07/11/18	TRUE	262	5
Trichloroethene	ug/L	MW76 (RGA)	01/10/19	TRUE	240	5
Trichloroethene	ug/L	MW76 (RGA)	05/09/19	TRUE	250	5
Trichloroethene	ug/L	MW76 (RGA)	07/18/19	TRUE	269	5
Trichloroethene	ug/L	MW76 (RGA)	01/13/20	TRUE	182	5
Trichloroethene	ug/L	MW76 (RGA)	07/13/20	TRUE	265	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW84/MW84A (RGA)	01/25/10	TRUE	20.1	900
Technetium-99	pCi/L	MW84/MW84A (RGA)	04/19/10	TRUE	16.3	900
Technetium-99	pCi/L	MW84/MW84A (RGA)	07/13/10	FALSE	3.88	900
Technetium-99	pCi/L	MW84/MW84A (RGA)	01/06/11	FALSE	-7.22	900
Technetium-99	pCi/L	MW84/MW84A (RGA)	07/26/11	TRUE	12.5	900
Technetium-99	pCi/L	MW84/MW84A (RGA)	01/24/12	FALSE	1.75	900
Technetium-99	pCi/L	MW84/MW84A (RGA)	07/24/12	TRUE	22.3	900
Technetium-99	pCi/L	MW84/MW84A (RGA)	01/24/13	FALSE	13.4	900
Technetium-99	pCi/L	MW84/MW84A (RGA)	08/13/13	TRUE	18.8	900
Technetium-99	pCi/L	MW84/MW84A (RGA)	01/13/14	FALSE	11.8	900
Technetium-99	pCi/L	MW84/MW84A (RGA)	07/22/14	FALSE	13.5	900
Technetium-99	pCi/L	MW84/MW84A (RGA)	01/28/15	FALSE	-0.685	900
Technetium-99	pCi/L	MW84/MW84A (RGA)	07/15/15	FALSE	12.7	900
Technetium-99	pCi/L	MW84/MW84A (RGA)	01/27/16	TRUE	170	900
Technetium-99	pCi/L	MW84/MW84A (RGA)	07/12/16	FALSE	1.19	900
Technetium-99	pCi/L	MW84/MW84A (RGA)	01/24/17	FALSE	12	900
Technetium-99	pCi/L	MW84/MW84A (RGA)	07/12/17	FALSE	9.98	900
Technetium-99	pCi/L	MW84/MW84A (RGA)	01/10/18	TRUE	34.4	900
Technetium-99	pCi/L	MW84/MW84A (RGA)	08/20/18	FALSE	11.8	900
Technetium-99	pCi/L	MW84/MW84A (RGA)	01/16/19	TRUE	28.8	900
Technetium-99	pCi/L	MW84/MW84A (RGA)	07/22/19	TRUE	126	900
Technetium-99	pCi/L	MW84/MW84A (RGA)	01/14/20	TRUE	297	900
Technetium-99	pCi/L	MW84/MW84A (RGA)	07/14/20	TRUE	332	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW84/MW84A (RGA)	01/25/10	TRUE	710	5
Trichloroethene	ug/L	MW84/MW84A (RGA)	04/19/10	TRUE	980	5
Trichloroethene	ug/L	MW84/MW84A (RGA)	07/13/10	TRUE	950	5
Trichloroethene	ug/L	MW84/MW84A (RGA)	01/06/11	TRUE	1100	5
Trichloroethene	ug/L	MW84/MW84A (RGA)	07/26/11	TRUE	1000	5
Trichloroethene	ug/L	MW84/MW84A (RGA)	01/24/12	TRUE	1300	5
Trichloroethene	ug/L	MW84/MW84A (RGA)	07/24/12	TRUE	1100	5
Trichloroethene	ug/L	MW84/MW84A (RGA)	01/24/13	TRUE	1100	5
Trichloroethene	ug/L	MW84/MW84A (RGA)	08/13/13	TRUE	1300	5
Trichloroethene	ug/L	MW84/MW84A (RGA)	01/13/14	TRUE	1500	5
Trichloroethene	ug/L	MW84/MW84A (RGA)	07/22/14	TRUE	1270	5
Trichloroethene	ug/L	MW84/MW84A (RGA)	01/28/15	TRUE	1380	5
Trichloroethene	ug/L	MW84/MW84A (RGA)	07/15/15	TRUE	1530	5
Trichloroethene	ug/L	MW84/MW84A (RGA)	01/27/16	TRUE	1350	5
Trichloroethene	ug/L	MW84/MW84A (RGA)	07/12/16	TRUE	1820	5
Trichloroethene	ug/L	MW84/MW84A (RGA)	01/24/17	TRUE	2620	5
Trichloroethene	ug/L	MW84/MW84A (RGA)	07/12/17	TRUE	2910	5
Trichloroethene	ug/L	MW84/MW84A (RGA)	01/10/18	TRUE	3160	5
Trichloroethene	ug/L	MW84/MW84A (RGA)	08/20/18	TRUE	5260	5
Trichloroethene	ug/L	MW84/MW84A (RGA)	01/16/19	TRUE	5580	5
Trichloroethene	ug/L	MW84/MW84A (RGA)	07/22/19	TRUE	2000	5
Trichloroethene	ug/L	MW84/MW84A (RGA)	01/14/20	TRUE	2930	5
Trichloroethene	ug/L	MW84/MW84A (RGA)	07/14/20	TRUE	3230	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW86 (RGA)	01/27/10	FALSE	3.71	900
Technetium-99	pCi/L	MW86 (RGA)	03/16/10	FALSE	4.32	900
Technetium-99	pCi/L	MW86 (RGA)	06/16/10	FALSE	2.92	900
Technetium-99	pCi/L	MW86 (RGA)	07/14/10	FALSE	-1.94	900
Technetium-99	pCi/L	MW86 (RGA)	09/13/10	FALSE	-4.93	900
Technetium-99	pCi/L	MW86 (RGA)	01/04/11	FALSE	-5.1	900
Technetium-99	pCi/L	MW86 (RGA)	05/19/11	FALSE	-13	900
Technetium-99	pCi/L	MW86 (RGA)	08/11/11	TRUE	15.7	900
Technetium-99	pCi/L	MW86 (RGA)	01/23/12	FALSE	-6.43	900
Technetium-99	pCi/L	MW86 (RGA)	07/30/12	FALSE	1.86	900
Technetium-99	pCi/L	MW86 (RGA)	01/24/13	FALSE	6.88	900
Technetium-99	pCi/L	MW86 (RGA)	06/12/13	FALSE	1.77	900
Technetium-99	pCi/L	MW86 (RGA)	08/26/13	FALSE	4.53	900
Technetium-99	pCi/L	MW86 (RGA)	01/13/14	TRUE	19	900
Technetium-99	pCi/L	MW86 (RGA)	07/24/14	FALSE	-6.8	900
Technetium-99	pCi/L	MW86 (RGA)	01/27/15	FALSE	6.51	900
Technetium-99	pCi/L	MW86 (RGA)	06/11/15	FALSE	9.91	900
Technetium-99	pCi/L	MW86 (RGA)	07/20/15	FALSE	9.71	900
Technetium-99	pCi/L	MW86 (RGA)	01/27/16	FALSE	8.19	900
Technetium-99	pCi/L	MW86 (RGA)	07/12/16	FALSE	8.71	900
Technetium-99	pCi/L	MW86 (RGA)	01/24/17	FALSE	6.1	900
Technetium-99	pCi/L	MW86 (RGA)	05/25/17	FALSE	15.6	900
Technetium-99	pCi/L	MW86 (RGA)	07/17/17	FALSE	13.4	900
Technetium-99	pCi/L	MW86 (RGA)	01/10/18	FALSE	14.7	900
Technetium-99	pCi/L	MW86 (RGA)	07/12/18	FALSE	3.51	900
Technetium-99	pCi/L	MW86 (RGA)	01/24/19	FALSE	2.62	900
Technetium-99	pCi/L	MW86 (RGA)	05/13/19	FALSE	13.4	900
Technetium-99	pCi/L	MW86 (RGA)	07/23/19	FALSE	16.5	900
Technetium-99	pCi/L	MW86 (RGA)	01/14/20	FALSE	4.27	900
Technetium-99	pCi/L	MW86 (RGA)	07/15/20	FALSE	15.6	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW86 (RGA)	01/27/10	TRUE	600	5
Trichloroethene	ug/L	MW86 (RGA)	03/16/10	TRUE	840	5
Trichloroethene	ug/L	MW86 (RGA)	06/16/10	TRUE	690	5
Trichloroethene	ug/L	MW86 (RGA)	07/14/10	TRUE	760	5
Trichloroethene	ug/L	MW86 (RGA)	09/13/10	TRUE	950	5
Trichloroethene	ug/L	MW86 (RGA)	01/04/11	TRUE	1000	5
Trichloroethene	ug/L	MW86 (RGA)	05/19/11	TRUE	1000	5
Trichloroethene	ug/L	MW86 (RGA)	08/11/11	TRUE	1000	5
Trichloroethene	ug/L	MW86 (RGA)	01/23/12	TRUE	1200	5
Trichloroethene	ug/L	MW86 (RGA)	07/30/12	TRUE	1100	5
Trichloroethene	ug/L	MW86 (RGA)	01/24/13	TRUE	1400	5
Trichloroethene	ug/L	MW86 (RGA)	06/12/13	TRUE	1700	5
Trichloroethene	ug/L	MW86 (RGA)	08/26/13	TRUE	1400	5
Trichloroethene	ug/L	MW86 (RGA)	01/13/14	TRUE	2100	5
Trichloroethene	ug/L	MW86 (RGA)	07/24/14	TRUE	1470	5
Trichloroethene	ug/L	MW86 (RGA)	01/27/15	TRUE	2230	5
Trichloroethene	ug/L	MW86 (RGA)	06/11/15	TRUE	1670	5
Trichloroethene	ug/L	MW86 (RGA)	07/20/15	TRUE	1400	5
Trichloroethene	ug/L	MW86 (RGA)	01/27/16	TRUE	1420	5
Trichloroethene	ug/L	MW86 (RGA)	07/12/16	TRUE	951	5
Trichloroethene	ug/L	MW86 (RGA)	01/24/17	TRUE	897	5
Trichloroethene	ug/L	MW86 (RGA)	05/25/17	TRUE	1310	5
Trichloroethene	ug/L	MW86 (RGA)	07/17/17	TRUE	980	5
Trichloroethene	ug/L	MW86 (RGA)	01/10/18	TRUE	1170	5
Trichloroethene	ug/L	MW86 (RGA)	07/12/18	TRUE	1990	5
Trichloroethene	ug/L	MW86 (RGA)	01/24/19	TRUE	2730	5
Trichloroethene	ug/L	MW86 (RGA)	05/13/19	TRUE	2050	5
Trichloroethene	ug/L	MW86 (RGA)	07/23/19	TRUE	2490	5
Trichloroethene	ug/L	MW86 (RGA)	01/14/20	TRUE	3030	5
Trichloroethene	ug/L	MW86 (RGA)	07/15/20	TRUE	3760	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW87/MW87A (RGA)	01/25/10	FALSE	15.1	900
Technetium-99	pCi/L	MW87/MW87A (RGA)	04/19/10	TRUE	23.8	900
Technetium-99	pCi/L	MW87/MW87A (RGA)	07/13/10	FALSE	8.23	900
Technetium-99	pCi/L	MW87/MW87A (RGA)	01/06/11	FALSE	-6.27	900
Technetium-99	pCi/L	MW87/MW87A (RGA)	07/26/11	TRUE	13.6	900
Technetium-99	pCi/L	MW87/MW87A (RGA)	01/24/12	FALSE	-7.72	900
Technetium-99	pCi/L	MW87/MW87A (RGA)	07/24/12	FALSE	3.75	900
Technetium-99	pCi/L	MW87/MW87A (RGA)	01/22/13	FALSE	3.66	900
Technetium-99	pCi/L	MW87/MW87A (RGA)	08/13/13	FALSE	9.76	900
Technetium-99	pCi/L	MW87/MW87A (RGA)	01/09/14	FALSE	10.1	900
Technetium-99	pCi/L	MW87/MW87A (RGA)	07/22/14	FALSE	0.314	900
Technetium-99	pCi/L	MW87/MW87A (RGA)	01/22/15	FALSE	-0.928	900
Technetium-99	pCi/L	MW87/MW87A (RGA)	07/15/15	FALSE	2.99	900
Technetium-99	pCi/L	MW87/MW87A (RGA)	01/25/16	FALSE	0.827	900
Technetium-99	pCi/L	MW87/MW87A (RGA)	07/12/16	FALSE	1.07	900
Technetium-99	pCi/L	MW87/MW87A (RGA)	01/23/17	FALSE	-3.27	900
Technetium-99	pCi/L	MW87/MW87A (RGA)	07/12/17	FALSE	0.964	900
Technetium-99	pCi/L	MW87/MW87A (RGA)	01/09/18	FALSE	4.48	900
Technetium-99	pCi/L	MW87/MW87A (RGA)	08/20/18	FALSE	4.44	900
Technetium-99	pCi/L	MW87/MW87A (RGA)	01/15/19	FALSE	1.88	900
Technetium-99	pCi/L	MW87/MW87A (RGA)	07/22/19	FALSE	1.22	900
Technetium-99	pCi/L	MW87/MW87A (RGA)	01/14/20	FALSE	1.16	900
Technetium-99	pCi/L	MW87/MW87A (RGA)	07/14/20	FALSE	5.04	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW87/MW87A (RGA)	01/25/10	TRUE	210	5
Trichloroethene	ug/L	MW87/MW87A (RGA)	04/19/10	TRUE	260	5
Trichloroethene	ug/L	MW87/MW87A (RGA)	07/13/10	TRUE	330	5
Trichloroethene	ug/L	MW87/MW87A (RGA)	01/06/11	TRUE	270	5
Trichloroethene	ug/L	MW87/MW87A (RGA)	07/26/11	TRUE	420	5
Trichloroethene	ug/L	MW87/MW87A (RGA)	01/24/12	TRUE	540	5
Trichloroethene	ug/L	MW87/MW87A (RGA)	07/24/12	TRUE	450	5
Trichloroethene	ug/L	MW87/MW87A (RGA)	01/22/13	TRUE	470	5
Trichloroethene	ug/L	MW87/MW87A (RGA)	08/13/13	TRUE	760	5
Trichloroethene	ug/L	MW87/MW87A (RGA)	01/09/14	TRUE	670	5
Trichloroethene	ug/L	MW87/MW87A (RGA)	07/22/14	TRUE	1030	5
Trichloroethene	ug/L	MW87/MW87A (RGA)	01/22/15	TRUE	1010	5
Trichloroethene	ug/L	MW87/MW87A (RGA)	07/15/15	TRUE	1250	5
Trichloroethene	ug/L	MW87/MW87A (RGA)	01/25/16	TRUE	1230	5
Trichloroethene	ug/L	MW87/MW87A (RGA)	07/12/16	TRUE	1090	5
Trichloroethene	ug/L	MW87/MW87A (RGA)	01/23/17	TRUE	2240	5
Trichloroethene	ug/L	MW87/MW87A (RGA)	07/12/17	TRUE	1620	5
Trichloroethene	ug/L	MW87/MW87A (RGA)	01/09/18	TRUE	1400	5
Trichloroethene	ug/L	MW87/MW87A (RGA)	08/20/18	TRUE	1690	5
Trichloroethene	ug/L	MW87/MW87A (RGA)	01/15/19	TRUE	2380	5
Trichloroethene	ug/L	MW87/MW87A (RGA)	07/22/19	TRUE	1850	5
Trichloroethene	ug/L	MW87/MW87A (RGA)	01/14/20	TRUE	2580	5
Trichloroethene	ug/L	MW87/MW87A (RGA)	07/14/20	TRUE	3090	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW89 (RGA)	01/27/10	FALSE	12	900
Technetium-99	pCi/L	MW89 (RGA)	03/16/10	FALSE	6.75	900
Technetium-99	pCi/L	MW89 (RGA)	06/07/10	FALSE	-4.31	900
Technetium-99	pCi/L	MW89 (RGA)	07/14/10	FALSE	11.9	900
Technetium-99	pCi/L	MW89 (RGA)	09/13/10	FALSE	6.34	900
Technetium-99	pCi/L	MW89 (RGA)	01/04/11	FALSE	-1.06	900
Technetium-99	pCi/L	MW89 (RGA)	05/19/11	FALSE	3.56	900
Technetium-99	pCi/L	MW89 (RGA)	08/10/11	TRUE	20.5	900
Technetium-99	pCi/L	MW89 (RGA)	01/23/12	FALSE	3.55	900
Technetium-99	pCi/L	MW89 (RGA)	07/30/12	FALSE	6.83	900
Technetium-99	pCi/L	MW89 (RGA)	01/22/13	FALSE	12.6	900
Technetium-99	pCi/L	MW89 (RGA)	06/11/13	FALSE	4.59	900
Technetium-99	pCi/L	MW89 (RGA)	08/06/13	FALSE	9.01	900
Technetium-99	pCi/L	MW89 (RGA)	01/08/14	FALSE	6.97	900
Technetium-99	pCi/L	MW89 (RGA)	07/23/14	FALSE	1.95	900
Technetium-99	pCi/L	MW89 (RGA)	01/27/15	FALSE	2.35	900
Technetium-99	pCi/L	MW89 (RGA)	06/03/15	FALSE	8.36	900
Technetium-99	pCi/L	MW89 (RGA)	07/11/15	FALSE	15.4	900
Technetium-99	pCi/L	MW89 (RGA)	01/25/16	FALSE	0.00431	900
Technetium-99	pCi/L	MW89 (RGA)	07/05/16	FALSE	5.53	900
Technetium-99	pCi/L	MW89 (RGA)	01/23/17	FALSE	0.446	900
Technetium-99	pCi/L	MW89 (RGA)	05/24/17	FALSE	14.3	900
Technetium-99	pCi/L	MW89 (RGA)	07/17/17	FALSE	3.83	900
Technetium-99	pCi/L	MW89 (RGA)	01/08/18	FALSE	1.27	900
Technetium-99	pCi/L	MW89 (RGA)	07/11/18	FALSE	8.98	900
Technetium-99	pCi/L	MW89 (RGA)	01/09/19	FALSE	-13.3	900
Technetium-99	pCi/L	MW89 (RGA)	05/09/19	FALSE	12.9	900
Technetium-99	pCi/L	MW89 (RGA)	07/18/19	FALSE	-0.26	900
Technetium-99	pCi/L	MW89 (RGA)	01/13/20	FALSE	-5.7	900
Technetium-99	pCi/L	MW89 (RGA)	07/13/20	FALSE	10.9	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW89 (RGA)	01/27/10	TRUE	8.7	5
Trichloroethene	ug/L	MW89 (RGA)	03/16/10	TRUE	21	5
Trichloroethene	ug/L	MW89 (RGA)	06/07/10	TRUE	7.5	5
Trichloroethene	ug/L	MW89 (RGA)	07/14/10	TRUE	11	5
Trichloroethene	ug/L	MW89 (RGA)	09/13/10	TRUE	7.4	5
Trichloroethene	ug/L	MW89 (RGA)	01/04/11	TRUE	12	5
Trichloroethene	ug/L	MW89 (RGA)	05/19/11	TRUE	11	5
Trichloroethene	ug/L	MW89 (RGA)	08/10/11	TRUE	14	5
Trichloroethene	ug/L	MW89 (RGA)	01/23/12	TRUE	16	5
Trichloroethene	ug/L	MW89 (RGA)	07/30/12	TRUE	18	5
Trichloroethene	ug/L	MW89 (RGA)	01/22/13	TRUE	28	5
Trichloroethene	ug/L	MW89 (RGA)	06/11/13	TRUE	29	5
Trichloroethene	ug/L	MW89 (RGA)	08/06/13	TRUE	35	5
Trichloroethene	ug/L	MW89 (RGA)	01/08/14	TRUE	27	5
Trichloroethene	ug/L	MW89 (RGA)	07/23/14	TRUE	41.6	5
Trichloroethene	ug/L	MW89 (RGA)	01/27/15	TRUE	68.2	5
Trichloroethene	ug/L	MW89 (RGA)	06/03/15	TRUE	58.3	5
Trichloroethene	ug/L	MW89 (RGA)	07/11/15	TRUE	47.5	5
Trichloroethene	ug/L	MW89 (RGA)	01/25/16	TRUE	75.1	5
Trichloroethene	ug/L	MW89 (RGA)	07/05/16	TRUE	55.2	5
Trichloroethene	ug/L	MW89 (RGA)	01/23/17	TRUE	61	5
Trichloroethene	ug/L	MW89 (RGA)	05/24/17	TRUE	48	5
Trichloroethene	ug/L	MW89 (RGA)	07/17/17	TRUE	46	5
Trichloroethene	ug/L	MW89 (RGA)	01/08/18	TRUE	72.5	5
Trichloroethene	ug/L	MW89 (RGA)	07/11/18	TRUE	56.9	5
Trichloroethene	ug/L	MW89 (RGA)	01/09/19	TRUE	65.7	5
Trichloroethene	ug/L	MW89 (RGA)	05/09/19	TRUE	82.4	5
Trichloroethene	ug/L	MW89 (RGA)	07/18/19	TRUE	93.1	5
Trichloroethene	ug/L	MW89 (RGA)	01/13/20	TRUE	97.1	5
Trichloroethene	ug/L	MW89 (RGA)	07/13/20	TRUE	120	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW90A (RGA)	01/25/10	FALSE	8.09	900
Technetium-99	pCi/L	MW90A (RGA)	04/19/10	TRUE	18	900
Technetium-99	pCi/L	MW90A (RGA)	07/13/10	FALSE	9.03	900
Technetium-99	pCi/L	MW90A (RGA)	01/06/11	FALSE	1.9	900
Technetium-99	pCi/L	MW90A (RGA)	07/26/11	FALSE	8	900
Technetium-99	pCi/L	MW90A (RGA)	01/24/12	FALSE	15.1	900
Technetium-99	pCi/L	MW90A (RGA)	07/24/12	FALSE	9.17	900
Technetium-99	pCi/L	MW90A (RGA)	01/23/13	FALSE	6.15	900
Technetium-99	pCi/L	MW90A (RGA)	08/13/13	FALSE	14.5	900
Technetium-99	pCi/L	MW90A (RGA)	01/09/14	FALSE	12.4	900
Technetium-99	pCi/L	MW90A (RGA)	07/22/14	FALSE	9.16	900
Technetium-99	pCi/L	MW90A (RGA)	01/27/15	FALSE	11.8	900
Technetium-99	pCi/L	MW90A (RGA)	07/15/15	FALSE	18.1	900
Technetium-99	pCi/L	MW90A (RGA)	01/25/16	FALSE	0.615	900
Technetium-99	pCi/L	MW90A (RGA)	07/13/16	FALSE	-4.16	900
Technetium-99	pCi/L	MW90A (RGA)	01/23/17	FALSE	6.05	900
Technetium-99	pCi/L	MW90A (RGA)	07/12/17	FALSE	9.9	900
Technetium-99	pCi/L	MW90A (RGA)	01/09/18	FALSE	4.69	900
Technetium-99	pCi/L	MW90A (RGA)	08/20/18	FALSE	7.78	900
Technetium-99	pCi/L	MW90A (RGA)	01/16/19	FALSE	11.9	900
Technetium-99	pCi/L	MW90A (RGA)	07/22/19	FALSE	11.4	900
Technetium-99	pCi/L	MW90A (RGA)	01/14/20	FALSE	7.15	900
Technetium-99	pCi/L	MW90A (RGA)	07/14/20	FALSE	12.5	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW90A (RGA)	01/25/10	TRUE	11	5
Trichloroethene	ug/L	MW90A (RGA)	04/19/10	TRUE	8.2	5
Trichloroethene	ug/L	MW90A (RGA)	07/13/10	TRUE	11	5
Trichloroethene	ug/L	MW90A (RGA)	01/06/11	TRUE	20	5
Trichloroethene	ug/L	MW90A (RGA)	07/26/11	TRUE	26	5
Trichloroethene	ug/L	MW90A (RGA)	01/24/12	TRUE	24	5
Trichloroethene	ug/L	MW90A (RGA)	07/24/12	TRUE	14	5
Trichloroethene	ug/L	MW90A (RGA)	01/23/13	TRUE	17	5
Trichloroethene	ug/L	MW90A (RGA)	08/13/13	TRUE	35	5
Trichloroethene	ug/L	MW90A (RGA)	01/09/14	TRUE	25	5
Trichloroethene	ug/L	MW90A (RGA)	07/22/14	TRUE	46.2	5
Trichloroethene	ug/L	MW90A (RGA)	01/27/15	TRUE	37.3	5
Trichloroethene	ug/L	MW90A (RGA)	07/15/15	TRUE	37.9	5
Trichloroethene	ug/L	MW90A (RGA)	01/25/16	TRUE	39.8	5
Trichloroethene	ug/L	MW90A (RGA)	07/13/16	TRUE	35.3	5
Trichloroethene	ug/L	MW90A (RGA)	01/23/17	TRUE	49.5	5
Trichloroethene	ug/L	MW90A (RGA)	07/12/17	TRUE	46.1	5
Trichloroethene	ug/L	MW90A (RGA)	01/09/18	TRUE	40.6	5
Trichloroethene	ug/L	MW90A (RGA)	08/20/18	TRUE	53.3	5
Trichloroethene	ug/L	MW90A (RGA)	01/16/19	TRUE	69.9	5
Trichloroethene	ug/L	MW90A (RGA)	07/22/19	TRUE	55.7	5
Trichloroethene	ug/L	MW90A (RGA)	01/14/20	TRUE	92.9	5
Trichloroethene	ug/L	MW90A (RGA)	07/14/20	TRUE	52	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW92 (RGA)	01/27/10	FALSE	13.5	900
Technetium-99	pCi/L	MW92 (RGA)	03/10/10	FALSE	3.68	900
Technetium-99	pCi/L	MW92 (RGA)	06/07/10	FALSE	2.66	900
Technetium-99	pCi/L	MW92 (RGA)	07/14/10	FALSE	-0.343	900
Technetium-99	pCi/L	MW92 (RGA)	09/13/10	FALSE	-7.01	900
Technetium-99	pCi/L	MW92 (RGA)	01/04/11	FALSE	3.21	900
Technetium-99	pCi/L	MW92 (RGA)	05/19/11	FALSE	-15.4	900
Technetium-99	pCi/L	MW92 (RGA)	08/11/11	FALSE	6.3	900
Technetium-99	pCi/L	MW92 (RGA)	01/23/12	FALSE	-2.22	900
Technetium-99	pCi/L	MW92 (RGA)	07/31/12	FALSE	5.28	900
Technetium-99	pCi/L	MW92 (RGA)	01/24/13	FALSE	3.88	900
Technetium-99	pCi/L	MW92 (RGA)	06/11/13	FALSE	6.01	900
Technetium-99	pCi/L	MW92 (RGA)	08/26/13	FALSE	0.764	900
Technetium-99	pCi/L	MW92 (RGA)	01/13/14	FALSE	-1.44	900
Technetium-99	pCi/L	MW92 (RGA)	07/24/14	FALSE	-4.86	900
Technetium-99	pCi/L	MW92 (RGA)	01/27/15	FALSE	-1.41	900
Technetium-99	pCi/L	MW92 (RGA)	06/11/15	FALSE	6.16	900
Technetium-99	pCi/L	MW92 (RGA)	07/20/15	FALSE	6.46	900
Technetium-99	pCi/L	MW92 (RGA)	01/27/16	FALSE	6.19	900
Technetium-99	pCi/L	MW92 (RGA)	07/12/16	FALSE	-0.138	900
Technetium-99	pCi/L	MW92 (RGA)	01/24/17	FALSE	1.49	900
Technetium-99	pCi/L	MW92 (RGA)	05/25/17	FALSE	15.6	900
Technetium-99	pCi/L	MW92 (RGA)	07/17/17	FALSE	4.07	900
Technetium-99	pCi/L	MW92 (RGA)	01/10/18	FALSE	0.272	900
Technetium-99	pCi/L	MW92 (RGA)	07/12/18	FALSE	12.6	900
Technetium-99	pCi/L	MW92 (RGA)	01/24/19	FALSE	1.25	900
Technetium-99	pCi/L	MW92 (RGA)	05/13/19	FALSE	5.62	900
Technetium-99	pCi/L	MW92 (RGA)	07/23/19	FALSE	1.32	900
Technetium-99	pCi/L	MW92 (RGA)	01/14/20	FALSE	0.3	900
Technetium-99	pCi/L	MW92 (RGA)	07/15/20	FALSE	16.2	900
Technetium-99	pCi/L	MW92 (RGA)	07/15/20	TRUE	20.5	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW92 (RGA)	01/27/10	FALSE	1	5
Trichloroethene	ug/L	MW92 (RGA)	01/27/10	TRUE	2.2	5
Trichloroethene	ug/L	MW92 (RGA)	03/10/10	FALSE	1	5
Trichloroethene	ug/L	MW92 (RGA)	06/07/10	FALSE	1	5
Trichloroethene	ug/L	MW92 (RGA)	07/14/10	FALSE	1	5
Trichloroethene	ug/L	MW92 (RGA)	09/13/10	TRUE	1.6	5
Trichloroethene	ug/L	MW92 (RGA)	01/04/11	TRUE	1.2	5
Trichloroethene	ug/L	MW92 (RGA)	05/19/11	TRUE	4.8	5
Trichloroethene	ug/L	MW92 (RGA)	08/11/11	TRUE	1.7	5
Trichloroethene	ug/L	MW92 (RGA)	01/23/12	TRUE	3.2	5
Trichloroethene	ug/L	MW92 (RGA)	07/31/12	FALSE	1	5
Trichloroethene	ug/L	MW92 (RGA)	01/24/13	TRUE	2	5
Trichloroethene	ug/L	MW92 (RGA)	06/11/13	TRUE	1.4	5
Trichloroethene	ug/L	MW92 (RGA)	08/26/13	TRUE	1.1	5
Trichloroethene	ug/L	MW92 (RGA)	01/13/14	TRUE	4.2	5
Trichloroethene	ug/L	MW92 (RGA)	07/24/14	TRUE	1.34	5
Trichloroethene	ug/L	MW92 (RGA)	01/27/15	TRUE	2.22	5
Trichloroethene	ug/L	MW92 (RGA)	06/11/15	TRUE	4.03	5
Trichloroethene	ug/L	MW92 (RGA)	07/20/15	TRUE	1.64	5
Trichloroethene	ug/L	MW92 (RGA)	01/27/16	TRUE	2.67	5
Trichloroethene	ug/L	MW92 (RGA)	07/12/16	TRUE	4.22	5
Trichloroethene	ug/L	MW92 (RGA)	01/24/17	TRUE	4.64	5
Trichloroethene	ug/L	MW92 (RGA)	05/25/17	TRUE	4.28	5
Trichloroethene	ug/L	MW92 (RGA)	07/17/17	TRUE	4.02	5
Trichloroethene	ug/L	MW92 (RGA)	01/10/18	TRUE	6.36	5
Trichloroethene	ug/L	MW92 (RGA)	07/12/18	TRUE	3.3	5
Trichloroethene	ug/L	MW92 (RGA)	01/24/19	TRUE	7.77	5
Trichloroethene	ug/L	MW92 (RGA)	05/13/19	TRUE	1.02	5
Trichloroethene	ug/L	MW92 (RGA)	07/23/19	TRUE	2.98	5
Trichloroethene	ug/L	MW92 (RGA)	01/14/20	FALSE	1	5
Trichloroethene	ug/L	MW92 (RGA)	07/15/20	TRUE	5.56	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW93/MW/93A (RGA)	01/25/10	FALSE	11.9	900
Technetium-99	pCi/L	MW93/MW/93A (RGA)	04/27/10	FALSE	15.1	900
Technetium-99	pCi/L	MW93/MW/93A (RGA)	07/13/10	FALSE	2.34	900
Technetium-99	pCi/L	MW93/MW/93A (RGA)	01/06/11	FALSE	0.952	900
Technetium-99	pCi/L	MW93/MW/93A (RGA)	07/26/11	TRUE	12.9	900
Technetium-99	pCi/L	MW93/MW/93A (RGA)	01/24/12	FALSE	7.15	900
Technetium-99	pCi/L	MW93/MW/93A (RGA)	07/24/12	FALSE	1.12	900
Technetium-99	pCi/L	MW93/MW/93A (RGA)	01/22/13	FALSE	-1.17	900
Technetium-99	pCi/L	MW93/MW/93A (RGA)	08/13/13	FALSE	6.33	900
Technetium-99	pCi/L	MW93/MW/93A (RGA)	01/09/14	FALSE	7.52	900
Technetium-99	pCi/L	MW93/MW/93A (RGA)	07/22/14	FALSE	4.72	900
Technetium-99	pCi/L	MW93/MW/93A (RGA)	01/22/15	FALSE	-0.0161	900
Technetium-99	pCi/L	MW93/MW/93A (RGA)	07/15/15	FALSE	3.52	900
Technetium-99	pCi/L	MW93/MW/93A (RGA)	01/25/16	FALSE	4.09	900
Technetium-99	pCi/L	MW93/MW/93A (RGA)	07/13/16	FALSE	1.13	900
Technetium-99	pCi/L	MW93/MW/93A (RGA)	01/23/17	FALSE	8.62	900
Technetium-99	pCi/L	MW93/MW/93A (RGA)	07/12/17	FALSE	1.09	900
Technetium-99	pCi/L	MW93/MW/93A (RGA)	01/09/18	FALSE	5.18	900
Technetium-99	pCi/L	MW93/MW/93A (RGA)	08/20/18	FALSE	4.61	900
Technetium-99	pCi/L	MW93/MW/93A (RGA)	01/16/19	FALSE	8.75	900
Technetium-99	pCi/L	MW93/MW/93A (RGA)	07/22/19	FALSE	8.82	900
Technetium-99	pCi/L	MW93/MW/93A (RGA)	01/14/20	FALSE	-1.5	900
Technetium-99	pCi/L	MW93/MW/93A (RGA)	07/14/20	FALSE	-0.977	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW93/MW/93A (RGA)	01/25/10	TRUE	870	5
Trichloroethene	ug/L	MW93/MW/93A (RGA)	04/27/10	TRUE	790	5
Trichloroethene	ug/L	MW93/MW/93A (RGA)	07/13/10	TRUE	1200	5
Trichloroethene	ug/L	MW93/MW/93A (RGA)	01/06/11	TRUE	1200	5
Trichloroethene	ug/L	MW93/MW/93A (RGA)	07/26/11	TRUE	990	5
Trichloroethene	ug/L	MW93/MW/93A (RGA)	01/24/12	TRUE	1200	5
Trichloroethene	ug/L	MW93/MW/93A (RGA)	07/24/12	TRUE	1500	5
Trichloroethene	ug/L	MW93/MW/93A (RGA)	01/22/13	TRUE	1900	5
Trichloroethene	ug/L	MW93/MW/93A (RGA)	08/13/13	TRUE	2200	5
Trichloroethene	ug/L	MW93/MW/93A (RGA)	01/09/14	TRUE	2900	5
Trichloroethene	ug/L	MW93/MW/93A (RGA)	07/22/14	TRUE	2710	5
Trichloroethene	ug/L	MW93/MW/93A (RGA)	01/22/15	TRUE	2970	5
Trichloroethene	ug/L	MW93/MW/93A (RGA)	07/15/15	TRUE	2520	5
Trichloroethene	ug/L	MW93/MW/93A (RGA)	01/25/16	TRUE	2490	5
Trichloroethene	ug/L	MW93/MW/93A (RGA)	07/13/16	TRUE	2020	5
Trichloroethene	ug/L	MW93/MW/93A (RGA)	01/23/17	TRUE	2450	5
Trichloroethene	ug/L	MW93/MW/93A (RGA)	07/12/17	TRUE	1400	5
Trichloroethene	ug/L	MW93/MW/93A (RGA)	01/09/18	TRUE	994	5
Trichloroethene	ug/L	MW93/MW/93A (RGA)	08/20/18	TRUE	1000	5
Trichloroethene	ug/L	MW93/MW/93A (RGA)	01/16/19	TRUE	1000	5
Trichloroethene	ug/L	MW93/MW/93A (RGA)	07/22/19	TRUE	789	5
Trichloroethene	ug/L	MW93/MW/93A (RGA)	01/14/20	TRUE	1360	5
Trichloroethene	ug/L	MW93/MW/93A (RGA)	07/14/20	TRUE	2220	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW95A (RGA)	01/26/10	FALSE	9.61	900
Technetium-99	pCi/L	MW95A (RGA)	03/10/10	FALSE	-6.26	900
Technetium-99	pCi/L	MW95A (RGA)	06/07/10	FALSE	3.6	900
Technetium-99	pCi/L	MW95A (RGA)	07/09/10	FALSE	-18.2	900
Technetium-99	pCi/L	MW95A (RGA)	09/08/10	FALSE	2.38	900
Technetium-99	pCi/L	MW95A (RGA)	01/04/11	FALSE	4.17	900
Technetium-99	pCi/L	MW95A (RGA)	05/12/11	FALSE	-9.33	900
Technetium-99	pCi/L	MW95A (RGA)	07/28/11	FALSE	0.654	900
Technetium-99	pCi/L	MW95A (RGA)	01/20/12	FALSE	10.8	900
Technetium-99	pCi/L	MW95A (RGA)	07/26/12	FALSE	-2.63	900
Technetium-99	pCi/L	MW95A (RGA)	01/22/13	FALSE	6.47	900
Technetium-99	pCi/L	MW95A (RGA)	05/31/13	FALSE	-5.22	900
Technetium-99	pCi/L	MW95A (RGA)	08/06/13	FALSE	11	900
Technetium-99	pCi/L	MW95A (RGA)	01/08/14	FALSE	-5.32	900
Technetium-99	pCi/L	MW95A (RGA)	07/23/14	FALSE	9.75	900
Technetium-99	pCi/L	MW95A (RGA)	01/26/15	FALSE	4.79	900
Technetium-99	pCi/L	MW95A (RGA)	06/03/15	FALSE	-5.26	900
Technetium-99	pCi/L	MW95A (RGA)	07/11/15	FALSE	14.9	900
Technetium-99	pCi/L	MW95A (RGA)	01/25/16	FALSE	3.32	900
Technetium-99	pCi/L	MW95A (RGA)	07/05/16	FALSE	-0.913	900
Technetium-99	pCi/L	MW95A (RGA)	01/23/17	FALSE	-2.94	900
Technetium-99	pCi/L	MW95A (RGA)	05/24/17	FALSE	11.3	900
Technetium-99	pCi/L	MW95A (RGA)	07/17/17	FALSE	8.96	900
Technetium-99	pCi/L	MW95A (RGA)	01/08/18	FALSE	11.7	900
Technetium-99	pCi/L	MW95A (RGA)	07/11/18	FALSE	12.3	900
Technetium-99	pCi/L	MW95A (RGA)	01/09/19	FALSE	-5.67	900
Technetium-99	pCi/L	MW95A (RGA)	05/09/19	FALSE	5.59	900
Technetium-99	pCi/L	MW95A (RGA)	07/18/19	FALSE	12.2	900
Technetium-99	pCi/L	MW95A (RGA)	01/13/20	FALSE	5.56	900
Technetium-99	pCi/L	MW95A (RGA)	07/13/20	FALSE	7.42	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW95A (RGA)	01/26/10	TRUE	400	5
Trichloroethene	ug/L	MW95A (RGA)	03/10/10	TRUE	500	5
Trichloroethene	ug/L	MW95A (RGA)	06/07/10	TRUE	470	5
Trichloroethene	ug/L	MW95A (RGA)	07/09/10	TRUE	580	5
Trichloroethene	ug/L	MW95A (RGA)	09/08/10	TRUE	570	5
Trichloroethene	ug/L	MW95A (RGA)	01/04/11	TRUE	650	5
Trichloroethene	ug/L	MW95A (RGA)	05/12/11	TRUE	370	5
Trichloroethene	ug/L	MW95A (RGA)	07/28/11	TRUE	930	5
Trichloroethene	ug/L	MW95A (RGA)	01/20/12	TRUE	810	5
Trichloroethene	ug/L	MW95A (RGA)	07/26/12	TRUE	620	5
Trichloroethene	ug/L	MW95A (RGA)	01/22/13	TRUE	710	5
Trichloroethene	ug/L	MW95A (RGA)	05/31/13	TRUE	890	5
Trichloroethene	ug/L	MW95A (RGA)	08/06/13	TRUE	1400	5
Trichloroethene	ug/L	MW95A (RGA)	01/08/14	TRUE	810	5
Trichloroethene	ug/L	MW95A (RGA)	07/23/14	TRUE	2010	5
Trichloroethene	ug/L	MW95A (RGA)	01/26/15	TRUE	1840	5
Trichloroethene	ug/L	MW95A (RGA)	06/03/15	TRUE	1510	5
Trichloroethene	ug/L	MW95A (RGA)	07/11/15	TRUE	2280	5
Trichloroethene	ug/L	MW95A (RGA)	01/25/16	TRUE	1390	5
Trichloroethene	ug/L	MW95A (RGA)	07/05/16	TRUE	2880	5
Trichloroethene	ug/L	MW95A (RGA)	01/23/17	TRUE	1590	5
Trichloroethene	ug/L	MW95A (RGA)	05/24/17	TRUE	1780	5
Trichloroethene	ug/L	MW95A (RGA)	07/17/17	TRUE	1760	5
Trichloroethene	ug/L	MW95A (RGA)	01/08/18	TRUE	2340	5
Trichloroethene	ug/L	MW95A (RGA)	07/11/18	TRUE	2370	5
Trichloroethene	ug/L	MW95A (RGA)	01/09/19	TRUE	1780	5
Trichloroethene	ug/L	MW95A (RGA)	05/09/19	TRUE	1640	5
Trichloroethene	ug/L	MW95A (RGA)	07/18/19	TRUE	1640	5
Trichloroethene	ug/L	MW95A (RGA)	01/13/20	TRUE	1470	5
Trichloroethene	ug/L	MW95A (RGA)	07/13/20	TRUE	1790	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW98 (RGA)	03/02/10	FALSE	4.22	900
Technetium-99	pCi/L	MW98 (RGA)	08/17/10	TRUE	29.4	900
Technetium-99	pCi/L	MW98 (RGA)	05/16/11	TRUE	36.1	900
Technetium-99	pCi/L	MW98 (RGA)	05/14/12	TRUE	43.8	900
Technetium-99	pCi/L	MW98 (RGA)	05/09/13	TRUE	52.3	900
Technetium-99	pCi/L	MW98 (RGA)	05/19/14	TRUE	40.1	900
Technetium-99	pCi/L	MW98 (RGA)	05/06/15	TRUE	56.6	900
Technetium-99	pCi/L	MW98 (RGA)	05/18/16	TRUE	53.9	900
Technetium-99	pCi/L	MW98 (RGA)	05/16/17	TRUE	44.5	900
Technetium-99	pCi/L	MW98 (RGA)	03/19/18	TRUE	43	900
Technetium-99	pCi/L	MW98 (RGA)	09/27/18	TRUE	54.6	900
Technetium-99	pCi/L	MW98 (RGA)	03/18/19	TRUE	35.7	900
Technetium-99	pCi/L	MW98 (RGA)	09/17/19	TRUE	26.1	900
Technetium-99	pCi/L	MW98 (RGA)	03/12/20	TRUE	51.4	900
Technetium-99	pCi/L	MW98 (RGA)	09/16/20	TRUE	49.7	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW98 (RGA)	03/02/10	TRUE	2.7	5
Trichloroethene	ug/L	MW98 (RGA)	08/17/10	TRUE	2.4	5
Trichloroethene	ug/L	MW98 (RGA)	05/16/11	TRUE	5.1	5
Trichloroethene	ug/L	MW98 (RGA)	05/14/12	FALSE	1	5
Trichloroethene	ug/L	MW98 (RGA)	05/09/13	FALSE	1	5
Trichloroethene	ug/L	MW98 (RGA)	05/19/14	TRUE	0.43	5
Trichloroethene	ug/L	MW98 (RGA)	05/06/15	TRUE	0.73	5
Trichloroethene	ug/L	MW98 (RGA)	05/18/16	TRUE	2.18	5
Trichloroethene	ug/L	MW98 (RGA)	05/16/17	FALSE	1	5
Trichloroethene	ug/L	MW98 (RGA)	03/19/18	FALSE	1	5
Trichloroethene	ug/L	MW98 (RGA)	03/19/18	TRUE	0.35	5
Trichloroethene	ug/L	MW98 (RGA)	09/27/18	TRUE	1.75	5
Trichloroethene	ug/L	MW98 (RGA)	03/18/19	FALSE	1	5
Trichloroethene	ug/L	MW98 (RGA)	09/17/19	TRUE	0.36	5
Trichloroethene	ug/L	MW98 (RGA)	03/12/20	FALSE	1	5
Trichloroethene	ug/L	MW98 (RGA)	03/12/20	TRUE	0.4	5
Trichloroethene	ug/L	MW98 (RGA)	09/16/20	TRUE	0.48	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW99 (RGA)	03/05/10	FALSE	-11.3	900
Technetium-99	pCi/L	MW99 (RGA)	08/16/10	FALSE	-3.83	900
Technetium-99	pCi/L	MW99 (RGA)	05/18/11	FALSE	-16.1	900
Technetium-99	pCi/L	MW99 (RGA)	05/07/12	FALSE	-11.5	900
Technetium-99	pCi/L	MW99 (RGA)	05/28/13	FALSE	0.388	900
Technetium-99	pCi/L	MW99 (RGA)	05/21/14	FALSE	-13.4	900
Technetium-99	pCi/L	MW99 (RGA)	06/10/15	FALSE	-8.44	900
Technetium-99	pCi/L	MW99 (RGA)	05/24/16	FALSE	-3.32	900
Technetium-99	pCi/L	MW99 (RGA)	05/30/17	FALSE	3.04	900
Technetium-99	pCi/L	MW99 (RGA)	05/22/18	FALSE	9.58	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW99 (RGA)	03/05/10	TRUE	30	5
Trichloroethene	ug/L	MW99 (RGA)	08/16/10	TRUE	27	5
Trichloroethene	ug/L	MW99 (RGA)	05/18/11	TRUE	38	5
Trichloroethene	ug/L	MW99 (RGA)	05/07/12	TRUE	29	5
Trichloroethene	ug/L	MW99 (RGA)	05/28/13	TRUE	28	5
Trichloroethene	ug/L	MW99 (RGA)	05/21/14	TRUE	37.1	5
Trichloroethene	ug/L	MW99 (RGA)	06/10/15	TRUE	33.7	5
Trichloroethene	ug/L	MW99 (RGA)	05/24/16	TRUE	37.9	5
Trichloroethene	ug/L	MW99 (RGA)	05/30/17	TRUE	34.5	5
Trichloroethene	ug/L	MW99 (RGA)	05/22/18	TRUE	34.6	5
Trichloroethene	ug/L	MW99 (RGA)	09/23/19	TRUE	1.28	5
Trichloroethene	ug/L	MW99 (RGA)	08/19/20	TRUE	0.75	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW100 (RGA)	03/01/10	TRUE	17.8	900
Technetium-99	pCi/L	MW100 (RGA)	08/17/10	FALSE	4.16	900
Technetium-99	pCi/L	MW100 (RGA)	05/16/11	FALSE	-6.33	900
Technetium-99	pCi/L	MW100 (RGA)	05/09/12	FALSE	5.46	900
Technetium-99	pCi/L	MW100 (RGA)	05/09/13	FALSE	3.27	900
Technetium-99	pCi/L	MW100 (RGA)	05/14/14	FALSE	4.75	900
Technetium-99	pCi/L	MW100 (RGA)	08/25/15	FALSE	-3.31	900
Technetium-99	pCi/L	MW100 (RGA)	05/23/16	FALSE	0.337	900
Technetium-99	pCi/L	MW100 (RGA)	05/05/17	FALSE	-1.6	900
Technetium-99	pCi/L	MW100 (RGA)	05/09/18	FALSE	-5.73	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW100 (RGA)	03/01/10	FALSE	1	5
Trichloroethene	ug/L	MW100 (RGA)	08/17/10	FALSE	1	5
Trichloroethene	ug/L	MW100 (RGA)	05/16/11	TRUE	1.5	5
Trichloroethene	ug/L	MW100 (RGA)	05/09/12	FALSE	1	5
Trichloroethene	ug/L	MW100 (RGA)	05/09/13	FALSE	1	5
Trichloroethene	ug/L	MW100 (RGA)	05/14/14	FALSE	1	5
Trichloroethene	ug/L	MW100 (RGA)	08/25/15	FALSE	1	5
Trichloroethene	ug/L	MW100 (RGA)	05/23/16	FALSE	1	5
Trichloroethene	ug/L	MW100 (RGA)	05/05/17	FALSE	1	5
Trichloroethene	ug/L	MW100 (RGA)	05/09/18	FALSE	1	5
Trichloroethene	ug/L	MW100 (RGA)	05/14/19	FALSE	1	5
Trichloroethene	ug/L	MW100 (RGA)	05/14/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW103 (RGA)	03/08/10	FALSE	-8.48	900
Technetium-99	pCi/L	MW103 (RGA)	08/17/10	FALSE	-0.0563	900
Technetium-99	pCi/L	MW103 (RGA)	05/12/11	TRUE	20.1	900
Technetium-99	pCi/L	MW103 (RGA)	05/10/13	FALSE	-1.09	900
Technetium-99	pCi/L	MW103 (RGA)	05/28/15	FALSE	-1.77	900
Technetium-99	pCi/L	MW103 (RGA)	04/30/19	FALSE	2.75	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW103 (RGA)	03/08/10	FALSE	1	5
Trichloroethene	ug/L	MW103 (RGA)	08/17/10	FALSE	1	5
Trichloroethene	ug/L	MW103 (RGA)	05/12/11	FALSE	1	5
Trichloroethene	ug/L	MW103 (RGA)	05/10/13	FALSE	1	5
Trichloroethene	ug/L	MW103 (RGA)	05/28/15	FALSE	1	5
Trichloroethene	ug/L	MW103 (RGA)	04/30/19	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW106 (RGA)	03/02/10	FALSE	10.5	900
Technetium-99	pCi/L	MW106 (RGA)	08/18/10	FALSE	13.2	900
Technetium-99	pCi/L	MW106 (RGA)	05/09/11	FALSE	10.5	900
Technetium-99	pCi/L	MW106 (RGA)	03/28/13	FALSE	-7.13	900
Technetium-99	pCi/L	MW106 (RGA)	05/10/13	FALSE	2.67	900
Technetium-99	pCi/L	MW106 (RGA)	11/12/13	FALSE	0.83	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW106 (RGA)	03/02/10	TRUE	2.6	5
Trichloroethene	ug/L	MW106 (RGA)	08/18/10	TRUE	2.3	5
Trichloroethene	ug/L	MW106 (RGA)	05/09/11	TRUE	2.6	5
Trichloroethene	ug/L	MW106 (RGA)	03/28/13	TRUE	3.3	5
Trichloroethene	ug/L	MW106 (RGA)	05/10/13	TRUE	3.7	5
Trichloroethene	ug/L	MW106 (RGA)	06/06/13	TRUE	4.8	5
Trichloroethene	ug/L	MW106 (RGA)	09/10/13	TRUE	4.6	5
Trichloroethene	ug/L	MW106 (RGA)	11/12/13	TRUE	4.3	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW106A (RGA)	11/18/14	FALSE	3.92	900
Technetium-99	pCi/L	MW106A (RGA)	02/10/15	FALSE	-7.11	900
Technetium-99	pCi/L	MW106A (RGA)	05/12/15	FALSE	-3.5	900
Technetium-99	pCi/L	MW106A (RGA)	05/27/15	FALSE	-2.09	900
Technetium-99	pCi/L	MW106A (RGA)	08/11/15	FALSE	17.6	900
Technetium-99	pCi/L	MW106A (RGA)	11/16/15	FALSE	4.03	900
Technetium-99	pCi/L	MW106A (RGA)	02/10/16	FALSE	3.09	900
Technetium-99	pCi/L	MW106A (RGA)	05/10/16	FALSE	-4.73	900
Technetium-99	pCi/L	MW106A (RGA)	08/15/16	FALSE	-5.03	900
Technetium-99	pCi/L	MW106A (RGA)	11/16/16	FALSE	6.12	900
Technetium-99	pCi/L	MW106A (RGA)	02/14/17	FALSE	8.81	900
Technetium-99	pCi/L	MW106A (RGA)	05/16/17	FALSE	13.3	900
Technetium-99	pCi/L	MW106A (RGA)	08/28/17	FALSE	0.391	900
Technetium-99	pCi/L	MW106A (RGA)	11/07/17	FALSE	4.55	900
Technetium-99	pCi/L	MW106A (RGA)	02/13/18	FALSE	-0.627	900
Technetium-99	pCi/L	MW106A (RGA)	05/02/18	FALSE	3.92	900
Technetium-99	pCi/L	MW106A (RGA)	08/13/18	FALSE	-3.18	900
Technetium-99	pCi/L	MW106A (RGA)	11/19/20	FALSE	18.8	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW106A (RGA)	11/18/14	TRUE	5.37	5
Trichloroethene	ug/L	MW106A (RGA)	02/10/15	TRUE	4.96	5
Trichloroethene	ug/L	MW106A (RGA)	05/12/15	TRUE	4.88	5
Trichloroethene	ug/L	MW106A (RGA)	05/27/15	TRUE	4.67	5
Trichloroethene	ug/L	MW106A (RGA)	08/11/15	TRUE	4.12	5
Trichloroethene	ug/L	MW106A (RGA)	11/16/15	TRUE	4.06	5
Trichloroethene	ug/L	MW106A (RGA)	02/10/16	TRUE	4.77	5
Trichloroethene	ug/L	MW106A (RGA)	05/10/16	TRUE	4.51	5
Trichloroethene	ug/L	MW106A (RGA)	08/15/16	TRUE	5.18	5
Trichloroethene	ug/L	MW106A (RGA)	11/16/16	TRUE	5.4	5
Trichloroethene	ug/L	MW106A (RGA)	02/14/17	TRUE	5.35	5
Trichloroethene	ug/L	MW106A (RGA)	05/16/17	TRUE	4.24	5
Trichloroethene	ug/L	MW106A (RGA)	08/28/17	TRUE	4	5
Trichloroethene	ug/L	MW106A (RGA)	11/07/17	TRUE	4.35	5
Trichloroethene	ug/L	MW106A (RGA)	02/13/18	TRUE	3.66	5
Trichloroethene	ug/L	MW106A (RGA)	05/02/18	TRUE	4.38	5
Trichloroethene	ug/L	MW106A (RGA)	08/13/18	TRUE	4.22	5
Trichloroethene	ug/L	MW106A (RGA)	11/07/18	TRUE	4.74	5
Trichloroethene	ug/L	MW106A (RGA)	02/11/19	TRUE	3.67	5
Trichloroethene	ug/L	MW106A (RGA)	04/30/19	TRUE	3.02	5
Trichloroethene	ug/L	MW106A (RGA)	05/20/19	TRUE	3.12	5
Trichloroethene	ug/L	MW106A (RGA)	08/14/19	TRUE	3.76	5
Trichloroethene	ug/L	MW106A (RGA)	11/11/19	TRUE	3.16	5
Trichloroethene	ug/L	MW106A (RGA)	02/10/20	TRUE	3.25	5
Trichloroethene	ug/L	MW106A (RGA)	05/11/20	TRUE	3.3	5
Trichloroethene	ug/L	MW106A (RGA)	08/12/20	TRUE	3.61	5
Trichloroethene	ug/L	MW106A (RGA)	11/19/20	TRUE	3.37	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW108 (RGA)	06/28/17	TRUE	24.8	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW108 (RGA)	06/28/17	TRUE	1.93	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW124 (RGA)	05/11/10	FALSE	14.1	900
Technetium-99	pCi/L	MW124 (RGA)	02/22/11	TRUE	23	900
Technetium-99	pCi/L	MW124 (RGA)	08/04/11	FALSE	-3.33	900
Technetium-99	pCi/L	MW124 (RGA)	02/02/12	FALSE	0.804	900
Technetium-99	pCi/L	MW124 (RGA)	08/07/12	FALSE	6.07	900
Technetium-99	pCi/L	MW124 (RGA)	02/04/13	FALSE	-4.83	900
Technetium-99	pCi/L	MW124 (RGA)	08/21/13	FALSE	1.7	900
Technetium-99	pCi/L	MW124 (RGA)	02/24/14	FALSE	-2.69	900
Technetium-99	pCi/L	MW124 (RGA)	08/26/14	FALSE	-6.23	900
Technetium-99	pCi/L	MW124 (RGA)	02/04/15	FALSE	1.44	900
Technetium-99	pCi/L	MW124 (RGA)	08/24/15	FALSE	-4.04	900
Technetium-99	pCi/L	MW124 (RGA)	02/08/16	FALSE	-8.87	900
Technetium-99	pCi/L	MW124 (RGA)	08/04/16	FALSE	7.97	900
Technetium-99	pCi/L	MW124 (RGA)	02/15/17	FALSE	-0.649	900
Technetium-99	pCi/L	MW124 (RGA)	07/10/17	FALSE	1.27	900
Technetium-99	pCi/L	MW124 (RGA)	08/01/17	FALSE	-4.11	900
Technetium-99	pCi/L	MW124 (RGA)	10/06/17	FALSE	0.124	900
Technetium-99	pCi/L	MW124 (RGA)	01/09/18	FALSE	8.01	900
Technetium-99	pCi/L	MW124 (RGA)	02/14/18	FALSE	-12.6	900
Technetium-99	pCi/L	MW124 (RGA)	04/09/18	FALSE	-5.57	900
Technetium-99	pCi/L	MW124 (RGA)	07/03/18	FALSE	-2.31	900
Technetium-99	pCi/L	MW124 (RGA)	08/27/18	FALSE	0.296	900
Technetium-99	pCi/L	MW124 (RGA)	10/03/18	FALSE	-11.6	900
Technetium-99	pCi/L	MW124 (RGA)	01/02/19	FALSE	-1.35	900
Technetium-99	pCi/L	MW124 (RGA)	04/09/19	FALSE	1.25	900
Technetium-99	pCi/L	MW124 (RGA)	07/02/19	FALSE	-8.24	900
Technetium-99	pCi/L	MW124 (RGA)	10/02/19	FALSE	0.735	900
Technetium-99	pCi/L	MW124 (RGA)	01/07/20	FALSE	-1.59	900
Technetium-99	pCi/L	MW124 (RGA)	04/15/20	FALSE	1.61	900
Technetium-99	pCi/L	MW124 (RGA)	07/08/20	FALSE	-4.38	900
Technetium-99	pCi/L	MW124 (RGA)	10/08/20	FALSE	0.361	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW124 (RGA)	05/11/10	TRUE	19	5
Trichloroethene	ug/L	MW124 (RGA)	02/22/11	TRUE	49	5
Trichloroethene	ug/L	MW124 (RGA)	08/04/11	TRUE	13	5
Trichloroethene	ug/L	MW124 (RGA)	02/02/12	TRUE	12	5
Trichloroethene	ug/L	MW124 (RGA)	08/07/12	TRUE	5.4	5
Trichloroethene	ug/L	MW124 (RGA)	02/04/13	TRUE	19	5
Trichloroethene	ug/L	MW124 (RGA)	08/21/13	TRUE	2.4	5
Trichloroethene	ug/L	MW124 (RGA)	02/24/14	TRUE	9.2	5
Trichloroethene	ug/L	MW124 (RGA)	08/26/14	TRUE	6.18	5
Trichloroethene	ug/L	MW124 (RGA)	02/04/15	TRUE	69.9	5
Trichloroethene	ug/L	MW124 (RGA)	08/24/15	TRUE	7.12	5
Trichloroethene	ug/L	MW124 (RGA)	02/08/16	TRUE	5.94	5
Trichloroethene	ug/L	MW124 (RGA)	08/04/16	TRUE	3.1	5
Trichloroethene	ug/L	MW124 (RGA)	02/15/17	TRUE	30.5	5
Trichloroethene	ug/L	MW124 (RGA)	07/10/17	TRUE	5.65	5
Trichloroethene	ug/L	MW124 (RGA)	08/01/17	TRUE	5.88	5
Trichloroethene	ug/L	MW124 (RGA)	10/06/17	TRUE	16.6	5
Trichloroethene	ug/L	MW124 (RGA)	01/09/18	TRUE	61.7	5
Trichloroethene	ug/L	MW124 (RGA)	02/14/18	TRUE	20.4	5
Trichloroethene	ug/L	MW124 (RGA)	04/09/18	TRUE	26.6	5
Trichloroethene	ug/L	MW124 (RGA)	07/03/18	TRUE	13.8	5
Trichloroethene	ug/L	MW124 (RGA)	08/27/18	TRUE	25.5	5
Trichloroethene	ug/L	MW124 (RGA)	10/03/18	TRUE	44.3	5
Trichloroethene	ug/L	MW124 (RGA)	01/02/19	TRUE	40	5
Trichloroethene	ug/L	MW124 (RGA)	04/09/19	TRUE	34.4	5
Trichloroethene	ug/L	MW124 (RGA)	07/02/19	TRUE	25.4	5
Trichloroethene	ug/L	MW124 (RGA)	10/02/19	TRUE	27.3	5
Trichloroethene	ug/L	MW124 (RGA)	01/07/20	TRUE	39	5
Trichloroethene	ug/L	MW124 (RGA)	04/15/20	TRUE	39	5
Trichloroethene	ug/L	MW124 (RGA)	07/08/20	TRUE	37.1	5
Trichloroethene	ug/L	MW124 (RGA)	10/08/20	TRUE	44.9	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW125 (RGA)	03/01/10	TRUE	191	900
Technetium-99	pCi/L	MW125 (RGA)	08/18/10	TRUE	157	900
Technetium-99	pCi/L	MW125 (RGA)	06/22/11	TRUE	189	900
Technetium-99	pCi/L	MW125 (RGA)	05/06/13	TRUE	116	900
Technetium-99	pCi/L	MW125 (RGA)	05/26/15	TRUE	75.5	900
Technetium-99	pCi/L	MW125 (RGA)	05/05/17	TRUE	42.1	900
Technetium-99	pCi/L	MW125 (RGA)	05/09/18	TRUE	53.7	900
Technetium-99	pCi/L	MW125 (RGA)	05/16/19	TRUE	30.1	900
Technetium-99	pCi/L	MW125 (RGA)	05/13/20	TRUE	24.8	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW125 (RGA)	03/01/10	TRUE	440	5
Trichloroethene	ug/L	MW125 (RGA)	08/18/10	TRUE	440	5
Trichloroethene	ug/L	MW125 (RGA)	06/22/11	TRUE	420	5
Trichloroethene	ug/L	MW125 (RGA)	05/06/13	TRUE	300	5
Trichloroethene	ug/L	MW125 (RGA)	05/26/15	TRUE	172	5
Trichloroethene	ug/L	MW125 (RGA)	05/05/17	TRUE	117	5
Trichloroethene	ug/L	MW125 (RGA)	05/09/18	TRUE	108	5
Trichloroethene	ug/L	MW125 (RGA)	08/29/18	TRUE	82.2	5
Trichloroethene	ug/L	MW125 (RGA)	05/16/19	TRUE	79.9	5
Trichloroethene	ug/L	MW125 (RGA)	05/13/20	TRUE	68.6	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW126 (RGA)	05/11/10	FALSE	13.5	900
Technetium-99	pCi/L	MW126 (RGA)	02/22/11	FALSE	11.5	900
Technetium-99	pCi/L	MW126 (RGA)	08/04/11	FALSE	-1.94	900
Technetium-99	pCi/L	MW126 (RGA)	02/02/12	FALSE	2.31	900
Technetium-99	pCi/L	MW126 (RGA)	08/07/12	FALSE	14.2	900
Technetium-99	pCi/L	MW126 (RGA)	02/07/13	FALSE	0.787	900
Technetium-99	pCi/L	MW126 (RGA)	08/21/13	FALSE	-2.88	900
Technetium-99	pCi/L	MW126 (RGA)	02/24/14	FALSE	-5	900
Technetium-99	pCi/L	MW126 (RGA)	08/26/14	FALSE	4.67	900
Technetium-99	pCi/L	MW126 (RGA)	02/09/15	FALSE	5.34	900
Technetium-99	pCi/L	MW126 (RGA)	08/24/15	FALSE	-5.75	900
Technetium-99	pCi/L	MW126 (RGA)	02/08/16	FALSE	-8.34	900
Technetium-99	pCi/L	MW126 (RGA)	08/04/16	FALSE	7.6	900
Technetium-99	pCi/L	MW126 (RGA)	02/15/17	FALSE	-1.5	900
Technetium-99	pCi/L	MW126 (RGA)	07/10/17	FALSE	-2.35	900
Technetium-99	pCi/L	MW126 (RGA)	08/01/17	FALSE	1.2	900
Technetium-99	pCi/L	MW126 (RGA)	10/06/17	FALSE	1.38	900
Technetium-99	pCi/L	MW126 (RGA)	01/09/18	FALSE	10.2	900
Technetium-99	pCi/L	MW126 (RGA)	02/14/18	FALSE	-2.67	900
Technetium-99	pCi/L	MW126 (RGA)	04/09/18	FALSE	-1.07	900
Technetium-99	pCi/L	MW126 (RGA)	07/03/18	FALSE	3.73	900
Technetium-99	pCi/L	MW126 (RGA)	08/27/18	FALSE	-6.78	900
Technetium-99	pCi/L	MW126 (RGA)	10/03/18	FALSE	-9.14	900
Technetium-99	pCi/L	MW126 (RGA)	01/02/19	FALSE	2.34	900
Technetium-99	pCi/L	MW126 (RGA)	04/09/19	FALSE	5.01	900
Technetium-99	pCi/L	MW126 (RGA)	07/02/19	FALSE	-2.45	900
Technetium-99	pCi/L	MW126 (RGA)	10/02/19	FALSE	2.58	900
Technetium-99	pCi/L	MW126 (RGA)	01/07/20	FALSE	2.21	900
Technetium-99	pCi/L	MW126 (RGA)	04/15/20	FALSE	2.43	900
Technetium-99	pCi/L	MW126 (RGA)	07/08/20	FALSE	-7.56	900
Technetium-99	pCi/L	MW126 (RGA)	10/08/20	FALSE	1.45	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW126 (RGA)	05/11/10	TRUE	4	5
Trichloroethene	ug/L	MW126 (RGA)	02/22/11	TRUE	5.5	5
Trichloroethene	ug/L	MW126 (RGA)	08/04/11	FALSE	1	5
Trichloroethene	ug/L	MW126 (RGA)	02/02/12	FALSE	1	5
Trichloroethene	ug/L	MW126 (RGA)	08/07/12	FALSE	1	5
Trichloroethene	ug/L	MW126 (RGA)	02/07/13	TRUE	1.5	5
Trichloroethene	ug/L	MW126 (RGA)	08/21/13	FALSE	1	5
Trichloroethene	ug/L	MW126 (RGA)	02/24/14	TRUE	2.1	5
Trichloroethene	ug/L	MW126 (RGA)	08/26/14	TRUE	0.71	5
Trichloroethene	ug/L	MW126 (RGA)	02/09/15	TRUE	30.4	5
Trichloroethene	ug/L	MW126 (RGA)	08/24/15	TRUE	0.63	5
Trichloroethene	ug/L	MW126 (RGA)	02/08/16	TRUE	0.51	5
Trichloroethene	ug/L	MW126 (RGA)	08/04/16	TRUE	1.66	5
Trichloroethene	ug/L	MW126 (RGA)	02/15/17	TRUE	1.42	5
Trichloroethene	ug/L	MW126 (RGA)	07/10/17	TRUE	0.38	5
Trichloroethene	ug/L	MW126 (RGA)	08/01/17	TRUE	1.07	5
Trichloroethene	ug/L	MW126 (RGA)	10/06/17	TRUE	27.5	5
Trichloroethene	ug/L	MW126 (RGA)	01/09/18	TRUE	134	5
Trichloroethene	ug/L	MW126 (RGA)	02/14/18	TRUE	104	5
Trichloroethene	ug/L	MW126 (RGA)	04/09/18	TRUE	101	5
Trichloroethene	ug/L	MW126 (RGA)	07/03/18	TRUE	54.7	5
Trichloroethene	ug/L	MW126 (RGA)	08/27/18	TRUE	55.7	5
Trichloroethene	ug/L	MW126 (RGA)	10/03/18	TRUE	96.7	5
Trichloroethene	ug/L	MW126 (RGA)	01/02/19	TRUE	67.4	5
Trichloroethene	ug/L	MW126 (RGA)	04/09/19	TRUE	70	5
Trichloroethene	ug/L	MW126 (RGA)	07/02/19	TRUE	37.5	5
Trichloroethene	ug/L	MW126 (RGA)	10/02/19	TRUE	39.1	5
Trichloroethene	ug/L	MW126 (RGA)	01/07/20	TRUE	29.4	5
Trichloroethene	ug/L	MW126 (RGA)	04/15/20	TRUE	49.5	5
Trichloroethene	ug/L	MW126 (RGA)	07/08/20	TRUE	26.4	5
Trichloroethene	ug/L	MW126 (RGA)	10/08/20	TRUE	31.9	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW134 (RGA)	03/02/10	FALSE	-15.8	900
Technetium-99	pCi/L	MW134 (RGA)	08/18/10	FALSE	-2.89	900
Technetium-99	pCi/L	MW134 (RGA)	08/19/10	FALSE	-1.93	900
Technetium-99	pCi/L	MW134 (RGA)	05/09/11	FALSE	5.57	900
Technetium-99	pCi/L	MW134 (RGA)	05/10/13	FALSE	5.18	900
Technetium-99	pCi/L	MW134 (RGA)	11/12/13	FALSE	-5.65	900
Technetium-99	pCi/L	MW134 (RGA)	02/11/14	FALSE	2.96	900
Technetium-99	pCi/L	MW134 (RGA)	05/06/14	FALSE	3.7	900
Technetium-99	pCi/L	MW134 (RGA)	08/19/14	FALSE	0.964	900
Technetium-99	pCi/L	MW134 (RGA)	11/17/14	FALSE	2.39	900
Technetium-99	pCi/L	MW134 (RGA)	02/10/15	FALSE	-4.06	900
Technetium-99	pCi/L	MW134 (RGA)	05/12/15	FALSE	8.08	900
Technetium-99	pCi/L	MW134 (RGA)	05/27/15	FALSE	-7.61	900
Technetium-99	pCi/L	MW134 (RGA)	08/11/15	FALSE	6.02	900
Technetium-99	pCi/L	MW134 (RGA)	11/16/15	FALSE	3.68	900
Technetium-99	pCi/L	MW134 (RGA)	02/10/16	FALSE	-2.53	900
Technetium-99	pCi/L	MW134 (RGA)	05/10/16	FALSE	-2.52	900
Technetium-99	pCi/L	MW134 (RGA)	08/15/16	FALSE	-12.6	900
Technetium-99	pCi/L	MW134 (RGA)	11/14/16	FALSE	-4.47	900
Technetium-99	pCi/L	MW134 (RGA)	02/14/17	FALSE	0.856	900
Technetium-99	pCi/L	MW134 (RGA)	05/05/17	FALSE	-11.6	900
Technetium-99	pCi/L	MW134 (RGA)	08/28/17	FALSE	-3.61	900
Technetium-99	pCi/L	MW134 (RGA)	11/07/17	FALSE	9.4	900
Technetium-99	pCi/L	MW134 (RGA)	02/13/18	FALSE	-4.07	900
Technetium-99	pCi/L	MW134 (RGA)	05/02/18	FALSE	3.2	900
Technetium-99	pCi/L	MW134 (RGA)	08/13/18	FALSE	0.83	900
Technetium-99	pCi/L	MW134 (RGA)	11/19/20	FALSE	5.85	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW134 (RGA)	03/02/10	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	08/18/10	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	08/19/10	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	05/09/11	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	12/12/12	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	03/13/13	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	05/10/13	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	06/10/13	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	09/10/13	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	11/12/13	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	02/11/14	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	05/06/14	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	08/19/14	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	11/17/14	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	02/10/15	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	05/12/15	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	05/27/15	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	08/11/15	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	11/16/15	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	02/10/16	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	05/10/16	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	08/15/16	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	11/14/16	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	02/14/17	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	05/05/17	TRUE	0.44	5
Trichloroethene	ug/L	MW134 (RGA)	08/28/17	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	11/07/17	TRUE	5.83	5
Trichloroethene	ug/L	MW134 (RGA)	02/13/18	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	05/02/18	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	08/13/18	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	11/07/18	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	02/11/19	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	05/20/19	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	08/14/19	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	02/25/20	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	05/11/20	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	08/12/20	FALSE	1	5
Trichloroethene	ug/L	MW134 (RGA)	11/19/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW135 (RGA)	03/05/10	TRUE	121	900
Technetium-99	pCi/L	MW135 (RGA)	08/18/10	TRUE	119	900
Technetium-99	pCi/L	MW135 (RGA)	06/23/11	FALSE	-4.16	900
Technetium-99	pCi/L	MW135 (RGA)	05/08/13	TRUE	64.5	900
Technetium-99	pCi/L	MW135 (RGA)	06/10/15	TRUE	83.7	900
Technetium-99	pCi/L	MW135 (RGA)	05/22/17	TRUE	64.3	900
Technetium-99	pCi/L	MW135 (RGA)	03/22/18	TRUE	26.7	900
Technetium-99	pCi/L	MW135 (RGA)	09/27/18	TRUE	72.5	900
Technetium-99	pCi/L	MW135 (RGA)	03/18/19	FALSE	16.2	900
Technetium-99	pCi/L	MW135 (RGA)	09/17/19	TRUE	73.6	900
Technetium-99	pCi/L	MW135 (RGA)	03/23/20	TRUE	76.7	900
Technetium-99	pCi/L	MW135 (RGA)	09/17/20	TRUE	80.7	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW135 (RGA)	03/05/10	TRUE	15	5
Trichloroethene	ug/L	MW135 (RGA)	08/18/10	TRUE	18	5
Trichloroethene	ug/L	MW135 (RGA)	06/23/11	TRUE	1.5	5
Trichloroethene	ug/L	MW135 (RGA)	05/08/13	TRUE	11	5
Trichloroethene	ug/L	MW135 (RGA)	06/10/15	TRUE	48.3	5
Trichloroethene	ug/L	MW135 (RGA)	05/22/17	TRUE	52.6	5
Trichloroethene	ug/L	MW135 (RGA)	03/22/18	TRUE	90.2	5
Trichloroethene	ug/L	MW135 (RGA)	09/27/18	TRUE	74.6	5
Trichloroethene	ug/L	MW135 (RGA)	03/18/19	TRUE	15.7	5
Trichloroethene	ug/L	MW135 (RGA)	09/17/19	TRUE	63.2	5
Trichloroethene	ug/L	MW135 (RGA)	03/23/20	TRUE	78.1	5
Trichloroethene	ug/L	MW135 (RGA)	09/17/20	TRUE	20.2	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW139 (RGA)	03/02/10	FALSE	-6.94	900
Technetium-99	pCi/L	MW139 (RGA)	08/17/10	FALSE	-5.29	900
Technetium-99	pCi/L	MW139 (RGA)	06/23/11	FALSE	-6.24	900
Technetium-99	pCi/L	MW139 (RGA)	05/06/13	FALSE	5.71	900
Technetium-99	pCi/L	MW139 (RGA)	05/19/15	FALSE	1.17	900
Technetium-99	pCi/L	MW139 (RGA)	05/16/17	FALSE	6.29	900
Technetium-99	pCi/L	MW139 (RGA)	05/09/18	FALSE	-1.81	900
Technetium-99	pCi/L	MW139 (RGA)	05/14/19	FALSE	5.6	900
Technetium-99	pCi/L	MW139 (RGA)	05/13/20	FALSE	3.12	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW139 (RGA)	03/02/10	TRUE	4.8	5
Trichloroethene	ug/L	MW139 (RGA)	08/17/10	TRUE	4.1	5
Trichloroethene	ug/L	MW139 (RGA)	06/23/11	TRUE	5	5
Trichloroethene	ug/L	MW139 (RGA)	05/06/13	TRUE	6.6	5
Trichloroethene	ug/L	MW139 (RGA)	05/19/15	TRUE	6.08	5
Trichloroethene	ug/L	MW139 (RGA)	05/16/17	TRUE	4.47	5
Trichloroethene	ug/L	MW139 (RGA)	05/09/18	TRUE	5.11	5
Trichloroethene	ug/L	MW139 (RGA)	08/29/18	TRUE	4.24	5
Trichloroethene	ug/L	MW139 (RGA)	05/14/19	TRUE	4.11	5
Trichloroethene	ug/L	MW139 (RGA)	05/13/20	TRUE	4.45	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW144 (RGA)	07/11/17	TRUE	46.9	900
Technetium-99	pCi/L	MW144 (RGA)	10/06/17	TRUE	52.7	900
Technetium-99	pCi/L	MW144 (RGA)	01/04/18	TRUE	39.1	900
Technetium-99	pCi/L	MW144 (RGA)	04/05/18	TRUE	53.9	900
Technetium-99	pCi/L	MW144 (RGA)	07/03/18	TRUE	58.4	900
Technetium-99	pCi/L	MW144 (RGA)	10/03/18	TRUE	63	900
Technetium-99	pCi/L	MW144 (RGA)	01/02/19	TRUE	60.9	900
Technetium-99	pCi/L	MW144 (RGA)	04/09/19	TRUE	62.6	900
Technetium-99	pCi/L	MW144 (RGA)	07/09/19	TRUE	44.9	900
Technetium-99	pCi/L	MW144 (RGA)	10/01/19	TRUE	50	900
Technetium-99	pCi/L	MW144 (RGA)	01/06/20	TRUE	52.4	900
Technetium-99	pCi/L	MW144 (RGA)	04/08/20	TRUE	61.3	900
Technetium-99	pCi/L	MW144 (RGA)	07/08/20	TRUE	34.9	900
Technetium-99	pCi/L	MW144 (RGA)	10/08/20	TRUE	37.6	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW144 (RGA)	07/11/17	TRUE	115	5
Trichloroethene	ug/L	MW144 (RGA)	10/06/17	TRUE	104	5
Trichloroethene	ug/L	MW144 (RGA)	01/04/18	TRUE	128	5
Trichloroethene	ug/L	MW144 (RGA)	04/05/18	TRUE	104	5
Trichloroethene	ug/L	MW144 (RGA)	07/03/18	TRUE	101	5
Trichloroethene	ug/L	MW144 (RGA)	10/03/18	TRUE	129	5
Trichloroethene	ug/L	MW144 (RGA)	01/02/19	TRUE	94.4	5
Trichloroethene	ug/L	MW144 (RGA)	04/09/19	TRUE	106	5
Trichloroethene	ug/L	MW144 (RGA)	07/09/19	TRUE	113	5
Trichloroethene	ug/L	MW144 (RGA)	10/01/19	TRUE	105	5
Trichloroethene	ug/L	MW144 (RGA)	01/06/20	TRUE	104	5
Trichloroethene	ug/L	MW144 (RGA)	04/08/20	TRUE	94.2	5
Trichloroethene	ug/L	MW144 (RGA)	07/08/20	TRUE	102	5
Trichloroethene	ug/L	MW144 (RGA)	10/08/20	TRUE	101	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW145 (RGA)	05/10/10	TRUE	56	900
Technetium-99	pCi/L	MW145 (RGA)	02/24/11	TRUE	36	900
Technetium-99	pCi/L	MW145 (RGA)	08/03/11	TRUE	30.1	900
Technetium-99	pCi/L	MW145 (RGA)	02/01/12	TRUE	32.5	900
Technetium-99	pCi/L	MW145 (RGA)	08/07/12	TRUE	36.3	900
Technetium-99	pCi/L	MW145 (RGA)	02/05/13	TRUE	34.5	900
Technetium-99	pCi/L	MW145 (RGA)	08/20/13	TRUE	35.5	900
Technetium-99	pCi/L	MW145 (RGA)	02/13/14	TRUE	32.5	900
Technetium-99	pCi/L	MW145 (RGA)	08/26/14	TRUE	42.4	900
Technetium-99	pCi/L	MW145 (RGA)	02/03/15	TRUE	52.5	900
Technetium-99	pCi/L	MW145 (RGA)	08/24/15	TRUE	34.9	900
Technetium-99	pCi/L	MW145 (RGA)	02/08/16	TRUE	26.6	900
Technetium-99	pCi/L	MW145 (RGA)	08/17/16	TRUE	34.9	900
Technetium-99	pCi/L	MW145 (RGA)	02/15/17	TRUE	29.6	900
Technetium-99	pCi/L	MW145 (RGA)	07/11/17	TRUE	25	900
Technetium-99	pCi/L	MW145 (RGA)	08/01/17	TRUE	29.1	900
Technetium-99	pCi/L	MW145 (RGA)	10/06/17	TRUE	18.8	900
Technetium-99	pCi/L	MW145 (RGA)	01/04/18	TRUE	33.6	900
Technetium-99	pCi/L	MW145 (RGA)	02/14/18	TRUE	29.2	900
Technetium-99	pCi/L	MW145 (RGA)	04/05/18	TRUE	28.5	900
Technetium-99	pCi/L	MW145 (RGA)	07/10/18	TRUE	31.7	900
Technetium-99	pCi/L	MW145 (RGA)	08/27/18	TRUE	32.4	900
Technetium-99	pCi/L	MW145 (RGA)	10/03/18	TRUE	48.7	900
Technetium-99	pCi/L	MW145 (RGA)	01/02/19	TRUE	23.8	900
Technetium-99	pCi/L	MW145 (RGA)	04/09/19	TRUE	35.6	900
Technetium-99	pCi/L	MW145 (RGA)	07/09/19	TRUE	20.8	900
Technetium-99	pCi/L	MW145 (RGA)	10/01/19	TRUE	35.3	900
Technetium-99	pCi/L	MW145 (RGA)	01/06/20	TRUE	32.6	900
Technetium-99	pCi/L	MW145 (RGA)	04/08/20	TRUE	45.3	900
Technetium-99	pCi/L	MW145 (RGA)	07/08/20	TRUE	26.2	900
Technetium-99	pCi/L	MW145 (RGA)	10/08/20	TRUE	18.1	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW145 (RGA)	05/10/10	TRUE	50	5
Trichloroethene	ug/L	MW145 (RGA)	02/24/11	TRUE	58	5
Trichloroethene	ug/L	MW145 (RGA)	08/03/11	TRUE	53	5
Trichloroethene	ug/L	MW145 (RGA)	02/01/12	TRUE	51	5
Trichloroethene	ug/L	MW145 (RGA)	08/07/12	TRUE	34	5
Trichloroethene	ug/L	MW145 (RGA)	02/05/13	TRUE	42	5
Trichloroethene	ug/L	MW145 (RGA)	08/20/13	TRUE	34	5
Trichloroethene	ug/L	MW145 (RGA)	02/13/14	TRUE	50	5
Trichloroethene	ug/L	MW145 (RGA)	08/26/14	TRUE	48	5
Trichloroethene	ug/L	MW145 (RGA)	02/03/15	TRUE	47.8	5
Trichloroethene	ug/L	MW145 (RGA)	08/24/15	TRUE	44.4	5
Trichloroethene	ug/L	MW145 (RGA)	02/08/16	TRUE	35.3	5
Trichloroethene	ug/L	MW145 (RGA)	08/17/16	TRUE	35.6	5
Trichloroethene	ug/L	MW145 (RGA)	02/15/17	TRUE	30.1	5
Trichloroethene	ug/L	MW145 (RGA)	07/11/17	TRUE	35	5
Trichloroethene	ug/L	MW145 (RGA)	08/01/17	TRUE	26.8	5
Trichloroethene	ug/L	MW145 (RGA)	10/06/17	TRUE	28.9	5
Trichloroethene	ug/L	MW145 (RGA)	01/04/18	TRUE	34.1	5
Trichloroethene	ug/L	MW145 (RGA)	02/14/18	TRUE	48.1	5
Trichloroethene	ug/L	MW145 (RGA)	04/05/18	TRUE	48.4	5
Trichloroethene	ug/L	MW145 (RGA)	07/10/18	TRUE	40.1	5
Trichloroethene	ug/L	MW145 (RGA)	08/27/18	TRUE	42.7	5
Trichloroethene	ug/L	MW145 (RGA)	10/03/18	TRUE	51.7	5
Trichloroethene	ug/L	MW145 (RGA)	01/02/19	TRUE	28.1	5
Trichloroethene	ug/L	MW145 (RGA)	04/09/19	TRUE	57	5
Trichloroethene	ug/L	MW145 (RGA)	07/09/19	TRUE	48.7	5
Trichloroethene	ug/L	MW145 (RGA)	10/01/19	TRUE	50.2	5
Trichloroethene	ug/L	MW145 (RGA)	01/06/20	TRUE	38.2	5
Trichloroethene	ug/L	MW145 (RGA)	04/08/20	TRUE	48.8	5
Trichloroethene	ug/L	MW145 (RGA)	07/08/20	TRUE	53.3	5
Trichloroethene	ug/L	MW145 (RGA)	10/08/20	TRUE	44.1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW146 (RGA)	03/02/10	FALSE	8.05	900
Technetium-99	pCi/L	MW146 (RGA)	08/30/10	FALSE	-2.36	900
Technetium-99	pCi/L	MW146 (RGA)	06/22/11	FALSE	0.157	900
Technetium-99	pCi/L	MW146 (RGA)	12/12/12	FALSE	2.18	900
Technetium-99	pCi/L	MW146 (RGA)	05/06/13	FALSE	1.43	900
Technetium-99	pCi/L	MW146 (RGA)	11/13/13	FALSE	-4.32	900
Technetium-99	pCi/L	MW146 (RGA)	02/18/14	FALSE	-2.26	900
Technetium-99	pCi/L	MW146 (RGA)	05/07/14	FALSE	4.82	900
Technetium-99	pCi/L	MW146 (RGA)	08/21/14	FALSE	3.42	900
Technetium-99	pCi/L	MW146 (RGA)	11/19/14	FALSE	3.72	900
Technetium-99	pCi/L	MW146 (RGA)	02/10/15	FALSE	-13.6	900
Technetium-99	pCi/L	MW146 (RGA)	05/12/15	FALSE	-11.1	900
Technetium-99	pCi/L	MW146 (RGA)	05/26/15	FALSE	-4.65	900
Technetium-99	pCi/L	MW146 (RGA)	08/11/15	FALSE	9.42	900
Technetium-99	pCi/L	MW146 (RGA)	11/17/15	FALSE	2.21	900
Technetium-99	pCi/L	MW146 (RGA)	02/11/16	FALSE	5.03	900
Technetium-99	pCi/L	MW146 (RGA)	05/11/16	FALSE	-7.97	900
Technetium-99	pCi/L	MW146 (RGA)	08/16/16	FALSE	-6.28	900
Technetium-99	pCi/L	MW146 (RGA)	11/14/16	FALSE	-0.995	900
Technetium-99	pCi/L	MW146 (RGA)	02/14/17	FALSE	2.42	900
Technetium-99	pCi/L	MW146 (RGA)	05/17/17	FALSE	-2.5	900
Technetium-99	pCi/L	MW146 (RGA)	08/28/17	FALSE	-3.03	900
Technetium-99	pCi/L	MW146 (RGA)	11/13/17	FALSE	-2.23	900
Technetium-99	pCi/L	MW146 (RGA)	02/13/18	FALSE	-4.07	900
Technetium-99	pCi/L	MW146 (RGA)	05/02/18	FALSE	4.74	900
Technetium-99	pCi/L	MW146 (RGA)	08/14/18	FALSE	-4.65	900
Technetium-99	pCi/L	MW146 (RGA)	11/19/20	FALSE	16.1	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW146 (RGA)	03/02/10	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	08/30/10	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	06/22/11	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	12/12/12	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	03/20/13	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	05/06/13	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	06/10/13	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	09/10/13	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	11/13/13	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	02/18/14	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	05/07/14	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	08/21/14	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	11/19/14	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	02/10/15	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	05/12/15	TRUE	0.45	5
Trichloroethene	ug/L	MW146 (RGA)	05/26/15	TRUE	0.37	5
Trichloroethene	ug/L	MW146 (RGA)	08/11/15	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	11/17/15	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	02/11/16	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	05/11/16	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	08/16/16	TRUE	0.66	5
Trichloroethene	ug/L	MW146 (RGA)	11/14/16	TRUE	4.82	5
Trichloroethene	ug/L	MW146 (RGA)	02/14/17	TRUE	2.44	5
Trichloroethene	ug/L	MW146 (RGA)	05/17/17	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	08/28/17	TRUE	0.34	5
Trichloroethene	ug/L	MW146 (RGA)	11/13/17	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	02/13/18	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	05/02/18	TRUE	0.48	5
Trichloroethene	ug/L	MW146 (RGA)	08/14/18	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	11/14/18	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	02/11/19	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	05/06/19	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	05/21/19	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	08/19/19	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	11/11/19	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	02/10/20	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	05/12/20	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	08/12/20	FALSE	1	5
Trichloroethene	ug/L	MW146 (RGA)	11/19/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW148 (RGA)	03/29/10	FALSE	2.42	900
Technetium-99	pCi/L	MW148 (RGA)	08/30/10	FALSE	2.2	900
Technetium-99	pCi/L	MW148 (RGA)	06/08/11	FALSE	-7.14	900
Technetium-99	pCi/L	MW148 (RGA)	05/07/13	FALSE	-4.03	900
Technetium-99	pCi/L	MW148 (RGA)	05/20/15	FALSE	10.8	900
Technetium-99	pCi/L	MW148 (RGA)	05/11/17	FALSE	12.8	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW148 (RGA)	03/29/10	TRUE	41	5
Trichloroethene	ug/L	MW148 (RGA)	08/30/10	TRUE	38	5
Trichloroethene	ug/L	MW148 (RGA)	06/08/11	TRUE	36	5
Trichloroethene	ug/L	MW148 (RGA)	05/07/13	TRUE	16	5
Trichloroethene	ug/L	MW148 (RGA)	05/20/15	TRUE	11.2	5
Trichloroethene	ug/L	MW148 (RGA)	05/11/17	TRUE	12.7	5
Trichloroethene	ug/L	MW148 (RGA)	05/09/19	TRUE	10.4	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW150 (RGA)	03/04/10	FALSE	-17	900
Technetium-99	pCi/L	MW150 (RGA)	08/17/10	FALSE	1.35	900
Technetium-99	pCi/L	MW150 (RGA)	05/16/11	FALSE	-18	900
Technetium-99	pCi/L	MW150 (RGA)	05/22/12	FALSE	7.58	900
Technetium-99	pCi/L	MW150 (RGA)	05/09/13	FALSE	6.28	900
Technetium-99	pCi/L	MW150 (RGA)	05/14/14	FALSE	-5.81	900
Technetium-99	pCi/L	MW150 (RGA)	05/11/15	FALSE	1.96	900
Technetium-99	pCi/L	MW150 (RGA)	05/24/16	FALSE	-6.87	900
Technetium-99	pCi/L	MW150 (RGA)	05/22/17	FALSE	6.15	900
Technetium-99	pCi/L	MW150 (RGA)	05/16/18	FALSE	1.75	900
Technetium-99	pCi/L	MW150 (RGA)	05/16/19	FALSE	-5.38	900
Technetium-99	pCi/L	MW150 (RGA)	06/23/20	FALSE	-5.63	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW150 (RGA)	03/04/10	FALSE	1	5
Trichloroethene	ug/L	MW150 (RGA)	08/17/10	FALSE	1	5
Trichloroethene	ug/L	MW150 (RGA)	05/16/11	TRUE	3	5
Trichloroethene	ug/L	MW150 (RGA)	05/22/12	FALSE	1	5
Trichloroethene	ug/L	MW150 (RGA)	05/09/13	FALSE	1	5
Trichloroethene	ug/L	MW150 (RGA)	05/14/14	FALSE	1	5
Trichloroethene	ug/L	MW150 (RGA)	05/11/15	FALSE	1	5
Trichloroethene	ug/L	MW150 (RGA)	05/24/16	FALSE	1	5
Trichloroethene	ug/L	MW150 (RGA)	05/22/17	FALSE	1	5
Trichloroethene	ug/L	MW150 (RGA)	05/16/18	FALSE	1	5
Trichloroethene	ug/L	MW150 (RGA)	05/16/19	FALSE	1	5
Trichloroethene	ug/L	MW150 (RGA)	06/23/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW152 (RGA)	03/01/10	TRUE	136	900
Technetium-99	pCi/L	MW152 (RGA)	08/16/10	TRUE	97.7	900
Technetium-99	pCi/L	MW152 (RGA)	05/16/11	TRUE	120	900
Technetium-99	pCi/L	MW152 (RGA)	05/07/12	TRUE	92.7	900
Technetium-99	pCi/L	MW152 (RGA)	05/08/13	TRUE	121	900
Technetium-99	pCi/L	MW152 (RGA)	05/12/15	TRUE	124	900
Technetium-99	pCi/L	MW152 (RGA)	05/23/16	TRUE	109	900
Technetium-99	pCi/L	MW152 (RGA)	05/30/17	TRUE	135	900
Technetium-99	pCi/L	MW152 (RGA)	05/21/18	TRUE	119	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW152 (RGA)	03/01/10	TRUE	14	5
Trichloroethene	ug/L	MW152 (RGA)	08/16/10	TRUE	7.3	5
Trichloroethene	ug/L	MW152 (RGA)	05/16/11	TRUE	75	5
Trichloroethene	ug/L	MW152 (RGA)	05/07/12	TRUE	8.2	5
Trichloroethene	ug/L	MW152 (RGA)	05/08/13	TRUE	64	5
Trichloroethene	ug/L	MW152 (RGA)	05/12/15	TRUE	0.8	5
Trichloroethene	ug/L	MW152 (RGA)	05/23/16	TRUE	1.24	5
Trichloroethene	ug/L	MW152 (RGA)	05/30/17	TRUE	0.5	5
Trichloroethene	ug/L	MW152 (RGA)	05/21/18	TRUE	1.39	5
Trichloroethene	ug/L	MW152 (RGA)	08/15/18	TRUE	0.6	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW155 (RGA)	06/23/11	TRUE	124	900
Technetium-99	pCi/L	MW155 (RGA)	12/14/11	TRUE	117	900
Technetium-99	pCi/L	MW155 (RGA)	03/13/12	TRUE	137	900
Technetium-99	pCi/L	MW155 (RGA)	06/19/12	TRUE	110	900
Technetium-99	pCi/L	MW155 (RGA)	09/19/12	TRUE	136	900
Technetium-99	pCi/L	MW155 (RGA)	12/28/12	TRUE	125	900
Technetium-99	pCi/L	MW155 (RGA)	03/27/13	TRUE	129	900
Technetium-99	pCi/L	MW155 (RGA)	09/16/13	TRUE	131	900
Technetium-99	pCi/L	MW155 (RGA)	12/17/13	TRUE	99.1	900
Technetium-99	pCi/L	MW155 (RGA)	03/26/14	TRUE	106	900
Technetium-99	pCi/L	MW155 (RGA)	06/12/14	TRUE	107	900
Technetium-99	pCi/L	MW155 (RGA)	09/15/14	TRUE	153	900
Technetium-99	pCi/L	MW155 (RGA)	12/02/14	TRUE	161	900
Technetium-99	pCi/L	MW155 (RGA)	03/31/15	TRUE	142	900
Technetium-99	pCi/L	MW155 (RGA)	06/16/15	TRUE	110	900
Technetium-99	pCi/L	MW155 (RGA)	09/14/15	TRUE	76.5	900
Technetium-99	pCi/L	MW155 (RGA)	12/08/15	TRUE	123	900
Technetium-99	pCi/L	MW155 (RGA)	03/23/16	TRUE	109	900
Technetium-99	pCi/L	MW155 (RGA)	06/06/16	TRUE	149	900
Technetium-99	pCi/L	MW155 (RGA)	09/21/16	TRUE	96.7	900
Technetium-99	pCi/L	MW155 (RGA)	12/13/16	TRUE	97.5	900
Technetium-99	pCi/L	MW155 (RGA)	03/07/17	TRUE	87.9	900
Technetium-99	pCi/L	MW155 (RGA)	06/08/17	TRUE	102	900
Technetium-99	pCi/L	MW155 (RGA)	07/11/17	TRUE	90.1	900
Technetium-99	pCi/L	MW155 (RGA)	09/12/17	TRUE	92.2	900
Technetium-99	pCi/L	MW155 (RGA)	10/11/17	TRUE	114	900
Technetium-99	pCi/L	MW155 (RGA)	12/18/17	TRUE	107	900
Technetium-99	pCi/L	MW155 (RGA)	01/10/18	TRUE	82.1	900
Technetium-99	pCi/L	MW155 (RGA)	03/21/18	TRUE	92.3	900
Technetium-99	pCi/L	MW155 (RGA)	04/09/18	TRUE	100	900
Technetium-99	pCi/L	MW155 (RGA)	05/15/18	TRUE	96.3	900
Technetium-99	pCi/L	MW155 (RGA)	07/09/18	TRUE	83.2	900
Technetium-99	pCi/L	MW155 (RGA)	09/24/18	TRUE	114	900
Technetium-99	pCi/L	MW155 (RGA)	10/04/18	TRUE	105	900
Technetium-99	pCi/L	MW155 (RGA)	12/18/18	TRUE	89.2	900
Technetium-99	pCi/L	MW155 (RGA)	01/07/19	TRUE	67.5	900
Technetium-99	pCi/L	MW155 (RGA)	03/20/19	TRUE	68.7	900
Technetium-99	pCi/L	MW155 (RGA)	04/08/19	TRUE	56.8	900
Technetium-99	pCi/L	MW155 (RGA)	06/18/19	TRUE	53.7	900
Technetium-99	pCi/L	MW155 (RGA)	07/08/19	TRUE	50.7	900
Technetium-99	pCi/L	MW155 (RGA)	09/11/19	TRUE	94.3	900
Technetium-99	pCi/L	MW155 (RGA)	10/07/19	TRUE	122	900
Technetium-99	pCi/L	MW155 (RGA)	12/10/19	TRUE	76.5	900
Technetium-99	pCi/L	MW155 (RGA)	01/07/20	TRUE	88.2	900
Technetium-99	pCi/L	MW155 (RGA)	03/11/20	TRUE	42	900
Technetium-99	pCi/L	MW155 (RGA)	04/14/20	TRUE	54.9	900
Technetium-99	pCi/L	MW155 (RGA)	06/09/20	TRUE	54.3	900
Technetium-99	pCi/L	MW155 (RGA)	07/08/20	TRUE	67.1	900
Technetium-99	pCi/L	MW155 (RGA)	09/21/20	TRUE	91.8	900
Technetium-99	pCi/L	MW155 (RGA)	10/07/20	TRUE	75.5	900
Technetium-99	pCi/L	MW155 (RGA)	12/02/20	TRUE	118	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW155 (RGA)	01/19/11	TRUE	3100	5
Trichloroethene	ug/L	MW155 (RGA)	01/25/11	TRUE	6000	5
Trichloroethene	ug/L	MW155 (RGA)	01/31/11	TRUE	3500	5
Trichloroethene	ug/L	MW155 (RGA)	06/23/11	TRUE	3700	5
Trichloroethene	ug/L	MW155 (RGA)	12/14/11	TRUE	2400	5
Trichloroethene	ug/L	MW155 (RGA)	03/13/12	TRUE	2400	5
Trichloroethene	ug/L	MW155 (RGA)	06/19/12	TRUE	1900	5
Trichloroethene	ug/L	MW155 (RGA)	09/19/12	TRUE	2300	5
Trichloroethene	ug/L	MW155 (RGA)	12/28/12	TRUE	2200	5
Trichloroethene	ug/L	MW155 (RGA)	03/27/13	TRUE	1900	5
Trichloroethene	ug/L	MW155 (RGA)	09/16/13	TRUE	2000	5
Trichloroethene	ug/L	MW155 (RGA)	12/17/13	TRUE	1600	5
Trichloroethene	ug/L	MW155 (RGA)	03/26/14	TRUE	1900	5
Trichloroethene	ug/L	MW155 (RGA)	06/12/14	TRUE	1590	5
Trichloroethene	ug/L	MW155 (RGA)	09/15/14	TRUE	1850	5
Trichloroethene	ug/L	MW155 (RGA)	12/02/14	TRUE	817	5
Trichloroethene	ug/L	MW155 (RGA)	03/31/15	TRUE	583	5
Trichloroethene	ug/L	MW155 (RGA)	06/16/15	TRUE	2500	5
Trichloroethene	ug/L	MW155 (RGA)	09/14/15	TRUE	4560	5
Trichloroethene	ug/L	MW155 (RGA)	12/08/15	TRUE	4110	5
Trichloroethene	ug/L	MW155 (RGA)	03/23/16	TRUE	3760	5
Trichloroethene	ug/L	MW155 (RGA)	06/06/16	TRUE	5370	5
Trichloroethene	ug/L	MW155 (RGA)	09/21/16	TRUE	5800	5
Trichloroethene	ug/L	MW155 (RGA)	12/13/16	TRUE	6520	5
Trichloroethene	ug/L	MW155 (RGA)	03/07/17	TRUE	8160	5
Trichloroethene	ug/L	MW155 (RGA)	06/08/17	TRUE	6840	5
Trichloroethene	ug/L	MW155 (RGA)	07/11/17	TRUE	7650	5
Trichloroethene	ug/L	MW155 (RGA)	09/12/17	TRUE	9830	5
Trichloroethene	ug/L	MW155 (RGA)	10/11/17	TRUE	4470	5
Trichloroethene	ug/L	MW155 (RGA)	12/18/17	TRUE	5720	5
Trichloroethene	ug/L	MW155 (RGA)	01/10/18	TRUE	10300	5
Trichloroethene	ug/L	MW155 (RGA)	03/21/18	TRUE	6370	5
Trichloroethene	ug/L	MW155 (RGA)	04/09/18	TRUE	5450	5
Trichloroethene	ug/L	MW155 (RGA)	05/15/18	TRUE	6950	5
Trichloroethene	ug/L	MW155 (RGA)	07/09/18	TRUE	3550	5
Trichloroethene	ug/L	MW155 (RGA)	09/24/18	TRUE	2250	5
Trichloroethene	ug/L	MW155 (RGA)	10/04/18	TRUE	4080	5
Trichloroethene	ug/L	MW155 (RGA)	12/18/18	TRUE	3550	5
Trichloroethene	ug/L	MW155 (RGA)	01/07/19	TRUE	6800	5
Trichloroethene	ug/L	MW155 (RGA)	03/20/19	TRUE	7230	5
Trichloroethene	ug/L	MW155 (RGA)	04/08/19	TRUE	7160	5
Trichloroethene	ug/L	MW155 (RGA)	06/18/19	TRUE	5240	5
Trichloroethene	ug/L	MW155 (RGA)	07/08/19	TRUE	5260	5
Trichloroethene	ug/L	MW155 (RGA)	09/17/19	TRUE	2970	5
Trichloroethene	ug/L	MW155 (RGA)	10/07/19	TRUE	2790	5
Trichloroethene	ug/L	MW155 (RGA)	12/10/19	TRUE	3790	5
Trichloroethene	ug/L	MW155 (RGA)	01/07/20	TRUE	2900	5
Trichloroethene	ug/L	MW155 (RGA)	03/11/20	TRUE	5470	5
Trichloroethene	ug/L	MW155 (RGA)	04/14/20	TRUE	4200	5
Trichloroethene	ug/L	MW155 (RGA)	06/09/20	TRUE	4420	5
Trichloroethene	ug/L	MW155 (RGA)	07/08/20	TRUE	3460	5
Trichloroethene	ug/L	MW155 (RGA)	09/21/20	TRUE	2940	5
Trichloroethene	ug/L	MW155 (RGA)	10/07/20	TRUE	3320	5
Trichloroethene	ug/L	MW155 (RGA)	12/02/20	TRUE	3030	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW156 (RGA)	06/27/11	FALSE	-8.94	900
Technetium-99	pCi/L	MW156 (RGA)	12/14/11	FALSE	-5.13	900
Technetium-99	pCi/L	MW156 (RGA)	03/13/12	FALSE	6.21	900
Technetium-99	pCi/L	MW156 (RGA)	06/19/12	FALSE	9.77	900
Technetium-99	pCi/L	MW156 (RGA)	09/19/12	FALSE	5.12	900
Technetium-99	pCi/L	MW156 (RGA)	12/28/12	FALSE	-0.798	900
Technetium-99	pCi/L	MW156 (RGA)	03/27/13	FALSE	3.7	900
Technetium-99	pCi/L	MW156 (RGA)	09/16/13	FALSE	-2.19	900
Technetium-99	pCi/L	MW156 (RGA)	12/17/13	FALSE	2.71	900
Technetium-99	pCi/L	MW156 (RGA)	03/26/14	FALSE	-4.56	900
Technetium-99	pCi/L	MW156 (RGA)	06/12/14	FALSE	-3.61	900
Technetium-99	pCi/L	MW156 (RGA)	08/13/14	FALSE	0.723	900
Technetium-99	pCi/L	MW156 (RGA)	09/03/14	FALSE	1.81	900
Technetium-99	pCi/L	MW156 (RGA)	09/15/14	FALSE	1.62	900
Technetium-99	pCi/L	MW156 (RGA)	12/02/14	FALSE	9.1	900
Technetium-99	pCi/L	MW156 (RGA)	03/31/15	FALSE	-3.32	900
Technetium-99	pCi/L	MW156 (RGA)	06/16/15	FALSE	3.72	900
Technetium-99	pCi/L	MW156 (RGA)	09/14/15	FALSE	-9.6	900
Technetium-99	pCi/L	MW156 (RGA)	12/08/15	FALSE	-0.175	900
Technetium-99	pCi/L	MW156 (RGA)	03/23/16	FALSE	-8.5	900
Technetium-99	pCi/L	MW156 (RGA)	06/06/16	FALSE	2.38	900
Technetium-99	pCi/L	MW156 (RGA)	09/21/16	FALSE	-2.91	900
Technetium-99	pCi/L	MW156 (RGA)	12/13/16	FALSE	-7.97	900
Technetium-99	pCi/L	MW156 (RGA)	03/07/17	FALSE	3.88	900
Technetium-99	pCi/L	MW156 (RGA)	06/08/17	FALSE	5.59	900
Technetium-99	pCi/L	MW156 (RGA)	07/11/17	FALSE	-2.35	900
Technetium-99	pCi/L	MW156 (RGA)	09/12/17	FALSE	2.86	900
Technetium-99	pCi/L	MW156 (RGA)	10/11/17	FALSE	-6.64	900
Technetium-99	pCi/L	MW156 (RGA)	12/18/17	FALSE	6.73	900
Technetium-99	pCi/L	MW156 (RGA)	01/10/18	FALSE	-4.91	900
Technetium-99	pCi/L	MW156 (RGA)	03/21/18	FALSE	9.83	900
Technetium-99	pCi/L	MW156 (RGA)	04/09/18	FALSE	-3.04	900
Technetium-99	pCi/L	MW156 (RGA)	05/15/18	FALSE	14.2	900
Technetium-99	pCi/L	MW156 (RGA)	07/09/18	FALSE	-5.22	900
Technetium-99	pCi/L	MW156 (RGA)	09/24/18	FALSE	1.84	900
Technetium-99	pCi/L	MW156 (RGA)	10/04/18	FALSE	0.537	900
Technetium-99	pCi/L	MW156 (RGA)	12/18/18	FALSE	-1.65	900
Technetium-99	pCi/L	MW156 (RGA)	01/07/19	FALSE	-3.11	900
Technetium-99	pCi/L	MW156 (RGA)	03/20/19	FALSE	6.56	900
Technetium-99	pCi/L	MW156 (RGA)	04/08/19	FALSE	-5.27	900
Technetium-99	pCi/L	MW156 (RGA)	06/18/19	FALSE	2.42	900
Technetium-99	pCi/L	MW156 (RGA)	07/08/19	FALSE	-2.24	900
Technetium-99	pCi/L	MW156 (RGA)	09/11/19	FALSE	-5.8	900
Technetium-99	pCi/L	MW156 (RGA)	10/07/19	FALSE	-0.0844	900
Technetium-99	pCi/L	MW156 (RGA)	12/10/19	FALSE	4	900
Technetium-99	pCi/L	MW156 (RGA)	01/07/20	FALSE	0.239	900
Technetium-99	pCi/L	MW156 (RGA)	03/11/20	FALSE	-5.89	900
Technetium-99	pCi/L	MW156 (RGA)	04/14/20	FALSE	1.23	900
Technetium-99	pCi/L	MW156 (RGA)	06/09/20	FALSE	-13.3	900
Technetium-99	pCi/L	MW156 (RGA)	07/08/20	FALSE	-7.48	900
Technetium-99	pCi/L	MW156 (RGA)	09/21/20	FALSE	2.3	900
Technetium-99	pCi/L	MW156 (RGA)	10/07/20	FALSE	1.68	900
Technetium-99	pCi/L	MW156 (RGA)	12/02/20	FALSE	1.94	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW156 (RGA)	01/20/11	TRUE	52000	5
Trichloroethene	ug/L	MW156 (RGA)	01/25/11	TRUE	52000	5
Trichloroethene	ug/L	MW156 (RGA)	01/31/11	TRUE	58000	5
Trichloroethene	ug/L	MW156 (RGA)	06/27/11	TRUE	83000	5
Trichloroethene	ug/L	MW156 (RGA)	12/14/11	TRUE	65000	5
Trichloroethene	ug/L	MW156 (RGA)	03/13/12	TRUE	62000	5
Trichloroethene	ug/L	MW156 (RGA)	06/19/12	TRUE	64000	5
Trichloroethene	ug/L	MW156 (RGA)	09/19/12	TRUE	23000	5
Trichloroethene	ug/L	MW156 (RGA)	12/28/12	TRUE	1700	5
Trichloroethene	ug/L	MW156 (RGA)	03/27/13	TRUE	32000	5
Trichloroethene	ug/L	MW156 (RGA)	09/16/13	TRUE	31000	5
Trichloroethene	ug/L	MW156 (RGA)	12/17/13	TRUE	600	5
Trichloroethene	ug/L	MW156 (RGA)	03/26/14	TRUE	37000	5
Trichloroethene	ug/L	MW156 (RGA)	06/12/14	TRUE	81800	5
Trichloroethene	ug/L	MW156 (RGA)	08/13/14	TRUE	50000	5
Trichloroethene	ug/L	MW156 (RGA)	09/03/14	TRUE	57000	5
Trichloroethene	ug/L	MW156 (RGA)	09/15/14	TRUE	56500	5
Trichloroethene	ug/L	MW156 (RGA)	12/02/14	TRUE	925	5
Trichloroethene	ug/L	MW156 (RGA)	03/31/15	TRUE	3390	5
Trichloroethene	ug/L	MW156 (RGA)	06/16/15	TRUE	9720	5
Trichloroethene	ug/L	MW156 (RGA)	09/14/15	TRUE	1190	5
Trichloroethene	ug/L	MW156 (RGA)	12/08/15	TRUE	14100	5
Trichloroethene	ug/L	MW156 (RGA)	03/23/16	TRUE	13100	5
Trichloroethene	ug/L	MW156 (RGA)	06/06/16	TRUE	15300	5
Trichloroethene	ug/L	MW156 (RGA)	09/21/16	TRUE	12500	5
Trichloroethene	ug/L	MW156 (RGA)	12/13/16	TRUE	2140	5
Trichloroethene	ug/L	MW156 (RGA)	03/07/17	TRUE	15000	5
Trichloroethene	ug/L	MW156 (RGA)	06/08/17	TRUE	11800	5
Trichloroethene	ug/L	MW156 (RGA)	07/11/17	TRUE	13800	5
Trichloroethene	ug/L	MW156 (RGA)	09/12/17	TRUE	13100	5
Trichloroethene	ug/L	MW156 (RGA)	10/11/17	TRUE	16700	5
Trichloroethene	ug/L	MW156 (RGA)	12/18/17	TRUE	8910	5
Trichloroethene	ug/L	MW156 (RGA)	01/10/18	TRUE	13100	5
Trichloroethene	ug/L	MW156 (RGA)	03/21/18	TRUE	10200	5
Trichloroethene	ug/L	MW156 (RGA)	04/09/18	TRUE	8010	5
Trichloroethene	ug/L	MW156 (RGA)	05/15/18	TRUE	7090	5
Trichloroethene	ug/L	MW156 (RGA)	07/09/18	TRUE	5020	5
Trichloroethene	ug/L	MW156 (RGA)	09/24/18	TRUE	2210	5
Trichloroethene	ug/L	MW156 (RGA)	10/04/18	TRUE	3200	5
Trichloroethene	ug/L	MW156 (RGA)	12/18/18	TRUE	1940	5
Trichloroethene	ug/L	MW156 (RGA)	01/07/19	TRUE	3350	5
Trichloroethene	ug/L	MW156 (RGA)	03/20/19	TRUE	2570	5
Trichloroethene	ug/L	MW156 (RGA)	04/08/19	TRUE	2090	5
Trichloroethene	ug/L	MW156 (RGA)	06/18/19	TRUE	1460	5
Trichloroethene	ug/L	MW156 (RGA)	07/08/19	TRUE	1150	5
Trichloroethene	ug/L	MW156 (RGA)	09/17/19	TRUE	1240	5
Trichloroethene	ug/L	MW156 (RGA)	10/07/19	TRUE	1430	5
Trichloroethene	ug/L	MW156 (RGA)	12/10/19	TRUE	2380	5
Trichloroethene	ug/L	MW156 (RGA)	01/07/20	TRUE	2230	5
Trichloroethene	ug/L	MW156 (RGA)	03/11/20	TRUE	2940	5
Trichloroethene	ug/L	MW156 (RGA)	04/14/20	TRUE	2290	5
Trichloroethene	ug/L	MW156 (RGA)	06/09/20	TRUE	1970	5
Trichloroethene	ug/L	MW156 (RGA)	07/08/20	TRUE	1870	5
Trichloroethene	ug/L	MW156 (RGA)	09/21/20	TRUE	3020	5
Trichloroethene	ug/L	MW156 (RGA)	10/07/20	TRUE	3040	5
Trichloroethene	ug/L	MW156 (RGA)	12/02/20	TRUE	3380	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW161 (RGA)	03/08/10	FALSE	-2.08	900
Technetium-99	pCi/L	MW161 (RGA)	09/02/10	TRUE	21.1	900
Technetium-99	pCi/L	MW161 (RGA)	05/12/11	FALSE	-5.84	900
Technetium-99	pCi/L	MW161 (RGA)	05/14/12	TRUE	32.9	900
Technetium-99	pCi/L	MW161 (RGA)	08/27/12	TRUE	27	900
Technetium-99	pCi/L	MW161 (RGA)	09/05/12	TRUE	20.5	900
Technetium-99	pCi/L	MW161 (RGA)	09/12/12	TRUE	27.1	900
Technetium-99	pCi/L	MW161 (RGA)	10/22/12	TRUE	30	900
Technetium-99	pCi/L	MW161 (RGA)	05/22/13	TRUE	16.2	900
Technetium-99	pCi/L	MW161 (RGA)	05/20/14	FALSE	9.67	900
Technetium-99	pCi/L	MW161 (RGA)	05/24/16	TRUE	78.6	900
Technetium-99	pCi/L	MW161 (RGA)	05/23/17	FALSE	4.45	900
Technetium-99	pCi/L	MW161 (RGA)	05/14/18	FALSE	12.5	900
Technetium-99	pCi/L	MW161 (RGA)	05/16/19	TRUE	142	900
Technetium-99	pCi/L	MW161 (RGA)	05/20/20	FALSE	10.3	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW161 (RGA)	03/08/10	TRUE	2000	5
Trichloroethene	ug/L	MW161 (RGA)	09/02/10	TRUE	2700	5
Trichloroethene	ug/L	MW161 (RGA)	05/12/11	TRUE	1300	5
Trichloroethene	ug/L	MW161 (RGA)	05/14/12	TRUE	2800	5
Trichloroethene	ug/L	MW161 (RGA)	09/05/12	TRUE	1900	5
Trichloroethene	ug/L	MW161 (RGA)	09/12/12	TRUE	1800	5
Trichloroethene	ug/L	MW161 (RGA)	10/22/12	TRUE	3000	5
Trichloroethene	ug/L	MW161 (RGA)	05/22/13	TRUE	2000	5
Trichloroethene	ug/L	MW161 (RGA)	05/20/14	TRUE	2300	5
Trichloroethene	ug/L	MW161 (RGA)	05/24/16	TRUE	12200	5
Trichloroethene	ug/L	MW161 (RGA)	06/22/16	TRUE	7900	5
Trichloroethene	ug/L	MW161 (RGA)	09/26/16	TRUE	2350	5
Trichloroethene	ug/L	MW161 (RGA)	12/15/16	TRUE	1160	5
Trichloroethene	ug/L	MW161 (RGA)	03/21/17	TRUE	921	5
Trichloroethene	ug/L	MW161 (RGA)	05/23/17	TRUE	645	5
Trichloroethene	ug/L	MW161 (RGA)	06/06/17	TRUE	703	5
Trichloroethene	ug/L	MW161 (RGA)	12/12/17	TRUE	765	5
Trichloroethene	ug/L	MW161 (RGA)	05/14/18	TRUE	705	5
Trichloroethene	ug/L	MW161 (RGA)	06/12/18	TRUE	739	5
Trichloroethene	ug/L	MW161 (RGA)	08/29/18	TRUE	801	5
Trichloroethene	ug/L	MW161 (RGA)	12/17/18	TRUE	785	5
Trichloroethene	ug/L	MW161 (RGA)	05/16/19	TRUE	568	5
Trichloroethene	ug/L	MW161 (RGA)	06/05/19	TRUE	629	5
Trichloroethene	ug/L	MW161 (RGA)	12/04/19	TRUE	435	5
Trichloroethene	ug/L	MW161 (RGA)	05/20/20	TRUE	245	5
Trichloroethene	ug/L	MW161 (RGA)	06/15/20	TRUE	278	5
Trichloroethene	ug/L	MW161 (RGA)	12/02/20	TRUE	315	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW163 (RGA)	03/05/10	FALSE	13.9	900
Technetium-99	pCi/L	MW163 (RGA)	09/02/10	TRUE	17.8	900
Technetium-99	pCi/L	MW163 (RGA)	05/10/11	FALSE	6.14	900
Technetium-99	pCi/L	MW163 (RGA)	05/10/13	TRUE	18.8	900
Technetium-99	pCi/L	MW163 (RGA)	06/02/15	FALSE	3.38	900
Technetium-99	pCi/L	MW163 (RGA)	05/23/17	FALSE	6.97	900
Technetium-99	pCi/L	MW163 (RGA)	08/14/18	TRUE	22.5	900
Technetium-99	pCi/L	MW163 (RGA)	10/04/18	TRUE	30.5	900
Technetium-99	pCi/L	MW163 (RGA)	01/07/19	TRUE	15.1	900
Technetium-99	pCi/L	MW163 (RGA)	04/08/19	TRUE	20.2	900
Technetium-99	pCi/L	MW163 (RGA)	05/08/19	TRUE	22.6	900
Technetium-99	pCi/L	MW163 (RGA)	07/02/19	FALSE	11.1	900
Technetium-99	pCi/L	MW163 (RGA)	10/07/19	TRUE	27	900
Technetium-99	pCi/L	MW163 (RGA)	01/07/20	TRUE	19	900
Technetium-99	pCi/L	MW163 (RGA)	04/14/20	TRUE	23.4	900
Technetium-99	pCi/L	MW163 (RGA)	07/07/20	TRUE	18.8	900
Technetium-99	pCi/L	MW163 (RGA)	10/07/20	TRUE	20.9	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW163 (RGA)	03/05/10	TRUE	65	5
Trichloroethene	ug/L	MW163 (RGA)	09/02/10	TRUE	100	5
Trichloroethene	ug/L	MW163 (RGA)	05/10/11	TRUE	78	5
Trichloroethene	ug/L	MW163 (RGA)	05/10/13	TRUE	93	5
Trichloroethene	ug/L	MW163 (RGA)	06/02/15	TRUE	35.1	5
Trichloroethene	ug/L	MW163 (RGA)	05/23/17	TRUE	57	5
Trichloroethene	ug/L	MW163 (RGA)	08/14/18	TRUE	124	5
Trichloroethene	ug/L	MW163 (RGA)	10/04/18	TRUE	146	5
Trichloroethene	ug/L	MW163 (RGA)	01/07/19	TRUE	119	5
Trichloroethene	ug/L	MW163 (RGA)	04/08/19	TRUE	43.1	5
Trichloroethene	ug/L	MW163 (RGA)	05/08/19	TRUE	37.6	5
Trichloroethene	ug/L	MW163 (RGA)	07/02/19	TRUE	45.1	5
Trichloroethene	ug/L	MW163 (RGA)	10/07/19	TRUE	48.2	5
Trichloroethene	ug/L	MW163 (RGA)	01/07/20	TRUE	52.2	5
Trichloroethene	ug/L	MW163 (RGA)	04/14/20	TRUE	44	5
Trichloroethene	ug/L	MW163 (RGA)	07/07/20	TRUE	37.3	5
Trichloroethene	ug/L	MW163 (RGA)	10/07/20	TRUE	34	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW165 (RGA)	03/02/10	TRUE	19.2	900
Technetium-99	pCi/L	MW165 (RGA)	09/02/10	TRUE	88.7	900
Technetium-99	pCi/L	MW165 (RGA)	03/16/11	TRUE	49.8	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW165 (RGA)	03/02/10	FALSE	1	5
Trichloroethene	ug/L	MW165 (RGA)	09/02/10	FALSE	1	5
Trichloroethene	ug/L	MW165 (RGA)	03/16/11	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW165A (RGA)	03/18/15	FALSE	6.78	900
Technetium-99	pCi/L	MW165A (RGA)	09/16/15	TRUE	44.2	900
Technetium-99	pCi/L	MW165A (RGA)	03/16/16	TRUE	59.1	900
Technetium-99	pCi/L	MW165A (RGA)	09/14/16	TRUE	37.9	900
Technetium-99	pCi/L	MW165A (RGA)	03/15/17	FALSE	10.4	900
Technetium-99	pCi/L	MW165A (RGA)	09/07/17	TRUE	23.1	900
Technetium-99	pCi/L	MW165A (RGA)	03/12/18	TRUE	21.6	900
Technetium-99	pCi/L	MW165A (RGA)	09/24/18	TRUE	32.9	900
Technetium-99	pCi/L	MW165A (RGA)	03/13/19	TRUE	26.7	900
Technetium-99	pCi/L	MW165A (RGA)	09/24/19	TRUE	23.9	900
Technetium-99	pCi/L	MW165A (RGA)	03/09/20	TRUE	22.8	900
Technetium-99	pCi/L	MW165A (RGA)	09/14/20	FALSE	7.03	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW165A (RGA)	03/18/15	FALSE	1	5
Trichloroethene	ug/L	MW165A (RGA)	09/16/15	FALSE	1	5
Trichloroethene	ug/L	MW165A (RGA)	03/16/16	TRUE	1.6	5
Trichloroethene	ug/L	MW165A (RGA)	09/14/16	TRUE	1.5	5
Trichloroethene	ug/L	MW165A (RGA)	03/15/17	TRUE	1.75	5
Trichloroethene	ug/L	MW165A (RGA)	09/07/17	TRUE	0.69	5
Trichloroethene	ug/L	MW165A (RGA)	03/12/18	FALSE	1	5
Trichloroethene	ug/L	MW165A (RGA)	09/24/18	TRUE	0.45	5
Trichloroethene	ug/L	MW165A (RGA)	03/13/19	FALSE	1	5
Trichloroethene	ug/L	MW165A (RGA)	09/24/19	TRUE	0.94	5
Trichloroethene	ug/L	MW165A (RGA)	03/09/20	TRUE	0.69	5
Trichloroethene	ug/L	MW165A (RGA)	09/14/20	TRUE	0.76	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW168 (RGA)	03/05/10	TRUE	2370	900
Technetium-99	pCi/L	MW168 (RGA)	09/02/10	TRUE	2080	900
Technetium-99	pCi/L	MW168 (RGA)	05/14/13	TRUE	2160	900
Technetium-99	pCi/L	MW168 (RGA)	06/02/15	TRUE	1720	900
Technetium-99	pCi/L	MW168 (RGA)	05/23/17	TRUE	1480	900
Technetium-99	pCi/L	MW168 (RGA)	05/07/19	TRUE	1420	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW168 (RGA)	03/05/10	TRUE	69	5
Trichloroethene	ug/L	MW168 (RGA)	09/02/10	TRUE	82	5
Trichloroethene	ug/L	MW168 (RGA)	05/17/11	TRUE	81	5
Trichloroethene	ug/L	MW168 (RGA)	05/14/13	TRUE	74	5
Trichloroethene	ug/L	MW168 (RGA)	06/02/15	TRUE	69.5	5
Trichloroethene	ug/L	MW168 (RGA)	05/23/17	TRUE	75.6	5
Trichloroethene	ug/L	MW168 (RGA)	05/07/19	TRUE	62.8	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW169 (RGA)	03/05/10	FALSE	12.8	900
Technetium-99	pCi/L	MW169 (RGA)	09/02/10	FALSE	7.09	900
Technetium-99	pCi/L	MW169 (RGA)	05/17/11	FALSE	-7.3	900
Technetium-99	pCi/L	MW169 (RGA)	05/14/13	TRUE	42.7	900
Technetium-99	pCi/L	MW169 (RGA)	06/02/15	TRUE	53.1	900
Technetium-99	pCi/L	MW169 (RGA)	05/23/17	TRUE	109	900
Technetium-99	pCi/L	MW169 (RGA)	05/08/19	TRUE	86.2	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW169 (RGA)	03/05/10	TRUE	110	5
Trichloroethene	ug/L	MW169 (RGA)	09/02/10	TRUE	24	5
Trichloroethene	ug/L	MW169 (RGA)	05/17/11	TRUE	160	5
Trichloroethene	ug/L	MW169 (RGA)	05/14/13	TRUE	200	5
Trichloroethene	ug/L	MW169 (RGA)	06/02/15	TRUE	351	5
Trichloroethene	ug/L	MW169 (RGA)	05/23/17	TRUE	433	5
Trichloroethene	ug/L	MW169 (RGA)	05/08/19	TRUE	281	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW173 (RGA)	03/04/10	FALSE	-8.71	900
Technetium-99	pCi/L	MW173 (RGA)	09/02/10	FALSE	-10.5	900
Technetium-99	pCi/L	MW173 (RGA)	03/14/11	FALSE	6.74	900
Technetium-99	pCi/L	MW173 (RGA)	09/07/11	FALSE	-1.6	900
Technetium-99	pCi/L	MW173 (RGA)	03/13/12	FALSE	1.66	900
Technetium-99	pCi/L	MW173 (RGA)	09/04/12	FALSE	4.43	900
Technetium-99	pCi/L	MW173 (RGA)	03/12/13	FALSE	0.108	900
Technetium-99	pCi/L	MW173 (RGA)	09/04/13	FALSE	6.55	900
Technetium-99	pCi/L	MW173 (RGA)	03/17/14	FALSE	1.75	900
Technetium-99	pCi/L	MW173 (RGA)	09/03/14	FALSE	-12.2	900
Technetium-99	pCi/L	MW173 (RGA)	03/18/15	FALSE	12.9	900
Technetium-99	pCi/L	MW173 (RGA)	09/16/15	FALSE	-0.146	900
Technetium-99	pCi/L	MW173 (RGA)	03/16/16	FALSE	10.9	900
Technetium-99	pCi/L	MW173 (RGA)	09/14/16	FALSE	-1.45	900
Technetium-99	pCi/L	MW173 (RGA)	03/14/17	FALSE	4.99	900
Technetium-99	pCi/L	MW173 (RGA)	09/07/17	FALSE	-0.601	900
Technetium-99	pCi/L	MW173 (RGA)	03/13/18	FALSE	10.6	900
Technetium-99	pCi/L	MW173 (RGA)	09/24/18	FALSE	2.99	900
Technetium-99	pCi/L	MW173 (RGA)	03/13/19	FALSE	1.38	900
Technetium-99	pCi/L	MW173 (RGA)	09/24/19	FALSE	2.3	900
Technetium-99	pCi/L	MW173 (RGA)	03/09/20	FALSE	1.19	900
Technetium-99	pCi/L	MW173 (RGA)	09/14/20	FALSE	-4.9	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW173 (RGA)	03/04/10	FALSE	1	5
Trichloroethene	ug/L	MW173 (RGA)	09/02/10	FALSE	1	5
Trichloroethene	ug/L	MW173 (RGA)	03/14/11	FALSE	1	5
Trichloroethene	ug/L	MW173 (RGA)	09/07/11	FALSE	1	5
Trichloroethene	ug/L	MW173 (RGA)	03/13/12	FALSE	1	5
Trichloroethene	ug/L	MW173 (RGA)	09/04/12	FALSE	1	5
Trichloroethene	ug/L	MW173 (RGA)	03/12/13	FALSE	1	5
Trichloroethene	ug/L	MW173 (RGA)	09/04/13	FALSE	1	5
Trichloroethene	ug/L	MW173 (RGA)	03/17/14	FALSE	1	5
Trichloroethene	ug/L	MW173 (RGA)	09/03/14	FALSE	1	5
Trichloroethene	ug/L	MW173 (RGA)	03/18/15	FALSE	1	5
Trichloroethene	ug/L	MW173 (RGA)	09/16/15	FALSE	1	5
Trichloroethene	ug/L	MW173 (RGA)	03/16/16	FALSE	1	5
Trichloroethene	ug/L	MW173 (RGA)	09/14/16	TRUE	3.44	5
Trichloroethene	ug/L	MW173 (RGA)	03/14/17	TRUE	4.99	5
Trichloroethene	ug/L	MW173 (RGA)	09/07/17	FALSE	1	5
Trichloroethene	ug/L	MW173 (RGA)	03/13/18	FALSE	1	5
Trichloroethene	ug/L	MW173 (RGA)	03/13/18	TRUE	0.51	5
Trichloroethene	ug/L	MW173 (RGA)	09/24/18	TRUE	0.41	5
Trichloroethene	ug/L	MW173 (RGA)	03/13/19	TRUE	0.74	5
Trichloroethene	ug/L	MW173 (RGA)	09/24/19	TRUE	3.9	5
Trichloroethene	ug/L	MW173 (RGA)	03/09/20	TRUE	4.01	5
Trichloroethene	ug/L	MW173 (RGA)	09/14/20	TRUE	2.44	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW175 (RGA)	03/24/10	TRUE	360	900
Technetium-99	pCi/L	MW175 (RGA)	06/23/10	TRUE	343	900
Technetium-99	pCi/L	MW175 (RGA)	09/23/10	TRUE	275	900
Technetium-99	pCi/L	MW175 (RGA)	12/13/10	TRUE	363	900
Technetium-99	pCi/L	MW175 (RGA)	03/23/11	TRUE	488	900
Technetium-99	pCi/L	MW175 (RGA)	06/13/11	TRUE	292	900
Technetium-99	pCi/L	MW175 (RGA)	09/14/11	TRUE	228	900
Technetium-99	pCi/L	MW175 (RGA)	03/12/12	TRUE	279	900
Technetium-99	pCi/L	MW175 (RGA)	09/25/12	TRUE	284	900
Technetium-99	pCi/L	MW175 (RGA)	03/27/13	TRUE	226	900
Technetium-99	pCi/L	MW175 (RGA)	09/18/13	TRUE	139	900
Technetium-99	pCi/L	MW175 (RGA)	03/20/14	TRUE	110	900
Technetium-99	pCi/L	MW175 (RGA)	09/15/14	TRUE	111	900
Technetium-99	pCi/L	MW175 (RGA)	03/30/15	TRUE	124	900
Technetium-99	pCi/L	MW175 (RGA)	03/23/16	TRUE	167	900
Technetium-99	pCi/L	MW175 (RGA)	09/21/16	TRUE	189	900
Technetium-99	pCi/L	MW175 (RGA)	03/07/17	TRUE	293	900
Technetium-99	pCi/L	MW175 (RGA)	09/12/17	TRUE	272	900
Technetium-99	pCi/L	MW175 (RGA)	03/22/18	TRUE	211	900
Technetium-99	pCi/L	MW175 (RGA)	09/26/18	TRUE	360	900
Technetium-99	pCi/L	MW175 (RGA)	03/20/19	TRUE	235	900
Technetium-99	pCi/L	MW175 (RGA)	09/16/19	TRUE	290	900
Technetium-99	pCi/L	MW175 (RGA)	03/10/20	TRUE	273	900
Technetium-99	pCi/L	MW175 (RGA)	09/21/20	TRUE	273	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW175 (RGA)	03/24/10	TRUE	5600	5
Trichloroethene	ug/L	MW175 (RGA)	06/23/10	TRUE	5100	5
Trichloroethene	ug/L	MW175 (RGA)	09/23/10	TRUE	5100	5
Trichloroethene	ug/L	MW175 (RGA)	12/13/10	TRUE	9800	5
Trichloroethene	ug/L	MW175 (RGA)	03/23/11	TRUE	5800	5
Trichloroethene	ug/L	MW175 (RGA)	06/13/11	TRUE	5900	5
Trichloroethene	ug/L	MW175 (RGA)	09/14/11	TRUE	6900	5
Trichloroethene	ug/L	MW175 (RGA)	03/12/12	TRUE	3700	5
Trichloroethene	ug/L	MW175 (RGA)	09/25/12	TRUE	1700	5
Trichloroethene	ug/L	MW175 (RGA)	03/27/13	TRUE	770	5
Trichloroethene	ug/L	MW175 (RGA)	09/18/13	TRUE	710	5
Trichloroethene	ug/L	MW175 (RGA)	03/20/14	TRUE	460	5
Trichloroethene	ug/L	MW175 (RGA)	09/15/14	TRUE	855	5
Trichloroethene	ug/L	MW175 (RGA)	03/30/15	TRUE	623	5
Trichloroethene	ug/L	MW175 (RGA)	03/23/16	TRUE	1350	5
Trichloroethene	ug/L	MW175 (RGA)	09/21/16	TRUE	1200	5
Trichloroethene	ug/L	MW175 (RGA)	03/07/17	TRUE	1460	5
Trichloroethene	ug/L	MW175 (RGA)	09/12/17	TRUE	2010	5
Trichloroethene	ug/L	MW175 (RGA)	03/22/18	TRUE	4550	5
Trichloroethene	ug/L	MW175 (RGA)	09/26/18	TRUE	3960	5
Trichloroethene	ug/L	MW175 (RGA)	03/20/19	TRUE	3990	5
Trichloroethene	ug/L	MW175 (RGA)	09/16/19	TRUE	2880	5
Trichloroethene	ug/L	MW175 (RGA)	03/10/20	TRUE	3590	5
Trichloroethene	ug/L	MW175 (RGA)	09/21/20	TRUE	3430	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW178 (RGA)	12/19/18	TRUE	95.8	900
Technetium-99	pCi/L	MW178 (RGA)	03/20/19	TRUE	115	900
Technetium-99	pCi/L	MW178 (RGA)	06/18/19	TRUE	111	900
Technetium-99	pCi/L	MW178 (RGA)	09/17/19	TRUE	122	900
Technetium-99	pCi/L	MW178 (RGA)	12/11/19	TRUE	130	900
Technetium-99	pCi/L	MW178 (RGA)	03/10/20	TRUE	96.6	900
Technetium-99	pCi/L	MW178 (RGA)	06/09/20	TRUE	101	900
Technetium-99	pCi/L	MW178 (RGA)	09/21/20	TRUE	120	900
Technetium-99	pCi/L	MW178 (RGA)	12/09/20	TRUE	121	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW178 (RGA)	12/19/18	TRUE	63.9	5
Trichloroethene	ug/L	MW178 (RGA)	03/20/19	TRUE	68.8	5
Trichloroethene	ug/L	MW178 (RGA)	06/18/19	TRUE	68.9	5
Trichloroethene	ug/L	MW178 (RGA)	09/17/19	TRUE	85.8	5
Trichloroethene	ug/L	MW178 (RGA)	12/11/19	TRUE	200	5
Trichloroethene	ug/L	MW178 (RGA)	03/10/20	TRUE	37	5
Trichloroethene	ug/L	MW178 (RGA)	06/09/20	TRUE	38.7	5
Trichloroethene	ug/L	MW178 (RGA)	09/21/20	TRUE	288	5
Trichloroethene	ug/L	MW178 (RGA)	12/09/20	TRUE	356	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW185 (RGA)	03/20/12	TRUE	698	900
Technetium-99	pCi/L	MW185 (RGA)	09/04/12	TRUE	805	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW185 (RGA)	03/20/12	TRUE	7500	5
Trichloroethene	ug/L	MW185 (RGA)	09/04/12	TRUE	5000	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW191 (RGA)	03/05/10	FALSE	-4.59	900
Technetium-99	pCi/L	MW191 (RGA)	08/16/10	FALSE	2.42	900
Technetium-99	pCi/L	MW191 (RGA)	05/05/11	FALSE	8.54	900
Technetium-99	pCi/L	MW191 (RGA)	05/21/12	FALSE	8.2	900
Technetium-99	pCi/L	MW191 (RGA)	05/28/13	FALSE	2.49	900
Technetium-99	pCi/L	MW191 (RGA)	05/21/14	FALSE	3.92	900
Technetium-99	pCi/L	MW191 (RGA)	05/06/15	FALSE	-18.6	900
Technetium-99	pCi/L	MW191 (RGA)	05/23/16	FALSE	6.39	900
Technetium-99	pCi/L	MW191 (RGA)	05/16/17	FALSE	0.487	900
Technetium-99	pCi/L	MW191 (RGA)	05/09/18	FALSE	-8.54	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW191 (RGA)	03/05/10	FALSE	1	5
Trichloroethene	ug/L	MW191 (RGA)	08/16/10	FALSE	1	5
Trichloroethene	ug/L	MW191 (RGA)	05/05/11	FALSE	1	5
Trichloroethene	ug/L	MW191 (RGA)	05/21/12	FALSE	1	5
Trichloroethene	ug/L	MW191 (RGA)	05/28/13	FALSE	1	5
Trichloroethene	ug/L	MW191 (RGA)	05/21/14	FALSE	1	5
Trichloroethene	ug/L	MW191 (RGA)	05/06/15	TRUE	0.54	5
Trichloroethene	ug/L	MW191 (RGA)	05/23/16	FALSE	1	5
Trichloroethene	ug/L	MW191 (RGA)	05/16/17	FALSE	1	5
Trichloroethene	ug/L	MW191 (RGA)	05/09/18	FALSE	1	5
Trichloroethene	ug/L	MW191 (RGA)	05/14/19	FALSE	1	5
Trichloroethene	ug/L	MW191 (RGA)	05/14/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW193 (RGA)	03/02/10	FALSE	8.76	900
Technetium-99	pCi/L	MW193 (RGA)	08/17/10	FALSE	5.57	900
Technetium-99	pCi/L	MW193 (RGA)	06/20/11	FALSE	2.21	900
Technetium-99	pCi/L	MW193 (RGA)	05/08/13	FALSE	4.76	900
Technetium-99	pCi/L	MW193 (RGA)	06/17/15	FALSE	-3.34	900
Technetium-99	pCi/L	MW193 (RGA)	05/09/17	FALSE	2.09	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW193 (RGA)	03/02/10	FALSE	1	5
Trichloroethene	ug/L	MW193 (RGA)	08/17/10	FALSE	1	5
Trichloroethene	ug/L	MW193 (RGA)	06/20/11	TRUE	1	5
Trichloroethene	ug/L	MW193 (RGA)	05/08/13	FALSE	1	5
Trichloroethene	ug/L	MW193 (RGA)	06/17/15	TRUE	0.3	5
Trichloroethene	ug/L	MW193 (RGA)	05/09/17	FALSE	1	5
Trichloroethene	ug/L	MW193 (RGA)	05/01/19	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW194 (RGA)	03/02/10	FALSE	-11.8	900
Technetium-99	pCi/L	MW194 (RGA)	08/18/10	FALSE	4.2	900
Technetium-99	pCi/L	MW194 (RGA)	05/10/11	FALSE	12.4	900
Technetium-99	pCi/L	MW194 (RGA)	05/16/13	FALSE	5.56	900
Technetium-99	pCi/L	MW194 (RGA)	11/12/13	FALSE	-0.941	900
Technetium-99	pCi/L	MW194 (RGA)	02/11/14	FALSE	2.81	900
Technetium-99	pCi/L	MW194 (RGA)	05/06/14	FALSE	-4.82	900
Technetium-99	pCi/L	MW194 (RGA)	08/19/14	FALSE	-6.19	900
Technetium-99	pCi/L	MW194 (RGA)	11/18/14	FALSE	-3.36	900
Technetium-99	pCi/L	MW194 (RGA)	02/10/15	FALSE	-6.49	900
Technetium-99	pCi/L	MW194 (RGA)	05/12/15	FALSE	6.66	900
Technetium-99	pCi/L	MW194 (RGA)	05/27/15	FALSE	-3.2	900
Technetium-99	pCi/L	MW194 (RGA)	08/11/15	FALSE	-1.92	900
Technetium-99	pCi/L	MW194 (RGA)	11/24/15	FALSE	7.86	900
Technetium-99	pCi/L	MW194 (RGA)	02/10/16	FALSE	7.73	900
Technetium-99	pCi/L	MW194 (RGA)	05/10/16	FALSE	-10.1	900
Technetium-99	pCi/L	MW194 (RGA)	08/15/16	FALSE	-14	900
Technetium-99	pCi/L	MW194 (RGA)	11/16/16	FALSE	0.935	900
Technetium-99	pCi/L	MW194 (RGA)	02/08/17	FALSE	-4.87	900
Technetium-99	pCi/L	MW194 (RGA)	05/17/17	FALSE	4.77	900
Technetium-99	pCi/L	MW194 (RGA)	08/29/17	FALSE	-3.52	900
Technetium-99	pCi/L	MW194 (RGA)	11/07/17	FALSE	3.63	900
Technetium-99	pCi/L	MW194 (RGA)	02/13/18	FALSE	2.47	900
Technetium-99	pCi/L	MW194 (RGA)	05/02/18	FALSE	5.26	900
Technetium-99	pCi/L	MW194 (RGA)	08/13/18	FALSE	-2.95	900
Technetium-99	pCi/L	MW194 (RGA)	11/19/20	FALSE	2.94	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW194 (RGA)	03/02/10	FALSE	1	5
Trichloroethene	ug/L	MW194 (RGA)	08/18/10	FALSE	1	5
Trichloroethene	ug/L	MW194 (RGA)	05/10/11	FALSE	1	5
Trichloroethene	ug/L	MW194 (RGA)	12/12/12	FALSE	1	5
Trichloroethene	ug/L	MW194 (RGA)	03/13/13	FALSE	1	5
Trichloroethene	ug/L	MW194 (RGA)	05/16/13	TRUE	1.4	5
Trichloroethene	ug/L	MW194 (RGA)	06/06/13	FALSE	1	5
Trichloroethene	ug/L	MW194 (RGA)	09/10/13	FALSE	1	5
Trichloroethene	ug/L	MW194 (RGA)	11/12/13	FALSE	1	5
Trichloroethene	ug/L	MW194 (RGA)	02/11/14	FALSE	1	5
Trichloroethene	ug/L	MW194 (RGA)	05/06/14	FALSE	1	5
Trichloroethene	ug/L	MW194 (RGA)	08/19/14	TRUE	0.34	5
Trichloroethene	ug/L	MW194 (RGA)	11/18/14	FALSE	1	5
Trichloroethene	ug/L	MW194 (RGA)	02/10/15	TRUE	1.09	5
Trichloroethene	ug/L	MW194 (RGA)	05/12/15	FALSE	1	5
Trichloroethene	ug/L	MW194 (RGA)	05/27/15	TRUE	0.66	5
Trichloroethene	ug/L	MW194 (RGA)	08/11/15	FALSE	1	5
Trichloroethene	ug/L	MW194 (RGA)	11/24/15	FALSE	1	5
Trichloroethene	ug/L	MW194 (RGA)	02/10/16	TRUE	0.3	5
Trichloroethene	ug/L	MW194 (RGA)	05/10/16	FALSE	1	5
Trichloroethene	ug/L	MW194 (RGA)	08/15/16	TRUE	1.3	5
Trichloroethene	ug/L	MW194 (RGA)	11/16/16	TRUE	2.53	5
Trichloroethene	ug/L	MW194 (RGA)	02/08/17	TRUE	0.75	5
Trichloroethene	ug/L	MW194 (RGA)	05/17/17	FALSE	1	5
Trichloroethene	ug/L	MW194 (RGA)	08/29/17	FALSE	1	5
Trichloroethene	ug/L	MW194 (RGA)	11/07/17	TRUE	0.63	5
Trichloroethene	ug/L	MW194 (RGA)	02/13/18	FALSE	1	5
Trichloroethene	ug/L	MW194 (RGA)	05/02/18	TRUE	1.62	5
Trichloroethene	ug/L	MW194 (RGA)	08/13/18	TRUE	0.65	5
Trichloroethene	ug/L	MW194 (RGA)	11/07/18	FALSE	1	5
Trichloroethene	ug/L	MW194 (RGA)	02/11/19	FALSE	1	5
Trichloroethene	ug/L	MW194 (RGA)	05/20/19	FALSE	1	5
Trichloroethene	ug/L	MW194 (RGA)	08/14/19	FALSE	1	5
Trichloroethene	ug/L	MW194 (RGA)	02/11/20	FALSE	1	5
Trichloroethene	ug/L	MW194 (RGA)	05/11/20	FALSE	1	5
Trichloroethene	ug/L	MW194 (RGA)	08/12/20	FALSE	1	5
Trichloroethene	ug/L	MW194 (RGA)	11/19/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW197 (RGA)	03/02/10	FALSE	0.278	900
Technetium-99	pCi/L	MW197 (RGA)	08/19/10	FALSE	9.08	900
Technetium-99	pCi/L	MW197 (RGA)	06/02/11	FALSE	-7.65	900
Technetium-99	pCi/L	MW197 (RGA)	05/16/13	TRUE	20.2	900
Technetium-99	pCi/L	MW197 (RGA)	05/27/15	FALSE	12.1	900
Technetium-99	pCi/L	MW197 (RGA)	05/18/17	TRUE	45.8	900
Technetium-99	pCi/L	MW197 (RGA)	03/19/18	TRUE	67.4	900
Technetium-99	pCi/L	MW197 (RGA)	09/27/18	FALSE	17.6	900
Technetium-99	pCi/L	MW197 (RGA)	03/18/19	TRUE	123	900
Technetium-99	pCi/L	MW197 (RGA)	09/17/19	TRUE	50.8	900
Technetium-99	pCi/L	MW197 (RGA)	03/12/20	TRUE	116	900
Technetium-99	pCi/L	MW197 (RGA)	09/16/20	TRUE	37	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW197 (RGA)	03/02/10	TRUE	5.2	5
Trichloroethene	ug/L	MW197 (RGA)	08/19/10	TRUE	10	5
Trichloroethene	ug/L	MW197 (RGA)	06/02/11	TRUE	7	5
Trichloroethene	ug/L	MW197 (RGA)	05/16/13	TRUE	7.2	5
Trichloroethene	ug/L	MW197 (RGA)	05/27/15	TRUE	11.2	5
Trichloroethene	ug/L	MW197 (RGA)	05/18/17	TRUE	13.6	5
Trichloroethene	ug/L	MW197 (RGA)	03/19/18	TRUE	14.6	5
Trichloroethene	ug/L	MW197 (RGA)	09/27/18	TRUE	21.2	5
Trichloroethene	ug/L	MW197 (RGA)	03/18/19	TRUE	41.5	5
Trichloroethene	ug/L	MW197 (RGA)	09/17/19	TRUE	30.5	5
Trichloroethene	ug/L	MW197 (RGA)	03/12/20	TRUE	40.6	5
Trichloroethene	ug/L	MW197 (RGA)	09/16/20	TRUE	35	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW199 (RGA)	03/02/10	FALSE	-14	900
Technetium-99	pCi/L	MW199 (RGA)	08/19/10	FALSE	-1.82	900
Technetium-99	pCi/L	MW199 (RGA)	06/20/11	FALSE	7.18	900
Technetium-99	pCi/L	MW199 (RGA)	05/06/13	FALSE	-5.47	900
Technetium-99	pCi/L	MW199 (RGA)	06/18/13	FALSE	-0.283	900
Technetium-99	pCi/L	MW199 (RGA)	09/18/13	FALSE	8.08	900
Technetium-99	pCi/L	MW199 (RGA)	11/13/13	FALSE	-8.25	900
Technetium-99	pCi/L	MW199 (RGA)	02/12/14	FALSE	-7.86	900
Technetium-99	pCi/L	MW199 (RGA)	05/06/14	FALSE	2.92	900
Technetium-99	pCi/L	MW199 (RGA)	08/26/14	FALSE	6.68	900
Technetium-99	pCi/L	MW199 (RGA)	11/18/14	FALSE	-1.74	900
Technetium-99	pCi/L	MW199 (RGA)	02/10/15	FALSE	-3.06	900
Technetium-99	pCi/L	MW199 (RGA)	05/12/15	FALSE	-9.96	900
Technetium-99	pCi/L	MW199 (RGA)	05/26/15	FALSE	-5.27	900
Technetium-99	pCi/L	MW199 (RGA)	08/11/15	FALSE	2.7	900
Technetium-99	pCi/L	MW199 (RGA)	11/16/15	FALSE	-0.817	900
Technetium-99	pCi/L	MW199 (RGA)	02/10/16	FALSE	4.83	900
Technetium-99	pCi/L	MW199 (RGA)	05/11/16	FALSE	-9.66	900
Technetium-99	pCi/L	MW199 (RGA)	08/16/16	FALSE	-11.9	900
Technetium-99	pCi/L	MW199 (RGA)	11/16/16	FALSE	1.44	900
Technetium-99	pCi/L	MW199 (RGA)	02/08/17	FALSE	7.02	900
Technetium-99	pCi/L	MW199 (RGA)	05/05/17	FALSE	-1.67	900
Technetium-99	pCi/L	MW199 (RGA)	08/29/17	FALSE	-5.48	900
Technetium-99	pCi/L	MW199 (RGA)	11/07/17	FALSE	4.85	900
Technetium-99	pCi/L	MW199 (RGA)	02/13/18	FALSE	0.293	900
Technetium-99	pCi/L	MW199 (RGA)	05/02/18	FALSE	-1.63	900
Technetium-99	pCi/L	MW199 (RGA)	08/13/18	FALSE	-0.664	900
Technetium-99	pCi/L	MW199 (RGA)	11/19/20	FALSE	5.93	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW199 (RGA)	03/02/10	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	08/19/10	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	06/20/11	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	12/17/12	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	03/28/13	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	05/06/13	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	06/18/13	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	09/18/13	TRUE	1.3	5
Trichloroethene	ug/L	MW199 (RGA)	11/13/13	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	02/12/14	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	05/06/14	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	08/26/14	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	11/18/14	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	02/10/15	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	05/12/15	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	05/26/15	TRUE	0.45	5
Trichloroethene	ug/L	MW199 (RGA)	08/11/15	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	11/16/15	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	02/10/16	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	05/11/16	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	08/16/16	TRUE	1	5
Trichloroethene	ug/L	MW199 (RGA)	11/16/16	TRUE	0.68	5
Trichloroethene	ug/L	MW199 (RGA)	02/08/17	TRUE	0.6	5
Trichloroethene	ug/L	MW199 (RGA)	05/05/17	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	08/29/17	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	11/07/17	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	02/13/18	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	05/02/18	TRUE	0.4	5
Trichloroethene	ug/L	MW199 (RGA)	08/13/18	TRUE	0.4	5
Trichloroethene	ug/L	MW199 (RGA)	11/07/18	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	02/25/19	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	05/20/19	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	08/19/19	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	11/12/19	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	02/25/20	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	06/22/20	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	08/12/20	FALSE	1	5
Trichloroethene	ug/L	MW199 (RGA)	11/19/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW200 (RGA)	03/01/10	TRUE	32.7	900
Technetium-99	pCi/L	MW200 (RGA)	08/16/10	TRUE	28.6	900
Technetium-99	pCi/L	MW200 (RGA)	06/21/11	TRUE	21.8	900
Technetium-99	pCi/L	MW200 (RGA)	05/06/13	FALSE	16.2	900
Technetium-99	pCi/L	MW200 (RGA)	05/13/15	FALSE	18.6	900
Technetium-99	pCi/L	MW200 (RGA)	05/09/17	TRUE	52	900
Technetium-99	pCi/L	MW200 (RGA)	04/30/19	TRUE	85.2	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW200 (RGA)	03/01/10	FALSE	1	5
Trichloroethene	ug/L	MW200 (RGA)	08/16/10	FALSE	1	5
Trichloroethene	ug/L	MW200 (RGA)	06/21/11	FALSE	1	5
Trichloroethene	ug/L	MW200 (RGA)	05/06/13	FALSE	1	5
Trichloroethene	ug/L	MW200 (RGA)	05/13/15	TRUE	0.97	5
Trichloroethene	ug/L	MW200 (RGA)	05/09/17	TRUE	2.59	5
Trichloroethene	ug/L	MW200 (RGA)	04/30/19	TRUE	11.1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW201 (RGA)	03/01/10	TRUE	17.3	900
Technetium-99	pCi/L	MW201 (RGA)	08/16/10	FALSE	4.23	900
Technetium-99	pCi/L	MW201 (RGA)	06/09/11	FALSE	-2.84	900
Technetium-99	pCi/L	MW201 (RGA)	12/06/12	FALSE	-1.22	900
Technetium-99	pCi/L	MW201 (RGA)	03/14/13	FALSE	4.24	900
Technetium-99	pCi/L	MW201 (RGA)	05/03/13	FALSE	5.42	900
Technetium-99	pCi/L	MW201 (RGA)	11/13/13	FALSE	4.72	900
Technetium-99	pCi/L	MW201 (RGA)	02/12/14	FALSE	-2.11	900
Technetium-99	pCi/L	MW201 (RGA)	05/06/14	FALSE	9.52	900
Technetium-99	pCi/L	MW201 (RGA)	08/19/14	FALSE	-3.87	900
Technetium-99	pCi/L	MW201 (RGA)	11/19/14	FALSE	0.67	900
Technetium-99	pCi/L	MW201 (RGA)	02/11/15	FALSE	-9.46	900
Technetium-99	pCi/L	MW201 (RGA)	05/12/15	FALSE	-8.07	900
Technetium-99	pCi/L	MW201 (RGA)	05/13/15	FALSE	-4.88	900
Technetium-99	pCi/L	MW201 (RGA)	08/11/15	FALSE	7	900
Technetium-99	pCi/L	MW201 (RGA)	11/16/15	FALSE	0.81	900
Technetium-99	pCi/L	MW201 (RGA)	02/10/16	FALSE	5.03	900
Technetium-99	pCi/L	MW201 (RGA)	05/10/16	FALSE	-6.99	900
Technetium-99	pCi/L	MW201 (RGA)	08/16/16	FALSE	-10.5	900
Technetium-99	pCi/L	MW201 (RGA)	11/16/16	FALSE	-0.83	900
Technetium-99	pCi/L	MW201 (RGA)	02/14/17	FALSE	0.187	900
Technetium-99	pCi/L	MW201 (RGA)	05/16/17	FALSE	6.84	900
Technetium-99	pCi/L	MW201 (RGA)	08/28/17	FALSE	-5.75	900
Technetium-99	pCi/L	MW201 (RGA)	11/07/17	FALSE	5.86	900
Technetium-99	pCi/L	MW201 (RGA)	02/13/18	FALSE	3.7	900
Technetium-99	pCi/L	MW201 (RGA)	05/02/18	FALSE	1.88	900
Technetium-99	pCi/L	MW201 (RGA)	08/14/18	FALSE	3.9	900
Technetium-99	pCi/L	MW201 (RGA)	11/19/20	FALSE	6.57	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW201 (RGA)	03/01/10	FALSE	1	5
Trichloroethene	ug/L	MW201 (RGA)	08/16/10	TRUE	1.3	5
Trichloroethene	ug/L	MW201 (RGA)	06/09/11	TRUE	1.4	5
Trichloroethene	ug/L	MW201 (RGA)	12/06/12	TRUE	2.2	5
Trichloroethene	ug/L	MW201 (RGA)	03/14/13	TRUE	1.9	5
Trichloroethene	ug/L	MW201 (RGA)	05/03/13	TRUE	2.2	5
Trichloroethene	ug/L	MW201 (RGA)	06/07/13	TRUE	1.6	5
Trichloroethene	ug/L	MW201 (RGA)	09/10/13	TRUE	1.3	5
Trichloroethene	ug/L	MW201 (RGA)	11/13/13	TRUE	1.7	5
Trichloroethene	ug/L	MW201 (RGA)	02/12/14	TRUE	1.5	5
Trichloroethene	ug/L	MW201 (RGA)	05/06/14	TRUE	1.24	5
Trichloroethene	ug/L	MW201 (RGA)	08/19/14	TRUE	0.92	5
Trichloroethene	ug/L	MW201 (RGA)	11/19/14	TRUE	1.01	5
Trichloroethene	ug/L	MW201 (RGA)	02/11/15	TRUE	0.85	5
Trichloroethene	ug/L	MW201 (RGA)	05/12/15	TRUE	0.82	5
Trichloroethene	ug/L	MW201 (RGA)	05/13/15	TRUE	1.06	5
Trichloroethene	ug/L	MW201 (RGA)	08/11/15	TRUE	0.66	5
Trichloroethene	ug/L	MW201 (RGA)	11/16/15	TRUE	0.74	5
Trichloroethene	ug/L	MW201 (RGA)	02/10/16	TRUE	0.83	5
Trichloroethene	ug/L	MW201 (RGA)	05/10/16	TRUE	0.61	5
Trichloroethene	ug/L	MW201 (RGA)	08/16/16	TRUE	0.67	5
Trichloroethene	ug/L	MW201 (RGA)	11/16/16	TRUE	0.55	5
Trichloroethene	ug/L	MW201 (RGA)	02/14/17	TRUE	0.55	5
Trichloroethene	ug/L	MW201 (RGA)	05/16/17	TRUE	0.6	5
Trichloroethene	ug/L	MW201 (RGA)	08/28/17	TRUE	0.58	5
Trichloroethene	ug/L	MW201 (RGA)	11/07/17	TRUE	0.68	5
Trichloroethene	ug/L	MW201 (RGA)	02/13/18	TRUE	0.75	5
Trichloroethene	ug/L	MW201 (RGA)	05/02/18	TRUE	1.19	5
Trichloroethene	ug/L	MW201 (RGA)	08/14/18	TRUE	0.56	5
Trichloroethene	ug/L	MW201 (RGA)	11/14/18	TRUE	0.56	5
Trichloroethene	ug/L	MW201 (RGA)	02/11/19	TRUE	0.43	5
Trichloroethene	ug/L	MW201 (RGA)	04/30/19	TRUE	0.6	5
Trichloroethene	ug/L	MW201 (RGA)	05/21/19	TRUE	0.48	5
Trichloroethene	ug/L	MW201 (RGA)	08/19/19	TRUE	0.44	5
Trichloroethene	ug/L	MW201 (RGA)	02/25/20	TRUE	0.53	5
Trichloroethene	ug/L	MW201 (RGA)	05/11/20	TRUE	0.45	5
Trichloroethene	ug/L	MW201 (RGA)	08/12/20	TRUE	0.52	5
Trichloroethene	ug/L	MW201 (RGA)	11/19/20	TRUE	0.52	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW202 (RGA)	03/02/10	FALSE	-19.9	900
Technetium-99	pCi/L	MW202 (RGA)	08/16/10	FALSE	0.529	900
Technetium-99	pCi/L	MW202 (RGA)	06/09/11	FALSE	-3.93	900
Technetium-99	pCi/L	MW202 (RGA)	12/11/12	FALSE	2.38	900
Technetium-99	pCi/L	MW202 (RGA)	05/03/13	FALSE	4.28	900
Technetium-99	pCi/L	MW202 (RGA)	11/13/13	TRUE	31.7	900
Technetium-99	pCi/L	MW202 (RGA)	02/12/14	FALSE	4.42	900
Technetium-99	pCi/L	MW202 (RGA)	05/06/14	FALSE	6.35	900
Technetium-99	pCi/L	MW202 (RGA)	08/19/14	FALSE	6.26	900
Technetium-99	pCi/L	MW202 (RGA)	11/18/14	FALSE	0.243	900
Technetium-99	pCi/L	MW202 (RGA)	02/11/15	FALSE	-4.07	900
Technetium-99	pCi/L	MW202 (RGA)	05/13/15	FALSE	-4.02	900
Technetium-99	pCi/L	MW202 (RGA)	05/19/15	FALSE	-9.08	900
Technetium-99	pCi/L	MW202 (RGA)	08/11/15	FALSE	16.2	900
Technetium-99	pCi/L	MW202 (RGA)	11/16/15	FALSE	-3.76	900
Technetium-99	pCi/L	MW202 (RGA)	02/10/16	FALSE	-1.17	900
Technetium-99	pCi/L	MW202 (RGA)	05/10/16	FALSE	-4.95	900
Technetium-99	pCi/L	MW202 (RGA)	08/16/16	FALSE	-17.2	900
Technetium-99	pCi/L	MW202 (RGA)	11/16/16	FALSE	-0.379	900
Technetium-99	pCi/L	MW202 (RGA)	02/14/17	FALSE	7.98	900
Technetium-99	pCi/L	MW202 (RGA)	05/16/17	FALSE	5.05	900
Technetium-99	pCi/L	MW202 (RGA)	08/28/17	FALSE	1.69	900
Technetium-99	pCi/L	MW202 (RGA)	11/07/17	FALSE	4.62	900
Technetium-99	pCi/L	MW202 (RGA)	02/13/18	FALSE	-6.34	900
Technetium-99	pCi/L	MW202 (RGA)	05/02/18	FALSE	-6.89	900
Technetium-99	pCi/L	MW202 (RGA)	08/13/18	FALSE	0.54	900
Technetium-99	pCi/L	MW202 (RGA)	11/19/20	FALSE	2.87	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW202 (RGA)	03/02/10	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	08/16/10	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	06/09/11	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	12/11/12	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	03/20/13	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	05/03/13	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	06/07/13	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	09/10/13	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	11/13/13	TRUE	1.3	5
Trichloroethene	ug/L	MW202 (RGA)	02/12/14	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	05/06/14	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	08/19/14	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	11/18/14	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	02/11/15	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	05/13/15	TRUE	0.33	5
Trichloroethene	ug/L	MW202 (RGA)	05/19/15	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	05/19/15	TRUE	0.79	5
Trichloroethene	ug/L	MW202 (RGA)	08/11/15	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	11/16/15	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	02/10/16	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	05/10/16	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	08/16/16	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	11/16/16	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	02/14/17	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	05/16/17	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	08/28/17	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	11/07/17	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	02/13/18	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	05/02/18	TRUE	0.93	5
Trichloroethene	ug/L	MW202 (RGA)	08/13/18	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	11/14/18	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	02/11/19	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	04/30/19	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	05/21/19	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	08/19/19	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	02/25/20	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	05/11/20	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	08/12/20	FALSE	1	5
Trichloroethene	ug/L	MW202 (RGA)	11/19/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW203 (RGA)	03/09/10	TRUE	84.8	900
Technetium-99	pCi/L	MW203 (RGA)	09/07/10	TRUE	107	900
Technetium-99	pCi/L	MW203 (RGA)	05/12/11	TRUE	120	900
Technetium-99	pCi/L	MW203 (RGA)	05/14/12	TRUE	139	900
Technetium-99	pCi/L	MW203 (RGA)	08/27/12	TRUE	103	900
Technetium-99	pCi/L	MW203 (RGA)	09/05/12	TRUE	109	900
Technetium-99	pCi/L	MW203 (RGA)	09/12/12	TRUE	104	900
Technetium-99	pCi/L	MW203 (RGA)	10/22/12	TRUE	101	900
Technetium-99	pCi/L	MW203 (RGA)	05/08/13	TRUE	82.1	900
Technetium-99	pCi/L	MW203 (RGA)	05/14/14	TRUE	91	900
Technetium-99	pCi/L	MW203 (RGA)	08/25/15	TRUE	80.3	900
Technetium-99	pCi/L	MW203 (RGA)	05/24/16	TRUE	82.1	900
Technetium-99	pCi/L	MW203 (RGA)	05/23/17	TRUE	60.8	900
Technetium-99	pCi/L	MW203 (RGA)	05/14/18	TRUE	110	900
Technetium-99	pCi/L	MW203 (RGA)	05/16/19	TRUE	86.7	900
Technetium-99	pCi/L	MW203 (RGA)	05/20/20	TRUE	89.1	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW203 (RGA)	03/09/10	TRUE	100	5
Trichloroethene	ug/L	MW203 (RGA)	09/07/10	TRUE	82	5
Trichloroethene	ug/L	MW203 (RGA)	05/12/11	TRUE	130	5
Trichloroethene	ug/L	MW203 (RGA)	05/14/12	TRUE	130	5
Trichloroethene	ug/L	MW203 (RGA)	09/05/12	TRUE	72	5
Trichloroethene	ug/L	MW203 (RGA)	09/12/12	TRUE	85	5
Trichloroethene	ug/L	MW203 (RGA)	10/22/12	TRUE	110	5
Trichloroethene	ug/L	MW203 (RGA)	05/08/13	TRUE	84	5
Trichloroethene	ug/L	MW203 (RGA)	05/14/14	TRUE	88.3	5
Trichloroethene	ug/L	MW203 (RGA)	08/25/15	TRUE	68.5	5
Trichloroethene	ug/L	MW203 (RGA)	05/24/16	TRUE	81.8	5
Trichloroethene	ug/L	MW203 (RGA)	05/23/17	TRUE	76	5
Trichloroethene	ug/L	MW203 (RGA)	05/14/18	TRUE	61.8	5
Trichloroethene	ug/L	MW203 (RGA)	08/29/18	TRUE	62.8	5
Trichloroethene	ug/L	MW203 (RGA)	05/16/19	TRUE	81.1	5
Trichloroethene	ug/L	MW203 (RGA)	05/20/20	TRUE	69.5	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW205 (RGA)	03/05/10	FALSE	-8.12	900
Technetium-99	pCi/L	MW205 (RGA)	09/02/10	FALSE	8.5	900
Technetium-99	pCi/L	MW205 (RGA)	05/11/11	FALSE	-11.9	900
Technetium-99	pCi/L	MW205 (RGA)	05/14/13	FALSE	6.81	900
Technetium-99	pCi/L	MW205 (RGA)	06/01/15	FALSE	-6.24	900
Technetium-99	pCi/L	MW205 (RGA)	05/23/17	FALSE	16	900
Technetium-99	pCi/L	MW205 (RGA)	05/08/19	FALSE	6.96	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW205 (RGA)	03/05/10	TRUE	2	5
Trichloroethene	ug/L	MW205 (RGA)	09/02/10	FALSE	1	5
Trichloroethene	ug/L	MW205 (RGA)	05/11/11	TRUE	23	5
Trichloroethene	ug/L	MW205 (RGA)	05/14/13	TRUE	22	5
Trichloroethene	ug/L	MW205 (RGA)	06/01/15	TRUE	0.33	5
Trichloroethene	ug/L	MW205 (RGA)	05/23/17	TRUE	1.74	5
Trichloroethene	ug/L	MW205 (RGA)	05/08/19	TRUE	0.41	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW206 (RGA)	03/05/10	TRUE	23.4	900
Technetium-99	pCi/L	MW206 (RGA)	09/07/10	TRUE	19	900
Technetium-99	pCi/L	MW206 (RGA)	05/11/11	TRUE	20.3	900
Technetium-99	pCi/L	MW206 (RGA)	05/10/12	TRUE	39.7	900
Technetium-99	pCi/L	MW206 (RGA)	05/08/13	TRUE	28.8	900
Technetium-99	pCi/L	MW206 (RGA)	05/14/14	TRUE	42.3	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW206 (RGA)	03/05/10	FALSE	1	5
Trichloroethene	ug/L	MW206 (RGA)	09/07/10	FALSE	1	5
Trichloroethene	ug/L	MW206 (RGA)	05/11/11	FALSE	1	5
Trichloroethene	ug/L	MW206 (RGA)	05/10/12	FALSE	1	5
Trichloroethene	ug/L	MW206 (RGA)	05/08/13	FALSE	1	5
Trichloroethene	ug/L	MW206 (RGA)	05/14/14	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW220 (RGA)	01/12/10	FALSE	12.7	900
Technetium-99	pCi/L	MW220 (RGA)	04/12/10	TRUE	21.9	900
Technetium-99	pCi/L	MW220 (RGA)	07/12/10	FALSE	4.49	900
Technetium-99	pCi/L	MW220 (RGA)	10/12/10	FALSE	17.3	900
Technetium-99	pCi/L	MW220 (RGA)	01/06/11	TRUE	26.1	900
Technetium-99	pCi/L	MW220 (RGA)	04/06/11	TRUE	23.3	900
Technetium-99	pCi/L	MW220 (RGA)	07/19/11	TRUE	24.2	900
Technetium-99	pCi/L	MW220 (RGA)	10/06/11	TRUE	21.6	900
Technetium-99	pCi/L	MW220 (RGA)	01/05/12	FALSE	9.05	900
Technetium-99	pCi/L	MW220 (RGA)	04/03/12	TRUE	15.9	900
Technetium-99	pCi/L	MW220 (RGA)	07/10/12	FALSE	13.5	900
Technetium-99	pCi/L	MW220 (RGA)	10/24/12	FALSE	4.03	900
Technetium-99	pCi/L	MW220 (RGA)	01/15/13	FALSE	13.6	900
Technetium-99	pCi/L	MW220 (RGA)	04/17/13	FALSE	6.61	900
Technetium-99	pCi/L	MW220 (RGA)	07/15/13	TRUE	21.3	900
Technetium-99	pCi/L	MW220 (RGA)	10/01/13	TRUE	20.7	900
Technetium-99	pCi/L	MW220 (RGA)	01/22/14	TRUE	32.1	900
Technetium-99	pCi/L	MW220 (RGA)	04/07/14	TRUE	24.8	900
Technetium-99	pCi/L	MW220 (RGA)	07/17/14	FALSE	12.1	900
Technetium-99	pCi/L	MW220 (RGA)	10/21/14	TRUE	35	900
Technetium-99	pCi/L	MW220 (RGA)	01/05/15	TRUE	32.5	900
Technetium-99	pCi/L	MW220 (RGA)	04/14/15	FALSE	12.2	900
Technetium-99	pCi/L	MW220 (RGA)	07/15/15	FALSE	14.8	900
Technetium-99	pCi/L	MW220 (RGA)	10/15/15	FALSE	11.6	900
Technetium-99	pCi/L	MW220 (RGA)	01/05/16	FALSE	18.4	900
Technetium-99	pCi/L	MW220 (RGA)	04/12/16	FALSE	13	900
Technetium-99	pCi/L	MW220 (RGA)	07/19/16	TRUE	28.9	900
Technetium-99	pCi/L	MW220 (RGA)	10/10/16	FALSE	12.3	900
Technetium-99	pCi/L	MW220 (RGA)	01/11/17	TRUE	23.2	900
Technetium-99	pCi/L	MW220 (RGA)	04/19/17	TRUE	20.7	900
Technetium-99	pCi/L	MW220 (RGA)	07/19/17	TRUE	22.7	900
Technetium-99	pCi/L	MW220 (RGA)	10/09/17	TRUE	18.3	900
Technetium-99	pCi/L	MW220 (RGA)	01/23/18	TRUE	27.4	900
Technetium-99	pCi/L	MW220 (RGA)	04/17/18	TRUE	19.9	900
Technetium-99	pCi/L	MW220 (RGA)	07/19/18	FALSE	14	900
Technetium-99	pCi/L	MW220 (RGA)	10/15/18	TRUE	20.8	900
Technetium-99	pCi/L	MW220 (RGA)	01/22/19	TRUE	19.4	900
Technetium-99	pCi/L	MW220 (RGA)	04/16/19	TRUE	17.1	900
Technetium-99	pCi/L	MW220 (RGA)	07/16/19	TRUE	27.8	900
Technetium-99	pCi/L	MW220 (RGA)	10/08/19	TRUE	27	900
Technetium-99	pCi/L	MW220 (RGA)	01/22/20	FALSE	12	900
Technetium-99	pCi/L	MW220 (RGA)	04/21/20	TRUE	18.7	900
Technetium-99	pCi/L	MW220 (RGA)	07/28/20	FALSE	19	900
Technetium-99	pCi/L	MW220 (RGA)	10/14/20	FALSE	16.7	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW220 (RGA)	01/12/10	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	04/12/10	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	07/12/10	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	10/12/10	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	01/06/11	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	04/06/11	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	07/19/11	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	10/06/11	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	01/05/12	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	04/03/12	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	07/10/12	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	10/24/12	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	01/15/13	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	04/17/13	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	07/15/13	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	10/01/13	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	01/22/14	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	04/07/14	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	07/17/14	TRUE	0.68	5
Trichloroethene	ug/L	MW220 (RGA)	10/21/14	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	01/05/15	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	04/14/15	TRUE	0.43	5
Trichloroethene	ug/L	MW220 (RGA)	07/15/15	TRUE	7.62	5
Trichloroethene	ug/L	MW220 (RGA)	09/03/15	TRUE	0.51	5
Trichloroethene	ug/L	MW220 (RGA)	10/15/15	TRUE	0.31	5
Trichloroethene	ug/L	MW220 (RGA)	01/05/16	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	04/12/16	TRUE	2.87	5
Trichloroethene	ug/L	MW220 (RGA)	07/19/16	TRUE	0.78	5
Trichloroethene	ug/L	MW220 (RGA)	10/10/16	TRUE	0.63	5
Trichloroethene	ug/L	MW220 (RGA)	01/11/17	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	04/19/17	TRUE	0.48	5
Trichloroethene	ug/L	MW220 (RGA)	07/19/17	TRUE	2.64	5
Trichloroethene	ug/L	MW220 (RGA)	10/09/17	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	01/23/18	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	04/17/18	TRUE	0.9	5
Trichloroethene	ug/L	MW220 (RGA)	07/19/18	TRUE	1.91	5
Trichloroethene	ug/L	MW220 (RGA)	10/15/18	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	01/22/19	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	04/16/19	TRUE	1.05	5
Trichloroethene	ug/L	MW220 (RGA)	07/16/19	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	10/08/19	TRUE	1.57	5
Trichloroethene	ug/L	MW220 (RGA)	03/18/20	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	04/21/20	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	07/28/20	FALSE	1	5
Trichloroethene	ug/L	MW220 (RGA)	10/14/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW221 (RGA)	01/12/10	FALSE	14.6	900
Technetium-99	pCi/L	MW221 (RGA)	04/12/10	TRUE	19.7	900
Technetium-99	pCi/L	MW221 (RGA)	07/12/10	FALSE	-9.7	900
Technetium-99	pCi/L	MW221 (RGA)	10/04/10	FALSE	-1.16	900
Technetium-99	pCi/L	MW221 (RGA)	01/05/11	TRUE	19.9	900
Technetium-99	pCi/L	MW221 (RGA)	04/06/11	TRUE	22.6	900
Technetium-99	pCi/L	MW221 (RGA)	07/19/11	TRUE	19.7	900
Technetium-99	pCi/L	MW221 (RGA)	10/04/11	FALSE	2.02	900
Technetium-99	pCi/L	MW221 (RGA)	01/03/12	FALSE	5.37	900
Technetium-99	pCi/L	MW221 (RGA)	04/02/12	FALSE	-4.23	900
Technetium-99	pCi/L	MW221 (RGA)	07/12/12	FALSE	-2.77	900
Technetium-99	pCi/L	MW221 (RGA)	10/24/12	FALSE	-4.87	900
Technetium-99	pCi/L	MW221 (RGA)	01/17/13	FALSE	-2.3	900
Technetium-99	pCi/L	MW221 (RGA)	04/18/13	FALSE	10.3	900
Technetium-99	pCi/L	MW221 (RGA)	07/15/13	FALSE	7.08	900
Technetium-99	pCi/L	MW221 (RGA)	10/01/13	FALSE	7.21	900
Technetium-99	pCi/L	MW221 (RGA)	01/21/14	TRUE	17.3	900
Technetium-99	pCi/L	MW221 (RGA)	04/07/14	FALSE	12.1	900
Technetium-99	pCi/L	MW221 (RGA)	07/15/14	FALSE	2.71	900
Technetium-99	pCi/L	MW221 (RGA)	10/21/14	FALSE	4.53	900
Technetium-99	pCi/L	MW221 (RGA)	01/07/15	FALSE	17.5	900
Technetium-99	pCi/L	MW221 (RGA)	04/14/15	FALSE	9.33	900
Technetium-99	pCi/L	MW221 (RGA)	07/15/15	FALSE	12.3	900
Technetium-99	pCi/L	MW221 (RGA)	10/15/15	FALSE	5.58	900
Technetium-99	pCi/L	MW221 (RGA)	01/05/16	FALSE	16	900
Technetium-99	pCi/L	MW221 (RGA)	04/13/16	TRUE	43.8	900
Technetium-99	pCi/L	MW221 (RGA)	07/20/16	FALSE	14.3	900
Technetium-99	pCi/L	MW221 (RGA)	10/12/16	FALSE	18	900
Technetium-99	pCi/L	MW221 (RGA)	01/05/17	FALSE	14.8	900
Technetium-99	pCi/L	MW221 (RGA)	04/20/17	FALSE	16	900
Technetium-99	pCi/L	MW221 (RGA)	07/19/17	TRUE	25.7	900
Technetium-99	pCi/L	MW221 (RGA)	10/10/17	TRUE	17.8	900
Technetium-99	pCi/L	MW221 (RGA)	01/23/18	FALSE	-0.215	900
Technetium-99	pCi/L	MW221 (RGA)	04/17/18	FALSE	15.2	900
Technetium-99	pCi/L	MW221 (RGA)	04/17/18	TRUE	22.5	900
Technetium-99	pCi/L	MW221 (RGA)	07/19/18	TRUE	22.8	900
Technetium-99	pCi/L	MW221 (RGA)	10/15/18	FALSE	7.17	900
Technetium-99	pCi/L	MW221 (RGA)	01/22/19	FALSE	13.9	900
Technetium-99	pCi/L	MW221 (RGA)	04/16/19	FALSE	14.4	900
Technetium-99	pCi/L	MW221 (RGA)	07/17/19	FALSE	15.9	900
Technetium-99	pCi/L	MW221 (RGA)	10/08/19	FALSE	8.47	900
Technetium-99	pCi/L	MW221 (RGA)	01/22/20	FALSE	3.54	900
Technetium-99	pCi/L	MW221 (RGA)	04/16/20	FALSE	12.8	900
Technetium-99	pCi/L	MW221 (RGA)	07/28/20	FALSE	12.7	900
Technetium-99	pCi/L	MW221 (RGA)	10/14/20	FALSE	4.94	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW221 (RGA)	01/12/10	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	04/12/10	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	07/12/10	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	10/04/10	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	01/05/11	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	04/06/11	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	07/19/11	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	10/04/11	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	01/03/12	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	04/02/12	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	07/12/12	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	10/24/12	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	01/17/13	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	04/18/13	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	07/15/13	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	10/01/13	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	01/21/14	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	04/07/14	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	07/15/14	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	10/21/14	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	01/07/15	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	04/14/15	TRUE	1.62	5
Trichloroethene	ug/L	MW221 (RGA)	07/15/15	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	10/15/15	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	01/05/16	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	04/13/16	TRUE	0.45	5
Trichloroethene	ug/L	MW221 (RGA)	07/20/16	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	10/12/16	TRUE	0.51	5
Trichloroethene	ug/L	MW221 (RGA)	01/05/17	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	04/20/17	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	07/19/17	TRUE	0.34	5
Trichloroethene	ug/L	MW221 (RGA)	10/10/17	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	01/23/18	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	04/17/18	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	07/19/18	TRUE	0.36	5
Trichloroethene	ug/L	MW221 (RGA)	10/15/18	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	01/22/19	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	04/16/19	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	07/17/19	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	10/08/19	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	01/22/20	TRUE	1.62	5
Trichloroethene	ug/L	MW221 (RGA)	04/16/20	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	07/28/20	FALSE	1	5
Trichloroethene	ug/L	MW221 (RGA)	10/14/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW222 (RGA)	01/12/10	FALSE	1.86	900
Technetium-99	pCi/L	MW222 (RGA)	04/12/10	FALSE	13.7	900
Technetium-99	pCi/L	MW222 (RGA)	07/09/10	FALSE	4.49	900
Technetium-99	pCi/L	MW222 (RGA)	10/12/10	FALSE	-0.165	900
Technetium-99	pCi/L	MW222 (RGA)	01/05/11	TRUE	18.7	900
Technetium-99	pCi/L	MW222 (RGA)	04/06/11	FALSE	12.9	900
Technetium-99	pCi/L	MW222 (RGA)	07/18/11	FALSE	10.4	900
Technetium-99	pCi/L	MW222 (RGA)	10/04/11	FALSE	8.4	900
Technetium-99	pCi/L	MW222 (RGA)	01/03/12	FALSE	-9.77	900
Technetium-99	pCi/L	MW222 (RGA)	04/04/12	FALSE	2.33	900
Technetium-99	pCi/L	MW222 (RGA)	07/12/12	FALSE	-8.38	900
Technetium-99	pCi/L	MW222 (RGA)	01/16/13	FALSE	-6.05	900
Technetium-99	pCi/L	MW222 (RGA)	04/18/13	FALSE	3.39	900
Technetium-99	pCi/L	MW222 (RGA)	07/11/13	FALSE	8.25	900
Technetium-99	pCi/L	MW222 (RGA)	10/02/13	FALSE	5.72	900
Technetium-99	pCi/L	MW222 (RGA)	01/21/14	FALSE	1.19	900
Technetium-99	pCi/L	MW222 (RGA)	04/07/14	FALSE	18.5	900
Technetium-99	pCi/L	MW222 (RGA)	07/16/14	FALSE	3.29	900
Technetium-99	pCi/L	MW222 (RGA)	10/21/14	FALSE	2.22	900
Technetium-99	pCi/L	MW222 (RGA)	01/06/15	FALSE	15.2	900
Technetium-99	pCi/L	MW222 (RGA)	04/14/15	FALSE	6.65	900
Technetium-99	pCi/L	MW222 (RGA)	07/15/15	FALSE	-0.133	900
Technetium-99	pCi/L	MW222 (RGA)	10/15/15	FALSE	-1.96	900
Technetium-99	pCi/L	MW222 (RGA)	01/05/16	FALSE	12.4	900
Technetium-99	pCi/L	MW222 (RGA)	04/13/16	FALSE	3.42	900
Technetium-99	pCi/L	MW222 (RGA)	07/20/16	FALSE	5.82	900
Technetium-99	pCi/L	MW222 (RGA)	10/13/16	FALSE	0.0157	900
Technetium-99	pCi/L	MW222 (RGA)	01/05/17	FALSE	11.3	900
Technetium-99	pCi/L	MW222 (RGA)	04/19/17	FALSE	9.72	900
Technetium-99	pCi/L	MW222 (RGA)	07/19/17	FALSE	2.36	900
Technetium-99	pCi/L	MW222 (RGA)	10/10/17	FALSE	5.88	900
Technetium-99	pCi/L	MW222 (RGA)	01/23/18	FALSE	-1.44	900
Technetium-99	pCi/L	MW222 (RGA)	04/17/18	FALSE	7.88	900
Technetium-99	pCi/L	MW222 (RGA)	07/19/18	FALSE	10.2	900
Technetium-99	pCi/L	MW222 (RGA)	10/15/18	FALSE	3.63	900
Technetium-99	pCi/L	MW222 (RGA)	01/22/19	FALSE	4.63	900
Technetium-99	pCi/L	MW222 (RGA)	04/16/19	FALSE	2.01	900
Technetium-99	pCi/L	MW222 (RGA)	07/17/19	FALSE	9.95	900
Technetium-99	pCi/L	MW222 (RGA)	10/08/19	FALSE	2.62	900
Technetium-99	pCi/L	MW222 (RGA)	01/22/20	FALSE	9.05	900
Technetium-99	pCi/L	MW222 (RGA)	04/16/20	FALSE	0.923	900
Technetium-99	pCi/L	MW222 (RGA)	07/28/20	FALSE	-5.08	900
Technetium-99	pCi/L	MW222 (RGA)	10/14/20	FALSE	4.98	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW222 (RGA)	01/12/10	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	04/12/10	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	07/09/10	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	10/12/10	TRUE	1.6	5
Trichloroethene	ug/L	MW222 (RGA)	01/05/11	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	04/06/11	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	07/18/11	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	10/04/11	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	01/03/12	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	04/04/12	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	07/12/12	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	01/16/13	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	04/18/13	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	07/11/13	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	10/02/13	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	01/21/14	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	04/07/14	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	07/16/14	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	10/21/14	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	01/06/15	TRUE	0.64	5
Trichloroethene	ug/L	MW222 (RGA)	04/14/15	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	07/15/15	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	10/15/15	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	01/05/16	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	04/13/16	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	07/20/16	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	10/13/16	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	01/05/17	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	04/19/17	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	07/19/17	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	10/10/17	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	01/23/18	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	04/17/18	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	07/19/18	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	10/15/18	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	01/22/19	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	04/16/19	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	07/17/19	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	10/08/19	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	03/18/20	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	04/16/20	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	07/28/20	FALSE	1	5
Trichloroethene	ug/L	MW222 (RGA)	10/14/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW223 (RGA)	01/12/10	FALSE	-0.644	900
Technetium-99	pCi/L	MW223 (RGA)	04/12/10	FALSE	5.96	900
Technetium-99	pCi/L	MW223 (RGA)	07/09/10	FALSE	-9.15	900
Technetium-99	pCi/L	MW223 (RGA)	10/18/10	TRUE	19.6	900
Technetium-99	pCi/L	MW223 (RGA)	01/05/11	FALSE	15	900
Technetium-99	pCi/L	MW223 (RGA)	04/06/11	FALSE	12.2	900
Technetium-99	pCi/L	MW223 (RGA)	07/19/11	FALSE	11.9	900
Technetium-99	pCi/L	MW223 (RGA)	10/04/11	FALSE	5.37	900
Technetium-99	pCi/L	MW223 (RGA)	01/05/12	FALSE	5.88	900
Technetium-99	pCi/L	MW223 (RGA)	04/02/12	FALSE	0.104	900
Technetium-99	pCi/L	MW223 (RGA)	07/12/12	FALSE	-8	900
Technetium-99	pCi/L	MW223 (RGA)	10/24/12	FALSE	-7.61	900
Technetium-99	pCi/L	MW223 (RGA)	01/16/13	FALSE	3.45	900
Technetium-99	pCi/L	MW223 (RGA)	04/18/13	FALSE	1.39	900
Technetium-99	pCi/L	MW223 (RGA)	07/11/13	FALSE	15.4	900
Technetium-99	pCi/L	MW223 (RGA)	10/01/13	FALSE	8.37	900
Technetium-99	pCi/L	MW223 (RGA)	01/21/14	TRUE	17.5	900
Technetium-99	pCi/L	MW223 (RGA)	04/07/14	FALSE	19.9	900
Technetium-99	pCi/L	MW223 (RGA)	07/15/14	FALSE	2.57	900
Technetium-99	pCi/L	MW223 (RGA)	10/21/14	FALSE	10.6	900
Technetium-99	pCi/L	MW223 (RGA)	01/05/15	FALSE	16.8	900
Technetium-99	pCi/L	MW223 (RGA)	04/21/15	FALSE	11.9	900
Technetium-99	pCi/L	MW223 (RGA)	07/15/15	FALSE	-2.14	900
Technetium-99	pCi/L	MW223 (RGA)	10/15/15	FALSE	-5.43	900
Technetium-99	pCi/L	MW223 (RGA)	01/05/16	FALSE	-1.08	900
Technetium-99	pCi/L	MW223 (RGA)	04/13/16	FALSE	8.97	900
Technetium-99	pCi/L	MW223 (RGA)	07/20/16	FALSE	5.76	900
Technetium-99	pCi/L	MW223 (RGA)	10/13/16	FALSE	3.25	900
Technetium-99	pCi/L	MW223 (RGA)	01/05/17	FALSE	5.58	900
Technetium-99	pCi/L	MW223 (RGA)	04/19/17	FALSE	-0.985	900
Technetium-99	pCi/L	MW223 (RGA)	07/19/17	FALSE	10.2	900
Technetium-99	pCi/L	MW223 (RGA)	10/10/17	FALSE	8.84	900
Technetium-99	pCi/L	MW223 (RGA)	01/23/18	FALSE	4.08	900
Technetium-99	pCi/L	MW223 (RGA)	04/17/18	FALSE	12.1	900
Technetium-99	pCi/L	MW223 (RGA)	07/19/18	FALSE	0.758	900
Technetium-99	pCi/L	MW223 (RGA)	10/15/18	FALSE	3.91	900
Technetium-99	pCi/L	MW223 (RGA)	01/22/19	FALSE	17	900
Technetium-99	pCi/L	MW223 (RGA)	04/16/19	FALSE	9.75	900
Technetium-99	pCi/L	MW223 (RGA)	07/16/19	FALSE	-4.01	900
Technetium-99	pCi/L	MW223 (RGA)	10/08/19	FALSE	7.62	900
Technetium-99	pCi/L	MW223 (RGA)	01/22/20	FALSE	6.1	900
Technetium-99	pCi/L	MW223 (RGA)	04/16/20	FALSE	5.66	900
Technetium-99	pCi/L	MW223 (RGA)	07/28/20	FALSE	0.866	900
Technetium-99	pCi/L	MW223 (RGA)	10/14/20	FALSE	7.93	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW223 (RGA)	01/12/10	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	04/12/10	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	07/09/10	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	10/18/10	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	01/05/11	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	04/06/11	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	07/19/11	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	10/04/11	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	01/05/12	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	04/02/12	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	07/12/12	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	10/24/12	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	01/16/13	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	04/18/13	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	07/11/13	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	10/01/13	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	01/21/14	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	04/07/14	TRUE	0.39	5
Trichloroethene	ug/L	MW223 (RGA)	07/15/14	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	10/21/14	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	01/05/15	TRUE	1.14	5
Trichloroethene	ug/L	MW223 (RGA)	04/21/15	TRUE	2.17	5
Trichloroethene	ug/L	MW223 (RGA)	07/15/15	TRUE	0.62	5
Trichloroethene	ug/L	MW223 (RGA)	10/15/15	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	01/05/16	TRUE	0.34	5
Trichloroethene	ug/L	MW223 (RGA)	04/13/16	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	07/20/16	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	10/13/16	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	01/05/17	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	04/19/17	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	07/19/17	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	10/10/17	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	01/23/18	TRUE	0.84	5
Trichloroethene	ug/L	MW223 (RGA)	04/17/18	TRUE	4.4	5
Trichloroethene	ug/L	MW223 (RGA)	07/19/18	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	10/15/18	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	01/22/19	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	04/16/19	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	07/16/19	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	10/08/19	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	03/18/20	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	04/16/20	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	07/28/20	FALSE	1	5
Trichloroethene	ug/L	MW223 (RGA)	10/14/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW224 (RGA)	01/12/10	FALSE	3.11	900
Technetium-99	pCi/L	MW224 (RGA)	04/13/10	FALSE	3.04	900
Technetium-99	pCi/L	MW224 (RGA)	07/09/10	FALSE	-16.5	900
Technetium-99	pCi/L	MW224 (RGA)	10/08/10	FALSE	3.3	900
Technetium-99	pCi/L	MW224 (RGA)	01/05/11	TRUE	16.8	900
Technetium-99	pCi/L	MW224 (RGA)	04/11/11	TRUE	15.4	900
Technetium-99	pCi/L	MW224 (RGA)	07/18/11	TRUE	13	900
Technetium-99	pCi/L	MW224 (RGA)	10/06/11	FALSE	1.38	900
Technetium-99	pCi/L	MW224 (RGA)	01/04/12	FALSE	-11	900
Technetium-99	pCi/L	MW224 (RGA)	04/03/12	FALSE	-1.93	900
Technetium-99	pCi/L	MW224 (RGA)	07/11/12	FALSE	0.213	900
Technetium-99	pCi/L	MW224 (RGA)	10/25/12	FALSE	-16.1	900
Technetium-99	pCi/L	MW224 (RGA)	01/17/13	FALSE	0.751	900
Technetium-99	pCi/L	MW224 (RGA)	04/17/13	FALSE	3.89	900
Technetium-99	pCi/L	MW224 (RGA)	07/15/13	FALSE	11	900
Technetium-99	pCi/L	MW224 (RGA)	10/02/13	FALSE	5.83	900
Technetium-99	pCi/L	MW224 (RGA)	01/21/14	TRUE	26.3	900
Technetium-99	pCi/L	MW224 (RGA)	04/07/14	FALSE	17.6	900
Technetium-99	pCi/L	MW224 (RGA)	07/16/14	FALSE	7	900
Technetium-99	pCi/L	MW224 (RGA)	10/22/14	FALSE	11.9	900
Technetium-99	pCi/L	MW224 (RGA)	01/06/15	FALSE	9.13	900
Technetium-99	pCi/L	MW224 (RGA)	04/21/15	FALSE	2.19	900
Technetium-99	pCi/L	MW224 (RGA)	07/15/15	FALSE	9.12	900
Technetium-99	pCi/L	MW224 (RGA)	10/15/15	FALSE	-11	900
Technetium-99	pCi/L	MW224 (RGA)	01/05/16	FALSE	8.18	900
Technetium-99	pCi/L	MW224 (RGA)	04/14/16	FALSE	-2.81	900
Technetium-99	pCi/L	MW224 (RGA)	07/20/16	FALSE	9.75	900
Technetium-99	pCi/L	MW224 (RGA)	10/11/16	FALSE	5.9	900
Technetium-99	pCi/L	MW224 (RGA)	01/11/17	FALSE	0.195	900
Technetium-99	pCi/L	MW224 (RGA)	04/19/17	FALSE	-2.54	900
Technetium-99	pCi/L	MW224 (RGA)	07/19/17	FALSE	9.36	900
Technetium-99	pCi/L	MW224 (RGA)	07/19/17	TRUE	20.3	900
Technetium-99	pCi/L	MW224 (RGA)	10/10/17	FALSE	5.36	900
Technetium-99	pCi/L	MW224 (RGA)	01/23/18	FALSE	1.89	900
Technetium-99	pCi/L	MW224 (RGA)	04/17/18	FALSE	0.389	900
Technetium-99	pCi/L	MW224 (RGA)	07/19/18	FALSE	7.24	900
Technetium-99	pCi/L	MW224 (RGA)	10/15/18	FALSE	3.72	900
Technetium-99	pCi/L	MW224 (RGA)	01/22/19	FALSE	12.2	900
Technetium-99	pCi/L	MW224 (RGA)	04/16/19	FALSE	5.63	900
Technetium-99	pCi/L	MW224 (RGA)	07/17/19	FALSE	11.4	900
Technetium-99	pCi/L	MW224 (RGA)	10/09/19	FALSE	10.4	900
Technetium-99	pCi/L	MW224 (RGA)	01/22/20	FALSE	8.41	900
Technetium-99	pCi/L	MW224 (RGA)	04/16/20	FALSE	10.7	900
Technetium-99	pCi/L	MW224 (RGA)	07/28/20	FALSE	1.12	900
Technetium-99	pCi/L	MW224 (RGA)	10/14/20	FALSE	12.8	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW224 (RGA)	01/12/10	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	04/13/10	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	07/09/10	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	10/08/10	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	01/05/11	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	04/11/11	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	07/18/11	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	10/06/11	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	01/04/12	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	04/03/12	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	07/11/12	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	10/25/12	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	01/17/13	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	04/17/13	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	07/15/13	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	10/02/13	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	01/21/14	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	04/07/14	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	07/16/14	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	10/22/14	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	01/06/15	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	04/21/15	TRUE	0.34	5
Trichloroethene	ug/L	MW224 (RGA)	07/15/15	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	10/15/15	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	01/05/16	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	04/14/16	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	07/20/16	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	10/11/16	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	01/11/17	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	04/19/17	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	07/19/17	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	10/10/17	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	01/23/18	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	04/17/18	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	07/19/18	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	10/15/18	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	01/22/19	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	04/16/19	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	07/17/19	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	10/09/19	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	03/18/20	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	04/16/20	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	07/28/20	FALSE	1	5
Trichloroethene	ug/L	MW224 (RGA)	10/14/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW226 (RGA)	01/26/10	TRUE	69.3	900
Technetium-99	pCi/L	MW226 (RGA)	03/09/10	TRUE	74	900
Technetium-99	pCi/L	MW226 (RGA)	06/01/10	TRUE	75.7	900
Technetium-99	pCi/L	MW226 (RGA)	07/14/10	TRUE	60.7	900
Technetium-99	pCi/L	MW226 (RGA)	09/07/10	TRUE	73.8	900
Technetium-99	pCi/L	MW226 (RGA)	01/03/11	TRUE	47.6	900
Technetium-99	pCi/L	MW226 (RGA)	05/11/11	TRUE	54.5	900
Technetium-99	pCi/L	MW226 (RGA)	07/28/11	TRUE	53.2	900
Technetium-99	pCi/L	MW226 (RGA)	01/20/12	TRUE	74.7	900
Technetium-99	pCi/L	MW226 (RGA)	07/31/12	TRUE	30.5	900
Technetium-99	pCi/L	MW226 (RGA)	01/23/13	TRUE	30.3	900
Technetium-99	pCi/L	MW226 (RGA)	05/14/13	FALSE	16.5	900
Technetium-99	pCi/L	MW226 (RGA)	08/12/13	TRUE	39.3	900
Technetium-99	pCi/L	MW226 (RGA)	01/08/14	TRUE	33	900
Technetium-99	pCi/L	MW226 (RGA)	07/28/14	FALSE	7.97	900
Technetium-99	pCi/L	MW226 (RGA)	01/26/15	TRUE	20.5	900
Technetium-99	pCi/L	MW226 (RGA)	06/01/15	FALSE	2.55	900
Technetium-99	pCi/L	MW226 (RGA)	07/11/15	TRUE	23.2	900
Technetium-99	pCi/L	MW226 (RGA)	01/25/16	FALSE	14.9	900
Technetium-99	pCi/L	MW226 (RGA)	07/05/16	FALSE	10.7	900
Technetium-99	pCi/L	MW226 (RGA)	01/23/17	FALSE	9.01	900
Technetium-99	pCi/L	MW226 (RGA)	05/19/17	FALSE	8	900
Technetium-99	pCi/L	MW226 (RGA)	07/17/17	FALSE	7.1	900
Technetium-99	pCi/L	MW226 (RGA)	01/08/18	FALSE	6.27	900
Technetium-99	pCi/L	MW226 (RGA)	07/11/18	FALSE	10	900
Technetium-99	pCi/L	MW226 (RGA)	01/09/19	FALSE	0.552	900
Technetium-99	pCi/L	MW226 (RGA)	05/09/19	FALSE	11.1	900
Technetium-99	pCi/L	MW226 (RGA)	07/18/19	FALSE	-0.518	900
Technetium-99	pCi/L	MW226 (RGA)	01/13/20	FALSE	-9.8	900
Technetium-99	pCi/L	MW226 (RGA)	07/13/20	FALSE	3.89	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW226 (RGA)	01/26/10	TRUE	610	5
Trichloroethene	ug/L	MW226 (RGA)	03/09/10	TRUE	650	5
Trichloroethene	ug/L	MW226 (RGA)	06/01/10	TRUE	640	5
Trichloroethene	ug/L	MW226 (RGA)	07/14/10	TRUE	710	5
Trichloroethene	ug/L	MW226 (RGA)	09/07/10	TRUE	720	5
Trichloroethene	ug/L	MW226 (RGA)	01/03/11	TRUE	690	5
Trichloroethene	ug/L	MW226 (RGA)	05/11/11	TRUE	830	5
Trichloroethene	ug/L	MW226 (RGA)	07/28/11	TRUE	780	5
Trichloroethene	ug/L	MW226 (RGA)	01/20/12	TRUE	680	5
Trichloroethene	ug/L	MW226 (RGA)	07/31/12	TRUE	390	5
Trichloroethene	ug/L	MW226 (RGA)	01/23/13	TRUE	380	5
Trichloroethene	ug/L	MW226 (RGA)	05/14/13	TRUE	480	5
Trichloroethene	ug/L	MW226 (RGA)	08/12/13	TRUE	400	5
Trichloroethene	ug/L	MW226 (RGA)	01/08/14	TRUE	360	5
Trichloroethene	ug/L	MW226 (RGA)	07/28/14	TRUE	350	5
Trichloroethene	ug/L	MW226 (RGA)	01/26/15	TRUE	351	5
Trichloroethene	ug/L	MW226 (RGA)	06/01/15	TRUE	267	5
Trichloroethene	ug/L	MW226 (RGA)	07/11/15	TRUE	270	5
Trichloroethene	ug/L	MW226 (RGA)	01/25/16	TRUE	311	5
Trichloroethene	ug/L	MW226 (RGA)	07/05/16	TRUE	194	5
Trichloroethene	ug/L	MW226 (RGA)	01/23/17	TRUE	177	5
Trichloroethene	ug/L	MW226 (RGA)	05/19/17	TRUE	271	5
Trichloroethene	ug/L	MW226 (RGA)	07/17/17	TRUE	235	5
Trichloroethene	ug/L	MW226 (RGA)	01/08/18	TRUE	150	5
Trichloroethene	ug/L	MW226 (RGA)	07/11/18	TRUE	226	5
Trichloroethene	ug/L	MW226 (RGA)	01/09/19	TRUE	214	5
Trichloroethene	ug/L	MW226 (RGA)	05/09/19	TRUE	206	5
Trichloroethene	ug/L	MW226 (RGA)	07/18/19	TRUE	207	5
Trichloroethene	ug/L	MW226 (RGA)	01/13/20	TRUE	152	5
Trichloroethene	ug/L	MW226 (RGA)	07/13/20	TRUE	235	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW227 (RGA)	01/26/10	FALSE	17.1	900
Technetium-99	pCi/L	MW227 (RGA)	03/09/10	FALSE	-4.34	900
Technetium-99	pCi/L	MW227 (RGA)	06/01/10	FALSE	11.8	900
Technetium-99	pCi/L	MW227 (RGA)	07/14/10	FALSE	8.12	900
Technetium-99	pCi/L	MW227 (RGA)	09/07/10	FALSE	13.6	900
Technetium-99	pCi/L	MW227 (RGA)	01/03/11	FALSE	7.15	900
Technetium-99	pCi/L	MW227 (RGA)	05/11/11	FALSE	0.676	900
Technetium-99	pCi/L	MW227 (RGA)	07/28/11	FALSE	4.69	900
Technetium-99	pCi/L	MW227 (RGA)	01/20/12	TRUE	17.9	900
Technetium-99	pCi/L	MW227 (RGA)	07/31/12	FALSE	5.99	900
Technetium-99	pCi/L	MW227 (RGA)	01/22/13	FALSE	11.8	900
Technetium-99	pCi/L	MW227 (RGA)	05/14/13	FALSE	3.61	900
Technetium-99	pCi/L	MW227 (RGA)	08/12/13	FALSE	4.08	900
Technetium-99	pCi/L	MW227 (RGA)	01/08/14	FALSE	-7.61	900
Technetium-99	pCi/L	MW227 (RGA)	07/28/14	FALSE	-4.4	900
Technetium-99	pCi/L	MW227 (RGA)	01/26/15	FALSE	-1.45	900
Technetium-99	pCi/L	MW227 (RGA)	06/02/15	FALSE	3.74	900
Technetium-99	pCi/L	MW227 (RGA)	07/11/15	FALSE	7.22	900
Technetium-99	pCi/L	MW227 (RGA)	01/25/16	FALSE	-6.66	900
Technetium-99	pCi/L	MW227 (RGA)	07/05/16	FALSE	-4.03	900
Technetium-99	pCi/L	MW227 (RGA)	01/23/17	FALSE	-2.64	900
Technetium-99	pCi/L	MW227 (RGA)	05/19/17	FALSE	-14.1	900
Technetium-99	pCi/L	MW227 (RGA)	07/17/17	FALSE	0.795	900
Technetium-99	pCi/L	MW227 (RGA)	01/08/18	FALSE	0.655	900
Technetium-99	pCi/L	MW227 (RGA)	07/11/18	FALSE	4.79	900
Technetium-99	pCi/L	MW227 (RGA)	01/09/19	FALSE	-12	900
Technetium-99	pCi/L	MW227 (RGA)	05/09/19	FALSE	11.2	900
Technetium-99	pCi/L	MW227 (RGA)	07/18/19	FALSE	-4.58	900
Technetium-99	pCi/L	MW227 (RGA)	01/13/20	FALSE	-1.75	900
Technetium-99	pCi/L	MW227 (RGA)	07/13/20	FALSE	-1.56	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW227 (RGA)	01/26/10	TRUE	110	5
Trichloroethene	ug/L	MW227 (RGA)	03/09/10	TRUE	150	5
Trichloroethene	ug/L	MW227 (RGA)	06/01/10	TRUE	160	5
Trichloroethene	ug/L	MW227 (RGA)	07/14/10	TRUE	140	5
Trichloroethene	ug/L	MW227 (RGA)	09/07/10	TRUE	110	5
Trichloroethene	ug/L	MW227 (RGA)	01/03/11	TRUE	94	5
Trichloroethene	ug/L	MW227 (RGA)	05/11/11	TRUE	310	5
Trichloroethene	ug/L	MW227 (RGA)	07/28/11	TRUE	160	5
Trichloroethene	ug/L	MW227 (RGA)	01/20/12	TRUE	150	5
Trichloroethene	ug/L	MW227 (RGA)	07/31/12	TRUE	74	5
Trichloroethene	ug/L	MW227 (RGA)	01/22/13	TRUE	63	5
Trichloroethene	ug/L	MW227 (RGA)	05/14/13	TRUE	190	5
Trichloroethene	ug/L	MW227 (RGA)	08/12/13	TRUE	110	5
Trichloroethene	ug/L	MW227 (RGA)	01/08/14	TRUE	120	5
Trichloroethene	ug/L	MW227 (RGA)	07/28/14	TRUE	104	5
Trichloroethene	ug/L	MW227 (RGA)	01/26/15	TRUE	97.8	5
Trichloroethene	ug/L	MW227 (RGA)	06/02/15	TRUE	110	5
Trichloroethene	ug/L	MW227 (RGA)	07/11/15	TRUE	94.3	5
Trichloroethene	ug/L	MW227 (RGA)	01/25/16	TRUE	110	5
Trichloroethene	ug/L	MW227 (RGA)	07/05/16	TRUE	75.5	5
Trichloroethene	ug/L	MW227 (RGA)	01/23/17	TRUE	55	5
Trichloroethene	ug/L	MW227 (RGA)	05/19/17	TRUE	112	5
Trichloroethene	ug/L	MW227 (RGA)	07/17/17	TRUE	66.7	5
Trichloroethene	ug/L	MW227 (RGA)	01/08/18	TRUE	39.1	5
Trichloroethene	ug/L	MW227 (RGA)	07/11/18	TRUE	76.9	5
Trichloroethene	ug/L	MW227 (RGA)	01/09/19	TRUE	89.8	5
Trichloroethene	ug/L	MW227 (RGA)	05/09/19	TRUE	121	5
Trichloroethene	ug/L	MW227 (RGA)	07/18/19	TRUE	127	5
Trichloroethene	ug/L	MW227 (RGA)	01/13/20	TRUE	294	5
Trichloroethene	ug/L	MW227 (RGA)	07/13/20	TRUE	320	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW233 (RGA)	05/06/10	TRUE	18.4	900
Technetium-99	pCi/L	MW233 (RGA)	05/12/11	FALSE	-10.2	900
Technetium-99	pCi/L	MW233 (RGA)	05/08/12	TRUE	16.6	900
Technetium-99	pCi/L	MW233 (RGA)	05/09/13	FALSE	0.709	900
Technetium-99	pCi/L	MW233 (RGA)	05/14/14	FALSE	16.2	900
Technetium-99	pCi/L	MW233 (RGA)	05/06/15	FALSE	4.02	900
Technetium-99	pCi/L	MW233 (RGA)	05/18/16	FALSE	-1.63	900
Technetium-99	pCi/L	MW233 (RGA)	05/05/17	FALSE	-8.9	900
Technetium-99	pCi/L	MW233 (RGA)	05/09/18	FALSE	-3.77	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW233 (RGA)	05/06/10	TRUE	3.2	5
Trichloroethene	ug/L	MW233 (RGA)	05/12/11	TRUE	3.1	5
Trichloroethene	ug/L	MW233 (RGA)	05/08/12	TRUE	3.4	5
Trichloroethene	ug/L	MW233 (RGA)	05/09/13	TRUE	1.2	5
Trichloroethene	ug/L	MW233 (RGA)	05/14/14	TRUE	1.35	5
Trichloroethene	ug/L	MW233 (RGA)	05/06/15	TRUE	1.43	5
Trichloroethene	ug/L	MW233 (RGA)	05/18/16	TRUE	1.17	5
Trichloroethene	ug/L	MW233 (RGA)	05/05/17	TRUE	1.12	5
Trichloroethene	ug/L	MW233 (RGA)	05/09/18	TRUE	3.1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW236 (RGA)	05/06/10	TRUE	27.7	900
Technetium-99	pCi/L	MW236 (RGA)	05/12/11	FALSE	-19.3	900
Technetium-99	pCi/L	MW236 (RGA)	05/08/12	FALSE	11.1	900
Technetium-99	pCi/L	MW236 (RGA)	05/08/13	FALSE	-1.28	900
Technetium-99	pCi/L	MW236 (RGA)	05/14/14	FALSE	-4.62	900
Technetium-99	pCi/L	MW236 (RGA)	05/06/15	FALSE	12.5	900
Technetium-99	pCi/L	MW236 (RGA)	05/18/16	FALSE	-3.93	900
Technetium-99	pCi/L	MW236 (RGA)	05/05/17	FALSE	-1.92	900
Technetium-99	pCi/L	MW236 (RGA)	05/09/18	FALSE	-3.01	900
Technetium-99	pCi/L	MW236 (RGA)	05/15/19	FALSE	-4.98	900
Technetium-99	pCi/L	MW236 (RGA)	05/13/20	FALSE	9.3	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW236 (RGA)	05/06/10	TRUE	27	5
Trichloroethene	ug/L	MW236 (RGA)	05/12/11	TRUE	12	5
Trichloroethene	ug/L	MW236 (RGA)	05/08/12	TRUE	5.2	5
Trichloroethene	ug/L	MW236 (RGA)	05/08/13	TRUE	5	5
Trichloroethene	ug/L	MW236 (RGA)	05/14/14	TRUE	5.35	5
Trichloroethene	ug/L	MW236 (RGA)	05/06/15	TRUE	1.61	5
Trichloroethene	ug/L	MW236 (RGA)	05/18/16	TRUE	1.69	5
Trichloroethene	ug/L	MW236 (RGA)	05/05/17	TRUE	1.79	5
Trichloroethene	ug/L	MW236 (RGA)	05/09/18	TRUE	2.51	5
Trichloroethene	ug/L	MW236 (RGA)	05/15/19	TRUE	0.94	5
Trichloroethene	ug/L	MW236 (RGA)	05/13/20	TRUE	1.6	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW238 (RGA)	05/05/10	FALSE	-10.8	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW238 (RGA)	05/05/10	TRUE	8.2	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.



Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW240 (RGA)	05/05/10	FALSE	0.0563	900
Technetium-99	pCi/L	MW240 (RGA)	05/12/11	FALSE	-11.7	900
Technetium-99	pCi/L	MW240 (RGA)	05/08/12	FALSE	3.78	900
Technetium-99	pCi/L	MW240 (RGA)	05/09/13	FALSE	3.33	900
Technetium-99	pCi/L	MW240 (RGA)	05/14/14	FALSE	4.88	900
Technetium-99	pCi/L	MW240 (RGA)	05/06/15	FALSE	8.33	900
Technetium-99	pCi/L	MW240 (RGA)	05/18/16	FALSE	-0.498	900
Technetium-99	pCi/L	MW240 (RGA)	05/05/17	FALSE	-7.69	900
Technetium-99	pCi/L	MW240 (RGA)	05/09/18	FALSE	-5.81	900
Technetium-99	pCi/L	MW240 (RGA)	05/15/19	FALSE	-1.15	900
Technetium-99	pCi/L	MW240 (RGA)	05/13/20	FALSE	12.2	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW240 (RGA)	05/05/10	TRUE	2.8	5
Trichloroethene	ug/L	MW240 (RGA)	05/12/11	TRUE	4.2	5
Trichloroethene	ug/L	MW240 (RGA)	05/08/12	TRUE	2.2	5
Trichloroethene	ug/L	MW240 (RGA)	05/09/13	TRUE	4.6	5
Trichloroethene	ug/L	MW240 (RGA)	05/14/14	TRUE	1.28	5
Trichloroethene	ug/L	MW240 (RGA)	05/06/15	TRUE	2.1	5
Trichloroethene	ug/L	MW240 (RGA)	05/18/16	TRUE	1.04	5
Trichloroethene	ug/L	MW240 (RGA)	05/05/17	TRUE	0.77	5
Trichloroethene	ug/L	MW240 (RGA)	05/09/18	TRUE	4.13	5
Trichloroethene	ug/L	MW240 (RGA)	05/15/19	TRUE	0.4	5
Trichloroethene	ug/L	MW240 (RGA)	05/13/20	TRUE	0.99	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW242 (RGA)	05/05/10	TRUE	143	900
Technetium-99	pCi/L	MW242 (RGA)	12/14/10	TRUE	155	900
Technetium-99	pCi/L	MW242 (RGA)	03/08/11	TRUE	134	900
Technetium-99	pCi/L	MW242 (RGA)	06/02/11	TRUE	168	900
Technetium-99	pCi/L	MW242 (RGA)	09/07/11	TRUE	190	900
Technetium-99	pCi/L	MW242 (RGA)	12/13/11	TRUE	209	900
Technetium-99	pCi/L	MW242 (RGA)	03/01/12	TRUE	197	900
Technetium-99	pCi/L	MW242 (RGA)	06/13/12	TRUE	218	900
Technetium-99	pCi/L	MW242 (RGA)	09/11/12	TRUE	203	900
Technetium-99	pCi/L	MW242 (RGA)	03/05/13	TRUE	179	900
Technetium-99	pCi/L	MW242 (RGA)	09/09/13	TRUE	126	900
Technetium-99	pCi/L	MW242 (RGA)	03/10/14	TRUE	85.8	900
Technetium-99	pCi/L	MW242 (RGA)	09/02/14	TRUE	63.6	900
Technetium-99	pCi/L	MW242 (RGA)	03/16/15	TRUE	82.7	900
Technetium-99	pCi/L	MW242 (RGA)	09/28/15	TRUE	86.6	900
Technetium-99	pCi/L	MW242 (RGA)	03/01/16	TRUE	56.3	900
Technetium-99	pCi/L	MW242 (RGA)	09/07/16	TRUE	54.1	900
Technetium-99	pCi/L	MW242 (RGA)	03/13/17	TRUE	49.7	900
Technetium-99	pCi/L	MW242 (RGA)	09/06/17	TRUE	52.4	900
Technetium-99	pCi/L	MW242 (RGA)	03/07/18	TRUE	31.5	900
Technetium-99	pCi/L	MW242 (RGA)	09/18/18	TRUE	25.1	900
Technetium-99	pCi/L	MW242 (RGA)	03/12/19	FALSE	10.6	900
Technetium-99	pCi/L	MW242 (RGA)	03/12/19	TRUE	22.4	900
Technetium-99	pCi/L	MW242 (RGA)	09/19/19	TRUE	24	900
Technetium-99	pCi/L	MW242 (RGA)	03/03/20	FALSE	9.2	900
Technetium-99	pCi/L	MW242 (RGA)	03/03/20	TRUE	20.7	900
Technetium-99	pCi/L	MW242 (RGA)	09/14/20	TRUE	14.2	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW242 (RGA)	05/05/10	TRUE	89	5
Trichloroethene	ug/L	MW242 (RGA)	12/14/10	TRUE	160	5
Trichloroethene	ug/L	MW242 (RGA)	03/08/11	TRUE	120	5
Trichloroethene	ug/L	MW242 (RGA)	06/02/11	TRUE	120	5
Trichloroethene	ug/L	MW242 (RGA)	09/07/11	TRUE	130	5
Trichloroethene	ug/L	MW242 (RGA)	12/13/11	TRUE	130	5
Trichloroethene	ug/L	MW242 (RGA)	03/01/12	TRUE	130	5
Trichloroethene	ug/L	MW242 (RGA)	06/13/12	TRUE	160	5
Trichloroethene	ug/L	MW242 (RGA)	09/11/12	TRUE	120	5
Trichloroethene	ug/L	MW242 (RGA)	03/05/13	TRUE	180	5
Trichloroethene	ug/L	MW242 (RGA)	09/09/13	TRUE	140	5
Trichloroethene	ug/L	MW242 (RGA)	03/10/14	TRUE	160	5
Trichloroethene	ug/L	MW242 (RGA)	09/02/14	TRUE	130	5
Trichloroethene	ug/L	MW242 (RGA)	03/16/15	TRUE	129	5
Trichloroethene	ug/L	MW242 (RGA)	09/28/15	TRUE	97.5	5
Trichloroethene	ug/L	MW242 (RGA)	03/01/16	TRUE	97.7	5
Trichloroethene	ug/L	MW242 (RGA)	09/07/16	TRUE	84.1	5
Trichloroethene	ug/L	MW242 (RGA)	03/13/17	TRUE	89.2	5
Trichloroethene	ug/L	MW242 (RGA)	09/06/17	TRUE	72	5
Trichloroethene	ug/L	MW242 (RGA)	03/07/18	TRUE	58.5	5
Trichloroethene	ug/L	MW242 (RGA)	09/18/18	TRUE	49.9	5
Trichloroethene	ug/L	MW242 (RGA)	03/12/19	TRUE	38.4	5
Trichloroethene	ug/L	MW242 (RGA)	09/19/19	TRUE	32.5	5
Trichloroethene	ug/L	MW242 (RGA)	03/03/20	TRUE	26.4	5
Trichloroethene	ug/L	MW242 (RGA)	09/14/20	TRUE	31.8	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW243 (RGA)	05/04/10	FALSE	-6.67	900
Technetium-99	pCi/L	MW243 (RGA)	12/08/10	TRUE	166	900
Technetium-99	pCi/L	MW243 (RGA)	03/07/11	TRUE	17.5	900
Technetium-99	pCi/L	MW243 (RGA)	06/03/11	FALSE	9.59	900
Technetium-99	pCi/L	MW243 (RGA)	09/01/11	TRUE	29.4	900
Technetium-99	pCi/L	MW243 (RGA)	12/07/11	TRUE	40.4	900
Technetium-99	pCi/L	MW243 (RGA)	03/07/12	FALSE	13.3	900
Technetium-99	pCi/L	MW243 (RGA)	06/13/12	TRUE	20.8	900
Technetium-99	pCi/L	MW243 (RGA)	09/10/12	TRUE	38.4	900
Technetium-99	pCi/L	MW243 (RGA)	03/11/13	FALSE	5.37	900
Technetium-99	pCi/L	MW243 (RGA)	09/04/13	TRUE	22.7	900
Technetium-99	pCi/L	MW243 (RGA)	03/11/14	FALSE	5.5	900
Technetium-99	pCi/L	MW243 (RGA)	09/04/14	FALSE	8.54	900
Technetium-99	pCi/L	MW243 (RGA)	03/03/15	FALSE	6.64	900
Technetium-99	pCi/L	MW243 (RGA)	09/16/15	FALSE	17.1	900
Technetium-99	pCi/L	MW243 (RGA)	09/16/15	TRUE	24	900
Technetium-99	pCi/L	MW243 (RGA)	03/01/16	FALSE	-5.71	900
Technetium-99	pCi/L	MW243 (RGA)	09/07/16	FALSE	16.4	900
Technetium-99	pCi/L	MW243 (RGA)	09/07/16	TRUE	28.1	900
Technetium-99	pCi/L	MW243 (RGA)	03/14/17	FALSE	2.85	900
Technetium-99	pCi/L	MW243 (RGA)	09/05/17	FALSE	18.1	900
Technetium-99	pCi/L	MW243 (RGA)	03/12/18	FALSE	-5.86	900
Technetium-99	pCi/L	MW243 (RGA)	09/19/18	FALSE	14.2	900
Technetium-99	pCi/L	MW243 (RGA)	09/19/18	TRUE	22.2	900
Technetium-99	pCi/L	MW243 (RGA)	03/11/19	FALSE	-1.65	900
Technetium-99	pCi/L	MW243 (RGA)	09/18/19	FALSE	14.8	900
Technetium-99	pCi/L	MW243 (RGA)	03/04/20	FALSE	3.49	900
Technetium-99	pCi/L	MW243 (RGA)	09/15/20	FALSE	5.76	900
Technetium-99	pCi/L	MW243 (RGA)	09/15/20	TRUE	18.9	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW243 (RGA)	05/04/10	TRUE	16	5
Trichloroethene	ug/L	MW243 (RGA)	12/08/10	TRUE	420	5
Trichloroethene	ug/L	MW243 (RGA)	03/07/11	TRUE	18	5
Trichloroethene	ug/L	MW243 (RGA)	06/03/11	TRUE	47	5
Trichloroethene	ug/L	MW243 (RGA)	09/01/11	TRUE	62	5
Trichloroethene	ug/L	MW243 (RGA)	12/07/11	TRUE	65	5
Trichloroethene	ug/L	MW243 (RGA)	03/07/12	TRUE	30	5
Trichloroethene	ug/L	MW243 (RGA)	06/13/12	TRUE	53	5
Trichloroethene	ug/L	MW243 (RGA)	09/10/12	TRUE	53	5
Trichloroethene	ug/L	MW243 (RGA)	03/11/13	TRUE	28	5
Trichloroethene	ug/L	MW243 (RGA)	09/04/13	TRUE	32	5
Trichloroethene	ug/L	MW243 (RGA)	03/11/14	TRUE	8.6	5
Trichloroethene	ug/L	MW243 (RGA)	09/04/14	TRUE	32.2	5
Trichloroethene	ug/L	MW243 (RGA)	03/03/15	TRUE	4.5	5
Trichloroethene	ug/L	MW243 (RGA)	09/16/15	TRUE	34.5	5
Trichloroethene	ug/L	MW243 (RGA)	03/01/16	TRUE	1.89	5
Trichloroethene	ug/L	MW243 (RGA)	09/07/16	TRUE	38.4	5
Trichloroethene	ug/L	MW243 (RGA)	03/14/17	TRUE	3.67	5
Trichloroethene	ug/L	MW243 (RGA)	09/05/17	TRUE	27.7	5
Trichloroethene	ug/L	MW243 (RGA)	03/12/18	TRUE	5.01	5
Trichloroethene	ug/L	MW243 (RGA)	09/27/18	TRUE	22.2	5
Trichloroethene	ug/L	MW243 (RGA)	03/11/19	TRUE	8.44	5
Trichloroethene	ug/L	MW243 (RGA)	09/18/19	TRUE	31.5	5
Trichloroethene	ug/L	MW243 (RGA)	03/04/20	TRUE	6.18	5
Trichloroethene	ug/L	MW243 (RGA)	09/15/20	TRUE	27.9	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW244 (RGA)	05/05/10	FALSE	-0.338	900
Technetium-99	pCi/L	MW244 (RGA)	12/08/10	TRUE	23.6	900
Technetium-99	pCi/L	MW244 (RGA)	03/07/11	FALSE	10.6	900
Technetium-99	pCi/L	MW244 (RGA)	06/03/11	FALSE	2.25	900
Technetium-99	pCi/L	MW244 (RGA)	09/20/11	FALSE	4.44	900
Technetium-99	pCi/L	MW244 (RGA)	12/05/11	FALSE	9.67	900
Technetium-99	pCi/L	MW244 (RGA)	03/07/12	FALSE	-1.01	900
Technetium-99	pCi/L	MW244 (RGA)	06/13/12	FALSE	6.08	900
Technetium-99	pCi/L	MW244 (RGA)	09/18/12	FALSE	6.08	900
Technetium-99	pCi/L	MW244 (RGA)	03/11/13	FALSE	-2.23	900
Technetium-99	pCi/L	MW244 (RGA)	09/04/13	FALSE	4.75	900
Technetium-99	pCi/L	MW244 (RGA)	03/11/14	FALSE	5.84	900
Technetium-99	pCi/L	MW244 (RGA)	09/03/14	FALSE	-11.8	900
Technetium-99	pCi/L	MW244 (RGA)	03/03/15	FALSE	6.35	900
Technetium-99	pCi/L	MW244 (RGA)	09/16/15	FALSE	-0.307	900
Technetium-99	pCi/L	MW244 (RGA)	03/01/16	FALSE	0.655	900
Technetium-99	pCi/L	MW244 (RGA)	09/07/16	FALSE	7.95	900
Technetium-99	pCi/L	MW244 (RGA)	03/14/17	FALSE	3.09	900
Technetium-99	pCi/L	MW244 (RGA)	09/05/17	FALSE	4.15	900
Technetium-99	pCi/L	MW244 (RGA)	03/12/18	FALSE	-5.45	900
Technetium-99	pCi/L	MW244 (RGA)	09/19/18	FALSE	6.8	900
Technetium-99	pCi/L	MW244 (RGA)	03/11/19	FALSE	-0.588	900
Technetium-99	pCi/L	MW244 (RGA)	09/18/19	FALSE	-0.963	900
Technetium-99	pCi/L	MW244 (RGA)	03/03/20	FALSE	2.84	900
Technetium-99	pCi/L	MW244 (RGA)	09/15/20	FALSE	-8.09	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW244 (RGA)	05/05/10	TRUE	6.1	5
Trichloroethene	ug/L	MW244 (RGA)	12/08/10	TRUE	10	5
Trichloroethene	ug/L	MW244 (RGA)	03/07/11	TRUE	3.1	5
Trichloroethene	ug/L	MW244 (RGA)	06/03/11	TRUE	10	5
Trichloroethene	ug/L	MW244 (RGA)	09/20/11	TRUE	4.7	5
Trichloroethene	ug/L	MW244 (RGA)	12/05/11	TRUE	3.1	5
Trichloroethene	ug/L	MW244 (RGA)	03/07/12	TRUE	7.1	5
Trichloroethene	ug/L	MW244 (RGA)	06/13/12	TRUE	9.5	5
Trichloroethene	ug/L	MW244 (RGA)	09/18/12	TRUE	2.8	5
Trichloroethene	ug/L	MW244 (RGA)	03/11/13	TRUE	6	5
Trichloroethene	ug/L	MW244 (RGA)	09/04/13	TRUE	4.5	5
Trichloroethene	ug/L	MW244 (RGA)	03/11/14	TRUE	7.3	5
Trichloroethene	ug/L	MW244 (RGA)	09/03/14	TRUE	6.51	5
Trichloroethene	ug/L	MW244 (RGA)	03/03/15	TRUE	4.84	5
Trichloroethene	ug/L	MW244 (RGA)	09/16/15	TRUE	7.59	5
Trichloroethene	ug/L	MW244 (RGA)	03/01/16	TRUE	3.82	5
Trichloroethene	ug/L	MW244 (RGA)	09/07/16	TRUE	4.45	5
Trichloroethene	ug/L	MW244 (RGA)	03/14/17	TRUE	5.41	5
Trichloroethene	ug/L	MW244 (RGA)	09/05/17	TRUE	3.87	5
Trichloroethene	ug/L	MW244 (RGA)	03/12/18	TRUE	4.67	5
Trichloroethene	ug/L	MW244 (RGA)	09/27/18	TRUE	3.77	5
Trichloroethene	ug/L	MW244 (RGA)	03/11/19	TRUE	3.47	5
Trichloroethene	ug/L	MW244 (RGA)	09/18/19	TRUE	3.28	5
Trichloroethene	ug/L	MW244 (RGA)	03/03/20	TRUE	5.04	5
Trichloroethene	ug/L	MW244 (RGA)	09/15/20	TRUE	2.65	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW245 (RGA)	05/05/10	FALSE	-7.66	900
Technetium-99	pCi/L	MW245 (RGA)	12/08/10	FALSE	2.35	900
Technetium-99	pCi/L	MW245 (RGA)	03/07/11	FALSE	15.2	900
Technetium-99	pCi/L	MW245 (RGA)	06/02/11	FALSE	-8.18	900
Technetium-99	pCi/L	MW245 (RGA)	09/07/11	FALSE	-1.66	900
Technetium-99	pCi/L	MW245 (RGA)	12/05/11	FALSE	1.28	900
Technetium-99	pCi/L	MW245 (RGA)	03/07/12	FALSE	-0.0506	900
Technetium-99	pCi/L	MW245 (RGA)	06/13/12	FALSE	14.6	900
Technetium-99	pCi/L	MW245 (RGA)	09/18/12	FALSE	-7.17	900
Technetium-99	pCi/L	MW245 (RGA)	03/11/13	FALSE	-0.798	900
Technetium-99	pCi/L	MW245 (RGA)	09/04/13	FALSE	10.1	900
Technetium-99	pCi/L	MW245 (RGA)	03/11/14	FALSE	-0.112	900
Technetium-99	pCi/L	MW245 (RGA)	09/08/14	FALSE	6.33	900
Technetium-99	pCi/L	MW245 (RGA)	03/17/15	FALSE	-1.91	900
Technetium-99	pCi/L	MW245 (RGA)	09/16/15	FALSE	2.34	900
Technetium-99	pCi/L	MW245 (RGA)	03/01/16	FALSE	-13.6	900
Technetium-99	pCi/L	MW245 (RGA)	09/07/16	FALSE	6.92	900
Technetium-99	pCi/L	MW245 (RGA)	03/14/17	FALSE	-3.64	900
Technetium-99	pCi/L	MW245 (RGA)	09/05/17	FALSE	-0.511	900
Technetium-99	pCi/L	MW245 (RGA)	03/12/18	FALSE	-10.2	900
Technetium-99	pCi/L	MW245 (RGA)	09/27/18	FALSE	0.567	900
Technetium-99	pCi/L	MW245 (RGA)	03/11/19	FALSE	-7	900
Technetium-99	pCi/L	MW245 (RGA)	09/18/19	FALSE	-0.193	900
Technetium-99	pCi/L	MW245 (RGA)	03/04/20	FALSE	3.35	900
Technetium-99	pCi/L	MW245 (RGA)	09/15/20	FALSE	0.217	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW245 (RGA)	05/05/10	TRUE	110	5
Trichloroethene	ug/L	MW245 (RGA)	12/08/10	TRUE	130	5
Trichloroethene	ug/L	MW245 (RGA)	03/07/11	TRUE	120	5
Trichloroethene	ug/L	MW245 (RGA)	06/02/11	TRUE	130	5
Trichloroethene	ug/L	MW245 (RGA)	09/07/11	TRUE	130	5
Trichloroethene	ug/L	MW245 (RGA)	12/05/11	TRUE	120	5
Trichloroethene	ug/L	MW245 (RGA)	03/07/12	TRUE	110	5
Trichloroethene	ug/L	MW245 (RGA)	06/13/12	TRUE	130	5
Trichloroethene	ug/L	MW245 (RGA)	09/18/12	TRUE	89	5
Trichloroethene	ug/L	MW245 (RGA)	03/11/13	TRUE	84	5
Trichloroethene	ug/L	MW245 (RGA)	09/04/13	TRUE	61	5
Trichloroethene	ug/L	MW245 (RGA)	03/11/14	TRUE	75	5
Trichloroethene	ug/L	MW245 (RGA)	09/08/14	TRUE	69.1	5
Trichloroethene	ug/L	MW245 (RGA)	03/17/15	TRUE	56.1	5
Trichloroethene	ug/L	MW245 (RGA)	09/16/15	TRUE	48.7	5
Trichloroethene	ug/L	MW245 (RGA)	03/01/16	TRUE	38.7	5
Trichloroethene	ug/L	MW245 (RGA)	09/07/16	TRUE	33.2	5
Trichloroethene	ug/L	MW245 (RGA)	03/14/17	TRUE	32.4	5
Trichloroethene	ug/L	MW245 (RGA)	09/05/17	TRUE	25.7	5
Trichloroethene	ug/L	MW245 (RGA)	03/12/18	TRUE	25.3	5
Trichloroethene	ug/L	MW245 (RGA)	09/27/18	TRUE	21.5	5
Trichloroethene	ug/L	MW245 (RGA)	03/11/19	TRUE	17.4	5
Trichloroethene	ug/L	MW245 (RGA)	09/18/19	TRUE	18.5	5
Trichloroethene	ug/L	MW245 (RGA)	03/04/20	TRUE	13.4	5
Trichloroethene	ug/L	MW245 (RGA)	09/15/20	TRUE	12	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW248 (RGA)	05/04/10	FALSE	6.14	900
Technetium-99	pCi/L	MW248 (RGA)	12/08/10	TRUE	178	900
Technetium-99	pCi/L	MW248 (RGA)	03/07/11	TRUE	59.4	900
Technetium-99	pCi/L	MW248 (RGA)	06/02/11	TRUE	35.1	900
Technetium-99	pCi/L	MW248 (RGA)	09/01/11	TRUE	24.2	900
Technetium-99	pCi/L	MW248 (RGA)	12/05/11	FALSE	14	900
Technetium-99	pCi/L	MW248 (RGA)	03/07/12	FALSE	15.6	900
Technetium-99	pCi/L	MW248 (RGA)	06/11/12	FALSE	12.7	900
Technetium-99	pCi/L	MW248 (RGA)	09/10/12	TRUE	33.4	900
Technetium-99	pCi/L	MW248 (RGA)	03/11/13	FALSE	1.33	900
Technetium-99	pCi/L	MW248 (RGA)	09/04/13	FALSE	10.5	900
Technetium-99	pCi/L	MW248 (RGA)	03/11/14	FALSE	12.7	900
Technetium-99	pCi/L	MW248 (RGA)	09/04/14	FALSE	9.25	900
Technetium-99	pCi/L	MW248 (RGA)	03/03/15	FALSE	10.6	900
Technetium-99	pCi/L	MW248 (RGA)	09/16/15	FALSE	8.93	900
Technetium-99	pCi/L	MW248 (RGA)	03/01/16	FALSE	9.36	900
Technetium-99	pCi/L	MW248 (RGA)	09/07/16	FALSE	9.1	900
Technetium-99	pCi/L	MW248 (RGA)	03/14/17	FALSE	1.09	900
Technetium-99	pCi/L	MW248 (RGA)	09/05/17	FALSE	6	900
Technetium-99	pCi/L	MW248 (RGA)	03/12/18	FALSE	-1.1	900
Technetium-99	pCi/L	MW248 (RGA)	09/19/18	FALSE	12.6	900
Technetium-99	pCi/L	MW248 (RGA)	03/11/19	FALSE	5.91	900
Technetium-99	pCi/L	MW248 (RGA)	09/18/19	FALSE	5	900
Technetium-99	pCi/L	MW248 (RGA)	03/04/20	FALSE	4.81	900
Technetium-99	pCi/L	MW248 (RGA)	09/15/20	FALSE	8.33	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW248 (RGA)	05/04/10	TRUE	72	5
Trichloroethene	ug/L	MW248 (RGA)	12/08/10	TRUE	690	5
Trichloroethene	ug/L	MW248 (RGA)	03/07/11	TRUE	150	5
Trichloroethene	ug/L	MW248 (RGA)	06/02/11	TRUE	88	5
Trichloroethene	ug/L	MW248 (RGA)	09/01/11	TRUE	37	5
Trichloroethene	ug/L	MW248 (RGA)	12/05/11	TRUE	36	5
Trichloroethene	ug/L	MW248 (RGA)	03/07/12	TRUE	28	5
Trichloroethene	ug/L	MW248 (RGA)	06/11/12	TRUE	23	5
Trichloroethene	ug/L	MW248 (RGA)	09/10/12	TRUE	9.4	5
Trichloroethene	ug/L	MW248 (RGA)	03/11/13	TRUE	17	5
Trichloroethene	ug/L	MW248 (RGA)	09/04/13	TRUE	10	5
Trichloroethene	ug/L	MW248 (RGA)	03/11/14	TRUE	12	5
Trichloroethene	ug/L	MW248 (RGA)	09/04/14	TRUE	11.9	5
Trichloroethene	ug/L	MW248 (RGA)	03/03/15	TRUE	8.92	5
Trichloroethene	ug/L	MW248 (RGA)	09/16/15	TRUE	7.7	5
Trichloroethene	ug/L	MW248 (RGA)	03/01/16	TRUE	7.09	5
Trichloroethene	ug/L	MW248 (RGA)	09/07/16	TRUE	5.92	5
Trichloroethene	ug/L	MW248 (RGA)	03/14/17	FALSE	1	5
Trichloroethene	ug/L	MW248 (RGA)	09/05/17	TRUE	6.86	5
Trichloroethene	ug/L	MW248 (RGA)	03/12/18	TRUE	8.96	5
Trichloroethene	ug/L	MW248 (RGA)	09/27/18	TRUE	4.92	5
Trichloroethene	ug/L	MW248 (RGA)	03/11/19	TRUE	12.5	5
Trichloroethene	ug/L	MW248 (RGA)	09/18/19	TRUE	3.95	5
Trichloroethene	ug/L	MW248 (RGA)	03/04/20	TRUE	6.4	5
Trichloroethene	ug/L	MW248 (RGA)	09/15/20	TRUE	5.37	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW250 (RGA)	05/04/10	FALSE	-9.9	900
Technetium-99	pCi/L	MW250 (RGA)	12/08/10	TRUE	95	900
Technetium-99	pCi/L	MW250 (RGA)	03/07/11	FALSE	14.4	900
Technetium-99	pCi/L	MW250 (RGA)	06/02/11	TRUE	23.5	900
Technetium-99	pCi/L	MW250 (RGA)	09/01/11	FALSE	7.24	900
Technetium-99	pCi/L	MW250 (RGA)	12/07/11	FALSE	15.4	900
Technetium-99	pCi/L	MW250 (RGA)	03/07/12	FALSE	1.97	900
Technetium-99	pCi/L	MW250 (RGA)	06/11/12	FALSE	-0.0548	900
Technetium-99	pCi/L	MW250 (RGA)	09/10/12	FALSE	8.44	900
Technetium-99	pCi/L	MW250 (RGA)	03/11/13	FALSE	-0.479	900
Technetium-99	pCi/L	MW250 (RGA)	09/04/13	FALSE	8.51	900
Technetium-99	pCi/L	MW250 (RGA)	03/11/14	FALSE	4.94	900
Technetium-99	pCi/L	MW250 (RGA)	09/04/14	FALSE	-13.1	900
Technetium-99	pCi/L	MW250 (RGA)	03/03/15	FALSE	5.74	900
Technetium-99	pCi/L	MW250 (RGA)	09/16/15	FALSE	5.76	900
Technetium-99	pCi/L	MW250 (RGA)	03/01/16	FALSE	0.852	900
Technetium-99	pCi/L	MW250 (RGA)	09/07/16	FALSE	5.62	900
Technetium-99	pCi/L	MW250 (RGA)	03/14/17	FALSE	5.84	900
Technetium-99	pCi/L	MW250 (RGA)	09/05/17	FALSE	8.13	900
Technetium-99	pCi/L	MW250 (RGA)	03/12/18	FALSE	-0.586	900
Technetium-99	pCi/L	MW250 (RGA)	09/19/18	FALSE	-0.378	900
Technetium-99	pCi/L	MW250 (RGA)	03/11/19	FALSE	-4.42	900
Technetium-99	pCi/L	MW250 (RGA)	09/18/19	FALSE	-0.409	900
Technetium-99	pCi/L	MW250 (RGA)	03/04/20	FALSE	7.22	900
Technetium-99	pCi/L	MW250 (RGA)	09/15/20	FALSE	1.97	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW250 (RGA)	05/04/10	TRUE	7.9	5
Trichloroethene	ug/L	MW250 (RGA)	12/08/10	TRUE	120	5
Trichloroethene	ug/L	MW250 (RGA)	03/07/11	TRUE	19	5
Trichloroethene	ug/L	MW250 (RGA)	06/02/11	TRUE	22	5
Trichloroethene	ug/L	MW250 (RGA)	09/01/11	TRUE	9.5	5
Trichloroethene	ug/L	MW250 (RGA)	12/07/11	TRUE	6.8	5
Trichloroethene	ug/L	MW250 (RGA)	03/07/12	TRUE	9.6	5
Trichloroethene	ug/L	MW250 (RGA)	06/11/12	TRUE	21	5
Trichloroethene	ug/L	MW250 (RGA)	09/10/12	TRUE	4	5
Trichloroethene	ug/L	MW250 (RGA)	03/11/13	TRUE	8.4	5
Trichloroethene	ug/L	MW250 (RGA)	09/04/13	TRUE	7.6	5
Trichloroethene	ug/L	MW250 (RGA)	03/11/14	TRUE	7.3	5
Trichloroethene	ug/L	MW250 (RGA)	09/04/14	TRUE	7.09	5
Trichloroethene	ug/L	MW250 (RGA)	03/03/15	TRUE	5.36	5
Trichloroethene	ug/L	MW250 (RGA)	09/16/15	TRUE	6.38	5
Trichloroethene	ug/L	MW250 (RGA)	03/01/16	TRUE	4.11	5
Trichloroethene	ug/L	MW250 (RGA)	09/07/16	TRUE	4.59	5
Trichloroethene	ug/L	MW250 (RGA)	03/14/17	TRUE	5.69	5
Trichloroethene	ug/L	MW250 (RGA)	09/05/17	TRUE	4.38	5
Trichloroethene	ug/L	MW250 (RGA)	03/12/18	TRUE	6.24	5
Trichloroethene	ug/L	MW250 (RGA)	09/27/18	TRUE	3.74	5
Trichloroethene	ug/L	MW250 (RGA)	03/11/19	TRUE	5.83	5
Trichloroethene	ug/L	MW250 (RGA)	09/18/19	TRUE	3.72	5
Trichloroethene	ug/L	MW250 (RGA)	03/04/20	TRUE	5.96	5
Trichloroethene	ug/L	MW250 (RGA)	09/15/20	TRUE	3.03	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW252 (RGA)	03/05/10	FALSE	-5.07	900
Technetium-99	pCi/L	MW252 (RGA)	08/17/10	FALSE	0.0563	900
Technetium-99	pCi/L	MW252 (RGA)	05/16/11	FALSE	-11.4	900
Technetium-99	pCi/L	MW252 (RGA)	05/15/12	TRUE	17.1	900
Technetium-99	pCi/L	MW252 (RGA)	05/19/14	FALSE	-12.1	900
Technetium-99	pCi/L	MW252 (RGA)	05/06/15	FALSE	-1.68	900
Technetium-99	pCi/L	MW252 (RGA)	05/23/16	FALSE	-2.95	900
Technetium-99	pCi/L	MW252 (RGA)	05/22/17	FALSE	4.19	900
Technetium-99	pCi/L	MW252 (RGA)	05/21/18	FALSE	5.47	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW252 (RGA)	03/05/10	TRUE	1.6	5
Trichloroethene	ug/L	MW252 (RGA)	08/17/10	TRUE	1.4	5
Trichloroethene	ug/L	MW252 (RGA)	05/16/11	TRUE	7.6	5
Trichloroethene	ug/L	MW252 (RGA)	05/15/12	FALSE	1	5
Trichloroethene	ug/L	MW252 (RGA)	05/19/14	FALSE	1	5
Trichloroethene	ug/L	MW252 (RGA)	05/06/15	TRUE	0.99	5
Trichloroethene	ug/L	MW252 (RGA)	05/23/16	TRUE	0.31	5
Trichloroethene	ug/L	MW252 (RGA)	05/22/17	FALSE	1	5
Trichloroethene	ug/L	MW252 (RGA)	05/21/18	TRUE	1.44	5
Trichloroethene	ug/L	MW252 (RGA)	05/14/19	FALSE	1	5
Trichloroethene	ug/L	MW252 (RGA)	06/23/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW253/MW253A (RGA)	03/29/10	FALSE	7.97	900
Technetium-99	pCi/L	MW253/MW253A (RGA)	08/17/10	FALSE	-3.26	900
Technetium-99	pCi/L	MW253/MW253A (RGA)	06/02/11	FALSE	-12.4	900
Technetium-99	pCi/L	MW253/MW253A (RGA)	05/21/12	FALSE	14.5	900
Technetium-99	pCi/L	MW253/MW253A (RGA)	05/21/14	FALSE	-13.1	900
Technetium-99	pCi/L	MW253/MW253A (RGA)	05/12/15	FALSE	-0.994	900
Technetium-99	pCi/L	MW253/MW253A (RGA)	05/23/16	FALSE	-0.467	900
Technetium-99	pCi/L	MW253/MW253A (RGA)	05/22/17	FALSE	-0.47	900
Technetium-99	pCi/L	MW253/MW253A (RGA)	05/22/18	FALSE	-4.8	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW253/MW253A (RGA)	03/29/10	TRUE	110	5
Trichloroethene	ug/L	MW253/MW253A (RGA)	08/17/10	TRUE	95	5
Trichloroethene	ug/L	MW253/MW253A (RGA)	06/02/11	TRUE	110	5
Trichloroethene	ug/L	MW253/MW253A (RGA)	05/21/12	TRUE	100	5
Trichloroethene	ug/L	MW253/MW253A (RGA)	05/21/14	TRUE	77.6	5
Trichloroethene	ug/L	MW253/MW253A (RGA)	05/12/15	TRUE	45.9	5
Trichloroethene	ug/L	MW253/MW253A (RGA)	05/23/16	TRUE	34.9	5
Trichloroethene	ug/L	MW253/MW253A (RGA)	05/22/17	TRUE	29.9	5
Trichloroethene	ug/L	MW253/MW253A (RGA)	05/22/18	TRUE	37.7	5
Trichloroethene	ug/L	MW253/MW253A (RGA)	05/16/19	TRUE	24.2	5
Trichloroethene	ug/L	MW253/MW253A (RGA)	06/23/20	TRUE	24.5	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW255 (RGA)	02/02/10	TRUE	20.3	900
Technetium-99	pCi/L	MW255 (RGA)	05/11/10	TRUE	19.2	900
Technetium-99	pCi/L	MW255 (RGA)	08/02/10	FALSE	7.72	900
Technetium-99	pCi/L	MW255 (RGA)	12/09/10	FALSE	-3.37	900
Technetium-99	pCi/L	MW255 (RGA)	02/23/11	FALSE	-10.3	900
Technetium-99	pCi/L	MW255 (RGA)	05/05/11	FALSE	-3.91	900
Technetium-99	pCi/L	MW255 (RGA)	08/09/11	FALSE	6.08	900
Technetium-99	pCi/L	MW255 (RGA)	11/02/11	FALSE	3.69	900
Technetium-99	pCi/L	MW255 (RGA)	02/01/12	FALSE	-2.11	900
Technetium-99	pCi/L	MW255 (RGA)	05/02/12	FALSE	5.97	900
Technetium-99	pCi/L	MW255 (RGA)	08/06/12	FALSE	3.42	900
Technetium-99	pCi/L	MW255 (RGA)	11/05/12	FALSE	-1.24	900
Technetium-99	pCi/L	MW255 (RGA)	02/04/13	FALSE	2.73	900
Technetium-99	pCi/L	MW255 (RGA)	06/18/13	FALSE	-1.02	900
Technetium-99	pCi/L	MW255 (RGA)	08/20/13	FALSE	0.176	900
Technetium-99	pCi/L	MW255 (RGA)	11/19/13	FALSE	-0.455	900
Technetium-99	pCi/L	MW255 (RGA)	02/13/14	FALSE	-1.59	900
Technetium-99	pCi/L	MW255 (RGA)	05/13/14	FALSE	0.961	900
Technetium-99	pCi/L	MW255 (RGA)	08/26/14	FALSE	-0.985	900
Technetium-99	pCi/L	MW255 (RGA)	11/12/14	FALSE	1.41	900
Technetium-99	pCi/L	MW255 (RGA)	02/05/15	FALSE	8.54	900
Technetium-99	pCi/L	MW255 (RGA)	05/12/15	FALSE	12.7	900
Technetium-99	pCi/L	MW255 (RGA)	08/24/15	FALSE	5.01	900
Technetium-99	pCi/L	MW255 (RGA)	11/24/15	FALSE	-5.5	900
Technetium-99	pCi/L	MW255 (RGA)	02/09/16	FALSE	-8.7	900
Technetium-99	pCi/L	MW255 (RGA)	05/17/16	FALSE	12.4	900
Technetium-99	pCi/L	MW255 (RGA)	08/17/16	FALSE	7.27	900
Technetium-99	pCi/L	MW255 (RGA)	11/17/16	FALSE	-1.29	900
Technetium-99	pCi/L	MW255 (RGA)	02/15/17	FALSE	-2.25	900
Technetium-99	pCi/L	MW255 (RGA)	05/17/17	FALSE	14.2	900
Technetium-99	pCi/L	MW255 (RGA)	08/02/17	FALSE	0.281	900
Technetium-99	pCi/L	MW255 (RGA)	11/14/17	FALSE	5.65	900
Technetium-99	pCi/L	MW255 (RGA)	02/26/18	FALSE	5.56	900
Technetium-99	pCi/L	MW255 (RGA)	05/08/18	FALSE	-2.55	900
Technetium-99	pCi/L	MW255 (RGA)	08/14/18	FALSE	-1.92	900
Technetium-99	pCi/L	MW255 (RGA)	08/28/18	FALSE	-5.48	900
Technetium-99	pCi/L	MW255 (RGA)	10/04/18	FALSE	-4.57	900
Technetium-99	pCi/L	MW255 (RGA)	01/07/19	FALSE	-1.67	900
Technetium-99	pCi/L	MW255 (RGA)	04/08/19	FALSE	1.2	900
Technetium-99	pCi/L	MW255 (RGA)	07/09/19	FALSE	-6.71	900
Technetium-99	pCi/L	MW255 (RGA)	10/07/19	FALSE	3.85	900
Technetium-99	pCi/L	MW255 (RGA)	01/09/20	FALSE	-3.97	900
Technetium-99	pCi/L	MW255 (RGA)	04/07/20	FALSE	-4.26	900
Technetium-99	pCi/L	MW255 (RGA)	07/07/20	FALSE	4.36	900
Technetium-99	pCi/L	MW255 (RGA)	10/07/20	FALSE	0.21	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW255 (RGA)	05/11/10	TRUE	330	5
Trichloroethene	ug/L	MW255 (RGA)	02/23/11	TRUE	330	5
Trichloroethene	ug/L	MW255 (RGA)	08/09/11	TRUE	330	5
Trichloroethene	ug/L	MW255 (RGA)	02/01/12	TRUE	320	5
Trichloroethene	ug/L	MW255 (RGA)	08/06/12	TRUE	230	5
Trichloroethene	ug/L	MW255 (RGA)	02/04/13	TRUE	260	5
Trichloroethene	ug/L	MW255 (RGA)	08/20/13	TRUE	230	5
Trichloroethene	ug/L	MW255 (RGA)	02/13/14	TRUE	280	5
Trichloroethene	ug/L	MW255 (RGA)	08/26/14	TRUE	320	5
Trichloroethene	ug/L	MW255 (RGA)	02/05/15	TRUE	286	5
Trichloroethene	ug/L	MW255 (RGA)	08/24/15	TRUE	224	5
Trichloroethene	ug/L	MW255 (RGA)	02/09/16	TRUE	229	5
Trichloroethene	ug/L	MW255 (RGA)	08/17/16	TRUE	240	5
Trichloroethene	ug/L	MW255 (RGA)	02/15/17	TRUE	190	5
Trichloroethene	ug/L	MW255 (RGA)	08/02/17	TRUE	166	5
Trichloroethene	ug/L	MW255 (RGA)	02/26/18	TRUE	184	5
Trichloroethene	ug/L	MW255 (RGA)	08/14/18	TRUE	177	5
Trichloroethene	ug/L	MW255 (RGA)	08/28/18	TRUE	173	5
Trichloroethene	ug/L	MW255 (RGA)	10/04/18	TRUE	206	5
Trichloroethene	ug/L	MW255 (RGA)	01/07/19	TRUE	162	5
Trichloroethene	ug/L	MW255 (RGA)	04/08/19	TRUE	195	5
Trichloroethene	ug/L	MW255 (RGA)	07/09/19	TRUE	173	5
Trichloroethene	ug/L	MW255 (RGA)	10/07/19	TRUE	173	5
Trichloroethene	ug/L	MW255 (RGA)	01/09/20	TRUE	222	5
Trichloroethene	ug/L	MW255 (RGA)	04/07/20	TRUE	182	5
Trichloroethene	ug/L	MW255 (RGA)	07/07/20	TRUE	189	5
Trichloroethene	ug/L	MW255 (RGA)	10/07/20	TRUE	153	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW256 (RGA)	02/02/10	TRUE	105	900
Technetium-99	pCi/L	MW256 (RGA)	05/10/10	TRUE	107	900
Technetium-99	pCi/L	MW256 (RGA)	08/02/10	TRUE	77.7	900
Technetium-99	pCi/L	MW256 (RGA)	12/09/10	TRUE	81.1	900
Technetium-99	pCi/L	MW256 (RGA)	02/23/11	TRUE	94	900
Technetium-99	pCi/L	MW256 (RGA)	05/05/11	TRUE	83.3	900
Technetium-99	pCi/L	MW256 (RGA)	08/09/11	TRUE	90.6	900
Technetium-99	pCi/L	MW256 (RGA)	11/02/11	TRUE	76.7	900
Technetium-99	pCi/L	MW256 (RGA)	02/01/12	TRUE	69.4	900
Technetium-99	pCi/L	MW256 (RGA)	05/02/12	TRUE	64.5	900
Technetium-99	pCi/L	MW256 (RGA)	08/06/12	TRUE	66	900
Technetium-99	pCi/L	MW256 (RGA)	11/05/12	TRUE	75.2	900
Technetium-99	pCi/L	MW256 (RGA)	02/04/13	TRUE	80.3	900
Technetium-99	pCi/L	MW256 (RGA)	06/18/13	TRUE	69.7	900
Technetium-99	pCi/L	MW256 (RGA)	08/20/13	TRUE	70.1	900
Technetium-99	pCi/L	MW256 (RGA)	11/18/13	TRUE	50.3	900
Technetium-99	pCi/L	MW256 (RGA)	02/13/14	TRUE	45.1	900
Technetium-99	pCi/L	MW256 (RGA)	05/13/14	TRUE	60.3	900
Technetium-99	pCi/L	MW256 (RGA)	08/26/14	TRUE	40.7	900
Technetium-99	pCi/L	MW256 (RGA)	11/12/14	TRUE	50.2	900
Technetium-99	pCi/L	MW256 (RGA)	02/05/15	TRUE	48.8	900
Technetium-99	pCi/L	MW256 (RGA)	05/12/15	TRUE	32.8	900
Technetium-99	pCi/L	MW256 (RGA)	08/24/15	TRUE	70.7	900
Technetium-99	pCi/L	MW256 (RGA)	11/24/15	TRUE	89.8	900
Technetium-99	pCi/L	MW256 (RGA)	02/09/16	TRUE	96.5	900
Technetium-99	pCi/L	MW256 (RGA)	05/17/16	TRUE	102	900
Technetium-99	pCi/L	MW256 (RGA)	08/17/16	TRUE	102	900
Technetium-99	pCi/L	MW256 (RGA)	11/17/16	TRUE	90	900
Technetium-99	pCi/L	MW256 (RGA)	02/15/17	TRUE	95.5	900
Technetium-99	pCi/L	MW256 (RGA)	05/17/17	TRUE	99.6	900
Technetium-99	pCi/L	MW256 (RGA)	08/02/17	TRUE	99.2	900
Technetium-99	pCi/L	MW256 (RGA)	11/14/17	TRUE	97.7	900
Technetium-99	pCi/L	MW256 (RGA)	02/26/18	TRUE	65	900
Technetium-99	pCi/L	MW256 (RGA)	05/08/18	TRUE	56.5	900
Technetium-99	pCi/L	MW256 (RGA)	08/14/18	TRUE	30	900
Technetium-99	pCi/L	MW256 (RGA)	08/28/18	TRUE	38.9	900
Technetium-99	pCi/L	MW256 (RGA)	10/04/18	TRUE	26.2	900
Technetium-99	pCi/L	MW256 (RGA)	01/07/19	TRUE	26.3	900
Technetium-99	pCi/L	MW256 (RGA)	04/08/19	TRUE	21.5	900
Technetium-99	pCi/L	MW256 (RGA)	07/08/19	TRUE	18.2	900
Technetium-99	pCi/L	MW256 (RGA)	10/07/19	TRUE	37.1	900
Technetium-99	pCi/L	MW256 (RGA)	01/09/20	TRUE	35.5	900
Technetium-99	pCi/L	MW256 (RGA)	04/07/20	TRUE	21.2	900
Technetium-99	pCi/L	MW256 (RGA)	07/07/20	TRUE	29.3	900
Technetium-99	pCi/L	MW256 (RGA)	10/07/20	TRUE	28.2	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW256 (RGA)	05/10/10	TRUE	310	5
Trichloroethene	ug/L	MW256 (RGA)	02/23/11	TRUE	340	5
Trichloroethene	ug/L	MW256 (RGA)	08/09/11	TRUE	290	5
Trichloroethene	ug/L	MW256 (RGA)	02/01/12	TRUE	250	5
Trichloroethene	ug/L	MW256 (RGA)	08/06/12	TRUE	190	5
Trichloroethene	ug/L	MW256 (RGA)	02/04/13	TRUE	240	5
Trichloroethene	ug/L	MW256 (RGA)	08/20/13	TRUE	230	5
Trichloroethene	ug/L	MW256 (RGA)	02/13/14	TRUE	170	5
Trichloroethene	ug/L	MW256 (RGA)	08/26/14	TRUE	168	5
Trichloroethene	ug/L	MW256 (RGA)	02/05/15	TRUE	194	5
Trichloroethene	ug/L	MW256 (RGA)	08/24/15	TRUE	207	5
Trichloroethene	ug/L	MW256 (RGA)	02/09/16	TRUE	329	5
Trichloroethene	ug/L	MW256 (RGA)	08/17/16	TRUE	330	5
Trichloroethene	ug/L	MW256 (RGA)	02/15/17	TRUE	306	5
Trichloroethene	ug/L	MW256 (RGA)	08/02/17	TRUE	294	5
Trichloroethene	ug/L	MW256 (RGA)	02/26/18	TRUE	215	5
Trichloroethene	ug/L	MW256 (RGA)	08/14/18	TRUE	145	5
Trichloroethene	ug/L	MW256 (RGA)	08/28/18	TRUE	126	5
Trichloroethene	ug/L	MW256 (RGA)	10/04/18	TRUE	137	5
Trichloroethene	ug/L	MW256 (RGA)	01/07/19	TRUE	150	5
Trichloroethene	ug/L	MW256 (RGA)	04/08/19	TRUE	109	5
Trichloroethene	ug/L	MW256 (RGA)	07/08/19	TRUE	130	5
Trichloroethene	ug/L	MW256 (RGA)	10/07/19	TRUE	182	5
Trichloroethene	ug/L	MW256 (RGA)	01/09/20	TRUE	179	5
Trichloroethene	ug/L	MW256 (RGA)	04/07/20	TRUE	179	5
Trichloroethene	ug/L	MW256 (RGA)	07/07/20	TRUE	161	5
Trichloroethene	ug/L	MW256 (RGA)	10/07/20	TRUE	130	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW258 (RGA)	02/02/10	FALSE	12	900
Technetium-99	pCi/L	MW258 (RGA)	05/10/10	FALSE	13.6	900
Technetium-99	pCi/L	MW258 (RGA)	08/02/10	FALSE	11	900
Technetium-99	pCi/L	MW258 (RGA)	12/09/10	FALSE	13.8	900
Technetium-99	pCi/L	MW258 (RGA)	02/24/11	FALSE	6.74	900
Technetium-99	pCi/L	MW258 (RGA)	05/05/11	FALSE	5.17	900
Technetium-99	pCi/L	MW258 (RGA)	08/09/11	FALSE	9.45	900
Technetium-99	pCi/L	MW258 (RGA)	11/02/11	FALSE	2.39	900
Technetium-99	pCi/L	MW258 (RGA)	02/01/12	FALSE	-0.166	900
Technetium-99	pCi/L	MW258 (RGA)	05/02/12	FALSE	5.36	900
Technetium-99	pCi/L	MW258 (RGA)	08/06/12	FALSE	12.2	900
Technetium-99	pCi/L	MW258 (RGA)	11/05/12	FALSE	-2.04	900
Technetium-99	pCi/L	MW258 (RGA)	02/04/13	FALSE	2.36	900
Technetium-99	pCi/L	MW258 (RGA)	06/18/13	FALSE	4.03	900
Technetium-99	pCi/L	MW258 (RGA)	08/20/13	FALSE	0.704	900
Technetium-99	pCi/L	MW258 (RGA)	11/18/13	FALSE	6.31	900
Technetium-99	pCi/L	MW258 (RGA)	02/13/14	FALSE	4.08	900
Technetium-99	pCi/L	MW258 (RGA)	05/13/14	FALSE	4.94	900
Technetium-99	pCi/L	MW258 (RGA)	08/26/14	FALSE	5.78	900
Technetium-99	pCi/L	MW258 (RGA)	11/12/14	FALSE	1.87	900
Technetium-99	pCi/L	MW258 (RGA)	02/03/15	FALSE	3.2	900
Technetium-99	pCi/L	MW258 (RGA)	05/12/15	FALSE	14.4	900
Technetium-99	pCi/L	MW258 (RGA)	08/24/15	FALSE	-1.63	900
Technetium-99	pCi/L	MW258 (RGA)	11/24/15	FALSE	4.09	900
Technetium-99	pCi/L	MW258 (RGA)	02/08/16	FALSE	3.3	900
Technetium-99	pCi/L	MW258 (RGA)	05/17/16	FALSE	4.04	900
Technetium-99	pCi/L	MW258 (RGA)	08/17/16	FALSE	11.4	900
Technetium-99	pCi/L	MW258 (RGA)	11/17/16	FALSE	8.94	900
Technetium-99	pCi/L	MW258 (RGA)	02/15/17	FALSE	1.19	900
Technetium-99	pCi/L	MW258 (RGA)	05/17/17	FALSE	11.1	900
Technetium-99	pCi/L	MW258 (RGA)	07/11/17	FALSE	1.92	900
Technetium-99	pCi/L	MW258 (RGA)	08/02/17	FALSE	5.13	900
Technetium-99	pCi/L	MW258 (RGA)	10/06/17	FALSE	0.689	900
Technetium-99	pCi/L	MW258 (RGA)	01/09/18	FALSE	0.517	900
Technetium-99	pCi/L	MW258 (RGA)	02/14/18	FALSE	-3.38	900
Technetium-99	pCi/L	MW258 (RGA)	04/05/18	FALSE	-3.87	900
Technetium-99	pCi/L	MW258 (RGA)	07/10/18	FALSE	2.63	900
Technetium-99	pCi/L	MW258 (RGA)	08/27/18	FALSE	1.98	900
Technetium-99	pCi/L	MW258 (RGA)	10/03/18	FALSE	-7.22	900
Technetium-99	pCi/L	MW258 (RGA)	01/02/19	FALSE	2.29	900
Technetium-99	pCi/L	MW258 (RGA)	04/09/19	FALSE	9.67	900
Technetium-99	pCi/L	MW258 (RGA)	07/09/19	FALSE	-2.76	900
Technetium-99	pCi/L	MW258 (RGA)	10/01/19	FALSE	3.21	900
Technetium-99	pCi/L	MW258 (RGA)	01/06/20	FALSE	3.46	900
Technetium-99	pCi/L	MW258 (RGA)	04/08/20	FALSE	9.08	900
Technetium-99	pCi/L	MW258 (RGA)	07/08/20	FALSE	-2.72	900
Technetium-99	pCi/L	MW258 (RGA)	10/08/20	FALSE	1.26	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW258 (RGA)	05/10/10	TRUE	260	5
Trichloroethene	ug/L	MW258 (RGA)	02/24/11	TRUE	260	5
Trichloroethene	ug/L	MW258 (RGA)	08/09/11	TRUE	270	5
Trichloroethene	ug/L	MW258 (RGA)	02/01/12	TRUE	220	5
Trichloroethene	ug/L	MW258 (RGA)	08/06/12	TRUE	190	5
Trichloroethene	ug/L	MW258 (RGA)	02/04/13	TRUE	190	5
Trichloroethene	ug/L	MW258 (RGA)	08/20/13	TRUE	190	5
Trichloroethene	ug/L	MW258 (RGA)	02/13/14	TRUE	240	5
Trichloroethene	ug/L	MW258 (RGA)	08/26/14	TRUE	241	5
Trichloroethene	ug/L	MW258 (RGA)	02/03/15	TRUE	233	5
Trichloroethene	ug/L	MW258 (RGA)	08/24/15	TRUE	209	5
Trichloroethene	ug/L	MW258 (RGA)	02/08/16	TRUE	197	5
Trichloroethene	ug/L	MW258 (RGA)	08/17/16	TRUE	170	5
Trichloroethene	ug/L	MW258 (RGA)	02/15/17	TRUE	141	5
Trichloroethene	ug/L	MW258 (RGA)	07/11/17	TRUE	134	5
Trichloroethene	ug/L	MW258 (RGA)	08/02/17	TRUE	136	5
Trichloroethene	ug/L	MW258 (RGA)	10/06/17	TRUE	126	5
Trichloroethene	ug/L	MW258 (RGA)	01/09/18	TRUE	165	5
Trichloroethene	ug/L	MW258 (RGA)	02/14/18	TRUE	178	5
Trichloroethene	ug/L	MW258 (RGA)	04/05/18	TRUE	199	5
Trichloroethene	ug/L	MW258 (RGA)	07/10/18	TRUE	199	5
Trichloroethene	ug/L	MW258 (RGA)	08/27/18	TRUE	216	5
Trichloroethene	ug/L	MW258 (RGA)	10/03/18	TRUE	264	5
Trichloroethene	ug/L	MW258 (RGA)	01/02/19	TRUE	211	5
Trichloroethene	ug/L	MW258 (RGA)	04/09/19	TRUE	324	5
Trichloroethene	ug/L	MW258 (RGA)	07/09/19	TRUE	302	5
Trichloroethene	ug/L	MW258 (RGA)	10/01/19	TRUE	294	5
Trichloroethene	ug/L	MW258 (RGA)	01/06/20	TRUE	284	5
Trichloroethene	ug/L	MW258 (RGA)	04/08/20	TRUE	302	5
Trichloroethene	ug/L	MW258 (RGA)	07/08/20	TRUE	313	5
Trichloroethene	ug/L	MW258 (RGA)	10/08/20	TRUE	298	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW260 (RGA)	03/05/10	TRUE	109	900
Technetium-99	pCi/L	MW260 (RGA)	09/07/10	TRUE	109	900
Technetium-99	pCi/L	MW260 (RGA)	05/11/11	TRUE	70.7	900
Technetium-99	pCi/L	MW260 (RGA)	05/10/13	TRUE	69.6	900
Technetium-99	pCi/L	MW260 (RGA)	06/01/15	TRUE	29.1	900
Technetium-99	pCi/L	MW260 (RGA)	05/23/17	TRUE	61.1	900
Technetium-99	pCi/L	MW260 (RGA)	08/14/18	TRUE	51.7	900
Technetium-99	pCi/L	MW260 (RGA)	10/04/18	TRUE	47.8	900
Technetium-99	pCi/L	MW260 (RGA)	01/03/19	TRUE	26	900
Technetium-99	pCi/L	MW260 (RGA)	04/08/19	TRUE	27.8	900
Technetium-99	pCi/L	MW260 (RGA)	05/08/19	TRUE	26.5	900
Technetium-99	pCi/L	MW260 (RGA)	07/02/19	TRUE	28.5	900
Technetium-99	pCi/L	MW260 (RGA)	10/07/19	TRUE	34.3	900
Technetium-99	pCi/L	MW260 (RGA)	01/07/20	TRUE	30.3	900
Technetium-99	pCi/L	MW260 (RGA)	04/14/20	TRUE	32.2	900
Technetium-99	pCi/L	MW260 (RGA)	07/08/20	TRUE	28.1	900
Technetium-99	pCi/L	MW260 (RGA)	10/07/20	TRUE	36.4	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW260 (RGA)	03/05/10	TRUE	390	5
Trichloroethene	ug/L	MW260 (RGA)	09/07/10	TRUE	420	5
Trichloroethene	ug/L	MW260 (RGA)	05/11/11	TRUE	410	5
Trichloroethene	ug/L	MW260 (RGA)	05/10/13	TRUE	320	5
Trichloroethene	ug/L	MW260 (RGA)	06/01/15	TRUE	403	5
Trichloroethene	ug/L	MW260 (RGA)	05/23/17	TRUE	258	5
Trichloroethene	ug/L	MW260 (RGA)	08/14/18	TRUE	123	5
Trichloroethene	ug/L	MW260 (RGA)	10/04/18	TRUE	126	5
Trichloroethene	ug/L	MW260 (RGA)	01/03/19	TRUE	68.8	5
Trichloroethene	ug/L	MW260 (RGA)	04/08/19	TRUE	80.4	5
Trichloroethene	ug/L	MW260 (RGA)	05/08/19	TRUE	80.5	5
Trichloroethene	ug/L	MW260 (RGA)	07/02/19	TRUE	92.6	5
Trichloroethene	ug/L	MW260 (RGA)	10/07/19	TRUE	72.9	5
Trichloroethene	ug/L	MW260 (RGA)	01/07/20	TRUE	75.9	5
Trichloroethene	ug/L	MW260 (RGA)	04/14/20	TRUE	52.1	5
Trichloroethene	ug/L	MW260 (RGA)	07/08/20	TRUE	72.1	5
Trichloroethene	ug/L	MW260 (RGA)	10/07/20	TRUE	51.3	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW261 (RGA)	03/09/10	TRUE	2460	900
Technetium-99	pCi/L	MW261 (RGA)	09/08/10	TRUE	2460	900
Technetium-99	pCi/L	MW261 (RGA)	05/11/11	TRUE	1760	900
Technetium-99	pCi/L	MW261 (RGA)	05/08/12	TRUE	1040	900
Technetium-99	pCi/L	MW261 (RGA)	05/22/13	TRUE	1300	900
Technetium-99	pCi/L	MW261 (RGA)	05/20/14	TRUE	870	900
Technetium-99	pCi/L	MW261 (RGA)	06/10/15	TRUE	775	900
Technetium-99	pCi/L	MW261 (RGA)	05/24/16	TRUE	789	900
Technetium-99	pCi/L	MW261 (RGA)	05/23/17	TRUE	616	900
Technetium-99	pCi/L	MW261 (RGA)	05/14/18	TRUE	470	900
Technetium-99	pCi/L	MW261 (RGA)	05/16/19	TRUE	308	900
Technetium-99	pCi/L	MW261 (RGA)	05/20/20	TRUE	601	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW261 (RGA)	03/09/10	TRUE	22000	5
Trichloroethene	ug/L	MW261 (RGA)	09/08/10	TRUE	25000	5
Trichloroethene	ug/L	MW261 (RGA)	05/11/11	TRUE	12000	5
Trichloroethene	ug/L	MW261 (RGA)	05/08/12	TRUE	5300	5
Trichloroethene	ug/L	MW261 (RGA)	05/22/13	TRUE	6600	5
Trichloroethene	ug/L	MW261 (RGA)	05/20/14	TRUE	5020	5
Trichloroethene	ug/L	MW261 (RGA)	06/10/15	TRUE	3680	5
Trichloroethene	ug/L	MW261 (RGA)	05/24/16	TRUE	3970	5
Trichloroethene	ug/L	MW261 (RGA)	05/23/17	TRUE	3350	5
Trichloroethene	ug/L	MW261 (RGA)	05/14/18	TRUE	2370	5
Trichloroethene	ug/L	MW261 (RGA)	08/29/18	TRUE	1910	5
Trichloroethene	ug/L	MW261 (RGA)	05/16/19	TRUE	1810	5
Trichloroethene	ug/L	MW261 (RGA)	05/20/20	TRUE	2200	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW262 (RGA)	03/10/10	TRUE	464	900
Technetium-99	pCi/L	MW262 (RGA)	09/08/10	TRUE	434	900
Technetium-99	pCi/L	MW262 (RGA)	05/17/11	TRUE	398	900
Technetium-99	pCi/L	MW262 (RGA)	05/14/13	TRUE	348	900
Technetium-99	pCi/L	MW262 (RGA)	06/01/15	TRUE	292	900
Technetium-99	pCi/L	MW262 (RGA)	05/23/17	TRUE	266	900
Technetium-99	pCi/L	MW262 (RGA)	05/08/19	TRUE	213	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW262 (RGA)	03/10/10	TRUE	940	5
Trichloroethene	ug/L	MW262 (RGA)	09/08/10	TRUE	930	5
Trichloroethene	ug/L	MW262 (RGA)	05/17/11	TRUE	700	5
Trichloroethene	ug/L	MW262 (RGA)	05/14/13	TRUE	520	5
Trichloroethene	ug/L	MW262 (RGA)	06/01/15	TRUE	647	5
Trichloroethene	ug/L	MW262 (RGA)	05/23/17	TRUE	593	5
Trichloroethene	ug/L	MW262 (RGA)	05/08/19	TRUE	342	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW283 (RGA)	05/11/10	TRUE	23.9	900
Technetium-99	pCi/L	MW283 (RGA)	02/22/11	TRUE	28.6	900
Technetium-99	pCi/L	MW283 (RGA)	08/08/11	FALSE	6.53	900
Technetium-99	pCi/L	MW283 (RGA)	02/01/12	TRUE	19	900
Technetium-99	pCi/L	MW283 (RGA)	08/08/12	TRUE	18.2	900
Technetium-99	pCi/L	MW283 (RGA)	02/05/13	FALSE	12.1	900
Technetium-99	pCi/L	MW283 (RGA)	08/12/13	FALSE	2.18	900
Technetium-99	pCi/L	MW283 (RGA)	02/24/14	FALSE	-4.42	900
Technetium-99	pCi/L	MW283 (RGA)	08/26/14	FALSE	13.4	900
Technetium-99	pCi/L	MW283 (RGA)	02/04/15	FALSE	14.3	900
Technetium-99	pCi/L	MW283 (RGA)	08/24/15	FALSE	8.19	900
Technetium-99	pCi/L	MW283 (RGA)	02/08/16	FALSE	8.77	900
Technetium-99	pCi/L	MW283 (RGA)	08/04/16	FALSE	6.1	900
Technetium-99	pCi/L	MW283 (RGA)	02/15/17	FALSE	7.25	900
Technetium-99	pCi/L	MW283 (RGA)	07/10/17	FALSE	2.93	900
Technetium-99	pCi/L	MW283 (RGA)	08/01/17	FALSE	0.842	900
Technetium-99	pCi/L	MW283 (RGA)	10/06/17	TRUE	18.5	900
Technetium-99	pCi/L	MW283 (RGA)	01/09/18	FALSE	6.53	900
Technetium-99	pCi/L	MW283 (RGA)	02/14/18	FALSE	-4.79	900
Technetium-99	pCi/L	MW283 (RGA)	04/05/18	FALSE	11.9	900
Technetium-99	pCi/L	MW283 (RGA)	07/10/18	FALSE	4.58	900
Technetium-99	pCi/L	MW283 (RGA)	08/27/18	FALSE	1.77	900
Technetium-99	pCi/L	MW283 (RGA)	10/03/18	FALSE	-7.88	900
Technetium-99	pCi/L	MW283 (RGA)	01/02/19	FALSE	3.9	900
Technetium-99	pCi/L	MW283 (RGA)	04/09/19	FALSE	6.01	900
Technetium-99	pCi/L	MW283 (RGA)	07/09/19	FALSE	3.22	900
Technetium-99	pCi/L	MW283 (RGA)	10/02/19	FALSE	1.84	900
Technetium-99	pCi/L	MW283 (RGA)	01/07/20	FALSE	-0.0948	900
Technetium-99	pCi/L	MW283 (RGA)	04/15/20	FALSE	-4.68	900
Technetium-99	pCi/L	MW283 (RGA)	07/08/20	FALSE	-1.65	900
Technetium-99	pCi/L	MW283 (RGA)	10/08/20	FALSE	0.314	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW283 (RGA)	05/11/10	TRUE	77	5
Trichloroethene	ug/L	MW283 (RGA)	02/22/11	TRUE	86	5
Trichloroethene	ug/L	MW283 (RGA)	08/08/11	TRUE	61	5
Trichloroethene	ug/L	MW283 (RGA)	02/01/12	TRUE	65	5
Trichloroethene	ug/L	MW283 (RGA)	08/08/12	TRUE	52	5
Trichloroethene	ug/L	MW283 (RGA)	02/05/13	TRUE	57	5
Trichloroethene	ug/L	MW283 (RGA)	08/12/13	TRUE	22	5
Trichloroethene	ug/L	MW283 (RGA)	02/24/14	TRUE	62	5
Trichloroethene	ug/L	MW283 (RGA)	08/26/14	TRUE	56.8	5
Trichloroethene	ug/L	MW283 (RGA)	02/04/15	TRUE	67.6	5
Trichloroethene	ug/L	MW283 (RGA)	08/24/15	TRUE	52	5
Trichloroethene	ug/L	MW283 (RGA)	02/08/16	TRUE	50.7	5
Trichloroethene	ug/L	MW283 (RGA)	08/04/16	TRUE	47.8	5
Trichloroethene	ug/L	MW283 (RGA)	02/15/17	TRUE	51.2	5
Trichloroethene	ug/L	MW283 (RGA)	07/10/17	TRUE	41.3	5
Trichloroethene	ug/L	MW283 (RGA)	08/01/17	TRUE	45.3	5
Trichloroethene	ug/L	MW283 (RGA)	10/06/17	TRUE	55.9	5
Trichloroethene	ug/L	MW283 (RGA)	01/09/18	TRUE	29.8	5
Trichloroethene	ug/L	MW283 (RGA)	02/14/18	TRUE	11.8	5
Trichloroethene	ug/L	MW283 (RGA)	04/05/18	TRUE	28.6	5
Trichloroethene	ug/L	MW283 (RGA)	07/10/18	TRUE	13.9	5
Trichloroethene	ug/L	MW283 (RGA)	08/27/18	TRUE	22.6	5
Trichloroethene	ug/L	MW283 (RGA)	10/03/18	TRUE	30.3	5
Trichloroethene	ug/L	MW283 (RGA)	01/02/19	TRUE	8.26	5
Trichloroethene	ug/L	MW283 (RGA)	04/09/19	TRUE	38.6	5
Trichloroethene	ug/L	MW283 (RGA)	07/09/19	TRUE	78.4	5
Trichloroethene	ug/L	MW283 (RGA)	10/02/19	TRUE	39	5
Trichloroethene	ug/L	MW283 (RGA)	01/07/20	TRUE	3.95	5
Trichloroethene	ug/L	MW283 (RGA)	04/15/20	TRUE	15.8	5
Trichloroethene	ug/L	MW283 (RGA)	07/08/20	TRUE	40.2	5
Trichloroethene	ug/L	MW283 (RGA)	10/08/20	TRUE	13.7	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW288 (RGA)	02/02/10	TRUE	52.5	900
Technetium-99	pCi/L	MW288 (RGA)	05/11/10	TRUE	43.5	900
Technetium-99	pCi/L	MW288 (RGA)	08/05/10	TRUE	42	900
Technetium-99	pCi/L	MW288 (RGA)	12/07/10	TRUE	38	900
Technetium-99	pCi/L	MW288 (RGA)	02/22/11	TRUE	37.3	900
Technetium-99	pCi/L	MW288 (RGA)	05/04/11	TRUE	24.5	900
Technetium-99	pCi/L	MW288 (RGA)	08/09/11	TRUE	41.2	900
Technetium-99	pCi/L	MW288 (RGA)	11/03/11	TRUE	45.8	900
Technetium-99	pCi/L	MW288 (RGA)	02/02/12	TRUE	48	900
Technetium-99	pCi/L	MW288 (RGA)	05/03/12	TRUE	32.5	900
Technetium-99	pCi/L	MW288 (RGA)	08/07/12	TRUE	35.3	900
Technetium-99	pCi/L	MW288 (RGA)	11/05/12	TRUE	28.7	900
Technetium-99	pCi/L	MW288 (RGA)	02/04/13	TRUE	37.5	900
Technetium-99	pCi/L	MW288 (RGA)	06/19/13	TRUE	34.9	900
Technetium-99	pCi/L	MW288 (RGA)	08/21/13	TRUE	37.6	900
Technetium-99	pCi/L	MW288 (RGA)	11/18/13	TRUE	35.2	900
Technetium-99	pCi/L	MW288 (RGA)	02/24/14	TRUE	32.6	900
Technetium-99	pCi/L	MW288 (RGA)	05/13/14	TRUE	38.6	900
Technetium-99	pCi/L	MW288 (RGA)	08/26/14	TRUE	37.4	900
Technetium-99	pCi/L	MW288 (RGA)	11/12/14	TRUE	35.2	900
Technetium-99	pCi/L	MW288 (RGA)	02/04/15	TRUE	46.3	900
Technetium-99	pCi/L	MW288 (RGA)	05/12/15	FALSE	6.6	900
Technetium-99	pCi/L	MW288 (RGA)	08/24/15	TRUE	32.4	900
Technetium-99	pCi/L	MW288 (RGA)	11/24/15	FALSE	14.7	900
Technetium-99	pCi/L	MW288 (RGA)	02/08/16	TRUE	38.4	900
Technetium-99	pCi/L	MW288 (RGA)	05/17/16	TRUE	47.4	900
Technetium-99	pCi/L	MW288 (RGA)	08/04/16	TRUE	50.8	900
Technetium-99	pCi/L	MW288 (RGA)	11/17/16	TRUE	35.9	900
Technetium-99	pCi/L	MW288 (RGA)	02/15/17	TRUE	36.8	900
Technetium-99	pCi/L	MW288 (RGA)	05/17/17	TRUE	41.3	900
Technetium-99	pCi/L	MW288 (RGA)	07/10/17	TRUE	30.6	900
Technetium-99	pCi/L	MW288 (RGA)	08/01/17	TRUE	37.6	900
Technetium-99	pCi/L	MW288 (RGA)	10/06/17	TRUE	44.3	900
Technetium-99	pCi/L	MW288 (RGA)	01/09/18	TRUE	42.6	900
Technetium-99	pCi/L	MW288 (RGA)	02/14/18	TRUE	39.9	900
Technetium-99	pCi/L	MW288 (RGA)	04/05/18	TRUE	27.1	900
Technetium-99	pCi/L	MW288 (RGA)	07/03/18	TRUE	29.4	900
Technetium-99	pCi/L	MW288 (RGA)	08/27/18	TRUE	38.7	900
Technetium-99	pCi/L	MW288 (RGA)	10/03/18	TRUE	46.7	900
Technetium-99	pCi/L	MW288 (RGA)	01/02/19	TRUE	38.7	900
Technetium-99	pCi/L	MW288 (RGA)	04/09/19	TRUE	29	900
Technetium-99	pCi/L	MW288 (RGA)	07/02/19	TRUE	16.9	900
Technetium-99	pCi/L	MW288 (RGA)	10/02/19	TRUE	35.5	900
Technetium-99	pCi/L	MW288 (RGA)	01/06/20	TRUE	32.8	900
Technetium-99	pCi/L	MW288 (RGA)	04/15/20	TRUE	28	900
Technetium-99	pCi/L	MW288 (RGA)	07/08/20	TRUE	16	900
Technetium-99	pCi/L	MW288 (RGA)	10/08/20	TRUE	27.4	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW288 (RGA)	05/11/10	TRUE	180	5
Trichloroethene	ug/L	MW288 (RGA)	02/22/11	TRUE	190	5
Trichloroethene	ug/L	MW288 (RGA)	08/09/11	TRUE	280	5
Trichloroethene	ug/L	MW288 (RGA)	02/02/12	TRUE	210	5
Trichloroethene	ug/L	MW288 (RGA)	08/07/12	TRUE	130	5
Trichloroethene	ug/L	MW288 (RGA)	02/04/13	TRUE	140	5
Trichloroethene	ug/L	MW288 (RGA)	08/21/13	TRUE	170	5
Trichloroethene	ug/L	MW288 (RGA)	02/24/14	TRUE	200	5
Trichloroethene	ug/L	MW288 (RGA)	08/26/14	TRUE	191	5
Trichloroethene	ug/L	MW288 (RGA)	02/04/15	TRUE	199	5
Trichloroethene	ug/L	MW288 (RGA)	08/24/15	TRUE	183	5
Trichloroethene	ug/L	MW288 (RGA)	02/08/16	TRUE	163	5
Trichloroethene	ug/L	MW288 (RGA)	08/04/16	TRUE	155	5
Trichloroethene	ug/L	MW288 (RGA)	02/15/17	TRUE	141	5
Trichloroethene	ug/L	MW288 (RGA)	07/10/17	TRUE	139	5
Trichloroethene	ug/L	MW288 (RGA)	08/01/17	TRUE	130	5
Trichloroethene	ug/L	MW288 (RGA)	10/06/17	TRUE	154	5
Trichloroethene	ug/L	MW288 (RGA)	01/09/18	TRUE	177	5
Trichloroethene	ug/L	MW288 (RGA)	02/14/18	TRUE	151	5
Trichloroethene	ug/L	MW288 (RGA)	04/05/18	TRUE	162	5
Trichloroethene	ug/L	MW288 (RGA)	07/03/18	TRUE	152	5
Trichloroethene	ug/L	MW288 (RGA)	08/27/18	TRUE	125	5
Trichloroethene	ug/L	MW288 (RGA)	10/03/18	TRUE	186	5
Trichloroethene	ug/L	MW288 (RGA)	01/02/19	TRUE	123	5
Trichloroethene	ug/L	MW288 (RGA)	04/09/19	TRUE	174	5
Trichloroethene	ug/L	MW288 (RGA)	07/02/19	TRUE	164	5
Trichloroethene	ug/L	MW288 (RGA)	10/02/19	TRUE	163	5
Trichloroethene	ug/L	MW288 (RGA)	01/06/20	TRUE	165	5
Trichloroethene	ug/L	MW288 (RGA)	04/15/20	TRUE	177	5
Trichloroethene	ug/L	MW288 (RGA)	07/08/20	TRUE	173	5
Trichloroethene	ug/L	MW288 (RGA)	10/08/20	TRUE	176	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW291 (RGA)	05/11/10	TRUE	25.1	900
Technetium-99	pCi/L	MW291 (RGA)	02/22/11	FALSE	11.7	900
Technetium-99	pCi/L	MW291 (RGA)	08/09/11	FALSE	2.27	900
Technetium-99	pCi/L	MW291 (RGA)	02/01/12	FALSE	1.75	900
Technetium-99	pCi/L	MW291 (RGA)	08/08/12	FALSE	2.47	900
Technetium-99	pCi/L	MW291 (RGA)	02/05/13	FALSE	10	900
Technetium-99	pCi/L	MW291 (RGA)	08/12/13	FALSE	2.91	900
Technetium-99	pCi/L	MW291 (RGA)	02/24/14	FALSE	0.737	900
Technetium-99	pCi/L	MW291 (RGA)	08/26/14	FALSE	5.41	900
Technetium-99	pCi/L	MW291 (RGA)	02/04/15	FALSE	2.07	900
Technetium-99	pCi/L	MW291 (RGA)	08/24/15	FALSE	1.99	900
Technetium-99	pCi/L	MW291 (RGA)	02/08/16	FALSE	-2.27	900
Technetium-99	pCi/L	MW291 (RGA)	08/04/16	FALSE	8.3	900
Technetium-99	pCi/L	MW291 (RGA)	02/15/17	FALSE	-4.14	900
Technetium-99	pCi/L	MW291 (RGA)	07/10/17	FALSE	-1.76	900
Technetium-99	pCi/L	MW291 (RGA)	08/01/17	FALSE	3.78	900
Technetium-99	pCi/L	MW291 (RGA)	10/06/17	FALSE	6.4	900
Technetium-99	pCi/L	MW291 (RGA)	01/09/18	TRUE	13.2	900
Technetium-99	pCi/L	MW291 (RGA)	02/14/18	FALSE	3.85	900
Technetium-99	pCi/L	MW291 (RGA)	04/05/18	FALSE	11.1	900
Technetium-99	pCi/L	MW291 (RGA)	07/03/18	FALSE	0.947	900
Technetium-99	pCi/L	MW291 (RGA)	08/27/18	FALSE	0.641	900
Technetium-99	pCi/L	MW291 (RGA)	10/03/18	FALSE	-6.33	900
Technetium-99	pCi/L	MW291 (RGA)	01/02/19	FALSE	5.88	900
Technetium-99	pCi/L	MW291 (RGA)	04/09/19	FALSE	5.26	900
Technetium-99	pCi/L	MW291 (RGA)	07/02/19	FALSE	-5.75	900
Technetium-99	pCi/L	MW291 (RGA)	10/02/19	FALSE	5.92	900
Technetium-99	pCi/L	MW291 (RGA)	01/06/20	FALSE	6.76	900
Technetium-99	pCi/L	MW291 (RGA)	04/15/20	FALSE	5.68	900
Technetium-99	pCi/L	MW291 (RGA)	07/08/20	FALSE	-2.27	900
Technetium-99	pCi/L	MW291 (RGA)	10/08/20	FALSE	-7.13	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW291 (RGA)	05/11/10	TRUE	61	5
Trichloroethene	ug/L	MW291 (RGA)	02/22/11	TRUE	61	5
Trichloroethene	ug/L	MW291 (RGA)	08/09/11	TRUE	63	5
Trichloroethene	ug/L	MW291 (RGA)	02/01/12	TRUE	59	5
Trichloroethene	ug/L	MW291 (RGA)	08/08/12	TRUE	38	5
Trichloroethene	ug/L	MW291 (RGA)	02/05/13	TRUE	43	5
Trichloroethene	ug/L	MW291 (RGA)	08/12/13	TRUE	49	5
Trichloroethene	ug/L	MW291 (RGA)	02/24/14	TRUE	54	5
Trichloroethene	ug/L	MW291 (RGA)	08/26/14	TRUE	48	5
Trichloroethene	ug/L	MW291 (RGA)	02/04/15	TRUE	47.1	5
Trichloroethene	ug/L	MW291 (RGA)	08/24/15	TRUE	53.3	5
Trichloroethene	ug/L	MW291 (RGA)	02/08/16	TRUE	43.9	5
Trichloroethene	ug/L	MW291 (RGA)	08/04/16	TRUE	34.6	5
Trichloroethene	ug/L	MW291 (RGA)	02/15/17	TRUE	33.9	5
Trichloroethene	ug/L	MW291 (RGA)	07/10/17	TRUE	32	5
Trichloroethene	ug/L	MW291 (RGA)	08/01/17	TRUE	29.3	5
Trichloroethene	ug/L	MW291 (RGA)	10/06/17	TRUE	32.2	5
Trichloroethene	ug/L	MW291 (RGA)	01/09/18	TRUE	50.9	5
Trichloroethene	ug/L	MW291 (RGA)	02/14/18	TRUE	59.4	5
Trichloroethene	ug/L	MW291 (RGA)	04/05/18	TRUE	61.2	5
Trichloroethene	ug/L	MW291 (RGA)	07/03/18	TRUE	40.5	5
Trichloroethene	ug/L	MW291 (RGA)	08/27/18	TRUE	35.1	5
Trichloroethene	ug/L	MW291 (RGA)	10/03/18	TRUE	37	5
Trichloroethene	ug/L	MW291 (RGA)	01/02/19	TRUE	24.8	5
Trichloroethene	ug/L	MW291 (RGA)	04/09/19	TRUE	53	5
Trichloroethene	ug/L	MW291 (RGA)	07/02/19	TRUE	56	5
Trichloroethene	ug/L	MW291 (RGA)	10/02/19	TRUE	63.3	5
Trichloroethene	ug/L	MW291 (RGA)	01/06/20	TRUE	42.6	5
Trichloroethene	ug/L	MW291 (RGA)	04/15/20	TRUE	83.6	5
Trichloroethene	ug/L	MW291 (RGA)	07/08/20	TRUE	77.8	5
Trichloroethene	ug/L	MW291 (RGA)	10/08/20	TRUE	31.6	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW292 (RGA)	02/02/10	TRUE	54.9	900
Technetium-99	pCi/L	MW292 (RGA)	05/11/10	TRUE	56.5	900
Technetium-99	pCi/L	MW292 (RGA)	08/05/10	TRUE	50.7	900
Technetium-99	pCi/L	MW292 (RGA)	12/07/10	TRUE	36.4	900
Technetium-99	pCi/L	MW292 (RGA)	02/22/11	TRUE	39.2	900
Technetium-99	pCi/L	MW292 (RGA)	05/04/11	TRUE	45.1	900
Technetium-99	pCi/L	MW292 (RGA)	08/09/11	TRUE	38.4	900
Technetium-99	pCi/L	MW292 (RGA)	11/03/11	TRUE	46.8	900
Technetium-99	pCi/L	MW292 (RGA)	02/02/12	TRUE	78.2	900
Technetium-99	pCi/L	MW292 (RGA)	05/03/12	TRUE	43.4	900
Technetium-99	pCi/L	MW292 (RGA)	08/07/12	TRUE	56	900
Technetium-99	pCi/L	MW292 (RGA)	11/05/12	TRUE	28	900
Technetium-99	pCi/L	MW292 (RGA)	02/04/13	TRUE	43.5	900
Technetium-99	pCi/L	MW292 (RGA)	06/12/13	TRUE	39.2	900
Technetium-99	pCi/L	MW292 (RGA)	08/21/13	TRUE	36.4	900
Technetium-99	pCi/L	MW292 (RGA)	11/18/13	TRUE	33.4	900
Technetium-99	pCi/L	MW292 (RGA)	02/24/14	TRUE	36.1	900
Technetium-99	pCi/L	MW292 (RGA)	05/13/14	TRUE	41.3	900
Technetium-99	pCi/L	MW292 (RGA)	08/26/14	TRUE	29.2	900
Technetium-99	pCi/L	MW292 (RGA)	11/12/14	TRUE	42.1	900
Technetium-99	pCi/L	MW292 (RGA)	02/04/15	TRUE	36.5	900
Technetium-99	pCi/L	MW292 (RGA)	05/12/15	TRUE	42.2	900
Technetium-99	pCi/L	MW292 (RGA)	08/24/15	TRUE	45.6	900
Technetium-99	pCi/L	MW292 (RGA)	11/24/15	TRUE	29.4	900
Technetium-99	pCi/L	MW292 (RGA)	02/08/16	TRUE	33.5	900
Technetium-99	pCi/L	MW292 (RGA)	05/17/16	TRUE	43.9	900
Technetium-99	pCi/L	MW292 (RGA)	08/17/16	TRUE	44.1	900
Technetium-99	pCi/L	MW292 (RGA)	11/17/16	TRUE	39.7	900
Technetium-99	pCi/L	MW292 (RGA)	02/15/17	TRUE	26.8	900
Technetium-99	pCi/L	MW292 (RGA)	05/17/17	TRUE	45.9	900
Technetium-99	pCi/L	MW292 (RGA)	07/10/17	TRUE	28.7	900
Technetium-99	pCi/L	MW292 (RGA)	08/01/17	TRUE	40.5	900
Technetium-99	pCi/L	MW292 (RGA)	10/06/17	TRUE	39.3	900
Technetium-99	pCi/L	MW292 (RGA)	01/09/18	TRUE	41.8	900
Technetium-99	pCi/L	MW292 (RGA)	02/14/18	TRUE	28.7	900
Technetium-99	pCi/L	MW292 (RGA)	04/05/18	TRUE	18.5	900
Technetium-99	pCi/L	MW292 (RGA)	07/03/18	TRUE	34.8	900
Technetium-99	pCi/L	MW292 (RGA)	08/27/18	TRUE	33.9	900
Technetium-99	pCi/L	MW292 (RGA)	10/03/18	TRUE	42.3	900
Technetium-99	pCi/L	MW292 (RGA)	01/02/19	TRUE	24.9	900
Technetium-99	pCi/L	MW292 (RGA)	04/09/19	TRUE	29.9	900
Technetium-99	pCi/L	MW292 (RGA)	07/02/19	TRUE	17.9	900
Technetium-99	pCi/L	MW292 (RGA)	10/01/19	TRUE	29.8	900
Technetium-99	pCi/L	MW292 (RGA)	01/06/20	TRUE	19.5	900
Technetium-99	pCi/L	MW292 (RGA)	04/15/20	TRUE	25.5	900
Technetium-99	pCi/L	MW292 (RGA)	07/08/20	TRUE	17.1	900
Technetium-99	pCi/L	MW292 (RGA)	10/08/20	TRUE	17.1	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW292 (RGA)	05/11/10	TRUE	260	5
Trichloroethene	ug/L	MW292 (RGA)	02/22/11	TRUE	270	5
Trichloroethene	ug/L	MW292 (RGA)	08/09/11	TRUE	280	5
Trichloroethene	ug/L	MW292 (RGA)	02/02/12	TRUE	280	5
Trichloroethene	ug/L	MW292 (RGA)	08/07/12	TRUE	200	5
Trichloroethene	ug/L	MW292 (RGA)	02/04/13	TRUE	210	5
Trichloroethene	ug/L	MW292 (RGA)	08/21/13	TRUE	180	5
Trichloroethene	ug/L	MW292 (RGA)	02/24/14	TRUE	270	5
Trichloroethene	ug/L	MW292 (RGA)	08/26/14	TRUE	240	5
Trichloroethene	ug/L	MW292 (RGA)	02/04/15	TRUE	215	5
Trichloroethene	ug/L	MW292 (RGA)	08/24/15	TRUE	216	5
Trichloroethene	ug/L	MW292 (RGA)	02/08/16	TRUE	198	5
Trichloroethene	ug/L	MW292 (RGA)	08/17/16	TRUE	202	5
Trichloroethene	ug/L	MW292 (RGA)	02/15/17	TRUE	161	5
Trichloroethene	ug/L	MW292 (RGA)	07/10/17	TRUE	145	5
Trichloroethene	ug/L	MW292 (RGA)	08/01/17	TRUE	151	5
Trichloroethene	ug/L	MW292 (RGA)	10/06/17	TRUE	152	5
Trichloroethene	ug/L	MW292 (RGA)	01/09/18	TRUE	184	5
Trichloroethene	ug/L	MW292 (RGA)	02/14/18	TRUE	153	5
Trichloroethene	ug/L	MW292 (RGA)	04/05/18	TRUE	160	5
Trichloroethene	ug/L	MW292 (RGA)	07/03/18	TRUE	180	5
Trichloroethene	ug/L	MW292 (RGA)	08/27/18	TRUE	197	5
Trichloroethene	ug/L	MW292 (RGA)	10/03/18	TRUE	224	5
Trichloroethene	ug/L	MW292 (RGA)	01/02/19	TRUE	160	5
Trichloroethene	ug/L	MW292 (RGA)	04/09/19	TRUE	202	5
Trichloroethene	ug/L	MW292 (RGA)	07/02/19	TRUE	202	5
Trichloroethene	ug/L	MW292 (RGA)	10/01/19	TRUE	236	5
Trichloroethene	ug/L	MW292 (RGA)	01/06/20	TRUE	254	5
Trichloroethene	ug/L	MW292 (RGA)	04/15/20	TRUE	239	5
Trichloroethene	ug/L	MW292 (RGA)	07/08/20	TRUE	275	5
Trichloroethene	ug/L	MW292 (RGA)	10/08/20	TRUE	283	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW293A (RGA)	05/11/10	TRUE	18.7	900
Technetium-99	pCi/L	MW293A (RGA)	02/22/11	FALSE	14	900
Technetium-99	pCi/L	MW293A (RGA)	08/03/11	FALSE	4.7	900
Technetium-99	pCi/L	MW293A (RGA)	02/01/12	FALSE	-0.483	900
Technetium-99	pCi/L	MW293A (RGA)	08/08/12	FALSE	4.03	900
Technetium-99	pCi/L	MW293A (RGA)	02/05/13	FALSE	1.39	900
Technetium-99	pCi/L	MW293A (RGA)	08/12/13	FALSE	-2.29	900
Technetium-99	pCi/L	MW293A (RGA)	02/19/14	FALSE	0.276	900
Technetium-99	pCi/L	MW293A (RGA)	08/26/14	FALSE	-3.21	900
Technetium-99	pCi/L	MW293A (RGA)	02/04/15	FALSE	5.67	900
Technetium-99	pCi/L	MW293A (RGA)	08/24/15	FALSE	-3.7	900
Technetium-99	pCi/L	MW293A (RGA)	02/08/16	FALSE	-9.06	900
Technetium-99	pCi/L	MW293A (RGA)	08/04/16	FALSE	3.76	900
Technetium-99	pCi/L	MW293A (RGA)	02/15/17	FALSE	-1.27	900
Technetium-99	pCi/L	MW293A (RGA)	07/10/17	FALSE	-6.25	900
Technetium-99	pCi/L	MW293A (RGA)	08/01/17	FALSE	-0.716	900
Technetium-99	pCi/L	MW293A (RGA)	10/06/17	FALSE	-0.519	900
Technetium-99	pCi/L	MW293A (RGA)	01/09/18	FALSE	9.43	900
Technetium-99	pCi/L	MW293A (RGA)	02/14/18	FALSE	-3.26	900
Technetium-99	pCi/L	MW293A (RGA)	04/05/18	FALSE	-9.09	900
Technetium-99	pCi/L	MW293A (RGA)	07/03/18	FALSE	-3.27	900
Technetium-99	pCi/L	MW293A (RGA)	08/27/18	FALSE	0.606	900
Technetium-99	pCi/L	MW293A (RGA)	10/03/18	FALSE	-6.35	900
Technetium-99	pCi/L	MW293A (RGA)	01/02/19	FALSE	8.96	900
Technetium-99	pCi/L	MW293A (RGA)	04/09/19	FALSE	3.92	900
Technetium-99	pCi/L	MW293A (RGA)	07/02/19	FALSE	-4.77	900
Technetium-99	pCi/L	MW293A (RGA)	10/02/19	FALSE	6.76	900
Technetium-99	pCi/L	MW293A (RGA)	01/06/20	FALSE	3.54	900
Technetium-99	pCi/L	MW293A (RGA)	04/15/20	FALSE	-1.14	900
Technetium-99	pCi/L	MW293A (RGA)	07/08/20	FALSE	-6.61	900
Technetium-99	pCi/L	MW293A (RGA)	10/08/20	FALSE	3.35	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW293A (RGA)	05/11/10	TRUE	250	5
Trichloroethene	ug/L	MW293A (RGA)	02/22/11	TRUE	94	5
Trichloroethene	ug/L	MW293A (RGA)	08/03/11	TRUE	220	5
Trichloroethene	ug/L	MW293A (RGA)	02/01/12	TRUE	230	5
Trichloroethene	ug/L	MW293A (RGA)	08/08/12	TRUE	200	5
Trichloroethene	ug/L	MW293A (RGA)	02/05/13	TRUE	200	5
Trichloroethene	ug/L	MW293A (RGA)	08/12/13	TRUE	180	5
Trichloroethene	ug/L	MW293A (RGA)	02/19/14	TRUE	73	5
Trichloroethene	ug/L	MW293A (RGA)	08/26/14	TRUE	40.6	5
Trichloroethene	ug/L	MW293A (RGA)	02/04/15	TRUE	31.9	5
Trichloroethene	ug/L	MW293A (RGA)	08/24/15	TRUE	32.1	5
Trichloroethene	ug/L	MW293A (RGA)	02/08/16	TRUE	156	5
Trichloroethene	ug/L	MW293A (RGA)	08/04/16	TRUE	97.7	5
Trichloroethene	ug/L	MW293A (RGA)	02/15/17	TRUE	182	5
Trichloroethene	ug/L	MW293A (RGA)	07/10/17	TRUE	85	5
Trichloroethene	ug/L	MW293A (RGA)	08/01/17	TRUE	82	5
Trichloroethene	ug/L	MW293A (RGA)	10/06/17	TRUE	101	5
Trichloroethene	ug/L	MW293A (RGA)	01/09/18	TRUE	99.3	5
Trichloroethene	ug/L	MW293A (RGA)	02/14/18	TRUE	111	5
Trichloroethene	ug/L	MW293A (RGA)	04/05/18	TRUE	112	5
Trichloroethene	ug/L	MW293A (RGA)	07/03/18	TRUE	147	5
Trichloroethene	ug/L	MW293A (RGA)	08/27/18	TRUE	127	5
Trichloroethene	ug/L	MW293A (RGA)	10/03/18	TRUE	152	5
Trichloroethene	ug/L	MW293A (RGA)	01/02/19	TRUE	108	5
Trichloroethene	ug/L	MW293A (RGA)	04/09/19	TRUE	191	5
Trichloroethene	ug/L	MW293A (RGA)	07/02/19	TRUE	177	5
Trichloroethene	ug/L	MW293A (RGA)	10/02/19	TRUE	161	5
Trichloroethene	ug/L	MW293A (RGA)	01/06/20	TRUE	144	5
Trichloroethene	ug/L	MW293A (RGA)	04/15/20	TRUE	175	5
Trichloroethene	ug/L	MW293A (RGA)	07/08/20	TRUE	160	5
Trichloroethene	ug/L	MW293A (RGA)	10/08/20	TRUE	128	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW328 (RGA)	03/08/10	FALSE	-8.93	900
Technetium-99	pCi/L	MW328 (RGA)	08/18/10	FALSE	6.81	900
Technetium-99	pCi/L	MW328 (RGA)	05/12/11	FALSE	-2.7	900
Technetium-99	pCi/L	MW328 (RGA)	05/10/13	FALSE	5.62	900
Technetium-99	pCi/L	MW328 (RGA)	05/28/15	FALSE	-6.2	900
Technetium-99	pCi/L	MW328 (RGA)	05/18/17	FALSE	1.72	900
Technetium-99	pCi/L	MW328 (RGA)	04/30/19	FALSE	1.05	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW328 (RGA)	03/08/10	FALSE	1	5
Trichloroethene	ug/L	MW328 (RGA)	08/18/10	FALSE	1	5
Trichloroethene	ug/L	MW328 (RGA)	05/12/11	TRUE	1.9	5
Trichloroethene	ug/L	MW328 (RGA)	05/10/13	TRUE	1.3	5
Trichloroethene	ug/L	MW328 (RGA)	05/28/15	TRUE	1.22	5
Trichloroethene	ug/L	MW328 (RGA)	05/18/17	TRUE	1.09	5
Trichloroethene	ug/L	MW328 (RGA)	04/30/19	TRUE	0.4	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW329 (RGA)	03/08/10	FALSE	-6.74	900
Technetium-99	pCi/L	MW329 (RGA)	08/18/10	FALSE	3.83	900
Technetium-99	pCi/L	MW329 (RGA)	05/12/11	FALSE	-18.4	900
Technetium-99	pCi/L	MW329 (RGA)	05/10/13	FALSE	5.51	900
Technetium-99	pCi/L	MW329 (RGA)	05/28/15	FALSE	-12.6	900
Technetium-99	pCi/L	MW329 (RGA)	05/18/17	FALSE	9.89	900
Technetium-99	pCi/L	MW329 (RGA)	04/30/19	FALSE	-1.7	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW329 (RGA)	03/08/10	FALSE	1	5
Trichloroethene	ug/L	MW329 (RGA)	08/18/10	FALSE	1	5
Trichloroethene	ug/L	MW329 (RGA)	05/12/11	FALSE	1	5
Trichloroethene	ug/L	MW329 (RGA)	05/10/13	FALSE	1	5
Trichloroethene	ug/L	MW329 (RGA)	05/28/15	TRUE	1.95	5
Trichloroethene	ug/L	MW329 (RGA)	05/18/17	TRUE	0.4	5
Trichloroethene	ug/L	MW329 (RGA)	04/30/19	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW333 (RGA)	01/26/10	TRUE	38.1	900
Technetium-99	pCi/L	MW333 (RGA)	03/08/10	TRUE	38.6	900
Technetium-99	pCi/L	MW333 (RGA)	07/09/10	FALSE	10.3	900
Technetium-99	pCi/L	MW333 (RGA)	09/08/10	TRUE	18.7	900
Technetium-99	pCi/L	MW333 (RGA)	01/04/11	FALSE	15.6	900
Technetium-99	pCi/L	MW333 (RGA)	05/11/11	FALSE	16.3	900
Technetium-99	pCi/L	MW333 (RGA)	07/28/11	TRUE	23.4	900
Technetium-99	pCi/L	MW333 (RGA)	01/20/12	TRUE	33.7	900
Technetium-99	pCi/L	MW333 (RGA)	07/26/12	FALSE	17.2	900
Technetium-99	pCi/L	MW333 (RGA)	01/22/13	TRUE	18	900
Technetium-99	pCi/L	MW333 (RGA)	05/15/13	TRUE	34.7	900
Technetium-99	pCi/L	MW333 (RGA)	08/06/13	TRUE	45	900
Technetium-99	pCi/L	MW333 (RGA)	01/08/14	TRUE	44.4	900
Technetium-99	pCi/L	MW333 (RGA)	07/23/14	TRUE	40.1	900
Technetium-99	pCi/L	MW333 (RGA)	01/26/15	TRUE	70	900
Technetium-99	pCi/L	MW333 (RGA)	06/03/15	TRUE	61	900
Technetium-99	pCi/L	MW333 (RGA)	07/11/15	TRUE	85.7	900
Technetium-99	pCi/L	MW333 (RGA)	01/25/16	TRUE	93.9	900
Technetium-99	pCi/L	MW333 (RGA)	07/05/16	TRUE	72.8	900
Technetium-99	pCi/L	MW333 (RGA)	01/23/17	TRUE	91.9	900
Technetium-99	pCi/L	MW333 (RGA)	05/24/17	TRUE	111	900
Technetium-99	pCi/L	MW333 (RGA)	07/17/17	TRUE	122	900
Technetium-99	pCi/L	MW333 (RGA)	01/08/18	TRUE	65.1	900
Technetium-99	pCi/L	MW333 (RGA)	07/11/18	TRUE	101	900
Technetium-99	pCi/L	MW333 (RGA)	01/10/19	TRUE	78.4	900
Technetium-99	pCi/L	MW333 (RGA)	05/09/19	TRUE	91.4	900
Technetium-99	pCi/L	MW333 (RGA)	07/18/19	TRUE	88	900
Technetium-99	pCi/L	MW333 (RGA)	01/13/20	TRUE	86.9	900
Technetium-99	pCi/L	MW333 (RGA)	07/13/20	TRUE	74.6	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW333 (RGA)	01/26/10	TRUE	2800	5
Trichloroethene	ug/L	MW333 (RGA)	03/08/10	TRUE	6700	5
Trichloroethene	ug/L	MW333 (RGA)	07/09/10	TRUE	2700	5
Trichloroethene	ug/L	MW333 (RGA)	09/08/10	TRUE	2500	5
Trichloroethene	ug/L	MW333 (RGA)	01/04/11	TRUE	2800	5
Trichloroethene	ug/L	MW333 (RGA)	05/11/11	TRUE	5200	5
Trichloroethene	ug/L	MW333 (RGA)	07/28/11	TRUE	5800	5
Trichloroethene	ug/L	MW333 (RGA)	01/20/12	TRUE	6300	5
Trichloroethene	ug/L	MW333 (RGA)	07/26/12	TRUE	1900	5
Trichloroethene	ug/L	MW333 (RGA)	01/22/13	TRUE	1800	5
Trichloroethene	ug/L	MW333 (RGA)	05/15/13	TRUE	5900	5
Trichloroethene	ug/L	MW333 (RGA)	08/06/13	TRUE	4500	5
Trichloroethene	ug/L	MW333 (RGA)	01/08/14	TRUE	5800	5
Trichloroethene	ug/L	MW333 (RGA)	07/23/14	TRUE	5980	5
Trichloroethene	ug/L	MW333 (RGA)	01/26/15	TRUE	10200	5
Trichloroethene	ug/L	MW333 (RGA)	06/03/15	TRUE	10700	5
Trichloroethene	ug/L	MW333 (RGA)	07/11/15	TRUE	9380	5
Trichloroethene	ug/L	MW333 (RGA)	01/25/16	TRUE	10400	5
Trichloroethene	ug/L	MW333 (RGA)	07/05/16	TRUE	5780	5
Trichloroethene	ug/L	MW333 (RGA)	01/23/17	TRUE	7400	5
Trichloroethene	ug/L	MW333 (RGA)	05/24/17	TRUE	8420	5
Trichloroethene	ug/L	MW333 (RGA)	07/17/17	TRUE	7350	5
Trichloroethene	ug/L	MW333 (RGA)	01/08/18	TRUE	3190	5
Trichloroethene	ug/L	MW333 (RGA)	07/11/18	TRUE	4520	5
Trichloroethene	ug/L	MW333 (RGA)	01/10/19	TRUE	5130	5
Trichloroethene	ug/L	MW333 (RGA)	05/09/19	TRUE	5020	5
Trichloroethene	ug/L	MW333 (RGA)	07/18/19	TRUE	3230	5
Trichloroethene	ug/L	MW333 (RGA)	01/13/20	TRUE	2860	5
Trichloroethene	ug/L	MW333 (RGA)	07/13/20	TRUE	2560	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW337 (RGA)	01/27/10	TRUE	278	900
Technetium-99	pCi/L	MW337 (RGA)	03/16/10	TRUE	298	900
Technetium-99	pCi/L	MW337 (RGA)	07/14/10	TRUE	298	900
Technetium-99	pCi/L	MW337 (RGA)	09/13/10	TRUE	271	900
Technetium-99	pCi/L	MW337 (RGA)	01/03/11	TRUE	309	900
Technetium-99	pCi/L	MW337 (RGA)	05/19/11	TRUE	264	900
Technetium-99	pCi/L	MW337 (RGA)	08/10/11	TRUE	347	900
Technetium-99	pCi/L	MW337 (RGA)	01/23/12	TRUE	324	900
Technetium-99	pCi/L	MW337 (RGA)	07/30/12	TRUE	298	900
Technetium-99	pCi/L	MW337 (RGA)	01/24/13	TRUE	281	900
Technetium-99	pCi/L	MW337 (RGA)	06/11/13	TRUE	213	900
Technetium-99	pCi/L	MW337 (RGA)	08/26/13	TRUE	219	900
Technetium-99	pCi/L	MW337 (RGA)	01/13/14	TRUE	231	900
Technetium-99	pCi/L	MW337 (RGA)	07/24/14	TRUE	336	900
Technetium-99	pCi/L	MW337 (RGA)	01/27/15	TRUE	298	900
Technetium-99	pCi/L	MW337 (RGA)	06/11/15	TRUE	254	900
Technetium-99	pCi/L	MW337 (RGA)	07/20/15	TRUE	330	900
Technetium-99	pCi/L	MW337 (RGA)	01/27/16	TRUE	132	900
Technetium-99	pCi/L	MW337 (RGA)	07/12/16	TRUE	277	900
Technetium-99	pCi/L	MW337 (RGA)	01/24/17	TRUE	253	900
Technetium-99	pCi/L	MW337 (RGA)	05/25/17	TRUE	179	900
Technetium-99	pCi/L	MW337 (RGA)	07/17/17	TRUE	312	900
Technetium-99	pCi/L	MW337 (RGA)	01/10/18	TRUE	231	900
Technetium-99	pCi/L	MW337 (RGA)	07/12/18	TRUE	276	900
Technetium-99	pCi/L	MW337 (RGA)	01/24/19	TRUE	127	900
Technetium-99	pCi/L	MW337 (RGA)	05/13/19	TRUE	239	900
Technetium-99	pCi/L	MW337 (RGA)	07/23/19	TRUE	316	900
Technetium-99	pCi/L	MW337 (RGA)	01/14/20	TRUE	194	900
Technetium-99	pCi/L	MW337 (RGA)	07/15/20	TRUE	265	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW337 (RGA)	01/27/10	TRUE	660	5
Trichloroethene	ug/L	MW337 (RGA)	03/16/10	TRUE	790	5
Trichloroethene	ug/L	MW337 (RGA)	07/14/10	TRUE	840	5
Trichloroethene	ug/L	MW337 (RGA)	09/13/10	TRUE	900	5
Trichloroethene	ug/L	MW337 (RGA)	01/03/11	TRUE	820	5
Trichloroethene	ug/L	MW337 (RGA)	05/19/11	TRUE	1800	5
Trichloroethene	ug/L	MW337 (RGA)	08/10/11	TRUE	1100	5
Trichloroethene	ug/L	MW337 (RGA)	01/23/12	TRUE	1300	5
Trichloroethene	ug/L	MW337 (RGA)	07/30/12	TRUE	810	5
Trichloroethene	ug/L	MW337 (RGA)	01/24/13	TRUE	840	5
Trichloroethene	ug/L	MW337 (RGA)	06/11/13	TRUE	2100	5
Trichloroethene	ug/L	MW337 (RGA)	08/26/13	TRUE	1600	5
Trichloroethene	ug/L	MW337 (RGA)	01/13/14	TRUE	2000	5
Trichloroethene	ug/L	MW337 (RGA)	07/24/14	TRUE	1160	5
Trichloroethene	ug/L	MW337 (RGA)	01/27/15	TRUE	1990	5
Trichloroethene	ug/L	MW337 (RGA)	06/11/15	TRUE	1570	5
Trichloroethene	ug/L	MW337 (RGA)	07/20/15	TRUE	1430	5
Trichloroethene	ug/L	MW337 (RGA)	01/27/16	TRUE	1230	5
Trichloroethene	ug/L	MW337 (RGA)	07/12/16	TRUE	1310	5
Trichloroethene	ug/L	MW337 (RGA)	01/24/17	TRUE	1370	5
Trichloroethene	ug/L	MW337 (RGA)	05/25/17	TRUE	1020	5
Trichloroethene	ug/L	MW337 (RGA)	07/17/17	TRUE	1320	5
Trichloroethene	ug/L	MW337 (RGA)	01/10/18	TRUE	1230	5
Trichloroethene	ug/L	MW337 (RGA)	07/12/18	TRUE	1340	5
Trichloroethene	ug/L	MW337 (RGA)	01/24/19	TRUE	1020	5
Trichloroethene	ug/L	MW337 (RGA)	05/13/19	TRUE	881	5
Trichloroethene	ug/L	MW337 (RGA)	07/23/19	TRUE	712	5
Trichloroethene	ug/L	MW337 (RGA)	01/14/20	TRUE	349	5
Trichloroethene	ug/L	MW337 (RGA)	07/15/20	TRUE	452	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW338 (RGA)	01/27/10	TRUE	22.4	900
Technetium-99	pCi/L	MW338 (RGA)	03/16/10	FALSE	10.3	900
Technetium-99	pCi/L	MW338 (RGA)	07/14/10	FALSE	0.779	900
Technetium-99	pCi/L	MW338 (RGA)	09/13/10	FALSE	7.51	900
Technetium-99	pCi/L	MW338 (RGA)	01/03/11	FALSE	9.16	900
Technetium-99	pCi/L	MW338 (RGA)	05/19/11	TRUE	158	900
Technetium-99	pCi/L	MW338 (RGA)	08/10/11	TRUE	32.7	900
Technetium-99	pCi/L	MW338 (RGA)	01/23/12	TRUE	18	900
Technetium-99	pCi/L	MW338 (RGA)	07/30/12	FALSE	2.01	900
Technetium-99	pCi/L	MW338 (RGA)	01/24/13	FALSE	8.03	900
Technetium-99	pCi/L	MW338 (RGA)	06/11/13	TRUE	214	900
Technetium-99	pCi/L	MW338 (RGA)	08/26/13	TRUE	197	900
Technetium-99	pCi/L	MW338 (RGA)	01/13/14	TRUE	69.4	900
Technetium-99	pCi/L	MW338 (RGA)	08/20/14	TRUE	44.4	900
Technetium-99	pCi/L	MW338 (RGA)	01/27/15	TRUE	32.6	900
Technetium-99	pCi/L	MW338 (RGA)	06/11/15	TRUE	89.3	900
Technetium-99	pCi/L	MW338 (RGA)	07/20/15	FALSE	16.7	900
Technetium-99	pCi/L	MW338 (RGA)	01/27/16	TRUE	195	900
Technetium-99	pCi/L	MW338 (RGA)	07/12/16	FALSE	6.49	900
Technetium-99	pCi/L	MW338 (RGA)	01/24/17	TRUE	19	900
Technetium-99	pCi/L	MW338 (RGA)	05/25/17	TRUE	211	900
Technetium-99	pCi/L	MW338 (RGA)	07/17/17	TRUE	35.1	900
Technetium-99	pCi/L	MW338 (RGA)	01/10/18	FALSE	12.9	900
Technetium-99	pCi/L	MW338 (RGA)	07/12/18	TRUE	36.1	900
Technetium-99	pCi/L	MW338 (RGA)	01/24/19	TRUE	161	900
Technetium-99	pCi/L	MW338 (RGA)	05/13/19	TRUE	54.2	900
Technetium-99	pCi/L	MW338 (RGA)	07/23/19	FALSE	14.9	900
Technetium-99	pCi/L	MW338 (RGA)	01/14/20	TRUE	37.2	900
Technetium-99	pCi/L	MW338 (RGA)	07/15/20	TRUE	28.3	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW338 (RGA)	01/27/10	TRUE	89	5
Trichloroethene	ug/L	MW338 (RGA)	03/16/10	TRUE	36	5
Trichloroethene	ug/L	MW338 (RGA)	07/14/10	TRUE	14	5
Trichloroethene	ug/L	MW338 (RGA)	09/13/10	TRUE	14	5
Trichloroethene	ug/L	MW338 (RGA)	01/03/11	TRUE	39	5
Trichloroethene	ug/L	MW338 (RGA)	05/19/11	TRUE	1300	5
Trichloroethene	ug/L	MW338 (RGA)	08/10/11	TRUE	200	5
Trichloroethene	ug/L	MW338 (RGA)	01/23/12	TRUE	170	5
Trichloroethene	ug/L	MW338 (RGA)	07/30/12	TRUE	44	5
Trichloroethene	ug/L	MW338 (RGA)	01/24/13	TRUE	54	5
Trichloroethene	ug/L	MW338 (RGA)	06/11/13	TRUE	1100	5
Trichloroethene	ug/L	MW338 (RGA)	08/26/13	TRUE	900	5
Trichloroethene	ug/L	MW338 (RGA)	01/13/14	TRUE	100	5
Trichloroethene	ug/L	MW338 (RGA)	08/25/14	TRUE	133	5
Trichloroethene	ug/L	MW338 (RGA)	01/27/15	TRUE	404	5
Trichloroethene	ug/L	MW338 (RGA)	06/11/15	TRUE	963	5
Trichloroethene	ug/L	MW338 (RGA)	07/20/15	TRUE	193	5
Trichloroethene	ug/L	MW338 (RGA)	01/27/16	TRUE	1670	5
Trichloroethene	ug/L	MW338 (RGA)	07/12/16	TRUE	211	5
Trichloroethene	ug/L	MW338 (RGA)	01/24/17	TRUE	267	5
Trichloroethene	ug/L	MW338 (RGA)	05/25/17	TRUE	1540	5
Trichloroethene	ug/L	MW338 (RGA)	07/17/17	TRUE	335	5
Trichloroethene	ug/L	MW338 (RGA)	01/10/18	TRUE	288	5
Trichloroethene	ug/L	MW338 (RGA)	07/12/18	TRUE	584	5
Trichloroethene	ug/L	MW338 (RGA)	01/24/19	TRUE	1680	5
Trichloroethene	ug/L	MW338 (RGA)	05/13/19	TRUE	519	5
Trichloroethene	ug/L	MW338 (RGA)	07/23/19	TRUE	472	5
Trichloroethene	ug/L	MW338 (RGA)	01/14/20	TRUE	386	5
Trichloroethene	ug/L	MW338 (RGA)	07/15/20	TRUE	403	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW339 (RGA)	03/29/10	TRUE	1540	900
Technetium-99	pCi/L	MW339 (RGA)	09/14/10	TRUE	1790	900
Technetium-99	pCi/L	MW339 (RGA)	03/24/11	TRUE	1030	900
Technetium-99	pCi/L	MW339 (RGA)	09/21/11	TRUE	299	900
Technetium-99	pCi/L	MW339 (RGA)	03/19/12	TRUE	138	900
Technetium-99	pCi/L	MW339 (RGA)	09/26/12	TRUE	211	900
Technetium-99	pCi/L	MW339 (RGA)	03/12/13	TRUE	454	900
Technetium-99	pCi/L	MW339 (RGA)	09/16/13	TRUE	141	900
Technetium-99	pCi/L	MW339 (RGA)	03/19/14	TRUE	116	900
Technetium-99	pCi/L	MW339 (RGA)	09/18/14	TRUE	131	900
Technetium-99	pCi/L	MW339 (RGA)	09/23/15	TRUE	63.1	900
Technetium-99	pCi/L	MW339 (RGA)	03/28/16	TRUE	95.7	900
Technetium-99	pCi/L	MW339 (RGA)	09/14/16	TRUE	265	900
Technetium-99	pCi/L	MW339 (RGA)	03/15/17	TRUE	98.5	900
Technetium-99	pCi/L	MW339 (RGA)	09/20/17	TRUE	102	900
Technetium-99	pCi/L	MW339 (RGA)	03/13/18	TRUE	129	900
Technetium-99	pCi/L	MW339 (RGA)	09/26/18	TRUE	163	900
Technetium-99	pCi/L	MW339 (RGA)	03/13/19	TRUE	201	900
Technetium-99	pCi/L	MW339 (RGA)	09/24/19	TRUE	146	900
Technetium-99	pCi/L	MW339 (RGA)	03/10/20	TRUE	146	900
Technetium-99	pCi/L	MW339 (RGA)	09/14/20	TRUE	116	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW339 (RGA)	03/29/10	TRUE	9700	5
Trichloroethene	ug/L	MW339 (RGA)	09/14/10	TRUE	12000	5
Trichloroethene	ug/L	MW339 (RGA)	03/24/11	TRUE	3800	5
Trichloroethene	ug/L	MW339 (RGA)	09/21/11	TRUE	1000	5
Trichloroethene	ug/L	MW339 (RGA)	03/19/12	TRUE	680	5
Trichloroethene	ug/L	MW339 (RGA)	09/26/12	TRUE	580	5
Trichloroethene	ug/L	MW339 (RGA)	03/12/13	TRUE	1100	5
Trichloroethene	ug/L	MW339 (RGA)	09/16/13	TRUE	800	5
Trichloroethene	ug/L	MW339 (RGA)	03/19/14	TRUE	570	5
Trichloroethene	ug/L	MW339 (RGA)	09/18/14	TRUE	840	5
Trichloroethene	ug/L	MW339 (RGA)	09/23/15	TRUE	570	5
Trichloroethene	ug/L	MW339 (RGA)	03/28/16	TRUE	833	5
Trichloroethene	ug/L	MW339 (RGA)	09/14/16	TRUE	860	5
Trichloroethene	ug/L	MW339 (RGA)	03/15/17	TRUE	574	5
Trichloroethene	ug/L	MW339 (RGA)	09/20/17	TRUE	1190	5
Trichloroethene	ug/L	MW339 (RGA)	03/13/18	TRUE	952	5
Trichloroethene	ug/L	MW339 (RGA)	09/26/18	TRUE	697	5
Trichloroethene	ug/L	MW339 (RGA)	03/13/19	TRUE	798	5
Trichloroethene	ug/L	MW339 (RGA)	09/24/19	TRUE	1040	5
Trichloroethene	ug/L	MW339 (RGA)	03/10/20	TRUE	917	5
Trichloroethene	ug/L	MW339 (RGA)	09/14/20	TRUE	933	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW340 (RGA)	03/09/10	TRUE	603	900
Technetium-99	pCi/L	MW340 (RGA)	09/13/10	TRUE	632	900
Technetium-99	pCi/L	MW340 (RGA)	03/15/11	TRUE	1700	900
Technetium-99	pCi/L	MW340 (RGA)	09/06/11	TRUE	1820	900
Technetium-99	pCi/L	MW340 (RGA)	03/19/12	TRUE	1250	900
Technetium-99	pCi/L	MW340 (RGA)	09/07/12	TRUE	2170	900
Technetium-99	pCi/L	MW340 (RGA)	03/12/13	TRUE	1330	900
Technetium-99	pCi/L	MW340 (RGA)	09/16/13	TRUE	1180	900
Technetium-99	pCi/L	MW340 (RGA)	03/19/14	TRUE	1340	900
Technetium-99	pCi/L	MW340 (RGA)	09/09/14	TRUE	1120	900
Technetium-99	pCi/L	MW340 (RGA)	03/24/15	TRUE	1390	900
Technetium-99	pCi/L	MW340 (RGA)	09/16/15	TRUE	703	900
Technetium-99	pCi/L	MW340 (RGA)	03/16/16	TRUE	1170	900
Technetium-99	pCi/L	MW340 (RGA)	09/14/16	TRUE	1150	900
Technetium-99	pCi/L	MW340 (RGA)	03/14/17	TRUE	1080	900
Technetium-99	pCi/L	MW340 (RGA)	09/07/17	TRUE	705	900
Technetium-99	pCi/L	MW340 (RGA)	03/12/18	TRUE	911	900
Technetium-99	pCi/L	MW340 (RGA)	09/19/18	TRUE	382	900
Technetium-99	pCi/L	MW340 (RGA)	03/13/19	TRUE	204	900
Technetium-99	pCi/L	MW340 (RGA)	09/24/19	TRUE	980	900
Technetium-99	pCi/L	MW340 (RGA)	03/09/20	TRUE	721	900
Technetium-99	pCi/L	MW340 (RGA)	09/14/20	TRUE	1150	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW340 (RGA)	03/09/10	TRUE	13000	5
Trichloroethene	ug/L	MW340 (RGA)	09/13/10	TRUE	11000	5
Trichloroethene	ug/L	MW340 (RGA)	03/15/11	TRUE	20000	5
Trichloroethene	ug/L	MW340 (RGA)	09/06/11	TRUE	13000	5
Trichloroethene	ug/L	MW340 (RGA)	03/19/12	TRUE	6800	5
Trichloroethene	ug/L	MW340 (RGA)	09/07/12	TRUE	13000	5
Trichloroethene	ug/L	MW340 (RGA)	03/12/13	TRUE	13000	5
Trichloroethene	ug/L	MW340 (RGA)	09/16/13	TRUE	5700	5
Trichloroethene	ug/L	MW340 (RGA)	03/19/14	TRUE	7500	5
Trichloroethene	ug/L	MW340 (RGA)	09/09/14	TRUE	6540	5
Trichloroethene	ug/L	MW340 (RGA)	03/24/15	TRUE	7410	5
Trichloroethene	ug/L	MW340 (RGA)	09/16/15	TRUE	3300	5
Trichloroethene	ug/L	MW340 (RGA)	03/16/16	TRUE	7080	5
Trichloroethene	ug/L	MW340 (RGA)	09/14/16	TRUE	5290	5
Trichloroethene	ug/L	MW340 (RGA)	03/14/17	TRUE	8680	5
Trichloroethene	ug/L	MW340 (RGA)	09/07/17	TRUE	3520	5
Trichloroethene	ug/L	MW340 (RGA)	03/12/18	TRUE	4910	5
Trichloroethene	ug/L	MW340 (RGA)	09/19/18	TRUE	1560	5
Trichloroethene	ug/L	MW340 (RGA)	03/13/19	TRUE	1520	5
Trichloroethene	ug/L	MW340 (RGA)	09/24/19	TRUE	4600	5
Trichloroethene	ug/L	MW340 (RGA)	03/09/20	TRUE	3600	5
Trichloroethene	ug/L	MW340 (RGA)	09/14/20	TRUE	4420	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW341 (RGA)	03/10/10	TRUE	207	900
Technetium-99	pCi/L	MW341 (RGA)	09/13/10	TRUE	213	900
Technetium-99	pCi/L	MW341 (RGA)	06/02/11	TRUE	172	900
Technetium-99	pCi/L	MW341 (RGA)	05/17/13	TRUE	166	900
Technetium-99	pCi/L	MW341 (RGA)	06/01/15	TRUE	138	900
Technetium-99	pCi/L	MW341 (RGA)	05/24/17	TRUE	310	900
Technetium-99	pCi/L	MW341 (RGA)	07/13/17	TRUE	257	900
Technetium-99	pCi/L	MW341 (RGA)	10/11/17	TRUE	345	900
Technetium-99	pCi/L	MW341 (RGA)	01/11/18	TRUE	354	900
Technetium-99	pCi/L	MW341 (RGA)	04/05/18	TRUE	309	900
Technetium-99	pCi/L	MW341 (RGA)	07/10/18	TRUE	183	900
Technetium-99	pCi/L	MW341 (RGA)	10/04/18	TRUE	171	900
Technetium-99	pCi/L	MW341 (RGA)	12/18/18	TRUE	122	900
Technetium-99	pCi/L	MW341 (RGA)	01/07/19	TRUE	119	900
Technetium-99	pCi/L	MW341 (RGA)	03/20/19	TRUE	100	900
Technetium-99	pCi/L	MW341 (RGA)	04/08/19	TRUE	109	900
Technetium-99	pCi/L	MW341 (RGA)	05/13/19	TRUE	89.9	900
Technetium-99	pCi/L	MW341 (RGA)	06/06/19	TRUE	99.3	900
Technetium-99	pCi/L	MW341 (RGA)	07/08/19	TRUE	100	900
Technetium-99	pCi/L	MW341 (RGA)	09/18/19	TRUE	139	900
Technetium-99	pCi/L	MW341 (RGA)	10/07/19	TRUE	144	900
Technetium-99	pCi/L	MW341 (RGA)	12/10/19	TRUE	189	900
Technetium-99	pCi/L	MW341 (RGA)	01/07/20	TRUE	213	900
Technetium-99	pCi/L	MW341 (RGA)	03/11/20	TRUE	210	900
Technetium-99	pCi/L	MW341 (RGA)	04/14/20	TRUE	241	900
Technetium-99	pCi/L	MW341 (RGA)	06/08/20	TRUE	236	900
Technetium-99	pCi/L	MW341 (RGA)	07/08/20	TRUE	248	900
Technetium-99	pCi/L	MW341 (RGA)	09/21/20	TRUE	338	900
Technetium-99	pCi/L	MW341 (RGA)	10/07/20	TRUE	381	900
Technetium-99	pCi/L	MW341 (RGA)	12/09/20	TRUE	555	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW341 (RGA)	03/10/10	TRUE	15000	5
Trichloroethene	ug/L	MW341 (RGA)	09/13/10	TRUE	19000	5
Trichloroethene	ug/L	MW341 (RGA)	06/02/11	TRUE	15000	5
Trichloroethene	ug/L	MW341 (RGA)	05/17/13	TRUE	5200	5
Trichloroethene	ug/L	MW341 (RGA)	06/01/15	TRUE	4460	5
Trichloroethene	ug/L	MW341 (RGA)	05/24/17	TRUE	3460	5
Trichloroethene	ug/L	MW341 (RGA)	07/13/17	TRUE	4280	5
Trichloroethene	ug/L	MW341 (RGA)	10/11/17	TRUE	3790	5
Trichloroethene	ug/L	MW341 (RGA)	01/11/18	TRUE	3520	5
Trichloroethene	ug/L	MW341 (RGA)	04/05/18	TRUE	6010	5
Trichloroethene	ug/L	MW341 (RGA)	07/10/18	TRUE	6950	5
Trichloroethene	ug/L	MW341 (RGA)	10/04/18	TRUE	7260	5
Trichloroethene	ug/L	MW341 (RGA)	12/18/18	TRUE	5220	5
Trichloroethene	ug/L	MW341 (RGA)	01/07/19	TRUE	5860	5
Trichloroethene	ug/L	MW341 (RGA)	03/20/19	TRUE	5930	5
Trichloroethene	ug/L	MW341 (RGA)	04/08/19	TRUE	5400	5
Trichloroethene	ug/L	MW341 (RGA)	05/13/19	TRUE	5860	5
Trichloroethene	ug/L	MW341 (RGA)	06/06/19	TRUE	6220	5
Trichloroethene	ug/L	MW341 (RGA)	07/08/19	TRUE	5610	5
Trichloroethene	ug/L	MW341 (RGA)	09/18/19	TRUE	6760	5
Trichloroethene	ug/L	MW341 (RGA)	10/07/19	TRUE	6690	5
Trichloroethene	ug/L	MW341 (RGA)	12/10/19	TRUE	6590	5
Trichloroethene	ug/L	MW341 (RGA)	01/07/20	TRUE	6680	5
Trichloroethene	ug/L	MW341 (RGA)	03/11/20	TRUE	7070	5
Trichloroethene	ug/L	MW341 (RGA)	04/14/20	TRUE	6110	5
Trichloroethene	ug/L	MW341 (RGA)	06/08/20	TRUE	6170	5
Trichloroethene	ug/L	MW341 (RGA)	07/08/20	TRUE	6350	5
Trichloroethene	ug/L	MW341 (RGA)	09/21/20	TRUE	6600	5
Trichloroethene	ug/L	MW341 (RGA)	10/07/20	TRUE	5910	5
Trichloroethene	ug/L	MW341 (RGA)	12/09/20	TRUE	6300	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW342 (RGA)	03/23/10	TRUE	827	900
Technetium-99	pCi/L	MW342 (RGA)	06/22/10	TRUE	750	900
Technetium-99	pCi/L	MW342 (RGA)	09/23/10	TRUE	5330	900
Technetium-99	pCi/L	MW342 (RGA)	12/13/10	TRUE	5190	900
Technetium-99	pCi/L	MW342 (RGA)	03/23/11	TRUE	980	900
Technetium-99	pCi/L	MW342 (RGA)	06/14/11	TRUE	456	900
Technetium-99	pCi/L	MW342 (RGA)	09/14/11	TRUE	2150	900
Technetium-99	pCi/L	MW342 (RGA)	03/12/12	TRUE	678	900
Technetium-99	pCi/L	MW342 (RGA)	09/19/12	TRUE	2780	900
Technetium-99	pCi/L	MW342 (RGA)	03/12/13	TRUE	564	900
Technetium-99	pCi/L	MW342 (RGA)	09/18/13	TRUE	728	900
Technetium-99	pCi/L	MW342 (RGA)	03/20/14	TRUE	287	900
Technetium-99	pCi/L	MW342 (RGA)	09/15/14	TRUE	303	900
Technetium-99	pCi/L	MW342 (RGA)	03/26/15	TRUE	322	900
Technetium-99	pCi/L	MW342 (RGA)	03/23/16	TRUE	237	900
Technetium-99	pCi/L	MW342 (RGA)	09/21/16	TRUE	562	900
Technetium-99	pCi/L	MW342 (RGA)	03/07/17	TRUE	341	900
Technetium-99	pCi/L	MW342 (RGA)	09/11/17	TRUE	1670	900
Technetium-99	pCi/L	MW342 (RGA)	03/21/18	TRUE	467	900
Technetium-99	pCi/L	MW342 (RGA)	09/26/18	TRUE	714	900
Technetium-99	pCi/L	MW342 (RGA)	03/20/19	TRUE	390	900
Technetium-99	pCi/L	MW342 (RGA)	09/11/19	TRUE	6230	900
Technetium-99	pCi/L	MW342 (RGA)	03/10/20	TRUE	1430	900
Technetium-99	pCi/L	MW342 (RGA)	09/24/20	TRUE	18200	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW342 (RGA)	03/23/10	TRUE	4700	5
Trichloroethene	ug/L	MW342 (RGA)	06/22/10	TRUE	5400	5
Trichloroethene	ug/L	MW342 (RGA)	09/23/10	TRUE	8100	5
Trichloroethene	ug/L	MW342 (RGA)	12/13/10	TRUE	12000	5
Trichloroethene	ug/L	MW342 (RGA)	03/23/11	TRUE	8100	5
Trichloroethene	ug/L	MW342 (RGA)	06/14/11	TRUE	2100	5
Trichloroethene	ug/L	MW342 (RGA)	09/14/11	TRUE	11000	5
Trichloroethene	ug/L	MW342 (RGA)	03/12/12	TRUE	7500	5
Trichloroethene	ug/L	MW342 (RGA)	09/19/12	TRUE	8600	5
Trichloroethene	ug/L	MW342 (RGA)	03/12/13	TRUE	5400	5
Trichloroethene	ug/L	MW342 (RGA)	09/18/13	TRUE	3900	5
Trichloroethene	ug/L	MW342 (RGA)	03/20/14	TRUE	2100	5
Trichloroethene	ug/L	MW342 (RGA)	09/15/14	TRUE	1490	5
Trichloroethene	ug/L	MW342 (RGA)	03/26/15	TRUE	1140	5
Trichloroethene	ug/L	MW342 (RGA)	03/23/16	TRUE	1800	5
Trichloroethene	ug/L	MW342 (RGA)	09/21/16	TRUE	1200	5
Trichloroethene	ug/L	MW342 (RGA)	03/07/17	TRUE	1000	5
Trichloroethene	ug/L	MW342 (RGA)	09/11/17	TRUE	1070	5
Trichloroethene	ug/L	MW342 (RGA)	03/21/18	TRUE	1520	5
Trichloroethene	ug/L	MW342 (RGA)	09/26/18	TRUE	2610	5
Trichloroethene	ug/L	MW342 (RGA)	03/20/19	TRUE	2590	5
Trichloroethene	ug/L	MW342 (RGA)	09/18/19	TRUE	3730	5
Trichloroethene	ug/L	MW342 (RGA)	03/10/20	TRUE	2150	5
Trichloroethene	ug/L	MW342 (RGA)	09/24/20	TRUE	3600	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW343 (RGA)	03/22/10	FALSE	8920	900
Technetium-99	pCi/L	MW343 (RGA)	03/22/10	TRUE	9010	900
Technetium-99	pCi/L	MW343 (RGA)	06/22/10	TRUE	9250	900
Technetium-99	pCi/L	MW343 (RGA)	09/22/10	TRUE	8860	900
Technetium-99	pCi/L	MW343 (RGA)	12/13/10	TRUE	9230	900
Technetium-99	pCi/L	MW343 (RGA)	03/22/11	TRUE	7610	900
Technetium-99	pCi/L	MW343 (RGA)	05/12/11	TRUE	7530	900
Technetium-99	pCi/L	MW343 (RGA)	06/15/11	TRUE	6760	900
Technetium-99	pCi/L	MW343 (RGA)	09/13/11	TRUE	7550	900
Technetium-99	pCi/L	MW343 (RGA)	03/12/12	TRUE	8320	900
Technetium-99	pCi/L	MW343 (RGA)	09/24/12	TRUE	6650	900
Technetium-99	pCi/L	MW343 (RGA)	03/12/13	TRUE	4700	900
Technetium-99	pCi/L	MW343 (RGA)	05/17/13	TRUE	5790	900
Technetium-99	pCi/L	MW343 (RGA)	09/12/13	TRUE	5330	900
Technetium-99	pCi/L	MW343 (RGA)	03/20/14	TRUE	4940	900
Technetium-99	pCi/L	MW343 (RGA)	09/12/14	TRUE	4750	900
Technetium-99	pCi/L	MW343 (RGA)	03/26/15	TRUE	4590	900
Technetium-99	pCi/L	MW343 (RGA)	06/01/15	TRUE	4030	900
Technetium-99	pCi/L	MW343 (RGA)	03/21/16	TRUE	4070	900
Technetium-99	pCi/L	MW343 (RGA)	09/19/16	TRUE	5480	900
Technetium-99	pCi/L	MW343 (RGA)	03/07/17	TRUE	5490	900
Technetium-99	pCi/L	MW343 (RGA)	05/24/17	TRUE	5540	900
Technetium-99	pCi/L	MW343 (RGA)	09/11/17	TRUE	4880	900
Technetium-99	pCi/L	MW343 (RGA)	03/22/18	TRUE	3290	900
Technetium-99	pCi/L	MW343 (RGA)	09/25/18	TRUE	4180	900
Technetium-99	pCi/L	MW343 (RGA)	03/19/19	TRUE	2970	900
Technetium-99	pCi/L	MW343 (RGA)	05/13/19	TRUE	2760	900
Technetium-99	pCi/L	MW343 (RGA)	09/11/19	TRUE	7060	900
Technetium-99	pCi/L	MW343 (RGA)	03/10/20	TRUE	7990	900
Technetium-99	pCi/L	MW343 (RGA)	09/21/20	TRUE	9920	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW343 (RGA)	03/22/10	TRUE	37000	5
Trichloroethene	ug/L	MW343 (RGA)	06/22/10	TRUE	32000	5
Trichloroethene	ug/L	MW343 (RGA)	09/22/10	TRUE	28000	5
Trichloroethene	ug/L	MW343 (RGA)	12/13/10	TRUE	34000	5
Trichloroethene	ug/L	MW343 (RGA)	03/22/11	TRUE	47000	5
Trichloroethene	ug/L	MW343 (RGA)	05/12/11	TRUE	36000	5
Trichloroethene	ug/L	MW343 (RGA)	06/15/11	TRUE	33000	5
Trichloroethene	ug/L	MW343 (RGA)	09/13/11	TRUE	34000	5
Trichloroethene	ug/L	MW343 (RGA)	03/12/12	TRUE	29000	5
Trichloroethene	ug/L	MW343 (RGA)	09/24/12	TRUE	39000	5
Trichloroethene	ug/L	MW343 (RGA)	03/12/13	TRUE	29000	5
Trichloroethene	ug/L	MW343 (RGA)	05/17/13	TRUE	28000	5
Trichloroethene	ug/L	MW343 (RGA)	09/12/13	TRUE	26000	5
Trichloroethene	ug/L	MW343 (RGA)	03/20/14	TRUE	27000	5
Trichloroethene	ug/L	MW343 (RGA)	09/12/14	TRUE	22800	5
Trichloroethene	ug/L	MW343 (RGA)	03/26/15	TRUE	29300	5
Trichloroethene	ug/L	MW343 (RGA)	06/01/15	TRUE	28600	5
Trichloroethene	ug/L	MW343 (RGA)	03/21/16	TRUE	27700	5
Trichloroethene	ug/L	MW343 (RGA)	09/19/16	TRUE	20400	5
Trichloroethene	ug/L	MW343 (RGA)	03/07/17	TRUE	16300	5
Trichloroethene	ug/L	MW343 (RGA)	05/24/17	TRUE	22500	5
Trichloroethene	ug/L	MW343 (RGA)	09/11/17	TRUE	18900	5
Trichloroethene	ug/L	MW343 (RGA)	03/22/18	TRUE	11900	5
Trichloroethene	ug/L	MW343 (RGA)	09/25/18	TRUE	21800	5
Trichloroethene	ug/L	MW343 (RGA)	03/19/19	TRUE	19400	5
Trichloroethene	ug/L	MW343 (RGA)	05/13/19	TRUE	17500	5
Trichloroethene	ug/L	MW343 (RGA)	09/17/19	TRUE	10700	5
Trichloroethene	ug/L	MW343 (RGA)	03/10/20	TRUE	10900	5
Trichloroethene	ug/L	MW343 (RGA)	09/21/20	TRUE	15300	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW354 (RGA)	03/02/10	FALSE	-3.55	900
Technetium-99	pCi/L	MW354 (RGA)	08/30/10	FALSE	3.79	900
Technetium-99	pCi/L	MW354 (RGA)	05/09/11	FALSE	5.45	900
Technetium-99	pCi/L	MW354 (RGA)	05/10/13	FALSE	7.66	900
Technetium-99	pCi/L	MW354 (RGA)	06/09/15	FALSE	14.8	900
Technetium-99	pCi/L	MW354 (RGA)	05/18/17	FALSE	9.1	900
Technetium-99	pCi/L	MW354 (RGA)	12/14/17	FALSE	5.47	900
Technetium-99	pCi/L	MW354 (RGA)	03/19/18	FALSE	4.11	900
Technetium-99	pCi/L	MW354 (RGA)	06/13/18	FALSE	4.02	900
Technetium-99	pCi/L	MW354 (RGA)	09/27/18	FALSE	12.2	900
Technetium-99	pCi/L	MW354 (RGA)	12/19/18	FALSE	4.6	900
Technetium-99	pCi/L	MW354 (RGA)	03/18/19	FALSE	-0.985	900
Technetium-99	pCi/L	MW354 (RGA)	06/04/19	FALSE	12.6	900
Technetium-99	pCi/L	MW354 (RGA)	09/17/19	FALSE	-4.13	900
Technetium-99	pCi/L	MW354 (RGA)	12/09/19	FALSE	6.18	900
Technetium-99	pCi/L	MW354 (RGA)	03/30/20	FALSE	-11.8	900
Technetium-99	pCi/L	MW354 (RGA)	06/03/20	FALSE	11.5	900
Technetium-99	pCi/L	MW354 (RGA)	09/16/20	FALSE	3.32	900
Technetium-99	pCi/L	MW354 (RGA)	12/01/20	FALSE	8.86	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW354 (RGA)	03/02/10	FALSE	1	5
Trichloroethene	ug/L	MW354 (RGA)	08/30/10	FALSE	1	5
Trichloroethene	ug/L	MW354 (RGA)	05/09/11	FALSE	1	5
Trichloroethene	ug/L	MW354 (RGA)	05/10/13	FALSE	1	5
Trichloroethene	ug/L	MW354 (RGA)	06/09/15	TRUE	3.12	5
Trichloroethene	ug/L	MW354 (RGA)	03/13/17	TRUE	1.49	5
Trichloroethene	ug/L	MW354 (RGA)	05/18/17	TRUE	1.7	5
Trichloroethene	ug/L	MW354 (RGA)	12/14/17	TRUE	4.02	5
Trichloroethene	ug/L	MW354 (RGA)	03/19/18	TRUE	1.86	5
Trichloroethene	ug/L	MW354 (RGA)	06/13/18	TRUE	4.26	5
Trichloroethene	ug/L	MW354 (RGA)	09/27/18	TRUE	4.69	5
Trichloroethene	ug/L	MW354 (RGA)	12/19/18	TRUE	4.92	5
Trichloroethene	ug/L	MW354 (RGA)	03/18/19	TRUE	3.87	5
Trichloroethene	ug/L	MW354 (RGA)	06/04/19	TRUE	5.58	5
Trichloroethene	ug/L	MW354 (RGA)	09/17/19	TRUE	5.74	5
Trichloroethene	ug/L	MW354 (RGA)	12/09/19	TRUE	5.5	5
Trichloroethene	ug/L	MW354 (RGA)	03/30/20	TRUE	4.15	5
Trichloroethene	ug/L	MW354 (RGA)	06/03/20	TRUE	5.69	5
Trichloroethene	ug/L	MW354 (RGA)	09/16/20	TRUE	5.01	5
Trichloroethene	ug/L	MW354 (RGA)	12/01/20	TRUE	4.15	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW355 (RGA)	03/05/10	TRUE	35.7	900
Technetium-99	pCi/L	MW355 (RGA)	09/09/10	FALSE	9.26	900
Technetium-99	pCi/L	MW355 (RGA)	09/09/10	TRUE	17.9	900
Technetium-99	pCi/L	MW355 (RGA)	03/16/11	TRUE	35.3	900
Technetium-99	pCi/L	MW355 (RGA)	09/07/11	TRUE	17.5	900
Technetium-99	pCi/L	MW355 (RGA)	03/13/12	TRUE	20.1	900
Technetium-99	pCi/L	MW355 (RGA)	09/07/12	TRUE	23.1	900
Technetium-99	pCi/L	MW355 (RGA)	03/12/13	TRUE	22.4	900
Technetium-99	pCi/L	MW355 (RGA)	09/04/13	FALSE	15.3	900
Technetium-99	pCi/L	MW355 (RGA)	09/04/13	TRUE	24.9	900
Technetium-99	pCi/L	MW355 (RGA)	03/17/14	FALSE	14.7	900
Technetium-99	pCi/L	MW355 (RGA)	09/09/14	FALSE	16.8	900
Technetium-99	pCi/L	MW355 (RGA)	03/24/15	FALSE	10.7	900
Technetium-99	pCi/L	MW355 (RGA)	09/16/15	FALSE	17.6	900
Technetium-99	pCi/L	MW355 (RGA)	03/16/16	TRUE	20.3	900
Technetium-99	pCi/L	MW355 (RGA)	09/14/16	FALSE	16.8	900
Technetium-99	pCi/L	MW355 (RGA)	03/15/17	TRUE	21.9	900
Technetium-99	pCi/L	MW355 (RGA)	09/07/17	FALSE	15.6	900
Technetium-99	pCi/L	MW355 (RGA)	03/12/18	TRUE	17.3	900
Technetium-99	pCi/L	MW355 (RGA)	09/24/18	TRUE	28.2	900
Technetium-99	pCi/L	MW355 (RGA)	03/13/19	TRUE	23.5	900
Technetium-99	pCi/L	MW355 (RGA)	09/24/19	TRUE	39.6	900
Technetium-99	pCi/L	MW355 (RGA)	03/09/20	TRUE	40.6	900
Technetium-99	pCi/L	MW355 (RGA)	09/14/20	TRUE	26.7	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW355 (RGA)	03/05/10	TRUE	23	5
Trichloroethene	ug/L	MW355 (RGA)	09/09/10	TRUE	40	5
Trichloroethene	ug/L	MW355 (RGA)	03/16/11	TRUE	14	5
Trichloroethene	ug/L	MW355 (RGA)	09/07/11	TRUE	36	5
Trichloroethene	ug/L	MW355 (RGA)	03/13/12	TRUE	8.6	5
Trichloroethene	ug/L	MW355 (RGA)	09/07/12	TRUE	11	5
Trichloroethene	ug/L	MW355 (RGA)	03/12/13	TRUE	7.3	5
Trichloroethene	ug/L	MW355 (RGA)	09/04/13	TRUE	8.4	5
Trichloroethene	ug/L	MW355 (RGA)	03/17/14	TRUE	8.7	5
Trichloroethene	ug/L	MW355 (RGA)	09/09/14	TRUE	13.7	5
Trichloroethene	ug/L	MW355 (RGA)	03/24/15	TRUE	15.9	5
Trichloroethene	ug/L	MW355 (RGA)	09/16/15	TRUE	8.96	5
Trichloroethene	ug/L	MW355 (RGA)	03/16/16	TRUE	7.77	5
Trichloroethene	ug/L	MW355 (RGA)	09/14/16	TRUE	9.38	5
Trichloroethene	ug/L	MW355 (RGA)	03/15/17	TRUE	7.13	5
Trichloroethene	ug/L	MW355 (RGA)	09/07/17	TRUE	7.74	5
Trichloroethene	ug/L	MW355 (RGA)	03/12/18	TRUE	5.2	5
Trichloroethene	ug/L	MW355 (RGA)	09/24/18	TRUE	5.91	5
Trichloroethene	ug/L	MW355 (RGA)	03/13/19	TRUE	6.46	5
Trichloroethene	ug/L	MW355 (RGA)	09/24/19	TRUE	4.83	5
Trichloroethene	ug/L	MW355 (RGA)	03/09/20	TRUE	6.77	5
Trichloroethene	ug/L	MW355 (RGA)	09/14/20	TRUE	5.57	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW356 (RGA)	03/05/10	FALSE	-3.52	900
Technetium-99	pCi/L	MW356 (RGA)	09/09/10	FALSE	12.6	900
Technetium-99	pCi/L	MW356 (RGA)	05/10/11	FALSE	-12.8	900
Technetium-99	pCi/L	MW356 (RGA)	05/17/13	FALSE	8.84	900
Technetium-99	pCi/L	MW356 (RGA)	06/01/15	FALSE	-2.12	900
Technetium-99	pCi/L	MW356 (RGA)	05/23/17	FALSE	12.9	900
Technetium-99	pCi/L	MW356 (RGA)	03/23/20	FALSE	10.4	900
Technetium-99	pCi/L	MW356 (RGA)	09/16/20	FALSE	-3.29	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW356 (RGA)	03/05/10	TRUE	7.8	5
Trichloroethene	ug/L	MW356 (RGA)	09/09/10	TRUE	71	5
Trichloroethene	ug/L	MW356 (RGA)	05/10/11	TRUE	1.8	5
Trichloroethene	ug/L	MW356 (RGA)	05/17/13	TRUE	2	5
Trichloroethene	ug/L	MW356 (RGA)	06/01/15	TRUE	6.54	5
Trichloroethene	ug/L	MW356 (RGA)	05/23/17	TRUE	0.91	5
Trichloroethene	ug/L	MW356 (RGA)	05/08/19	FALSE	1	5
Trichloroethene	ug/L	MW356 (RGA)	03/23/20	FALSE	1	5
Trichloroethene	ug/L	MW356 (RGA)	09/16/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW357 (URGA)	01/05/10	TRUE	34.3	900
Technetium-99	pCi/L	MW357 (URGA)	04/06/10	TRUE	45.5	900
Technetium-99	pCi/L	MW357 (URGA)	07/12/10	TRUE	50.3	900
Technetium-99	pCi/L	MW357 (URGA)	10/19/10	TRUE	52.5	900
Technetium-99	pCi/L	MW357 (URGA)	01/11/11	TRUE	30.8	900
Technetium-99	pCi/L	MW357 (URGA)	04/20/11	TRUE	35	900
Technetium-99	pCi/L	MW357 (URGA)	07/25/11	TRUE	38.6	900
Technetium-99	pCi/L	MW357 (URGA)	10/12/11	TRUE	39.4	900
Technetium-99	pCi/L	MW357 (URGA)	01/06/12	TRUE	46.7	900
Technetium-99	pCi/L	MW357 (URGA)	04/18/12	TRUE	28.9	900
Technetium-99	pCi/L	MW357 (URGA)	07/23/12	TRUE	30.2	900
Technetium-99	pCi/L	MW357 (URGA)	10/08/12	TRUE	36.7	900
Technetium-99	pCi/L	MW357 (URGA)	01/07/13	TRUE	27.7	900
Technetium-99	pCi/L	MW357 (URGA)	04/02/13	TRUE	35.1	900
Technetium-99	pCi/L	MW357 (URGA)	07/22/13	TRUE	48.8	900
Technetium-99	pCi/L	MW357 (URGA)	10/14/13	TRUE	39.5	900
Technetium-99	pCi/L	MW357 (URGA)	01/15/14	TRUE	30.4	900
Technetium-99	pCi/L	MW357 (URGA)	04/21/14	TRUE	27.8	900
Technetium-99	pCi/L	MW357 (URGA)	07/09/14	TRUE	31.7	900
Technetium-99	pCi/L	MW357 (URGA)	10/14/14	TRUE	38.9	900
Technetium-99	pCi/L	MW357 (URGA)	01/15/15	TRUE	37.6	900
Technetium-99	pCi/L	MW357 (URGA)	04/06/15	TRUE	30.4	900
Technetium-99	pCi/L	MW357 (URGA)	07/08/15	TRUE	41	900
Technetium-99	pCi/L	MW357 (URGA)	10/07/15	TRUE	42.5	900
Technetium-99	pCi/L	MW357 (URGA)	01/14/16	TRUE	42.7	900
Technetium-99	pCi/L	MW357 (URGA)	04/06/16	TRUE	44.8	900
Technetium-99	pCi/L	MW357 (URGA)	07/14/16	TRUE	40	900
Technetium-99	pCi/L	MW357 (URGA)	10/17/16	TRUE	47.5	900
Technetium-99	pCi/L	MW357 (URGA)	01/18/17	TRUE	43.5	900
Technetium-99	pCi/L	MW357 (URGA)	04/10/17	TRUE	39.9	900
Technetium-99	pCi/L	MW357 (URGA)	07/25/17	TRUE	36.4	900
Technetium-99	pCi/L	MW357 (URGA)	10/03/17	TRUE	44.5	900
Technetium-99	pCi/L	MW357 (URGA)	01/22/18	TRUE	22.4	900
Technetium-99	pCi/L	MW357 (URGA)	04/10/18	TRUE	32.3	900
Technetium-99	pCi/L	MW357 (URGA)	07/16/18	TRUE	41.2	900
Technetium-99	pCi/L	MW357 (URGA)	10/08/18	TRUE	42.5	900
Technetium-99	pCi/L	MW357 (URGA)	01/15/19	TRUE	23	900
Technetium-99	pCi/L	MW357 (URGA)	04/10/19	TRUE	26.2	900
Technetium-99	pCi/L	MW357 (URGA)	07/10/19	TRUE	30.5	900
Technetium-99	pCi/L	MW357 (URGA)	10/14/19	TRUE	25.2	900
Technetium-99	pCi/L	MW357 (URGA)	01/16/20	TRUE	32.1	900
Technetium-99	pCi/L	MW357 (URGA)	04/01/20	TRUE	36	900
Technetium-99	pCi/L	MW357 (URGA)	07/21/20	TRUE	34.3	900
Technetium-99	pCi/L	MW357 (URGA)	10/15/20	TRUE	22.7	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW357 (URGA)	01/05/10	TRUE	5.7	5
Trichloroethene	ug/L	MW357 (URGA)	04/06/10	TRUE	5.4	5
Trichloroethene	ug/L	MW357 (URGA)	07/12/10	TRUE	7.2	5
Trichloroethene	ug/L	MW357 (URGA)	10/19/10	TRUE	6.5	5
Trichloroethene	ug/L	MW357 (URGA)	01/11/11	TRUE	6.8	5
Trichloroethene	ug/L	MW357 (URGA)	04/27/11	TRUE	4.6	5
Trichloroethene	ug/L	MW357 (URGA)	07/25/11	TRUE	7.6	5
Trichloroethene	ug/L	MW357 (URGA)	10/12/11	TRUE	7.3	5
Trichloroethene	ug/L	MW357 (URGA)	01/06/12	TRUE	6.5	5
Trichloroethene	ug/L	MW357 (URGA)	04/18/12	TRUE	4.9	5
Trichloroethene	ug/L	MW357 (URGA)	07/23/12	TRUE	4.8	5
Trichloroethene	ug/L	MW357 (URGA)	10/08/12	TRUE	4.8	5
Trichloroethene	ug/L	MW357 (URGA)	01/07/13	TRUE	5.2	5
Trichloroethene	ug/L	MW357 (URGA)	04/02/13	TRUE	5.9	5
Trichloroethene	ug/L	MW357 (URGA)	07/22/13	TRUE	6.9	5
Trichloroethene	ug/L	MW357 (URGA)	10/14/13	TRUE	5.6	5
Trichloroethene	ug/L	MW357 (URGA)	01/15/14	TRUE	5.6	5
Trichloroethene	ug/L	MW357 (URGA)	04/21/14	TRUE	4.79	5
Trichloroethene	ug/L	MW357 (URGA)	07/09/14	TRUE	6.42	5
Trichloroethene	ug/L	MW357 (URGA)	10/14/14	TRUE	5.71	5
Trichloroethene	ug/L	MW357 (URGA)	01/15/15	TRUE	6.46	5
Trichloroethene	ug/L	MW357 (URGA)	04/06/15	TRUE	4.84	5
Trichloroethene	ug/L	MW357 (URGA)	07/13/15	TRUE	5.88	5
Trichloroethene	ug/L	MW357 (URGA)	10/07/15	TRUE	5.78	5
Trichloroethene	ug/L	MW357 (URGA)	01/14/16	TRUE	5.13	5
Trichloroethene	ug/L	MW357 (URGA)	04/06/16	TRUE	6.54	5
Trichloroethene	ug/L	MW357 (URGA)	07/14/16	TRUE	5.66	5
Trichloroethene	ug/L	MW357 (URGA)	10/17/16	TRUE	5.81	5
Trichloroethene	ug/L	MW357 (URGA)	01/18/17	TRUE	5.41	5
Trichloroethene	ug/L	MW357 (URGA)	04/10/17	TRUE	4.65	5
Trichloroethene	ug/L	MW357 (URGA)	07/25/17	TRUE	4.07	5
Trichloroethene	ug/L	MW357 (URGA)	10/03/17	TRUE	5.05	5
Trichloroethene	ug/L	MW357 (URGA)	01/22/18	TRUE	4.75	5
Trichloroethene	ug/L	MW357 (URGA)	04/10/18	TRUE	5.3	5
Trichloroethene	ug/L	MW357 (URGA)	07/16/18	TRUE	4.39	5
Trichloroethene	ug/L	MW357 (URGA)	10/08/18	TRUE	6.85	5
Trichloroethene	ug/L	MW357 (URGA)	01/15/19	TRUE	4.57	5
Trichloroethene	ug/L	MW357 (URGA)	04/10/19	TRUE	3.96	5
Trichloroethene	ug/L	MW357 (URGA)	07/10/19	TRUE	3.71	5
Trichloroethene	ug/L	MW357 (URGA)	10/14/19	TRUE	3.11	5
Trichloroethene	ug/L	MW357 (URGA)	01/16/20	TRUE	2.89	5
Trichloroethene	ug/L	MW357 (URGA)	04/01/20	TRUE	3.18	5
Trichloroethene	ug/L	MW357 (URGA)	07/21/20	TRUE	3.4	5
Trichloroethene	ug/L	MW357 (URGA)	10/15/20	TRUE	3.7	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW358 (LRGA)	01/05/10	TRUE	28.3	900
Technetium-99	pCi/L	MW358 (LRGA)	04/06/10	TRUE	48.2	900
Technetium-99	pCi/L	MW358 (LRGA)	07/12/10	TRUE	32.8	900
Technetium-99	pCi/L	MW358 (LRGA)	10/19/10	TRUE	46	900
Technetium-99	pCi/L	MW358 (LRGA)	01/11/11	FALSE	14.6	900
Technetium-99	pCi/L	MW358 (LRGA)	04/20/11	TRUE	47	900
Technetium-99	pCi/L	MW358 (LRGA)	07/25/11	TRUE	23.6	900
Technetium-99	pCi/L	MW358 (LRGA)	10/12/11	TRUE	39.3	900
Technetium-99	pCi/L	MW358 (LRGA)	01/06/12	TRUE	42.3	900
Technetium-99	pCi/L	MW358 (LRGA)	04/12/12	TRUE	24.3	900
Technetium-99	pCi/L	MW358 (LRGA)	07/25/12	TRUE	40.1	900
Technetium-99	pCi/L	MW358 (LRGA)	10/08/12	TRUE	34.4	900
Technetium-99	pCi/L	MW358 (LRGA)	01/07/13	TRUE	38.5	900
Technetium-99	pCi/L	MW358 (LRGA)	04/02/13	TRUE	38.3	900
Technetium-99	pCi/L	MW358 (LRGA)	07/22/13	TRUE	45.4	900
Technetium-99	pCi/L	MW358 (LRGA)	10/14/13	TRUE	43	900
Technetium-99	pCi/L	MW358 (LRGA)	01/15/14	TRUE	26.5	900
Technetium-99	pCi/L	MW358 (LRGA)	04/15/14	TRUE	44.4	900
Technetium-99	pCi/L	MW358 (LRGA)	07/09/14	TRUE	60.6	900
Technetium-99	pCi/L	MW358 (LRGA)	10/14/14	TRUE	41.9	900
Technetium-99	pCi/L	MW358 (LRGA)	01/15/15	TRUE	39.5	900
Technetium-99	pCi/L	MW358 (LRGA)	04/06/15	TRUE	32.8	900
Technetium-99	pCi/L	MW358 (LRGA)	07/08/15	TRUE	57.6	900
Technetium-99	pCi/L	MW358 (LRGA)	10/07/15	TRUE	38.9	900
Technetium-99	pCi/L	MW358 (LRGA)	01/14/16	TRUE	54.3	900
Technetium-99	pCi/L	MW358 (LRGA)	04/06/16	TRUE	59.3	900
Technetium-99	pCi/L	MW358 (LRGA)	07/14/16	TRUE	47.9	900
Technetium-99	pCi/L	MW358 (LRGA)	10/17/16	TRUE	39.3	900
Technetium-99	pCi/L	MW358 (LRGA)	01/17/17	TRUE	47.3	900
Technetium-99	pCi/L	MW358 (LRGA)	04/10/17	TRUE	44.3	900
Technetium-99	pCi/L	MW358 (LRGA)	07/25/17	TRUE	45.6	900
Technetium-99	pCi/L	MW358 (LRGA)	10/04/17	TRUE	44.5	900
Technetium-99	pCi/L	MW358 (LRGA)	01/22/18	TRUE	37.9	900
Technetium-99	pCi/L	MW358 (LRGA)	04/10/18	TRUE	42.9	900
Technetium-99	pCi/L	MW358 (LRGA)	07/17/18	TRUE	42.8	900
Technetium-99	pCi/L	MW358 (LRGA)	10/08/18	TRUE	46.5	900
Technetium-99	pCi/L	MW358 (LRGA)	01/15/19	TRUE	30.3	900
Technetium-99	pCi/L	MW358 (LRGA)	04/10/19	TRUE	39.5	900
Technetium-99	pCi/L	MW358 (LRGA)	07/10/19	TRUE	43.7	900
Technetium-99	pCi/L	MW358 (LRGA)	10/14/19	TRUE	30.7	900
Technetium-99	pCi/L	MW358 (LRGA)	01/16/20	TRUE	36.3	900
Technetium-99	pCi/L	MW358 (LRGA)	04/01/20	TRUE	52.2	900
Technetium-99	pCi/L	MW358 (LRGA)	07/21/20	TRUE	49.9	900
Technetium-99	pCi/L	MW358 (LRGA)	10/15/20	FALSE	-0.703	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW358 (LRGA)	01/05/10	TRUE	3.7	5
Trichloroethene	ug/L	MW358 (LRGA)	04/06/10	TRUE	3.3	5
Trichloroethene	ug/L	MW358 (LRGA)	07/12/10	TRUE	3.7	5
Trichloroethene	ug/L	MW358 (LRGA)	10/19/10	TRUE	4.6	5
Trichloroethene	ug/L	MW358 (LRGA)	01/11/11	TRUE	2.8	5
Trichloroethene	ug/L	MW358 (LRGA)	04/27/11	TRUE	6.3	5
Trichloroethene	ug/L	MW358 (LRGA)	07/25/11	TRUE	5.4	5
Trichloroethene	ug/L	MW358 (LRGA)	10/12/11	TRUE	4.6	5
Trichloroethene	ug/L	MW358 (LRGA)	01/06/12	TRUE	5	5
Trichloroethene	ug/L	MW358 (LRGA)	04/12/12	TRUE	4.6	5
Trichloroethene	ug/L	MW358 (LRGA)	07/25/12	TRUE	4.1	5
Trichloroethene	ug/L	MW358 (LRGA)	10/08/12	TRUE	4.4	5
Trichloroethene	ug/L	MW358 (LRGA)	01/07/13	TRUE	3.9	5
Trichloroethene	ug/L	MW358 (LRGA)	04/02/13	TRUE	5.6	5
Trichloroethene	ug/L	MW358 (LRGA)	07/22/13	TRUE	4.9	5
Trichloroethene	ug/L	MW358 (LRGA)	10/14/13	TRUE	5.1	5
Trichloroethene	ug/L	MW358 (LRGA)	01/15/14	TRUE	5.8	5
Trichloroethene	ug/L	MW358 (LRGA)	04/15/14	TRUE	6.31	5
Trichloroethene	ug/L	MW358 (LRGA)	07/09/14	TRUE	5.58	5
Trichloroethene	ug/L	MW358 (LRGA)	10/14/14	TRUE	5.24	5
Trichloroethene	ug/L	MW358 (LRGA)	01/15/15	TRUE	4.47	5
Trichloroethene	ug/L	MW358 (LRGA)	04/06/15	TRUE	15.8	5
Trichloroethene	ug/L	MW358 (LRGA)	07/13/15	TRUE	4.64	5
Trichloroethene	ug/L	MW358 (LRGA)	10/07/15	TRUE	3.78	5
Trichloroethene	ug/L	MW358 (LRGA)	01/14/16	TRUE	4.13	5
Trichloroethene	ug/L	MW358 (LRGA)	04/06/16	TRUE	5.44	5
Trichloroethene	ug/L	MW358 (LRGA)	07/14/16	TRUE	4.1	5
Trichloroethene	ug/L	MW358 (LRGA)	10/17/16	TRUE	10.1	5
Trichloroethene	ug/L	MW358 (LRGA)	01/17/17	TRUE	3.79	5
Trichloroethene	ug/L	MW358 (LRGA)	04/10/17	TRUE	4.9	5
Trichloroethene	ug/L	MW358 (LRGA)	07/25/17	TRUE	3.64	5
Trichloroethene	ug/L	MW358 (LRGA)	10/04/17	TRUE	3.74	5
Trichloroethene	ug/L	MW358 (LRGA)	01/22/18	TRUE	3.29	5
Trichloroethene	ug/L	MW358 (LRGA)	04/10/18	TRUE	6.02	5
Trichloroethene	ug/L	MW358 (LRGA)	07/17/18	TRUE	4.9	5
Trichloroethene	ug/L	MW358 (LRGA)	10/08/18	TRUE	5.18	5
Trichloroethene	ug/L	MW358 (LRGA)	01/15/19	TRUE	3.2	5
Trichloroethene	ug/L	MW358 (LRGA)	04/10/19	TRUE	4.48	5
Trichloroethene	ug/L	MW358 (LRGA)	07/10/19	TRUE	5.12	5
Trichloroethene	ug/L	MW358 (LRGA)	10/14/19	TRUE	2.09	5
Trichloroethene	ug/L	MW358 (LRGA)	01/16/20	TRUE	2.81	5
Trichloroethene	ug/L	MW358 (LRGA)	04/01/20	TRUE	3.52	5
Trichloroethene	ug/L	MW358 (LRGA)	07/21/20	TRUE	1.81	5
Trichloroethene	ug/L	MW358 (LRGA)	10/15/20	TRUE	1.13	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW360 (URGA)	01/05/10	FALSE	0.535	900
Technetium-99	pCi/L	MW360 (URGA)	04/06/10	FALSE	8.18	900
Technetium-99	pCi/L	MW360 (URGA)	07/14/10	FALSE	11	900
Technetium-99	pCi/L	MW360 (URGA)	10/20/10	FALSE	9.41	900
Technetium-99	pCi/L	MW360 (URGA)	01/18/11	FALSE	15.2	900
Technetium-99	pCi/L	MW360 (URGA)	04/18/11	TRUE	22.2	900
Technetium-99	pCi/L	MW360 (URGA)	07/21/11	FALSE	7.78	900
Technetium-99	pCi/L	MW360 (URGA)	10/10/11	TRUE	20.3	900
Technetium-99	pCi/L	MW360 (URGA)	01/06/12	FALSE	11.5	900
Technetium-99	pCi/L	MW360 (URGA)	04/18/12	FALSE	-9.73	900
Technetium-99	pCi/L	MW360 (URGA)	07/19/12	FALSE	2.61	900
Technetium-99	pCi/L	MW360 (URGA)	10/04/12	FALSE	7.54	900
Technetium-99	pCi/L	MW360 (URGA)	01/08/13	FALSE	4.54	900
Technetium-99	pCi/L	MW360 (URGA)	04/02/13	FALSE	2.71	900
Technetium-99	pCi/L	MW360 (URGA)	07/22/13	FALSE	9.42	900
Technetium-99	pCi/L	MW360 (URGA)	10/09/13	FALSE	10.2	900
Technetium-99	pCi/L	MW360 (URGA)	01/15/14	FALSE	9.82	900
Technetium-99	pCi/L	MW360 (URGA)	04/16/14	FALSE	9	900
Technetium-99	pCi/L	MW360 (URGA)	07/10/14	FALSE	0.0254	900
Technetium-99	pCi/L	MW360 (URGA)	10/14/14	FALSE	-3.63	900
Technetium-99	pCi/L	MW360 (URGA)	01/13/15	FALSE	-1.21	900
Technetium-99	pCi/L	MW360 (URGA)	04/07/15	FALSE	11.1	900
Technetium-99	pCi/L	MW360 (URGA)	07/09/15	FALSE	6.98	900
Technetium-99	pCi/L	MW360 (URGA)	10/07/15	FALSE	1.29	900
Technetium-99	pCi/L	MW360 (URGA)	01/14/16	FALSE	10.9	900
Technetium-99	pCi/L	MW360 (URGA)	04/06/16	FALSE	-0.442	900
Technetium-99	pCi/L	MW360 (URGA)	07/12/16	FALSE	2.55	900
Technetium-99	pCi/L	MW360 (URGA)	10/17/16	FALSE	5.64	900
Technetium-99	pCi/L	MW360 (URGA)	01/17/17	FALSE	8.95	900
Technetium-99	pCi/L	MW360 (URGA)	04/10/17	FALSE	2.63	900
Technetium-99	pCi/L	MW360 (URGA)	07/25/17	FALSE	-2.37	900
Technetium-99	pCi/L	MW360 (URGA)	10/03/17	FALSE	3.62	900
Technetium-99	pCi/L	MW360 (URGA)	01/22/18	FALSE	-2.32	900
Technetium-99	pCi/L	MW360 (URGA)	04/10/18	FALSE	10.9	900
Technetium-99	pCi/L	MW360 (URGA)	07/16/18	FALSE	4.99	900
Technetium-99	pCi/L	MW360 (URGA)	10/09/18	FALSE	-2.92	900
Technetium-99	pCi/L	MW360 (URGA)	01/14/19	FALSE	-2.23	900
Technetium-99	pCi/L	MW360 (URGA)	04/10/19	FALSE	1.48	900
Technetium-99	pCi/L	MW360 (URGA)	07/10/19	FALSE	8.71	900
Technetium-99	pCi/L	MW360 (URGA)	10/14/19	FALSE	7.92	900
Technetium-99	pCi/L	MW360 (URGA)	01/16/20	FALSE	-0.0147	900
Technetium-99	pCi/L	MW360 (URGA)	04/01/20	FALSE	7.89	900
Technetium-99	pCi/L	MW360 (URGA)	07/21/20	FALSE	4.16	900
Technetium-99	pCi/L	MW360 (URGA)	10/15/20	FALSE	1.26	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW360 (URGA)	01/05/10	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	04/06/10	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	07/14/10	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	10/20/10	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	01/18/11	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	01/18/11	TRUE	1.6	5
Trichloroethene	ug/L	MW360 (URGA)	04/27/11	TRUE	3.3	5
Trichloroethene	ug/L	MW360 (URGA)	07/21/11	TRUE	1.5	5
Trichloroethene	ug/L	MW360 (URGA)	10/10/11	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	01/06/12	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	04/18/12	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	07/19/12	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	10/04/12	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	01/08/13	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	04/02/13	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	07/22/13	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	10/09/13	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	01/15/14	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	04/16/14	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	07/10/14	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	10/14/14	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	01/13/15	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	04/07/15	TRUE	0.81	5
Trichloroethene	ug/L	MW360 (URGA)	07/09/15	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	10/07/15	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	01/14/16	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	04/06/16	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	07/12/16	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	10/17/16	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	01/17/17	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	04/10/17	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	07/25/17	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	10/03/17	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	01/22/18	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	04/10/18	TRUE	2.36	5
Trichloroethene	ug/L	MW360 (URGA)	07/16/18	TRUE	0.99	5
Trichloroethene	ug/L	MW360 (URGA)	10/09/18	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	01/14/19	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	04/10/19	TRUE	0.83	5
Trichloroethene	ug/L	MW360 (URGA)	07/10/19	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	10/14/19	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	01/16/20	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	04/01/20	TRUE	0.86	5
Trichloroethene	ug/L	MW360 (URGA)	07/21/20	FALSE	1	5
Trichloroethene	ug/L	MW360 (URGA)	10/15/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW361 (LRGA)	01/05/10	TRUE	32.9	900
Technetium-99	pCi/L	MW361 (LRGA)	04/06/10	TRUE	49.6	900
Technetium-99	pCi/L	MW361 (LRGA)	07/14/10	TRUE	39.5	900
Technetium-99	pCi/L	MW361 (LRGA)	10/20/10	TRUE	24.9	900
Technetium-99	pCi/L	MW361 (LRGA)	01/11/11	TRUE	47.8	900
Technetium-99	pCi/L	MW361 (LRGA)	04/20/11	TRUE	51	900
Technetium-99	pCi/L	MW361 (LRGA)	07/21/11	TRUE	44.4	900
Technetium-99	pCi/L	MW361 (LRGA)	10/10/11	TRUE	44.1	900
Technetium-99	pCi/L	MW361 (LRGA)	01/18/12	TRUE	50.3	900
Technetium-99	pCi/L	MW361 (LRGA)	04/11/12	TRUE	41.5	900
Technetium-99	pCi/L	MW361 (LRGA)	07/16/12	TRUE	46.3	900
Technetium-99	pCi/L	MW361 (LRGA)	10/04/12	TRUE	46.2	900
Technetium-99	pCi/L	MW361 (LRGA)	01/07/13	TRUE	39.6	900
Technetium-99	pCi/L	MW361 (LRGA)	04/03/13	TRUE	39.5	900
Technetium-99	pCi/L	MW361 (LRGA)	07/18/13	TRUE	51.3	900
Technetium-99	pCi/L	MW361 (LRGA)	10/09/13	TRUE	53.4	900
Technetium-99	pCi/L	MW361 (LRGA)	01/15/14	TRUE	46.7	900
Technetium-99	pCi/L	MW361 (LRGA)	04/16/14	TRUE	40.6	900
Technetium-99	pCi/L	MW361 (LRGA)	07/10/14	TRUE	58.9	900
Technetium-99	pCi/L	MW361 (LRGA)	10/14/14	TRUE	41.9	900
Technetium-99	pCi/L	MW361 (LRGA)	01/13/15	TRUE	40.7	900
Technetium-99	pCi/L	MW361 (LRGA)	04/07/15	TRUE	37.8	900
Technetium-99	pCi/L	MW361 (LRGA)	07/09/15	TRUE	42.8	900
Technetium-99	pCi/L	MW361 (LRGA)	10/07/15	TRUE	48.4	900
Technetium-99	pCi/L	MW361 (LRGA)	01/14/16	TRUE	47.3	900
Technetium-99	pCi/L	MW361 (LRGA)	04/06/16	TRUE	52.1	900
Technetium-99	pCi/L	MW361 (LRGA)	07/12/16	TRUE	53.2	900
Technetium-99	pCi/L	MW361 (LRGA)	10/17/16	TRUE	57.4	900
Technetium-99	pCi/L	MW361 (LRGA)	01/17/17	TRUE	53.8	900
Technetium-99	pCi/L	MW361 (LRGA)	04/10/17	TRUE	42.6	900
Technetium-99	pCi/L	MW361 (LRGA)	07/24/17	TRUE	42.8	900
Technetium-99	pCi/L	MW361 (LRGA)	10/03/17	TRUE	52.4	900
Technetium-99	pCi/L	MW361 (LRGA)	01/22/18	TRUE	43.9	900
Technetium-99	pCi/L	MW361 (LRGA)	04/10/18	TRUE	39.9	900
Technetium-99	pCi/L	MW361 (LRGA)	07/16/18	TRUE	43.2	900
Technetium-99	pCi/L	MW361 (LRGA)	10/08/18	TRUE	48.6	900
Technetium-99	pCi/L	MW361 (LRGA)	01/14/19	TRUE	22.8	900
Technetium-99	pCi/L	MW361 (LRGA)	04/10/19	TRUE	29.9	900
Technetium-99	pCi/L	MW361 (LRGA)	07/10/19	TRUE	43.3	900
Technetium-99	pCi/L	MW361 (LRGA)	10/14/19	TRUE	53	900
Technetium-99	pCi/L	MW361 (LRGA)	01/16/20	TRUE	58.9	900
Technetium-99	pCi/L	MW361 (LRGA)	04/01/20	TRUE	45.3	900
Technetium-99	pCi/L	MW361 (LRGA)	07/21/20	TRUE	48.7	900
Technetium-99	pCi/L	MW361 (LRGA)	10/15/20	TRUE	47.3	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW361 (LRGA)	01/05/10	TRUE	2.1	5
Trichloroethene	ug/L	MW361 (LRGA)	04/06/10	TRUE	2.2	5
Trichloroethene	ug/L	MW361 (LRGA)	07/14/10	TRUE	2.1	5
Trichloroethene	ug/L	MW361 (LRGA)	10/20/10	TRUE	2.8	5
Trichloroethene	ug/L	MW361 (LRGA)	01/11/11	TRUE	2.8	5
Trichloroethene	ug/L	MW361 (LRGA)	04/27/11	TRUE	4.8	5
Trichloroethene	ug/L	MW361 (LRGA)	07/21/11	TRUE	4.7	5
Trichloroethene	ug/L	MW361 (LRGA)	10/10/11	TRUE	3.3	5
Trichloroethene	ug/L	MW361 (LRGA)	01/18/12	TRUE	5.2	5
Trichloroethene	ug/L	MW361 (LRGA)	04/11/12	TRUE	3.7	5
Trichloroethene	ug/L	MW361 (LRGA)	07/16/12	TRUE	2.7	5
Trichloroethene	ug/L	MW361 (LRGA)	10/04/12	TRUE	3.2	5
Trichloroethene	ug/L	MW361 (LRGA)	01/07/13	TRUE	3.4	5
Trichloroethene	ug/L	MW361 (LRGA)	04/03/13	TRUE	6	5
Trichloroethene	ug/L	MW361 (LRGA)	07/18/13	TRUE	4.2	5
Trichloroethene	ug/L	MW361 (LRGA)	10/09/13	TRUE	3.7	5
Trichloroethene	ug/L	MW361 (LRGA)	01/15/14	TRUE	3.4	5
Trichloroethene	ug/L	MW361 (LRGA)	04/16/14	TRUE	5.35	5
Trichloroethene	ug/L	MW361 (LRGA)	07/10/14	TRUE	4.7	5
Trichloroethene	ug/L	MW361 (LRGA)	10/14/14	TRUE	3.54	5
Trichloroethene	ug/L	MW361 (LRGA)	01/13/15	TRUE	3.88	5
Trichloroethene	ug/L	MW361 (LRGA)	04/07/15	FALSE	1	5
Trichloroethene	ug/L	MW361 (LRGA)	07/09/15	TRUE	6.92	5
Trichloroethene	ug/L	MW361 (LRGA)	10/07/15	TRUE	4.76	5
Trichloroethene	ug/L	MW361 (LRGA)	01/14/16	TRUE	5.4	5
Trichloroethene	ug/L	MW361 (LRGA)	04/06/16	TRUE	7.27	5
Trichloroethene	ug/L	MW361 (LRGA)	07/12/16	TRUE	5.19	5
Trichloroethene	ug/L	MW361 (LRGA)	10/17/16	TRUE	5.13	5
Trichloroethene	ug/L	MW361 (LRGA)	01/17/17	TRUE	4.67	5
Trichloroethene	ug/L	MW361 (LRGA)	04/10/17	TRUE	6.46	5
Trichloroethene	ug/L	MW361 (LRGA)	07/24/17	TRUE	5.78	5
Trichloroethene	ug/L	MW361 (LRGA)	10/03/17	TRUE	5.03	5
Trichloroethene	ug/L	MW361 (LRGA)	01/22/18	TRUE	5.4	5
Trichloroethene	ug/L	MW361 (LRGA)	04/10/18	TRUE	14.7	5
Trichloroethene	ug/L	MW361 (LRGA)	07/16/18	TRUE	7.18	5
Trichloroethene	ug/L	MW361 (LRGA)	10/08/18	TRUE	7.3	5
Trichloroethene	ug/L	MW361 (LRGA)	01/14/19	TRUE	6.24	5
Trichloroethene	ug/L	MW361 (LRGA)	04/10/19	TRUE	5.58	5
Trichloroethene	ug/L	MW361 (LRGA)	07/10/19	TRUE	5.46	5
Trichloroethene	ug/L	MW361 (LRGA)	10/14/19	TRUE	5.31	5
Trichloroethene	ug/L	MW361 (LRGA)	01/16/20	TRUE	5.29	5
Trichloroethene	ug/L	MW361 (LRGA)	04/01/20	TRUE	4.6	5
Trichloroethene	ug/L	MW361 (LRGA)	07/21/20	TRUE	6.9	5
Trichloroethene	ug/L	MW361 (LRGA)	10/15/20	TRUE	5.84	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW363 (URGA)	01/05/10	FALSE	15.4	900
Technetium-99	pCi/L	MW363 (URGA)	04/06/10	FALSE	12.6	900
Technetium-99	pCi/L	MW363 (URGA)	07/14/10	TRUE	38.5	900
Technetium-99	pCi/L	MW363 (URGA)	10/22/10	TRUE	37	900
Technetium-99	pCi/L	MW363 (URGA)	01/11/11	FALSE	1.37	900
Technetium-99	pCi/L	MW363 (URGA)	04/18/11	FALSE	10.8	900
Technetium-99	pCi/L	MW363 (URGA)	07/25/11	FALSE	5.65	900
Technetium-99	pCi/L	MW363 (URGA)	10/13/11	TRUE	23.7	900
Technetium-99	pCi/L	MW363 (URGA)	01/18/12	FALSE	10.8	900
Technetium-99	pCi/L	MW363 (URGA)	04/11/12	FALSE	7.98	900
Technetium-99	pCi/L	MW363 (URGA)	07/19/12	TRUE	16.6	900
Technetium-99	pCi/L	MW363 (URGA)	10/10/12	TRUE	15	900
Technetium-99	pCi/L	MW363 (URGA)	01/08/13	FALSE	9.81	900
Technetium-99	pCi/L	MW363 (URGA)	04/03/13	FALSE	1.4	900
Technetium-99	pCi/L	MW363 (URGA)	07/17/13	FALSE	13.4	900
Technetium-99	pCi/L	MW363 (URGA)	10/09/13	TRUE	17.9	900
Technetium-99	pCi/L	MW363 (URGA)	01/16/14	FALSE	6.46	900
Technetium-99	pCi/L	MW363 (URGA)	04/15/14	FALSE	18.3	900
Technetium-99	pCi/L	MW363 (URGA)	07/10/14	FALSE	18.8	900
Technetium-99	pCi/L	MW363 (URGA)	10/15/14	FALSE	5.23	900
Technetium-99	pCi/L	MW363 (URGA)	01/21/15	FALSE	12.5	900
Technetium-99	pCi/L	MW363 (URGA)	04/07/15	FALSE	4.84	900
Technetium-99	pCi/L	MW363 (URGA)	07/14/15	FALSE	14.5	900
Technetium-99	pCi/L	MW363 (URGA)	10/08/15	FALSE	6.6	900
Technetium-99	pCi/L	MW363 (URGA)	01/13/16	FALSE	15.5	900
Technetium-99	pCi/L	MW363 (URGA)	04/07/16	TRUE	24.4	900
Technetium-99	pCi/L	MW363 (URGA)	07/14/16	FALSE	6.92	900
Technetium-99	pCi/L	MW363 (URGA)	10/17/16	TRUE	24.4	900
Technetium-99	pCi/L	MW363 (URGA)	01/18/17	FALSE	10.2	900
Technetium-99	pCi/L	MW363 (URGA)	04/12/17	FALSE	11.3	900
Technetium-99	pCi/L	MW363 (URGA)	07/20/17	FALSE	5.17	900
Technetium-99	pCi/L	MW363 (URGA)	10/04/17	FALSE	10.9	900
Technetium-99	pCi/L	MW363 (URGA)	01/22/18	FALSE	5.84	900
Technetium-99	pCi/L	MW363 (URGA)	04/11/18	FALSE	15.2	900
Technetium-99	pCi/L	MW363 (URGA)	07/17/18	FALSE	11.3	900
Technetium-99	pCi/L	MW363 (URGA)	10/08/18	FALSE	-1.97	900
Technetium-99	pCi/L	MW363 (URGA)	01/15/19	FALSE	2.5	900
Technetium-99	pCi/L	MW363 (URGA)	04/10/19	FALSE	2.93	900
Technetium-99	pCi/L	MW363 (URGA)	07/10/19	FALSE	5.08	900
Technetium-99	pCi/L	MW363 (URGA)	10/15/19	FALSE	5.41	900
Technetium-99	pCi/L	MW363 (URGA)	01/16/20	FALSE	-11	900
Technetium-99	pCi/L	MW363 (URGA)	04/02/20	FALSE	6.59	900
Technetium-99	pCi/L	MW363 (URGA)	07/30/20	FALSE	13.6	900
Technetium-99	pCi/L	MW363 (URGA)	10/15/20	FALSE	-8.53	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW363 (URGA)	01/05/10	FALSE	1	5
Trichloroethene	ug/L	MW363 (URGA)	04/06/10	TRUE	2.2	5
Trichloroethene	ug/L	MW363 (URGA)	07/14/10	TRUE	1.9	5
Trichloroethene	ug/L	MW363 (URGA)	10/22/10	FALSE	1	5
Trichloroethene	ug/L	MW363 (URGA)	01/11/11	FALSE	1	5
Trichloroethene	ug/L	MW363 (URGA)	05/03/11	FALSE	1	5
Trichloroethene	ug/L	MW363 (URGA)	07/25/11	FALSE	1	5
Trichloroethene	ug/L	MW363 (URGA)	10/13/11	FALSE	1	5
Trichloroethene	ug/L	MW363 (URGA)	01/18/12	FALSE	1	5
Trichloroethene	ug/L	MW363 (URGA)	04/11/12	FALSE	1	5
Trichloroethene	ug/L	MW363 (URGA)	07/19/12	FALSE	1	5
Trichloroethene	ug/L	MW363 (URGA)	10/10/12	FALSE	1	5
Trichloroethene	ug/L	MW363 (URGA)	01/08/13	FALSE	1	5
Trichloroethene	ug/L	MW363 (URGA)	04/03/13	FALSE	1	5
Trichloroethene	ug/L	MW363 (URGA)	07/17/13	FALSE	1	5
Trichloroethene	ug/L	MW363 (URGA)	10/09/13	FALSE	1	5
Trichloroethene	ug/L	MW363 (URGA)	01/16/14	FALSE	1	5
Trichloroethene	ug/L	MW363 (URGA)	04/15/14	TRUE	0.41	5
Trichloroethene	ug/L	MW363 (URGA)	07/10/14	TRUE	0.51	5
Trichloroethene	ug/L	MW363 (URGA)	10/15/14	TRUE	4.27	5
Trichloroethene	ug/L	MW363 (URGA)	01/21/15	TRUE	0.35	5
Trichloroethene	ug/L	MW363 (URGA)	04/07/15	TRUE	2.65	5
Trichloroethene	ug/L	MW363 (URGA)	07/14/15	TRUE	0.84	5
Trichloroethene	ug/L	MW363 (URGA)	10/08/15	TRUE	0.91	5
Trichloroethene	ug/L	MW363 (URGA)	01/13/16	TRUE	1.15	5
Trichloroethene	ug/L	MW363 (URGA)	04/07/16	TRUE	15.5	5
Trichloroethene	ug/L	MW363 (URGA)	06/14/16	TRUE	1.3	5
Trichloroethene	ug/L	MW363 (URGA)	07/14/16	TRUE	4.98	5
Trichloroethene	ug/L	MW363 (URGA)	10/17/16	TRUE	2.94	5
Trichloroethene	ug/L	MW363 (URGA)	01/18/17	TRUE	0.53	5
Trichloroethene	ug/L	MW363 (URGA)	04/12/17	TRUE	2.74	5
Trichloroethene	ug/L	MW363 (URGA)	07/20/17	TRUE	0.86	5
Trichloroethene	ug/L	MW363 (URGA)	10/04/17	TRUE	1.27	5
Trichloroethene	ug/L	MW363 (URGA)	01/22/18	TRUE	1	5
Trichloroethene	ug/L	MW363 (URGA)	04/11/18	TRUE	2.57	5
Trichloroethene	ug/L	MW363 (URGA)	07/17/18	TRUE	1.47	5
Trichloroethene	ug/L	MW363 (URGA)	10/08/18	TRUE	3.83	5
Trichloroethene	ug/L	MW363 (URGA)	01/15/19	TRUE	0.7	5
Trichloroethene	ug/L	MW363 (URGA)	04/10/19	TRUE	0.37	5
Trichloroethene	ug/L	MW363 (URGA)	07/10/19	FALSE	1	5
Trichloroethene	ug/L	MW363 (URGA)	10/15/19	TRUE	0.42	5
Trichloroethene	ug/L	MW363 (URGA)	01/16/20	TRUE	0.46	5
Trichloroethene	ug/L	MW363 (URGA)	04/02/20	TRUE	0.42	5
Trichloroethene	ug/L	MW363 (URGA)	08/06/20	TRUE	0.47	5
Trichloroethene	ug/L	MW363 (URGA)	10/15/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW364 (LRGA)	01/05/10	TRUE	30.3	900
Technetium-99	pCi/L	MW364 (LRGA)	04/07/10	TRUE	54.2	900
Technetium-99	pCi/L	MW364 (LRGA)	07/14/10	FALSE	13.5	900
Technetium-99	pCi/L	MW364 (LRGA)	10/25/10	TRUE	46.8	900
Technetium-99	pCi/L	MW364 (LRGA)	01/12/11	TRUE	41.9	900
Technetium-99	pCi/L	MW364 (LRGA)	04/20/11	TRUE	52	900
Technetium-99	pCi/L	MW364 (LRGA)	07/25/11	TRUE	36.7	900
Technetium-99	pCi/L	MW364 (LRGA)	10/13/11	TRUE	44.4	900
Technetium-99	pCi/L	MW364 (LRGA)	01/19/12	TRUE	54.1	900
Technetium-99	pCi/L	MW364 (LRGA)	04/11/12	TRUE	65.7	900
Technetium-99	pCi/L	MW364 (LRGA)	07/19/12	TRUE	51	900
Technetium-99	pCi/L	MW364 (LRGA)	10/10/12	TRUE	59.7	900
Technetium-99	pCi/L	MW364 (LRGA)	01/08/13	TRUE	49.1	900
Technetium-99	pCi/L	MW364 (LRGA)	04/04/13	TRUE	45.5	900
Technetium-99	pCi/L	MW364 (LRGA)	07/18/13	TRUE	46.4	900
Technetium-99	pCi/L	MW364 (LRGA)	10/08/13	TRUE	49.1	900
Technetium-99	pCi/L	MW364 (LRGA)	01/16/14	TRUE	47.6	900
Technetium-99	pCi/L	MW364 (LRGA)	04/15/14	TRUE	52.5	900
Technetium-99	pCi/L	MW364 (LRGA)	07/10/14	TRUE	59.7	900
Technetium-99	pCi/L	MW364 (LRGA)	10/15/14	TRUE	39.6	900
Technetium-99	pCi/L	MW364 (LRGA)	01/21/15	TRUE	58.2	900
Technetium-99	pCi/L	MW364 (LRGA)	04/07/15	TRUE	43.3	900
Technetium-99	pCi/L	MW364 (LRGA)	07/14/15	TRUE	58.7	900
Technetium-99	pCi/L	MW364 (LRGA)	10/08/15	TRUE	39.5	900
Technetium-99	pCi/L	MW364 (LRGA)	01/13/16	TRUE	51	900
Technetium-99	pCi/L	MW364 (LRGA)	04/07/16	TRUE	47.5	900
Technetium-99	pCi/L	MW364 (LRGA)	07/14/16	TRUE	36.7	900
Technetium-99	pCi/L	MW364 (LRGA)	10/18/16	TRUE	58.2	900
Technetium-99	pCi/L	MW364 (LRGA)	01/19/17	TRUE	45.3	900
Technetium-99	pCi/L	MW364 (LRGA)	04/12/17	TRUE	42.7	900
Technetium-99	pCi/L	MW364 (LRGA)	07/20/17	TRUE	54.8	900
Technetium-99	pCi/L	MW364 (LRGA)	10/04/17	TRUE	56.8	900
Technetium-99	pCi/L	MW364 (LRGA)	01/23/18	TRUE	40.3	900
Technetium-99	pCi/L	MW364 (LRGA)	04/11/18	TRUE	42.1	900
Technetium-99	pCi/L	MW364 (LRGA)	07/17/18	TRUE	30.7	900
Technetium-99	pCi/L	MW364 (LRGA)	10/08/18	TRUE	56.9	900
Technetium-99	pCi/L	MW364 (LRGA)	01/15/19	TRUE	39	900
Technetium-99	pCi/L	MW364 (LRGA)	04/10/19	TRUE	41.2	900
Technetium-99	pCi/L	MW364 (LRGA)	07/10/19	TRUE	52.5	900
Technetium-99	pCi/L	MW364 (LRGA)	10/15/19	TRUE	58.7	900
Technetium-99	pCi/L	MW364 (LRGA)	01/16/20	TRUE	47.5	900
Technetium-99	pCi/L	MW364 (LRGA)	04/02/20	TRUE	56	900
Technetium-99	pCi/L	MW364 (LRGA)	08/06/20	TRUE	47.7	900
Technetium-99	pCi/L	MW364 (LRGA)	10/15/20	TRUE	51.7	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW364 (LRGA)	01/05/10	TRUE	1.2	5
Trichloroethene	ug/L	MW364 (LRGA)	04/07/10	TRUE	2.3	5
Trichloroethene	ug/L	MW364 (LRGA)	07/14/10	FALSE	1	5
Trichloroethene	ug/L	MW364 (LRGA)	10/25/10	TRUE	2.4	5
Trichloroethene	ug/L	MW364 (LRGA)	01/12/11	TRUE	2	5
Trichloroethene	ug/L	MW364 (LRGA)	05/03/11	TRUE	1.8	5
Trichloroethene	ug/L	MW364 (LRGA)	07/25/11	TRUE	2.2	5
Trichloroethene	ug/L	MW364 (LRGA)	10/13/11	TRUE	2.4	5
Trichloroethene	ug/L	MW364 (LRGA)	01/19/12	TRUE	2.6	5
Trichloroethene	ug/L	MW364 (LRGA)	04/11/12	TRUE	2.4	5
Trichloroethene	ug/L	MW364 (LRGA)	07/19/12	TRUE	2	5
Trichloroethene	ug/L	MW364 (LRGA)	10/10/12	TRUE	2.2	5
Trichloroethene	ug/L	MW364 (LRGA)	01/08/13	TRUE	2.6	5
Trichloroethene	ug/L	MW364 (LRGA)	04/04/13	TRUE	3.4	5
Trichloroethene	ug/L	MW364 (LRGA)	07/18/13	TRUE	2.7	5
Trichloroethene	ug/L	MW364 (LRGA)	10/08/13	TRUE	2.9	5
Trichloroethene	ug/L	MW364 (LRGA)	01/16/14	TRUE	3	5
Trichloroethene	ug/L	MW364 (LRGA)	04/15/14	TRUE	4.25	5
Trichloroethene	ug/L	MW364 (LRGA)	07/10/14	TRUE	3.48	5
Trichloroethene	ug/L	MW364 (LRGA)	10/15/14	TRUE	3.86	5
Trichloroethene	ug/L	MW364 (LRGA)	01/21/15	TRUE	4.87	5
Trichloroethene	ug/L	MW364 (LRGA)	04/07/15	TRUE	4.78	5
Trichloroethene	ug/L	MW364 (LRGA)	07/14/15	TRUE	4.3	5
Trichloroethene	ug/L	MW364 (LRGA)	10/08/15	TRUE	4.4	5
Trichloroethene	ug/L	MW364 (LRGA)	01/13/16	TRUE	5.21	5
Trichloroethene	ug/L	MW364 (LRGA)	04/07/16	TRUE	4.78	5
Trichloroethene	ug/L	MW364 (LRGA)	07/14/16	TRUE	5.26	5
Trichloroethene	ug/L	MW364 (LRGA)	10/18/16	TRUE	6.03	5
Trichloroethene	ug/L	MW364 (LRGA)	01/19/17	TRUE	6.8	5
Trichloroethene	ug/L	MW364 (LRGA)	04/12/17	TRUE	5.56	5
Trichloroethene	ug/L	MW364 (LRGA)	07/20/17	TRUE	5.55	5
Trichloroethene	ug/L	MW364 (LRGA)	10/04/17	TRUE	6.79	5
Trichloroethene	ug/L	MW364 (LRGA)	01/23/18	TRUE	6.33	5
Trichloroethene	ug/L	MW364 (LRGA)	04/11/18	TRUE	6.93	5
Trichloroethene	ug/L	MW364 (LRGA)	07/17/18	TRUE	6.12	5
Trichloroethene	ug/L	MW364 (LRGA)	10/08/18	TRUE	12.3	5
Trichloroethene	ug/L	MW364 (LRGA)	01/15/19	TRUE	7.09	5
Trichloroethene	ug/L	MW364 (LRGA)	04/10/19	TRUE	6.98	5
Trichloroethene	ug/L	MW364 (LRGA)	07/10/19	TRUE	6.69	5
Trichloroethene	ug/L	MW364 (LRGA)	10/15/19	TRUE	5.77	5
Trichloroethene	ug/L	MW364 (LRGA)	01/16/20	TRUE	6.12	5
Trichloroethene	ug/L	MW364 (LRGA)	04/02/20	TRUE	6.88	5
Trichloroethene	ug/L	MW364 (LRGA)	08/06/20	TRUE	6.98	5
Trichloroethene	ug/L	MW364 (LRGA)	10/15/20	TRUE	6.26	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW366 (URGA)	01/06/10	TRUE	48.7	900
Technetium-99	pCi/L	MW366 (URGA)	04/06/10	TRUE	69.4	900
Technetium-99	pCi/L	MW366 (URGA)	07/15/10	TRUE	85.5	900
Technetium-99	pCi/L	MW366 (URGA)	10/26/10	TRUE	65	900
Technetium-99	pCi/L	MW366 (URGA)	01/12/11	TRUE	68.1	900
Technetium-99	pCi/L	MW366 (URGA)	04/18/11	TRUE	55.9	900
Technetium-99	pCi/L	MW366 (URGA)	07/21/11	TRUE	52.8	900
Technetium-99	pCi/L	MW366 (URGA)	10/11/11	TRUE	65.4	900
Technetium-99	pCi/L	MW366 (URGA)	01/18/12	TRUE	55	900
Technetium-99	pCi/L	MW366 (URGA)	04/11/12	TRUE	53.5	900
Technetium-99	pCi/L	MW366 (URGA)	07/19/12	TRUE	66	900
Technetium-99	pCi/L	MW366 (URGA)	10/09/12	TRUE	66.3	900
Technetium-99	pCi/L	MW366 (URGA)	01/09/13	TRUE	60.5	900
Technetium-99	pCi/L	MW366 (URGA)	04/04/13	TRUE	48	900
Technetium-99	pCi/L	MW366 (URGA)	07/17/13	TRUE	69.9	900
Technetium-99	pCi/L	MW366 (URGA)	10/08/13	TRUE	65.6	900
Technetium-99	pCi/L	MW366 (URGA)	01/13/14	TRUE	46.1	900
Technetium-99	pCi/L	MW366 (URGA)	04/15/14	TRUE	53.5	900
Technetium-99	pCi/L	MW366 (URGA)	07/09/14	TRUE	54.3	900
Technetium-99	pCi/L	MW366 (URGA)	10/16/14	TRUE	64.4	900
Technetium-99	pCi/L	MW366 (URGA)	01/20/15	TRUE	58.8	900
Technetium-99	pCi/L	MW366 (URGA)	04/08/15	TRUE	51	900
Technetium-99	pCi/L	MW366 (URGA)	07/14/15	TRUE	47.1	900
Technetium-99	pCi/L	MW366 (URGA)	10/08/15	TRUE	48.6	900
Technetium-99	pCi/L	MW366 (URGA)	01/14/16	TRUE	62.7	900
Technetium-99	pCi/L	MW366 (URGA)	04/07/16	TRUE	48.8	900
Technetium-99	pCi/L	MW366 (URGA)	07/14/16	TRUE	57.2	900
Technetium-99	pCi/L	MW366 (URGA)	10/18/16	TRUE	68.8	900
Technetium-99	pCi/L	MW366 (URGA)	01/19/17	TRUE	46.7	900
Technetium-99	pCi/L	MW366 (URGA)	04/12/17	TRUE	47.3	900
Technetium-99	pCi/L	MW366 (URGA)	07/24/17	TRUE	54.7	900
Technetium-99	pCi/L	MW366 (URGA)	10/04/17	TRUE	50.4	900
Technetium-99	pCi/L	MW366 (URGA)	01/23/18	TRUE	42.7	900
Technetium-99	pCi/L	MW366 (URGA)	04/10/18	TRUE	62.1	900
Technetium-99	pCi/L	MW366 (URGA)	07/17/18	TRUE	46.8	900
Technetium-99	pCi/L	MW366 (URGA)	10/09/18	TRUE	55.9	900
Technetium-99	pCi/L	MW366 (URGA)	01/16/19	TRUE	45.7	900
Technetium-99	pCi/L	MW366 (URGA)	04/11/19	TRUE	39.6	900
Technetium-99	pCi/L	MW366 (URGA)	07/11/19	TRUE	43.8	900
Technetium-99	pCi/L	MW366 (URGA)	10/14/19	TRUE	30	900
Technetium-99	pCi/L	MW366 (URGA)	01/21/20	TRUE	54.9	900
Technetium-99	pCi/L	MW366 (URGA)	04/02/20	TRUE	60	900
Technetium-99	pCi/L	MW366 (URGA)	08/06/20	TRUE	50.5	900
Technetium-99	pCi/L	MW366 (URGA)	10/21/20	TRUE	63.5	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW366 (URGA)	01/06/10	TRUE	1.3	5
Trichloroethene	ug/L	MW366 (URGA)	04/06/10	TRUE	2.7	5
Trichloroethene	ug/L	MW366 (URGA)	07/15/10	TRUE	1.6	5
Trichloroethene	ug/L	MW366 (URGA)	10/26/10	TRUE	1.9	5
Trichloroethene	ug/L	MW366 (URGA)	01/12/11	TRUE	1.8	5
Trichloroethene	ug/L	MW366 (URGA)	04/28/11	TRUE	2.3	5
Trichloroethene	ug/L	MW366 (URGA)	07/21/11	TRUE	3.6	5
Trichloroethene	ug/L	MW366 (URGA)	10/11/11	TRUE	2.8	5
Trichloroethene	ug/L	MW366 (URGA)	01/18/12	TRUE	2.7	5
Trichloroethene	ug/L	MW366 (URGA)	04/11/12	TRUE	2.9	5
Trichloroethene	ug/L	MW366 (URGA)	07/19/12	TRUE	2.2	5
Trichloroethene	ug/L	MW366 (URGA)	10/09/12	TRUE	2.6	5
Trichloroethene	ug/L	MW366 (URGA)	01/09/13	TRUE	2.8	5
Trichloroethene	ug/L	MW366 (URGA)	04/04/13	TRUE	3.1	5
Trichloroethene	ug/L	MW366 (URGA)	07/17/13	TRUE	3.9	5
Trichloroethene	ug/L	MW366 (URGA)	10/08/13	TRUE	3.5	5
Trichloroethene	ug/L	MW366 (URGA)	01/13/14	TRUE	3.1	5
Trichloroethene	ug/L	MW366 (URGA)	04/15/14	TRUE	3.58	5
Trichloroethene	ug/L	MW366 (URGA)	07/09/14	TRUE	3.86	5
Trichloroethene	ug/L	MW366 (URGA)	10/16/14	TRUE	3.59	5
Trichloroethene	ug/L	MW366 (URGA)	01/20/15	TRUE	3.28	5
Trichloroethene	ug/L	MW366 (URGA)	04/08/15	TRUE	3.39	5
Trichloroethene	ug/L	MW366 (URGA)	07/14/15	TRUE	3.78	5
Trichloroethene	ug/L	MW366 (URGA)	10/08/15	TRUE	3.83	5
Trichloroethene	ug/L	MW366 (URGA)	01/14/16	TRUE	3.35	5
Trichloroethene	ug/L	MW366 (URGA)	04/07/16	TRUE	3.89	5
Trichloroethene	ug/L	MW366 (URGA)	07/14/16	TRUE	4.3	5
Trichloroethene	ug/L	MW366 (URGA)	10/18/16	TRUE	4.28	5
Trichloroethene	ug/L	MW366 (URGA)	01/19/17	TRUE	4.36	5
Trichloroethene	ug/L	MW366 (URGA)	04/12/17	TRUE	3.5	5
Trichloroethene	ug/L	MW366 (URGA)	07/24/17	TRUE	4.88	5
Trichloroethene	ug/L	MW366 (URGA)	10/04/17	TRUE	5.03	5
Trichloroethene	ug/L	MW366 (URGA)	01/23/18	TRUE	4.24	5
Trichloroethene	ug/L	MW366 (URGA)	04/10/18	TRUE	4.1	5
Trichloroethene	ug/L	MW366 (URGA)	07/17/18	TRUE	5.75	5
Trichloroethene	ug/L	MW366 (URGA)	10/09/18	TRUE	5.04	5
Trichloroethene	ug/L	MW366 (URGA)	01/16/19	TRUE	5.9	5
Trichloroethene	ug/L	MW366 (URGA)	04/11/19	TRUE	5.44	5
Trichloroethene	ug/L	MW366 (URGA)	07/11/19	TRUE	4.54	5
Trichloroethene	ug/L	MW366 (URGA)	10/14/19	TRUE	2.94	5
Trichloroethene	ug/L	MW366 (URGA)	03/17/20	TRUE	3.34	5
Trichloroethene	ug/L	MW366 (URGA)	04/02/20	TRUE	3.61	5
Trichloroethene	ug/L	MW366 (URGA)	08/06/20	TRUE	3.76	5
Trichloroethene	ug/L	MW366 (URGA)	10/21/20	TRUE	3.38	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW367 (LRGA)	01/06/10	FALSE	14.2	900
Technetium-99	pCi/L	MW367 (LRGA)	04/06/10	TRUE	85.6	900
Technetium-99	pCi/L	MW367 (LRGA)	07/15/10	FALSE	0.113	900
Technetium-99	pCi/L	MW367 (LRGA)	10/22/10	FALSE	-3.93	900
Technetium-99	pCi/L	MW367 (LRGA)	01/12/11	FALSE	10.4	900
Technetium-99	pCi/L	MW367 (LRGA)	04/18/11	TRUE	70.7	900
Technetium-99	pCi/L	MW367 (LRGA)	07/21/11	FALSE	-1.45	900
Technetium-99	pCi/L	MW367 (LRGA)	10/11/11	FALSE	6.16	900
Technetium-99	pCi/L	MW367 (LRGA)	01/19/12	TRUE	40.8	900
Technetium-99	pCi/L	MW367 (LRGA)	04/12/12	FALSE	1.58	900
Technetium-99	pCi/L	MW367 (LRGA)	07/19/12	FALSE	3.43	900
Technetium-99	pCi/L	MW367 (LRGA)	10/09/12	FALSE	9.81	900
Technetium-99	pCi/L	MW367 (LRGA)	01/09/13	FALSE	6.3	900
Technetium-99	pCi/L	MW367 (LRGA)	04/08/13	TRUE	29.6	900
Technetium-99	pCi/L	MW367 (LRGA)	07/17/13	TRUE	42.8	900
Technetium-99	pCi/L	MW367 (LRGA)	10/09/13	FALSE	-0.345	900
Technetium-99	pCi/L	MW367 (LRGA)	01/13/14	TRUE	33.1	900
Technetium-99	pCi/L	MW367 (LRGA)	04/14/14	TRUE	38.1	900
Technetium-99	pCi/L	MW367 (LRGA)	07/09/14	FALSE	8.96	900
Technetium-99	pCi/L	MW367 (LRGA)	10/15/14	FALSE	-3.34	900
Technetium-99	pCi/L	MW367 (LRGA)	01/20/15	TRUE	23.2	900
Technetium-99	pCi/L	MW367 (LRGA)	04/08/15	TRUE	60.6	900
Technetium-99	pCi/L	MW367 (LRGA)	07/14/15	TRUE	35.1	900
Technetium-99	pCi/L	MW367 (LRGA)	10/08/15	FALSE	-4.6	900
Technetium-99	pCi/L	MW367 (LRGA)	01/14/16	TRUE	59.1	900
Technetium-99	pCi/L	MW367 (LRGA)	04/07/16	TRUE	52.8	900
Technetium-99	pCi/L	MW367 (LRGA)	07/14/16	FALSE	0.349	900
Technetium-99	pCi/L	MW367 (LRGA)	10/18/16	FALSE	13.4	900
Technetium-99	pCi/L	MW367 (LRGA)	01/25/17	TRUE	24.9	900
Technetium-99	pCi/L	MW367 (LRGA)	04/12/17	FALSE	6.58	900
Technetium-99	pCi/L	MW367 (LRGA)	07/24/17	FALSE	-5.13	900
Technetium-99	pCi/L	MW367 (LRGA)	10/04/17	FALSE	9.85	900
Technetium-99	pCi/L	MW367 (LRGA)	01/23/18	FALSE	8.3	900
Technetium-99	pCi/L	MW367 (LRGA)	04/11/18	TRUE	60.2	900
Technetium-99	pCi/L	MW367 (LRGA)	07/17/18	FALSE	1.73	900
Technetium-99	pCi/L	MW367 (LRGA)	10/09/18	FALSE	0.449	900
Technetium-99	pCi/L	MW367 (LRGA)	01/16/19	TRUE	55.7	900
Technetium-99	pCi/L	MW367 (LRGA)	04/11/19	TRUE	26.4	900
Technetium-99	pCi/L	MW367 (LRGA)	07/11/19	FALSE	8.13	900
Technetium-99	pCi/L	MW367 (LRGA)	10/15/19	FALSE	2.55	900
Technetium-99	pCi/L	MW367 (LRGA)	01/21/20	TRUE	36.2	900
Technetium-99	pCi/L	MW367 (LRGA)	04/02/20	TRUE	63	900
Technetium-99	pCi/L	MW367 (LRGA)	07/30/20	FALSE	-1.99	900
Technetium-99	pCi/L	MW367 (LRGA)	10/21/20	FALSE	-6.74	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW367 (LRGA)	01/06/10	FALSE	1	5
Trichloroethene	ug/L	MW367 (LRGA)	04/06/10	TRUE	3.8	5
Trichloroethene	ug/L	MW367 (LRGA)	07/15/10	FALSE	1	5
Trichloroethene	ug/L	MW367 (LRGA)	10/22/10	FALSE	1	5
Trichloroethene	ug/L	MW367 (LRGA)	01/12/11	FALSE	1	5
Trichloroethene	ug/L	MW367 (LRGA)	04/28/11	TRUE	2.2	5
Trichloroethene	ug/L	MW367 (LRGA)	07/21/11	TRUE	2	5
Trichloroethene	ug/L	MW367 (LRGA)	10/11/11	FALSE	1	5
Trichloroethene	ug/L	MW367 (LRGA)	01/19/12	TRUE	1.9	5
Trichloroethene	ug/L	MW367 (LRGA)	04/12/12	TRUE	1.2	5
Trichloroethene	ug/L	MW367 (LRGA)	07/19/12	FALSE	1	5
Trichloroethene	ug/L	MW367 (LRGA)	10/09/12	FALSE	1	5
Trichloroethene	ug/L	MW367 (LRGA)	01/09/13	FALSE	1	5
Trichloroethene	ug/L	MW367 (LRGA)	04/08/13	TRUE	2.2	5
Trichloroethene	ug/L	MW367 (LRGA)	07/17/13	TRUE	2.4	5
Trichloroethene	ug/L	MW367 (LRGA)	10/09/13	FALSE	1	5
Trichloroethene	ug/L	MW367 (LRGA)	01/13/14	TRUE	2.2	5
Trichloroethene	ug/L	MW367 (LRGA)	04/14/14	TRUE	3.04	5
Trichloroethene	ug/L	MW367 (LRGA)	07/09/14	TRUE	1.13	5
Trichloroethene	ug/L	MW367 (LRGA)	10/15/14	FALSE	1	5
Trichloroethene	ug/L	MW367 (LRGA)	01/20/15	TRUE	1.12	5
Trichloroethene	ug/L	MW367 (LRGA)	04/08/15	TRUE	4.19	5
Trichloroethene	ug/L	MW367 (LRGA)	07/14/15	TRUE	2.88	5
Trichloroethene	ug/L	MW367 (LRGA)	10/08/15	FALSE	1	5
Trichloroethene	ug/L	MW367 (LRGA)	10/08/15	TRUE	0.31	5
Trichloroethene	ug/L	MW367 (LRGA)	01/14/16	TRUE	4.03	5
Trichloroethene	ug/L	MW367 (LRGA)	04/07/16	TRUE	4.17	5
Trichloroethene	ug/L	MW367 (LRGA)	07/14/16	TRUE	0.44	5
Trichloroethene	ug/L	MW367 (LRGA)	10/18/16	FALSE	1	5
Trichloroethene	ug/L	MW367 (LRGA)	01/25/17	TRUE	2.4	5
Trichloroethene	ug/L	MW367 (LRGA)	04/12/17	TRUE	1.31	5
Trichloroethene	ug/L	MW367 (LRGA)	07/24/17	TRUE	1.96	5
Trichloroethene	ug/L	MW367 (LRGA)	10/04/17	FALSE	1	5
Trichloroethene	ug/L	MW367 (LRGA)	01/23/18	TRUE	1.29	5
Trichloroethene	ug/L	MW367 (LRGA)	04/11/18	TRUE	5.92	5
Trichloroethene	ug/L	MW367 (LRGA)	07/17/18	TRUE	2.79	5
Trichloroethene	ug/L	MW367 (LRGA)	10/09/18	TRUE	0.57	5
Trichloroethene	ug/L	MW367 (LRGA)	01/16/19	TRUE	6.8	5
Trichloroethene	ug/L	MW367 (LRGA)	04/11/19	TRUE	6.03	5
Trichloroethene	ug/L	MW367 (LRGA)	07/11/19	TRUE	4.95	5
Trichloroethene	ug/L	MW367 (LRGA)	10/15/19	TRUE	1.07	5
Trichloroethene	ug/L	MW367 (LRGA)	01/21/20	TRUE	2.76	5
Trichloroethene	ug/L	MW367 (LRGA)	04/02/20	TRUE	5.15	5
Trichloroethene	ug/L	MW367 (LRGA)	08/06/20	TRUE	1.23	5
Trichloroethene	ug/L	MW367 (LRGA)	10/21/20	TRUE	0.5	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW369 (URGA)	01/06/10	TRUE	23.3	900
Technetium-99	pCi/L	MW369 (URGA)	04/07/10	TRUE	19.8	900
Technetium-99	pCi/L	MW369 (URGA)	07/12/10	TRUE	41.4	900
Technetium-99	pCi/L	MW369 (URGA)	10/26/10	FALSE	14.9	900
Technetium-99	pCi/L	MW369 (URGA)	01/10/11	FALSE	10.5	900
Technetium-99	pCi/L	MW369 (URGA)	04/11/11	FALSE	3.94	900
Technetium-99	pCi/L	MW369 (URGA)	07/20/11	TRUE	23.7	900
Technetium-99	pCi/L	MW369 (URGA)	10/17/11	TRUE	39.1	900
Technetium-99	pCi/L	MW369 (URGA)	01/18/12	FALSE	0.798	900
Technetium-99	pCi/L	MW369 (URGA)	04/16/12	TRUE	32.4	900
Technetium-99	pCi/L	MW369 (URGA)	07/23/12	FALSE	12.9	900
Technetium-99	pCi/L	MW369 (URGA)	10/03/12	TRUE	26.9	900
Technetium-99	pCi/L	MW369 (URGA)	01/10/13	TRUE	30.5	900
Technetium-99	pCi/L	MW369 (URGA)	04/10/13	TRUE	25.5	900
Technetium-99	pCi/L	MW369 (URGA)	07/16/13	TRUE	23	900
Technetium-99	pCi/L	MW369 (URGA)	10/08/13	TRUE	29.7	900
Technetium-99	pCi/L	MW369 (URGA)	01/14/14	TRUE	25.3	900
Technetium-99	pCi/L	MW369 (URGA)	04/14/14	TRUE	35.4	900
Technetium-99	pCi/L	MW369 (URGA)	07/08/14	FALSE	15.8	900
Technetium-99	pCi/L	MW369 (URGA)	10/20/14	TRUE	43.3	900
Technetium-99	pCi/L	MW369 (URGA)	01/13/15	TRUE	45.2	900
Technetium-99	pCi/L	MW369 (URGA)	04/13/15	TRUE	37.3	900
Technetium-99	pCi/L	MW369 (URGA)	07/14/15	TRUE	36.7	900
Technetium-99	pCi/L	MW369 (URGA)	10/13/15	TRUE	46.7	900
Technetium-99	pCi/L	MW369 (URGA)	01/12/16	TRUE	52.7	900
Technetium-99	pCi/L	MW369 (URGA)	04/07/16	FALSE	13.4	900
Technetium-99	pCi/L	MW369 (URGA)	07/14/16	FALSE	10.7	900
Technetium-99	pCi/L	MW369 (URGA)	10/19/16	TRUE	83.3	900
Technetium-99	pCi/L	MW369 (URGA)	01/18/17	TRUE	27	900
Technetium-99	pCi/L	MW369 (URGA)	04/18/17	FALSE	9.22	900
Technetium-99	pCi/L	MW369 (URGA)	07/20/17	TRUE	34.2	900
Technetium-99	pCi/L	MW369 (URGA)	10/03/17	TRUE	70.8	900
Technetium-99	pCi/L	MW369 (URGA)	01/22/18	TRUE	38.8	900
Technetium-99	pCi/L	MW369 (URGA)	04/11/18	TRUE	142	900
Technetium-99	pCi/L	MW369 (URGA)	07/18/18	TRUE	31.4	900
Technetium-99	pCi/L	MW369 (URGA)	10/09/18	TRUE	55	900
Technetium-99	pCi/L	MW369 (URGA)	01/16/19	TRUE	39.1	900
Technetium-99	pCi/L	MW369 (URGA)	04/15/19	TRUE	70.8	900
Technetium-99	pCi/L	MW369 (URGA)	07/15/19	TRUE	55.8	900
Technetium-99	pCi/L	MW369 (URGA)	10/16/19	TRUE	30.1	900
Technetium-99	pCi/L	MW369 (URGA)	01/21/20	TRUE	31.7	900
Technetium-99	pCi/L	MW369 (URGA)	04/06/20	TRUE	29.8	900
Technetium-99	pCi/L	MW369 (URGA)	07/20/20	TRUE	20	900
Technetium-99	pCi/L	MW369 (URGA)	10/12/20	FALSE	18.6	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW369 (URGA)	01/06/10	TRUE	1.9	5
Trichloroethene	ug/L	MW369 (URGA)	04/07/10	TRUE	1.3	5
Trichloroethene	ug/L	MW369 (URGA)	07/12/10	FALSE	1	5
Trichloroethene	ug/L	MW369 (URGA)	10/26/10	TRUE	1	5
Trichloroethene	ug/L	MW369 (URGA)	01/10/11	TRUE	1.4	5
Trichloroethene	ug/L	MW369 (URGA)	04/11/11	FALSE	1	5
Trichloroethene	ug/L	MW369 (URGA)	07/20/11	FALSE	1	5
Trichloroethene	ug/L	MW369 (URGA)	10/17/11	FALSE	1	5
Trichloroethene	ug/L	MW369 (URGA)	01/18/12	FALSE	1	5
Trichloroethene	ug/L	MW369 (URGA)	04/16/12	FALSE	1	5
Trichloroethene	ug/L	MW369 (URGA)	07/23/12	FALSE	1	5
Trichloroethene	ug/L	MW369 (URGA)	10/03/12	TRUE	12	5
Trichloroethene	ug/L	MW369 (URGA)	01/10/13	FALSE	1	5
Trichloroethene	ug/L	MW369 (URGA)	04/10/13	FALSE	1	5
Trichloroethene	ug/L	MW369 (URGA)	07/16/13	FALSE	1	5
Trichloroethene	ug/L	MW369 (URGA)	10/08/13	TRUE	1.8	5
Trichloroethene	ug/L	MW369 (URGA)	01/14/14	FALSE	1	5
Trichloroethene	ug/L	MW369 (URGA)	04/14/14	TRUE	0.76	5
Trichloroethene	ug/L	MW369 (URGA)	07/08/14	TRUE	0.48	5
Trichloroethene	ug/L	MW369 (URGA)	10/20/14	TRUE	1.27	5
Trichloroethene	ug/L	MW369 (URGA)	01/13/15	TRUE	1.46	5
Trichloroethene	ug/L	MW369 (URGA)	04/13/15	TRUE	1.52	5
Trichloroethene	ug/L	MW369 (URGA)	07/14/15	TRUE	0.81	5
Trichloroethene	ug/L	MW369 (URGA)	10/13/15	TRUE	1.23	5
Trichloroethene	ug/L	MW369 (URGA)	01/12/16	TRUE	1.08	5
Trichloroethene	ug/L	MW369 (URGA)	04/07/16	TRUE	0.47	5
Trichloroethene	ug/L	MW369 (URGA)	07/14/16	TRUE	0.41	5
Trichloroethene	ug/L	MW369 (URGA)	10/19/16	TRUE	4.56	5
Trichloroethene	ug/L	MW369 (URGA)	01/18/17	TRUE	4.97	5
Trichloroethene	ug/L	MW369 (URGA)	04/18/17	TRUE	3.91	5
Trichloroethene	ug/L	MW369 (URGA)	07/20/17	TRUE	1.19	5
Trichloroethene	ug/L	MW369 (URGA)	10/03/17	TRUE	5.51	5
Trichloroethene	ug/L	MW369 (URGA)	01/22/18	TRUE	1.23	5
Trichloroethene	ug/L	MW369 (URGA)	04/11/18	TRUE	1.07	5
Trichloroethene	ug/L	MW369 (URGA)	07/18/18	FALSE	0.76	5
Trichloroethene	ug/L	MW369 (URGA)	10/09/18	TRUE	1.03	5
Trichloroethene	ug/L	MW369 (URGA)	01/16/19	TRUE	1.19	5
Trichloroethene	ug/L	MW369 (URGA)	04/15/19	TRUE	0.52	5
Trichloroethene	ug/L	MW369 (URGA)	07/15/19	TRUE	0.99	5
Trichloroethene	ug/L	MW369 (URGA)	10/16/19	TRUE	0.54	5
Trichloroethene	ug/L	MW369 (URGA)	03/17/20	TRUE	0.64	5
Trichloroethene	ug/L	MW369 (URGA)	04/06/20	TRUE	0.67	5
Trichloroethene	ug/L	MW369 (URGA)	07/23/20	TRUE	0.65	5
Trichloroethene	ug/L	MW369 (URGA)	10/12/20	TRUE	0.73	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW370 (LRGA)	01/06/10	FALSE	14.2	900
Technetium-99	pCi/L	MW370 (LRGA)	04/07/10	TRUE	34.5	900
Technetium-99	pCi/L	MW370 (LRGA)	07/12/10	TRUE	17.3	900
Technetium-99	pCi/L	MW370 (LRGA)	10/27/10	FALSE	12.6	900
Technetium-99	pCi/L	MW370 (LRGA)	01/10/11	TRUE	27.2	900
Technetium-99	pCi/L	MW370 (LRGA)	04/25/11	TRUE	26.4	900
Technetium-99	pCi/L	MW370 (LRGA)	07/20/11	TRUE	24.5	900
Technetium-99	pCi/L	MW370 (LRGA)	10/18/11	TRUE	21.9	900
Technetium-99	pCi/L	MW370 (LRGA)	01/18/12	TRUE	19.5	900
Technetium-99	pCi/L	MW370 (LRGA)	04/18/12	FALSE	1.86	900
Technetium-99	pCi/L	MW370 (LRGA)	07/25/12	FALSE	3.29	900
Technetium-99	pCi/L	MW370 (LRGA)	10/03/12	TRUE	28	900
Technetium-99	pCi/L	MW370 (LRGA)	01/14/13	TRUE	18.3	900
Technetium-99	pCi/L	MW370 (LRGA)	04/10/13	FALSE	12	900
Technetium-99	pCi/L	MW370 (LRGA)	07/16/13	TRUE	33.2	900
Technetium-99	pCi/L	MW370 (LRGA)	10/08/13	TRUE	27.9	900
Technetium-99	pCi/L	MW370 (LRGA)	01/14/14	FALSE	10.6	900
Technetium-99	pCi/L	MW370 (LRGA)	04/15/14	TRUE	27.9	900
Technetium-99	pCi/L	MW370 (LRGA)	07/08/14	TRUE	30.8	900
Technetium-99	pCi/L	MW370 (LRGA)	10/20/14	TRUE	22.5	900
Technetium-99	pCi/L	MW370 (LRGA)	01/13/15	FALSE	14.8	900
Technetium-99	pCi/L	MW370 (LRGA)	04/13/15	TRUE	20.9	900
Technetium-99	pCi/L	MW370 (LRGA)	07/14/15	TRUE	60.3	900
Technetium-99	pCi/L	MW370 (LRGA)	10/13/15	TRUE	50.5	900
Technetium-99	pCi/L	MW370 (LRGA)	01/12/16	TRUE	32.1	900
Technetium-99	pCi/L	MW370 (LRGA)	04/07/16	TRUE	92	900
Technetium-99	pCi/L	MW370 (LRGA)	07/18/16	TRUE	93.2	900
Technetium-99	pCi/L	MW370 (LRGA)	10/19/16	TRUE	31.7	900
Technetium-99	pCi/L	MW370 (LRGA)	01/18/17	TRUE	82.8	900
Technetium-99	pCi/L	MW370 (LRGA)	04/18/17	TRUE	99.1	900
Technetium-99	pCi/L	MW370 (LRGA)	07/20/17	TRUE	120	900
Technetium-99	pCi/L	MW370 (LRGA)	10/03/17	TRUE	103	900
Technetium-99	pCi/L	MW370 (LRGA)	01/22/18	TRUE	73.9	900
Technetium-99	pCi/L	MW370 (LRGA)	04/11/18	TRUE	107	900
Technetium-99	pCi/L	MW370 (LRGA)	07/18/18	TRUE	96.2	900
Technetium-99	pCi/L	MW370 (LRGA)	10/09/18	TRUE	114	900
Technetium-99	pCi/L	MW370 (LRGA)	01/16/19	TRUE	94.3	900
Technetium-99	pCi/L	MW370 (LRGA)	04/15/19	TRUE	111	900
Technetium-99	pCi/L	MW370 (LRGA)	07/15/19	TRUE	107	900
Technetium-99	pCi/L	MW370 (LRGA)	10/16/19	TRUE	125	900
Technetium-99	pCi/L	MW370 (LRGA)	01/21/20	TRUE	82.8	900
Technetium-99	pCi/L	MW370 (LRGA)	04/06/20	TRUE	60.4	900
Technetium-99	pCi/L	MW370 (LRGA)	07/23/20	TRUE	67.3	900
Technetium-99	pCi/L	MW370 (LRGA)	10/12/20	TRUE	72.3	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW370 (LRGA)	01/06/10	TRUE	3	5
Trichloroethene	ug/L	MW370 (LRGA)	04/07/10	TRUE	2.6	5
Trichloroethene	ug/L	MW370 (LRGA)	07/12/10	TRUE	2.8	5
Trichloroethene	ug/L	MW370 (LRGA)	10/27/10	TRUE	2.8	5
Trichloroethene	ug/L	MW370 (LRGA)	01/10/11	TRUE	3.8	5
Trichloroethene	ug/L	MW370 (LRGA)	04/25/11	TRUE	2.6	5
Trichloroethene	ug/L	MW370 (LRGA)	07/20/11	TRUE	2.1	5
Trichloroethene	ug/L	MW370 (LRGA)	10/18/11	TRUE	3.2	5
Trichloroethene	ug/L	MW370 (LRGA)	01/18/12	TRUE	2.3	5
Trichloroethene	ug/L	MW370 (LRGA)	04/18/12	TRUE	1.4	5
Trichloroethene	ug/L	MW370 (LRGA)	07/25/12	TRUE	1.5	5
Trichloroethene	ug/L	MW370 (LRGA)	10/03/12	TRUE	1.5	5
Trichloroethene	ug/L	MW370 (LRGA)	01/14/13	TRUE	1.7	5
Trichloroethene	ug/L	MW370 (LRGA)	04/10/13	TRUE	1.3	5
Trichloroethene	ug/L	MW370 (LRGA)	07/16/13	TRUE	1.7	5
Trichloroethene	ug/L	MW370 (LRGA)	10/08/13	TRUE	1.8	5
Trichloroethene	ug/L	MW370 (LRGA)	01/14/14	TRUE	1.5	5
Trichloroethene	ug/L	MW370 (LRGA)	04/15/14	TRUE	1.4	5
Trichloroethene	ug/L	MW370 (LRGA)	07/08/14	TRUE	1.35	5
Trichloroethene	ug/L	MW370 (LRGA)	10/20/14	TRUE	1.11	5
Trichloroethene	ug/L	MW370 (LRGA)	01/13/15	TRUE	1.04	5
Trichloroethene	ug/L	MW370 (LRGA)	04/13/15	TRUE	1.29	5
Trichloroethene	ug/L	MW370 (LRGA)	07/14/15	TRUE	0.83	5
Trichloroethene	ug/L	MW370 (LRGA)	10/13/15	TRUE	0.8	5
Trichloroethene	ug/L	MW370 (LRGA)	01/12/16	TRUE	0.93	5
Trichloroethene	ug/L	MW370 (LRGA)	04/07/16	TRUE	0.69	5
Trichloroethene	ug/L	MW370 (LRGA)	07/18/16	TRUE	2.51	5
Trichloroethene	ug/L	MW370 (LRGA)	10/19/16	TRUE	4.78	5
Trichloroethene	ug/L	MW370 (LRGA)	01/18/17	TRUE	1.78	5
Trichloroethene	ug/L	MW370 (LRGA)	04/18/17	TRUE	1.88	5
Trichloroethene	ug/L	MW370 (LRGA)	07/20/17	TRUE	0.78	5
Trichloroethene	ug/L	MW370 (LRGA)	10/03/17	TRUE	3	5
Trichloroethene	ug/L	MW370 (LRGA)	01/22/18	TRUE	0.56	5
Trichloroethene	ug/L	MW370 (LRGA)	04/11/18	TRUE	0.6	5
Trichloroethene	ug/L	MW370 (LRGA)	07/18/18	FALSE	0.79	5
Trichloroethene	ug/L	MW370 (LRGA)	10/09/18	TRUE	0.67	5
Trichloroethene	ug/L	MW370 (LRGA)	01/16/19	TRUE	0.85	5
Trichloroethene	ug/L	MW370 (LRGA)	04/15/19	TRUE	0.55	5
Trichloroethene	ug/L	MW370 (LRGA)	07/15/19	TRUE	0.57	5
Trichloroethene	ug/L	MW370 (LRGA)	10/16/19	TRUE	0.64	5
Trichloroethene	ug/L	MW370 (LRGA)	01/21/20	TRUE	3.46	5
Trichloroethene	ug/L	MW370 (LRGA)	04/06/20	TRUE	0.66	5
Trichloroethene	ug/L	MW370 (LRGA)	07/23/20	TRUE	0.58	5
Trichloroethene	ug/L	MW370 (LRGA)	10/12/20	TRUE	0.66	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW372 (URGA)	01/06/10	TRUE	41.2	900
Technetium-99	pCi/L	MW372 (URGA)	04/07/10	FALSE	1.99	900
Technetium-99	pCi/L	MW372 (URGA)	07/15/10	TRUE	73.8	900
Technetium-99	pCi/L	MW372 (URGA)	10/21/10	TRUE	60.2	900
Technetium-99	pCi/L	MW372 (URGA)	01/11/11	FALSE	-0.948	900
Technetium-99	pCi/L	MW372 (URGA)	04/19/11	FALSE	9.48	900
Technetium-99	pCi/L	MW372 (URGA)	07/19/11	TRUE	20.9	900
Technetium-99	pCi/L	MW372 (URGA)	10/17/11	TRUE	54.9	900
Technetium-99	pCi/L	MW372 (URGA)	01/19/12	TRUE	21.2	900
Technetium-99	pCi/L	MW372 (URGA)	04/10/12	FALSE	0.81	900
Technetium-99	pCi/L	MW372 (URGA)	07/19/12	TRUE	59.4	900
Technetium-99	pCi/L	MW372 (URGA)	10/02/12	TRUE	105	900
Technetium-99	pCi/L	MW372 (URGA)	01/09/13	TRUE	30.6	900
Technetium-99	pCi/L	MW372 (URGA)	04/08/13	TRUE	42.9	900
Technetium-99	pCi/L	MW372 (URGA)	07/16/13	TRUE	176	900
Technetium-99	pCi/L	MW372 (URGA)	10/09/13	TRUE	176	900
Technetium-99	pCi/L	MW372 (URGA)	01/14/14	TRUE	131	900
Technetium-99	pCi/L	MW372 (URGA)	04/16/14	FALSE	13.4	900
Technetium-99	pCi/L	MW372 (URGA)	07/07/14	TRUE	26.6	900
Technetium-99	pCi/L	MW372 (URGA)	10/16/14	TRUE	107	900
Technetium-99	pCi/L	MW372 (URGA)	01/21/15	TRUE	181	900
Technetium-99	pCi/L	MW372 (URGA)	04/09/15	FALSE	10.8	900
Technetium-99	pCi/L	MW372 (URGA)	07/13/15	TRUE	37	900
Technetium-99	pCi/L	MW372 (URGA)	10/13/15	TRUE	89.5	900
Technetium-99	pCi/L	MW372 (URGA)	01/21/16	FALSE	18.3	900
Technetium-99	pCi/L	MW372 (URGA)	04/07/16	FALSE	3.34	900
Technetium-99	pCi/L	MW372 (URGA)	07/18/16	TRUE	35.4	900
Technetium-99	pCi/L	MW372 (URGA)	10/19/16	FALSE	10.3	900
Technetium-99	pCi/L	MW372 (URGA)	01/19/17	TRUE	24.7	900
Technetium-99	pCi/L	MW372 (URGA)	04/18/17	FALSE	9.55	900
Technetium-99	pCi/L	MW372 (URGA)	07/20/17	TRUE	30.2	900
Technetium-99	pCi/L	MW372 (URGA)	10/03/17	TRUE	195	900
Technetium-99	pCi/L	MW372 (URGA)	01/22/18	TRUE	17.3	900
Technetium-99	pCi/L	MW372 (URGA)	04/12/18	TRUE	36.6	900
Technetium-99	pCi/L	MW372 (URGA)	07/18/18	TRUE	70.9	900
Technetium-99	pCi/L	MW372 (URGA)	10/10/18	TRUE	158	900
Technetium-99	pCi/L	MW372 (URGA)	01/17/19	TRUE	35	900
Technetium-99	pCi/L	MW372 (URGA)	04/11/19	TRUE	59.4	900
Technetium-99	pCi/L	MW372 (URGA)	07/11/19	TRUE	183	900
Technetium-99	pCi/L	MW372 (URGA)	10/16/19	TRUE	194	900
Technetium-99	pCi/L	MW372 (URGA)	01/22/20	TRUE	97.2	900
Technetium-99	pCi/L	MW372 (URGA)	04/06/20	TRUE	46.5	900
Technetium-99	pCi/L	MW372 (URGA)	07/23/20	TRUE	106	900
Technetium-99	pCi/L	MW372 (URGA)	10/12/20	TRUE	83.4	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW372 (URGA)	01/06/10	TRUE	7.9	5
Trichloroethene	ug/L	MW372 (URGA)	04/07/10	TRUE	9.6	5
Trichloroethene	ug/L	MW372 (URGA)	07/15/10	TRUE	8.9	5
Trichloroethene	ug/L	MW372 (URGA)	10/21/10	TRUE	8.6	5
Trichloroethene	ug/L	MW372 (URGA)	01/11/11	TRUE	12	5
Trichloroethene	ug/L	MW372 (URGA)	04/28/11	TRUE	10	5
Trichloroethene	ug/L	MW372 (URGA)	07/19/11	TRUE	9.6	5
Trichloroethene	ug/L	MW372 (URGA)	10/17/11	TRUE	8.9	5
Trichloroethene	ug/L	MW372 (URGA)	01/19/12	TRUE	9.6	5
Trichloroethene	ug/L	MW372 (URGA)	04/10/12	TRUE	6.9	5
Trichloroethene	ug/L	MW372 (URGA)	07/19/12	TRUE	5.3	5
Trichloroethene	ug/L	MW372 (URGA)	10/02/12	TRUE	5.8	5
Trichloroethene	ug/L	MW372 (URGA)	01/09/13	TRUE	6.1	5
Trichloroethene	ug/L	MW372 (URGA)	04/08/13	TRUE	6.2	5
Trichloroethene	ug/L	MW372 (URGA)	07/16/13	TRUE	7.3	5
Trichloroethene	ug/L	MW372 (URGA)	10/09/13	TRUE	6.5	5
Trichloroethene	ug/L	MW372 (URGA)	01/14/14	TRUE	6.9	5
Trichloroethene	ug/L	MW372 (URGA)	04/16/14	TRUE	7.59	5
Trichloroethene	ug/L	MW372 (URGA)	07/07/14	TRUE	9.82	5
Trichloroethene	ug/L	MW372 (URGA)	10/16/14	TRUE	7.79	5
Trichloroethene	ug/L	MW372 (URGA)	01/21/15	TRUE	8.08	5
Trichloroethene	ug/L	MW372 (URGA)	04/09/15	TRUE	8.96	5
Trichloroethene	ug/L	MW372 (URGA)	07/13/15	TRUE	8.2	5
Trichloroethene	ug/L	MW372 (URGA)	10/13/15	TRUE	9.18	5
Trichloroethene	ug/L	MW372 (URGA)	01/21/16	TRUE	9.87	5
Trichloroethene	ug/L	MW372 (URGA)	04/07/16	TRUE	7.6	5
Trichloroethene	ug/L	MW372 (URGA)	07/18/16	TRUE	10.8	5
Trichloroethene	ug/L	MW372 (URGA)	10/19/16	TRUE	7.06	5
Trichloroethene	ug/L	MW372 (URGA)	01/19/17	TRUE	7.12	5
Trichloroethene	ug/L	MW372 (URGA)	04/18/17	TRUE	6.18	5
Trichloroethene	ug/L	MW372 (URGA)	07/20/17	TRUE	5.69	5
Trichloroethene	ug/L	MW372 (URGA)	10/03/17	TRUE	4.49	5
Trichloroethene	ug/L	MW372 (URGA)	01/22/18	TRUE	5.43	5
Trichloroethene	ug/L	MW372 (URGA)	04/12/18	TRUE	7.88	5
Trichloroethene	ug/L	MW372 (URGA)	07/18/18	TRUE	5.32	5
Trichloroethene	ug/L	MW372 (URGA)	10/10/18	TRUE	5.72	5
Trichloroethene	ug/L	MW372 (URGA)	01/17/19	TRUE	5.16	5
Trichloroethene	ug/L	MW372 (URGA)	04/11/19	TRUE	4.78	5
Trichloroethene	ug/L	MW372 (URGA)	07/11/19	TRUE	2.56	5
Trichloroethene	ug/L	MW372 (URGA)	10/16/19	TRUE	2.69	5
Trichloroethene	ug/L	MW372 (URGA)	01/22/20	TRUE	5.64	5
Trichloroethene	ug/L	MW372 (URGA)	04/06/20	TRUE	3.45	5
Trichloroethene	ug/L	MW372 (URGA)	07/23/20	TRUE	2.93	5
Trichloroethene	ug/L	MW372 (URGA)	10/12/20	TRUE	2.85	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW373 (LRGA)	01/06/10	FALSE	-1.76	900
Technetium-99	pCi/L	MW373 (LRGA)	04/07/10	TRUE	22.8	900
Technetium-99	pCi/L	MW373 (LRGA)	07/15/10	FALSE	14.7	900
Technetium-99	pCi/L	MW373 (LRGA)	10/25/10	FALSE	-0.462	900
Technetium-99	pCi/L	MW373 (LRGA)	01/11/11	FALSE	3.58	900
Technetium-99	pCi/L	MW373 (LRGA)	04/19/11	FALSE	6.34	900
Technetium-99	pCi/L	MW373 (LRGA)	07/20/11	TRUE	27.7	900
Technetium-99	pCi/L	MW373 (LRGA)	10/17/11	FALSE	7.53	900
Technetium-99	pCi/L	MW373 (LRGA)	01/19/12	TRUE	27.8	900
Technetium-99	pCi/L	MW373 (LRGA)	04/11/12	TRUE	42.9	900
Technetium-99	pCi/L	MW373 (LRGA)	07/23/12	TRUE	30.7	900
Technetium-99	pCi/L	MW373 (LRGA)	10/02/12	TRUE	62.6	900
Technetium-99	pCi/L	MW373 (LRGA)	01/09/13	TRUE	64	900
Technetium-99	pCi/L	MW373 (LRGA)	04/09/13	TRUE	63.7	900
Technetium-99	pCi/L	MW373 (LRGA)	07/16/13	TRUE	63.7	900
Technetium-99	pCi/L	MW373 (LRGA)	10/09/13	TRUE	59.9	900
Technetium-99	pCi/L	MW373 (LRGA)	01/14/14	TRUE	37.8	900
Technetium-99	pCi/L	MW373 (LRGA)	04/16/14	TRUE	43.6	900
Technetium-99	pCi/L	MW373 (LRGA)	07/07/14	FALSE	20.1	900
Technetium-99	pCi/L	MW373 (LRGA)	10/16/14	TRUE	38	900
Technetium-99	pCi/L	MW373 (LRGA)	01/21/15	TRUE	28.8	900
Technetium-99	pCi/L	MW373 (LRGA)	04/09/15	TRUE	33.7	900
Technetium-99	pCi/L	MW373 (LRGA)	07/13/15	TRUE	37.3	900
Technetium-99	pCi/L	MW373 (LRGA)	10/13/15	FALSE	15.9	900
Technetium-99	pCi/L	MW373 (LRGA)	01/21/16	TRUE	50.3	900
Technetium-99	pCi/L	MW373 (LRGA)	04/07/16	TRUE	31.2	900
Technetium-99	pCi/L	MW373 (LRGA)	07/18/16	TRUE	23.7	900
Technetium-99	pCi/L	MW373 (LRGA)	10/19/16	TRUE	19.9	900
Technetium-99	pCi/L	MW373 (LRGA)	01/19/17	TRUE	33.1	900
Technetium-99	pCi/L	MW373 (LRGA)	04/18/17	TRUE	26.8	900
Technetium-99	pCi/L	MW373 (LRGA)	07/20/17	FALSE	9.12	900
Technetium-99	pCi/L	MW373 (LRGA)	10/03/17	TRUE	29.6	900
Technetium-99	pCi/L	MW373 (LRGA)	01/22/18	FALSE	24.8	900
Technetium-99	pCi/L	MW373 (LRGA)	04/12/18	TRUE	30.2	900
Technetium-99	pCi/L	MW373 (LRGA)	07/18/18	FALSE	-15.9	900
Technetium-99	pCi/L	MW373 (LRGA)	10/10/18	FALSE	20.3	900
Technetium-99	pCi/L	MW373 (LRGA)	01/17/19	TRUE	28.4	900
Technetium-99	pCi/L	MW373 (LRGA)	04/11/19	TRUE	22.7	900
Technetium-99	pCi/L	MW373 (LRGA)	07/11/19	TRUE	28.3	900
Technetium-99	pCi/L	MW373 (LRGA)	10/16/19	TRUE	36.5	900
Technetium-99	pCi/L	MW373 (LRGA)	01/22/20	FALSE	13	900
Technetium-99	pCi/L	MW373 (LRGA)	04/06/20	FALSE	13.8	900
Technetium-99	pCi/L	MW373 (LRGA)	07/23/20	FALSE	18.4	900
Technetium-99	pCi/L	MW373 (LRGA)	10/12/20	FALSE	19.2	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW373 (LRGA)	01/06/10	TRUE	10	5
Trichloroethene	ug/L	MW373 (LRGA)	04/07/10	TRUE	8.3	5
Trichloroethene	ug/L	MW373 (LRGA)	07/15/10	TRUE	9.9	5
Trichloroethene	ug/L	MW373 (LRGA)	10/25/10	TRUE	9.3	5
Trichloroethene	ug/L	MW373 (LRGA)	01/11/11	TRUE	8.8	5
Trichloroethene	ug/L	MW373 (LRGA)	04/28/11	TRUE	7.4	5
Trichloroethene	ug/L	MW373 (LRGA)	07/20/11	TRUE	8	5
Trichloroethene	ug/L	MW373 (LRGA)	10/17/11	TRUE	8.2	5
Trichloroethene	ug/L	MW373 (LRGA)	01/19/12	TRUE	8	5
Trichloroethene	ug/L	MW373 (LRGA)	04/11/12	TRUE	6.5	5
Trichloroethene	ug/L	MW373 (LRGA)	07/23/12	TRUE	5.5	5
Trichloroethene	ug/L	MW373 (LRGA)	10/02/12	TRUE	6.4	5
Trichloroethene	ug/L	MW373 (LRGA)	01/09/13	TRUE	6.6	5
Trichloroethene	ug/L	MW373 (LRGA)	04/09/13	TRUE	6.4	5
Trichloroethene	ug/L	MW373 (LRGA)	07/16/13	TRUE	7.6	5
Trichloroethene	ug/L	MW373 (LRGA)	10/09/13	TRUE	6.8	5
Trichloroethene	ug/L	MW373 (LRGA)	01/14/14	TRUE	6.4	5
Trichloroethene	ug/L	MW373 (LRGA)	04/16/14	TRUE	4.32	5
Trichloroethene	ug/L	MW373 (LRGA)	07/07/14	TRUE	9.64	5
Trichloroethene	ug/L	MW373 (LRGA)	10/16/14	TRUE	7.67	5
Trichloroethene	ug/L	MW373 (LRGA)	01/21/15	TRUE	7.67	5
Trichloroethene	ug/L	MW373 (LRGA)	04/09/15	TRUE	8.61	5
Trichloroethene	ug/L	MW373 (LRGA)	07/13/15	TRUE	8.35	5
Trichloroethene	ug/L	MW373 (LRGA)	10/13/15	TRUE	9.14	5
Trichloroethene	ug/L	MW373 (LRGA)	01/21/16	TRUE	9.93	5
Trichloroethene	ug/L	MW373 (LRGA)	04/07/16	TRUE	7.97	5
Trichloroethene	ug/L	MW373 (LRGA)	07/18/16	TRUE	7.87	5
Trichloroethene	ug/L	MW373 (LRGA)	10/19/16	TRUE	7.63	5
Trichloroethene	ug/L	MW373 (LRGA)	01/19/17	TRUE	8.74	5
Trichloroethene	ug/L	MW373 (LRGA)	04/18/17	TRUE	7.32	5
Trichloroethene	ug/L	MW373 (LRGA)	07/20/17	TRUE	6.52	5
Trichloroethene	ug/L	MW373 (LRGA)	10/03/17	TRUE	6.93	5
Trichloroethene	ug/L	MW373 (LRGA)	01/22/18	TRUE	6.26	5
Trichloroethene	ug/L	MW373 (LRGA)	04/12/18	TRUE	7.71	5
Trichloroethene	ug/L	MW373 (LRGA)	07/18/18	TRUE	5.53	5
Trichloroethene	ug/L	MW373 (LRGA)	10/10/18	TRUE	7.91	5
Trichloroethene	ug/L	MW373 (LRGA)	01/17/19	TRUE	4.57	5
Trichloroethene	ug/L	MW373 (LRGA)	04/11/19	TRUE	5.2	5
Trichloroethene	ug/L	MW373 (LRGA)	07/11/19	TRUE	0.69	5
Trichloroethene	ug/L	MW373 (LRGA)	10/16/19	TRUE	3.35	5
Trichloroethene	ug/L	MW373 (LRGA)	01/22/20	TRUE	3.27	5
Trichloroethene	ug/L	MW373 (LRGA)	04/06/20	TRUE	3.81	5
Trichloroethene	ug/L	MW373 (LRGA)	07/23/20	TRUE	3.82	5
Trichloroethene	ug/L	MW373 (LRGA)	10/12/20	TRUE	4.28	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW380 (RGA)	05/05/10	FALSE	7.28	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW380 (RGA)	05/05/10	TRUE	20	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW381 (RGA)	05/06/10	TRUE	27.3	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW381 (RGA)	05/06/10	TRUE	46	5





Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW384 (URGA)	01/11/10	TRUE	67.5	900
Technetium-99	pCi/L	MW384 (URGA)	04/13/10	TRUE	369	900
Technetium-99	pCi/L	MW384 (URGA)	07/07/10	TRUE	293	900
Technetium-99	pCi/L	MW384 (URGA)	10/13/10	TRUE	372	900
Technetium-99	pCi/L	MW384 (URGA)	01/04/11	TRUE	295	900
Technetium-99	pCi/L	MW384 (URGA)	04/07/11	TRUE	174	900
Technetium-99	pCi/L	MW384 (URGA)	07/13/11	TRUE	231	900
Technetium-99	pCi/L	MW384 (URGA)	10/03/11	TRUE	272	900
Technetium-99	pCi/L	MW384 (URGA)	01/05/12	TRUE	90.3	900
Technetium-99	pCi/L	MW384 (URGA)	04/02/12	TRUE	252	900
Technetium-99	pCi/L	MW384 (URGA)	07/09/12	TRUE	288	900
Technetium-99	pCi/L	MW384 (URGA)	10/11/12	TRUE	255	900
Technetium-99	pCi/L	MW384 (URGA)	01/15/13	TRUE	198	900
Technetium-99	pCi/L	MW384 (URGA)	04/16/13	TRUE	193	900
Technetium-99	pCi/L	MW384 (URGA)	07/09/13	TRUE	192	900
Technetium-99	pCi/L	MW384 (URGA)	10/02/13	TRUE	205	900
Technetium-99	pCi/L	MW384 (URGA)	01/23/14	TRUE	143	900
Technetium-99	pCi/L	MW384 (URGA)	04/08/14	TRUE	229	900
Technetium-99	pCi/L	MW384 (URGA)	07/14/14	TRUE	165	900
Technetium-99	pCi/L	MW384 (URGA)	10/23/14	TRUE	144	900
Technetium-99	pCi/L	MW384 (URGA)	01/06/15	TRUE	191	900
Technetium-99	pCi/L	MW384 (URGA)	04/15/15	TRUE	155	900
Technetium-99	pCi/L	MW384 (URGA)	07/16/15	TRUE	182	900
Technetium-99	pCi/L	MW384 (URGA)	10/21/15	TRUE	162	900
Technetium-99	pCi/L	MW384 (URGA)	01/07/16	TRUE	210	900
Technetium-99	pCi/L	MW384 (URGA)	04/12/16	TRUE	160	900
Technetium-99	pCi/L	MW384 (URGA)	07/19/16	TRUE	192	900
Technetium-99	pCi/L	MW384 (URGA)	10/10/16	TRUE	167	900
Technetium-99	pCi/L	MW384 (URGA)	01/04/17	TRUE	149	900
Technetium-99	pCi/L	MW384 (URGA)	04/20/17	TRUE	155	900
Technetium-99	pCi/L	MW384 (URGA)	07/18/17	TRUE	178	900
Technetium-99	pCi/L	MW384 (URGA)	10/10/17	TRUE	189	900
Technetium-99	pCi/L	MW384 (URGA)	01/24/18	TRUE	139	900
Technetium-99	pCi/L	MW384 (URGA)	04/18/18	TRUE	162	900
Technetium-99	pCi/L	MW384 (URGA)	07/18/18	TRUE	126	900
Technetium-99	pCi/L	MW384 (URGA)	10/16/18	TRUE	168	900
Technetium-99	pCi/L	MW384 (URGA)	01/22/19	TRUE	152	900
Technetium-99	pCi/L	MW384 (URGA)	04/17/19	TRUE	155	900
Technetium-99	pCi/L	MW384 (URGA)	07/16/19	TRUE	122	900
Technetium-99	pCi/L	MW384 (URGA)	10/09/19	TRUE	88.4	900
Technetium-99	pCi/L	MW384 (URGA)	01/23/20	TRUE	69.4	900
Technetium-99	pCi/L	MW384 (URGA)	04/20/20	TRUE	83.9	900
Technetium-99	pCi/L	MW384 (URGA)	07/27/20	TRUE	48.7	900
Technetium-99	pCi/L	MW384 (URGA)	10/13/20	TRUE	36.9	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW384 (URGA)	01/11/10	FALSE	1	5
Trichloroethene	ug/L	MW384 (URGA)	04/13/10	FALSE	1	5
Trichloroethene	ug/L	MW384 (URGA)	07/07/10	TRUE	1.5	5
Trichloroethene	ug/L	MW384 (URGA)	10/13/10	TRUE	1.7	5
Trichloroethene	ug/L	MW384 (URGA)	01/04/11	TRUE	1.2	5
Trichloroethene	ug/L	MW384 (URGA)	04/07/11	FALSE	1	5
Trichloroethene	ug/L	MW384 (URGA)	07/13/11	FALSE	1	5
Trichloroethene	ug/L	MW384 (URGA)	10/03/11	FALSE	1	5
Trichloroethene	ug/L	MW384 (URGA)	01/05/12	FALSE	1	5
Trichloroethene	ug/L	MW384 (URGA)	04/02/12	FALSE	1	5
Trichloroethene	ug/L	MW384 (URGA)	07/09/12	FALSE	1	5
Trichloroethene	ug/L	MW384 (URGA)	10/11/12	FALSE	1	5
Trichloroethene	ug/L	MW384 (URGA)	01/15/13	FALSE	1	5
Trichloroethene	ug/L	MW384 (URGA)	04/16/13	FALSE	1	5
Trichloroethene	ug/L	MW384 (URGA)	07/09/13	FALSE	1	5
Trichloroethene	ug/L	MW384 (URGA)	10/02/13	FALSE	1	5
Trichloroethene	ug/L	MW384 (URGA)	01/23/14	FALSE	1	5
Trichloroethene	ug/L	MW384 (URGA)	04/08/14	TRUE	0.88	5
Trichloroethene	ug/L	MW384 (URGA)	07/14/14	TRUE	0.6	5
Trichloroethene	ug/L	MW384 (URGA)	10/23/14	TRUE	0.34	5
Trichloroethene	ug/L	MW384 (URGA)	01/06/15	TRUE	0.48	5
Trichloroethene	ug/L	MW384 (URGA)	04/15/15	TRUE	0.49	5
Trichloroethene	ug/L	MW384 (URGA)	07/16/15	TRUE	0.51	5
Trichloroethene	ug/L	MW384 (URGA)	10/21/15	TRUE	0.34	5
Trichloroethene	ug/L	MW384 (URGA)	01/07/16	TRUE	0.33	5
Trichloroethene	ug/L	MW384 (URGA)	04/12/16	FALSE	1	5
Trichloroethene	ug/L	MW384 (URGA)	07/19/16	TRUE	0.33	5
Trichloroethene	ug/L	MW384 (URGA)	10/10/16	TRUE	0.54	5
Trichloroethene	ug/L	MW384 (URGA)	01/04/17	FALSE	1	5
Trichloroethene	ug/L	MW384 (URGA)	01/04/17	TRUE	0.38	5
Trichloroethene	ug/L	MW384 (URGA)	04/20/17	FALSE	1	5
Trichloroethene	ug/L	MW384 (URGA)	07/18/17	TRUE	0.67	5
Trichloroethene	ug/L	MW384 (URGA)	10/10/17	TRUE	0.44	5
Trichloroethene	ug/L	MW384 (URGA)	01/24/18	TRUE	0.95	5
Trichloroethene	ug/L	MW384 (URGA)	04/18/18	TRUE	2.54	5
Trichloroethene	ug/L	MW384 (URGA)	07/18/18	TRUE	0.36	5
Trichloroethene	ug/L	MW384 (URGA)	10/16/18	TRUE	0.41	5
Trichloroethene	ug/L	MW384 (URGA)	01/22/19	TRUE	0.38	5
Trichloroethene	ug/L	MW384 (URGA)	04/17/19	TRUE	0.36	5
Trichloroethene	ug/L	MW384 (URGA)	07/16/19	TRUE	0.6	5
Trichloroethene	ug/L	MW384 (URGA)	10/09/19	TRUE	0.68	5
Trichloroethene	ug/L	MW384 (URGA)	01/23/20	TRUE	0.74	5
Trichloroethene	ug/L	MW384 (URGA)	04/20/20	TRUE	0.56	5
Trichloroethene	ug/L	MW384 (URGA)	07/27/20	TRUE	0.76	5
Trichloroethene	ug/L	MW384 (URGA)	10/13/20	TRUE	0.66	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW385 (LRGA)	01/11/10	TRUE	80.9	900
Technetium-99	pCi/L	MW385 (LRGA)	04/13/10	TRUE	127	900
Technetium-99	pCi/L	MW385 (LRGA)	07/08/10	TRUE	94.4	900
Technetium-99	pCi/L	MW385 (LRGA)	10/13/10	TRUE	86.6	900
Technetium-99	pCi/L	MW385 (LRGA)	01/04/11	TRUE	70.5	900
Technetium-99	pCi/L	MW385 (LRGA)	04/07/11	TRUE	144	900
Technetium-99	pCi/L	MW385 (LRGA)	07/13/11	TRUE	183	900
Technetium-99	pCi/L	MW385 (LRGA)	10/03/11	TRUE	101	900
Technetium-99	pCi/L	MW385 (LRGA)	01/05/12	TRUE	129	900
Technetium-99	pCi/L	MW385 (LRGA)	04/02/12	TRUE	152	900
Technetium-99	pCi/L	MW385 (LRGA)	07/10/12	TRUE	125	900
Technetium-99	pCi/L	MW385 (LRGA)	10/11/12	TRUE	131	900
Technetium-99	pCi/L	MW385 (LRGA)	01/15/13	TRUE	103	900
Technetium-99	pCi/L	MW385 (LRGA)	04/16/13	TRUE	170	900
Technetium-99	pCi/L	MW385 (LRGA)	07/09/13	TRUE	179	900
Technetium-99	pCi/L	MW385 (LRGA)	10/02/13	TRUE	157	900
Technetium-99	pCi/L	MW385 (LRGA)	01/27/14	TRUE	134	900
Technetium-99	pCi/L	MW385 (LRGA)	04/08/14	TRUE	156	900
Technetium-99	pCi/L	MW385 (LRGA)	07/14/14	TRUE	132	900
Technetium-99	pCi/L	MW385 (LRGA)	10/27/14	TRUE	106	900
Technetium-99	pCi/L	MW385 (LRGA)	01/06/15	TRUE	134	900
Technetium-99	pCi/L	MW385 (LRGA)	04/15/15	TRUE	150	900
Technetium-99	pCi/L	MW385 (LRGA)	07/16/15	TRUE	222	900
Technetium-99	pCi/L	MW385 (LRGA)	10/21/15	TRUE	112	900
Technetium-99	pCi/L	MW385 (LRGA)	01/07/16	TRUE	199	900
Technetium-99	pCi/L	MW385 (LRGA)	04/12/16	TRUE	231	900
Technetium-99	pCi/L	MW385 (LRGA)	07/19/16	TRUE	211	900
Technetium-99	pCi/L	MW385 (LRGA)	10/11/16	TRUE	147	900
Technetium-99	pCi/L	MW385 (LRGA)	01/05/17	TRUE	92.5	900
Technetium-99	pCi/L	MW385 (LRGA)	04/20/17	TRUE	188	900
Technetium-99	pCi/L	MW385 (LRGA)	07/18/17	TRUE	198	900
Technetium-99	pCi/L	MW385 (LRGA)	10/10/17	TRUE	166	900
Technetium-99	pCi/L	MW385 (LRGA)	01/24/18	TRUE	86.8	900
Technetium-99	pCi/L	MW385 (LRGA)	04/18/18	TRUE	207	900
Technetium-99	pCi/L	MW385 (LRGA)	07/18/18	TRUE	161	900
Technetium-99	pCi/L	MW385 (LRGA)	10/16/18	TRUE	91.9	900
Technetium-99	pCi/L	MW385 (LRGA)	01/22/19	TRUE	149	900
Technetium-99	pCi/L	MW385 (LRGA)	04/17/19	TRUE	164	900
Technetium-99	pCi/L	MW385 (LRGA)	07/16/19	TRUE	125	900
Technetium-99	pCi/L	MW385 (LRGA)	10/09/19	TRUE	89.9	900
Technetium-99	pCi/L	MW385 (LRGA)	01/23/20	TRUE	69.4	900
Technetium-99	pCi/L	MW385 (LRGA)	04/20/20	TRUE	80.8	900
Technetium-99	pCi/L	MW385 (LRGA)	07/27/20	TRUE	64.6	900
Technetium-99	pCi/L	MW385 (LRGA)	10/13/20	TRUE	56.5	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW385 (LRGA)	01/11/10	FALSE	1	5
Trichloroethene	ug/L	MW385 (LRGA)	04/13/10	FALSE	1	5
Trichloroethene	ug/L	MW385 (LRGA)	07/08/10	FALSE	1	5
Trichloroethene	ug/L	MW385 (LRGA)	10/13/10	FALSE	1	5
Trichloroethene	ug/L	MW385 (LRGA)	01/04/11	FALSE	1	5
Trichloroethene	ug/L	MW385 (LRGA)	04/07/11	FALSE	1	5
Trichloroethene	ug/L	MW385 (LRGA)	07/13/11	FALSE	1	5
Trichloroethene	ug/L	MW385 (LRGA)	10/03/11	FALSE	1	5
Trichloroethene	ug/L	MW385 (LRGA)	01/05/12	FALSE	1	5
Trichloroethene	ug/L	MW385 (LRGA)	04/02/12	FALSE	1	5
Trichloroethene	ug/L	MW385 (LRGA)	07/10/12	FALSE	1	5
Trichloroethene	ug/L	MW385 (LRGA)	10/11/12	FALSE	1	5
Trichloroethene	ug/L	MW385 (LRGA)	01/15/13	FALSE	1	5
Trichloroethene	ug/L	MW385 (LRGA)	04/16/13	FALSE	1	5
Trichloroethene	ug/L	MW385 (LRGA)	07/09/13	FALSE	1	5
Trichloroethene	ug/L	MW385 (LRGA)	10/02/13	FALSE	1	5
Trichloroethene	ug/L	MW385 (LRGA)	01/27/14	FALSE	1	5
Trichloroethene	ug/L	MW385 (LRGA)	04/08/14	TRUE	1.4	5
Trichloroethene	ug/L	MW385 (LRGA)	07/14/14	TRUE	0.47	5
Trichloroethene	ug/L	MW385 (LRGA)	10/27/14	FALSE	1	5
Trichloroethene	ug/L	MW385 (LRGA)	01/06/15	FALSE	1	5
Trichloroethene	ug/L	MW385 (LRGA)	04/15/15	TRUE	0.51	5
Trichloroethene	ug/L	MW385 (LRGA)	07/16/15	TRUE	0.53	5
Trichloroethene	ug/L	MW385 (LRGA)	10/21/15	FALSE	1	5
Trichloroethene	ug/L	MW385 (LRGA)	01/07/16	TRUE	0.47	5
Trichloroethene	ug/L	MW385 (LRGA)	04/12/16	TRUE	0.55	5
Trichloroethene	ug/L	MW385 (LRGA)	07/19/16	TRUE	0.53	5
Trichloroethene	ug/L	MW385 (LRGA)	10/11/16	TRUE	0.35	5
Trichloroethene	ug/L	MW385 (LRGA)	01/05/17	FALSE	1	5
Trichloroethene	ug/L	MW385 (LRGA)	04/20/17	TRUE	0.38	5
Trichloroethene	ug/L	MW385 (LRGA)	07/18/17	TRUE	0.72	5
Trichloroethene	ug/L	MW385 (LRGA)	10/10/17	FALSE	1	5
Trichloroethene	ug/L	MW385 (LRGA)	01/24/18	TRUE	0.48	5
Trichloroethene	ug/L	MW385 (LRGA)	04/18/18	TRUE	2.31	5
Trichloroethene	ug/L	MW385 (LRGA)	07/18/18	TRUE	0.42	5
Trichloroethene	ug/L	MW385 (LRGA)	10/16/18	FALSE	1	5
Trichloroethene	ug/L	MW385 (LRGA)	01/22/19	TRUE	0.43	5
Trichloroethene	ug/L	MW385 (LRGA)	04/17/19	TRUE	0.41	5
Trichloroethene	ug/L	MW385 (LRGA)	07/16/19	TRUE	0.56	5
Trichloroethene	ug/L	MW385 (LRGA)	10/09/19	FALSE	1	5
Trichloroethene	ug/L	MW385 (LRGA)	03/18/20	TRUE	1.59	5
Trichloroethene	ug/L	MW385 (LRGA)	04/20/20	TRUE	0.58	5
Trichloroethene	ug/L	MW385 (LRGA)	07/27/20	TRUE	0.41	5
Trichloroethene	ug/L	MW385 (LRGA)	10/13/20	TRUE	0.58	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW387 (URGA)	01/11/10	TRUE	117	900
Technetium-99	pCi/L	MW387 (URGA)	04/13/10	TRUE	182	900
Technetium-99	pCi/L	MW387 (URGA)	07/08/10	TRUE	93	900
Technetium-99	pCi/L	MW387 (URGA)	10/15/10	TRUE	122	900
Technetium-99	pCi/L	MW387 (URGA)	01/04/11	TRUE	81.5	900
Technetium-99	pCi/L	MW387 (URGA)	04/07/11	TRUE	90.1	900
Technetium-99	pCi/L	MW387 (URGA)	07/14/11	TRUE	204	900
Technetium-99	pCi/L	MW387 (URGA)	10/05/11	TRUE	122	900
Technetium-99	pCi/L	MW387 (URGA)	01/05/12	TRUE	145	900
Technetium-99	pCi/L	MW387 (URGA)	04/02/12	TRUE	192	900
Technetium-99	pCi/L	MW387 (URGA)	07/09/12	TRUE	180	900
Technetium-99	pCi/L	MW387 (URGA)	10/23/12	TRUE	128	900
Technetium-99	pCi/L	MW387 (URGA)	01/14/13	TRUE	105	900
Technetium-99	pCi/L	MW387 (URGA)	04/11/13	TRUE	238	900
Technetium-99	pCi/L	MW387 (URGA)	07/08/13	TRUE	314	900
Technetium-99	pCi/L	MW387 (URGA)	10/02/13	TRUE	172	900
Technetium-99	pCi/L	MW387 (URGA)	01/21/14	TRUE	307	900
Technetium-99	pCi/L	MW387 (URGA)	04/08/14	TRUE	200	900
Technetium-99	pCi/L	MW387 (URGA)	07/15/14	TRUE	200	900
Technetium-99	pCi/L	MW387 (URGA)	10/23/14	TRUE	245	900
Technetium-99	pCi/L	MW387 (URGA)	01/12/15	TRUE	211	900
Technetium-99	pCi/L	MW387 (URGA)	04/21/15	TRUE	277	900
Technetium-99	pCi/L	MW387 (URGA)	07/16/15	TRUE	290	900
Technetium-99	pCi/L	MW387 (URGA)	10/21/15	TRUE	192	900
Technetium-99	pCi/L	MW387 (URGA)	01/05/16	TRUE	232	900
Technetium-99	pCi/L	MW387 (URGA)	04/12/16	TRUE	256	900
Technetium-99	pCi/L	MW387 (URGA)	07/19/16	TRUE	214	900
Technetium-99	pCi/L	MW387 (URGA)	10/11/16	TRUE	215	900
Technetium-99	pCi/L	MW387 (URGA)	01/04/17	TRUE	249	900
Technetium-99	pCi/L	MW387 (URGA)	04/20/17	TRUE	314	900
Technetium-99	pCi/L	MW387 (URGA)	07/18/17	TRUE	207	900
Technetium-99	pCi/L	MW387 (URGA)	10/10/17	TRUE	291	900
Technetium-99	pCi/L	MW387 (URGA)	01/23/18	TRUE	306	900
Technetium-99	pCi/L	MW387 (URGA)	04/18/18	TRUE	213	900
Technetium-99	pCi/L	MW387 (URGA)	07/18/18	TRUE	205	900
Technetium-99	pCi/L	MW387 (URGA)	10/16/18	TRUE	223	900
Technetium-99	pCi/L	MW387 (URGA)	01/22/19	TRUE	255	900
Technetium-99	pCi/L	MW387 (URGA)	04/17/19	TRUE	229	900
Technetium-99	pCi/L	MW387 (URGA)	07/16/19	TRUE	378	900
Technetium-99	pCi/L	MW387 (URGA)	10/09/19	TRUE	630	900
Technetium-99	pCi/L	MW387 (URGA)	01/27/20	TRUE	415	900
Technetium-99	pCi/L	MW387 (URGA)	04/20/20	TRUE	335	900
Technetium-99	pCi/L	MW387 (URGA)	07/27/20	TRUE	420	900
Technetium-99	pCi/L	MW387 (URGA)	10/13/20	TRUE	321	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW387 (URGA)	01/11/10	FALSE	1	5
Trichloroethene	ug/L	MW387 (URGA)	04/13/10	FALSE	1	5
Trichloroethene	ug/L	MW387 (URGA)	07/08/10	TRUE	1.8	5
Trichloroethene	ug/L	MW387 (URGA)	10/15/10	FALSE	1	5
Trichloroethene	ug/L	MW387 (URGA)	01/04/11	TRUE	1.7	5
Trichloroethene	ug/L	MW387 (URGA)	04/07/11	FALSE	1	5
Trichloroethene	ug/L	MW387 (URGA)	07/14/11	FALSE	1	5
Trichloroethene	ug/L	MW387 (URGA)	10/05/11	FALSE	1	5
Trichloroethene	ug/L	MW387 (URGA)	01/05/12	FALSE	1	5
Trichloroethene	ug/L	MW387 (URGA)	04/02/12	FALSE	1	5
Trichloroethene	ug/L	MW387 (URGA)	07/09/12	FALSE	1	5
Trichloroethene	ug/L	MW387 (URGA)	10/23/12	FALSE	1	5
Trichloroethene	ug/L	MW387 (URGA)	01/14/13	FALSE	1	5
Trichloroethene	ug/L	MW387 (URGA)	04/11/13	FALSE	1	5
Trichloroethene	ug/L	MW387 (URGA)	07/08/13	TRUE	1.2	5
Trichloroethene	ug/L	MW387 (URGA)	10/02/13	FALSE	1	5
Trichloroethene	ug/L	MW387 (URGA)	01/21/14	TRUE	1.3	5
Trichloroethene	ug/L	MW387 (URGA)	04/08/14	TRUE	0.91	5
Trichloroethene	ug/L	MW387 (URGA)	07/15/14	TRUE	0.82	5
Trichloroethene	ug/L	MW387 (URGA)	10/23/14	TRUE	0.84	5
Trichloroethene	ug/L	MW387 (URGA)	01/12/15	TRUE	0.74	5
Trichloroethene	ug/L	MW387 (URGA)	04/21/15	TRUE	1.05	5
Trichloroethene	ug/L	MW387 (URGA)	07/16/15	TRUE	0.88	5
Trichloroethene	ug/L	MW387 (URGA)	10/21/15	TRUE	0.79	5
Trichloroethene	ug/L	MW387 (URGA)	01/05/16	TRUE	1.03	5
Trichloroethene	ug/L	MW387 (URGA)	04/12/16	TRUE	0.61	5
Trichloroethene	ug/L	MW387 (URGA)	07/19/16	TRUE	0.6	5
Trichloroethene	ug/L	MW387 (URGA)	10/11/16	TRUE	0.79	5
Trichloroethene	ug/L	MW387 (URGA)	01/04/17	TRUE	0.83	5
Trichloroethene	ug/L	MW387 (URGA)	04/20/17	TRUE	0.73	5
Trichloroethene	ug/L	MW387 (URGA)	07/18/17	TRUE	1.7	5
Trichloroethene	ug/L	MW387 (URGA)	10/10/17	TRUE	1.44	5
Trichloroethene	ug/L	MW387 (URGA)	01/23/18	TRUE	1.17	5
Trichloroethene	ug/L	MW387 (URGA)	04/18/18	TRUE	5.05	5
Trichloroethene	ug/L	MW387 (URGA)	07/18/18	TRUE	0.65	5
Trichloroethene	ug/L	MW387 (URGA)	10/16/18	TRUE	0.7	5
Trichloroethene	ug/L	MW387 (URGA)	01/22/19	TRUE	0.85	5
Trichloroethene	ug/L	MW387 (URGA)	04/17/19	TRUE	0.62	5
Trichloroethene	ug/L	MW387 (URGA)	07/16/19	TRUE	1.02	5
Trichloroethene	ug/L	MW387 (URGA)	10/09/19	TRUE	1.27	5
Trichloroethene	ug/L	MW387 (URGA)	01/27/20	TRUE	2.39	5
Trichloroethene	ug/L	MW387 (URGA)	04/20/20	TRUE	0.77	5
Trichloroethene	ug/L	MW387 (URGA)	07/27/20	TRUE	1.02	5
Trichloroethene	ug/L	MW387 (URGA)	10/13/20	TRUE	0.88	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW388 (LRGA)	01/11/10	FALSE	4.72	900
Technetium-99	pCi/L	MW388 (LRGA)	04/13/10	TRUE	56.2	900
Technetium-99	pCi/L	MW388 (LRGA)	07/08/10	FALSE	7.89	900
Technetium-99	pCi/L	MW388 (LRGA)	10/15/10	FALSE	8.16	900
Technetium-99	pCi/L	MW388 (LRGA)	01/04/11	TRUE	34.3	900
Technetium-99	pCi/L	MW388 (LRGA)	04/07/11	TRUE	42.2	900
Technetium-99	pCi/L	MW388 (LRGA)	07/13/11	TRUE	125	900
Technetium-99	pCi/L	MW388 (LRGA)	10/05/11	TRUE	30.9	900
Technetium-99	pCi/L	MW388 (LRGA)	01/05/12	TRUE	40.3	900
Technetium-99	pCi/L	MW388 (LRGA)	04/02/12	TRUE	94.6	900
Technetium-99	pCi/L	MW388 (LRGA)	07/09/12	TRUE	23.8	900
Technetium-99	pCi/L	MW388 (LRGA)	10/23/12	TRUE	58.3	900
Technetium-99	pCi/L	MW388 (LRGA)	01/14/13	TRUE	84.9	900
Technetium-99	pCi/L	MW388 (LRGA)	04/11/13	TRUE	113	900
Technetium-99	pCi/L	MW388 (LRGA)	07/08/13	TRUE	118	900
Technetium-99	pCi/L	MW388 (LRGA)	10/02/13	TRUE	74.7	900
Technetium-99	pCi/L	MW388 (LRGA)	01/21/14	TRUE	49.9	900
Technetium-99	pCi/L	MW388 (LRGA)	04/08/14	TRUE	116	900
Technetium-99	pCi/L	MW388 (LRGA)	07/15/14	TRUE	143	900
Technetium-99	pCi/L	MW388 (LRGA)	10/23/14	TRUE	79	900
Technetium-99	pCi/L	MW388 (LRGA)	01/12/15	TRUE	90.4	900
Technetium-99	pCi/L	MW388 (LRGA)	04/21/15	TRUE	147	900
Technetium-99	pCi/L	MW388 (LRGA)	07/16/15	TRUE	143	900
Technetium-99	pCi/L	MW388 (LRGA)	10/22/15	TRUE	95.8	900
Technetium-99	pCi/L	MW388 (LRGA)	01/05/16	TRUE	164	900
Technetium-99	pCi/L	MW388 (LRGA)	04/12/16	TRUE	189	900
Technetium-99	pCi/L	MW388 (LRGA)	07/19/16	TRUE	201	900
Technetium-99	pCi/L	MW388 (LRGA)	10/11/16	TRUE	162	900
Technetium-99	pCi/L	MW388 (LRGA)	01/04/17	TRUE	142	900
Technetium-99	pCi/L	MW388 (LRGA)	04/20/17	TRUE	172	900
Technetium-99	pCi/L	MW388 (LRGA)	07/18/17	TRUE	198	900
Technetium-99	pCi/L	MW388 (LRGA)	10/10/17	TRUE	119	900
Technetium-99	pCi/L	MW388 (LRGA)	01/23/18	TRUE	96.7	900
Technetium-99	pCi/L	MW388 (LRGA)	04/18/18	TRUE	157	900
Technetium-99	pCi/L	MW388 (LRGA)	07/18/18	TRUE	135	900
Technetium-99	pCi/L	MW388 (LRGA)	10/16/18	TRUE	117	900
Technetium-99	pCi/L	MW388 (LRGA)	01/22/19	TRUE	166	900
Technetium-99	pCi/L	MW388 (LRGA)	04/17/19	TRUE	139	900
Technetium-99	pCi/L	MW388 (LRGA)	07/16/19	TRUE	90.9	900
Technetium-99	pCi/L	MW388 (LRGA)	10/09/19	TRUE	48.9	900
Technetium-99	pCi/L	MW388 (LRGA)	01/27/20	TRUE	50.6	900
Technetium-99	pCi/L	MW388 (LRGA)	04/20/20	TRUE	106	900
Technetium-99	pCi/L	MW388 (LRGA)	07/27/20	TRUE	38.4	900
Technetium-99	pCi/L	MW388 (LRGA)	10/13/20	TRUE	27.7	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW388 (LRGA)	01/11/10	FALSE	1	5
Trichloroethene	ug/L	MW388 (LRGA)	04/13/10	FALSE	1	5
Trichloroethene	ug/L	MW388 (LRGA)	07/08/10	FALSE	1	5
Trichloroethene	ug/L	MW388 (LRGA)	10/15/10	FALSE	1	5
Trichloroethene	ug/L	MW388 (LRGA)	01/04/11	FALSE	1	5
Trichloroethene	ug/L	MW388 (LRGA)	04/07/11	FALSE	1	5
Trichloroethene	ug/L	MW388 (LRGA)	07/13/11	FALSE	1	5
Trichloroethene	ug/L	MW388 (LRGA)	10/05/11	FALSE	1	5
Trichloroethene	ug/L	MW388 (LRGA)	01/05/12	FALSE	1	5
Trichloroethene	ug/L	MW388 (LRGA)	04/02/12	FALSE	1	5
Trichloroethene	ug/L	MW388 (LRGA)	07/09/12	FALSE	1	5
Trichloroethene	ug/L	MW388 (LRGA)	10/23/12	FALSE	1	5
Trichloroethene	ug/L	MW388 (LRGA)	01/14/13	FALSE	1	5
Trichloroethene	ug/L	MW388 (LRGA)	04/11/13	FALSE	1	5
Trichloroethene	ug/L	MW388 (LRGA)	07/08/13	FALSE	1	5
Trichloroethene	ug/L	MW388 (LRGA)	10/02/13	FALSE	1	5
Trichloroethene	ug/L	MW388 (LRGA)	01/21/14	FALSE	1	5
Trichloroethene	ug/L	MW388 (LRGA)	04/08/14	TRUE	0.77	5
Trichloroethene	ug/L	MW388 (LRGA)	07/15/14	TRUE	0.65	5
Trichloroethene	ug/L	MW388 (LRGA)	10/23/14	TRUE	0.75	5
Trichloroethene	ug/L	MW388 (LRGA)	01/12/15	TRUE	0.66	5
Trichloroethene	ug/L	MW388 (LRGA)	04/21/15	TRUE	0.77	5
Trichloroethene	ug/L	MW388 (LRGA)	07/16/15	TRUE	0.62	5
Trichloroethene	ug/L	MW388 (LRGA)	10/22/15	TRUE	0.74	5
Trichloroethene	ug/L	MW388 (LRGA)	01/05/16	TRUE	0.85	5
Trichloroethene	ug/L	MW388 (LRGA)	04/12/16	TRUE	0.38	5
Trichloroethene	ug/L	MW388 (LRGA)	07/19/16	TRUE	0.57	5
Trichloroethene	ug/L	MW388 (LRGA)	10/11/16	TRUE	0.83	5
Trichloroethene	ug/L	MW388 (LRGA)	01/04/17	TRUE	0.67	5
Trichloroethene	ug/L	MW388 (LRGA)	04/20/17	TRUE	0.5	5
Trichloroethene	ug/L	MW388 (LRGA)	07/18/17	TRUE	1.04	5
Trichloroethene	ug/L	MW388 (LRGA)	10/10/17	TRUE	0.78	5
Trichloroethene	ug/L	MW388 (LRGA)	01/23/18	TRUE	0.73	5
Trichloroethene	ug/L	MW388 (LRGA)	04/18/18	TRUE	3.08	5
Trichloroethene	ug/L	MW388 (LRGA)	07/18/18	TRUE	0.58	5
Trichloroethene	ug/L	MW388 (LRGA)	10/16/18	TRUE	0.65	5
Trichloroethene	ug/L	MW388 (LRGA)	01/22/19	TRUE	0.61	5
Trichloroethene	ug/L	MW388 (LRGA)	04/17/19	TRUE	0.47	5
Trichloroethene	ug/L	MW388 (LRGA)	07/16/19	TRUE	0.45	5
Trichloroethene	ug/L	MW388 (LRGA)	10/09/19	TRUE	0.43	5
Trichloroethene	ug/L	MW388 (LRGA)	01/27/20	TRUE	2.29	5
Trichloroethene	ug/L	MW388 (LRGA)	04/20/20	TRUE	0.48	5
Trichloroethene	ug/L	MW388 (LRGA)	07/27/20	TRUE	0.48	5
Trichloroethene	ug/L	MW388 (LRGA)	10/13/20	TRUE	0.6	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW391 (URGA)	01/12/10	FALSE	12.3	900
Technetium-99	pCi/L	MW391 (URGA)	04/13/10	FALSE	-0.229	900
Technetium-99	pCi/L	MW391 (URGA)	07/09/10	FALSE	-10.3	900
Technetium-99	pCi/L	MW391 (URGA)	10/18/10	TRUE	19.8	900
Technetium-99	pCi/L	MW391 (URGA)	01/05/11	FALSE	11.4	900
Technetium-99	pCi/L	MW391 (URGA)	04/05/11	FALSE	9.65	900
Technetium-99	pCi/L	MW391 (URGA)	07/07/11	FALSE	9.9	900
Technetium-99	pCi/L	MW391 (URGA)	10/05/11	FALSE	7.44	900
Technetium-99	pCi/L	MW391 (URGA)	01/04/12	FALSE	-4.81	900
Technetium-99	pCi/L	MW391 (URGA)	04/03/12	FALSE	-7.46	900
Technetium-99	pCi/L	MW391 (URGA)	07/11/12	FALSE	-3.9	900
Technetium-99	pCi/L	MW391 (URGA)	10/16/12	FALSE	-9.57	900
Technetium-99	pCi/L	MW391 (URGA)	01/16/13	FALSE	7.56	900
Technetium-99	pCi/L	MW391 (URGA)	04/17/13	FALSE	5.89	900
Technetium-99	pCi/L	MW391 (URGA)	07/11/13	FALSE	4.24	900
Technetium-99	pCi/L	MW391 (URGA)	10/07/13	FALSE	12	900
Technetium-99	pCi/L	MW391 (URGA)	01/23/14	TRUE	19.5	900
Technetium-99	pCi/L	MW391 (URGA)	04/09/14	FALSE	5.15	900
Technetium-99	pCi/L	MW391 (URGA)	07/21/14	FALSE	9.98	900
Technetium-99	pCi/L	MW391 (URGA)	10/21/14	FALSE	10.7	900
Technetium-99	pCi/L	MW391 (URGA)	01/15/15	FALSE	-0.684	900
Technetium-99	pCi/L	MW391 (URGA)	04/28/15	FALSE	11.1	900
Technetium-99	pCi/L	MW391 (URGA)	07/17/15	FALSE	-3.47	900
Technetium-99	pCi/L	MW391 (URGA)	10/26/15	FALSE	6.38	900
Technetium-99	pCi/L	MW391 (URGA)	01/12/16	FALSE	0.266	900
Technetium-99	pCi/L	MW391 (URGA)	04/14/16	FALSE	-7.72	900
Technetium-99	pCi/L	MW391 (URGA)	07/19/16	FALSE	13.7	900
Technetium-99	pCi/L	MW391 (URGA)	10/12/16	FALSE	8.63	900
Technetium-99	pCi/L	MW391 (URGA)	01/05/17	FALSE	5.9	900
Technetium-99	pCi/L	MW391 (URGA)	04/20/17	FALSE	1.26	900
Technetium-99	pCi/L	MW391 (URGA)	07/18/17	FALSE	5.74	900
Technetium-99	pCi/L	MW391 (URGA)	10/09/17	FALSE	5.19	900
Technetium-99	pCi/L	MW391 (URGA)	01/24/18	FALSE	10.8	900
Technetium-99	pCi/L	MW391 (URGA)	04/18/18	FALSE	-1.67	900
Technetium-99	pCi/L	MW391 (URGA)	07/18/18	FALSE	-2.39	900
Technetium-99	pCi/L	MW391 (URGA)	10/22/18	FALSE	12.5	900
Technetium-99	pCi/L	MW391 (URGA)	01/22/19	FALSE	1.91	900
Technetium-99	pCi/L	MW391 (URGA)	04/16/19	FALSE	12.5	900
Technetium-99	pCi/L	MW391 (URGA)	07/15/19	FALSE	9.38	900
Technetium-99	pCi/L	MW391 (URGA)	10/10/19	FALSE	-4.45	900
Technetium-99	pCi/L	MW391 (URGA)	01/23/20	FALSE	0.734	900
Technetium-99	pCi/L	MW391 (URGA)	04/21/20	FALSE	-1.36	900
Technetium-99	pCi/L	MW391 (URGA)	07/29/20	FALSE	8.04	900
Technetium-99	pCi/L	MW391 (URGA)	10/14/20	FALSE	6.89	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW391 (URGA)	01/12/10	TRUE	16	5
Trichloroethene	ug/L	MW391 (URGA)	04/13/10	TRUE	14	5
Trichloroethene	ug/L	MW391 (URGA)	07/09/10	TRUE	18	5
Trichloroethene	ug/L	MW391 (URGA)	10/18/10	TRUE	19	5
Trichloroethene	ug/L	MW391 (URGA)	01/05/11	TRUE	20	5
Trichloroethene	ug/L	MW391 (URGA)	04/05/11	TRUE	9.7	5
Trichloroethene	ug/L	MW391 (URGA)	07/07/11	TRUE	12	5
Trichloroethene	ug/L	MW391 (URGA)	10/05/11	TRUE	16	5
Trichloroethene	ug/L	MW391 (URGA)	01/04/12	TRUE	13	5
Trichloroethene	ug/L	MW391 (URGA)	04/03/12	TRUE	13	5
Trichloroethene	ug/L	MW391 (URGA)	07/11/12	TRUE	12	5
Trichloroethene	ug/L	MW391 (URGA)	10/16/12	TRUE	15	5
Trichloroethene	ug/L	MW391 (URGA)	01/16/13	TRUE	13	5
Trichloroethene	ug/L	MW391 (URGA)	04/17/13	TRUE	8	5
Trichloroethene	ug/L	MW391 (URGA)	07/11/13	TRUE	9.1	5
Trichloroethene	ug/L	MW391 (URGA)	10/07/13	TRUE	13	5
Trichloroethene	ug/L	MW391 (URGA)	01/23/14	TRUE	18	5
Trichloroethene	ug/L	MW391 (URGA)	04/09/14	TRUE	10.8	5
Trichloroethene	ug/L	MW391 (URGA)	07/21/14	TRUE	13.6	5
Trichloroethene	ug/L	MW391 (URGA)	10/21/14	TRUE	14.5	5
Trichloroethene	ug/L	MW391 (URGA)	01/15/15	TRUE	18.3	5
Trichloroethene	ug/L	MW391 (URGA)	04/28/15	TRUE	8.62	5
Trichloroethene	ug/L	MW391 (URGA)	07/17/15	TRUE	10.4	5
Trichloroethene	ug/L	MW391 (URGA)	10/26/15	TRUE	12.4	5
Trichloroethene	ug/L	MW391 (URGA)	01/12/16	TRUE	9.31	5
Trichloroethene	ug/L	MW391 (URGA)	04/14/16	TRUE	7.78	5
Trichloroethene	ug/L	MW391 (URGA)	07/19/16	TRUE	11.4	5
Trichloroethene	ug/L	MW391 (URGA)	10/12/16	TRUE	11.4	5
Trichloroethene	ug/L	MW391 (URGA)	01/05/17	TRUE	11	5
Trichloroethene	ug/L	MW391 (URGA)	04/20/17	TRUE	7.25	5
Trichloroethene	ug/L	MW391 (URGA)	07/18/17	TRUE	7.77	5
Trichloroethene	ug/L	MW391 (URGA)	10/09/17	TRUE	9.03	5
Trichloroethene	ug/L	MW391 (URGA)	01/24/18	TRUE	11.9	5
Trichloroethene	ug/L	MW391 (URGA)	04/18/18	TRUE	6.72	5
Trichloroethene	ug/L	MW391 (URGA)	07/18/18	TRUE	8.04	5
Trichloroethene	ug/L	MW391 (URGA)	10/22/18	TRUE	8.87	5
Trichloroethene	ug/L	MW391 (URGA)	01/22/19	TRUE	8.9	5
Trichloroethene	ug/L	MW391 (URGA)	04/16/19	TRUE	6.88	5
Trichloroethene	ug/L	MW391 (URGA)	07/15/19	TRUE	12	5
Trichloroethene	ug/L	MW391 (URGA)	10/10/19	TRUE	9.84	5
Trichloroethene	ug/L	MW391 (URGA)	01/23/20	TRUE	12.9	5
Trichloroethene	ug/L	MW391 (URGA)	04/21/20	TRUE	11.5	5
Trichloroethene	ug/L	MW391 (URGA)	07/29/20	TRUE	10.3	5
Trichloroethene	ug/L	MW391 (URGA)	10/14/20	TRUE	9.53	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW392 (LRGA)	01/12/10	FALSE	0.983	900
Technetium-99	pCi/L	MW392 (LRGA)	04/13/10	FALSE	-1.29	900
Technetium-99	pCi/L	MW392 (LRGA)	07/12/10	FALSE	-14.1	900
Technetium-99	pCi/L	MW392 (LRGA)	10/07/10	FALSE	0.386	900
Technetium-99	pCi/L	MW392 (LRGA)	01/06/11	FALSE	14.1	900
Technetium-99	pCi/L	MW392 (LRGA)	04/05/11	FALSE	9.71	900
Technetium-99	pCi/L	MW392 (LRGA)	07/07/11	FALSE	-12.9	900
Technetium-99	pCi/L	MW392 (LRGA)	10/05/11	FALSE	0.0531	900
Technetium-99	pCi/L	MW392 (LRGA)	01/11/12	FALSE	-6.09	900
Technetium-99	pCi/L	MW392 (LRGA)	04/03/12	FALSE	-0.913	900
Technetium-99	pCi/L	MW392 (LRGA)	07/11/12	FALSE	-3.51	900
Technetium-99	pCi/L	MW392 (LRGA)	10/15/12	FALSE	-11.6	900
Technetium-99	pCi/L	MW392 (LRGA)	01/16/13	TRUE	17.3	900
Technetium-99	pCi/L	MW392 (LRGA)	04/17/13	FALSE	-7	900
Technetium-99	pCi/L	MW392 (LRGA)	07/11/13	FALSE	4.85	900
Technetium-99	pCi/L	MW392 (LRGA)	10/07/13	FALSE	10.4	900
Technetium-99	pCi/L	MW392 (LRGA)	01/22/14	FALSE	11.7	900
Technetium-99	pCi/L	MW392 (LRGA)	04/09/14	FALSE	11.5	900
Technetium-99	pCi/L	MW392 (LRGA)	07/21/14	FALSE	2.26	900
Technetium-99	pCi/L	MW392 (LRGA)	10/21/14	FALSE	4.39	900
Technetium-99	pCi/L	MW392 (LRGA)	01/14/15	FALSE	3.17	900
Technetium-99	pCi/L	MW392 (LRGA)	04/28/15	FALSE	0.984	900
Technetium-99	pCi/L	MW392 (LRGA)	07/17/15	FALSE	6.26	900
Technetium-99	pCi/L	MW392 (LRGA)	10/26/15	FALSE	4.63	900
Technetium-99	pCi/L	MW392 (LRGA)	01/12/16	FALSE	-9.7	900
Technetium-99	pCi/L	MW392 (LRGA)	04/14/16	FALSE	-6.38	900
Technetium-99	pCi/L	MW392 (LRGA)	07/19/16	FALSE	7.9	900
Technetium-99	pCi/L	MW392 (LRGA)	10/12/16	FALSE	1.55	900
Technetium-99	pCi/L	MW392 (LRGA)	01/05/17	FALSE	7.69	900
Technetium-99	pCi/L	MW392 (LRGA)	04/20/17	FALSE	3.2	900
Technetium-99	pCi/L	MW392 (LRGA)	07/18/17	FALSE	8.72	900
Technetium-99	pCi/L	MW392 (LRGA)	10/09/17	FALSE	2.58	900
Technetium-99	pCi/L	MW392 (LRGA)	01/24/18	FALSE	4.72	900
Technetium-99	pCi/L	MW392 (LRGA)	04/18/18	FALSE	-2.23	900
Technetium-99	pCi/L	MW392 (LRGA)	07/18/18	FALSE	-2.24	900
Technetium-99	pCi/L	MW392 (LRGA)	10/22/18	FALSE	5.15	900
Technetium-99	pCi/L	MW392 (LRGA)	01/22/19	FALSE	2.18	900
Technetium-99	pCi/L	MW392 (LRGA)	04/16/19	FALSE	2.84	900
Technetium-99	pCi/L	MW392 (LRGA)	07/15/19	FALSE	8.7	900
Technetium-99	pCi/L	MW392 (LRGA)	10/10/19	FALSE	-4.15	900
Technetium-99	pCi/L	MW392 (LRGA)	01/23/20	FALSE	-6.96	900
Technetium-99	pCi/L	MW392 (LRGA)	04/21/20	FALSE	-2.16	900
Technetium-99	pCi/L	MW392 (LRGA)	07/29/20	FALSE	10.1	900
Technetium-99	pCi/L	MW392 (LRGA)	10/14/20	FALSE	11.3	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW392 (LRGA)	01/12/10	TRUE	14	5
Trichloroethene	ug/L	MW392 (LRGA)	04/13/10	TRUE	17	5
Trichloroethene	ug/L	MW392 (LRGA)	07/12/10	TRUE	19	5
Trichloroethene	ug/L	MW392 (LRGA)	10/07/10	TRUE	18	5
Trichloroethene	ug/L	MW392 (LRGA)	01/06/11	TRUE	17	5
Trichloroethene	ug/L	MW392 (LRGA)	04/05/11	TRUE	16	5
Trichloroethene	ug/L	MW392 (LRGA)	07/07/11	TRUE	18	5
Trichloroethene	ug/L	MW392 (LRGA)	10/05/11	TRUE	18	5
Trichloroethene	ug/L	MW392 (LRGA)	01/11/12	TRUE	19	5
Trichloroethene	ug/L	MW392 (LRGA)	04/03/12	TRUE	15	5
Trichloroethene	ug/L	MW392 (LRGA)	07/11/12	TRUE	14	5
Trichloroethene	ug/L	MW392 (LRGA)	10/15/12	TRUE	17	5
Trichloroethene	ug/L	MW392 (LRGA)	01/16/13	TRUE	13	5
Trichloroethene	ug/L	MW392 (LRGA)	04/17/13	TRUE	13	5
Trichloroethene	ug/L	MW392 (LRGA)	07/11/13	TRUE	16	5
Trichloroethene	ug/L	MW392 (LRGA)	10/07/13	TRUE	14	5
Trichloroethene	ug/L	MW392 (LRGA)	01/22/14	TRUE	19	5
Trichloroethene	ug/L	MW392 (LRGA)	04/09/14	TRUE	18.7	5
Trichloroethene	ug/L	MW392 (LRGA)	07/21/14	TRUE	14.5	5
Trichloroethene	ug/L	MW392 (LRGA)	10/21/14	TRUE	18.2	5
Trichloroethene	ug/L	MW392 (LRGA)	01/14/15	TRUE	18.2	5
Trichloroethene	ug/L	MW392 (LRGA)	04/28/15	TRUE	15.7	5
Trichloroethene	ug/L	MW392 (LRGA)	07/17/15	TRUE	17	5
Trichloroethene	ug/L	MW392 (LRGA)	10/26/15	TRUE	17.2	5
Trichloroethene	ug/L	MW392 (LRGA)	01/12/16	TRUE	16.3	5
Trichloroethene	ug/L	MW392 (LRGA)	04/14/16	TRUE	18.3	5
Trichloroethene	ug/L	MW392 (LRGA)	07/19/16	TRUE	17.3	5
Trichloroethene	ug/L	MW392 (LRGA)	10/12/16	TRUE	25.8	5
Trichloroethene	ug/L	MW392 (LRGA)	01/05/17	TRUE	22	5
Trichloroethene	ug/L	MW392 (LRGA)	04/20/17	TRUE	13.1	5
Trichloroethene	ug/L	MW392 (LRGA)	07/18/17	TRUE	15.6	5
Trichloroethene	ug/L	MW392 (LRGA)	10/09/17	TRUE	14	5
Trichloroethene	ug/L	MW392 (LRGA)	01/24/18	TRUE	16.6	5
Trichloroethene	ug/L	MW392 (LRGA)	04/18/18	TRUE	14.9	5
Trichloroethene	ug/L	MW392 (LRGA)	07/18/18	TRUE	12.6	5
Trichloroethene	ug/L	MW392 (LRGA)	10/22/18	TRUE	14.1	5
Trichloroethene	ug/L	MW392 (LRGA)	01/22/19	TRUE	11	5
Trichloroethene	ug/L	MW392 (LRGA)	04/16/19	TRUE	11.2	5
Trichloroethene	ug/L	MW392 (LRGA)	07/15/19	TRUE	10.3	5
Trichloroethene	ug/L	MW392 (LRGA)	10/10/19	TRUE	12.9	5
Trichloroethene	ug/L	MW392 (LRGA)	03/18/20	TRUE	14.2	5
Trichloroethene	ug/L	MW392 (LRGA)	04/21/20	TRUE	15.8	5
Trichloroethene	ug/L	MW392 (LRGA)	07/29/20	TRUE	15.3	5
Trichloroethene	ug/L	MW392 (LRGA)	10/14/20	TRUE	14	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW394 (URGA)	01/13/10	FALSE	-8.63	900
Technetium-99	pCi/L	MW394 (URGA)	04/12/10	FALSE	16	900
Technetium-99	pCi/L	MW394 (URGA)	07/09/10	FALSE	-8.71	900
Technetium-99	pCi/L	MW394 (URGA)	10/05/10	FALSE	5.4	900
Technetium-99	pCi/L	MW394 (URGA)	01/04/11	FALSE	6.77	900
Technetium-99	pCi/L	MW394 (URGA)	04/07/11	FALSE	9.76	900
Technetium-99	pCi/L	MW394 (URGA)	07/18/11	TRUE	18.5	900
Technetium-99	pCi/L	MW394 (URGA)	10/06/11	FALSE	10.5	900
Technetium-99	pCi/L	MW394 (URGA)	01/17/12	FALSE	-0.158	900
Technetium-99	pCi/L	MW394 (URGA)	04/03/12	FALSE	-0.887	900
Technetium-99	pCi/L	MW394 (URGA)	07/12/12	FALSE	-5.65	900
Technetium-99	pCi/L	MW394 (URGA)	10/17/12	FALSE	-10.8	900
Technetium-99	pCi/L	MW394 (URGA)	01/15/13	FALSE	-0.751	900
Technetium-99	pCi/L	MW394 (URGA)	04/22/13	FALSE	13.9	900
Technetium-99	pCi/L	MW394 (URGA)	07/10/13	FALSE	15	900
Technetium-99	pCi/L	MW394 (URGA)	10/03/13	FALSE	9.68	900
Technetium-99	pCi/L	MW394 (URGA)	01/22/14	TRUE	18.8	900
Technetium-99	pCi/L	MW394 (URGA)	04/09/14	FALSE	4.32	900
Technetium-99	pCi/L	MW394 (URGA)	07/17/14	FALSE	10.1	900
Technetium-99	pCi/L	MW394 (URGA)	10/27/14	FALSE	17.2	900
Technetium-99	pCi/L	MW394 (URGA)	01/08/15	FALSE	17.2	900
Technetium-99	pCi/L	MW394 (URGA)	04/22/15	FALSE	11.5	900
Technetium-99	pCi/L	MW394 (URGA)	07/17/15	FALSE	3.11	900
Technetium-99	pCi/L	MW394 (URGA)	10/22/15	FALSE	0.742	900
Technetium-99	pCi/L	MW394 (URGA)	01/05/16	FALSE	4.07	900
Technetium-99	pCi/L	MW394 (URGA)	04/18/16	FALSE	15	900
Technetium-99	pCi/L	MW394 (URGA)	07/19/16	FALSE	5.87	900
Technetium-99	pCi/L	MW394 (URGA)	10/12/16	FALSE	4.39	900
Technetium-99	pCi/L	MW394 (URGA)	01/17/17	FALSE	7.79	900
Technetium-99	pCi/L	MW394 (URGA)	04/20/17	FALSE	7.82	900
Technetium-99	pCi/L	MW394 (URGA)	07/19/17	FALSE	11.1	900
Technetium-99	pCi/L	MW394 (URGA)	10/09/17	FALSE	1.99	900
Technetium-99	pCi/L	MW394 (URGA)	01/23/18	FALSE	6.15	900
Technetium-99	pCi/L	MW394 (URGA)	04/19/18	FALSE	0.158	900
Technetium-99	pCi/L	MW394 (URGA)	07/19/18	FALSE	10.6	900
Technetium-99	pCi/L	MW394 (URGA)	10/22/18	FALSE	13.4	900
Technetium-99	pCi/L	MW394 (URGA)	01/23/19	FALSE	11.5	900
Technetium-99	pCi/L	MW394 (URGA)	04/22/19	FALSE	2.55	900
Technetium-99	pCi/L	MW394 (URGA)	07/17/19	FALSE	4.74	900
Technetium-99	pCi/L	MW394 (URGA)	10/10/19	FALSE	-2.22	900
Technetium-99	pCi/L	MW394 (URGA)	01/27/20	FALSE	10.2	900
Technetium-99	pCi/L	MW394 (URGA)	04/22/20	FALSE	6.29	900
Technetium-99	pCi/L	MW394 (URGA)	07/29/20	FALSE	9.21	900
Technetium-99	pCi/L	MW394 (URGA)	10/22/20	FALSE	1.28	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW394 (URGA)	01/13/10	TRUE	6.2	5
Trichloroethene	ug/L	MW394 (URGA)	04/12/10	TRUE	5.6	5
Trichloroethene	ug/L	MW394 (URGA)	07/09/10	TRUE	5.7	5
Trichloroethene	ug/L	MW394 (URGA)	10/05/10	TRUE	9	5
Trichloroethene	ug/L	MW394 (URGA)	01/04/11	TRUE	8.8	5
Trichloroethene	ug/L	MW394 (URGA)	04/07/11	TRUE	5	5
Trichloroethene	ug/L	MW394 (URGA)	07/18/11	TRUE	5.2	5
Trichloroethene	ug/L	MW394 (URGA)	10/06/11	TRUE	5.6	5
Trichloroethene	ug/L	MW394 (URGA)	01/17/12	TRUE	5.5	5
Trichloroethene	ug/L	MW394 (URGA)	04/03/12	TRUE	4.1	5
Trichloroethene	ug/L	MW394 (URGA)	07/12/12	TRUE	4.7	5
Trichloroethene	ug/L	MW394 (URGA)	10/17/12	TRUE	9.9	5
Trichloroethene	ug/L	MW394 (URGA)	01/15/13	TRUE	6.8	5
Trichloroethene	ug/L	MW394 (URGA)	04/22/13	TRUE	4.1	5
Trichloroethene	ug/L	MW394 (URGA)	07/10/13	TRUE	4.4	5
Trichloroethene	ug/L	MW394 (URGA)	10/03/13	TRUE	6.2	5
Trichloroethene	ug/L	MW394 (URGA)	01/22/14	TRUE	7.4	5
Trichloroethene	ug/L	MW394 (URGA)	04/09/14	TRUE	4.61	5
Trichloroethene	ug/L	MW394 (URGA)	07/17/14	TRUE	4.07	5
Trichloroethene	ug/L	MW394 (URGA)	10/27/14	TRUE	7.64	5
Trichloroethene	ug/L	MW394 (URGA)	01/08/15	TRUE	6.03	5
Trichloroethene	ug/L	MW394 (URGA)	04/22/15	TRUE	4.37	5
Trichloroethene	ug/L	MW394 (URGA)	07/17/15	TRUE	4.85	5
Trichloroethene	ug/L	MW394 (URGA)	10/22/15	TRUE	7.11	5
Trichloroethene	ug/L	MW394 (URGA)	01/05/16	TRUE	6.44	5
Trichloroethene	ug/L	MW394 (URGA)	04/18/16	TRUE	4.3	5
Trichloroethene	ug/L	MW394 (URGA)	07/19/16	TRUE	6.27	5
Trichloroethene	ug/L	MW394 (URGA)	10/12/16	TRUE	7.06	5
Trichloroethene	ug/L	MW394 (URGA)	01/17/17	TRUE	7.86	5
Trichloroethene	ug/L	MW394 (URGA)	04/20/17	TRUE	3.42	5
Trichloroethene	ug/L	MW394 (URGA)	07/19/17	TRUE	4.81	5
Trichloroethene	ug/L	MW394 (URGA)	10/09/17	TRUE	4.94	5
Trichloroethene	ug/L	MW394 (URGA)	01/23/18	TRUE	6.47	5
Trichloroethene	ug/L	MW394 (URGA)	04/19/18	TRUE	4.34	5
Trichloroethene	ug/L	MW394 (URGA)	07/19/18	TRUE	4.95	5
Trichloroethene	ug/L	MW394 (URGA)	10/22/18	TRUE	4.85	5
Trichloroethene	ug/L	MW394 (URGA)	01/23/19	TRUE	3.6	5
Trichloroethene	ug/L	MW394 (URGA)	04/22/19	TRUE	3.81	5
Trichloroethene	ug/L	MW394 (URGA)	07/17/19	TRUE	3.71	5
Trichloroethene	ug/L	MW394 (URGA)	10/10/19	TRUE	3.22	5
Trichloroethene	ug/L	MW394 (URGA)	01/27/20	TRUE	3.25	5
Trichloroethene	ug/L	MW394 (URGA)	04/22/20	TRUE	1.91	5
Trichloroethene	ug/L	MW394 (URGA)	07/29/20	TRUE	3.49	5
Trichloroethene	ug/L	MW394 (URGA)	10/22/20	TRUE	3.35	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW395 (LRGA)	01/13/10	FALSE	10.2	900
Technetium-99	pCi/L	MW395 (LRGA)	04/12/10	TRUE	19.4	900
Technetium-99	pCi/L	MW395 (LRGA)	07/08/10	FALSE	-12.6	900
Technetium-99	pCi/L	MW395 (LRGA)	10/06/10	FALSE	11.8	900
Technetium-99	pCi/L	MW395 (LRGA)	01/04/11	FALSE	12.9	900
Technetium-99	pCi/L	MW395 (LRGA)	04/07/11	TRUE	21.9	900
Technetium-99	pCi/L	MW395 (LRGA)	07/18/11	TRUE	16.6	900
Technetium-99	pCi/L	MW395 (LRGA)	10/06/11	FALSE	6.44	900
Technetium-99	pCi/L	MW395 (LRGA)	01/17/12	FALSE	0.0525	900
Technetium-99	pCi/L	MW395 (LRGA)	04/03/12	FALSE	3.2	900
Technetium-99	pCi/L	MW395 (LRGA)	07/12/12	FALSE	1.07	900
Technetium-99	pCi/L	MW395 (LRGA)	10/17/12	FALSE	-4.87	900
Technetium-99	pCi/L	MW395 (LRGA)	01/15/13	FALSE	-4.1	900
Technetium-99	pCi/L	MW395 (LRGA)	04/22/13	FALSE	3.11	900
Technetium-99	pCi/L	MW395 (LRGA)	07/11/13	FALSE	10.7	900
Technetium-99	pCi/L	MW395 (LRGA)	10/03/13	FALSE	10.6	900
Technetium-99	pCi/L	MW395 (LRGA)	01/22/14	TRUE	20	900
Technetium-99	pCi/L	MW395 (LRGA)	04/09/14	FALSE	11.2	900
Technetium-99	pCi/L	MW395 (LRGA)	07/17/14	FALSE	8.05	900
Technetium-99	pCi/L	MW395 (LRGA)	10/27/14	FALSE	14.4	900
Technetium-99	pCi/L	MW395 (LRGA)	01/06/15	FALSE	17	900
Technetium-99	pCi/L	MW395 (LRGA)	04/22/15	FALSE	7.25	900
Technetium-99	pCi/L	MW395 (LRGA)	07/17/15	FALSE	14.7	900
Technetium-99	pCi/L	MW395 (LRGA)	10/22/15	FALSE	9.39	900
Technetium-99	pCi/L	MW395 (LRGA)	01/05/16	FALSE	5.69	900
Technetium-99	pCi/L	MW395 (LRGA)	04/18/16	FALSE	8.36	900
Technetium-99	pCi/L	MW395 (LRGA)	07/19/16	FALSE	13.2	900
Technetium-99	pCi/L	MW395 (LRGA)	10/12/16	FALSE	2.15	900
Technetium-99	pCi/L	MW395 (LRGA)	01/17/17	FALSE	11.4	900
Technetium-99	pCi/L	MW395 (LRGA)	04/20/17	FALSE	9.95	900
Technetium-99	pCi/L	MW395 (LRGA)	07/19/17	TRUE	19.2	900
Technetium-99	pCi/L	MW395 (LRGA)	10/09/17	FALSE	3.67	900
Technetium-99	pCi/L	MW395 (LRGA)	01/23/18	FALSE	15.7	900
Technetium-99	pCi/L	MW395 (LRGA)	04/19/18	FALSE	9.83	900
Technetium-99	pCi/L	MW395 (LRGA)	07/19/18	FALSE	9.05	900
Technetium-99	pCi/L	MW395 (LRGA)	10/22/18	FALSE	13.2	900
Technetium-99	pCi/L	MW395 (LRGA)	01/23/19	FALSE	10.3	900
Technetium-99	pCi/L	MW395 (LRGA)	04/22/19	FALSE	11.2	900
Technetium-99	pCi/L	MW395 (LRGA)	07/17/19	FALSE	4.92	900
Technetium-99	pCi/L	MW395 (LRGA)	10/10/19	FALSE	8.31	900
Technetium-99	pCi/L	MW395 (LRGA)	01/27/20	FALSE	3.14	900
Technetium-99	pCi/L	MW395 (LRGA)	04/22/20	FALSE	8.44	900
Technetium-99	pCi/L	MW395 (LRGA)	07/29/20	FALSE	12.2	900
Technetium-99	pCi/L	MW395 (LRGA)	10/22/20	FALSE	-1.04	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW395 (LRGA)	01/13/10	TRUE	4.5	5
Trichloroethene	ug/L	MW395 (LRGA)	04/12/10	TRUE	4.4	5
Trichloroethene	ug/L	MW395 (LRGA)	07/08/10	TRUE	5.5	5
Trichloroethene	ug/L	MW395 (LRGA)	10/06/10	TRUE	6.2	5
Trichloroethene	ug/L	MW395 (LRGA)	01/04/11	TRUE	5.7	5
Trichloroethene	ug/L	MW395 (LRGA)	04/07/11	TRUE	4.8	5
Trichloroethene	ug/L	MW395 (LRGA)	07/18/11	TRUE	4.9	5
Trichloroethene	ug/L	MW395 (LRGA)	10/06/11	TRUE	5.2	5
Trichloroethene	ug/L	MW395 (LRGA)	01/17/12	TRUE	5.2	5
Trichloroethene	ug/L	MW395 (LRGA)	04/03/12	TRUE	4	5
Trichloroethene	ug/L	MW395 (LRGA)	07/12/12	TRUE	3.6	5
Trichloroethene	ug/L	MW395 (LRGA)	10/17/12	TRUE	4.8	5
Trichloroethene	ug/L	MW395 (LRGA)	01/15/13	TRUE	3.6	5
Trichloroethene	ug/L	MW395 (LRGA)	04/22/13	TRUE	3.5	5
Trichloroethene	ug/L	MW395 (LRGA)	07/11/13	TRUE	4.2	5
Trichloroethene	ug/L	MW395 (LRGA)	10/03/13	TRUE	4.1	5
Trichloroethene	ug/L	MW395 (LRGA)	01/22/14	TRUE	4.6	5
Trichloroethene	ug/L	MW395 (LRGA)	04/09/14	TRUE	4.57	5
Trichloroethene	ug/L	MW395 (LRGA)	07/17/14	TRUE	4.18	5
Trichloroethene	ug/L	MW395 (LRGA)	10/27/14	TRUE	4.12	5
Trichloroethene	ug/L	MW395 (LRGA)	01/06/15	TRUE	3.99	5
Trichloroethene	ug/L	MW395 (LRGA)	04/22/15	TRUE	3.46	5
Trichloroethene	ug/L	MW395 (LRGA)	07/17/15	TRUE	3.8	5
Trichloroethene	ug/L	MW395 (LRGA)	10/22/15	TRUE	3.92	5
Trichloroethene	ug/L	MW395 (LRGA)	01/05/16	TRUE	4.61	5
Trichloroethene	ug/L	MW395 (LRGA)	04/18/16	TRUE	4.23	5
Trichloroethene	ug/L	MW395 (LRGA)	07/19/16	TRUE	4.39	5
Trichloroethene	ug/L	MW395 (LRGA)	10/12/16	TRUE	3.99	5
Trichloroethene	ug/L	MW395 (LRGA)	01/17/17	TRUE	3.65	5
Trichloroethene	ug/L	MW395 (LRGA)	04/20/17	TRUE	3.1	5
Trichloroethene	ug/L	MW395 (LRGA)	07/19/17	TRUE	4.35	5
Trichloroethene	ug/L	MW395 (LRGA)	10/09/17	TRUE	3.32	5
Trichloroethene	ug/L	MW395 (LRGA)	01/23/18	TRUE	2.91	5
Trichloroethene	ug/L	MW395 (LRGA)	04/19/18	TRUE	4.6	5
Trichloroethene	ug/L	MW395 (LRGA)	07/19/18	TRUE	4.16	5
Trichloroethene	ug/L	MW395 (LRGA)	10/22/18	TRUE	2.91	5
Trichloroethene	ug/L	MW395 (LRGA)	01/23/19	TRUE	2.89	5
Trichloroethene	ug/L	MW395 (LRGA)	04/22/19	TRUE	2.98	5
Trichloroethene	ug/L	MW395 (LRGA)	07/17/19	TRUE	2.55	5
Trichloroethene	ug/L	MW395 (LRGA)	10/10/19	TRUE	1.95	5
Trichloroethene	ug/L	MW395 (LRGA)	01/27/20	TRUE	1.96	5
Trichloroethene	ug/L	MW395 (LRGA)	04/22/20	TRUE	1.86	5
Trichloroethene	ug/L	MW395 (LRGA)	07/29/20	TRUE	1.85	5
Trichloroethene	ug/L	MW395 (LRGA)	10/22/20	TRUE	2.27	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW397 (LRGA)	01/12/10	FALSE	11.4	900
Technetium-99	pCi/L	MW397 (LRGA)	04/14/10	TRUE	23.6	900
Technetium-99	pCi/L	MW397 (LRGA)	07/08/10	FALSE	-4.6	900
Technetium-99	pCi/L	MW397 (LRGA)	10/15/10	TRUE	20.4	900
Technetium-99	pCi/L	MW397 (LRGA)	01/03/11	TRUE	21.4	900
Technetium-99	pCi/L	MW397 (LRGA)	04/06/11	TRUE	19	900
Technetium-99	pCi/L	MW397 (LRGA)	07/14/11	FALSE	12.7	900
Technetium-99	pCi/L	MW397 (LRGA)	10/03/11	FALSE	12	900
Technetium-99	pCi/L	MW397 (LRGA)	01/05/12	FALSE	9.97	900
Technetium-99	pCi/L	MW397 (LRGA)	04/03/12	FALSE	3.55	900
Technetium-99	pCi/L	MW397 (LRGA)	07/10/12	FALSE	8.54	900
Technetium-99	pCi/L	MW397 (LRGA)	10/16/12	FALSE	2.8	900
Technetium-99	pCi/L	MW397 (LRGA)	01/15/13	FALSE	6.96	900
Technetium-99	pCi/L	MW397 (LRGA)	04/18/13	TRUE	16.6	900
Technetium-99	pCi/L	MW397 (LRGA)	07/08/13	FALSE	14.6	900
Technetium-99	pCi/L	MW397 (LRGA)	10/02/13	TRUE	19.1	900
Technetium-99	pCi/L	MW397 (LRGA)	01/22/14	TRUE	33.7	900
Technetium-99	pCi/L	MW397 (LRGA)	04/08/14	FALSE	16.5	900
Technetium-99	pCi/L	MW397 (LRGA)	07/16/14	FALSE	10.6	900
Technetium-99	pCi/L	MW397 (LRGA)	10/21/14	FALSE	14.7	900
Technetium-99	pCi/L	MW397 (LRGA)	01/07/15	FALSE	4.58	900
Technetium-99	pCi/L	MW397 (LRGA)	04/22/15	FALSE	9.32	900
Technetium-99	pCi/L	MW397 (LRGA)	07/15/15	FALSE	13.2	900
Technetium-99	pCi/L	MW397 (LRGA)	10/22/15	FALSE	9.83	900
Technetium-99	pCi/L	MW397 (LRGA)	01/05/16	FALSE	17.4	900
Technetium-99	pCi/L	MW397 (LRGA)	04/14/16	FALSE	7.44	900
Technetium-99	pCi/L	MW397 (LRGA)	07/19/16	FALSE	14.9	900
Technetium-99	pCi/L	MW397 (LRGA)	10/11/16	FALSE	9.1	900
Technetium-99	pCi/L	MW397 (LRGA)	01/11/17	FALSE	8.85	900
Technetium-99	pCi/L	MW397 (LRGA)	04/20/17	FALSE	14.9	900
Technetium-99	pCi/L	MW397 (LRGA)	07/19/17	TRUE	29.8	900
Technetium-99	pCi/L	MW397 (LRGA)	10/09/17	FALSE	13	900
Technetium-99	pCi/L	MW397 (LRGA)	01/23/18	FALSE	13.2	900
Technetium-99	pCi/L	MW397 (LRGA)	04/17/18	TRUE	18.9	900
Technetium-99	pCi/L	MW397 (LRGA)	07/19/18	TRUE	21.9	900
Technetium-99	pCi/L	MW397 (LRGA)	10/15/18	TRUE	18.3	900
Technetium-99	pCi/L	MW397 (LRGA)	01/23/19	FALSE	7.12	900
Technetium-99	pCi/L	MW397 (LRGA)	04/16/19	TRUE	32.1	900
Technetium-99	pCi/L	MW397 (LRGA)	07/16/19	FALSE	5.83	900
Technetium-99	pCi/L	MW397 (LRGA)	10/09/19	FALSE	15.3	900
Technetium-99	pCi/L	MW397 (LRGA)	01/27/20	FALSE	3.04	900
Technetium-99	pCi/L	MW397 (LRGA)	04/22/20	FALSE	15	900
Technetium-99	pCi/L	MW397 (LRGA)	07/27/20	FALSE	20.1	900
Technetium-99	pCi/L	MW397 (LRGA)	10/22/20	FALSE	8.46	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW397 (LRGA)	01/12/10	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	04/14/10	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	07/08/10	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	10/15/10	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	01/03/11	TRUE	2.3	5
Trichloroethene	ug/L	MW397 (LRGA)	04/06/11	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	07/14/11	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	10/03/11	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	01/05/12	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	04/03/12	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	07/10/12	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	10/16/12	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	01/15/13	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	04/18/13	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	07/08/13	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	10/02/13	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	01/22/14	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	04/08/14	TRUE	0.43	5
Trichloroethene	ug/L	MW397 (LRGA)	07/16/14	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	10/21/14	TRUE	0.33	5
Trichloroethene	ug/L	MW397 (LRGA)	01/07/15	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	04/22/15	TRUE	0.36	5
Trichloroethene	ug/L	MW397 (LRGA)	07/15/15	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	10/22/15	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	01/05/16	TRUE	0.3	5
Trichloroethene	ug/L	MW397 (LRGA)	04/14/16	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	07/19/16	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	10/11/16	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	01/11/17	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	04/20/17	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	07/19/17	TRUE	0.44	5
Trichloroethene	ug/L	MW397 (LRGA)	10/09/17	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	01/23/18	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	04/17/18	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	08/21/18	TRUE	0.42	5
Trichloroethene	ug/L	MW397 (LRGA)	10/15/18	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	01/23/19	TRUE	0.34	5
Trichloroethene	ug/L	MW397 (LRGA)	04/16/19	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	07/16/19	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	10/09/19	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	01/27/20	TRUE	1.15	5
Trichloroethene	ug/L	MW397 (LRGA)	04/22/20	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	07/27/20	FALSE	1	5
Trichloroethene	ug/L	MW397 (LRGA)	10/22/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW403-PRT3 (RGA)	03/10/10	FALSE	2.16	900
Technetium-99	pCi/L	MW403-PRT3 (RGA)	08/31/10	FALSE	-4.73	900
Technetium-99	pCi/L	MW403-PRT3 (RGA)	06/01/11	TRUE	199	900
Technetium-99	pCi/L	MW403-PRT3 (RGA)	06/04/13	FALSE	4.77	900
Technetium-99	pCi/L	MW403-PRT3 (RGA)	06/17/15	FALSE	4.15	900
Technetium-99	pCi/L	MW403-PRT3 (RGA)	05/18/17	FALSE	4.83	900
Technetium-99	pCi/L	MW403-PRT3 (RGA)	12/14/17	FALSE	0.987	900
Technetium-99	pCi/L	MW403-PRT3 (RGA)	03/22/18	FALSE	7.64	900
Technetium-99	pCi/L	MW403-PRT3 (RGA)	06/13/18	FALSE	5	900
Technetium-99	pCi/L	MW403-PRT3 (RGA)	09/27/18	FALSE	3.28	900
Technetium-99	pCi/L	MW403-PRT3 (RGA)	12/19/18	FALSE	3.15	900
Technetium-99	pCi/L	MW403-PRT3 (RGA)	03/18/19	FALSE	0.883	900
Technetium-99	pCi/L	MW403-PRT3 (RGA)	06/04/19	FALSE	12.9	900
Technetium-99	pCi/L	MW403-PRT3 (RGA)	09/17/19	FALSE	1.8	900
Technetium-99	pCi/L	MW403-PRT3 (RGA)	12/09/19	FALSE	-5.93	900
Technetium-99	pCi/L	MW403-PRT3 (RGA)	03/12/20	FALSE	7.61	900
Technetium-99	pCi/L	MW403-PRT3 (RGA)	06/03/20	FALSE	8.12	900
Technetium-99	pCi/L	MW403-PRT3 (RGA)	09/16/20	FALSE	16.7	900
Technetium-99	pCi/L	MW403-PRT3 (RGA)	12/01/20	FALSE	5.8	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW403-PRT3 (RGA)	03/10/10	TRUE	8.6	5
Trichloroethene	ug/L	MW403-PRT3 (RGA)	08/31/10	TRUE	12	5
Trichloroethene	ug/L	MW403-PRT3 (RGA)	06/01/11	TRUE	43	5
Trichloroethene	ug/L	MW403-PRT3 (RGA)	06/04/13	TRUE	12	5
Trichloroethene	ug/L	MW403-PRT3 (RGA)	06/17/15	TRUE	12.6	5
Trichloroethene	ug/L	MW403-PRT3 (RGA)	05/18/17	TRUE	5.65	5
Trichloroethene	ug/L	MW403-PRT3 (RGA)	12/14/17	TRUE	6.5	5
Trichloroethene	ug/L	MW403-PRT3 (RGA)	03/22/18	TRUE	4	5
Trichloroethene	ug/L	MW403-PRT3 (RGA)	06/13/18	TRUE	4.56	5
Trichloroethene	ug/L	MW403-PRT3 (RGA)	09/27/18	TRUE	3.46	5
Trichloroethene	ug/L	MW403-PRT3 (RGA)	12/19/18	TRUE	3.16	5
Trichloroethene	ug/L	MW403-PRT3 (RGA)	03/18/19	TRUE	5.42	5
Trichloroethene	ug/L	MW403-PRT3 (RGA)	06/04/19	TRUE	7.37	5
Trichloroethene	ug/L	MW403-PRT3 (RGA)	09/17/19	TRUE	3.65	5
Trichloroethene	ug/L	MW403-PRT3 (RGA)	12/09/19	TRUE	1.89	5
Trichloroethene	ug/L	MW403-PRT3 (RGA)	03/12/20	TRUE	7.07	5
Trichloroethene	ug/L	MW403-PRT3 (RGA)	06/03/20	TRUE	4.21	5
Trichloroethene	ug/L	MW403-PRT3 (RGA)	09/16/20	TRUE	2.78	5
Trichloroethene	ug/L	MW403-PRT3 (RGA)	12/01/20	TRUE	3.16	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW404-PRT4 (RGA)	06/04/13	FALSE	8.36	900
Technetium-99	pCi/L	MW404-PRT4 (RGA)	06/17/15	FALSE	7.08	900
Technetium-99	pCi/L	MW404-PRT4 (RGA)	05/18/17	FALSE	5.19	900
Technetium-99	pCi/L	MW404-PRT4 (RGA)	04/30/19	FALSE	-1.94	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW404-PRT4 (RGA)	06/04/13	TRUE	3.6	5
Trichloroethene	ug/L	MW404-PRT4 (RGA)	06/17/15	TRUE	7.34	5
Trichloroethene	ug/L	MW404-PRT4 (RGA)	05/18/17	TRUE	3.81	5
Trichloroethene	ug/L	MW404-PRT4 (RGA)	04/30/19	TRUE	2.4	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW405-PRT5 (RGA)	06/20/12	FALSE	-4.94	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	09/20/12	FALSE	17.9	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	12/28/12	TRUE	27.7	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	09/16/13	TRUE	70.4	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	12/18/13	TRUE	59.1	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	03/26/14	TRUE	33.1	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	06/16/14	TRUE	63.8	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	09/16/14	TRUE	50	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	12/02/14	TRUE	79.8	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	03/30/15	TRUE	41.8	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	06/12/15	TRUE	41.9	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	09/15/15	FALSE	-6.41	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	12/09/15	TRUE	32.5	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	03/23/16	FALSE	10.5	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	06/07/16	TRUE	29.5	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	09/22/16	FALSE	-1.98	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	12/13/16	FALSE	13.9	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	03/09/17	FALSE	7.61	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	05/24/17	FALSE	12.1	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	06/12/17	FALSE	-1.71	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	09/12/17	FALSE	5.3	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	12/18/17	FALSE	-0.144	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	03/19/18	FALSE	12.9	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	05/16/18	FALSE	17.8	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	09/26/18	FALSE	1.67	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	12/18/18	FALSE	4.42	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	03/20/19	TRUE	42.4	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	05/14/19	TRUE	56.2	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	06/18/19	TRUE	46.4	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	09/18/19	TRUE	26.8	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	12/12/19	TRUE	35.8	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	03/20/20	TRUE	56	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	06/10/20	FALSE	22.9	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	09/24/20	FALSE	17.7	900
Technetium-99	pCi/L	MW405-PRT5 (RGA)	12/09/20	TRUE	51.9	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW405-PRT5 (RGA)	06/20/12	TRUE	97000	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	09/20/12	TRUE	90000	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	12/28/12	TRUE	41000	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	09/16/13	TRUE	19000	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	12/18/13	TRUE	7400	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	03/26/14	TRUE	13000	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	06/16/14	TRUE	1190	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	09/16/14	TRUE	261	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	12/02/14	TRUE	481	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	03/30/15	TRUE	1000	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	06/12/15	TRUE	4270	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	09/15/15	TRUE	622	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	12/09/15	TRUE	663	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	03/23/16	TRUE	2930	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	06/07/16	TRUE	2180	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	09/22/16	TRUE	1130	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	12/13/16	TRUE	393	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	03/09/17	TRUE	784	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	05/24/17	TRUE	358	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	06/12/17	TRUE	125	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	09/12/17	TRUE	96	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	12/18/17	TRUE	396	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	03/19/18	TRUE	562	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	05/16/18	TRUE	874	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	09/26/18	TRUE	184	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	12/18/18	TRUE	204	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	03/20/19	TRUE	4470	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	05/14/19	TRUE	5530	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	06/18/19	TRUE	1690	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	09/18/19	TRUE	1610	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	12/12/19	TRUE	1590	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	03/20/20	TRUE	1360	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	06/10/20	TRUE	586	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	09/24/20	TRUE	111	5
Trichloroethene	ug/L	MW405-PRT5 (RGA)	12/09/20	TRUE	296	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW405-PRT6 (RGA)	03/15/12	FALSE	0.425	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW405-PRT6 (RGA)	03/15/12	TRUE	110000	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW406-PRT5 (RGA)	12/28/11	TRUE	51.5	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	03/15/12	TRUE	48.6	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	06/20/12	FALSE	17.5	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	09/20/12	TRUE	23.5	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	12/28/12	FALSE	4.01	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	03/27/13	FALSE	7.56	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	09/16/13	TRUE	35.5	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	12/18/13	TRUE	26.5	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	03/26/14	TRUE	55.9	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	06/16/14	TRUE	32.5	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	09/16/14	TRUE	30.1	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	12/02/14	TRUE	52	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	03/30/15	TRUE	68.6	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	06/12/15	TRUE	47.1	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	09/15/15	FALSE	18.3	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	12/09/15	TRUE	74.3	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	03/23/16	TRUE	49	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	06/07/16	TRUE	52.7	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	09/22/16	FALSE	9.62	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	12/13/16	FALSE	-0.0598	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	03/09/17	FALSE	5.12	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	05/24/17	TRUE	23.6	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	06/12/17	FALSE	4.63	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	09/12/17	FALSE	8.05	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	12/18/17	FALSE	-2.88	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	03/19/18	FALSE	2.75	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	05/16/18	FALSE	16.2	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	09/26/18	FALSE	-4.57	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	12/18/18	FALSE	-2.89	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	03/20/19	FALSE	15.2	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	05/14/19	FALSE	-7.15	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	06/18/19	FALSE	12.5	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	09/18/19	FALSE	-5.14	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	12/12/19	FALSE	5.79	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	03/20/20	FALSE	3.8	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	06/10/20	FALSE	-6.48	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	09/24/20	FALSE	11.8	900
Technetium-99	pCi/L	MW406-PRT5 (RGA)	12/09/20	FALSE	6.97	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW406-PRT5 (RGA)	12/28/11	TRUE	24000	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	03/15/12	TRUE	10000	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	06/20/12	TRUE	5100	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	09/20/12	TRUE	4800	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	12/28/12	TRUE	1200	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	03/27/13	TRUE	940	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	09/16/13	TRUE	9600	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	12/18/13	TRUE	790	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	03/26/14	TRUE	460	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	06/16/14	TRUE	95.4	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	09/16/14	TRUE	812	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	12/02/14	TRUE	2290	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	03/30/15	TRUE	183	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	06/12/15	TRUE	111	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	09/15/15	TRUE	12500	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	12/09/15	TRUE	2660	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	03/23/16	TRUE	4120	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	06/07/16	TRUE	9270	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	09/22/16	TRUE	12400	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	12/13/16	TRUE	7960	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	03/09/17	TRUE	15500	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	05/24/17	TRUE	1390	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	06/12/17	TRUE	13000	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	09/12/17	TRUE	5760	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	12/18/17	TRUE	4810	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	03/19/18	TRUE	6210	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	05/16/18	TRUE	5740	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	09/26/18	TRUE	6540	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	12/18/18	TRUE	4370	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	03/20/19	TRUE	6650	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	05/14/19	TRUE	9370	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	06/18/19	TRUE	3350	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	09/18/19	TRUE	5460	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	12/12/19	TRUE	1540	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	03/20/20	TRUE	4000	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	06/10/20	TRUE	1320	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	09/24/20	TRUE	975	5
Trichloroethene	ug/L	MW406-PRT5 (RGA)	12/09/20	TRUE	473	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW407-PRT4 (RGA)	12/28/11	FALSE	5.26	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	03/14/12	FALSE	-5.15	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	06/20/12	FALSE	8.61	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	09/20/12	FALSE	-10.2	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	12/28/12	FALSE	0.433	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	03/27/13	FALSE	0.435	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	09/16/13	FALSE	13.4	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	12/18/13	FALSE	3.81	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	03/26/14	TRUE	67.6	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	06/16/14	TRUE	58.3	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	09/16/14	FALSE	11.5	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	12/02/14	FALSE	2.74	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	03/30/15	TRUE	45.8	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	06/12/15	FALSE	11.6	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	09/15/15	TRUE	55.1	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	12/09/15	TRUE	81	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	03/23/16	TRUE	57.6	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	06/07/16	TRUE	115	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	09/22/16	TRUE	50.6	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	12/13/16	TRUE	65.2	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	03/09/17	TRUE	54.3	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	05/24/17	TRUE	53.1	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	06/12/17	TRUE	49.4	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	09/12/17	TRUE	59.4	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	12/18/17	TRUE	37.5	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	03/19/18	TRUE	29.9	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	05/16/18	TRUE	29.4	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	09/26/18	FALSE	-2.75	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	12/18/18	FALSE	7.99	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	03/20/19	FALSE	15.3	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	05/14/19	TRUE	29.7	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	06/18/19	TRUE	28	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	09/18/19	FALSE	12	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	12/12/19	FALSE	-13.3	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	03/20/20	FALSE	12.5	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	06/10/20	FALSE	9.11	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	09/24/20	FALSE	9.31	900
Technetium-99	pCi/L	MW407-PRT4 (RGA)	12/09/20	TRUE	25.8	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW407-PRT4 (RGA)	12/28/11	TRUE	4900	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	03/14/12	TRUE	14000	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	06/20/12	TRUE	13000	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	09/20/12	TRUE	13000	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	12/28/12	TRUE	7000	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	03/27/13	TRUE	14000	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	09/16/13	TRUE	24000	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	12/18/13	TRUE	7000	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	03/26/14	TRUE	2300	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	06/16/14	TRUE	32100	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	09/16/14	TRUE	23800	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	12/02/14	TRUE	13900	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	03/30/15	TRUE	10300	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	06/12/15	TRUE	18600	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	09/15/15	TRUE	671	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	12/09/15	TRUE	544	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	03/23/16	TRUE	3300	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	06/07/16	TRUE	9180	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	09/22/16	TRUE	9990	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	12/13/16	TRUE	2100	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	03/09/17	TRUE	2810	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	05/24/17	TRUE	3710	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	06/12/17	TRUE	2960	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	09/12/17	TRUE	2160	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	12/18/17	TRUE	468	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	03/19/18	TRUE	696	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	05/16/18	TRUE	1360	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	09/26/18	TRUE	385	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	12/18/18	TRUE	97.1	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	03/20/19	TRUE	1190	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	05/14/19	TRUE	6590	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	06/18/19	TRUE	2880	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	09/18/19	TRUE	1170	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	12/12/19	TRUE	1010	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	03/20/20	TRUE	588	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	06/10/20	TRUE	824	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	09/24/20	TRUE	372	5
Trichloroethene	ug/L	MW407-PRT4 (RGA)	12/09/20	TRUE	7470	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW408-PRT5 (RGA)	12/14/11	TRUE	23.2	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	06/20/12	FALSE	1.58	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	09/20/12	FALSE	-1.7	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	12/28/12	FALSE	4.33	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	03/27/13	FALSE	7.73	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	09/16/13	TRUE	52.9	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	12/18/13	FALSE	8.07	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	03/26/14	TRUE	67.7	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	06/16/14	TRUE	111	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	08/13/14	TRUE	88.2	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	09/03/14	TRUE	102	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	09/16/14	TRUE	63	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	12/02/14	TRUE	93.7	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	03/30/15	TRUE	103	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	06/12/15	TRUE	43.1	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	09/15/15	TRUE	51.5	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	12/09/15	TRUE	39.5	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	03/23/16	TRUE	24.5	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	06/07/16	TRUE	71.6	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	09/22/16	FALSE	15.4	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	12/13/16	TRUE	20.9	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	03/09/17	TRUE	24.8	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	05/24/17	TRUE	31.5	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	06/12/17	FALSE	14.5	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	09/12/17	TRUE	17.1	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	12/18/17	FALSE	4.89	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	03/19/18	FALSE	8.91	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	05/16/18	TRUE	24.5	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	09/26/18	FALSE	2.41	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	12/18/18	FALSE	4.18	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	03/20/19	FALSE	15.1	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	05/14/19	FALSE	0.209	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	06/18/19	FALSE	9.66	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	09/18/19	FALSE	1.37	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	12/12/19	FALSE	12.2	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	03/20/20	FALSE	7.09	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	06/10/20	FALSE	8.12	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	09/24/20	FALSE	4.49	900
Technetium-99	pCi/L	MW408-PRT5 (RGA)	12/09/20	FALSE	8.69	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW408-PRT5 (RGA)	12/14/11	TRUE	71000	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	06/20/12	TRUE	390000	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	09/20/12	TRUE	1400000	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	12/28/12	TRUE	1100000	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	03/27/13	TRUE	480000	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	09/16/13	TRUE	97000	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	12/18/13	TRUE	65000	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	03/26/14	TRUE	7700	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	06/16/14	TRUE	2560	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	08/13/14	TRUE	6000	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	09/03/14	TRUE	110	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	09/16/14	TRUE	49.1	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	12/02/14	TRUE	37.6	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	03/30/15	TRUE	234	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	06/12/15	TRUE	8990	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	09/15/15	TRUE	115	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	12/09/15	TRUE	52.4	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	03/23/16	TRUE	665	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	06/07/16	TRUE	371	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	09/22/16	TRUE	207	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	12/13/16	TRUE	86.2	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	03/09/17	TRUE	168	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	05/24/17	TRUE	59.8	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	06/12/17	TRUE	56.9	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	09/12/17	TRUE	97.9	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	12/18/17	FALSE	1	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	03/19/18	TRUE	194	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	05/16/18	TRUE	148	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	09/26/18	TRUE	109	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	12/18/18	TRUE	41.2	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	03/20/19	TRUE	560	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	05/14/19	TRUE	284	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	06/18/19	TRUE	216	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	09/18/19	TRUE	186	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	12/12/19	TRUE	41600	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	03/20/20	TRUE	113	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	06/10/20	TRUE	188	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	09/24/20	TRUE	105	5
Trichloroethene	ug/L	MW408-PRT5 (RGA)	12/09/20	TRUE	145	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW408-PRT6 (RGA)	03/14/12	FALSE	5.34	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW408-PRT6 (RGA)	03/14/12	TRUE	360000	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW409 (RGA)	03/04/10	FALSE	-6.22	900
Technetium-99	pCi/L	MW409 (RGA)	06/04/10	FALSE	2.07	900
Technetium-99	pCi/L	MW409 (RGA)	08/26/10	FALSE	3.91	900
Technetium-99	pCi/L	MW409 (RGA)	05/17/11	FALSE	-18.5	900
Technetium-99	pCi/L	MW409 (RGA)	05/07/12	FALSE	-0.38	900
Technetium-99	pCi/L	MW409 (RGA)	11/14/13	FALSE	-2.05	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW409 (RGA)	03/04/10	FALSE	1	5
Trichloroethene	ug/L	MW409 (RGA)	06/04/10	FALSE	1	5
Trichloroethene	ug/L	MW409 (RGA)	08/26/10	FALSE	1	5
Trichloroethene	ug/L	MW409 (RGA)	12/15/10	FALSE	1	5
Trichloroethene	ug/L	MW409 (RGA)	02/01/11	FALSE	1	5
Trichloroethene	ug/L	MW409 (RGA)	05/04/11	FALSE	1	5
Trichloroethene	ug/L	MW409 (RGA)	05/17/11	TRUE	2.2	5
Trichloroethene	ug/L	MW409 (RGA)	08/16/11	FALSE	1	5
Trichloroethene	ug/L	MW409 (RGA)	11/01/11	FALSE	1	5
Trichloroethene	ug/L	MW409 (RGA)	02/07/12	FALSE	1	5
Trichloroethene	ug/L	MW409 (RGA)	05/07/12	FALSE	1	5
Trichloroethene	ug/L	MW409 (RGA)	11/14/13	FALSE	1	5
Trichloroethene	ug/L	MW409 (RGA)	02/19/14	FALSE	1	5
Trichloroethene	ug/L	MW409 (RGA)	08/27/14	FALSE	1	5
Trichloroethene	ug/L	MW409 (RGA)	02/09/15	FALSE	1	5
Trichloroethene	ug/L	MW409 (RGA)	08/24/15	FALSE	1	5
Trichloroethene	ug/L	MW409 (RGA)	02/09/16	TRUE	0.31	5
Trichloroethene	ug/L	MW409 (RGA)	08/18/16	FALSE	1	5
Trichloroethene	ug/L	MW409 (RGA)	02/21/17	FALSE	1	5
Trichloroethene	ug/L	MW409 (RGA)	08/02/17	FALSE	1	5
Trichloroethene	ug/L	MW409 (RGA)	02/26/18	FALSE	1	5
Trichloroethene	ug/L	MW409 (RGA)	08/28/18	TRUE	0.37	5
Trichloroethene	ug/L	MW409 (RGA)	03/21/19	FALSE	1	5
Trichloroethene	ug/L	MW409 (RGA)	09/17/19	FALSE	1	5
Trichloroethene	ug/L	MW409 (RGA)	03/30/20	FALSE	1	5
Trichloroethene	ug/L	MW409 (RGA)	09/16/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW410 (RGA)	03/04/10	FALSE	-11.8	900
Technetium-99	pCi/L	MW410 (RGA)	06/04/10	FALSE	-2.9	900
Technetium-99	pCi/L	MW410 (RGA)	08/26/10	FALSE	9.81	900
Technetium-99	pCi/L	MW410 (RGA)	05/17/11	FALSE	-9.75	900
Technetium-99	pCi/L	MW410 (RGA)	05/07/12	FALSE	0.0543	900
Technetium-99	pCi/L	MW410 (RGA)	11/14/13	FALSE	6.25	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW410 (RGA)	03/04/10	FALSE	1	5
Trichloroethene	ug/L	MW410 (RGA)	06/04/10	FALSE	1	5
Trichloroethene	ug/L	MW410 (RGA)	08/26/10	FALSE	1	5
Trichloroethene	ug/L	MW410 (RGA)	12/15/10	TRUE	1.2	5
Trichloroethene	ug/L	MW410 (RGA)	02/01/11	FALSE	1	5
Trichloroethene	ug/L	MW410 (RGA)	05/04/11	FALSE	1	5
Trichloroethene	ug/L	MW410 (RGA)	05/17/11	TRUE	1.1	5
Trichloroethene	ug/L	MW410 (RGA)	08/16/11	FALSE	1	5
Trichloroethene	ug/L	MW410 (RGA)	11/01/11	FALSE	1	5
Trichloroethene	ug/L	MW410 (RGA)	02/06/12	FALSE	1	5
Trichloroethene	ug/L	MW410 (RGA)	05/07/12	FALSE	1	5
Trichloroethene	ug/L	MW410 (RGA)	11/14/13	FALSE	1	5
Trichloroethene	ug/L	MW410 (RGA)	02/19/14	FALSE	1	5
Trichloroethene	ug/L	MW410 (RGA)	08/27/14	FALSE	1	5
Trichloroethene	ug/L	MW410 (RGA)	02/09/15	FALSE	1	5
Trichloroethene	ug/L	MW410 (RGA)	08/24/15	FALSE	1	5
Trichloroethene	ug/L	MW410 (RGA)	02/17/16	FALSE	1	5
Trichloroethene	ug/L	MW410 (RGA)	08/18/16	FALSE	1	5
Trichloroethene	ug/L	MW410 (RGA)	02/21/17	FALSE	1	5
Trichloroethene	ug/L	MW410 (RGA)	08/02/17	FALSE	1	5
Trichloroethene	ug/L	MW410 (RGA)	02/26/18	FALSE	1	5
Trichloroethene	ug/L	MW410 (RGA)	08/28/18	FALSE	1	5
Trichloroethene	ug/L	MW410 (RGA)	03/21/19	FALSE	1	5
Trichloroethene	ug/L	MW410 (RGA)	09/17/19	FALSE	1	5
Trichloroethene	ug/L	MW410 (RGA)	03/30/20	FALSE	1	5
Trichloroethene	ug/L	MW410 (RGA)	09/22/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW411 (RGA)	05/17/12	FALSE	6.8	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW411 (RGA)	11/01/11	FALSE	1	5
Trichloroethene	ug/L	MW411 (RGA)	02/06/12	FALSE	1	5
Trichloroethene	ug/L	MW411 (RGA)	05/17/12	FALSE	1	5
Trichloroethene	ug/L	MW411 (RGA)	02/11/13	FALSE	1	5
Trichloroethene	ug/L	MW411 (RGA)	02/19/14	FALSE	1	5
Trichloroethene	ug/L	MW411 (RGA)	08/27/14	FALSE	1	5
Trichloroethene	ug/L	MW411 (RGA)	02/09/15	FALSE	1	5
Trichloroethene	ug/L	MW411 (RGA)	08/24/15	FALSE	1	5
Trichloroethene	ug/L	MW411 (RGA)	02/17/16	FALSE	1	5
Trichloroethene	ug/L	MW411 (RGA)	08/18/16	FALSE	1	5
Trichloroethene	ug/L	MW411 (RGA)	02/21/17	FALSE	1	5
Trichloroethene	ug/L	MW411 (RGA)	08/30/17	FALSE	1	5
Trichloroethene	ug/L	MW411 (RGA)	02/26/18	FALSE	1	5
Trichloroethene	ug/L	MW411 (RGA)	08/28/18	FALSE	1	5
Trichloroethene	ug/L	MW411 (RGA)	03/30/20	FALSE	1	5
Trichloroethene	ug/L	MW411 (RGA)	09/17/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW414 (RGA)	03/09/10	TRUE	203	900
Technetium-99	pCi/L	MW414 (RGA)	09/08/10	TRUE	343	900
Technetium-99	pCi/L	MW414 (RGA)	05/11/11	TRUE	122	900
Technetium-99	pCi/L	MW414 (RGA)	05/14/13	TRUE	86.2	900
Technetium-99	pCi/L	MW414 (RGA)	06/02/15	TRUE	73.4	900
Technetium-99	pCi/L	MW414 (RGA)	05/19/17	TRUE	48.5	900
Technetium-99	pCi/L	MW414 (RGA)	05/07/19	TRUE	80	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW414 (RGA)	03/09/10	TRUE	1800	5
Trichloroethene	ug/L	MW414 (RGA)	09/08/10	TRUE	2800	5
Trichloroethene	ug/L	MW414 (RGA)	05/11/11	TRUE	1500	5
Trichloroethene	ug/L	MW414 (RGA)	05/14/13	TRUE	1300	5
Trichloroethene	ug/L	MW414 (RGA)	06/02/15	TRUE	941	5
Trichloroethene	ug/L	MW414 (RGA)	05/19/17	TRUE	873	5
Trichloroethene	ug/L	MW414 (RGA)	05/07/19	TRUE	1310	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW415 (RGA)	03/09/10	FALSE	10.3	900
Technetium-99	pCi/L	MW415 (RGA)	09/08/10	TRUE	32.2	900
Technetium-99	pCi/L	MW415 (RGA)	05/11/11	TRUE	43.8	900
Technetium-99	pCi/L	MW415 (RGA)	05/14/13	TRUE	27.9	900
Technetium-99	pCi/L	MW415 (RGA)	06/02/15	FALSE	21.7	900
Technetium-99	pCi/L	MW415 (RGA)	05/19/17	TRUE	36.3	900
Technetium-99	pCi/L	MW415 (RGA)	05/07/19	FALSE	10.1	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW415 (RGA)	03/09/10	TRUE	580	5
Trichloroethene	ug/L	MW415 (RGA)	09/08/10	TRUE	840	5
Trichloroethene	ug/L	MW415 (RGA)	05/11/11	TRUE	1100	5
Trichloroethene	ug/L	MW415 (RGA)	05/14/13	TRUE	370	5
Trichloroethene	ug/L	MW415 (RGA)	06/02/15	TRUE	460	5
Trichloroethene	ug/L	MW415 (RGA)	05/19/17	TRUE	924	5
Trichloroethene	ug/L	MW415 (RGA)	05/07/19	TRUE	1980	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW416 (RGA)	03/09/10	TRUE	129	900
Technetium-99	pCi/L	MW416 (RGA)	09/07/10	TRUE	148	900
Technetium-99	pCi/L	MW416 (RGA)	05/11/11	TRUE	50.4	900
Technetium-99	pCi/L	MW416 (RGA)	05/14/13	TRUE	42.1	900
Technetium-99	pCi/L	MW416 (RGA)	06/02/15	TRUE	50.8	900
Technetium-99	pCi/L	MW416 (RGA)	05/19/17	FALSE	16.2	900
Technetium-99	pCi/L	MW416 (RGA)	05/07/19	TRUE	19.3	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW416 (RGA)	03/09/10	TRUE	340	5
Trichloroethene	ug/L	MW416 (RGA)	09/07/10	TRUE	480	5
Trichloroethene	ug/L	MW416 (RGA)	05/11/11	TRUE	240	5
Trichloroethene	ug/L	MW416 (RGA)	05/14/13	TRUE	190	5
Trichloroethene	ug/L	MW416 (RGA)	06/02/15	TRUE	211	5
Trichloroethene	ug/L	MW416 (RGA)	05/19/17	TRUE	148	5
Trichloroethene	ug/L	MW416 (RGA)	05/07/19	TRUE	1010	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW417 (RGA)	03/09/10	TRUE	25	900
Technetium-99	pCi/L	MW417 (RGA)	09/07/10	TRUE	36.6	900
Technetium-99	pCi/L	MW417 (RGA)	05/11/11	TRUE	48.3	900
Technetium-99	pCi/L	MW417 (RGA)	05/14/13	TRUE	19.8	900
Technetium-99	pCi/L	MW417 (RGA)	06/02/15	FALSE	10	900
Technetium-99	pCi/L	MW417 (RGA)	05/19/17	FALSE	0.172	900
Technetium-99	pCi/L	MW417 (RGA)	05/07/19	FALSE	9.92	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW417 (RGA)	03/09/10	TRUE	140	5
Trichloroethene	ug/L	MW417 (RGA)	09/07/10	TRUE	100	5
Trichloroethene	ug/L	MW417 (RGA)	05/11/11	TRUE	120	5
Trichloroethene	ug/L	MW417 (RGA)	05/14/13	TRUE	82	5
Trichloroethene	ug/L	MW417 (RGA)	06/02/15	TRUE	107	5
Trichloroethene	ug/L	MW417 (RGA)	05/19/17	TRUE	80.2	5
Trichloroethene	ug/L	MW417 (RGA)	05/07/19	TRUE	126	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW418 (RGA)	03/08/10	FALSE	-5.56	900
Technetium-99	pCi/L	MW418 (RGA)	08/23/10	FALSE	-3.01	900
Technetium-99	pCi/L	MW418 (RGA)	06/28/11	FALSE	-1.18	900
Technetium-99	pCi/L	MW418 (RGA)	05/03/12	FALSE	-2.65	900
Technetium-99	pCi/L	MW418 (RGA)	05/13/13	TRUE	17.7	900
Technetium-99	pCi/L	MW418 (RGA)	05/19/14	FALSE	-10.7	900
Technetium-99	pCi/L	MW418 (RGA)	05/11/15	FALSE	3.93	900
Technetium-99	pCi/L	MW418 (RGA)	05/18/16	FALSE	1.02	900
Technetium-99	pCi/L	MW418 (RGA)	05/22/17	FALSE	4.91	900
Technetium-99	pCi/L	MW418 (RGA)	05/14/18	FALSE	6.01	900
Technetium-99	pCi/L	MW418 (RGA)	05/15/19	FALSE	3.99	900
Technetium-99	pCi/L	MW418 (RGA)	05/14/20	FALSE	9.92	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW418 (RGA)	03/08/10	TRUE	7.8	5
Trichloroethene	ug/L	MW418 (RGA)	08/23/10	TRUE	7.6	5
Trichloroethene	ug/L	MW418 (RGA)	06/28/11	TRUE	9.4	5
Trichloroethene	ug/L	MW418 (RGA)	05/03/12	TRUE	8.6	5
Trichloroethene	ug/L	MW418 (RGA)	05/13/13	TRUE	8.3	5
Trichloroethene	ug/L	MW418 (RGA)	05/19/14	TRUE	6.97	5
Trichloroethene	ug/L	MW418 (RGA)	05/11/15	TRUE	7.38	5
Trichloroethene	ug/L	MW418 (RGA)	05/18/16	TRUE	7.85	5
Trichloroethene	ug/L	MW418 (RGA)	05/22/17	TRUE	5.2	5
Trichloroethene	ug/L	MW418 (RGA)	05/14/18	TRUE	10.8	5
Trichloroethene	ug/L	MW418 (RGA)	05/15/19	TRUE	4.67	5
Trichloroethene	ug/L	MW418 (RGA)	05/14/20	TRUE	7.42	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW419 (RGA)	03/08/10	FALSE	-7.74	900
Technetium-99	pCi/L	MW419 (RGA)	08/23/10	FALSE	1.25	900
Technetium-99	pCi/L	MW419 (RGA)	06/28/11	FALSE	1.57	900
Technetium-99	pCi/L	MW419 (RGA)	05/03/12	FALSE	16.3	900
Technetium-99	pCi/L	MW419 (RGA)	05/13/13	FALSE	11.7	900
Technetium-99	pCi/L	MW419 (RGA)	05/19/14	FALSE	-5.25	900
Technetium-99	pCi/L	MW419 (RGA)	05/11/15	FALSE	10.2	900
Technetium-99	pCi/L	MW419 (RGA)	05/18/16	FALSE	-3.59	900
Technetium-99	pCi/L	MW419 (RGA)	05/22/17	FALSE	8.16	900
Technetium-99	pCi/L	MW419 (RGA)	05/14/18	FALSE	8.93	900
Technetium-99	pCi/L	MW419 (RGA)	05/15/19	FALSE	8.54	900
Technetium-99	pCi/L	MW419 (RGA)	05/14/20	FALSE	10.6	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW419 (RGA)	03/08/10	TRUE	12	5
Trichloroethene	ug/L	MW419 (RGA)	08/23/10	TRUE	9.7	5
Trichloroethene	ug/L	MW419 (RGA)	06/28/11	TRUE	24	5
Trichloroethene	ug/L	MW419 (RGA)	05/03/12	TRUE	25	5
Trichloroethene	ug/L	MW419 (RGA)	05/13/13	TRUE	22	5
Trichloroethene	ug/L	MW419 (RGA)	05/19/14	TRUE	22.2	5
Trichloroethene	ug/L	MW419 (RGA)	05/11/15	TRUE	18.8	5
Trichloroethene	ug/L	MW419 (RGA)	05/18/16	TRUE	19.5	5
Trichloroethene	ug/L	MW419 (RGA)	05/22/17	TRUE	12	5
Trichloroethene	ug/L	MW419 (RGA)	05/14/18	TRUE	17.1	5
Trichloroethene	ug/L	MW419 (RGA)	05/15/19	TRUE	0.41	5
Trichloroethene	ug/L	MW419 (RGA)	05/14/20	TRUE	11.9	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW420 (RGA)	01/25/10	TRUE	38.4	900
Technetium-99	pCi/L	MW420 (RGA)	04/27/10	TRUE	43.4	900
Technetium-99	pCi/L	MW420 (RGA)	07/13/10	TRUE	19.8	900
Technetium-99	pCi/L	MW420 (RGA)	01/03/11	TRUE	45.3	900
Technetium-99	pCi/L	MW420 (RGA)	07/26/11	TRUE	35.3	900
Technetium-99	pCi/L	MW420 (RGA)	01/25/12	FALSE	13.1	900
Technetium-99	pCi/L	MW420 (RGA)	01/25/12	TRUE	32.6	900
Technetium-99	pCi/L	MW420 (RGA)	07/24/12	FALSE	9.73	900
Technetium-99	pCi/L	MW420 (RGA)	01/22/13	TRUE	49.1	900
Technetium-99	pCi/L	MW420 (RGA)	08/13/13	TRUE	17.9	900
Technetium-99	pCi/L	MW420 (RGA)	01/09/14	FALSE	15.2	900
Technetium-99	pCi/L	MW420 (RGA)	01/09/14	TRUE	16.8	900
Technetium-99	pCi/L	MW420 (RGA)	07/22/14	FALSE	6.67	900
Technetium-99	pCi/L	MW420 (RGA)	01/22/15	FALSE	7.05	900
Technetium-99	pCi/L	MW420 (RGA)	07/15/15	FALSE	5.36	900
Technetium-99	pCi/L	MW420 (RGA)	01/25/16	FALSE	-3.91	900
Technetium-99	pCi/L	MW420 (RGA)	07/13/16	FALSE	8.3	900
Technetium-99	pCi/L	MW420 (RGA)	01/23/17	FALSE	-3.67	900
Technetium-99	pCi/L	MW420 (RGA)	07/12/17	FALSE	-5.59	900
Technetium-99	pCi/L	MW420 (RGA)	01/09/18	TRUE	21.5	900
Technetium-99	pCi/L	MW420 (RGA)	08/20/18	FALSE	0.33	900
Technetium-99	pCi/L	MW420 (RGA)	01/15/19	FALSE	1.09	900
Technetium-99	pCi/L	MW420 (RGA)	07/22/19	FALSE	4.16	900
Technetium-99	pCi/L	MW420 (RGA)	01/14/20	FALSE	-3.61	900
Technetium-99	pCi/L	MW420 (RGA)	07/14/20	FALSE	1.66	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW420 (RGA)	01/25/10	TRUE	260	5
Trichloroethene	ug/L	MW420 (RGA)	04/27/10	TRUE	200	5
Trichloroethene	ug/L	MW420 (RGA)	07/13/10	TRUE	220	5
Trichloroethene	ug/L	MW420 (RGA)	01/03/11	TRUE	230	5
Trichloroethene	ug/L	MW420 (RGA)	07/26/11	TRUE	290	5
Trichloroethene	ug/L	MW420 (RGA)	01/25/12	TRUE	280	5
Trichloroethene	ug/L	MW420 (RGA)	07/24/12	TRUE	210	5
Trichloroethene	ug/L	MW420 (RGA)	01/22/13	TRUE	190	5
Trichloroethene	ug/L	MW420 (RGA)	08/13/13	TRUE	230	5
Trichloroethene	ug/L	MW420 (RGA)	01/09/14	TRUE	290	5
Trichloroethene	ug/L	MW420 (RGA)	07/22/14	TRUE	203	5
Trichloroethene	ug/L	MW420 (RGA)	01/22/15	TRUE	208	5
Trichloroethene	ug/L	MW420 (RGA)	07/15/15	TRUE	191	5
Trichloroethene	ug/L	MW420 (RGA)	01/25/16	TRUE	222	5
Trichloroethene	ug/L	MW420 (RGA)	07/13/16	TRUE	169	5
Trichloroethene	ug/L	MW420 (RGA)	01/23/17	TRUE	274	5
Trichloroethene	ug/L	MW420 (RGA)	07/12/17	TRUE	264	5
Trichloroethene	ug/L	MW420 (RGA)	01/09/18	TRUE	232	5
Trichloroethene	ug/L	MW420 (RGA)	08/20/18	TRUE	476	5
Trichloroethene	ug/L	MW420 (RGA)	01/15/19	TRUE	601	5
Trichloroethene	ug/L	MW420 (RGA)	07/22/19	TRUE	600	5
Trichloroethene	ug/L	MW420 (RGA)	01/14/20	TRUE	1090	5
Trichloroethene	ug/L	MW420 (RGA)	07/14/20	TRUE	1340	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW421-PRT1 (RGA)	03/23/10	TRUE	1780	900
Technetium-99	pCi/L	MW421-PRT1 (RGA)	06/23/10	TRUE	2340	900
Technetium-99	pCi/L	MW421-PRT1 (RGA)	09/21/10	TRUE	1190	900
Technetium-99	pCi/L	MW421-PRT1 (RGA)	12/14/10	TRUE	916	900
Technetium-99	pCi/L	MW421-PRT1 (RGA)	03/23/11	TRUE	859	900
Technetium-99	pCi/L	MW421-PRT1 (RGA)	06/22/11	TRUE	3930	900
Technetium-99	pCi/L	MW421-PRT1 (RGA)	09/12/11	TRUE	2500	900
Technetium-99	pCi/L	MW421-PRT1 (RGA)	03/19/13	TRUE	912	900
Technetium-99	pCi/L	MW421-PRT1 (RGA)	09/17/13	TRUE	1750	900
Technetium-99	pCi/L	MW421-PRT1 (RGA)	03/19/14	TRUE	761	900
Technetium-99	pCi/L	MW421-PRT1 (RGA)	09/10/14	TRUE	944	900
Technetium-99	pCi/L	MW421-PRT1 (RGA)	03/24/15	TRUE	892	900
Technetium-99	pCi/L	MW421-PRT1 (RGA)	03/21/16	TRUE	4160	900
Technetium-99	pCi/L	MW421-PRT1 (RGA)	09/19/16	TRUE	1750	900
Technetium-99	pCi/L	MW421-PRT1 (RGA)	03/07/17	TRUE	898	900
Technetium-99	pCi/L	MW421-PRT1 (RGA)	09/11/17	TRUE	1500	900
Technetium-99	pCi/L	MW421-PRT1 (RGA)	03/14/18	TRUE	770	900
Technetium-99	pCi/L	MW421-PRT1 (RGA)	09/24/18	TRUE	4500	900
Technetium-99	pCi/L	MW421-PRT1 (RGA)	03/19/19	TRUE	6210	900
Technetium-99	pCi/L	MW421-PRT1 (RGA)	09/10/19	TRUE	4000	900
Technetium-99	pCi/L	MW421-PRT1 (RGA)	03/11/20	TRUE	2990	900
Technetium-99	pCi/L	MW421-PRT1 (RGA)	09/21/20	TRUE	2560	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW421-PRT1 (RGA)	03/23/10	TRUE	24000	5
Trichloroethene	ug/L	MW421-PRT1 (RGA)	06/23/10	TRUE	58000	5
Trichloroethene	ug/L	MW421-PRT1 (RGA)	09/21/10	TRUE	34000	5
Trichloroethene	ug/L	MW421-PRT1 (RGA)	12/14/10	TRUE	28000	5
Trichloroethene	ug/L	MW421-PRT1 (RGA)	03/23/11	TRUE	28000	5
Trichloroethene	ug/L	MW421-PRT1 (RGA)	06/22/11	TRUE	29000	5
Trichloroethene	ug/L	MW421-PRT1 (RGA)	09/12/11	TRUE	32000	5
Trichloroethene	ug/L	MW421-PRT1 (RGA)	03/19/13	TRUE	26000	5
Trichloroethene	ug/L	MW421-PRT1 (RGA)	09/17/13	TRUE	34000	5
Trichloroethene	ug/L	MW421-PRT1 (RGA)	03/19/14	TRUE	31000	5
Trichloroethene	ug/L	MW421-PRT1 (RGA)	09/10/14	TRUE	26000	5
Trichloroethene	ug/L	MW421-PRT1 (RGA)	03/24/15	TRUE	19300	5
Trichloroethene	ug/L	MW421-PRT1 (RGA)	03/21/16	TRUE	9860	5
Trichloroethene	ug/L	MW421-PRT1 (RGA)	09/19/16	TRUE	10300	5
Trichloroethene	ug/L	MW421-PRT1 (RGA)	03/07/17	TRUE	9260	5
Trichloroethene	ug/L	MW421-PRT1 (RGA)	09/11/17	TRUE	9440	5
Trichloroethene	ug/L	MW421-PRT1 (RGA)	03/14/18	TRUE	4980	5
Trichloroethene	ug/L	MW421-PRT1 (RGA)	09/24/18	TRUE	4510	5
Trichloroethene	ug/L	MW421-PRT1 (RGA)	03/19/19	TRUE	6210	5
Trichloroethene	ug/L	MW421-PRT1 (RGA)	09/16/19	TRUE	7260	5
Trichloroethene	ug/L	MW421-PRT1 (RGA)	03/11/20	TRUE	8350	5
Trichloroethene	ug/L	MW421-PRT1 (RGA)	09/21/20	TRUE	6260	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW421-PRT2 (RGA)	03/23/10	TRUE	777	900
Technetium-99	pCi/L	MW421-PRT2 (RGA)	06/21/10	TRUE	813	900
Technetium-99	pCi/L	MW421-PRT2 (RGA)	09/21/10	TRUE	416	900
Technetium-99	pCi/L	MW421-PRT2 (RGA)	12/14/10	TRUE	348	900
Technetium-99	pCi/L	MW421-PRT2 (RGA)	03/23/11	TRUE	340	900
Technetium-99	pCi/L	MW421-PRT2 (RGA)	06/22/11	TRUE	996	900
Technetium-99	pCi/L	MW421-PRT2 (RGA)	09/12/11	TRUE	694	900
Technetium-99	pCi/L	MW421-PRT2 (RGA)	03/19/13	TRUE	265	900
Technetium-99	pCi/L	MW421-PRT2 (RGA)	09/17/13	TRUE	377	900
Technetium-99	pCi/L	MW421-PRT2 (RGA)	03/19/14	TRUE	216	900
Technetium-99	pCi/L	MW421-PRT2 (RGA)	09/12/14	TRUE	255	900
Technetium-99	pCi/L	MW421-PRT2 (RGA)	03/24/15	TRUE	249	900
Technetium-99	pCi/L	MW421-PRT2 (RGA)	03/21/16	TRUE	1240	900
Technetium-99	pCi/L	MW421-PRT2 (RGA)	09/19/16	TRUE	609	900
Technetium-99	pCi/L	MW421-PRT2 (RGA)	03/07/17	TRUE	311	900
Technetium-99	pCi/L	MW421-PRT2 (RGA)	09/11/17	TRUE	339	900
Technetium-99	pCi/L	MW421-PRT2 (RGA)	03/14/18	TRUE	219	900
Technetium-99	pCi/L	MW421-PRT2 (RGA)	09/24/18	TRUE	1570	900
Technetium-99	pCi/L	MW421-PRT2 (RGA)	03/19/19	TRUE	3610	900
Technetium-99	pCi/L	MW421-PRT2 (RGA)	09/10/19	TRUE	3420	900
Technetium-99	pCi/L	MW421-PRT2 (RGA)	03/11/20	TRUE	1770	900
Technetium-99	pCi/L	MW421-PRT2 (RGA)	09/21/20	TRUE	933	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW421-PRT2 (RGA)	03/23/10	TRUE	55000	5
Trichloroethene	ug/L	MW421-PRT2 (RGA)	06/21/10	TRUE	51000	5
Trichloroethene	ug/L	MW421-PRT2 (RGA)	09/21/10	TRUE	51000	5
Trichloroethene	ug/L	MW421-PRT2 (RGA)	12/14/10	TRUE	62000	5
Trichloroethene	ug/L	MW421-PRT2 (RGA)	03/23/11	TRUE	62000	5
Trichloroethene	ug/L	MW421-PRT2 (RGA)	06/22/11	TRUE	55000	5
Trichloroethene	ug/L	MW421-PRT2 (RGA)	09/12/11	TRUE	51000	5
Trichloroethene	ug/L	MW421-PRT2 (RGA)	03/19/13	TRUE	56000	5
Trichloroethene	ug/L	MW421-PRT2 (RGA)	09/17/13	TRUE	63000	5
Trichloroethene	ug/L	MW421-PRT2 (RGA)	03/19/14	TRUE	68000	5
Trichloroethene	ug/L	MW421-PRT2 (RGA)	09/12/14	TRUE	58600	5
Trichloroethene	ug/L	MW421-PRT2 (RGA)	03/24/15	TRUE	55900	5
Trichloroethene	ug/L	MW421-PRT2 (RGA)	03/21/16	TRUE	27400	5
Trichloroethene	ug/L	MW421-PRT2 (RGA)	09/19/16	TRUE	24800	5
Trichloroethene	ug/L	MW421-PRT2 (RGA)	03/07/17	TRUE	22400	5
Trichloroethene	ug/L	MW421-PRT2 (RGA)	09/11/17	TRUE	21700	5
Trichloroethene	ug/L	MW421-PRT2 (RGA)	03/14/18	TRUE	40600	5
Trichloroethene	ug/L	MW421-PRT2 (RGA)	09/24/18	TRUE	12800	5
Trichloroethene	ug/L	MW421-PRT2 (RGA)	03/19/19	TRUE	10100	5
Trichloroethene	ug/L	MW421-PRT2 (RGA)	09/16/19	TRUE	12800	5
Trichloroethene	ug/L	MW421-PRT2 (RGA)	03/11/20	TRUE	16800	5
Trichloroethene	ug/L	MW421-PRT2 (RGA)	09/21/20	TRUE	15300	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW421-PRT3 (RGA)	03/23/10	TRUE	376	900
Technetium-99	pCi/L	MW421-PRT3 (RGA)	06/21/10	TRUE	251	900
Technetium-99	pCi/L	MW421-PRT3 (RGA)	09/21/10	TRUE	285	900
Technetium-99	pCi/L	MW421-PRT3 (RGA)	12/14/10	TRUE	278	900
Technetium-99	pCi/L	MW421-PRT3 (RGA)	03/23/11	TRUE	278	900
Technetium-99	pCi/L	MW421-PRT3 (RGA)	06/22/11	TRUE	399	900
Technetium-99	pCi/L	MW421-PRT3 (RGA)	09/12/11	TRUE	313	900
Technetium-99	pCi/L	MW421-PRT3 (RGA)	03/12/12	TRUE	283	900
Technetium-99	pCi/L	MW421-PRT3 (RGA)	09/25/12	TRUE	211	900
Technetium-99	pCi/L	MW421-PRT3 (RGA)	03/19/13	TRUE	216	900
Technetium-99	pCi/L	MW421-PRT3 (RGA)	09/17/13	TRUE	191	900
Technetium-99	pCi/L	MW421-PRT3 (RGA)	03/19/14	TRUE	202	900
Technetium-99	pCi/L	MW421-PRT3 (RGA)	09/12/14	TRUE	181	900
Technetium-99	pCi/L	MW421-PRT3 (RGA)	03/24/15	TRUE	200	900
Technetium-99	pCi/L	MW421-PRT3 (RGA)	03/21/16	TRUE	318	900
Technetium-99	pCi/L	MW421-PRT3 (RGA)	09/19/16	TRUE	261	900
Technetium-99	pCi/L	MW421-PRT3 (RGA)	03/07/17	TRUE	155	900
Technetium-99	pCi/L	MW421-PRT3 (RGA)	09/11/17	TRUE	194	900
Technetium-99	pCi/L	MW421-PRT3 (RGA)	03/14/18	TRUE	180	900
Technetium-99	pCi/L	MW421-PRT3 (RGA)	09/24/18	TRUE	574	900
Technetium-99	pCi/L	MW421-PRT3 (RGA)	03/19/19	TRUE	63.1	900
Technetium-99	pCi/L	MW421-PRT3 (RGA)	09/10/19	TRUE	850	900
Technetium-99	pCi/L	MW421-PRT3 (RGA)	03/11/20	TRUE	485	900
Technetium-99	pCi/L	MW421-PRT3 (RGA)	09/21/20	TRUE	225	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW421-PRT3 (RGA)	03/23/10	TRUE	70000	5
Trichloroethene	ug/L	MW421-PRT3 (RGA)	06/21/10	TRUE	68000	5
Trichloroethene	ug/L	MW421-PRT3 (RGA)	09/21/10	TRUE	64000	5
Trichloroethene	ug/L	MW421-PRT3 (RGA)	12/14/10	TRUE	65000	5
Trichloroethene	ug/L	MW421-PRT3 (RGA)	03/23/11	TRUE	61000	5
Trichloroethene	ug/L	MW421-PRT3 (RGA)	06/22/11	TRUE	72000	5
Trichloroethene	ug/L	MW421-PRT3 (RGA)	09/12/11	TRUE	67000	5
Trichloroethene	ug/L	MW421-PRT3 (RGA)	03/12/12	TRUE	73000	5
Trichloroethene	ug/L	MW421-PRT3 (RGA)	09/25/12	TRUE	96000	5
Trichloroethene	ug/L	MW421-PRT3 (RGA)	03/19/13	TRUE	80000	5
Trichloroethene	ug/L	MW421-PRT3 (RGA)	09/17/13	TRUE	63000	5
Trichloroethene	ug/L	MW421-PRT3 (RGA)	03/19/14	TRUE	67000	5
Trichloroethene	ug/L	MW421-PRT3 (RGA)	09/12/14	TRUE	62800	5
Trichloroethene	ug/L	MW421-PRT3 (RGA)	03/24/15	TRUE	45500	5
Trichloroethene	ug/L	MW421-PRT3 (RGA)	03/21/16	TRUE	49300	5
Trichloroethene	ug/L	MW421-PRT3 (RGA)	09/19/16	TRUE	49500	5
Trichloroethene	ug/L	MW421-PRT3 (RGA)	03/07/17	TRUE	49600	5
Trichloroethene	ug/L	MW421-PRT3 (RGA)	09/11/17	TRUE	42100	5
Trichloroethene	ug/L	MW421-PRT3 (RGA)	03/14/18	TRUE	53200	5
Trichloroethene	ug/L	MW421-PRT3 (RGA)	09/24/18	TRUE	43600	5
Trichloroethene	ug/L	MW421-PRT3 (RGA)	03/19/19	TRUE	25100	5
Trichloroethene	ug/L	MW421-PRT3 (RGA)	09/16/19	TRUE	52800	5
Trichloroethene	ug/L	MW421-PRT3 (RGA)	03/11/20	TRUE	78700	5
Trichloroethene	ug/L	MW421-PRT3 (RGA)	09/21/20	TRUE	57900	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW422-PRT1 (RGA)	03/23/10	TRUE	13400	900
Technetium-99	pCi/L	MW422-PRT1 (RGA)	06/21/10	TRUE	15500	900
Technetium-99	pCi/L	MW422-PRT1 (RGA)	09/20/10	TRUE	12900	900
Technetium-99	pCi/L	MW422-PRT1 (RGA)	12/13/10	TRUE	6610	900
Technetium-99	pCi/L	MW422-PRT1 (RGA)	03/22/11	TRUE	6410	900
Technetium-99	pCi/L	MW422-PRT1 (RGA)	06/15/11	TRUE	9730	900
Technetium-99	pCi/L	MW422-PRT1 (RGA)	09/12/11	TRUE	12300	900
Technetium-99	pCi/L	MW422-PRT1 (RGA)	03/13/13	TRUE	6720	900
Technetium-99	pCi/L	MW422-PRT1 (RGA)	09/17/13	TRUE	14200	900
Technetium-99	pCi/L	MW422-PRT1 (RGA)	03/19/14	TRUE	5800	900
Technetium-99	pCi/L	MW422-PRT1 (RGA)	09/12/14	TRUE	10400	900
Technetium-99	pCi/L	MW422-PRT1 (RGA)	03/24/15	TRUE	7120	900
Technetium-99	pCi/L	MW422-PRT1 (RGA)	03/21/16	TRUE	10800	900
Technetium-99	pCi/L	MW422-PRT1 (RGA)	09/19/16	TRUE	14900	900
Technetium-99	pCi/L	MW422-PRT1 (RGA)	03/08/17	TRUE	7680	900
Technetium-99	pCi/L	MW422-PRT1 (RGA)	09/11/17	TRUE	15000	900
Technetium-99	pCi/L	MW422-PRT1 (RGA)	03/14/18	TRUE	7480	900
Technetium-99	pCi/L	MW422-PRT1 (RGA)	09/24/18	TRUE	6210	900
Technetium-99	pCi/L	MW422-PRT1 (RGA)	03/19/19	TRUE	10100	900
Technetium-99	pCi/L	MW422-PRT1 (RGA)	09/10/19	TRUE	20100	900
Technetium-99	pCi/L	MW422-PRT1 (RGA)	03/11/20	TRUE	18900	900
Technetium-99	pCi/L	MW422-PRT1 (RGA)	09/21/20	TRUE	23900	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW422-PRT1 (RGA)	03/23/10	TRUE	14000	5
Trichloroethene	ug/L	MW422-PRT1 (RGA)	06/21/10	TRUE	14000	5
Trichloroethene	ug/L	MW422-PRT1 (RGA)	09/20/10	TRUE	15000	5
Trichloroethene	ug/L	MW422-PRT1 (RGA)	12/13/10	TRUE	23000	5
Trichloroethene	ug/L	MW422-PRT1 (RGA)	03/22/11	TRUE	20000	5
Trichloroethene	ug/L	MW422-PRT1 (RGA)	06/15/11	TRUE	14000	5
Trichloroethene	ug/L	MW422-PRT1 (RGA)	09/12/11	TRUE	16000	5
Trichloroethene	ug/L	MW422-PRT1 (RGA)	03/13/13	TRUE	16000	5
Trichloroethene	ug/L	MW422-PRT1 (RGA)	09/17/13	TRUE	17000	5
Trichloroethene	ug/L	MW422-PRT1 (RGA)	03/19/14	TRUE	15000	5
Trichloroethene	ug/L	MW422-PRT1 (RGA)	09/12/14	TRUE	10800	5
Trichloroethene	ug/L	MW422-PRT1 (RGA)	03/24/15	TRUE	9330	5
Trichloroethene	ug/L	MW422-PRT1 (RGA)	03/21/16	TRUE	4720	5
Trichloroethene	ug/L	MW422-PRT1 (RGA)	09/19/16	TRUE	4490	5
Trichloroethene	ug/L	MW422-PRT1 (RGA)	03/08/17	TRUE	7020	5
Trichloroethene	ug/L	MW422-PRT1 (RGA)	09/11/17	TRUE	4230	5
Trichloroethene	ug/L	MW422-PRT1 (RGA)	03/14/18	TRUE	4910	5
Trichloroethene	ug/L	MW422-PRT1 (RGA)	09/24/18	TRUE	2750	5
Trichloroethene	ug/L	MW422-PRT1 (RGA)	03/19/19	TRUE	2950	5
Trichloroethene	ug/L	MW422-PRT1 (RGA)	09/16/19	TRUE	5740	5
Trichloroethene	ug/L	MW422-PRT1 (RGA)	03/11/20	TRUE	7060	5
Trichloroethene	ug/L	MW422-PRT1 (RGA)	09/21/20	TRUE	5990	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW422-PRT2 (RGA)	03/23/10	TRUE	1600	900
Technetium-99	pCi/L	MW422-PRT2 (RGA)	06/21/10	TRUE	1620	900
Technetium-99	pCi/L	MW422-PRT2 (RGA)	09/20/10	TRUE	1420	900
Technetium-99	pCi/L	MW422-PRT2 (RGA)	12/13/10	TRUE	1170	900
Technetium-99	pCi/L	MW422-PRT2 (RGA)	03/22/11	TRUE	1090	900
Technetium-99	pCi/L	MW422-PRT2 (RGA)	06/15/11	TRUE	1310	900
Technetium-99	pCi/L	MW422-PRT2 (RGA)	09/12/11	TRUE	1130	900
Technetium-99	pCi/L	MW422-PRT2 (RGA)	03/13/13	TRUE	643	900
Technetium-99	pCi/L	MW422-PRT2 (RGA)	09/17/13	TRUE	535	900
Technetium-99	pCi/L	MW422-PRT2 (RGA)	03/19/14	TRUE	559	900
Technetium-99	pCi/L	MW422-PRT2 (RGA)	09/12/14	TRUE	514	900
Technetium-99	pCi/L	MW422-PRT2 (RGA)	03/24/15	TRUE	567	900
Technetium-99	pCi/L	MW422-PRT2 (RGA)	03/21/16	TRUE	634	900
Technetium-99	pCi/L	MW422-PRT2 (RGA)	09/19/16	TRUE	707	900
Technetium-99	pCi/L	MW422-PRT2 (RGA)	03/08/17	TRUE	608	900
Technetium-99	pCi/L	MW422-PRT2 (RGA)	09/11/17	TRUE	663	900
Technetium-99	pCi/L	MW422-PRT2 (RGA)	03/14/18	TRUE	558	900
Technetium-99	pCi/L	MW422-PRT2 (RGA)	09/24/18	TRUE	629	900
Technetium-99	pCi/L	MW422-PRT2 (RGA)	03/19/19	TRUE	629	900
Technetium-99	pCi/L	MW422-PRT2 (RGA)	09/10/19	TRUE	1520	900
Technetium-99	pCi/L	MW422-PRT2 (RGA)	03/11/20	TRUE	1630	900
Technetium-99	pCi/L	MW422-PRT2 (RGA)	09/21/20	TRUE	1550	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW422-PRT2 (RGA)	03/23/10	TRUE	51000	5
Trichloroethene	ug/L	MW422-PRT2 (RGA)	06/21/10	TRUE	90000	5
Trichloroethene	ug/L	MW422-PRT2 (RGA)	09/20/10	TRUE	51000	5
Trichloroethene	ug/L	MW422-PRT2 (RGA)	12/13/10	TRUE	54000	5
Trichloroethene	ug/L	MW422-PRT2 (RGA)	03/22/11	TRUE	40000	5
Trichloroethene	ug/L	MW422-PRT2 (RGA)	06/15/11	TRUE	50000	5
Trichloroethene	ug/L	MW422-PRT2 (RGA)	09/12/11	TRUE	52000	5
Trichloroethene	ug/L	MW422-PRT2 (RGA)	03/13/13	TRUE	43000	5
Trichloroethene	ug/L	MW422-PRT2 (RGA)	09/17/13	TRUE	49000	5
Trichloroethene	ug/L	MW422-PRT2 (RGA)	03/19/14	TRUE	49000	5
Trichloroethene	ug/L	MW422-PRT2 (RGA)	09/12/14	TRUE	41800	5
Trichloroethene	ug/L	MW422-PRT2 (RGA)	03/24/15	TRUE	48700	5
Trichloroethene	ug/L	MW422-PRT2 (RGA)	03/21/16	TRUE	38200	5
Trichloroethene	ug/L	MW422-PRT2 (RGA)	09/19/16	TRUE	39200	5
Trichloroethene	ug/L	MW422-PRT2 (RGA)	03/08/17	TRUE	41200	5
Trichloroethene	ug/L	MW422-PRT2 (RGA)	09/11/17	TRUE	29100	5
Trichloroethene	ug/L	MW422-PRT2 (RGA)	03/14/18	TRUE	38300	5
Trichloroethene	ug/L	MW422-PRT2 (RGA)	09/24/18	TRUE	27000	5
Trichloroethene	ug/L	MW422-PRT2 (RGA)	03/19/19	TRUE	28100	5
Trichloroethene	ug/L	MW422-PRT2 (RGA)	09/16/19	TRUE	27300	5
Trichloroethene	ug/L	MW422-PRT2 (RGA)	03/11/20	TRUE	34700	5
Trichloroethene	ug/L	MW422-PRT2 (RGA)	09/21/20	TRUE	28900	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW422-PRT3 (RGA)	03/23/10	TRUE	1490	900
Technetium-99	pCi/L	MW422-PRT3 (RGA)	06/21/10	TRUE	1520	900
Technetium-99	pCi/L	MW422-PRT3 (RGA)	09/20/10	TRUE	1320	900
Technetium-99	pCi/L	MW422-PRT3 (RGA)	12/13/10	TRUE	1070	900
Technetium-99	pCi/L	MW422-PRT3 (RGA)	03/22/11	TRUE	1010	900
Technetium-99	pCi/L	MW422-PRT3 (RGA)	06/15/11	TRUE	1140	900
Technetium-99	pCi/L	MW422-PRT3 (RGA)	09/12/11	TRUE	910	900
Technetium-99	pCi/L	MW422-PRT3 (RGA)	03/12/12	TRUE	774	900
Technetium-99	pCi/L	MW422-PRT3 (RGA)	09/25/12	TRUE	631	900
Technetium-99	pCi/L	MW422-PRT3 (RGA)	03/13/13	TRUE	559	900
Technetium-99	pCi/L	MW422-PRT3 (RGA)	09/17/13	TRUE	535	900
Technetium-99	pCi/L	MW422-PRT3 (RGA)	03/19/14	TRUE	543	900
Technetium-99	pCi/L	MW422-PRT3 (RGA)	09/12/14	TRUE	496	900
Technetium-99	pCi/L	MW422-PRT3 (RGA)	03/24/15	TRUE	550	900
Technetium-99	pCi/L	MW422-PRT3 (RGA)	03/21/16	TRUE	635	900
Technetium-99	pCi/L	MW422-PRT3 (RGA)	09/19/16	TRUE	678	900
Technetium-99	pCi/L	MW422-PRT3 (RGA)	03/08/17	TRUE	622	900
Technetium-99	pCi/L	MW422-PRT3 (RGA)	09/11/17	TRUE	623	900
Technetium-99	pCi/L	MW422-PRT3 (RGA)	03/14/18	TRUE	605	900
Technetium-99	pCi/L	MW422-PRT3 (RGA)	09/24/18	TRUE	620	900
Technetium-99	pCi/L	MW422-PRT3 (RGA)	03/19/19	TRUE	652	900
Technetium-99	pCi/L	MW422-PRT3 (RGA)	09/10/19	TRUE	1630	900
Technetium-99	pCi/L	MW422-PRT3 (RGA)	03/11/20	TRUE	1660	900
Technetium-99	pCi/L	MW422-PRT3 (RGA)	09/21/20	TRUE	1610	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW422-PRT3 (RGA)	03/23/10	TRUE	53000	5
Trichloroethene	ug/L	MW422-PRT3 (RGA)	06/21/10	TRUE	72000	5
Trichloroethene	ug/L	MW422-PRT3 (RGA)	09/20/10	TRUE	61000	5
Trichloroethene	ug/L	MW422-PRT3 (RGA)	12/13/10	TRUE	54000	5
Trichloroethene	ug/L	MW422-PRT3 (RGA)	03/22/11	TRUE	54000	5
Trichloroethene	ug/L	MW422-PRT3 (RGA)	06/15/11	TRUE	49000	5
Trichloroethene	ug/L	MW422-PRT3 (RGA)	09/12/11	TRUE	53000	5
Trichloroethene	ug/L	MW422-PRT3 (RGA)	03/12/12	TRUE	69000	5
Trichloroethene	ug/L	MW422-PRT3 (RGA)	09/25/12	TRUE	48000	5
Trichloroethene	ug/L	MW422-PRT3 (RGA)	03/13/13	TRUE	35000	5
Trichloroethene	ug/L	MW422-PRT3 (RGA)	09/17/13	TRUE	47000	5
Trichloroethene	ug/L	MW422-PRT3 (RGA)	03/19/14	TRUE	49000	5
Trichloroethene	ug/L	MW422-PRT3 (RGA)	09/12/14	TRUE	46700	5
Trichloroethene	ug/L	MW422-PRT3 (RGA)	03/24/15	TRUE	44600	5
Trichloroethene	ug/L	MW422-PRT3 (RGA)	03/21/16	TRUE	37800	5
Trichloroethene	ug/L	MW422-PRT3 (RGA)	09/19/16	TRUE	44300	5
Trichloroethene	ug/L	MW422-PRT3 (RGA)	03/08/17	TRUE	39700	5
Trichloroethene	ug/L	MW422-PRT3 (RGA)	09/11/17	TRUE	25200	5
Trichloroethene	ug/L	MW422-PRT3 (RGA)	03/14/18	TRUE	37300	5
Trichloroethene	ug/L	MW422-PRT3 (RGA)	09/24/18	TRUE	29100	5
Trichloroethene	ug/L	MW422-PRT3 (RGA)	03/19/19	TRUE	29500	5
Trichloroethene	ug/L	MW422-PRT3 (RGA)	09/16/19	TRUE	26800	5
Trichloroethene	ug/L	MW422-PRT3 (RGA)	03/11/20	TRUE	27500	5
Trichloroethene	ug/L	MW422-PRT3 (RGA)	09/21/20	TRUE	30300	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW423-PRT1 (RGA)	03/22/10	TRUE	13800	900
Technetium-99	pCi/L	MW423-PRT1 (RGA)	06/22/10	TRUE	13400	900
Technetium-99	pCi/L	MW423-PRT1 (RGA)	09/20/10	TRUE	16000	900
Technetium-99	pCi/L	MW423-PRT1 (RGA)	12/13/10	TRUE	10800	900
Technetium-99	pCi/L	MW423-PRT1 (RGA)	03/21/11	TRUE	8960	900
Technetium-99	pCi/L	MW423-PRT1 (RGA)	06/14/11	TRUE	9790	900
Technetium-99	pCi/L	MW423-PRT1 (RGA)	09/13/11	TRUE	10500	900
Technetium-99	pCi/L	MW423-PRT1 (RGA)	03/13/13	TRUE	9070	900
Technetium-99	pCi/L	MW423-PRT1 (RGA)	09/12/13	TRUE	14900	900
Technetium-99	pCi/L	MW423-PRT1 (RGA)	03/20/14	TRUE	8350	900
Technetium-99	pCi/L	MW423-PRT1 (RGA)	09/12/14	TRUE	9080	900
Technetium-99	pCi/L	MW423-PRT1 (RGA)	03/24/15	TRUE	8220	900
Technetium-99	pCi/L	MW423-PRT1 (RGA)	03/21/16	TRUE	8560	900
Technetium-99	pCi/L	MW423-PRT1 (RGA)	09/19/16	TRUE	12600	900
Technetium-99	pCi/L	MW423-PRT1 (RGA)	03/08/17	TRUE	8980	900
Technetium-99	pCi/L	MW423-PRT1 (RGA)	09/11/17	TRUE	13000	900
Technetium-99	pCi/L	MW423-PRT1 (RGA)	03/14/18	TRUE	10300	900
Technetium-99	pCi/L	MW423-PRT1 (RGA)	09/25/18	TRUE	4530	900
Technetium-99	pCi/L	MW423-PRT1 (RGA)	03/19/19	TRUE	7090	900
Technetium-99	pCi/L	MW423-PRT1 (RGA)	09/11/19	TRUE	18500	900
Technetium-99	pCi/L	MW423-PRT1 (RGA)	03/10/20	TRUE	19700	900
Technetium-99	pCi/L	MW423-PRT1 (RGA)	09/21/20	TRUE	25300	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW423-PRT1 (RGA)	03/22/10	TRUE	15000	5
Trichloroethene	ug/L	MW423-PRT1 (RGA)	06/22/10	TRUE	12000	5
Trichloroethene	ug/L	MW423-PRT1 (RGA)	09/20/10	TRUE	12000	5
Trichloroethene	ug/L	MW423-PRT1 (RGA)	12/13/10	TRUE	18000	5
Trichloroethene	ug/L	MW423-PRT1 (RGA)	03/21/11	TRUE	15000	5
Trichloroethene	ug/L	MW423-PRT1 (RGA)	06/14/11	TRUE	15000	5
Trichloroethene	ug/L	MW423-PRT1 (RGA)	09/13/11	TRUE	14000	5
Trichloroethene	ug/L	MW423-PRT1 (RGA)	03/13/13	TRUE	18000	5
Trichloroethene	ug/L	MW423-PRT1 (RGA)	09/12/13	TRUE	13000	5
Trichloroethene	ug/L	MW423-PRT1 (RGA)	03/20/14	TRUE	13000	5
Trichloroethene	ug/L	MW423-PRT1 (RGA)	09/12/14	TRUE	8980	5
Trichloroethene	ug/L	MW423-PRT1 (RGA)	03/24/15	TRUE	8970	5
Trichloroethene	ug/L	MW423-PRT1 (RGA)	03/21/16	TRUE	3350	5
Trichloroethene	ug/L	MW423-PRT1 (RGA)	09/19/16	TRUE	4890	5
Trichloroethene	ug/L	MW423-PRT1 (RGA)	03/08/17	TRUE	4520	5
Trichloroethene	ug/L	MW423-PRT1 (RGA)	09/11/17	TRUE	3370	5
Trichloroethene	ug/L	MW423-PRT1 (RGA)	03/14/18	TRUE	3410	5
Trichloroethene	ug/L	MW423-PRT1 (RGA)	09/25/18	TRUE	2720	5
Trichloroethene	ug/L	MW423-PRT1 (RGA)	03/19/19	TRUE	1980	5
Trichloroethene	ug/L	MW423-PRT1 (RGA)	09/17/19	TRUE	2620	5
Trichloroethene	ug/L	MW423-PRT1 (RGA)	03/10/20	TRUE	4180	5
Trichloroethene	ug/L	MW423-PRT1 (RGA)	09/21/20	TRUE	4660	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW423-PRT2 (RGA)	03/22/10	TRUE	4310	900
Technetium-99	pCi/L	MW423-PRT2 (RGA)	06/22/10	TRUE	4530	900
Technetium-99	pCi/L	MW423-PRT2 (RGA)	09/20/10	TRUE	4070	900
Technetium-99	pCi/L	MW423-PRT2 (RGA)	12/13/10	TRUE	4280	900
Technetium-99	pCi/L	MW423-PRT2 (RGA)	03/21/11	TRUE	3430	900
Technetium-99	pCi/L	MW423-PRT2 (RGA)	06/14/11	TRUE	3970	900
Technetium-99	pCi/L	MW423-PRT2 (RGA)	09/13/11	TRUE	3710	900
Technetium-99	pCi/L	MW423-PRT2 (RGA)	03/13/13	TRUE	1780	900
Technetium-99	pCi/L	MW423-PRT2 (RGA)	09/12/13	TRUE	1430	900
Technetium-99	pCi/L	MW423-PRT2 (RGA)	03/20/14	TRUE	1490	900
Technetium-99	pCi/L	MW423-PRT2 (RGA)	09/12/14	TRUE	1550	900
Technetium-99	pCi/L	MW423-PRT2 (RGA)	03/24/15	TRUE	1460	900
Technetium-99	pCi/L	MW423-PRT2 (RGA)	03/21/16	TRUE	1690	900
Technetium-99	pCi/L	MW423-PRT2 (RGA)	09/19/16	TRUE	1690	900
Technetium-99	pCi/L	MW423-PRT2 (RGA)	03/08/17	TRUE	1330	900
Technetium-99	pCi/L	MW423-PRT2 (RGA)	09/11/17	TRUE	1620	900
Technetium-99	pCi/L	MW423-PRT2 (RGA)	03/14/18	TRUE	1620	900
Technetium-99	pCi/L	MW423-PRT2 (RGA)	09/25/18	TRUE	1690	900
Technetium-99	pCi/L	MW423-PRT2 (RGA)	03/19/19	TRUE	1540	900
Technetium-99	pCi/L	MW423-PRT2 (RGA)	09/11/19	TRUE	1790	900
Technetium-99	pCi/L	MW423-PRT2 (RGA)	03/10/20	TRUE	1740	900
Technetium-99	pCi/L	MW423-PRT2 (RGA)	09/21/20	TRUE	1940	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW423-PRT2 (RGA)	03/22/10	TRUE	52000	5
Trichloroethene	ug/L	MW423-PRT2 (RGA)	06/22/10	TRUE	45000	5
Trichloroethene	ug/L	MW423-PRT2 (RGA)	09/20/10	TRUE	46000	5
Trichloroethene	ug/L	MW423-PRT2 (RGA)	12/13/10	TRUE	52000	5
Trichloroethene	ug/L	MW423-PRT2 (RGA)	03/21/11	TRUE	41000	5
Trichloroethene	ug/L	MW423-PRT2 (RGA)	06/14/11	TRUE	43000	5
Trichloroethene	ug/L	MW423-PRT2 (RGA)	09/13/11	TRUE	46000	5
Trichloroethene	ug/L	MW423-PRT2 (RGA)	03/13/13	TRUE	34000	5
Trichloroethene	ug/L	MW423-PRT2 (RGA)	09/12/13	TRUE	35000	5
Trichloroethene	ug/L	MW423-PRT2 (RGA)	03/20/14	TRUE	35000	5
Trichloroethene	ug/L	MW423-PRT2 (RGA)	09/12/14	TRUE	38100	5
Trichloroethene	ug/L	MW423-PRT2 (RGA)	03/24/15	TRUE	29900	5
Trichloroethene	ug/L	MW423-PRT2 (RGA)	03/21/16	TRUE	31900	5
Trichloroethene	ug/L	MW423-PRT2 (RGA)	09/19/16	TRUE	40400	5
Trichloroethene	ug/L	MW423-PRT2 (RGA)	03/08/17	TRUE	36300	5
Trichloroethene	ug/L	MW423-PRT2 (RGA)	09/11/17	TRUE	25200	5
Trichloroethene	ug/L	MW423-PRT2 (RGA)	03/14/18	TRUE	32500	5
Trichloroethene	ug/L	MW423-PRT2 (RGA)	09/25/18	TRUE	34400	5
Trichloroethene	ug/L	MW423-PRT2 (RGA)	03/19/19	TRUE	24800	5
Trichloroethene	ug/L	MW423-PRT2 (RGA)	09/17/19	TRUE	18200	5
Trichloroethene	ug/L	MW423-PRT2 (RGA)	03/10/20	TRUE	17000	5
Trichloroethene	ug/L	MW423-PRT2 (RGA)	09/21/20	TRUE	24600	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW423-PRT3 (RGA)	03/22/10	TRUE	3810	900
Technetium-99	pCi/L	MW423-PRT3 (RGA)	06/22/10	TRUE	3850	900
Technetium-99	pCi/L	MW423-PRT3 (RGA)	09/20/10	TRUE	3730	900
Technetium-99	pCi/L	MW423-PRT3 (RGA)	12/13/10	TRUE	3140	900
Technetium-99	pCi/L	MW423-PRT3 (RGA)	03/21/11	TRUE	2900	900
Technetium-99	pCi/L	MW423-PRT3 (RGA)	06/14/11	TRUE	3680	900
Technetium-99	pCi/L	MW423-PRT3 (RGA)	09/13/11	TRUE	2990	900
Technetium-99	pCi/L	MW423-PRT3 (RGA)	03/12/12	TRUE	2350	900
Technetium-99	pCi/L	MW423-PRT3 (RGA)	09/24/12	TRUE	1820	900
Technetium-99	pCi/L	MW423-PRT3 (RGA)	03/13/13	TRUE	1800	900
Technetium-99	pCi/L	MW423-PRT3 (RGA)	09/12/13	TRUE	1730	900
Technetium-99	pCi/L	MW423-PRT3 (RGA)	03/20/14	TRUE	1480	900
Technetium-99	pCi/L	MW423-PRT3 (RGA)	09/13/14	TRUE	1500	900
Technetium-99	pCi/L	MW423-PRT3 (RGA)	03/24/15	TRUE	1470	900
Technetium-99	pCi/L	MW423-PRT3 (RGA)	03/21/16	TRUE	1820	900
Technetium-99	pCi/L	MW423-PRT3 (RGA)	09/19/16	TRUE	1600	900
Technetium-99	pCi/L	MW423-PRT3 (RGA)	03/08/17	TRUE	1230	900
Technetium-99	pCi/L	MW423-PRT3 (RGA)	09/11/17	TRUE	1670	900
Technetium-99	pCi/L	MW423-PRT3 (RGA)	03/14/18	TRUE	1570	900
Technetium-99	pCi/L	MW423-PRT3 (RGA)	09/25/18	TRUE	1870	900
Technetium-99	pCi/L	MW423-PRT3 (RGA)	03/19/19	TRUE	1460	900
Technetium-99	pCi/L	MW423-PRT3 (RGA)	09/11/19	TRUE	1560	900
Technetium-99	pCi/L	MW423-PRT3 (RGA)	03/10/20	TRUE	1550	900
Technetium-99	pCi/L	MW423-PRT3 (RGA)	09/21/20	TRUE	2050	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW423-PRT3 (RGA)	03/22/10	TRUE	51000	5
Trichloroethene	ug/L	MW423-PRT3 (RGA)	06/22/10	TRUE	49000	5
Trichloroethene	ug/L	MW423-PRT3 (RGA)	09/20/10	TRUE	50000	5
Trichloroethene	ug/L	MW423-PRT3 (RGA)	12/13/10	TRUE	50000	5
Trichloroethene	ug/L	MW423-PRT3 (RGA)	03/21/11	TRUE	41000	5
Trichloroethene	ug/L	MW423-PRT3 (RGA)	06/14/11	TRUE	43000	5
Trichloroethene	ug/L	MW423-PRT3 (RGA)	09/13/11	TRUE	47000	5
Trichloroethene	ug/L	MW423-PRT3 (RGA)	03/12/12	TRUE	37000	5
Trichloroethene	ug/L	MW423-PRT3 (RGA)	09/24/12	TRUE	67000	5
Trichloroethene	ug/L	MW423-PRT3 (RGA)	03/13/13	TRUE	34000	5
Trichloroethene	ug/L	MW423-PRT3 (RGA)	09/12/13	TRUE	35000	5
Trichloroethene	ug/L	MW423-PRT3 (RGA)	03/20/14	TRUE	36000	5
Trichloroethene	ug/L	MW423-PRT3 (RGA)	09/13/14	TRUE	38300	5
Trichloroethene	ug/L	MW423-PRT3 (RGA)	03/24/15	TRUE	34900	5
Trichloroethene	ug/L	MW423-PRT3 (RGA)	03/21/16	TRUE	32800	5
Trichloroethene	ug/L	MW423-PRT3 (RGA)	09/19/16	TRUE	37800	5
Trichloroethene	ug/L	MW423-PRT3 (RGA)	03/08/17	TRUE	31800	5
Trichloroethene	ug/L	MW423-PRT3 (RGA)	09/11/17	TRUE	26800	5
Trichloroethene	ug/L	MW423-PRT3 (RGA)	03/14/18	TRUE	32500	5
Trichloroethene	ug/L	MW423-PRT3 (RGA)	09/25/18	TRUE	30100	5
Trichloroethene	ug/L	MW423-PRT3 (RGA)	03/19/19	TRUE	28000	5
Trichloroethene	ug/L	MW423-PRT3 (RGA)	09/17/19	TRUE	20600	5
Trichloroethene	ug/L	MW423-PRT3 (RGA)	03/10/20	TRUE	18500	5
Trichloroethene	ug/L	MW423-PRT3 (RGA)	09/21/20	TRUE	26700	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW424-PRT1 (RGA)	03/24/10	TRUE	6540	900
Technetium-99	pCi/L	MW424-PRT1 (RGA)	06/23/10	TRUE	5080	900
Technetium-99	pCi/L	MW424-PRT1 (RGA)	09/22/10	TRUE	10300	900
Technetium-99	pCi/L	MW424-PRT1 (RGA)	12/15/10	TRUE	13900	900
Technetium-99	pCi/L	MW424-PRT1 (RGA)	06/14/11	TRUE	8220	900
Technetium-99	pCi/L	MW424-PRT1 (RGA)	09/13/11	TRUE	6730	900
Technetium-99	pCi/L	MW424-PRT1 (RGA)	03/13/13	TRUE	10300	900
Technetium-99	pCi/L	MW424-PRT1 (RGA)	09/17/13	TRUE	5540	900
Technetium-99	pCi/L	MW424-PRT1 (RGA)	03/20/14	TRUE	6530	900
Technetium-99	pCi/L	MW424-PRT1 (RGA)	09/13/14	TRUE	3070	900
Technetium-99	pCi/L	MW424-PRT1 (RGA)	03/26/15	TRUE	5140	900
Technetium-99	pCi/L	MW424-PRT1 (RGA)	03/23/16	TRUE	2400	900
Technetium-99	pCi/L	MW424-PRT1 (RGA)	09/20/16	TRUE	6870	900
Technetium-99	pCi/L	MW424-PRT1 (RGA)	03/08/17	TRUE	8620	900
Technetium-99	pCi/L	MW424-PRT1 (RGA)	09/11/17	TRUE	6110	900
Technetium-99	pCi/L	MW424-PRT1 (RGA)	03/21/18	TRUE	3750	900
Technetium-99	pCi/L	MW424-PRT1 (RGA)	09/25/18	TRUE	2160	900
Technetium-99	pCi/L	MW424-PRT1 (RGA)	03/19/19	TRUE	1470	900
Technetium-99	pCi/L	MW424-PRT1 (RGA)	09/11/19	TRUE	15900	900
Technetium-99	pCi/L	MW424-PRT1 (RGA)	03/10/20	TRUE	17800	900
Technetium-99	pCi/L	MW424-PRT1 (RGA)	09/21/20	TRUE	21300	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW424-PRT1 (RGA)	03/24/10	TRUE	7900	5
Trichloroethene	ug/L	MW424-PRT1 (RGA)	06/23/10	TRUE	7900	5
Trichloroethene	ug/L	MW424-PRT1 (RGA)	09/22/10	TRUE	7900	5
Trichloroethene	ug/L	MW424-PRT1 (RGA)	12/15/10	TRUE	8400	5
Trichloroethene	ug/L	MW424-PRT1 (RGA)	06/14/11	TRUE	7900	5
Trichloroethene	ug/L	MW424-PRT1 (RGA)	09/13/11	TRUE	9000	5
Trichloroethene	ug/L	MW424-PRT1 (RGA)	03/13/13	TRUE	7900	5
Trichloroethene	ug/L	MW424-PRT1 (RGA)	09/17/13	TRUE	5900	5
Trichloroethene	ug/L	MW424-PRT1 (RGA)	03/20/14	TRUE	3900	5
Trichloroethene	ug/L	MW424-PRT1 (RGA)	09/13/14	TRUE	2630	5
Trichloroethene	ug/L	MW424-PRT1 (RGA)	03/26/15	TRUE	2520	5
Trichloroethene	ug/L	MW424-PRT1 (RGA)	03/23/16	TRUE	1410	5
Trichloroethene	ug/L	MW424-PRT1 (RGA)	09/20/16	TRUE	1650	5
Trichloroethene	ug/L	MW424-PRT1 (RGA)	03/08/17	TRUE	1380	5
Trichloroethene	ug/L	MW424-PRT1 (RGA)	09/11/17	TRUE	1180	5
Trichloroethene	ug/L	MW424-PRT1 (RGA)	03/21/18	TRUE	936	5
Trichloroethene	ug/L	MW424-PRT1 (RGA)	09/25/18	TRUE	1600	5
Trichloroethene	ug/L	MW424-PRT1 (RGA)	03/19/19	TRUE	810	5
Trichloroethene	ug/L	MW424-PRT1 (RGA)	09/17/19	TRUE	2030	5
Trichloroethene	ug/L	MW424-PRT1 (RGA)	03/10/20	TRUE	2830	5
Trichloroethene	ug/L	MW424-PRT1 (RGA)	09/21/20	TRUE	3520	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW424-PRT2 (RGA)	03/24/10	TRUE	6240	900
Technetium-99	pCi/L	MW424-PRT2 (RGA)	06/22/10	TRUE	7070	900
Technetium-99	pCi/L	MW424-PRT2 (RGA)	09/22/10	TRUE	6040	900
Technetium-99	pCi/L	MW424-PRT2 (RGA)	12/15/10	TRUE	7850	900
Technetium-99	pCi/L	MW424-PRT2 (RGA)	03/22/11	TRUE	6990	900
Technetium-99	pCi/L	MW424-PRT2 (RGA)	06/14/11	TRUE	5790	900
Technetium-99	pCi/L	MW424-PRT2 (RGA)	09/13/11	TRUE	6890	900
Technetium-99	pCi/L	MW424-PRT2 (RGA)	03/13/13	TRUE	4320	900
Technetium-99	pCi/L	MW424-PRT2 (RGA)	09/17/13	TRUE	3810	900
Technetium-99	pCi/L	MW424-PRT2 (RGA)	03/20/14	TRUE	3540	900
Technetium-99	pCi/L	MW424-PRT2 (RGA)	09/13/14	TRUE	3820	900
Technetium-99	pCi/L	MW424-PRT2 (RGA)	03/31/15	TRUE	3260	900
Technetium-99	pCi/L	MW424-PRT2 (RGA)	03/23/16	TRUE	3220	900
Technetium-99	pCi/L	MW424-PRT2 (RGA)	09/20/16	TRUE	2970	900
Technetium-99	pCi/L	MW424-PRT2 (RGA)	03/08/17	TRUE	2750	900
Technetium-99	pCi/L	MW424-PRT2 (RGA)	09/11/17	TRUE	3100	900
Technetium-99	pCi/L	MW424-PRT2 (RGA)	03/21/18	TRUE	4100	900
Technetium-99	pCi/L	MW424-PRT2 (RGA)	09/25/18	TRUE	3530	900
Technetium-99	pCi/L	MW424-PRT2 (RGA)	03/19/19	TRUE	3320	900
Technetium-99	pCi/L	MW424-PRT2 (RGA)	09/11/19	TRUE	3870	900
Technetium-99	pCi/L	MW424-PRT2 (RGA)	03/10/20	TRUE	7900	900
Technetium-99	pCi/L	MW424-PRT2 (RGA)	09/21/20	TRUE	7230	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW424-PRT2 (RGA)	03/24/10	TRUE	17000	5
Trichloroethene	ug/L	MW424-PRT2 (RGA)	06/22/10	TRUE	17000	5
Trichloroethene	ug/L	MW424-PRT2 (RGA)	09/22/10	TRUE	15000	5
Trichloroethene	ug/L	MW424-PRT2 (RGA)	12/15/10	TRUE	14000	5
Trichloroethene	ug/L	MW424-PRT2 (RGA)	03/22/11	TRUE	12000	5
Trichloroethene	ug/L	MW424-PRT2 (RGA)	06/14/11	TRUE	14000	5
Trichloroethene	ug/L	MW424-PRT2 (RGA)	09/13/11	TRUE	12000	5
Trichloroethene	ug/L	MW424-PRT2 (RGA)	03/13/13	TRUE	10000	5
Trichloroethene	ug/L	MW424-PRT2 (RGA)	09/17/13	TRUE	11000	5
Trichloroethene	ug/L	MW424-PRT2 (RGA)	03/20/14	TRUE	13000	5
Trichloroethene	ug/L	MW424-PRT2 (RGA)	09/13/14	TRUE	13900	5
Trichloroethene	ug/L	MW424-PRT2 (RGA)	03/31/15	TRUE	17600	5
Trichloroethene	ug/L	MW424-PRT2 (RGA)	03/23/16	TRUE	20600	5
Trichloroethene	ug/L	MW424-PRT2 (RGA)	09/20/16	TRUE	16700	5
Trichloroethene	ug/L	MW424-PRT2 (RGA)	03/08/17	TRUE	10900	5
Trichloroethene	ug/L	MW424-PRT2 (RGA)	09/11/17	TRUE	10100	5
Trichloroethene	ug/L	MW424-PRT2 (RGA)	03/21/18	TRUE	10200	5
Trichloroethene	ug/L	MW424-PRT2 (RGA)	09/25/18	TRUE	11800	5
Trichloroethene	ug/L	MW424-PRT2 (RGA)	03/19/19	TRUE	9720	5
Trichloroethene	ug/L	MW424-PRT2 (RGA)	09/17/19	TRUE	8330	5
Trichloroethene	ug/L	MW424-PRT2 (RGA)	03/10/20	TRUE	6330	5
Trichloroethene	ug/L	MW424-PRT2 (RGA)	09/21/20	TRUE	5040	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW424-PRT3 (RGA)	03/24/10	TRUE	4600	900
Technetium-99	pCi/L	MW424-PRT3 (RGA)	06/23/10	TRUE	4740	900
Technetium-99	pCi/L	MW424-PRT3 (RGA)	09/22/10	TRUE	4440	900
Technetium-99	pCi/L	MW424-PRT3 (RGA)	12/15/10	TRUE	4300	900
Technetium-99	pCi/L	MW424-PRT3 (RGA)	03/22/11	TRUE	3430	900
Technetium-99	pCi/L	MW424-PRT3 (RGA)	06/14/11	TRUE	3940	900
Technetium-99	pCi/L	MW424-PRT3 (RGA)	09/13/11	TRUE	4190	900
Technetium-99	pCi/L	MW424-PRT3 (RGA)	03/12/12	TRUE	3500	900
Technetium-99	pCi/L	MW424-PRT3 (RGA)	09/25/12	TRUE	3600	900
Technetium-99	pCi/L	MW424-PRT3 (RGA)	03/13/13	TRUE	3070	900
Technetium-99	pCi/L	MW424-PRT3 (RGA)	09/17/13	TRUE	2870	900
Technetium-99	pCi/L	MW424-PRT3 (RGA)	03/20/14	TRUE	2500	900
Technetium-99	pCi/L	MW424-PRT3 (RGA)	09/13/14	TRUE	2600	900
Technetium-99	pCi/L	MW424-PRT3 (RGA)	03/31/15	TRUE	2570	900
Technetium-99	pCi/L	MW424-PRT3 (RGA)	03/23/16	TRUE	2680	900
Technetium-99	pCi/L	MW424-PRT3 (RGA)	09/20/16	TRUE	2580	900
Technetium-99	pCi/L	MW424-PRT3 (RGA)	03/08/17	TRUE	2190	900
Technetium-99	pCi/L	MW424-PRT3 (RGA)	09/11/17	TRUE	2330	900
Technetium-99	pCi/L	MW424-PRT3 (RGA)	03/21/18	TRUE	2220	900
Technetium-99	pCi/L	MW424-PRT3 (RGA)	09/25/18	TRUE	2330	900
Technetium-99	pCi/L	MW424-PRT3 (RGA)	03/19/19	TRUE	2050	900
Technetium-99	pCi/L	MW424-PRT3 (RGA)	09/11/19	TRUE	2550	900
Technetium-99	pCi/L	MW424-PRT3 (RGA)	03/10/20	TRUE	2600	900
Technetium-99	pCi/L	MW424-PRT3 (RGA)	09/21/20	TRUE	2370	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW424-PRT3 (RGA)	03/24/10	TRUE	23000	5
Trichloroethene	ug/L	MW424-PRT3 (RGA)	06/23/10	TRUE	21000	5
Trichloroethene	ug/L	MW424-PRT3 (RGA)	09/22/10	TRUE	21000	5
Trichloroethene	ug/L	MW424-PRT3 (RGA)	12/15/10	TRUE	19000	5
Trichloroethene	ug/L	MW424-PRT3 (RGA)	03/22/11	TRUE	16000	5
Trichloroethene	ug/L	MW424-PRT3 (RGA)	06/14/11	TRUE	18000	5
Trichloroethene	ug/L	MW424-PRT3 (RGA)	09/13/11	TRUE	16000	5
Trichloroethene	ug/L	MW424-PRT3 (RGA)	03/12/12	TRUE	12000	5
Trichloroethene	ug/L	MW424-PRT3 (RGA)	09/25/12	TRUE	11000	5
Trichloroethene	ug/L	MW424-PRT3 (RGA)	03/13/13	TRUE	10000	5
Trichloroethene	ug/L	MW424-PRT3 (RGA)	09/17/13	TRUE	9300	5
Trichloroethene	ug/L	MW424-PRT3 (RGA)	03/20/14	TRUE	10000	5
Trichloroethene	ug/L	MW424-PRT3 (RGA)	09/13/14	TRUE	11100	5
Trichloroethene	ug/L	MW424-PRT3 (RGA)	03/31/15	TRUE	14000	5
Trichloroethene	ug/L	MW424-PRT3 (RGA)	03/23/16	TRUE	16800	5
Trichloroethene	ug/L	MW424-PRT3 (RGA)	09/20/16	TRUE	16600	5
Trichloroethene	ug/L	MW424-PRT3 (RGA)	03/08/17	TRUE	13500	5
Trichloroethene	ug/L	MW424-PRT3 (RGA)	09/11/17	TRUE	13300	5
Trichloroethene	ug/L	MW424-PRT3 (RGA)	03/21/18	TRUE	15100	5
Trichloroethene	ug/L	MW424-PRT3 (RGA)	09/25/18	TRUE	14700	5
Trichloroethene	ug/L	MW424-PRT3 (RGA)	03/19/19	TRUE	13400	5
Trichloroethene	ug/L	MW424-PRT3 (RGA)	09/17/19	TRUE	8890	5
Trichloroethene	ug/L	MW424-PRT3 (RGA)	03/10/20	TRUE	10200	5
Trichloroethene	ug/L	MW424-PRT3 (RGA)	09/21/20	TRUE	9560	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW425-PRT1 (RGA)	03/23/10	TRUE	3010	900
Technetium-99	pCi/L	MW425-PRT1 (RGA)	06/22/10	TRUE	1330	900
Technetium-99	pCi/L	MW425-PRT1 (RGA)	09/21/10	TRUE	12700	900
Technetium-99	pCi/L	MW425-PRT1 (RGA)	12/15/10	TRUE	18300	900
Technetium-99	pCi/L	MW425-PRT1 (RGA)	03/21/11	TRUE	14000	900
Technetium-99	pCi/L	MW425-PRT1 (RGA)	06/13/11	TRUE	2530	900
Technetium-99	pCi/L	MW425-PRT1 (RGA)	09/14/11	TRUE	9190	900
Technetium-99	pCi/L	MW425-PRT1 (RGA)	03/12/13	TRUE	5630	900
Technetium-99	pCi/L	MW425-PRT1 (RGA)	09/18/13	TRUE	5220	900
Technetium-99	pCi/L	MW425-PRT1 (RGA)	03/20/14	TRUE	2810	900
Technetium-99	pCi/L	MW425-PRT1 (RGA)	09/15/14	TRUE	2220	900
Technetium-99	pCi/L	MW425-PRT1 (RGA)	03/26/15	TRUE	2220	900
Technetium-99	pCi/L	MW425-PRT1 (RGA)	03/28/16	TRUE	1040	900
Technetium-99	pCi/L	MW425-PRT1 (RGA)	09/21/16	TRUE	6810	900
Technetium-99	pCi/L	MW425-PRT1 (RGA)	03/08/17	TRUE	4280	900
Technetium-99	pCi/L	MW425-PRT1 (RGA)	09/11/17	TRUE	6150	900
Technetium-99	pCi/L	MW425-PRT1 (RGA)	03/21/18	TRUE	1890	900
Technetium-99	pCi/L	MW425-PRT1 (RGA)	09/26/18	TRUE	3640	900
Technetium-99	pCi/L	MW425-PRT1 (RGA)	03/19/19	TRUE	1870	900
Technetium-99	pCi/L	MW425-PRT1 (RGA)	09/11/19	TRUE	16300	900
Technetium-99	pCi/L	MW425-PRT1 (RGA)	03/10/20	TRUE	12500	900
Technetium-99	pCi/L	MW425-PRT1 (RGA)	09/24/20	TRUE	24300	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW425-PRT1 (RGA)	03/23/10	TRUE	8900	5
Trichloroethene	ug/L	MW425-PRT1 (RGA)	06/22/10	TRUE	8300	5
Trichloroethene	ug/L	MW425-PRT1 (RGA)	09/21/10	TRUE	12000	5
Trichloroethene	ug/L	MW425-PRT1 (RGA)	12/15/10	TRUE	13000	5
Trichloroethene	ug/L	MW425-PRT1 (RGA)	03/21/11	TRUE	11000	5
Trichloroethene	ug/L	MW425-PRT1 (RGA)	06/13/11	TRUE	7600	5
Trichloroethene	ug/L	MW425-PRT1 (RGA)	09/14/11	TRUE	12000	5
Trichloroethene	ug/L	MW425-PRT1 (RGA)	03/12/13	TRUE	6500	5
Trichloroethene	ug/L	MW425-PRT1 (RGA)	09/18/13	TRUE	4600	5
Trichloroethene	ug/L	MW425-PRT1 (RGA)	03/20/14	TRUE	3000	5
Trichloroethene	ug/L	MW425-PRT1 (RGA)	09/15/14	TRUE	2260	5
Trichloroethene	ug/L	MW425-PRT1 (RGA)	03/26/15	TRUE	1820	5
Trichloroethene	ug/L	MW425-PRT1 (RGA)	03/28/16	TRUE	1080	5
Trichloroethene	ug/L	MW425-PRT1 (RGA)	09/21/16	TRUE	1320	5
Trichloroethene	ug/L	MW425-PRT1 (RGA)	03/08/17	TRUE	1160	5
Trichloroethene	ug/L	MW425-PRT1 (RGA)	09/11/17	TRUE	1140	5
Trichloroethene	ug/L	MW425-PRT1 (RGA)	03/21/18	TRUE	1340	5
Trichloroethene	ug/L	MW425-PRT1 (RGA)	09/26/18	TRUE	1800	5
Trichloroethene	ug/L	MW425-PRT1 (RGA)	03/19/19	TRUE	2700	5
Trichloroethene	ug/L	MW425-PRT1 (RGA)	09/17/19	TRUE	2550	5
Trichloroethene	ug/L	MW425-PRT1 (RGA)	03/10/20	TRUE	2440	5
Trichloroethene	ug/L	MW425-PRT1 (RGA)	09/24/20	TRUE	3180	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW425-PRT2 (RGA)	03/23/10	TRUE	5600	900
Technetium-99	pCi/L	MW425-PRT2 (RGA)	06/22/10	TRUE	3850	900
Technetium-99	pCi/L	MW425-PRT2 (RGA)	09/21/10	TRUE	5000	900
Technetium-99	pCi/L	MW425-PRT2 (RGA)	12/15/10	TRUE	13200	900
Technetium-99	pCi/L	MW425-PRT2 (RGA)	03/21/11	TRUE	12500	900
Technetium-99	pCi/L	MW425-PRT2 (RGA)	06/13/11	TRUE	5930	900
Technetium-99	pCi/L	MW425-PRT2 (RGA)	09/14/11	TRUE	4600	900
Technetium-99	pCi/L	MW425-PRT2 (RGA)	03/12/13	TRUE	6260	900
Technetium-99	pCi/L	MW425-PRT2 (RGA)	09/18/13	TRUE	3280	900
Technetium-99	pCi/L	MW425-PRT2 (RGA)	03/20/14	TRUE	4240	900
Technetium-99	pCi/L	MW425-PRT2 (RGA)	09/15/14	TRUE	1860	900
Technetium-99	pCi/L	MW425-PRT2 (RGA)	03/26/15	TRUE	2750	900
Technetium-99	pCi/L	MW425-PRT2 (RGA)	03/28/16	TRUE	1400	900
Technetium-99	pCi/L	MW425-PRT2 (RGA)	09/21/16	TRUE	3790	900
Technetium-99	pCi/L	MW425-PRT2 (RGA)	03/08/17	TRUE	5400	900
Technetium-99	pCi/L	MW425-PRT2 (RGA)	09/12/17	TRUE	3530	900
Technetium-99	pCi/L	MW425-PRT2 (RGA)	03/21/18	TRUE	3030	900
Technetium-99	pCi/L	MW425-PRT2 (RGA)	09/26/18	TRUE	2060	900
Technetium-99	pCi/L	MW425-PRT2 (RGA)	03/19/19	TRUE	2190	900
Technetium-99	pCi/L	MW425-PRT2 (RGA)	09/11/19	TRUE	11500	900
Technetium-99	pCi/L	MW425-PRT2 (RGA)	03/10/20	TRUE	15500	900
Technetium-99	pCi/L	MW425-PRT2 (RGA)	09/24/20	TRUE	19300	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW425-PRT2 (RGA)	03/23/10	TRUE	9300	5
Trichloroethene	ug/L	MW425-PRT2 (RGA)	06/22/10	TRUE	8400	5
Trichloroethene	ug/L	MW425-PRT2 (RGA)	09/21/10	TRUE	10000	5
Trichloroethene	ug/L	MW425-PRT2 (RGA)	12/15/10	TRUE	11000	5
Trichloroethene	ug/L	MW425-PRT2 (RGA)	03/21/11	TRUE	9200	5
Trichloroethene	ug/L	MW425-PRT2 (RGA)	06/13/11	TRUE	8700	5
Trichloroethene	ug/L	MW425-PRT2 (RGA)	09/14/11	TRUE	10000	5
Trichloroethene	ug/L	MW425-PRT2 (RGA)	03/12/13	TRUE	9100	5
Trichloroethene	ug/L	MW425-PRT2 (RGA)	09/18/13	TRUE	6700	5
Trichloroethene	ug/L	MW425-PRT2 (RGA)	03/20/14	TRUE	5400	5
Trichloroethene	ug/L	MW425-PRT2 (RGA)	09/15/14	TRUE	4080	5
Trichloroethene	ug/L	MW425-PRT2 (RGA)	03/26/15	TRUE	3540	5
Trichloroethene	ug/L	MW425-PRT2 (RGA)	03/28/16	TRUE	2060	5
Trichloroethene	ug/L	MW425-PRT2 (RGA)	09/21/16	TRUE	1590	5
Trichloroethene	ug/L	MW425-PRT2 (RGA)	03/08/17	TRUE	1530	5
Trichloroethene	ug/L	MW425-PRT2 (RGA)	09/12/17	TRUE	1430	5
Trichloroethene	ug/L	MW425-PRT2 (RGA)	03/21/18	TRUE	1620	5
Trichloroethene	ug/L	MW425-PRT2 (RGA)	09/26/18	TRUE	1790	5
Trichloroethene	ug/L	MW425-PRT2 (RGA)	03/19/19	TRUE	2400	5
Trichloroethene	ug/L	MW425-PRT2 (RGA)	09/17/19	TRUE	2250	5
Trichloroethene	ug/L	MW425-PRT2 (RGA)	03/10/20	TRUE	2940	5
Trichloroethene	ug/L	MW425-PRT2 (RGA)	09/24/20	TRUE	3460	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW425-PRT3 (RGA)	03/23/10	TRUE	4290	900
Technetium-99	pCi/L	MW425-PRT3 (RGA)	06/22/10	TRUE	3760	900
Technetium-99	pCi/L	MW425-PRT3 (RGA)	09/21/10	TRUE	5070	900
Technetium-99	pCi/L	MW425-PRT3 (RGA)	12/15/10	TRUE	8570	900
Technetium-99	pCi/L	MW425-PRT3 (RGA)	06/13/11	TRUE	4310	900
Technetium-99	pCi/L	MW425-PRT3 (RGA)	09/14/11	TRUE	4360	900
Technetium-99	pCi/L	MW425-PRT3 (RGA)	03/12/12	TRUE	5410	900
Technetium-99	pCi/L	MW425-PRT3 (RGA)	09/19/12	TRUE	5320	900
Technetium-99	pCi/L	MW425-PRT3 (RGA)	03/12/13	TRUE	4600	900
Technetium-99	pCi/L	MW425-PRT3 (RGA)	09/18/13	TRUE	2530	900
Technetium-99	pCi/L	MW425-PRT3 (RGA)	03/20/14	TRUE	3230	900
Technetium-99	pCi/L	MW425-PRT3 (RGA)	09/15/14	TRUE	1950	900
Technetium-99	pCi/L	MW425-PRT3 (RGA)	03/26/15	TRUE	2340	900
Technetium-99	pCi/L	MW425-PRT3 (RGA)	03/28/16	TRUE	1200	900
Technetium-99	pCi/L	MW425-PRT3 (RGA)	09/21/16	TRUE	1890	900
Technetium-99	pCi/L	MW425-PRT3 (RGA)	03/08/17	TRUE	3480	900
Technetium-99	pCi/L	MW425-PRT3 (RGA)	09/12/17	TRUE	2430	900
Technetium-99	pCi/L	MW425-PRT3 (RGA)	03/21/18	TRUE	2630	900
Technetium-99	pCi/L	MW425-PRT3 (RGA)	09/26/18	TRUE	1580	900
Technetium-99	pCi/L	MW425-PRT3 (RGA)	03/19/19	TRUE	1360	900
Technetium-99	pCi/L	MW425-PRT3 (RGA)	09/11/19	TRUE	6440	900
Technetium-99	pCi/L	MW425-PRT3 (RGA)	03/10/20	TRUE	9160	900
Technetium-99	pCi/L	MW425-PRT3 (RGA)	09/24/20	TRUE	11700	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW425-PRT3 (RGA)	03/23/10	TRUE	7600	5
Trichloroethene	ug/L	MW425-PRT3 (RGA)	06/22/10	TRUE	7700	5
Trichloroethene	ug/L	MW425-PRT3 (RGA)	09/21/10	TRUE	8500	5
Trichloroethene	ug/L	MW425-PRT3 (RGA)	12/15/10	TRUE	9100	5
Trichloroethene	ug/L	MW425-PRT3 (RGA)	06/13/11	TRUE	7400	5
Trichloroethene	ug/L	MW425-PRT3 (RGA)	09/14/11	TRUE	8500	5
Trichloroethene	ug/L	MW425-PRT3 (RGA)	03/12/12	TRUE	8000	5
Trichloroethene	ug/L	MW425-PRT3 (RGA)	09/19/12	TRUE	9900	5
Trichloroethene	ug/L	MW425-PRT3 (RGA)	03/12/13	TRUE	11000	5
Trichloroethene	ug/L	MW425-PRT3 (RGA)	09/18/13	TRUE	9600	5
Trichloroethene	ug/L	MW425-PRT3 (RGA)	03/20/14	TRUE	9500	5
Trichloroethene	ug/L	MW425-PRT3 (RGA)	09/15/14	TRUE	8610	5
Trichloroethene	ug/L	MW425-PRT3 (RGA)	03/26/15	TRUE	7170	5
Trichloroethene	ug/L	MW425-PRT3 (RGA)	03/28/16	TRUE	4430	5
Trichloroethene	ug/L	MW425-PRT3 (RGA)	09/21/16	TRUE	3320	5
Trichloroethene	ug/L	MW425-PRT3 (RGA)	03/08/17	TRUE	2850	5
Trichloroethene	ug/L	MW425-PRT3 (RGA)	09/12/17	TRUE	2630	5
Trichloroethene	ug/L	MW425-PRT3 (RGA)	03/21/18	TRUE	2990	5
Trichloroethene	ug/L	MW425-PRT3 (RGA)	09/26/18	TRUE	2350	5
Trichloroethene	ug/L	MW425-PRT3 (RGA)	03/19/19	TRUE	2810	5
Trichloroethene	ug/L	MW425-PRT3 (RGA)	09/17/19	TRUE	4310	5
Trichloroethene	ug/L	MW425-PRT3 (RGA)	03/10/20	TRUE	2750	5
Trichloroethene	ug/L	MW425-PRT3 (RGA)	09/24/20	TRUE	3540	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW426 (RGA)	05/04/10	FALSE	-9.69	900
Technetium-99	pCi/L	MW426 (RGA)	05/10/11	FALSE	11	900
Technetium-99	pCi/L	MW426 (RGA)	12/12/12	FALSE	-0.104	900
Technetium-99	pCi/L	MW426 (RGA)	06/03/13	FALSE	1.08	900
Technetium-99	pCi/L	MW426 (RGA)	09/10/13	FALSE	6.51	900
Technetium-99	pCi/L	MW426 (RGA)	11/12/13	FALSE	-2.27	900
Technetium-99	pCi/L	MW426 (RGA)	02/18/14	FALSE	1.77	900
Technetium-99	pCi/L	MW426 (RGA)	05/07/14	FALSE	-1.4	900
Technetium-99	pCi/L	MW426 (RGA)	08/26/14	FALSE	-0.658	900
Technetium-99	pCi/L	MW426 (RGA)	11/13/14	FALSE	0.0887	900
Technetium-99	pCi/L	MW426 (RGA)	02/12/15	FALSE	-5.61	900
Technetium-99	pCi/L	MW426 (RGA)	05/13/15	FALSE	-0.848	900
Technetium-99	pCi/L	MW426 (RGA)	06/09/15	FALSE	2.54	900
Technetium-99	pCi/L	MW426 (RGA)	08/11/15	FALSE	6.79	900
Technetium-99	pCi/L	MW426 (RGA)	11/16/15	FALSE	3.74	900
Technetium-99	pCi/L	MW426 (RGA)	02/11/16	FALSE	4.51	900
Technetium-99	pCi/L	MW426 (RGA)	05/11/16	FALSE	-13.3	900
Technetium-99	pCi/L	MW426 (RGA)	08/15/16	FALSE	-7	900
Technetium-99	pCi/L	MW426 (RGA)	11/16/16	FALSE	3.07	900
Technetium-99	pCi/L	MW426 (RGA)	02/08/17	FALSE	-0.03	900
Technetium-99	pCi/L	MW426 (RGA)	05/05/17	FALSE	-2.21	900
Technetium-99	pCi/L	MW426 (RGA)	08/29/17	FALSE	-0.322	900
Technetium-99	pCi/L	MW426 (RGA)	11/07/17	FALSE	-0.661	900
Technetium-99	pCi/L	MW426 (RGA)	02/13/18	FALSE	-1.23	900
Technetium-99	pCi/L	MW426 (RGA)	05/08/18	FALSE	-4.22	900
Technetium-99	pCi/L	MW426 (RGA)	08/13/18	FALSE	-0.989	900
Technetium-99	pCi/L	MW426 (RGA)	11/19/20	FALSE	11.7	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW426 (RGA)	05/04/10	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	05/10/11	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	12/12/12	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	03/26/13	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	06/03/13	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	06/07/13	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	09/10/13	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	11/12/13	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	02/18/14	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	05/07/14	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	08/26/14	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	11/13/14	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	02/12/15	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	05/13/15	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	06/09/15	TRUE	0.3	5
Trichloroethene	ug/L	MW426 (RGA)	08/11/15	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	11/16/15	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	02/11/16	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	02/11/16	TRUE	0.31	5
Trichloroethene	ug/L	MW426 (RGA)	05/11/16	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	08/15/16	TRUE	5.05	5
Trichloroethene	ug/L	MW426 (RGA)	11/16/16	TRUE	5.78	5
Trichloroethene	ug/L	MW426 (RGA)	02/08/17	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	02/08/17	TRUE	0.66	5
Trichloroethene	ug/L	MW426 (RGA)	05/05/17	TRUE	1.89	5
Trichloroethene	ug/L	MW426 (RGA)	08/29/17	TRUE	0.55	5
Trichloroethene	ug/L	MW426 (RGA)	11/07/17	TRUE	1.13	5
Trichloroethene	ug/L	MW426 (RGA)	02/13/18	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	05/08/18	TRUE	0.51	5
Trichloroethene	ug/L	MW426 (RGA)	08/13/18	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	11/07/18	TRUE	2.68	5
Trichloroethene	ug/L	MW426 (RGA)	02/12/19	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	05/20/19	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	08/14/19	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	11/11/19	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	02/11/20	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	05/11/20	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	08/12/20	FALSE	1	5
Trichloroethene	ug/L	MW426 (RGA)	11/19/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW427 (RGA)	05/04/10	FALSE	-2.86	900
Technetium-99	pCi/L	MW427 (RGA)	05/10/11	FALSE	3.67	900
Technetium-99	pCi/L	MW427 (RGA)	06/03/13	FALSE	2.38	900
Technetium-99	pCi/L	MW427 (RGA)	09/10/13	FALSE	14.1	900
Technetium-99	pCi/L	MW427 (RGA)	11/12/13	FALSE	1.45	900
Technetium-99	pCi/L	MW427 (RGA)	02/18/14	FALSE	-0.883	900
Technetium-99	pCi/L	MW427 (RGA)	05/07/14	FALSE	-4.34	900
Technetium-99	pCi/L	MW427 (RGA)	08/26/14	FALSE	2.87	900
Technetium-99	pCi/L	MW427 (RGA)	11/13/14	FALSE	-3.95	900
Technetium-99	pCi/L	MW427 (RGA)	02/12/15	FALSE	-9.24	900
Technetium-99	pCi/L	MW427 (RGA)	05/13/15	FALSE	5.95	900
Technetium-99	pCi/L	MW427 (RGA)	06/09/15	FALSE	1.39	900
Technetium-99	pCi/L	MW427 (RGA)	08/11/15	FALSE	9.18	900
Technetium-99	pCi/L	MW427 (RGA)	11/16/15	FALSE	-8.75	900
Technetium-99	pCi/L	MW427 (RGA)	02/11/16	FALSE	7.98	900
Technetium-99	pCi/L	MW427 (RGA)	05/11/16	FALSE	-5.8	900
Technetium-99	pCi/L	MW427 (RGA)	08/15/16	FALSE	-13.2	900
Technetium-99	pCi/L	MW427 (RGA)	11/16/16	FALSE	-1.8	900
Technetium-99	pCi/L	MW427 (RGA)	02/08/17	FALSE	1.05	900
Technetium-99	pCi/L	MW427 (RGA)	05/05/17	FALSE	-4.52	900
Technetium-99	pCi/L	MW427 (RGA)	08/29/17	FALSE	-1.95	900
Technetium-99	pCi/L	MW427 (RGA)	11/07/17	FALSE	1.6	900
Technetium-99	pCi/L	MW427 (RGA)	02/13/18	FALSE	-5.75	900
Technetium-99	pCi/L	MW427 (RGA)	05/08/18	FALSE	1.47	900
Technetium-99	pCi/L	MW427 (RGA)	08/13/18	FALSE	-3.04	900
Technetium-99	pCi/L	MW427 (RGA)	11/19/20	FALSE	10.4	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW427 (RGA)	05/04/10	TRUE	1	5
Trichloroethene	ug/L	MW427 (RGA)	05/10/11	TRUE	1	5
Trichloroethene	ug/L	MW427 (RGA)	12/12/12	TRUE	1.3	5
Trichloroethene	ug/L	MW427 (RGA)	03/26/13	FALSE	1	5
Trichloroethene	ug/L	MW427 (RGA)	06/03/13	FALSE	1	5
Trichloroethene	ug/L	MW427 (RGA)	06/07/13	FALSE	1	5
Trichloroethene	ug/L	MW427 (RGA)	09/10/13	FALSE	1	5
Trichloroethene	ug/L	MW427 (RGA)	11/12/13	FALSE	1	5
Trichloroethene	ug/L	MW427 (RGA)	02/18/14	FALSE	1	5
Trichloroethene	ug/L	MW427 (RGA)	05/07/14	TRUE	0.94	5
Trichloroethene	ug/L	MW427 (RGA)	08/26/14	TRUE	1.19	5
Trichloroethene	ug/L	MW427 (RGA)	11/13/14	TRUE	0.4	5
Trichloroethene	ug/L	MW427 (RGA)	02/12/15	TRUE	0.51	5
Trichloroethene	ug/L	MW427 (RGA)	05/13/15	TRUE	0.61	5
Trichloroethene	ug/L	MW427 (RGA)	06/09/15	TRUE	1.17	5
Trichloroethene	ug/L	MW427 (RGA)	08/11/15	TRUE	0.5	5
Trichloroethene	ug/L	MW427 (RGA)	11/16/15	TRUE	0.49	5
Trichloroethene	ug/L	MW427 (RGA)	02/11/16	TRUE	0.52	5
Trichloroethene	ug/L	MW427 (RGA)	05/11/16	TRUE	0.43	5
Trichloroethene	ug/L	MW427 (RGA)	08/15/16	TRUE	1.66	5
Trichloroethene	ug/L	MW427 (RGA)	11/16/16	TRUE	2.93	5
Trichloroethene	ug/L	MW427 (RGA)	02/08/17	TRUE	3.1	5
Trichloroethene	ug/L	MW427 (RGA)	05/05/17	TRUE	1.19	5
Trichloroethene	ug/L	MW427 (RGA)	08/29/17	TRUE	0.61	5
Trichloroethene	ug/L	MW427 (RGA)	11/07/17	TRUE	1.1	5
Trichloroethene	ug/L	MW427 (RGA)	02/13/18	TRUE	0.36	5
Trichloroethene	ug/L	MW427 (RGA)	05/08/18	TRUE	0.6	5
Trichloroethene	ug/L	MW427 (RGA)	08/13/18	TRUE	0.39	5
Trichloroethene	ug/L	MW427 (RGA)	11/07/18	TRUE	1.8	5
Trichloroethene	ug/L	MW427 (RGA)	02/12/19	FALSE	1	5
Trichloroethene	ug/L	MW427 (RGA)	05/20/19	FALSE	1	5
Trichloroethene	ug/L	MW427 (RGA)	08/14/19	TRUE	0.4	5
Trichloroethene	ug/L	MW427 (RGA)	11/11/19	TRUE	0.4	5
Trichloroethene	ug/L	MW427 (RGA)	02/11/20	TRUE	1.15	5
Trichloroethene	ug/L	MW427 (RGA)	05/11/20	TRUE	0.63	5
Trichloroethene	ug/L	MW427 (RGA)	08/12/20	TRUE	0.56	5
Trichloroethene	ug/L	MW427 (RGA)	11/19/20	TRUE	0.45	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW428 (RGA)	05/05/10	FALSE	-6.08	900
Technetium-99	pCi/L	MW428 (RGA)	03/15/11	FALSE	7.87	900
Technetium-99	pCi/L	MW428 (RGA)	09/20/11	FALSE	0.657	900
Technetium-99	pCi/L	MW428 (RGA)	03/15/12	FALSE	-11.1	900
Technetium-99	pCi/L	MW428 (RGA)	09/10/12	FALSE	3.99	900
Technetium-99	pCi/L	MW428 (RGA)	03/05/13	FALSE	-3.44	900
Technetium-99	pCi/L	MW428 (RGA)	09/09/13	FALSE	9.87	900
Technetium-99	pCi/L	MW428 (RGA)	03/11/14	FALSE	-2.47	900
Technetium-99	pCi/L	MW428 (RGA)	09/02/14	FALSE	-9.07	900
Technetium-99	pCi/L	MW428 (RGA)	03/18/15	FALSE	8.38	900
Technetium-99	pCi/L	MW428 (RGA)	09/28/15	FALSE	-6.61	900
Technetium-99	pCi/L	MW428 (RGA)	03/08/16	FALSE	6.21	900
Technetium-99	pCi/L	MW428 (RGA)	09/07/16	FALSE	13.1	900
Technetium-99	pCi/L	MW428 (RGA)	03/14/17	FALSE	4.17	900
Technetium-99	pCi/L	MW428 (RGA)	09/06/17	FALSE	0.984	900
Technetium-99	pCi/L	MW428 (RGA)	03/07/18	FALSE	4.42	900
Technetium-99	pCi/L	MW428 (RGA)	09/19/18	FALSE	-1.2	900
Technetium-99	pCi/L	MW428 (RGA)	03/13/19	FALSE	2.37	900
Technetium-99	pCi/L	MW428 (RGA)	09/20/19	FALSE	8.41	900
Technetium-99	pCi/L	MW428 (RGA)	03/09/20	FALSE	5.75	900
Technetium-99	pCi/L	MW428 (RGA)	09/15/20	FALSE	-3.51	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW428 (RGA)	05/05/10	FALSE	1	5
Trichloroethene	ug/L	MW428 (RGA)	03/15/11	FALSE	1	5
Trichloroethene	ug/L	MW428 (RGA)	09/20/11	TRUE	1.4	5
Trichloroethene	ug/L	MW428 (RGA)	03/15/12	FALSE	1	5
Trichloroethene	ug/L	MW428 (RGA)	09/10/12	FALSE	1	5
Trichloroethene	ug/L	MW428 (RGA)	03/05/13	TRUE	1.1	5
Trichloroethene	ug/L	MW428 (RGA)	09/09/13	TRUE	1.2	5
Trichloroethene	ug/L	MW428 (RGA)	03/11/14	TRUE	2	5
Trichloroethene	ug/L	MW428 (RGA)	09/02/14	TRUE	1.88	5
Trichloroethene	ug/L	MW428 (RGA)	03/18/15	TRUE	2.17	5
Trichloroethene	ug/L	MW428 (RGA)	09/28/15	TRUE	1.46	5
Trichloroethene	ug/L	MW428 (RGA)	03/08/16	TRUE	1.97	5
Trichloroethene	ug/L	MW428 (RGA)	09/07/16	TRUE	2	5
Trichloroethene	ug/L	MW428 (RGA)	03/13/17	TRUE	2.03	5
Trichloroethene	ug/L	MW428 (RGA)	03/14/17	TRUE	2.36	5
Trichloroethene	ug/L	MW428 (RGA)	09/06/17	TRUE	2.53	5
Trichloroethene	ug/L	MW428 (RGA)	03/07/18	TRUE	2.41	5
Trichloroethene	ug/L	MW428 (RGA)	09/27/18	TRUE	3.32	5
Trichloroethene	ug/L	MW428 (RGA)	03/13/19	TRUE	3.91	5
Trichloroethene	ug/L	MW428 (RGA)	09/20/19	TRUE	3.21	5
Trichloroethene	ug/L	MW428 (RGA)	03/09/20	TRUE	4.59	5
Trichloroethene	ug/L	MW428 (RGA)	09/15/20	TRUE	2.29	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW429/MW429A (RGA)	05/04/10	FALSE	-4.5	900
Technetium-99	pCi/L	MW429/MW429A (RGA)	03/15/11	FALSE	12	900
Technetium-99	pCi/L	MW429/MW429A (RGA)	09/20/11	FALSE	5.26	900
Technetium-99	pCi/L	MW429/MW429A (RGA)	03/14/12	FALSE	-5.57	900
Technetium-99	pCi/L	MW429/MW429A (RGA)	09/10/12	FALSE	10.4	900
Technetium-99	pCi/L	MW429/MW429A (RGA)	03/11/13	FALSE	7.92	900
Technetium-99	pCi/L	MW429/MW429A (RGA)	09/04/13	FALSE	-0.436	900
Technetium-99	pCi/L	MW429/MW429A (RGA)	03/17/14	FALSE	8.91	900
Technetium-99	pCi/L	MW429/MW429A (RGA)	09/04/14	FALSE	-11.9	900
Technetium-99	pCi/L	MW429/MW429A (RGA)	03/24/15	FALSE	6.76	900
Technetium-99	pCi/L	MW429/MW429A (RGA)	09/28/15	FALSE	-0.166	900
Technetium-99	pCi/L	MW429/MW429A (RGA)	03/01/16	FALSE	-1.56	900
Technetium-99	pCi/L	MW429/MW429A (RGA)	09/07/16	FALSE	-4.21	900
Technetium-99	pCi/L	MW429/MW429A (RGA)	03/13/17	FALSE	4.44	900
Technetium-99	pCi/L	MW429/MW429A (RGA)	09/06/17	FALSE	-1.36	900
Technetium-99	pCi/L	MW429/MW429A (RGA)	03/07/18	FALSE	5.29	900
Technetium-99	pCi/L	MW429/MW429A (RGA)	09/05/18	FALSE	-0.622	900
Technetium-99	pCi/L	MW429/MW429A (RGA)	03/11/19	TRUE	12.7	900
Technetium-99	pCi/L	MW429/MW429A (RGA)	09/18/19	FALSE	-3.83	900
Technetium-99	pCi/L	MW429/MW429A (RGA)	03/03/20	FALSE	2.68	900
Technetium-99	pCi/L	MW429/MW429A (RGA)	09/22/20	FALSE	-6.05	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW429/MW429A (RGA)	05/04/10	FALSE	1	5
Trichloroethene	ug/L	MW429/MW429A (RGA)	03/15/11	FALSE	1	5
Trichloroethene	ug/L	MW429/MW429A (RGA)	09/20/11	FALSE	1	5
Trichloroethene	ug/L	MW429/MW429A (RGA)	03/14/12	FALSE	1	5
Trichloroethene	ug/L	MW429/MW429A (RGA)	09/10/12	TRUE	1.6	5
Trichloroethene	ug/L	MW429/MW429A (RGA)	03/11/13	FALSE	1	5
Trichloroethene	ug/L	MW429/MW429A (RGA)	09/04/13	FALSE	1	5
Trichloroethene	ug/L	MW429/MW429A (RGA)	03/17/14	FALSE	1	5
Trichloroethene	ug/L	MW429/MW429A (RGA)	09/04/14	FALSE	1	5
Trichloroethene	ug/L	MW429/MW429A (RGA)	03/24/15	TRUE	0.99	5
Trichloroethene	ug/L	MW429/MW429A (RGA)	09/28/15	FALSE	1	5
Trichloroethene	ug/L	MW429/MW429A (RGA)	03/01/16	FALSE	1	5
Trichloroethene	ug/L	MW429/MW429A (RGA)	09/07/16	FALSE	1	5
Trichloroethene	ug/L	MW429/MW429A (RGA)	03/13/17	FALSE	1	5
Trichloroethene	ug/L	MW429/MW429A (RGA)	09/06/17	FALSE	1	5
Trichloroethene	ug/L	MW429/MW429A (RGA)	03/07/18	FALSE	1	5
Trichloroethene	ug/L	MW429/MW429A (RGA)	09/05/18	FALSE	1	5
Trichloroethene	ug/L	MW429/MW429A (RGA)	03/11/19	TRUE	0.79	5
Trichloroethene	ug/L	MW429/MW429A (RGA)	09/18/19	FALSE	1	5
Trichloroethene	ug/L	MW429/MW429A (RGA)	03/03/20	FALSE	1	5
Trichloroethene	ug/L	MW429/MW429A (RGA)	09/22/20	TRUE	0.5	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW430 (RGA)	05/04/10	FALSE	-9.53	900
Technetium-99	pCi/L	MW430 (RGA)	03/15/11	TRUE	18.9	900
Technetium-99	pCi/L	MW430 (RGA)	09/20/11	FALSE	-1.1	900
Technetium-99	pCi/L	MW430 (RGA)	03/14/12	FALSE	11	900
Technetium-99	pCi/L	MW430 (RGA)	09/10/12	FALSE	3.19	900
Technetium-99	pCi/L	MW430 (RGA)	03/11/13	FALSE	1.12	900
Technetium-99	pCi/L	MW430 (RGA)	09/04/13	FALSE	3.47	900
Technetium-99	pCi/L	MW430 (RGA)	03/17/14	FALSE	-5.2	900
Technetium-99	pCi/L	MW430 (RGA)	09/04/14	FALSE	-10.6	900
Technetium-99	pCi/L	MW430 (RGA)	03/24/15	FALSE	-11	900
Technetium-99	pCi/L	MW430 (RGA)	09/28/15	FALSE	-1.97	900
Technetium-99	pCi/L	MW430 (RGA)	03/01/16	FALSE	-10.4	900
Technetium-99	pCi/L	MW430 (RGA)	09/07/16	FALSE	4.12	900
Technetium-99	pCi/L	MW430 (RGA)	03/13/17	FALSE	4.24	900
Technetium-99	pCi/L	MW430 (RGA)	09/06/17	FALSE	0.935	900
Technetium-99	pCi/L	MW430 (RGA)	03/07/18	FALSE	7.56	900
Technetium-99	pCi/L	MW430 (RGA)	09/05/18	FALSE	5.69	900
Technetium-99	pCi/L	MW430 (RGA)	03/11/19	FALSE	2.22	900
Technetium-99	pCi/L	MW430 (RGA)	09/18/19	FALSE	-3.71	900
Technetium-99	pCi/L	MW430 (RGA)	03/03/20	FALSE	0.208	900
Technetium-99	pCi/L	MW430 (RGA)	09/22/20	FALSE	-4.7	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW430 (RGA)	05/04/10	TRUE	2.7	5
Trichloroethene	ug/L	MW430 (RGA)	03/15/11	TRUE	1.9	5
Trichloroethene	ug/L	MW430 (RGA)	09/20/11	TRUE	2	5
Trichloroethene	ug/L	MW430 (RGA)	03/14/12	TRUE	2.1	5
Trichloroethene	ug/L	MW430 (RGA)	09/10/12	TRUE	2.1	5
Trichloroethene	ug/L	MW430 (RGA)	03/11/13	TRUE	2.9	5
Trichloroethene	ug/L	MW430 (RGA)	09/04/13	TRUE	2.6	5
Trichloroethene	ug/L	MW430 (RGA)	03/17/14	TRUE	2.7	5
Trichloroethene	ug/L	MW430 (RGA)	09/04/14	TRUE	1.97	5
Trichloroethene	ug/L	MW430 (RGA)	03/24/15	TRUE	2.93	5
Trichloroethene	ug/L	MW430 (RGA)	09/28/15	TRUE	1.61	5
Trichloroethene	ug/L	MW430 (RGA)	03/01/16	TRUE	1.78	5
Trichloroethene	ug/L	MW430 (RGA)	09/07/16	TRUE	1.74	5
Trichloroethene	ug/L	MW430 (RGA)	03/13/17	TRUE	1.99	5
Trichloroethene	ug/L	MW430 (RGA)	09/06/17	TRUE	1.65	5
Trichloroethene	ug/L	MW430 (RGA)	03/07/18	TRUE	1.3	5
Trichloroethene	ug/L	MW430 (RGA)	09/05/18	TRUE	1.44	5
Trichloroethene	ug/L	MW430 (RGA)	03/11/19	TRUE	1.21	5
Trichloroethene	ug/L	MW430 (RGA)	09/18/19	TRUE	1.07	5
Trichloroethene	ug/L	MW430 (RGA)	03/03/20	TRUE	0.76	5
Trichloroethene	ug/L	MW430 (RGA)	09/22/20	TRUE	1.37	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW431 (RGA)	05/05/10	FALSE	1.35	900
Technetium-99	pCi/L	MW431 (RGA)	05/09/11	FALSE	8.32	900
Technetium-99	pCi/L	MW431 (RGA)	05/10/13	TRUE	19.2	900
Technetium-99	pCi/L	MW431 (RGA)	05/27/15	FALSE	-11.5	900
Technetium-99	pCi/L	MW431 (RGA)	05/18/17	FALSE	11.3	900
Technetium-99	pCi/L	MW431 (RGA)	12/14/17	FALSE	-0.413	900
Technetium-99	pCi/L	MW431 (RGA)	03/19/18	FALSE	3.47	900
Technetium-99	pCi/L	MW431 (RGA)	06/13/18	FALSE	4.58	900
Technetium-99	pCi/L	MW431 (RGA)	09/27/18	FALSE	5.38	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW431 (RGA)	05/05/10	FALSE	1	5
Trichloroethene	ug/L	MW431 (RGA)	05/09/11	FALSE	1	5
Trichloroethene	ug/L	MW431 (RGA)	05/10/13	FALSE	1	5
Trichloroethene	ug/L	MW431 (RGA)	05/27/15	TRUE	1.37	5
Trichloroethene	ug/L	MW431 (RGA)	03/13/17	TRUE	1.37	5
Trichloroethene	ug/L	MW431 (RGA)	05/18/17	TRUE	1.52	5
Trichloroethene	ug/L	MW431 (RGA)	12/14/17	TRUE	1.71	5
Trichloroethene	ug/L	MW431 (RGA)	03/19/18	TRUE	1.7	5
Trichloroethene	ug/L	MW431 (RGA)	06/13/18	TRUE	2.57	5
Trichloroethene	ug/L	MW431 (RGA)	09/27/18	TRUE	2.08	5
Trichloroethene	ug/L	MW431 (RGA)	12/19/18	TRUE	2.24	5
Trichloroethene	ug/L	MW431 (RGA)	03/18/19	TRUE	2.36	5
Trichloroethene	ug/L	MW431 (RGA)	06/04/19	TRUE	3.23	5
Trichloroethene	ug/L	MW431 (RGA)	09/17/19	TRUE	2.24	5
Trichloroethene	ug/L	MW431 (RGA)	12/09/19	TRUE	2.36	5
Trichloroethene	ug/L	MW431 (RGA)	03/12/20	TRUE	2.59	5
Trichloroethene	ug/L	MW431 (RGA)	06/03/20	TRUE	2.57	5
Trichloroethene	ug/L	MW431 (RGA)	09/16/20	TRUE	2.59	5
Trichloroethene	ug/L	MW431 (RGA)	12/01/20	TRUE	2.91	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW432 (RGA)	05/05/10	FALSE	-2.82	900
Technetium-99	pCi/L	MW432 (RGA)	05/10/11	TRUE	24.5	900
Technetium-99	pCi/L	MW432 (RGA)	03/13/13	FALSE	1.69	900
Technetium-99	pCi/L	MW432 (RGA)	05/09/13	FALSE	5.49	900
Technetium-99	pCi/L	MW432 (RGA)	09/11/13	TRUE	18.8	900
Technetium-99	pCi/L	MW432 (RGA)	11/12/13	FALSE	5.92	900
Technetium-99	pCi/L	MW432 (RGA)	02/11/14	FALSE	2.3	900
Technetium-99	pCi/L	MW432 (RGA)	05/06/14	FALSE	1.2	900
Technetium-99	pCi/L	MW432 (RGA)	08/19/14	FALSE	6.19	900
Technetium-99	pCi/L	MW432 (RGA)	11/13/14	FALSE	-2.89	900
Technetium-99	pCi/L	MW432 (RGA)	02/10/15	FALSE	-7.61	900
Technetium-99	pCi/L	MW432 (RGA)	05/13/15	FALSE	3.85	900
Technetium-99	pCi/L	MW432 (RGA)	05/27/15	FALSE	-1.45	900
Technetium-99	pCi/L	MW432 (RGA)	08/11/15	FALSE	8.96	900
Technetium-99	pCi/L	MW432 (RGA)	11/17/15	FALSE	7.18	900
Technetium-99	pCi/L	MW432 (RGA)	02/11/16	FALSE	2.62	900
Technetium-99	pCi/L	MW432 (RGA)	05/11/16	FALSE	-0.625	900
Technetium-99	pCi/L	MW432 (RGA)	08/15/16	FALSE	-3.81	900
Technetium-99	pCi/L	MW432 (RGA)	11/16/16	FALSE	-2.79	900
Technetium-99	pCi/L	MW432 (RGA)	02/14/17	FALSE	-0.434	900
Technetium-99	pCi/L	MW432 (RGA)	05/17/17	FALSE	11.9	900
Technetium-99	pCi/L	MW432 (RGA)	08/28/17	FALSE	-1.57	900
Technetium-99	pCi/L	MW432 (RGA)	11/20/17	FALSE	1.96	900
Technetium-99	pCi/L	MW432 (RGA)	02/13/18	FALSE	-3.11	900
Technetium-99	pCi/L	MW432 (RGA)	05/08/18	FALSE	5.12	900
Technetium-99	pCi/L	MW432 (RGA)	08/13/18	FALSE	2.82	900
Technetium-99	pCi/L	MW432 (RGA)	11/14/18	FALSE	-2.84	900
Technetium-99	pCi/L	MW432 (RGA)	02/11/19	FALSE	14.5	900
Technetium-99	pCi/L	MW432 (RGA)	05/06/19	FALSE	-9.55	900
Technetium-99	pCi/L	MW432 (RGA)	05/20/19	FALSE	-7.82	900
Technetium-99	pCi/L	MW432 (RGA)	08/14/19	FALSE	-4.4	900
Technetium-99	pCi/L	MW432 (RGA)	11/11/19	FALSE	4.16	900
Technetium-99	pCi/L	MW432 (RGA)	02/11/20	FALSE	3.91	900
Technetium-99	pCi/L	MW432 (RGA)	05/12/20	FALSE	6.3	900
Technetium-99	pCi/L	MW432 (RGA)	08/12/20	FALSE	-9.8	900
Technetium-99	pCi/L	MW432 (RGA)	11/19/20	FALSE	15.1	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW432 (RGA)	05/05/10	FALSE	1	5
Trichloroethene	ug/L	MW432 (RGA)	05/10/11	FALSE	1	5
Trichloroethene	ug/L	MW432 (RGA)	12/12/12	FALSE	1	5
Trichloroethene	ug/L	MW432 (RGA)	03/13/13	FALSE	1	5
Trichloroethene	ug/L	MW432 (RGA)	05/09/13	FALSE	1	5
Trichloroethene	ug/L	MW432 (RGA)	06/10/13	FALSE	1	5
Trichloroethene	ug/L	MW432 (RGA)	09/11/13	FALSE	1	5
Trichloroethene	ug/L	MW432 (RGA)	11/12/13	FALSE	1	5
Trichloroethene	ug/L	MW432 (RGA)	02/11/14	FALSE	1	5
Trichloroethene	ug/L	MW432 (RGA)	05/06/14	TRUE	0.6	5
Trichloroethene	ug/L	MW432 (RGA)	08/19/14	TRUE	0.62	5
Trichloroethene	ug/L	MW432 (RGA)	11/13/14	TRUE	0.35	5
Trichloroethene	ug/L	MW432 (RGA)	02/10/15	TRUE	0.52	5
Trichloroethene	ug/L	MW432 (RGA)	05/13/15	TRUE	0.56	5
Trichloroethene	ug/L	MW432 (RGA)	05/27/15	TRUE	0.95	5
Trichloroethene	ug/L	MW432 (RGA)	08/11/15	TRUE	0.46	5
Trichloroethene	ug/L	MW432 (RGA)	11/17/15	TRUE	0.77	5
Trichloroethene	ug/L	MW432 (RGA)	02/11/16	TRUE	0.66	5
Trichloroethene	ug/L	MW432 (RGA)	05/11/16	TRUE	0.58	5
Trichloroethene	ug/L	MW432 (RGA)	08/15/16	FALSE	1	5
Trichloroethene	ug/L	MW432 (RGA)	11/16/16	FALSE	1	5
Trichloroethene	ug/L	MW432 (RGA)	02/14/17	FALSE	1	5
Trichloroethene	ug/L	MW432 (RGA)	05/17/17	TRUE	0.38	5
Trichloroethene	ug/L	MW432 (RGA)	08/28/17	FALSE	1	5
Trichloroethene	ug/L	MW432 (RGA)	11/20/17	FALSE	1	5
Trichloroethene	ug/L	MW432 (RGA)	02/13/18	FALSE	1	5
Trichloroethene	ug/L	MW432 (RGA)	05/08/18	TRUE	0.76	5
Trichloroethene	ug/L	MW432 (RGA)	08/13/18	FALSE	1	5
Trichloroethene	ug/L	MW432 (RGA)	11/14/18	TRUE	0.56	5
Trichloroethene	ug/L	MW432 (RGA)	02/11/19	TRUE	0.86	5
Trichloroethene	ug/L	MW432 (RGA)	05/06/19	TRUE	0.6	5
Trichloroethene	ug/L	MW432 (RGA)	05/20/19	TRUE	0.46	5
Trichloroethene	ug/L	MW432 (RGA)	08/14/19	FALSE	1	5
Trichloroethene	ug/L	MW432 (RGA)	11/11/19	FALSE	1	5
Trichloroethene	ug/L	MW432 (RGA)	11/11/19	TRUE	0.35	5
Trichloroethene	ug/L	MW432 (RGA)	02/11/20	TRUE	0.72	5
Trichloroethene	ug/L	MW432 (RGA)	05/12/20	TRUE	0.41	5
Trichloroethene	ug/L	MW432 (RGA)	08/12/20	TRUE	0.38	5
Trichloroethene	ug/L	MW432 (RGA)	11/19/20	TRUE	0.56	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW433 (RGA)	05/10/10	FALSE	0	900
Technetium-99	pCi/L	MW433 (RGA)	06/14/11	FALSE	4.23	900
Technetium-99	pCi/L	MW433 (RGA)	05/03/13	FALSE	-0.881	900
Technetium-99	pCi/L	MW433 (RGA)	06/10/13	FALSE	-4.62	900
Technetium-99	pCi/L	MW433 (RGA)	09/10/13	FALSE	-1.86	900
Technetium-99	pCi/L	MW433 (RGA)	11/12/13	FALSE	-7.2	900
Technetium-99	pCi/L	MW433 (RGA)	02/12/14	FALSE	-2.67	900
Technetium-99	pCi/L	MW433 (RGA)	05/07/14	FALSE	-11.2	900
Technetium-99	pCi/L	MW433 (RGA)	08/20/14	FALSE	-0.309	900
Technetium-99	pCi/L	MW433 (RGA)	11/13/14	FALSE	-1.97	900
Technetium-99	pCi/L	MW433 (RGA)	02/11/15	FALSE	-10.3	900
Technetium-99	pCi/L	MW433 (RGA)	05/13/15	FALSE	-0.189	900
Technetium-99	pCi/L	MW433 (RGA)	05/18/15	FALSE	6.54	900
Technetium-99	pCi/L	MW433 (RGA)	08/11/15	FALSE	-2.95	900
Technetium-99	pCi/L	MW433 (RGA)	11/17/15	FALSE	5.27	900
Technetium-99	pCi/L	MW433 (RGA)	02/11/16	FALSE	4.08	900
Technetium-99	pCi/L	MW433 (RGA)	05/10/16	FALSE	3.73	900
Technetium-99	pCi/L	MW433 (RGA)	08/16/16	FALSE	0.132	900
Technetium-99	pCi/L	MW433 (RGA)	11/14/16	FALSE	-0.909	900
Technetium-99	pCi/L	MW433 (RGA)	02/14/17	FALSE	-6.11	900
Technetium-99	pCi/L	MW433 (RGA)	05/05/17	FALSE	0.447	900
Technetium-99	pCi/L	MW433 (RGA)	08/28/17	FALSE	-7.24	900
Technetium-99	pCi/L	MW433 (RGA)	11/13/17	FALSE	-6.41	900
Technetium-99	pCi/L	MW433 (RGA)	02/13/18	FALSE	-2.42	900
Technetium-99	pCi/L	MW433 (RGA)	05/02/18	FALSE	-6.18	900
Technetium-99	pCi/L	MW433 (RGA)	08/14/18	FALSE	-5.16	900
Technetium-99	pCi/L	MW433 (RGA)	11/19/20	FALSE	2.73	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW433 (RGA)	05/10/10	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	06/14/11	TRUE	1.7	5
Trichloroethene	ug/L	MW433 (RGA)	12/12/12	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	03/14/13	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	05/03/13	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	06/10/13	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	09/10/13	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	11/12/13	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	02/12/14	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	05/07/14	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	08/20/14	TRUE	0.77	5
Trichloroethene	ug/L	MW433 (RGA)	11/13/14	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	02/11/15	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	05/13/15	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	05/18/15	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	08/11/15	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	11/17/15	TRUE	0.3	5
Trichloroethene	ug/L	MW433 (RGA)	02/11/16	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	05/10/16	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	08/16/16	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	11/14/16	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	02/14/17	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	05/05/17	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	08/28/17	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	11/13/17	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	02/13/18	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	05/02/18	TRUE	0.39	5
Trichloroethene	ug/L	MW433 (RGA)	08/14/18	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	11/14/18	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	02/11/19	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	05/22/19	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	08/19/19	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	11/12/19	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	02/10/20	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	05/12/20	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	08/12/20	FALSE	1	5
Trichloroethene	ug/L	MW433 (RGA)	11/19/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW435 (RGA)	05/10/10	FALSE	-5.35	900
Technetium-99	pCi/L	MW435 (RGA)	06/14/11	FALSE	4.61	900
Technetium-99	pCi/L	MW435 (RGA)	03/14/13	FALSE	-2.5	900
Technetium-99	pCi/L	MW435 (RGA)	05/03/13	FALSE	8.04	900
Technetium-99	pCi/L	MW435 (RGA)	11/12/13	TRUE	21.4	900
Technetium-99	pCi/L	MW435 (RGA)	02/12/14	FALSE	-9.19	900
Technetium-99	pCi/L	MW435 (RGA)	05/07/14	FALSE	-7.4	900
Technetium-99	pCi/L	MW435 (RGA)	08/20/14	FALSE	-5.43	900
Technetium-99	pCi/L	MW435 (RGA)	11/19/14	FALSE	1.64	900
Technetium-99	pCi/L	MW435 (RGA)	02/11/15	FALSE	-12.5	900
Technetium-99	pCi/L	MW435 (RGA)	05/13/15	FALSE	-5.27	900
Technetium-99	pCi/L	MW435 (RGA)	05/18/15	FALSE	0.894	900
Technetium-99	pCi/L	MW435 (RGA)	08/11/15	FALSE	4.82	900
Technetium-99	pCi/L	MW435 (RGA)	11/17/15	FALSE	5.86	900
Technetium-99	pCi/L	MW435 (RGA)	02/11/16	FALSE	-0.0215	900
Technetium-99	pCi/L	MW435 (RGA)	05/10/16	FALSE	-7.24	900
Technetium-99	pCi/L	MW435 (RGA)	08/16/16	FALSE	-16.3	900
Technetium-99	pCi/L	MW435 (RGA)	11/14/16	FALSE	8.22	900
Technetium-99	pCi/L	MW435 (RGA)	02/14/17	FALSE	1.41	900
Technetium-99	pCi/L	MW435 (RGA)	05/17/17	FALSE	1.37	900
Technetium-99	pCi/L	MW435 (RGA)	08/28/17	FALSE	-10.1	900
Technetium-99	pCi/L	MW435 (RGA)	11/13/17	FALSE	-8.04	900
Technetium-99	pCi/L	MW435 (RGA)	02/13/18	FALSE	-6.62	900
Technetium-99	pCi/L	MW435 (RGA)	05/02/18	FALSE	1.15	900
Technetium-99	pCi/L	MW435 (RGA)	08/14/18	FALSE	0.0772	900
Technetium-99	pCi/L	MW435 (RGA)	11/19/20	FALSE	8.1	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW435 (RGA)	05/10/10	FALSE	1	5
Trichloroethene	ug/L	MW435 (RGA)	06/14/11	FALSE	1	5
Trichloroethene	ug/L	MW435 (RGA)	12/12/12	FALSE	1	5
Trichloroethene	ug/L	MW435 (RGA)	03/14/13	FALSE	1	5
Trichloroethene	ug/L	MW435 (RGA)	05/03/13	FALSE	1	5
Trichloroethene	ug/L	MW435 (RGA)	06/10/13	FALSE	1	5
Trichloroethene	ug/L	MW435 (RGA)	09/10/13	FALSE	1	5
Trichloroethene	ug/L	MW435 (RGA)	11/12/13	FALSE	1	5
Trichloroethene	ug/L	MW435 (RGA)	02/12/14	FALSE	1	5
Trichloroethene	ug/L	MW435 (RGA)	05/07/14	FALSE	1	5
Trichloroethene	ug/L	MW435 (RGA)	08/20/14	TRUE	1.3	5
Trichloroethene	ug/L	MW435 (RGA)	11/19/14	TRUE	0.65	5
Trichloroethene	ug/L	MW435 (RGA)	02/11/15	TRUE	1.11	5
Trichloroethene	ug/L	MW435 (RGA)	05/13/15	TRUE	0.61	5
Trichloroethene	ug/L	MW435 (RGA)	05/18/15	TRUE	0.35	5
Trichloroethene	ug/L	MW435 (RGA)	08/11/15	TRUE	0.45	5
Trichloroethene	ug/L	MW435 (RGA)	11/17/15	TRUE	0.85	5
Trichloroethene	ug/L	MW435 (RGA)	02/11/16	TRUE	0.55	5
Trichloroethene	ug/L	MW435 (RGA)	05/10/16	TRUE	0.44	5
Trichloroethene	ug/L	MW435 (RGA)	08/16/16	TRUE	0.77	5
Trichloroethene	ug/L	MW435 (RGA)	11/14/16	TRUE	0.55	5
Trichloroethene	ug/L	MW435 (RGA)	02/14/17	TRUE	0.63	5
Trichloroethene	ug/L	MW435 (RGA)	05/17/17	FALSE	1	5
Trichloroethene	ug/L	MW435 (RGA)	05/17/17	TRUE	0.37	5
Trichloroethene	ug/L	MW435 (RGA)	08/28/17	TRUE	0.99	5
Trichloroethene	ug/L	MW435 (RGA)	11/13/17	TRUE	0.54	5
Trichloroethene	ug/L	MW435 (RGA)	02/13/18	TRUE	0.44	5
Trichloroethene	ug/L	MW435 (RGA)	05/02/18	TRUE	0.62	5
Trichloroethene	ug/L	MW435 (RGA)	08/14/18	FALSE	1	5
Trichloroethene	ug/L	MW435 (RGA)	11/14/18	TRUE	0.7	5
Trichloroethene	ug/L	MW435 (RGA)	02/11/19	FALSE	1	5
Trichloroethene	ug/L	MW435 (RGA)	05/06/19	FALSE	1	5
Trichloroethene	ug/L	MW435 (RGA)	05/22/19	FALSE	1	5
Trichloroethene	ug/L	MW435 (RGA)	08/19/19	FALSE	1	5
Trichloroethene	ug/L	MW435 (RGA)	11/12/19	TRUE	0.46	5
Trichloroethene	ug/L	MW435 (RGA)	02/10/20	TRUE	0.34	5
Trichloroethene	ug/L	MW435 (RGA)	05/12/20	FALSE	1	5
Trichloroethene	ug/L	MW435 (RGA)	08/12/20	FALSE	1	5
Trichloroethene	ug/L	MW435 (RGA)	11/19/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW439 (RGA)	05/10/10	TRUE	16.6	900
Technetium-99	pCi/L	MW439 (RGA)	06/21/11	FALSE	-2.14	900
Technetium-99	pCi/L	MW439 (RGA)	05/07/13	FALSE	5.08	900
Technetium-99	pCi/L	MW439 (RGA)	05/19/15	FALSE	5.83	900
Technetium-99	pCi/L	MW439 (RGA)	05/09/17	FALSE	7.51	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW439 (RGA)	05/10/10	TRUE	1.2	5
Trichloroethene	ug/L	MW439 (RGA)	06/21/11	TRUE	1.1	5
Trichloroethene	ug/L	MW439 (RGA)	05/07/13	FALSE	1	5
Trichloroethene	ug/L	MW439 (RGA)	05/19/15	TRUE	1.19	5
Trichloroethene	ug/L	MW439 (RGA)	05/09/17	TRUE	1.4	5
Trichloroethene	ug/L	MW439 (RGA)	05/06/19	TRUE	1.41	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW440 (RGA)	05/10/10	FALSE	14.5	900
Technetium-99	pCi/L	MW440 (RGA)	06/21/11	FALSE	-2.25	900
Technetium-99	pCi/L	MW440 (RGA)	05/07/13	FALSE	1.49	900
Technetium-99	pCi/L	MW440 (RGA)	05/19/15	FALSE	-1.28	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW440 (RGA)	05/10/10	TRUE	1.3	5
Trichloroethene	ug/L	MW440 (RGA)	06/21/11	TRUE	1.3	5
Trichloroethene	ug/L	MW440 (RGA)	05/07/13	FALSE	1	5
Trichloroethene	ug/L	MW440 (RGA)	05/19/15	TRUE	1.23	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW441 (RGA)	05/10/10	FALSE	15.4	900
Technetium-99	pCi/L	MW441 (RGA)	05/10/10	TRUE	21.7	900
Technetium-99	pCi/L	MW441 (RGA)	06/21/11	FALSE	-4.28	900
Technetium-99	pCi/L	MW441 (RGA)	05/07/13	FALSE	2.92	900
Technetium-99	pCi/L	MW441 (RGA)	11/12/13	TRUE	18.4	900
Technetium-99	pCi/L	MW441 (RGA)	02/18/14	FALSE	2.15	900
Technetium-99	pCi/L	MW441 (RGA)	05/07/14	FALSE	-6.88	900
Technetium-99	pCi/L	MW441 (RGA)	08/21/14	FALSE	-3.88	900
Technetium-99	pCi/L	MW441 (RGA)	11/19/14	FALSE	-2.98	900
Technetium-99	pCi/L	MW441 (RGA)	02/11/15	FALSE	-4.15	900
Technetium-99	pCi/L	MW441 (RGA)	05/13/15	FALSE	3.2	900
Technetium-99	pCi/L	MW441 (RGA)	05/19/15	FALSE	0.771	900
Technetium-99	pCi/L	MW441 (RGA)	08/12/15	FALSE	7.79	900
Technetium-99	pCi/L	MW441 (RGA)	11/24/15	FALSE	4.53	900
Technetium-99	pCi/L	MW441 (RGA)	02/11/16	FALSE	2.87	900
Technetium-99	pCi/L	MW441 (RGA)	05/16/16	FALSE	11.7	900
Technetium-99	pCi/L	MW441 (RGA)	08/16/16	FALSE	-13.8	900
Technetium-99	pCi/L	MW441 (RGA)	11/14/16	FALSE	1.35	900
Technetium-99	pCi/L	MW441 (RGA)	02/14/17	FALSE	0.186	900
Technetium-99	pCi/L	MW441 (RGA)	05/16/17	FALSE	7.18	900
Technetium-99	pCi/L	MW441 (RGA)	08/28/17	FALSE	-2.41	900
Technetium-99	pCi/L	MW441 (RGA)	11/13/17	FALSE	-4.2	900
Technetium-99	pCi/L	MW441 (RGA)	02/19/18	FALSE	-1.63	900
Technetium-99	pCi/L	MW441 (RGA)	05/08/18	FALSE	4.47	900
Technetium-99	pCi/L	MW441 (RGA)	08/14/18	FALSE	4.18	900
Technetium-99	pCi/L	MW441 (RGA)	11/19/20	FALSE	11.6	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW441 (RGA)	05/10/10	FALSE	1	5
Trichloroethene	ug/L	MW441 (RGA)	06/21/11	FALSE	1	5
Trichloroethene	ug/L	MW441 (RGA)	12/12/12	TRUE	1.7	5
Trichloroethene	ug/L	MW441 (RGA)	03/20/13	TRUE	1.2	5
Trichloroethene	ug/L	MW441 (RGA)	05/07/13	TRUE	1.6	5
Trichloroethene	ug/L	MW441 (RGA)	06/10/13	TRUE	1.6	5
Trichloroethene	ug/L	MW441 (RGA)	09/11/13	TRUE	1.5	5
Trichloroethene	ug/L	MW441 (RGA)	11/12/13	TRUE	1.9	5
Trichloroethene	ug/L	MW441 (RGA)	02/18/14	TRUE	2	5
Trichloroethene	ug/L	MW441 (RGA)	05/07/14	TRUE	1.77	5
Trichloroethene	ug/L	MW441 (RGA)	08/21/14	TRUE	2.65	5
Trichloroethene	ug/L	MW441 (RGA)	11/19/14	TRUE	1.93	5
Trichloroethene	ug/L	MW441 (RGA)	02/11/15	TRUE	2.07	5
Trichloroethene	ug/L	MW441 (RGA)	05/13/15	TRUE	1.98	5
Trichloroethene	ug/L	MW441 (RGA)	05/19/15	TRUE	1.64	5
Trichloroethene	ug/L	MW441 (RGA)	08/12/15	TRUE	1.56	5
Trichloroethene	ug/L	MW441 (RGA)	11/24/15	TRUE	2.13	5
Trichloroethene	ug/L	MW441 (RGA)	02/11/16	TRUE	2.03	5
Trichloroethene	ug/L	MW441 (RGA)	05/16/16	TRUE	1.62	5
Trichloroethene	ug/L	MW441 (RGA)	08/16/16	TRUE	2.08	5
Trichloroethene	ug/L	MW441 (RGA)	11/14/16	TRUE	1.73	5
Trichloroethene	ug/L	MW441 (RGA)	02/14/17	TRUE	1.71	5
Trichloroethene	ug/L	MW441 (RGA)	05/16/17	TRUE	1.87	5
Trichloroethene	ug/L	MW441 (RGA)	08/28/17	TRUE	1.67	5
Trichloroethene	ug/L	MW441 (RGA)	11/13/17	TRUE	1.78	5
Trichloroethene	ug/L	MW441 (RGA)	02/19/18	TRUE	1.63	5
Trichloroethene	ug/L	MW441 (RGA)	05/08/18	TRUE	1.85	5
Trichloroethene	ug/L	MW441 (RGA)	08/14/18	TRUE	1.46	5
Trichloroethene	ug/L	MW441 (RGA)	11/14/18	TRUE	1.73	5
Trichloroethene	ug/L	MW441 (RGA)	02/12/19	TRUE	1.43	5
Trichloroethene	ug/L	MW441 (RGA)	05/22/19	TRUE	1.16	5
Trichloroethene	ug/L	MW441 (RGA)	08/19/19	TRUE	1.34	5
Trichloroethene	ug/L	MW441 (RGA)	11/12/19	TRUE	1.41	5
Trichloroethene	ug/L	MW441 (RGA)	02/10/20	TRUE	1.33	5
Trichloroethene	ug/L	MW441 (RGA)	05/12/20	TRUE	1.41	5
Trichloroethene	ug/L	MW441 (RGA)	08/12/20	TRUE	1.35	5
Trichloroethene	ug/L	MW441 (RGA)	11/19/20	TRUE	1.45	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW442 (RGA)	05/10/10	TRUE	18.4	900
Technetium-99	pCi/L	MW442 (RGA)	06/29/11	FALSE	-3.64	900
Technetium-99	pCi/L	MW442 (RGA)	05/07/13	FALSE	-1.74	900
Technetium-99	pCi/L	MW442 (RGA)	05/18/15	FALSE	3.82	900
Technetium-99	pCi/L	MW442 (RGA)	05/09/17	FALSE	9.41	900
Technetium-99	pCi/L	MW442 (RGA)	05/06/19	FALSE	-12.3	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW442 (RGA)	05/10/10	TRUE	7.7	5
Trichloroethene	ug/L	MW442 (RGA)	06/29/11	TRUE	7.1	5
Trichloroethene	ug/L	MW442 (RGA)	05/07/13	TRUE	4.9	5
Trichloroethene	ug/L	MW442 (RGA)	05/18/15	TRUE	3.8	5
Trichloroethene	ug/L	MW442 (RGA)	05/09/17	TRUE	2.56	5
Trichloroethene	ug/L	MW442 (RGA)	05/06/19	TRUE	2.59	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW443 (RGA)	01/14/10	FALSE	13.5	900
Technetium-99	pCi/L	MW443 (RGA)	06/29/11	FALSE	-7.67	900
Technetium-99	pCi/L	MW443 (RGA)	05/07/13	FALSE	4.77	900
Technetium-99	pCi/L	MW443 (RGA)	05/18/15	FALSE	2.77	900
Technetium-99	pCi/L	MW443 (RGA)	05/09/17	FALSE	4.29	900
Technetium-99	pCi/L	MW443 (RGA)	05/06/19	FALSE	-9.46	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW443 (RGA)	01/14/10	TRUE	4.2	5
Trichloroethene	ug/L	MW443 (RGA)	06/29/11	TRUE	3.4	5
Trichloroethene	ug/L	MW443 (RGA)	05/07/13	TRUE	2.6	5
Trichloroethene	ug/L	MW443 (RGA)	05/18/15	TRUE	1.72	5
Trichloroethene	ug/L	MW443 (RGA)	05/09/17	TRUE	1.33	5
Trichloroethene	ug/L	MW443 (RGA)	05/06/19	TRUE	0.95	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW444 (RGA)	01/14/10	FALSE	16.9	900
Technetium-99	pCi/L	MW444 (RGA)	06/29/11	FALSE	-9.03	900
Technetium-99	pCi/L	MW444 (RGA)	05/07/13	FALSE	7.95	900
Technetium-99	pCi/L	MW444 (RGA)	05/18/15	FALSE	5.68	900
Technetium-99	pCi/L	MW444 (RGA)	05/09/17	FALSE	13.9	900
Technetium-99	pCi/L	MW444 (RGA)	05/06/19	FALSE	-5.23	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW444 (RGA)	01/14/10	TRUE	3	5
Trichloroethene	ug/L	MW444 (RGA)	06/29/11	TRUE	2.8	5
Trichloroethene	ug/L	MW444 (RGA)	05/07/13	TRUE	2.4	5
Trichloroethene	ug/L	MW444 (RGA)	05/18/15	TRUE	2.14	5
Trichloroethene	ug/L	MW444 (RGA)	05/09/17	TRUE	1.48	5
Trichloroethene	ug/L	MW444 (RGA)	05/06/19	TRUE	0.91	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW445 (RGA)	05/10/10	TRUE	34.2	900
Technetium-99	pCi/L	MW445 (RGA)	06/22/11	TRUE	18.6	900
Technetium-99	pCi/L	MW445 (RGA)	05/06/13	FALSE	10.9	900
Technetium-99	pCi/L	MW445 (RGA)	05/18/15	FALSE	10.2	900
Technetium-99	pCi/L	MW445 (RGA)	05/09/17	FALSE	8.65	900
Technetium-99	pCi/L	MW445 (RGA)	05/06/19	FALSE	-7.76	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW445 (RGA)	05/10/10	TRUE	66	5
Trichloroethene	ug/L	MW445 (RGA)	06/22/11	TRUE	31	5
Trichloroethene	ug/L	MW445 (RGA)	05/06/13	TRUE	23	5
Trichloroethene	ug/L	MW445 (RGA)	05/18/15	TRUE	9	5
Trichloroethene	ug/L	MW445 (RGA)	05/09/17	TRUE	6.24	5
Trichloroethene	ug/L	MW445 (RGA)	05/06/19	TRUE	1.26	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW447 (RGA)	01/13/10	TRUE	74.6	900
Technetium-99	pCi/L	MW447 (RGA)	06/22/11	TRUE	42.6	900
Technetium-99	pCi/L	MW447 (RGA)	05/06/13	FALSE	9.52	900
Technetium-99	pCi/L	MW447 (RGA)	05/18/15	TRUE	19.5	900
Technetium-99	pCi/L	MW447 (RGA)	05/09/17	FALSE	11.7	900
Technetium-99	pCi/L	MW447 (RGA)	05/06/19	FALSE	-5.83	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW447 (RGA)	01/13/10	TRUE	150	5
Trichloroethene	ug/L	MW447 (RGA)	06/22/11	TRUE	130	5
Trichloroethene	ug/L	MW447 (RGA)	05/06/13	TRUE	90	5
Trichloroethene	ug/L	MW447 (RGA)	05/18/15	TRUE	44.4	5
Trichloroethene	ug/L	MW447 (RGA)	05/09/17	TRUE	22.4	5
Trichloroethene	ug/L	MW447 (RGA)	05/06/19	TRUE	1.36	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW448 (RGA)	05/10/10	FALSE	17.5	900
Technetium-99	pCi/L	MW448 (RGA)	06/14/11	FALSE	10.3	900
Technetium-99	pCi/L	MW448 (RGA)	05/01/13	FALSE	9.58	900
Technetium-99	pCi/L	MW448 (RGA)	05/13/15	FALSE	-10.2	900
Technetium-99	pCi/L	MW448 (RGA)	05/09/17	FALSE	8.22	900
Technetium-99	pCi/L	MW448 (RGA)	05/06/19	FALSE	-12.6	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW448 (RGA)	05/10/10	TRUE	8.4	5
Trichloroethene	ug/L	MW448 (RGA)	06/14/11	TRUE	8.3	5
Trichloroethene	ug/L	MW448 (RGA)	05/01/13	TRUE	9.8	5
Trichloroethene	ug/L	MW448 (RGA)	05/13/15	TRUE	6.95	5
Trichloroethene	ug/L	MW448 (RGA)	05/09/17	TRUE	3.21	5
Trichloroethene	ug/L	MW448 (RGA)	05/06/19	TRUE	1.81	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW450 (RGA)	06/14/11	TRUE	29.2	900
Technetium-99	pCi/L	MW450 (RGA)	05/01/13	TRUE	18.8	900
Technetium-99	pCi/L	MW450 (RGA)	05/13/15	FALSE	13.3	900
Technetium-99	pCi/L	MW450 (RGA)	05/09/17	FALSE	16.3	900
Technetium-99	pCi/L	MW450 (RGA)	05/06/19	FALSE	1.83	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW450 (RGA)	06/14/11	TRUE	27	5
Trichloroethene	ug/L	MW450 (RGA)	05/01/13	TRUE	27	5
Trichloroethene	ug/L	MW450 (RGA)	05/13/15	TRUE	23.8	5
Trichloroethene	ug/L	MW450 (RGA)	05/09/17	TRUE	14.1	5
Trichloroethene	ug/L	MW450 (RGA)	05/06/19	TRUE	9.62	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW451 (RGA)	05/09/11	FALSE	4.49	900
Technetium-99	pCi/L	MW451 (RGA)	05/29/13	FALSE	-0.886	900
Technetium-99	pCi/L	MW451 (RGA)	05/26/15	FALSE	-5.31	900
Technetium-99	pCi/L	MW451 (RGA)	05/18/17	FALSE	9.5	900
Technetium-99	pCi/L	MW451 (RGA)	04/30/19	FALSE	3.82	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW451 (RGA)	05/09/11	FALSE	1	5
Trichloroethene	ug/L	MW451 (RGA)	05/29/13	FALSE	1	5
Trichloroethene	ug/L	MW451 (RGA)	05/26/15	FALSE	1	5
Trichloroethene	ug/L	MW451 (RGA)	05/18/17	FALSE	1	5
Trichloroethene	ug/L	MW451 (RGA)	04/30/19	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW452 (RGA)	05/09/11	FALSE	5.24	900
Technetium-99	pCi/L	MW452 (RGA)	05/29/13	FALSE	-1.42	900
Technetium-99	pCi/L	MW452 (RGA)	11/12/13	FALSE	-2.99	900
Technetium-99	pCi/L	MW452 (RGA)	02/12/14	FALSE	-3.59	900
Technetium-99	pCi/L	MW452 (RGA)	05/06/14	FALSE	3	900
Technetium-99	pCi/L	MW452 (RGA)	08/19/14	FALSE	-0.708	900
Technetium-99	pCi/L	MW452 (RGA)	11/17/14	FALSE	3.7	900
Technetium-99	pCi/L	MW452 (RGA)	02/10/15	FALSE	0.354	900
Technetium-99	pCi/L	MW452 (RGA)	05/13/15	FALSE	-4.59	900
Technetium-99	pCi/L	MW452 (RGA)	05/27/15	FALSE	-9.52	900
Technetium-99	pCi/L	MW452 (RGA)	08/12/15	FALSE	3.28	900
Technetium-99	pCi/L	MW452 (RGA)	11/16/15	FALSE	-2.18	900
Technetium-99	pCi/L	MW452 (RGA)	02/11/16	FALSE	4.02	900
Technetium-99	pCi/L	MW452 (RGA)	05/10/16	FALSE	-7	900
Technetium-99	pCi/L	MW452 (RGA)	08/15/16	FALSE	-12.8	900
Technetium-99	pCi/L	MW452 (RGA)	11/14/16	FALSE	2.7	900
Technetium-99	pCi/L	MW452 (RGA)	02/14/17	FALSE	-2.5	900
Technetium-99	pCi/L	MW452 (RGA)	05/17/17	FALSE	2.03	900
Technetium-99	pCi/L	MW452 (RGA)	08/28/17	FALSE	1.48	900
Technetium-99	pCi/L	MW452 (RGA)	11/13/17	FALSE	-9.32	900
Technetium-99	pCi/L	MW452 (RGA)	02/13/18	FALSE	-1.8	900
Technetium-99	pCi/L	MW452 (RGA)	05/08/18	FALSE	1.31	900
Technetium-99	pCi/L	MW452 (RGA)	08/14/18	FALSE	-4.54	900
Technetium-99	pCi/L	MW452 (RGA)	04/30/19	FALSE	0.276	900
Technetium-99	pCi/L	MW452 (RGA)	11/19/20	FALSE	7.7	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW452 (RGA)	05/09/11	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	12/12/12	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	03/13/13	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	05/29/13	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	06/06/13	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	09/11/13	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	11/12/13	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	02/12/14	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	05/06/14	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	08/19/14	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	11/17/14	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	02/10/15	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	05/13/15	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	05/27/15	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	08/12/15	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	11/16/15	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	02/11/16	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	05/10/16	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	08/15/16	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	11/14/16	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	02/14/17	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	05/17/17	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	08/28/17	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	11/13/17	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	02/13/18	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	05/08/18	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	08/14/18	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	11/07/18	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	02/12/19	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	04/30/19	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	05/20/19	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	08/14/19	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	11/11/19	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	02/10/20	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	05/11/20	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	08/12/20	FALSE	1	5
Trichloroethene	ug/L	MW452 (RGA)	11/19/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW453 (RGA)	05/10/11	TRUE	52.5	900
Technetium-99	pCi/L	MW453 (RGA)	05/31/13	TRUE	41.2	900
Technetium-99	pCi/L	MW453 (RGA)	05/26/15	TRUE	34.7	900
Technetium-99	pCi/L	MW453 (RGA)	05/18/17	TRUE	30.5	900
Technetium-99	pCi/L	MW453 (RGA)	05/09/18	TRUE	33.5	900
Technetium-99	pCi/L	MW453 (RGA)	05/15/19	FALSE	16.9	900
Technetium-99	pCi/L	MW453 (RGA)	05/13/20	FALSE	18.3	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW453 (RGA)	05/10/11	TRUE	70	5
Trichloroethene	ug/L	MW453 (RGA)	05/31/13	TRUE	83	5
Trichloroethene	ug/L	MW453 (RGA)	05/26/15	TRUE	79.9	5
Trichloroethene	ug/L	MW453 (RGA)	05/18/17	TRUE	48	5
Trichloroethene	ug/L	MW453 (RGA)	05/09/18	TRUE	43.6	5
Trichloroethene	ug/L	MW453 (RGA)	05/15/19	TRUE	30.2	5
Trichloroethene	ug/L	MW453 (RGA)	05/13/20	TRUE	24.9	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW454 (RGA)	05/10/11	TRUE	74.2	900
Technetium-99	pCi/L	MW454 (RGA)	05/31/13	TRUE	90.4	900
Technetium-99	pCi/L	MW454 (RGA)	05/26/15	TRUE	30.1	900
Technetium-99	pCi/L	MW454 (RGA)	05/18/17	TRUE	45.6	900
Technetium-99	pCi/L	MW454 (RGA)	05/09/18	TRUE	51.4	900
Technetium-99	pCi/L	MW454 (RGA)	05/15/19	TRUE	29	900
Technetium-99	pCi/L	MW454 (RGA)	05/13/20	FALSE	17.2	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW454 (RGA)	05/10/11	TRUE	190	5
Trichloroethene	ug/L	MW454 (RGA)	05/31/13	TRUE	300	5
Trichloroethene	ug/L	MW454 (RGA)	05/26/15	TRUE	101	5
Trichloroethene	ug/L	MW454 (RGA)	05/18/17	TRUE	179	5
Trichloroethene	ug/L	MW454 (RGA)	05/09/18	TRUE	116	5
Trichloroethene	ug/L	MW454 (RGA)	08/29/18	TRUE	84.6	5
Trichloroethene	ug/L	MW454 (RGA)	05/15/19	TRUE	65.2	5
Trichloroethene	ug/L	MW454 (RGA)	05/13/20	TRUE	64.7	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW455 (RGA)	05/05/10	FALSE	11	900
Technetium-99	pCi/L	MW455 (RGA)	12/15/10	FALSE	-1.37	900
Technetium-99	pCi/L	MW455 (RGA)	03/09/11	FALSE	14.6	900
Technetium-99	pCi/L	MW455 (RGA)	06/07/11	TRUE	31.7	900
Technetium-99	pCi/L	MW455 (RGA)	09/01/11	FALSE	9.85	900
Technetium-99	pCi/L	MW455 (RGA)	12/13/11	TRUE	18.8	900
Technetium-99	pCi/L	MW455 (RGA)	03/01/12	TRUE	20.2	900
Technetium-99	pCi/L	MW455 (RGA)	06/06/12	FALSE	6.66	900
Technetium-99	pCi/L	MW455 (RGA)	09/10/12	FALSE	5.53	900
Technetium-99	pCi/L	MW455 (RGA)	03/04/13	TRUE	23.4	900
Technetium-99	pCi/L	MW455 (RGA)	09/05/13	FALSE	12.1	900
Technetium-99	pCi/L	MW455 (RGA)	03/10/14	TRUE	17.6	900
Technetium-99	pCi/L	MW455 (RGA)	09/02/14	FALSE	13.5	900
Technetium-99	pCi/L	MW455 (RGA)	03/16/15	FALSE	10.8	900
Technetium-99	pCi/L	MW455 (RGA)	09/23/15	FALSE	4.71	900
Technetium-99	pCi/L	MW455 (RGA)	03/08/16	FALSE	2.18	900
Technetium-99	pCi/L	MW455 (RGA)	09/08/16	FALSE	14.2	900
Technetium-99	pCi/L	MW455 (RGA)	03/13/17	FALSE	15.2	900
Technetium-99	pCi/L	MW455 (RGA)	09/06/17	FALSE	6.34	900
Technetium-99	pCi/L	MW455 (RGA)	03/07/18	TRUE	15.3	900
Technetium-99	pCi/L	MW455 (RGA)	09/05/18	FALSE	13.3	900
Technetium-99	pCi/L	MW455 (RGA)	03/14/19	FALSE	11.9	900
Technetium-99	pCi/L	MW455 (RGA)	09/19/19	FALSE	-3.5	900
Technetium-99	pCi/L	MW455 (RGA)	03/04/20	TRUE	15.1	900
Technetium-99	pCi/L	MW455 (RGA)	09/14/20	FALSE	8.24	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW455 (RGA)	05/05/10	TRUE	51	5
Trichloroethene	ug/L	MW455 (RGA)	12/15/10	TRUE	37	5
Trichloroethene	ug/L	MW455 (RGA)	03/09/11	TRUE	43	5
Trichloroethene	ug/L	MW455 (RGA)	06/07/11	TRUE	76	5
Trichloroethene	ug/L	MW455 (RGA)	09/01/11	TRUE	53	5
Trichloroethene	ug/L	MW455 (RGA)	12/13/11	TRUE	36	5
Trichloroethene	ug/L	MW455 (RGA)	03/01/12	TRUE	55	5
Trichloroethene	ug/L	MW455 (RGA)	06/06/12	TRUE	46	5
Trichloroethene	ug/L	MW455 (RGA)	09/10/12	TRUE	27	5
Trichloroethene	ug/L	MW455 (RGA)	03/04/13	TRUE	44	5
Trichloroethene	ug/L	MW455 (RGA)	09/05/13	TRUE	34	5
Trichloroethene	ug/L	MW455 (RGA)	03/10/14	TRUE	49	5
Trichloroethene	ug/L	MW455 (RGA)	09/02/14	TRUE	36.7	5
Trichloroethene	ug/L	MW455 (RGA)	03/16/15	TRUE	23.3	5
Trichloroethene	ug/L	MW455 (RGA)	09/23/15	TRUE	27.9	5
Trichloroethene	ug/L	MW455 (RGA)	03/08/16	TRUE	18.6	5
Trichloroethene	ug/L	MW455 (RGA)	09/08/16	TRUE	19.6	5
Trichloroethene	ug/L	MW455 (RGA)	03/13/17	TRUE	23.1	5
Trichloroethene	ug/L	MW455 (RGA)	09/06/17	TRUE	24.1	5
Trichloroethene	ug/L	MW455 (RGA)	03/07/18	TRUE	30.2	5
Trichloroethene	ug/L	MW455 (RGA)	09/05/18	TRUE	29.2	5
Trichloroethene	ug/L	MW455 (RGA)	03/14/19	TRUE	36.9	5
Trichloroethene	ug/L	MW455 (RGA)	09/19/19	TRUE	16.4	5
Trichloroethene	ug/L	MW455 (RGA)	03/04/20	TRUE	30.1	5
Trichloroethene	ug/L	MW455 (RGA)	09/14/20	TRUE	15.2	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW456 (RGA)	05/05/10	FALSE	5.46	900
Technetium-99	pCi/L	MW456 (RGA)	12/15/10	TRUE	290	900
Technetium-99	pCi/L	MW456 (RGA)	03/09/11	TRUE	19.8	900
Technetium-99	pCi/L	MW456 (RGA)	06/07/11	TRUE	27.6	900
Technetium-99	pCi/L	MW456 (RGA)	09/01/11	TRUE	74.3	900
Technetium-99	pCi/L	MW456 (RGA)	12/13/11	FALSE	13.2	900
Technetium-99	pCi/L	MW456 (RGA)	03/01/12	FALSE	15.1	900
Technetium-99	pCi/L	MW456 (RGA)	06/06/12	TRUE	51.3	900
Technetium-99	pCi/L	MW456 (RGA)	09/10/12	TRUE	113	900
Technetium-99	pCi/L	MW456 (RGA)	03/05/13	FALSE	9.43	900
Technetium-99	pCi/L	MW456 (RGA)	09/05/13	FALSE	10.8	900
Technetium-99	pCi/L	MW456 (RGA)	03/10/14	FALSE	2.86	900
Technetium-99	pCi/L	MW456 (RGA)	09/02/14	FALSE	20.3	900
Technetium-99	pCi/L	MW456 (RGA)	03/16/15	FALSE	3.62	900
Technetium-99	pCi/L	MW456 (RGA)	09/23/15	TRUE	72.3	900
Technetium-99	pCi/L	MW456 (RGA)	03/08/16	FALSE	5.23	900
Technetium-99	pCi/L	MW456 (RGA)	09/08/16	FALSE	4.72	900
Technetium-99	pCi/L	MW456 (RGA)	03/13/17	FALSE	4.9	900
Technetium-99	pCi/L	MW456 (RGA)	09/06/17	TRUE	60.4	900
Technetium-99	pCi/L	MW456 (RGA)	03/07/18	FALSE	-1.69	900
Technetium-99	pCi/L	MW456 (RGA)	09/05/18	TRUE	24.5	900
Technetium-99	pCi/L	MW456 (RGA)	03/14/19	FALSE	4.82	900
Technetium-99	pCi/L	MW456 (RGA)	09/19/19	TRUE	33.2	900
Technetium-99	pCi/L	MW456 (RGA)	03/04/20	FALSE	3.37	900
Technetium-99	pCi/L	MW456 (RGA)	09/14/20	TRUE	64.5	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW456 (RGA)	05/05/10	TRUE	26	5
Trichloroethene	ug/L	MW456 (RGA)	12/15/10	TRUE	700	5
Trichloroethene	ug/L	MW456 (RGA)	03/09/11	TRUE	60	5
Trichloroethene	ug/L	MW456 (RGA)	06/07/11	TRUE	25	5
Trichloroethene	ug/L	MW456 (RGA)	09/01/11	TRUE	190	5
Trichloroethene	ug/L	MW456 (RGA)	12/13/11	TRUE	23	5
Trichloroethene	ug/L	MW456 (RGA)	03/01/12	TRUE	36	5
Trichloroethene	ug/L	MW456 (RGA)	06/06/12	TRUE	130	5
Trichloroethene	ug/L	MW456 (RGA)	09/10/12	TRUE	140	5
Trichloroethene	ug/L	MW456 (RGA)	03/05/13	TRUE	14	5
Trichloroethene	ug/L	MW456 (RGA)	09/05/13	TRUE	38	5
Trichloroethene	ug/L	MW456 (RGA)	03/10/14	TRUE	13	5
Trichloroethene	ug/L	MW456 (RGA)	09/02/14	TRUE	72.7	5
Trichloroethene	ug/L	MW456 (RGA)	03/16/15	TRUE	9.76	5
Trichloroethene	ug/L	MW456 (RGA)	09/23/15	TRUE	167	5
Trichloroethene	ug/L	MW456 (RGA)	03/08/16	TRUE	10.6	5
Trichloroethene	ug/L	MW456 (RGA)	09/08/16	TRUE	9.78	5
Trichloroethene	ug/L	MW456 (RGA)	03/13/17	TRUE	5.75	5
Trichloroethene	ug/L	MW456 (RGA)	09/06/17	TRUE	115	5
Trichloroethene	ug/L	MW456 (RGA)	03/07/18	TRUE	5.12	5
Trichloroethene	ug/L	MW456 (RGA)	09/05/18	TRUE	22	5
Trichloroethene	ug/L	MW456 (RGA)	03/14/19	TRUE	8.12	5
Trichloroethene	ug/L	MW456 (RGA)	09/19/19	TRUE	66.3	5
Trichloroethene	ug/L	MW456 (RGA)	03/04/20	TRUE	5.34	5
Trichloroethene	ug/L	MW456 (RGA)	09/14/20	TRUE	109	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW457 (RGA)	05/03/10	FALSE	-1.11	900
Technetium-99	pCi/L	MW457 (RGA)	12/14/10	FALSE	7.67	900
Technetium-99	pCi/L	MW457 (RGA)	03/08/11	FALSE	11.8	900
Technetium-99	pCi/L	MW457 (RGA)	06/07/11	TRUE	25.7	900
Technetium-99	pCi/L	MW457 (RGA)	09/06/11	FALSE	6.39	900
Technetium-99	pCi/L	MW457 (RGA)	12/13/11	FALSE	1.93	900
Technetium-99	pCi/L	MW457 (RGA)	03/01/12	FALSE	13	900
Technetium-99	pCi/L	MW457 (RGA)	06/06/12	FALSE	-0.752	900
Technetium-99	pCi/L	MW457 (RGA)	09/11/12	FALSE	9.75	900
Technetium-99	pCi/L	MW457 (RGA)	03/04/13	FALSE	12.6	900
Technetium-99	pCi/L	MW457 (RGA)	09/05/13	FALSE	3.76	900
Technetium-99	pCi/L	MW457 (RGA)	03/10/14	TRUE	19.4	900
Technetium-99	pCi/L	MW457 (RGA)	09/02/14	FALSE	-2.6	900
Technetium-99	pCi/L	MW457 (RGA)	03/16/15	TRUE	31.8	900
Technetium-99	pCi/L	MW457 (RGA)	09/28/15	FALSE	15.2	900
Technetium-99	pCi/L	MW457 (RGA)	03/01/16	TRUE	24.5	900
Technetium-99	pCi/L	MW457 (RGA)	09/07/16	FALSE	16.6	900
Technetium-99	pCi/L	MW457 (RGA)	03/13/17	FALSE	14.6	900
Technetium-99	pCi/L	MW457 (RGA)	09/06/17	FALSE	4.53	900
Technetium-99	pCi/L	MW457 (RGA)	03/07/18	TRUE	28	900
Technetium-99	pCi/L	MW457 (RGA)	09/18/18	FALSE	5.72	900
Technetium-99	pCi/L	MW457 (RGA)	03/12/19	TRUE	30	900
Technetium-99	pCi/L	MW457 (RGA)	09/19/19	FALSE	10.1	900
Technetium-99	pCi/L	MW457 (RGA)	03/03/20	TRUE	20.7	900
Technetium-99	pCi/L	MW457 (RGA)	09/14/20	TRUE	15.4	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW457 (RGA)	05/03/10	TRUE	12	5
Trichloroethene	ug/L	MW457 (RGA)	12/14/10	TRUE	15	5
Trichloroethene	ug/L	MW457 (RGA)	03/08/11	TRUE	13	5
Trichloroethene	ug/L	MW457 (RGA)	06/07/11	TRUE	26	5
Trichloroethene	ug/L	MW457 (RGA)	09/06/11	TRUE	23	5
Trichloroethene	ug/L	MW457 (RGA)	12/13/11	TRUE	26	5
Trichloroethene	ug/L	MW457 (RGA)	03/01/12	TRUE	27	5
Trichloroethene	ug/L	MW457 (RGA)	06/06/12	TRUE	27	5
Trichloroethene	ug/L	MW457 (RGA)	09/11/12	TRUE	16	5
Trichloroethene	ug/L	MW457 (RGA)	03/04/13	TRUE	26	5
Trichloroethene	ug/L	MW457 (RGA)	09/05/13	TRUE	30	5
Trichloroethene	ug/L	MW457 (RGA)	03/10/14	TRUE	54	5
Trichloroethene	ug/L	MW457 (RGA)	09/02/14	TRUE	40.3	5
Trichloroethene	ug/L	MW457 (RGA)	03/16/15	TRUE	80.5	5
Trichloroethene	ug/L	MW457 (RGA)	09/28/15	TRUE	53.6	5
Trichloroethene	ug/L	MW457 (RGA)	03/01/16	TRUE	97.1	5
Trichloroethene	ug/L	MW457 (RGA)	09/07/16	TRUE	44.1	5
Trichloroethene	ug/L	MW457 (RGA)	03/13/17	TRUE	60.5	5
Trichloroethene	ug/L	MW457 (RGA)	09/06/17	TRUE	39.3	5
Trichloroethene	ug/L	MW457 (RGA)	03/07/18	TRUE	108	5
Trichloroethene	ug/L	MW457 (RGA)	09/18/18	TRUE	51.5	5
Trichloroethene	ug/L	MW457 (RGA)	03/12/19	TRUE	105	5
Trichloroethene	ug/L	MW457 (RGA)	09/19/19	TRUE	41.3	5
Trichloroethene	ug/L	MW457 (RGA)	03/03/20	TRUE	71.2	5
Trichloroethene	ug/L	MW457 (RGA)	09/14/20	TRUE	36.7	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW458 (RGA)	05/03/10	TRUE	36.4	900
Technetium-99	pCi/L	MW458 (RGA)	12/14/10	TRUE	41.4	900
Technetium-99	pCi/L	MW458 (RGA)	03/08/11	TRUE	233	900
Technetium-99	pCi/L	MW458 (RGA)	06/07/11	TRUE	203	900
Technetium-99	pCi/L	MW458 (RGA)	09/06/11	TRUE	225	900
Technetium-99	pCi/L	MW458 (RGA)	12/13/11	TRUE	194	900
Technetium-99	pCi/L	MW458 (RGA)	03/01/12	TRUE	159	900
Technetium-99	pCi/L	MW458 (RGA)	06/06/12	TRUE	154	900
Technetium-99	pCi/L	MW458 (RGA)	09/11/12	TRUE	156	900
Technetium-99	pCi/L	MW458 (RGA)	03/04/13	TRUE	121	900
Technetium-99	pCi/L	MW458 (RGA)	09/05/13	TRUE	95.8	900
Technetium-99	pCi/L	MW458 (RGA)	03/10/14	TRUE	69.6	900
Technetium-99	pCi/L	MW458 (RGA)	09/02/14	TRUE	43.6	900
Technetium-99	pCi/L	MW458 (RGA)	03/16/15	TRUE	51.9	900
Technetium-99	pCi/L	MW458 (RGA)	09/28/15	TRUE	43.8	900
Technetium-99	pCi/L	MW458 (RGA)	03/01/16	TRUE	45.4	900
Technetium-99	pCi/L	MW458 (RGA)	09/07/16	TRUE	55.8	900
Technetium-99	pCi/L	MW458 (RGA)	03/13/17	TRUE	47.3	900
Technetium-99	pCi/L	MW458 (RGA)	09/06/17	TRUE	31.5	900
Technetium-99	pCi/L	MW458 (RGA)	03/07/18	TRUE	29.8	900
Technetium-99	pCi/L	MW458 (RGA)	09/18/18	TRUE	30.9	900
Technetium-99	pCi/L	MW458 (RGA)	03/12/19	TRUE	22.4	900
Technetium-99	pCi/L	MW458 (RGA)	09/19/19	TRUE	26.5	900
Technetium-99	pCi/L	MW458 (RGA)	03/03/20	TRUE	26.8	900
Technetium-99	pCi/L	MW458 (RGA)	09/14/20	TRUE	27.6	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW458 (RGA)	05/03/10	TRUE	13	5
Trichloroethene	ug/L	MW458 (RGA)	12/14/10	TRUE	24	5
Trichloroethene	ug/L	MW458 (RGA)	03/08/11	TRUE	41	5
Trichloroethene	ug/L	MW458 (RGA)	06/07/11	TRUE	350	5
Trichloroethene	ug/L	MW458 (RGA)	09/06/11	TRUE	520	5
Trichloroethene	ug/L	MW458 (RGA)	12/13/11	TRUE	540	5
Trichloroethene	ug/L	MW458 (RGA)	03/01/12	TRUE	470	5
Trichloroethene	ug/L	MW458 (RGA)	06/06/12	TRUE	430	5
Trichloroethene	ug/L	MW458 (RGA)	09/11/12	TRUE	270	5
Trichloroethene	ug/L	MW458 (RGA)	03/04/13	TRUE	360	5
Trichloroethene	ug/L	MW458 (RGA)	09/05/13	TRUE	210	5
Trichloroethene	ug/L	MW458 (RGA)	03/10/14	TRUE	250	5
Trichloroethene	ug/L	MW458 (RGA)	09/02/14	TRUE	205	5
Trichloroethene	ug/L	MW458 (RGA)	03/16/15	TRUE	171	5
Trichloroethene	ug/L	MW458 (RGA)	09/28/15	TRUE	136	5
Trichloroethene	ug/L	MW458 (RGA)	03/01/16	TRUE	115	5
Trichloroethene	ug/L	MW458 (RGA)	09/07/16	TRUE	98.2	5
Trichloroethene	ug/L	MW458 (RGA)	03/13/17	TRUE	106	5
Trichloroethene	ug/L	MW458 (RGA)	09/06/17	TRUE	97.6	5
Trichloroethene	ug/L	MW458 (RGA)	03/07/18	TRUE	97.2	5
Trichloroethene	ug/L	MW458 (RGA)	09/18/18	TRUE	94.9	5
Trichloroethene	ug/L	MW458 (RGA)	03/12/19	TRUE	87.1	5
Trichloroethene	ug/L	MW458 (RGA)	09/19/19	TRUE	78.5	5
Trichloroethene	ug/L	MW458 (RGA)	03/03/20	TRUE	69.2	5
Trichloroethene	ug/L	MW458 (RGA)	09/14/20	TRUE	62.9	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW459 (RGA)	05/03/10	FALSE	13	900
Technetium-99	pCi/L	MW459 (RGA)	12/15/10	TRUE	23.8	900
Technetium-99	pCi/L	MW459 (RGA)	03/10/11	TRUE	41.2	900
Technetium-99	pCi/L	MW459 (RGA)	06/08/11	TRUE	230	900
Technetium-99	pCi/L	MW459 (RGA)	09/06/11	TRUE	26.5	900
Technetium-99	pCi/L	MW459 (RGA)	12/15/11	TRUE	55.2	900
Technetium-99	pCi/L	MW459 (RGA)	03/01/12	TRUE	128	900
Technetium-99	pCi/L	MW459 (RGA)	06/07/12	FALSE	13.8	900
Technetium-99	pCi/L	MW459 (RGA)	09/11/12	FALSE	8.9	900
Technetium-99	pCi/L	MW459 (RGA)	03/05/13	TRUE	109	900
Technetium-99	pCi/L	MW459 (RGA)	09/05/13	TRUE	60.4	900
Technetium-99	pCi/L	MW459 (RGA)	03/11/14	TRUE	102	900
Technetium-99	pCi/L	MW459 (RGA)	09/02/14	TRUE	30.7	900
Technetium-99	pCi/L	MW459 (RGA)	03/17/15	TRUE	77.8	900
Technetium-99	pCi/L	MW459 (RGA)	09/29/15	TRUE	40.9	900
Technetium-99	pCi/L	MW459 (RGA)	03/08/16	TRUE	65.4	900
Technetium-99	pCi/L	MW459 (RGA)	09/08/16	TRUE	29.9	900
Technetium-99	pCi/L	MW459 (RGA)	03/13/17	TRUE	47.1	900
Technetium-99	pCi/L	MW459 (RGA)	09/06/17	TRUE	34.6	900
Technetium-99	pCi/L	MW459 (RGA)	03/07/18	TRUE	73	900
Technetium-99	pCi/L	MW459 (RGA)	09/18/18	TRUE	44.6	900
Technetium-99	pCi/L	MW459 (RGA)	03/12/19	TRUE	119	900
Technetium-99	pCi/L	MW459 (RGA)	09/24/19	TRUE	54.8	900
Technetium-99	pCi/L	MW459 (RGA)	03/03/20	TRUE	107	900
Technetium-99	pCi/L	MW459 (RGA)	09/14/20	TRUE	26.8	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW459 (RGA)	05/03/10	TRUE	24	5
Trichloroethene	ug/L	MW459 (RGA)	12/15/10	TRUE	5.8	5
Trichloroethene	ug/L	MW459 (RGA)	03/10/11	TRUE	9.4	5
Trichloroethene	ug/L	MW459 (RGA)	06/08/11	TRUE	50	5
Trichloroethene	ug/L	MW459 (RGA)	09/06/11	TRUE	14	5
Trichloroethene	ug/L	MW459 (RGA)	12/15/11	TRUE	17	5
Trichloroethene	ug/L	MW459 (RGA)	03/01/12	TRUE	34	5
Trichloroethene	ug/L	MW459 (RGA)	06/07/12	TRUE	18	5
Trichloroethene	ug/L	MW459 (RGA)	09/11/12	TRUE	7.5	5
Trichloroethene	ug/L	MW459 (RGA)	03/05/13	TRUE	25	5
Trichloroethene	ug/L	MW459 (RGA)	09/05/13	TRUE	24	5
Trichloroethene	ug/L	MW459 (RGA)	03/11/14	TRUE	33	5
Trichloroethene	ug/L	MW459 (RGA)	09/02/14	TRUE	18.5	5
Trichloroethene	ug/L	MW459 (RGA)	03/17/15	TRUE	30	5
Trichloroethene	ug/L	MW459 (RGA)	09/29/15	TRUE	19.9	5
Trichloroethene	ug/L	MW459 (RGA)	03/08/16	TRUE	29.8	5
Trichloroethene	ug/L	MW459 (RGA)	09/08/16	TRUE	24.6	5
Trichloroethene	ug/L	MW459 (RGA)	03/13/17	TRUE	30.7	5
Trichloroethene	ug/L	MW459 (RGA)	09/06/17	TRUE	37	5
Trichloroethene	ug/L	MW459 (RGA)	03/07/18	TRUE	47.1	5
Trichloroethene	ug/L	MW459 (RGA)	09/18/18	TRUE	53.7	5
Trichloroethene	ug/L	MW459 (RGA)	03/12/19	TRUE	167	5
Trichloroethene	ug/L	MW459 (RGA)	09/24/19	TRUE	78.1	5
Trichloroethene	ug/L	MW459 (RGA)	03/03/20	TRUE	113	5
Trichloroethene	ug/L	MW459 (RGA)	09/14/20	TRUE	66.4	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW460 (RGA)	05/03/10	TRUE	182	900
Technetium-99	pCi/L	MW460 (RGA)	12/15/10	TRUE	364	900
Technetium-99	pCi/L	MW460 (RGA)	03/10/11	TRUE	280	900
Technetium-99	pCi/L	MW460 (RGA)	06/08/11	TRUE	238	900
Technetium-99	pCi/L	MW460 (RGA)	09/06/11	TRUE	247	900
Technetium-99	pCi/L	MW460 (RGA)	12/15/11	TRUE	262	900
Technetium-99	pCi/L	MW460 (RGA)	03/01/12	TRUE	241	900
Technetium-99	pCi/L	MW460 (RGA)	06/07/12	TRUE	244	900
Technetium-99	pCi/L	MW460 (RGA)	09/11/12	TRUE	238	900
Technetium-99	pCi/L	MW460 (RGA)	03/05/13	TRUE	278	900
Technetium-99	pCi/L	MW460 (RGA)	09/05/13	TRUE	193	900
Technetium-99	pCi/L	MW460 (RGA)	03/11/14	TRUE	203	900
Technetium-99	pCi/L	MW460 (RGA)	09/02/14	TRUE	196	900
Technetium-99	pCi/L	MW460 (RGA)	03/17/15	TRUE	217	900
Technetium-99	pCi/L	MW460 (RGA)	09/29/15	TRUE	225	900
Technetium-99	pCi/L	MW460 (RGA)	03/08/16	TRUE	241	900
Technetium-99	pCi/L	MW460 (RGA)	09/08/16	TRUE	203	900
Technetium-99	pCi/L	MW460 (RGA)	03/13/17	TRUE	208	900
Technetium-99	pCi/L	MW460 (RGA)	09/06/17	TRUE	214	900
Technetium-99	pCi/L	MW460 (RGA)	12/14/17	TRUE	197	900
Technetium-99	pCi/L	MW460 (RGA)	03/07/18	TRUE	216	900
Technetium-99	pCi/L	MW460 (RGA)	06/13/18	TRUE	194	900
Technetium-99	pCi/L	MW460 (RGA)	09/18/18	TRUE	204	900
Technetium-99	pCi/L	MW460 (RGA)	12/17/18	TRUE	166	900
Technetium-99	pCi/L	MW460 (RGA)	03/14/19	TRUE	151	900
Technetium-99	pCi/L	MW460 (RGA)	06/04/19	TRUE	151	900
Technetium-99	pCi/L	MW460 (RGA)	09/24/19	TRUE	153	900
Technetium-99	pCi/L	MW460 (RGA)	12/16/19	TRUE	143	900
Technetium-99	pCi/L	MW460 (RGA)	03/03/20	TRUE	145	900
Technetium-99	pCi/L	MW460 (RGA)	06/04/20	TRUE	162	900
Technetium-99	pCi/L	MW460 (RGA)	09/14/20	TRUE	103	900
Technetium-99	pCi/L	MW460 (RGA)	12/01/20	TRUE	124	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW460 (RGA)	05/03/10	TRUE	6.6	5
Trichloroethene	ug/L	MW460 (RGA)	12/15/10	TRUE	41	5
Trichloroethene	ug/L	MW460 (RGA)	03/10/11	TRUE	40	5
Trichloroethene	ug/L	MW460 (RGA)	06/08/11	TRUE	20	5
Trichloroethene	ug/L	MW460 (RGA)	09/06/11	TRUE	27	5
Trichloroethene	ug/L	MW460 (RGA)	12/15/11	TRUE	24	5
Trichloroethene	ug/L	MW460 (RGA)	03/01/12	TRUE	39	5
Trichloroethene	ug/L	MW460 (RGA)	06/07/12	TRUE	51	5
Trichloroethene	ug/L	MW460 (RGA)	09/11/12	TRUE	48	5
Trichloroethene	ug/L	MW460 (RGA)	03/05/13	TRUE	49	5
Trichloroethene	ug/L	MW460 (RGA)	09/05/13	TRUE	130	5
Trichloroethene	ug/L	MW460 (RGA)	03/11/14	TRUE	250	5
Trichloroethene	ug/L	MW460 (RGA)	09/02/14	TRUE	257	5
Trichloroethene	ug/L	MW460 (RGA)	03/17/15	TRUE	169	5
Trichloroethene	ug/L	MW460 (RGA)	09/29/15	TRUE	285	5
Trichloroethene	ug/L	MW460 (RGA)	03/08/16	TRUE	295	5
Trichloroethene	ug/L	MW460 (RGA)	09/08/16	TRUE	445	5
Trichloroethene	ug/L	MW460 (RGA)	03/13/17	TRUE	300	5
Trichloroethene	ug/L	MW460 (RGA)	09/06/17	TRUE	463	5
Trichloroethene	ug/L	MW460 (RGA)	12/14/17	TRUE	522	5
Trichloroethene	ug/L	MW460 (RGA)	03/07/18	TRUE	402	5
Trichloroethene	ug/L	MW460 (RGA)	06/13/18	TRUE	491	5
Trichloroethene	ug/L	MW460 (RGA)	09/18/18	TRUE	425	5
Trichloroethene	ug/L	MW460 (RGA)	12/17/18	TRUE	526	5
Trichloroethene	ug/L	MW460 (RGA)	03/14/19	TRUE	636	5
Trichloroethene	ug/L	MW460 (RGA)	06/04/19	TRUE	628	5
Trichloroethene	ug/L	MW460 (RGA)	09/24/19	TRUE	462	5
Trichloroethene	ug/L	MW460 (RGA)	12/16/19	TRUE	472	5
Trichloroethene	ug/L	MW460 (RGA)	03/03/20	TRUE	341	5
Trichloroethene	ug/L	MW460 (RGA)	06/04/20	TRUE	349	5
Trichloroethene	ug/L	MW460 (RGA)	09/14/20	TRUE	408	5
Trichloroethene	ug/L	MW460 (RGA)	12/01/20	TRUE	337	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW461 (RGA)	05/05/10	TRUE	32.2	900
Technetium-99	pCi/L	MW461 (RGA)	12/15/10	TRUE	37.9	900
Technetium-99	pCi/L	MW461 (RGA)	03/10/11	TRUE	81.7	900
Technetium-99	pCi/L	MW461 (RGA)	06/08/11	TRUE	77.9	900
Technetium-99	pCi/L	MW461 (RGA)	09/08/11	TRUE	48	900
Technetium-99	pCi/L	MW461 (RGA)	12/15/11	TRUE	62.7	900
Technetium-99	pCi/L	MW461 (RGA)	03/05/12	TRUE	30.1	900
Technetium-99	pCi/L	MW461 (RGA)	06/07/12	TRUE	60.9	900
Technetium-99	pCi/L	MW461 (RGA)	09/17/12	TRUE	41.6	900
Technetium-99	pCi/L	MW461 (RGA)	03/06/13	TRUE	48.7	900
Technetium-99	pCi/L	MW461 (RGA)	09/06/13	TRUE	30	900
Technetium-99	pCi/L	MW461 (RGA)	03/11/14	TRUE	22.4	900
Technetium-99	pCi/L	MW461 (RGA)	09/03/14	FALSE	4.66	900
Technetium-99	pCi/L	MW461 (RGA)	03/16/15	FALSE	17.6	900
Technetium-99	pCi/L	MW461 (RGA)	09/29/15	FALSE	19.5	900
Technetium-99	pCi/L	MW461 (RGA)	03/08/16	FALSE	18.6	900
Technetium-99	pCi/L	MW461 (RGA)	09/08/16	FALSE	7.28	900
Technetium-99	pCi/L	MW461 (RGA)	03/14/17	FALSE	14.1	900
Technetium-99	pCi/L	MW461 (RGA)	09/06/17	FALSE	10.1	900
Technetium-99	pCi/L	MW461 (RGA)	03/07/18	FALSE	8.3	900
Technetium-99	pCi/L	MW461 (RGA)	09/18/18	FALSE	6.15	900
Technetium-99	pCi/L	MW461 (RGA)	03/12/19	FALSE	1.5	900
Technetium-99	pCi/L	MW461 (RGA)	09/24/19	FALSE	13.3	900
Technetium-99	pCi/L	MW461 (RGA)	03/03/20	FALSE	8.23	900
Technetium-99	pCi/L	MW461 (RGA)	09/14/20	FALSE	0.287	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW461 (RGA)	05/05/10	TRUE	5.8	5
Trichloroethene	ug/L	MW461 (RGA)	12/15/10	TRUE	1.4	5
Trichloroethene	ug/L	MW461 (RGA)	03/10/11	TRUE	1.2	5
Trichloroethene	ug/L	MW461 (RGA)	06/08/11	TRUE	1.1	5
Trichloroethene	ug/L	MW461 (RGA)	09/08/11	FALSE	1	5
Trichloroethene	ug/L	MW461 (RGA)	12/15/11	FALSE	1	5
Trichloroethene	ug/L	MW461 (RGA)	03/05/12	TRUE	1.4	5
Trichloroethene	ug/L	MW461 (RGA)	06/07/12	FALSE	1	5
Trichloroethene	ug/L	MW461 (RGA)	09/17/12	FALSE	1	5
Trichloroethene	ug/L	MW461 (RGA)	03/06/13	FALSE	1	5
Trichloroethene	ug/L	MW461 (RGA)	09/06/13	FALSE	1	5
Trichloroethene	ug/L	MW461 (RGA)	03/11/14	FALSE	1	5
Trichloroethene	ug/L	MW461 (RGA)	09/03/14	TRUE	0.77	5
Trichloroethene	ug/L	MW461 (RGA)	03/16/15	TRUE	0.9	5
Trichloroethene	ug/L	MW461 (RGA)	09/29/15	TRUE	0.52	5
Trichloroethene	ug/L	MW461 (RGA)	03/08/16	TRUE	0.73	5
Trichloroethene	ug/L	MW461 (RGA)	09/08/16	TRUE	1.02	5
Trichloroethene	ug/L	MW461 (RGA)	03/14/17	TRUE	0.47	5
Trichloroethene	ug/L	MW461 (RGA)	09/06/17	TRUE	1.31	5
Trichloroethene	ug/L	MW461 (RGA)	03/07/18	TRUE	1.07	5
Trichloroethene	ug/L	MW461 (RGA)	09/18/18	TRUE	3	5
Trichloroethene	ug/L	MW461 (RGA)	03/12/19	FALSE	1	5
Trichloroethene	ug/L	MW461 (RGA)	09/24/19	TRUE	6.05	5
Trichloroethene	ug/L	MW461 (RGA)	03/03/20	TRUE	12.5	5
Trichloroethene	ug/L	MW461 (RGA)	09/14/20	TRUE	5.17	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW462 (RGA)	05/05/10	TRUE	220	900
Technetium-99	pCi/L	MW462 (RGA)	12/15/10	TRUE	291	900
Technetium-99	pCi/L	MW462 (RGA)	03/10/11	TRUE	243	900
Technetium-99	pCi/L	MW462 (RGA)	06/08/11	TRUE	329	900
Technetium-99	pCi/L	MW462 (RGA)	09/08/11	TRUE	322	900
Technetium-99	pCi/L	MW462 (RGA)	12/15/11	TRUE	328	900
Technetium-99	pCi/L	MW462 (RGA)	03/05/12	TRUE	340	900
Technetium-99	pCi/L	MW462 (RGA)	06/07/12	TRUE	343	900
Technetium-99	pCi/L	MW462 (RGA)	09/17/12	TRUE	314	900
Technetium-99	pCi/L	MW462 (RGA)	03/06/13	TRUE	308	900
Technetium-99	pCi/L	MW462 (RGA)	09/06/13	TRUE	192	900
Technetium-99	pCi/L	MW462 (RGA)	03/11/14	TRUE	139	900
Technetium-99	pCi/L	MW462 (RGA)	09/03/14	TRUE	115	900
Technetium-99	pCi/L	MW462 (RGA)	03/16/15	TRUE	117	900
Technetium-99	pCi/L	MW462 (RGA)	09/29/15	TRUE	64.4	900
Technetium-99	pCi/L	MW462 (RGA)	03/08/16	TRUE	88.4	900
Technetium-99	pCi/L	MW462 (RGA)	09/08/16	TRUE	68.2	900
Technetium-99	pCi/L	MW462 (RGA)	03/14/17	TRUE	72.3	900
Technetium-99	pCi/L	MW462 (RGA)	09/06/17	TRUE	43.9	900
Technetium-99	pCi/L	MW462 (RGA)	03/07/18	TRUE	48.8	900
Technetium-99	pCi/L	MW462 (RGA)	09/19/18	TRUE	34	900
Technetium-99	pCi/L	MW462 (RGA)	03/12/19	TRUE	35.4	900
Technetium-99	pCi/L	MW462 (RGA)	09/24/19	TRUE	33.9	900
Technetium-99	pCi/L	MW462 (RGA)	03/03/20	TRUE	27.3	900
Technetium-99	pCi/L	MW462 (RGA)	09/14/20	FALSE	9.1	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW462 (RGA)	05/05/10	TRUE	11	5
Trichloroethene	ug/L	MW462 (RGA)	12/15/10	TRUE	18	5
Trichloroethene	ug/L	MW462 (RGA)	03/10/11	TRUE	18	5
Trichloroethene	ug/L	MW462 (RGA)	06/08/11	TRUE	29	5
Trichloroethene	ug/L	MW462 (RGA)	09/08/11	TRUE	31	5
Trichloroethene	ug/L	MW462 (RGA)	12/15/11	TRUE	29	5
Trichloroethene	ug/L	MW462 (RGA)	03/05/12	TRUE	33	5
Trichloroethene	ug/L	MW462 (RGA)	06/07/12	TRUE	33	5
Trichloroethene	ug/L	MW462 (RGA)	09/17/12	TRUE	33	5
Trichloroethene	ug/L	MW462 (RGA)	03/06/13	TRUE	53	5
Trichloroethene	ug/L	MW462 (RGA)	09/06/13	TRUE	42	5
Trichloroethene	ug/L	MW462 (RGA)	03/11/14	TRUE	52	5
Trichloroethene	ug/L	MW462 (RGA)	09/03/14	TRUE	49.3	5
Trichloroethene	ug/L	MW462 (RGA)	03/16/15	TRUE	51	5
Trichloroethene	ug/L	MW462 (RGA)	09/29/15	TRUE	37.4	5
Trichloroethene	ug/L	MW462 (RGA)	03/08/16	TRUE	46.2	5
Trichloroethene	ug/L	MW462 (RGA)	09/08/16	TRUE	43.4	5
Trichloroethene	ug/L	MW462 (RGA)	03/14/17	TRUE	43.1	5
Trichloroethene	ug/L	MW462 (RGA)	09/06/17	TRUE	46.3	5
Trichloroethene	ug/L	MW462 (RGA)	03/07/18	TRUE	41	5
Trichloroethene	ug/L	MW462 (RGA)	09/27/18	TRUE	44.7	5
Trichloroethene	ug/L	MW462 (RGA)	03/12/19	TRUE	47.8	5
Trichloroethene	ug/L	MW462 (RGA)	09/24/19	TRUE	46.8	5
Trichloroethene	ug/L	MW462 (RGA)	03/03/20	TRUE	32.4	5
Trichloroethene	ug/L	MW462 (RGA)	09/14/20	TRUE	38.9	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW463 (RGA)	05/11/10	FALSE	0.383	900
Technetium-99	pCi/L	MW463 (RGA)	06/07/11	FALSE	9.62	900
Technetium-99	pCi/L	MW463 (RGA)	05/03/13	FALSE	5.59	900
Technetium-99	pCi/L	MW463 (RGA)	05/19/15	FALSE	2.82	900
Technetium-99	pCi/L	MW463 (RGA)	05/05/17	FALSE	-4.92	900
Technetium-99	pCi/L	MW463 (RGA)	05/21/18	FALSE	8.02	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW463 (RGA)	05/11/10	TRUE	85	5
Trichloroethene	ug/L	MW463 (RGA)	06/07/11	TRUE	94	5
Trichloroethene	ug/L	MW463 (RGA)	05/03/13	TRUE	100	5
Trichloroethene	ug/L	MW463 (RGA)	05/19/15	TRUE	94.6	5
Trichloroethene	ug/L	MW463 (RGA)	05/05/17	TRUE	113	5
Trichloroethene	ug/L	MW463 (RGA)	05/21/18	TRUE	99.6	5
Trichloroethene	ug/L	MW463 (RGA)	05/21/19	TRUE	90.2	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW464 (RGA)	05/11/10	FALSE	8.21	900
Technetium-99	pCi/L	MW464 (RGA)	06/07/11	FALSE	10.3	900
Technetium-99	pCi/L	MW464 (RGA)	05/03/13	FALSE	7.02	900
Technetium-99	pCi/L	MW464 (RGA)	05/19/15	FALSE	2.5	900
Technetium-99	pCi/L	MW464 (RGA)	05/05/17	FALSE	-11	900
Technetium-99	pCi/L	MW464 (RGA)	05/21/18	FALSE	5.16	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW464 (RGA)	05/11/10	TRUE	42	5
Trichloroethene	ug/L	MW464 (RGA)	06/07/11	TRUE	57	5
Trichloroethene	ug/L	MW464 (RGA)	05/03/13	TRUE	62	5
Trichloroethene	ug/L	MW464 (RGA)	05/19/15	TRUE	67.5	5
Trichloroethene	ug/L	MW464 (RGA)	05/05/17	TRUE	84.6	5
Trichloroethene	ug/L	MW464 (RGA)	05/21/18	TRUE	85.6	5
Trichloroethene	ug/L	MW464 (RGA)	05/21/19	TRUE	78	5
Trichloroethene	ug/L	MW464 (RGA)	05/18/20	TRUE	96.4	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW465 (RGA)	01/14/10	FALSE	14.1	900
Technetium-99	pCi/L	MW465 (RGA)	05/18/11	FALSE	-12.6	900
Technetium-99	pCi/L	MW465 (RGA)	05/08/12	FALSE	9.4	900
Technetium-99	pCi/L	MW465 (RGA)	05/08/13	FALSE	6.01	900
Technetium-99	pCi/L	MW465 (RGA)	05/19/14	FALSE	-3.27	900
Technetium-99	pCi/L	MW465 (RGA)	05/06/15	FALSE	9.81	900
Technetium-99	pCi/L	MW465 (RGA)	05/23/16	FALSE	-0.297	900
Technetium-99	pCi/L	MW465 (RGA)	05/10/17	FALSE	5.49	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW465 (RGA)	01/14/10	TRUE	32	5
Trichloroethene	ug/L	MW465 (RGA)	05/18/11	TRUE	65	5
Trichloroethene	ug/L	MW465 (RGA)	05/08/12	TRUE	48	5
Trichloroethene	ug/L	MW465 (RGA)	05/08/13	TRUE	47	5
Trichloroethene	ug/L	MW465 (RGA)	05/19/14	TRUE	35.8	5
Trichloroethene	ug/L	MW465 (RGA)	05/06/15	TRUE	23.3	5
Trichloroethene	ug/L	MW465 (RGA)	05/23/16	TRUE	26.4	5
Trichloroethene	ug/L	MW465 (RGA)	05/10/17	TRUE	22.6	5
Trichloroethene	ug/L	MW465 (RGA)	05/21/19	TRUE	2.14	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW466 (RGA)	01/14/10	FALSE	-8.09	900
Technetium-99	pCi/L	MW466 (RGA)	05/18/11	FALSE	-9.35	900
Technetium-99	pCi/L	MW466 (RGA)	05/08/12	FALSE	7.46	900
Technetium-99	pCi/L	MW466 (RGA)	05/08/13	FALSE	3.71	900
Technetium-99	pCi/L	MW466 (RGA)	05/19/14	FALSE	2.33	900
Technetium-99	pCi/L	MW466 (RGA)	05/06/15	FALSE	5.28	900
Technetium-99	pCi/L	MW466 (RGA)	05/23/16	FALSE	-2.69	900
Technetium-99	pCi/L	MW466 (RGA)	05/10/17	FALSE	8.39	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW466 (RGA)	01/14/10	TRUE	73	5
Trichloroethene	ug/L	MW466 (RGA)	05/18/11	TRUE	66	5
Trichloroethene	ug/L	MW466 (RGA)	05/08/12	TRUE	55	5
Trichloroethene	ug/L	MW466 (RGA)	05/08/13	TRUE	48	5
Trichloroethene	ug/L	MW466 (RGA)	05/19/14	TRUE	34.9	5
Trichloroethene	ug/L	MW466 (RGA)	05/06/15	TRUE	24.9	5
Trichloroethene	ug/L	MW466 (RGA)	05/23/16	TRUE	25.9	5
Trichloroethene	ug/L	MW466 (RGA)	05/10/17	TRUE	22.2	5
Trichloroethene	ug/L	MW466 (RGA)	05/21/19	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW467 (RGA)	01/14/10	FALSE	-0.0566	900
Technetium-99	pCi/L	MW467 (RGA)	06/07/11	FALSE	9.84	900
Technetium-99	pCi/L	MW467 (RGA)	05/06/13	FALSE	-2.08	900
Technetium-99	pCi/L	MW467 (RGA)	05/21/15	FALSE	7.85	900
Technetium-99	pCi/L	MW467 (RGA)	05/11/17	FALSE	12.2	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW467 (RGA)	01/14/10	TRUE	8.3	5
Trichloroethene	ug/L	MW467 (RGA)	06/07/11	TRUE	9.3	5
Trichloroethene	ug/L	MW467 (RGA)	05/06/13	TRUE	8.6	5
Trichloroethene	ug/L	MW467 (RGA)	05/21/15	TRUE	5.02	5
Trichloroethene	ug/L	MW467 (RGA)	05/11/17	TRUE	3.34	5
Trichloroethene	ug/L	MW467 (RGA)	05/21/19	TRUE	2.34	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW468 (RGA)	01/14/10	FALSE	-1.02	900
Technetium-99	pCi/L	MW468 (RGA)	06/07/11	FALSE	13.2	900
Technetium-99	pCi/L	MW468 (RGA)	05/06/13	FALSE	-2.32	900
Technetium-99	pCi/L	MW468 (RGA)	05/21/15	FALSE	6.42	900
Technetium-99	pCi/L	MW468 (RGA)	05/11/17	FALSE	9.98	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW468 (RGA)	01/14/10	TRUE	22	5
Trichloroethene	ug/L	MW468 (RGA)	06/07/11	TRUE	20	5
Trichloroethene	ug/L	MW468 (RGA)	05/06/13	TRUE	17	5
Trichloroethene	ug/L	MW468 (RGA)	05/21/15	TRUE	11.5	5
Trichloroethene	ug/L	MW468 (RGA)	05/11/17	TRUE	7.61	5
Trichloroethene	ug/L	MW468 (RGA)	05/21/19	TRUE	5.92	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW469 (RGA)	03/31/10	FALSE	-9.11	900
Technetium-99	pCi/L	MW469 (RGA)	05/18/11	FALSE	-8.32	900
Technetium-99	pCi/L	MW469 (RGA)	05/15/12	FALSE	15	900
Technetium-99	pCi/L	MW469 (RGA)	05/08/13	FALSE	4.08	900
Technetium-99	pCi/L	MW469 (RGA)	05/20/14	FALSE	-10.9	900
Technetium-99	pCi/L	MW469 (RGA)	05/12/15	FALSE	6.66	900
Technetium-99	pCi/L	MW469 (RGA)	05/24/16	FALSE	-0.468	900
Technetium-99	pCi/L	MW469 (RGA)	05/05/17	FALSE	-8.09	900
Technetium-99	pCi/L	MW469 (RGA)	05/21/18	FALSE	8.44	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW469 (RGA)	03/31/10	FALSE	1	5
Trichloroethene	ug/L	MW469 (RGA)	05/18/11	FALSE	1	5
Trichloroethene	ug/L	MW469 (RGA)	05/15/12	FALSE	1	5
Trichloroethene	ug/L	MW469 (RGA)	05/08/13	FALSE	1	5
Trichloroethene	ug/L	MW469 (RGA)	05/20/14	TRUE	0.38	5
Trichloroethene	ug/L	MW469 (RGA)	05/12/15	FALSE	1	5
Trichloroethene	ug/L	MW469 (RGA)	05/24/16	TRUE	5.46	5
Trichloroethene	ug/L	MW469 (RGA)	11/17/16	TRUE	1.76	5
Trichloroethene	ug/L	MW469 (RGA)	02/02/17	TRUE	4.84	5
Trichloroethene	ug/L	MW469 (RGA)	05/05/17	FALSE	1	5
Trichloroethene	ug/L	MW469 (RGA)	05/21/18	TRUE	0.61	5
Trichloroethene	ug/L	MW469 (RGA)	05/21/19	FALSE	1	5
Trichloroethene	ug/L	MW469 (RGA)	05/18/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW470 (RGA)	03/31/10	FALSE	6.21	900
Technetium-99	pCi/L	MW470 (RGA)	05/18/11	FALSE	-12.1	900
Technetium-99	pCi/L	MW470 (RGA)	05/15/12	FALSE	3.61	900
Technetium-99	pCi/L	MW470 (RGA)	05/08/13	FALSE	4.91	900
Technetium-99	pCi/L	MW470 (RGA)	05/20/14	FALSE	-5.72	900
Technetium-99	pCi/L	MW470 (RGA)	05/12/15	FALSE	5.94	900
Technetium-99	pCi/L	MW470 (RGA)	05/24/16	FALSE	-1.29	900
Technetium-99	pCi/L	MW470 (RGA)	05/05/17	FALSE	-5.59	900
Technetium-99	pCi/L	MW470 (RGA)	05/21/18	FALSE	1.61	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW470 (RGA)	03/31/10	FALSE	1	5
Trichloroethene	ug/L	MW470 (RGA)	05/18/11	FALSE	1	5
Trichloroethene	ug/L	MW470 (RGA)	05/15/12	FALSE	1	5
Trichloroethene	ug/L	MW470 (RGA)	05/08/13	FALSE	1	5
Trichloroethene	ug/L	MW470 (RGA)	10/14/13	FALSE	1	5
Trichloroethene	ug/L	MW470 (RGA)	05/20/14	TRUE	0.47	5
Trichloroethene	ug/L	MW470 (RGA)	05/12/15	FALSE	1	5
Trichloroethene	ug/L	MW470 (RGA)	05/24/16	TRUE	1.7	5
Trichloroethene	ug/L	MW470 (RGA)	11/17/16	TRUE	1.5	5
Trichloroethene	ug/L	MW470 (RGA)	02/02/17	TRUE	3.27	5
Trichloroethene	ug/L	MW470 (RGA)	05/05/17	FALSE	1	5
Trichloroethene	ug/L	MW470 (RGA)	05/21/18	TRUE	1.07	5
Trichloroethene	ug/L	MW470 (RGA)	05/21/19	FALSE	1	5
Trichloroethene	ug/L	MW470 (RGA)	05/18/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW471 (RGA)	01/14/10	TRUE	67.9	900
Technetium-99	pCi/L	MW471 (RGA)	06/07/11	FALSE	8.96	900
Technetium-99	pCi/L	MW471 (RGA)	05/15/12	FALSE	5.77	900
Technetium-99	pCi/L	MW471 (RGA)	05/08/13	FALSE	9.67	900
Technetium-99	pCi/L	MW471 (RGA)	05/20/14	FALSE	-9.59	900
Technetium-99	pCi/L	MW471 (RGA)	05/12/15	FALSE	4.69	900
Technetium-99	pCi/L	MW471 (RGA)	05/24/16	FALSE	-5.62	900
Technetium-99	pCi/L	MW471 (RGA)	05/05/17	FALSE	-9.08	900
Technetium-99	pCi/L	MW471 (RGA)	05/23/18	FALSE	2.15	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW471 (RGA)	01/14/10	FALSE	1	5
Trichloroethene	ug/L	MW471 (RGA)	06/07/11	FALSE	1	5
Trichloroethene	ug/L	MW471 (RGA)	05/15/12	FALSE	1	5
Trichloroethene	ug/L	MW471 (RGA)	05/08/13	FALSE	1	5
Trichloroethene	ug/L	MW471 (RGA)	05/20/14	TRUE	0.4	5
Trichloroethene	ug/L	MW471 (RGA)	05/12/15	FALSE	1	5
Trichloroethene	ug/L	MW471 (RGA)	05/24/16	FALSE	1	5
Trichloroethene	ug/L	MW471 (RGA)	05/05/17	FALSE	1	5
Trichloroethene	ug/L	MW471 (RGA)	05/23/18	FALSE	1	5
Trichloroethene	ug/L	MW471 (RGA)	05/21/19	FALSE	1	5
Trichloroethene	ug/L	MW471 (RGA)	05/18/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW472 (RGA)	01/14/10	FALSE	-11.7	900
Technetium-99	pCi/L	MW472 (RGA)	06/07/11	FALSE	12.4	900
Technetium-99	pCi/L	MW472 (RGA)	05/15/12	FALSE	6.1	900
Technetium-99	pCi/L	MW472 (RGA)	05/08/13	FALSE	3.82	900
Technetium-99	pCi/L	MW472 (RGA)	05/20/14	FALSE	-4.18	900
Technetium-99	pCi/L	MW472 (RGA)	05/12/15	FALSE	0.684	900
Technetium-99	pCi/L	MW472 (RGA)	05/24/16	FALSE	-4.82	900
Technetium-99	pCi/L	MW472 (RGA)	05/05/17	FALSE	-4.53	900
Technetium-99	pCi/L	MW472 (RGA)	05/23/18	FALSE	5.93	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW472 (RGA)	01/14/10	FALSE	1	5
Trichloroethene	ug/L	MW472 (RGA)	06/07/11	FALSE	1	5
Trichloroethene	ug/L	MW472 (RGA)	05/15/12	FALSE	1	5
Trichloroethene	ug/L	MW472 (RGA)	05/08/13	FALSE	1	5
Trichloroethene	ug/L	MW472 (RGA)	05/20/14	TRUE	0.85	5
Trichloroethene	ug/L	MW472 (RGA)	05/12/15	FALSE	1	5
Trichloroethene	ug/L	MW472 (RGA)	05/24/16	FALSE	1	5
Trichloroethene	ug/L	MW472 (RGA)	05/05/17	FALSE	1	5
Trichloroethene	ug/L	MW472 (RGA)	05/23/18	FALSE	1	5
Trichloroethene	ug/L	MW472 (RGA)	05/23/19	FALSE	1	5
Trichloroethene	ug/L	MW472 (RGA)	05/18/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW473 (RGA)	03/30/10	FALSE	9.01	900
Technetium-99	pCi/L	MW473 (RGA)	06/06/11	FALSE	-0.472	900
Technetium-99	pCi/L	MW473 (RGA)	05/03/13	FALSE	4.23	900
Technetium-99	pCi/L	MW473 (RGA)	05/21/15	FALSE	6.39	900
Technetium-99	pCi/L	MW473 (RGA)	05/10/17	FALSE	8.18	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW473 (RGA)	03/30/10	FALSE	1	5
Trichloroethene	ug/L	MW473 (RGA)	06/06/11	TRUE	1.2	5
Trichloroethene	ug/L	MW473 (RGA)	05/03/13	FALSE	1	5
Trichloroethene	ug/L	MW473 (RGA)	05/21/15	FALSE	1	5
Trichloroethene	ug/L	MW473 (RGA)	05/10/17	FALSE	1	5
Trichloroethene	ug/L	MW473 (RGA)	05/07/19	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW474 (RGA)	03/30/10	FALSE	7.64	900
Technetium-99	pCi/L	MW474 (RGA)	06/06/11	FALSE	-6.92	900
Technetium-99	pCi/L	MW474 (RGA)	05/03/13	FALSE	8.81	900
Technetium-99	pCi/L	MW474 (RGA)	06/17/15	FALSE	-0.427	900
Technetium-99	pCi/L	MW474 (RGA)	05/10/17	FALSE	5.07	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW474 (RGA)	03/30/10	FALSE	1	5
Trichloroethene	ug/L	MW474 (RGA)	06/06/11	TRUE	3.4	5
Trichloroethene	ug/L	MW474 (RGA)	05/03/13	FALSE	1	5
Trichloroethene	ug/L	MW474 (RGA)	06/17/15	FALSE	1	5
Trichloroethene	ug/L	MW474 (RGA)	05/10/17	FALSE	1	5
Trichloroethene	ug/L	MW474 (RGA)	05/07/19	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW475 (RGA)	03/30/10	FALSE	11.6	900
Technetium-99	pCi/L	MW475 (RGA)	06/07/11	FALSE	-12.1	900
Technetium-99	pCi/L	MW475 (RGA)	05/03/13	FALSE	-2.26	900
Technetium-99	pCi/L	MW475 (RGA)	05/21/15	FALSE	7.4	900
Technetium-99	pCi/L	MW475 (RGA)	05/10/17	FALSE	14.6	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW475 (RGA)	03/30/10	FALSE	1	5
Trichloroethene	ug/L	MW475 (RGA)	06/07/11	FALSE	1	5
Trichloroethene	ug/L	MW475 (RGA)	05/03/13	FALSE	1	5
Trichloroethene	ug/L	MW475 (RGA)	05/21/15	FALSE	1	5
Trichloroethene	ug/L	MW475 (RGA)	05/10/17	FALSE	1	5
Trichloroethene	ug/L	MW475 (RGA)	05/07/19	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW476 (RGA)	03/30/10	FALSE	8.35	900
Technetium-99	pCi/L	MW476 (RGA)	06/07/11	FALSE	8.7	900
Technetium-99	pCi/L	MW476 (RGA)	05/03/13	FALSE	7.74	900
Technetium-99	pCi/L	MW476 (RGA)	05/21/15	FALSE	12.1	900
Technetium-99	pCi/L	MW476 (RGA)	05/10/17	FALSE	4.29	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW476 (RGA)	03/30/10	FALSE	1	5
Trichloroethene	ug/L	MW476 (RGA)	06/07/11	FALSE	1	5
Trichloroethene	ug/L	MW476 (RGA)	05/03/13	FALSE	1	5
Trichloroethene	ug/L	MW476 (RGA)	05/21/15	FALSE	1	5
Trichloroethene	ug/L	MW476 (RGA)	05/10/17	FALSE	1	5
Trichloroethene	ug/L	MW476 (RGA)	05/07/19	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW477 (RGA)	05/11/10	TRUE	20.2	900
Technetium-99	pCi/L	MW477 (RGA)	06/30/11	FALSE	-0.272	900
Technetium-99	pCi/L	MW477 (RGA)	06/28/13	FALSE	7.24	900
Technetium-99	pCi/L	MW477 (RGA)	06/10/15	FALSE	-4.94	900
Technetium-99	pCi/L	MW477 (RGA)	05/30/17	FALSE	7.12	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW477 (RGA)	05/11/10	TRUE	49	5
Trichloroethene	ug/L	MW477 (RGA)	06/30/11	TRUE	57	5
Trichloroethene	ug/L	MW477 (RGA)	06/28/13	TRUE	50	5
Trichloroethene	ug/L	MW477 (RGA)	06/10/15	TRUE	54.5	5
Trichloroethene	ug/L	MW477 (RGA)	05/30/17	TRUE	56.9	5
Trichloroethene	ug/L	MW477 (RGA)	09/23/19	TRUE	0.89	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW478 (RGA)	05/11/10	FALSE	-7.99	900
Technetium-99	pCi/L	MW478 (RGA)	05/10/11	FALSE	10.5	900
Technetium-99	pCi/L	MW478 (RGA)	05/21/13	FALSE	2.27	900
Technetium-99	pCi/L	MW478 (RGA)	05/28/15	FALSE	-1.95	900
Technetium-99	pCi/L	MW478 (RGA)	05/15/17	FALSE	4.78	900
Technetium-99	pCi/L	MW478 (RGA)	07/11/17	FALSE	-4.46	900
Technetium-99	pCi/L	MW478 (RGA)	10/11/17	FALSE	-1.18	900
Technetium-99	pCi/L	MW478 (RGA)	01/09/18	FALSE	10.1	900
Technetium-99	pCi/L	MW478 (RGA)	04/05/18	FALSE	-1.12	900
Technetium-99	pCi/L	MW478 (RGA)	07/03/18	FALSE	0.479	900
Technetium-99	pCi/L	MW478 (RGA)	10/03/18	FALSE	-6.55	900
Technetium-99	pCi/L	MW478 (RGA)	01/02/19	FALSE	5.88	900
Technetium-99	pCi/L	MW478 (RGA)	04/09/19	FALSE	4.32	900
Technetium-99	pCi/L	MW478 (RGA)	05/01/19	FALSE	16.6	900
Technetium-99	pCi/L	MW478 (RGA)	07/09/19	FALSE	-1.03	900
Technetium-99	pCi/L	MW478 (RGA)	10/01/19	FALSE	-1.07	900
Technetium-99	pCi/L	MW478 (RGA)	01/06/20	FALSE	9.02	900
Technetium-99	pCi/L	MW478 (RGA)	04/08/20	FALSE	3.7	900
Technetium-99	pCi/L	MW478 (RGA)	07/08/20	FALSE	-5.01	900
Technetium-99	pCi/L	MW478 (RGA)	10/08/20	FALSE	-4.39	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW478 (RGA)	05/11/10	TRUE	490	5
Trichloroethene	ug/L	MW478 (RGA)	05/10/11	TRUE	280	5
Trichloroethene	ug/L	MW478 (RGA)	05/21/13	TRUE	240	5
Trichloroethene	ug/L	MW478 (RGA)	05/28/15	TRUE	232	5
Trichloroethene	ug/L	MW478 (RGA)	05/15/17	TRUE	163	5
Trichloroethene	ug/L	MW478 (RGA)	07/11/17	TRUE	152	5
Trichloroethene	ug/L	MW478 (RGA)	10/11/17	TRUE	127	5
Trichloroethene	ug/L	MW478 (RGA)	01/09/18	TRUE	182	5
Trichloroethene	ug/L	MW478 (RGA)	04/05/18	TRUE	194	5
Trichloroethene	ug/L	MW478 (RGA)	07/03/18	TRUE	205	5
Trichloroethene	ug/L	MW478 (RGA)	10/03/18	TRUE	270	5
Trichloroethene	ug/L	MW478 (RGA)	01/02/19	TRUE	191	5
Trichloroethene	ug/L	MW478 (RGA)	04/09/19	TRUE	294	5
Trichloroethene	ug/L	MW478 (RGA)	05/01/19	TRUE	284	5
Trichloroethene	ug/L	MW478 (RGA)	07/09/19	TRUE	302	5
Trichloroethene	ug/L	MW478 (RGA)	10/01/19	TRUE	290	5
Trichloroethene	ug/L	MW478 (RGA)	01/06/20	TRUE	300	5
Trichloroethene	ug/L	MW478 (RGA)	04/08/20	TRUE	291	5
Trichloroethene	ug/L	MW478 (RGA)	07/08/20	TRUE	309	5
Trichloroethene	ug/L	MW478 (RGA)	10/08/20	TRUE	309	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW479 (RGA)	05/05/10	FALSE	-4.67	900
Technetium-99	pCi/L	MW479 (RGA)	05/11/11	FALSE	-8.28	900
Technetium-99	pCi/L	MW479 (RGA)	05/28/13	FALSE	-2.12	900
Technetium-99	pCi/L	MW479 (RGA)	06/09/15	FALSE	1.11	900
Technetium-99	pCi/L	MW479 (RGA)	05/15/17	FALSE	4.18	900
Technetium-99	pCi/L	MW479 (RGA)	07/11/17	FALSE	-7.77	900
Technetium-99	pCi/L	MW479 (RGA)	10/11/17	FALSE	-5.9	900
Technetium-99	pCi/L	MW479 (RGA)	01/09/18	FALSE	3.76	900
Technetium-99	pCi/L	MW479 (RGA)	04/05/18	FALSE	-9.16	900
Technetium-99	pCi/L	MW479 (RGA)	07/03/18	FALSE	-1.19	900
Technetium-99	pCi/L	MW479 (RGA)	10/03/18	FALSE	-8.4	900
Technetium-99	pCi/L	MW479 (RGA)	01/02/19	FALSE	3.48	900
Technetium-99	pCi/L	MW479 (RGA)	04/09/19	TRUE	14.7	900
Technetium-99	pCi/L	MW479 (RGA)	05/01/19	TRUE	18.9	900
Technetium-99	pCi/L	MW479 (RGA)	07/09/19	FALSE	1.9	900
Technetium-99	pCi/L	MW479 (RGA)	10/01/19	FALSE	0.584	900
Technetium-99	pCi/L	MW479 (RGA)	01/06/20	FALSE	0.53	900
Technetium-99	pCi/L	MW479 (RGA)	04/08/20	TRUE	15.7	900
Technetium-99	pCi/L	MW479 (RGA)	07/08/20	FALSE	-9.72	900
Technetium-99	pCi/L	MW479 (RGA)	10/08/20	FALSE	-8.46	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW479 (RGA)	05/05/10	FALSE	1	5
Trichloroethene	ug/L	MW479 (RGA)	05/11/11	TRUE	8.1	5
Trichloroethene	ug/L	MW479 (RGA)	05/28/13	FALSE	1	5
Trichloroethene	ug/L	MW479 (RGA)	06/09/15	FALSE	1	5
Trichloroethene	ug/L	MW479 (RGA)	05/15/17	FALSE	1	5
Trichloroethene	ug/L	MW479 (RGA)	07/11/17	TRUE	1.34	5
Trichloroethene	ug/L	MW479 (RGA)	10/11/17	TRUE	1.15	5
Trichloroethene	ug/L	MW479 (RGA)	01/09/18	TRUE	1.21	5
Trichloroethene	ug/L	MW479 (RGA)	04/05/18	TRUE	3.41	5
Trichloroethene	ug/L	MW479 (RGA)	07/03/18	TRUE	4.04	5
Trichloroethene	ug/L	MW479 (RGA)	10/03/18	TRUE	0.94	5
Trichloroethene	ug/L	MW479 (RGA)	01/02/19	FALSE	1	5
Trichloroethene	ug/L	MW479 (RGA)	04/09/19	TRUE	36.1	5
Trichloroethene	ug/L	MW479 (RGA)	05/01/19	TRUE	41.5	5
Trichloroethene	ug/L	MW479 (RGA)	07/09/19	TRUE	24.5	5
Trichloroethene	ug/L	MW479 (RGA)	10/01/19	TRUE	2.22	5
Trichloroethene	ug/L	MW479 (RGA)	01/06/20	TRUE	0.94	5
Trichloroethene	ug/L	MW479 (RGA)	04/08/20	TRUE	24.9	5
Trichloroethene	ug/L	MW479 (RGA)	07/08/20	TRUE	4.4	5
Trichloroethene	ug/L	MW479 (RGA)	10/08/20	TRUE	1.18	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW480 (RGA)	05/05/10	FALSE	3.38	900
Technetium-99	pCi/L	MW480 (RGA)	05/11/11	FALSE	10.4	900
Technetium-99	pCi/L	MW480 (RGA)	05/28/13	TRUE	21.6	900
Technetium-99	pCi/L	MW480 (RGA)	05/28/15	FALSE	5.85	900
Technetium-99	pCi/L	MW480 (RGA)	05/15/17	TRUE	32.9	900
Technetium-99	pCi/L	MW480 (RGA)	07/11/17	TRUE	21.9	900
Technetium-99	pCi/L	MW480 (RGA)	10/11/17	FALSE	15.6	900
Technetium-99	pCi/L	MW480 (RGA)	01/09/18	TRUE	46.8	900
Technetium-99	pCi/L	MW480 (RGA)	04/05/18	TRUE	38	900
Technetium-99	pCi/L	MW480 (RGA)	07/03/18	TRUE	33.8	900
Technetium-99	pCi/L	MW480 (RGA)	10/03/18	TRUE	51	900
Technetium-99	pCi/L	MW480 (RGA)	01/02/19	TRUE	34.8	900
Technetium-99	pCi/L	MW480 (RGA)	04/09/19	TRUE	38.8	900
Technetium-99	pCi/L	MW480 (RGA)	05/01/19	TRUE	53	900
Technetium-99	pCi/L	MW480 (RGA)	07/09/19	TRUE	22.5	900
Technetium-99	pCi/L	MW480 (RGA)	10/01/19	TRUE	45.6	900
Technetium-99	pCi/L	MW480 (RGA)	01/06/20	TRUE	41	900
Technetium-99	pCi/L	MW480 (RGA)	04/08/20	TRUE	45.3	900
Technetium-99	pCi/L	MW480 (RGA)	07/08/20	TRUE	36.6	900
Technetium-99	pCi/L	MW480 (RGA)	10/08/20	TRUE	41	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW480 (RGA)	05/05/10	TRUE	38	5
Trichloroethene	ug/L	MW480 (RGA)	05/11/11	TRUE	70	5
Trichloroethene	ug/L	MW480 (RGA)	05/28/13	TRUE	55	5
Trichloroethene	ug/L	MW480 (RGA)	05/28/15	TRUE	46.2	5
Trichloroethene	ug/L	MW480 (RGA)	05/15/17	TRUE	70.9	5
Trichloroethene	ug/L	MW480 (RGA)	07/11/17	TRUE	61.8	5
Trichloroethene	ug/L	MW480 (RGA)	10/11/17	TRUE	55.5	5
Trichloroethene	ug/L	MW480 (RGA)	01/09/18	TRUE	115	5
Trichloroethene	ug/L	MW480 (RGA)	04/05/18	TRUE	118	5
Trichloroethene	ug/L	MW480 (RGA)	07/03/18	TRUE	126	5
Trichloroethene	ug/L	MW480 (RGA)	10/03/18	TRUE	145	5
Trichloroethene	ug/L	MW480 (RGA)	01/02/19	TRUE	124	5
Trichloroethene	ug/L	MW480 (RGA)	04/09/19	TRUE	163	5
Trichloroethene	ug/L	MW480 (RGA)	05/01/19	TRUE	150	5
Trichloroethene	ug/L	MW480 (RGA)	07/09/19	TRUE	159	5
Trichloroethene	ug/L	MW480 (RGA)	10/01/19	TRUE	153	5
Trichloroethene	ug/L	MW480 (RGA)	01/06/20	TRUE	160	5
Trichloroethene	ug/L	MW480 (RGA)	04/08/20	TRUE	153	5
Trichloroethene	ug/L	MW480 (RGA)	07/08/20	TRUE	185	5
Trichloroethene	ug/L	MW480 (RGA)	10/08/20	TRUE	173	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW481 (RGA)	05/06/10	TRUE	20.3	900
Technetium-99	pCi/L	MW481 (RGA)	05/11/11	FALSE	-12	900
Technetium-99	pCi/L	MW481 (RGA)	05/29/13	FALSE	0.941	900
Technetium-99	pCi/L	MW481 (RGA)	05/26/15	FALSE	2.29	900
Technetium-99	pCi/L	MW481 (RGA)	05/15/17	FALSE	3.64	900
Technetium-99	pCi/L	MW481 (RGA)	05/01/19	FALSE	16.7	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW481 (RGA)	05/06/10	FALSE	1	5
Trichloroethene	ug/L	MW481 (RGA)	05/11/11	FALSE	1	5
Trichloroethene	ug/L	MW481 (RGA)	05/29/13	TRUE	1	5
Trichloroethene	ug/L	MW481 (RGA)	05/26/15	FALSE	1	5
Trichloroethene	ug/L	MW481 (RGA)	05/15/17	TRUE	0.56	5
Trichloroethene	ug/L	MW481 (RGA)	05/01/19	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW482 (RGA)	05/06/10	TRUE	26.8	900
Technetium-99	pCi/L	MW482 (RGA)	05/11/11	FALSE	-0.394	900
Technetium-99	pCi/L	MW482 (RGA)	05/11/11	TRUE	21.2	900
Technetium-99	pCi/L	MW482 (RGA)	05/29/13	FALSE	9.74	900
Technetium-99	pCi/L	MW482 (RGA)	05/26/15	FALSE	20.4	900
Technetium-99	pCi/L	MW482 (RGA)	05/15/17	TRUE	22.7	900
Technetium-99	pCi/L	MW482 (RGA)	05/01/19	FALSE	15.6	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW482 (RGA)	05/06/10	TRUE	71	5
Trichloroethene	ug/L	MW482 (RGA)	05/11/11	TRUE	89	5
Trichloroethene	ug/L	MW482 (RGA)	05/29/13	TRUE	53	5
Trichloroethene	ug/L	MW482 (RGA)	05/26/15	TRUE	54.5	5
Trichloroethene	ug/L	MW482 (RGA)	05/15/17	TRUE	58.1	5
Trichloroethene	ug/L	MW482 (RGA)	05/01/19	TRUE	58.7	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW483 (RGA)	06/08/11	FALSE	-3.54	900
Technetium-99	pCi/L	MW483 (RGA)	05/07/13	FALSE	0	900
Technetium-99	pCi/L	MW483 (RGA)	05/20/15	FALSE	13.9	900
Technetium-99	pCi/L	MW483 (RGA)	05/22/17	FALSE	7.16	900
Technetium-99	pCi/L	MW483 (RGA)	05/21/18	FALSE	5.38	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW483 (RGA)	06/08/11	TRUE	57	5
Trichloroethene	ug/L	MW483 (RGA)	05/07/13	TRUE	45	5
Trichloroethene	ug/L	MW483 (RGA)	05/20/15	TRUE	51.3	5
Trichloroethene	ug/L	MW483 (RGA)	05/22/17	TRUE	18.5	5
Trichloroethene	ug/L	MW483 (RGA)	05/21/18	TRUE	51.3	5
Trichloroethene	ug/L	MW483 (RGA)	05/14/19	TRUE	48	5
Trichloroethene	ug/L	MW483 (RGA)	06/23/20	TRUE	48.9	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW484 (RGA)	06/08/11	FALSE	10.3	900
Technetium-99	pCi/L	MW484 (RGA)	05/07/13	FALSE	-0.999	900
Technetium-99	pCi/L	MW484 (RGA)	05/20/15	FALSE	-1.16	900
Technetium-99	pCi/L	MW484 (RGA)	05/22/17	FALSE	4.96	900
Technetium-99	pCi/L	MW484 (RGA)	05/21/18	FALSE	0.6	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW484 (RGA)	06/08/11	TRUE	49	5
Trichloroethene	ug/L	MW484 (RGA)	05/07/13	TRUE	42	5
Trichloroethene	ug/L	MW484 (RGA)	05/20/15	TRUE	48.3	5
Trichloroethene	ug/L	MW484 (RGA)	05/22/17	TRUE	49.4	5
Trichloroethene	ug/L	MW484 (RGA)	05/21/18	TRUE	49.3	5
Trichloroethene	ug/L	MW484 (RGA)	05/14/19	TRUE	45.7	5
Trichloroethene	ug/L	MW484 (RGA)	06/23/20	TRUE	47.5	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW485 (RGA)	06/13/11	FALSE	3.93	900
Technetium-99	pCi/L	MW485 (RGA)	05/07/13	FALSE	2.42	900
Technetium-99	pCi/L	MW485 (RGA)	05/20/15	FALSE	-2.45	900
Technetium-99	pCi/L	MW485 (RGA)	05/11/17	FALSE	-1.33	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW485 (RGA)	06/13/11	TRUE	31	5
Trichloroethene	ug/L	MW485 (RGA)	05/07/13	TRUE	29	5
Trichloroethene	ug/L	MW485 (RGA)	05/20/15	TRUE	52.7	5
Trichloroethene	ug/L	MW485 (RGA)	05/11/17	TRUE	68.7	5
Trichloroethene	ug/L	MW485 (RGA)	05/09/19	TRUE	62.8	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW486 (RGA)	06/08/11	FALSE	-2.56	900
Technetium-99	pCi/L	MW486 (RGA)	05/07/13	FALSE	1.42	900
Technetium-99	pCi/L	MW486 (RGA)	05/20/15	FALSE	1.59	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW486 (RGA)	06/08/11	TRUE	240	5
Trichloroethene	ug/L	MW486 (RGA)	05/07/13	TRUE	4.5	5
Trichloroethene	ug/L	MW486 (RGA)	05/20/15	TRUE	1.24	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW487 (RGA)	06/13/11	FALSE	4.03	900
Technetium-99	pCi/L	MW487 (RGA)	05/07/13	FALSE	3.21	900
Technetium-99	pCi/L	MW487 (RGA)	05/20/15	FALSE	5.16	900
Technetium-99	pCi/L	MW487 (RGA)	05/11/17	FALSE	0.178	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW487 (RGA)	06/13/11	TRUE	14	5
Trichloroethene	ug/L	MW487 (RGA)	05/07/13	TRUE	8.5	5
Trichloroethene	ug/L	MW487 (RGA)	05/20/15	TRUE	6.46	5
Trichloroethene	ug/L	MW487 (RGA)	05/11/17	TRUE	6.62	5
Trichloroethene	ug/L	MW487 (RGA)	05/09/19	TRUE	6.53	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW488 (RGA)	06/13/11	FALSE	1.93	900
Technetium-99	pCi/L	MW488 (RGA)	05/07/13	FALSE	-0.769	900
Technetium-99	pCi/L	MW488 (RGA)	05/20/15	FALSE	7.34	900
Technetium-99	pCi/L	MW488 (RGA)	05/11/17	FALSE	-6.83	900
Technetium-99	pCi/L	MW488 (RGA)	05/14/19	FALSE	-4.52	900
Technetium-99	pCi/L	MW488 (RGA)	06/23/20	FALSE	-10.6	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW488 (RGA)	06/13/11	TRUE	1.6	5
Trichloroethene	ug/L	MW488 (RGA)	05/07/13	TRUE	1.3	5
Trichloroethene	ug/L	MW488 (RGA)	05/20/15	TRUE	0.81	5
Trichloroethene	ug/L	MW488 (RGA)	05/11/17	FALSE	1	5
Trichloroethene	ug/L	MW488 (RGA)	05/14/19	FALSE	1	5
Trichloroethene	ug/L	MW488 (RGA)	06/23/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW489 (RGA)	06/13/11	TRUE	111	900
Technetium-99	pCi/L	MW489 (RGA)	05/03/13	TRUE	78.2	900
Technetium-99	pCi/L	MW489 (RGA)	05/13/15	TRUE	46.8	900
Technetium-99	pCi/L	MW489 (RGA)	05/09/17	TRUE	28.8	900
Technetium-99	pCi/L	MW489 (RGA)	04/30/19	FALSE	3	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW489 (RGA)	06/13/11	TRUE	280	5
Trichloroethene	ug/L	MW489 (RGA)	05/03/13	TRUE	210	5
Trichloroethene	ug/L	MW489 (RGA)	05/13/15	TRUE	92.1	5
Trichloroethene	ug/L	MW489 (RGA)	05/09/17	TRUE	50.4	5
Trichloroethene	ug/L	MW489 (RGA)	04/30/19	TRUE	33.4	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW490 (RGA)	05/11/10	TRUE	141	900
Technetium-99	pCi/L	MW490 (RGA)	06/13/11	TRUE	75.1	900
Technetium-99	pCi/L	MW490 (RGA)	05/03/13	TRUE	74.3	900
Technetium-99	pCi/L	MW490 (RGA)	05/13/15	FALSE	21.7	900
Technetium-99	pCi/L	MW490 (RGA)	05/09/17	FALSE	14.7	900
Technetium-99	pCi/L	MW490 (RGA)	04/30/19	FALSE	10.8	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW490 (RGA)	05/11/10	TRUE	340	5
Trichloroethene	ug/L	MW490 (RGA)	06/13/11	TRUE	220	5
Trichloroethene	ug/L	MW490 (RGA)	05/03/13	TRUE	220	5
Trichloroethene	ug/L	MW490 (RGA)	05/13/15	TRUE	105	5
Trichloroethene	ug/L	MW490 (RGA)	05/09/17	TRUE	76.1	5
Trichloroethene	ug/L	MW490 (RGA)	04/30/19	TRUE	24.5	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW491 (RGA)	05/10/10	TRUE	91.2	900
Technetium-99	pCi/L	MW491 (RGA)	06/21/11	TRUE	82	900
Technetium-99	pCi/L	MW491 (RGA)	05/01/13	TRUE	81.1	900
Technetium-99	pCi/L	MW491 (RGA)	05/13/15	TRUE	95.7	900
Technetium-99	pCi/L	MW491 (RGA)	05/09/17	TRUE	88.1	900
Technetium-99	pCi/L	MW491 (RGA)	05/01/19	TRUE	82.5	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW491 (RGA)	05/10/10	TRUE	13	5
Trichloroethene	ug/L	MW491 (RGA)	06/21/11	TRUE	10	5
Trichloroethene	ug/L	MW491 (RGA)	05/01/13	TRUE	22	5
Trichloroethene	ug/L	MW491 (RGA)	05/13/15	TRUE	61	5
Trichloroethene	ug/L	MW491 (RGA)	05/09/17	TRUE	50.5	5
Trichloroethene	ug/L	MW491 (RGA)	05/01/19	TRUE	85.9	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW492 (RGA)	05/10/10	TRUE	91.1	900
Technetium-99	pCi/L	MW492 (RGA)	06/21/11	TRUE	109	900
Technetium-99	pCi/L	MW492 (RGA)	05/01/13	TRUE	88.4	900
Technetium-99	pCi/L	MW492 (RGA)	05/13/15	TRUE	97.3	900
Technetium-99	pCi/L	MW492 (RGA)	05/09/17	TRUE	84.4	900
Technetium-99	pCi/L	MW492 (RGA)	05/01/19	TRUE	63.5	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW492 (RGA)	05/10/10	TRUE	28	5
Trichloroethene	ug/L	MW492 (RGA)	06/21/11	TRUE	28	5
Trichloroethene	ug/L	MW492 (RGA)	05/01/13	TRUE	62	5
Trichloroethene	ug/L	MW492 (RGA)	05/13/15	TRUE	110	5
Trichloroethene	ug/L	MW492 (RGA)	05/09/17	TRUE	71.7	5
Trichloroethene	ug/L	MW492 (RGA)	05/01/19	TRUE	93.2	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW493 (RGA)	05/11/10	TRUE	30.3	900
Technetium-99	pCi/L	MW493 (RGA)	06/21/11	TRUE	30	900
Technetium-99	pCi/L	MW493 (RGA)	05/01/13	TRUE	39.4	900
Technetium-99	pCi/L	MW493 (RGA)	05/13/15	TRUE	34.8	900
Technetium-99	pCi/L	MW493 (RGA)	05/09/17	TRUE	52.8	900
Technetium-99	pCi/L	MW493 (RGA)	05/01/19	TRUE	59.7	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW493 (RGA)	05/11/10	TRUE	3.6	5
Trichloroethene	ug/L	MW493 (RGA)	06/21/11	TRUE	3.7	5
Trichloroethene	ug/L	MW493 (RGA)	05/01/13	TRUE	3.2	5
Trichloroethene	ug/L	MW493 (RGA)	05/13/15	TRUE	2.62	5
Trichloroethene	ug/L	MW493 (RGA)	05/09/17	TRUE	1.5	5
Trichloroethene	ug/L	MW493 (RGA)	05/01/19	TRUE	1.03	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW494 (RGA)	05/11/10	FALSE	11	900
Technetium-99	pCi/L	MW494 (RGA)	06/21/11	TRUE	45.9	900
Technetium-99	pCi/L	MW494 (RGA)	05/01/13	TRUE	41.7	900
Technetium-99	pCi/L	MW494 (RGA)	05/13/15	TRUE	65.6	900
Technetium-99	pCi/L	MW494 (RGA)	05/09/17	TRUE	59.5	900
Technetium-99	pCi/L	MW494 (RGA)	05/01/19	TRUE	59.7	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW494 (RGA)	05/11/10	TRUE	6.2	5
Trichloroethene	ug/L	MW494 (RGA)	06/21/11	TRUE	4.2	5
Trichloroethene	ug/L	MW494 (RGA)	05/01/13	TRUE	3.6	5
Trichloroethene	ug/L	MW494 (RGA)	05/13/15	TRUE	0.86	5
Trichloroethene	ug/L	MW494 (RGA)	05/09/17	TRUE	1.37	5
Trichloroethene	ug/L	MW494 (RGA)	05/01/19	TRUE	1.2	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW495 (RGA)	05/10/11	TRUE	30.8	900
Technetium-99	pCi/L	MW495 (RGA)	05/21/13	FALSE	1.11	900
Technetium-99	pCi/L	MW495 (RGA)	05/27/15	TRUE	28.1	900
Technetium-99	pCi/L	MW495 (RGA)	05/15/17	TRUE	33.8	900
Technetium-99	pCi/L	MW495 (RGA)	07/11/17	TRUE	36.4	900
Technetium-99	pCi/L	MW495 (RGA)	10/11/17	TRUE	25.9	900
Technetium-99	pCi/L	MW495 (RGA)	01/09/18	TRUE	42	900
Technetium-99	pCi/L	MW495 (RGA)	04/05/18	TRUE	27.7	900
Technetium-99	pCi/L	MW495 (RGA)	07/03/18	TRUE	41.9	900
Technetium-99	pCi/L	MW495 (RGA)	10/04/18	TRUE	48.3	900
Technetium-99	pCi/L	MW495 (RGA)	01/02/19	TRUE	47.2	900
Technetium-99	pCi/L	MW495 (RGA)	04/09/19	TRUE	42.1	900
Technetium-99	pCi/L	MW495 (RGA)	05/01/19	TRUE	56.8	900
Technetium-99	pCi/L	MW495 (RGA)	07/09/19	TRUE	38.4	900
Technetium-99	pCi/L	MW495 (RGA)	10/01/19	TRUE	37	900
Technetium-99	pCi/L	MW495 (RGA)	01/06/20	TRUE	50.6	900
Technetium-99	pCi/L	MW495 (RGA)	04/08/20	TRUE	51.9	900
Technetium-99	pCi/L	MW495 (RGA)	07/08/20	TRUE	39.4	900
Technetium-99	pCi/L	MW495 (RGA)	10/08/20	TRUE	42.9	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW495 (RGA)	05/10/11	TRUE	510	5
Trichloroethene	ug/L	MW495 (RGA)	05/21/13	TRUE	110	5
Trichloroethene	ug/L	MW495 (RGA)	05/27/15	TRUE	431	5
Trichloroethene	ug/L	MW495 (RGA)	05/15/17	TRUE	365	5
Trichloroethene	ug/L	MW495 (RGA)	07/11/17	TRUE	373	5
Trichloroethene	ug/L	MW495 (RGA)	10/11/17	TRUE	376	5
Trichloroethene	ug/L	MW495 (RGA)	01/09/18	TRUE	373	5
Trichloroethene	ug/L	MW495 (RGA)	04/05/18	TRUE	372	5
Trichloroethene	ug/L	MW495 (RGA)	07/03/18	TRUE	378	5
Trichloroethene	ug/L	MW495 (RGA)	10/04/18	TRUE	417	5
Trichloroethene	ug/L	MW495 (RGA)	01/02/19	TRUE	272	5
Trichloroethene	ug/L	MW495 (RGA)	04/09/19	TRUE	362	5
Trichloroethene	ug/L	MW495 (RGA)	05/01/19	TRUE	307	5
Trichloroethene	ug/L	MW495 (RGA)	07/09/19	TRUE	404	5
Trichloroethene	ug/L	MW495 (RGA)	10/01/19	TRUE	394	5
Trichloroethene	ug/L	MW495 (RGA)	01/06/20	TRUE	292	5
Trichloroethene	ug/L	MW495 (RGA)	04/08/20	TRUE	250	5
Trichloroethene	ug/L	MW495 (RGA)	07/08/20	TRUE	333	5
Trichloroethene	ug/L	MW495 (RGA)	10/08/20	TRUE	355	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW496 (RGA)	05/10/11	FALSE	9.02	900
Technetium-99	pCi/L	MW496 (RGA)	05/21/13	TRUE	43.1	900
Technetium-99	pCi/L	MW496 (RGA)	05/27/15	FALSE	2.15	900
Technetium-99	pCi/L	MW496 (RGA)	05/17/17	TRUE	22.4	900
Technetium-99	pCi/L	MW496 (RGA)	07/11/17	TRUE	16	900
Technetium-99	pCi/L	MW496 (RGA)	10/11/17	TRUE	23.6	900
Technetium-99	pCi/L	MW496 (RGA)	01/04/18	TRUE	27.6	900
Technetium-99	pCi/L	MW496 (RGA)	04/05/18	TRUE	21.7	900
Technetium-99	pCi/L	MW496 (RGA)	07/03/18	TRUE	24.4	900
Technetium-99	pCi/L	MW496 (RGA)	10/04/18	TRUE	25.3	900
Technetium-99	pCi/L	MW496 (RGA)	01/02/19	TRUE	24.1	900
Technetium-99	pCi/L	MW496 (RGA)	04/09/19	TRUE	21.6	900
Technetium-99	pCi/L	MW496 (RGA)	05/01/19	TRUE	26.5	900
Technetium-99	pCi/L	MW496 (RGA)	07/09/19	FALSE	10.5	900
Technetium-99	pCi/L	MW496 (RGA)	10/01/19	TRUE	19.1	900
Technetium-99	pCi/L	MW496 (RGA)	01/06/20	TRUE	30.2	900
Technetium-99	pCi/L	MW496 (RGA)	04/08/20	TRUE	26.6	900
Technetium-99	pCi/L	MW496 (RGA)	07/08/20	FALSE	1.94	900
Technetium-99	pCi/L	MW496 (RGA)	10/08/20	TRUE	18.9	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW496 (RGA)	05/10/11	TRUE	83	5
Trichloroethene	ug/L	MW496 (RGA)	05/21/13	TRUE	500	5
Trichloroethene	ug/L	MW496 (RGA)	05/27/15	TRUE	114	5
Trichloroethene	ug/L	MW496 (RGA)	05/17/17	TRUE	116	5
Trichloroethene	ug/L	MW496 (RGA)	07/11/17	TRUE	120	5
Trichloroethene	ug/L	MW496 (RGA)	10/11/17	TRUE	124	5
Trichloroethene	ug/L	MW496 (RGA)	01/04/18	TRUE	143	5
Trichloroethene	ug/L	MW496 (RGA)	04/05/18	TRUE	129	5
Trichloroethene	ug/L	MW496 (RGA)	07/03/18	TRUE	142	5
Trichloroethene	ug/L	MW496 (RGA)	10/04/18	TRUE	139	5
Trichloroethene	ug/L	MW496 (RGA)	01/02/19	TRUE	146	5
Trichloroethene	ug/L	MW496 (RGA)	04/09/19	TRUE	149	5
Trichloroethene	ug/L	MW496 (RGA)	05/01/19	TRUE	158	5
Trichloroethene	ug/L	MW496 (RGA)	07/09/19	TRUE	151	5
Trichloroethene	ug/L	MW496 (RGA)	10/01/19	TRUE	133	5
Trichloroethene	ug/L	MW496 (RGA)	01/06/20	TRUE	129	5
Trichloroethene	ug/L	MW496 (RGA)	04/08/20	TRUE	129	5
Trichloroethene	ug/L	MW496 (RGA)	07/08/20	TRUE	154	5
Trichloroethene	ug/L	MW496 (RGA)	10/08/20	TRUE	134	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW497 (RGA)	04/26/10	FALSE	5.81	900
Technetium-99	pCi/L	MW497 (RGA)	12/16/10	FALSE	6.78	900
Technetium-99	pCi/L	MW497 (RGA)	03/08/11	TRUE	50.1	900
Technetium-99	pCi/L	MW497 (RGA)	06/06/11	TRUE	18.9	900
Technetium-99	pCi/L	MW497 (RGA)	09/20/11	TRUE	23.4	900
Technetium-99	pCi/L	MW497 (RGA)	12/07/11	TRUE	51.5	900
Technetium-99	pCi/L	MW497 (RGA)	03/05/12	TRUE	56.9	900
Technetium-99	pCi/L	MW497 (RGA)	06/05/12	TRUE	103	900
Technetium-99	pCi/L	MW497 (RGA)	09/17/12	TRUE	115	900
Technetium-99	pCi/L	MW497 (RGA)	03/07/13	TRUE	100	900
Technetium-99	pCi/L	MW497 (RGA)	09/06/13	TRUE	124	900
Technetium-99	pCi/L	MW497 (RGA)	03/10/14	TRUE	134	900
Technetium-99	pCi/L	MW497 (RGA)	09/08/14	TRUE	206	900
Technetium-99	pCi/L	MW497 (RGA)	03/19/15	TRUE	121	900
Technetium-99	pCi/L	MW497 (RGA)	09/21/15	TRUE	150	900
Technetium-99	pCi/L	MW497 (RGA)	03/02/16	TRUE	78.1	900
Technetium-99	pCi/L	MW497 (RGA)	09/14/16	TRUE	163	900
Technetium-99	pCi/L	MW497 (RGA)	03/13/17	TRUE	174	900
Technetium-99	pCi/L	MW497 (RGA)	09/05/17	TRUE	175	900
Technetium-99	pCi/L	MW497 (RGA)	03/07/18	TRUE	117	900
Technetium-99	pCi/L	MW497 (RGA)	09/18/18	TRUE	156	900
Technetium-99	pCi/L	MW497 (RGA)	03/11/19	TRUE	65.9	900
Technetium-99	pCi/L	MW497 (RGA)	09/20/19	TRUE	216	900
Technetium-99	pCi/L	MW497 (RGA)	03/04/20	TRUE	105	900
Technetium-99	pCi/L	MW497 (RGA)	09/15/20	TRUE	150	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW497 (RGA)	04/26/10	TRUE	3.3	5
Trichloroethene	ug/L	MW497 (RGA)	12/16/10	TRUE	17	5
Trichloroethene	ug/L	MW497 (RGA)	03/08/11	TRUE	290	5
Trichloroethene	ug/L	MW497 (RGA)	06/06/11	TRUE	72	5
Trichloroethene	ug/L	MW497 (RGA)	09/20/11	TRUE	150	5
Trichloroethene	ug/L	MW497 (RGA)	12/07/11	TRUE	340	5
Trichloroethene	ug/L	MW497 (RGA)	03/05/12	TRUE	330	5
Trichloroethene	ug/L	MW497 (RGA)	06/05/12	TRUE	260	5
Trichloroethene	ug/L	MW497 (RGA)	09/17/12	TRUE	650	5
Trichloroethene	ug/L	MW497 (RGA)	03/07/13	TRUE	470	5
Trichloroethene	ug/L	MW497 (RGA)	09/06/13	TRUE	500	5
Trichloroethene	ug/L	MW497 (RGA)	03/10/14	TRUE	550	5
Trichloroethene	ug/L	MW497 (RGA)	09/08/14	TRUE	773	5
Trichloroethene	ug/L	MW497 (RGA)	03/19/15	TRUE	413	5
Trichloroethene	ug/L	MW497 (RGA)	09/21/15	TRUE	604	5
Trichloroethene	ug/L	MW497 (RGA)	03/02/16	TRUE	180	5
Trichloroethene	ug/L	MW497 (RGA)	09/14/16	TRUE	503	5
Trichloroethene	ug/L	MW497 (RGA)	03/13/17	TRUE	437	5
Trichloroethene	ug/L	MW497 (RGA)	09/05/17	TRUE	501	5
Trichloroethene	ug/L	MW497 (RGA)	03/07/18	TRUE	409	5
Trichloroethene	ug/L	MW497 (RGA)	09/18/18	TRUE	425	5
Trichloroethene	ug/L	MW497 (RGA)	03/11/19	TRUE	265	5
Trichloroethene	ug/L	MW497 (RGA)	09/20/19	TRUE	588	5
Trichloroethene	ug/L	MW497 (RGA)	03/04/20	TRUE	291	5
Trichloroethene	ug/L	MW497 (RGA)	09/15/20	TRUE	386	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW498 (RGA)	04/26/10	TRUE	584	900
Technetium-99	pCi/L	MW498 (RGA)	12/16/10	TRUE	1190	900
Technetium-99	pCi/L	MW498 (RGA)	03/08/11	TRUE	267	900
Technetium-99	pCi/L	MW498 (RGA)	06/06/11	TRUE	340	900
Technetium-99	pCi/L	MW498 (RGA)	09/20/11	TRUE	87	900
Technetium-99	pCi/L	MW498 (RGA)	12/07/11	TRUE	162	900
Technetium-99	pCi/L	MW498 (RGA)	03/05/12	TRUE	30.6	900
Technetium-99	pCi/L	MW498 (RGA)	06/05/12	TRUE	51.2	900
Technetium-99	pCi/L	MW498 (RGA)	09/17/12	TRUE	116	900
Technetium-99	pCi/L	MW498 (RGA)	03/07/13	TRUE	55.5	900
Technetium-99	pCi/L	MW498 (RGA)	09/06/13	TRUE	24.4	900
Technetium-99	pCi/L	MW498 (RGA)	03/19/14	FALSE	12.8	900
Technetium-99	pCi/L	MW498 (RGA)	09/08/14	TRUE	466	900
Technetium-99	pCi/L	MW498 (RGA)	03/19/15	TRUE	28.3	900
Technetium-99	pCi/L	MW498 (RGA)	09/21/15	TRUE	20.7	900
Technetium-99	pCi/L	MW498 (RGA)	03/02/16	TRUE	66.9	900
Technetium-99	pCi/L	MW498 (RGA)	09/14/16	TRUE	32.5	900
Technetium-99	pCi/L	MW498 (RGA)	03/13/17	TRUE	41.6	900
Technetium-99	pCi/L	MW498 (RGA)	09/05/17	TRUE	30.4	900
Technetium-99	pCi/L	MW498 (RGA)	03/07/18	FALSE	11.6	900
Technetium-99	pCi/L	MW498 (RGA)	09/18/18	FALSE	5.59	900
Technetium-99	pCi/L	MW498 (RGA)	03/11/19	FALSE	-0.286	900
Technetium-99	pCi/L	MW498 (RGA)	09/20/19	TRUE	82.3	900
Technetium-99	pCi/L	MW498 (RGA)	03/04/20	FALSE	8.67	900
Technetium-99	pCi/L	MW498 (RGA)	09/15/20	TRUE	41.8	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW498 (RGA)	04/26/10	TRUE	6800	5
Trichloroethene	ug/L	MW498 (RGA)	12/16/10	TRUE	9900	5
Trichloroethene	ug/L	MW498 (RGA)	03/08/11	TRUE	1700	5
Trichloroethene	ug/L	MW498 (RGA)	06/06/11	TRUE	2300	5
Trichloroethene	ug/L	MW498 (RGA)	09/20/11	TRUE	430	5
Trichloroethene	ug/L	MW498 (RGA)	12/07/11	TRUE	480	5
Trichloroethene	ug/L	MW498 (RGA)	03/05/12	TRUE	160	5
Trichloroethene	ug/L	MW498 (RGA)	06/05/12	TRUE	220	5
Trichloroethene	ug/L	MW498 (RGA)	09/17/12	TRUE	210	5
Trichloroethene	ug/L	MW498 (RGA)	03/07/13	TRUE	200	5
Trichloroethene	ug/L	MW498 (RGA)	09/06/13	TRUE	87	5
Trichloroethene	ug/L	MW498 (RGA)	03/19/14	TRUE	48	5
Trichloroethene	ug/L	MW498 (RGA)	09/08/14	TRUE	2400	5
Trichloroethene	ug/L	MW498 (RGA)	03/19/15	TRUE	74.6	5
Trichloroethene	ug/L	MW498 (RGA)	09/21/15	TRUE	91	5
Trichloroethene	ug/L	MW498 (RGA)	03/02/16	TRUE	110	5
Trichloroethene	ug/L	MW498 (RGA)	09/14/16	TRUE	101	5
Trichloroethene	ug/L	MW498 (RGA)	03/13/17	TRUE	82.5	5
Trichloroethene	ug/L	MW498 (RGA)	09/05/17	TRUE	78.9	5
Trichloroethene	ug/L	MW498 (RGA)	03/07/18	TRUE	24.7	5
Trichloroethene	ug/L	MW498 (RGA)	09/18/18	TRUE	46.2	5
Trichloroethene	ug/L	MW498 (RGA)	03/11/19	TRUE	23.2	5
Trichloroethene	ug/L	MW498 (RGA)	09/20/19	TRUE	204	5
Trichloroethene	ug/L	MW498 (RGA)	03/04/20	TRUE	13.1	5
Trichloroethene	ug/L	MW498 (RGA)	09/15/20	TRUE	109	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW499 (RGA)	03/30/10	TRUE	423	900
Technetium-99	pCi/L	MW499 (RGA)	12/16/10	TRUE	484	900
Technetium-99	pCi/L	MW499 (RGA)	03/08/11	TRUE	484	900
Technetium-99	pCi/L	MW499 (RGA)	06/06/11	TRUE	443	900
Technetium-99	pCi/L	MW499 (RGA)	09/09/11	TRUE	365	900
Technetium-99	pCi/L	MW499 (RGA)	12/07/11	TRUE	350	900
Technetium-99	pCi/L	MW499 (RGA)	03/05/12	TRUE	338	900
Technetium-99	pCi/L	MW499 (RGA)	06/05/12	TRUE	292	900
Technetium-99	pCi/L	MW499 (RGA)	09/17/12	TRUE	247	900
Technetium-99	pCi/L	MW499 (RGA)	03/07/13	TRUE	415	900
Technetium-99	pCi/L	MW499 (RGA)	09/09/13	TRUE	326	900
Technetium-99	pCi/L	MW499 (RGA)	03/10/14	TRUE	292	900
Technetium-99	pCi/L	MW499 (RGA)	09/09/14	TRUE	237	900
Technetium-99	pCi/L	MW499 (RGA)	03/19/15	TRUE	280	900
Technetium-99	pCi/L	MW499 (RGA)	09/21/15	TRUE	214	900
Technetium-99	pCi/L	MW499 (RGA)	03/02/16	TRUE	227	900
Technetium-99	pCi/L	MW499 (RGA)	09/14/16	TRUE	226	900
Technetium-99	pCi/L	MW499 (RGA)	03/13/17	TRUE	239	900
Technetium-99	pCi/L	MW499 (RGA)	09/05/17	TRUE	203	900
Technetium-99	pCi/L	MW499 (RGA)	03/07/18	TRUE	284	900
Technetium-99	pCi/L	MW499 (RGA)	09/18/18	TRUE	263	900
Technetium-99	pCi/L	MW499 (RGA)	03/11/19	TRUE	275	900
Technetium-99	pCi/L	MW499 (RGA)	09/20/19	TRUE	267	900
Technetium-99	pCi/L	MW499 (RGA)	03/04/20	TRUE	363	900
Technetium-99	pCi/L	MW499 (RGA)	09/15/20	TRUE	266	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW499 (RGA)	03/30/10	TRUE	150	5
Trichloroethene	ug/L	MW499 (RGA)	12/16/10	TRUE	180	5
Trichloroethene	ug/L	MW499 (RGA)	03/08/11	TRUE	180	5
Trichloroethene	ug/L	MW499 (RGA)	06/06/11	TRUE	200	5
Trichloroethene	ug/L	MW499 (RGA)	09/09/11	TRUE	150	5
Trichloroethene	ug/L	MW499 (RGA)	12/07/11	TRUE	150	5
Trichloroethene	ug/L	MW499 (RGA)	03/05/12	TRUE	150	5
Trichloroethene	ug/L	MW499 (RGA)	06/05/12	TRUE	170	5
Trichloroethene	ug/L	MW499 (RGA)	09/17/12	TRUE	130	5
Trichloroethene	ug/L	MW499 (RGA)	03/07/13	TRUE	460	5
Trichloroethene	ug/L	MW499 (RGA)	09/09/13	TRUE	300	5
Trichloroethene	ug/L	MW499 (RGA)	03/10/14	TRUE	490	5
Trichloroethene	ug/L	MW499 (RGA)	09/09/14	TRUE	415	5
Trichloroethene	ug/L	MW499 (RGA)	03/19/15	TRUE	540	5
Trichloroethene	ug/L	MW499 (RGA)	09/21/15	TRUE	410	5
Trichloroethene	ug/L	MW499 (RGA)	03/02/16	TRUE	354	5
Trichloroethene	ug/L	MW499 (RGA)	09/14/16	TRUE	355	5
Trichloroethene	ug/L	MW499 (RGA)	03/13/17	TRUE	375	5
Trichloroethene	ug/L	MW499 (RGA)	09/05/17	TRUE	333	5
Trichloroethene	ug/L	MW499 (RGA)	03/07/18	TRUE	538	5
Trichloroethene	ug/L	MW499 (RGA)	09/18/18	TRUE	359	5
Trichloroethene	ug/L	MW499 (RGA)	03/11/19	TRUE	699	5
Trichloroethene	ug/L	MW499 (RGA)	09/20/19	TRUE	561	5
Trichloroethene	ug/L	MW499 (RGA)	03/04/20	TRUE	809	5
Trichloroethene	ug/L	MW499 (RGA)	09/15/20	TRUE	650	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW500 (RGA)	03/31/10	FALSE	1.46	900
Technetium-99	pCi/L	MW500 (RGA)	12/16/10	TRUE	339	900
Technetium-99	pCi/L	MW500 (RGA)	03/08/11	TRUE	341	900
Technetium-99	pCi/L	MW500 (RGA)	06/06/11	TRUE	494	900
Technetium-99	pCi/L	MW500 (RGA)	09/09/11	TRUE	271	900
Technetium-99	pCi/L	MW500 (RGA)	12/07/11	TRUE	238	900
Technetium-99	pCi/L	MW500 (RGA)	03/05/12	TRUE	301	900
Technetium-99	pCi/L	MW500 (RGA)	06/05/12	TRUE	314	900
Technetium-99	pCi/L	MW500 (RGA)	09/17/12	TRUE	269	900
Technetium-99	pCi/L	MW500 (RGA)	03/07/13	TRUE	497	900
Technetium-99	pCi/L	MW500 (RGA)	09/09/13	TRUE	346	900
Technetium-99	pCi/L	MW500 (RGA)	03/10/14	TRUE	387	900
Technetium-99	pCi/L	MW500 (RGA)	09/08/14	TRUE	330	900
Technetium-99	pCi/L	MW500 (RGA)	03/19/15	TRUE	354	900
Technetium-99	pCi/L	MW500 (RGA)	09/21/15	TRUE	219	900
Technetium-99	pCi/L	MW500 (RGA)	03/02/16	TRUE	288	900
Technetium-99	pCi/L	MW500 (RGA)	09/14/16	TRUE	247	900
Technetium-99	pCi/L	MW500 (RGA)	03/13/17	TRUE	278	900
Technetium-99	pCi/L	MW500 (RGA)	09/05/17	TRUE	233	900
Technetium-99	pCi/L	MW500 (RGA)	03/07/18	TRUE	304	900
Technetium-99	pCi/L	MW500 (RGA)	09/18/18	TRUE	294	900
Technetium-99	pCi/L	MW500 (RGA)	03/11/19	TRUE	298	900
Technetium-99	pCi/L	MW500 (RGA)	09/20/19	TRUE	325	900
Technetium-99	pCi/L	MW500 (RGA)	03/04/20	TRUE	405	900
Technetium-99	pCi/L	MW500 (RGA)	09/15/20	TRUE	339	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW500 (RGA)	03/31/10	TRUE	65	5
Trichloroethene	ug/L	MW500 (RGA)	12/16/10	TRUE	160	5
Trichloroethene	ug/L	MW500 (RGA)	03/08/11	TRUE	160	5
Trichloroethene	ug/L	MW500 (RGA)	06/06/11	TRUE	280	5
Trichloroethene	ug/L	MW500 (RGA)	09/09/11	TRUE	150	5
Trichloroethene	ug/L	MW500 (RGA)	12/07/11	TRUE	160	5
Trichloroethene	ug/L	MW500 (RGA)	03/05/12	TRUE	180	5
Trichloroethene	ug/L	MW500 (RGA)	06/05/12	TRUE	210	5
Trichloroethene	ug/L	MW500 (RGA)	09/17/12	TRUE	160	5
Trichloroethene	ug/L	MW500 (RGA)	03/07/13	TRUE	610	5
Trichloroethene	ug/L	MW500 (RGA)	09/09/13	TRUE	320	5
Trichloroethene	ug/L	MW500 (RGA)	03/10/14	TRUE	550	5
Trichloroethene	ug/L	MW500 (RGA)	09/08/14	TRUE	548	5
Trichloroethene	ug/L	MW500 (RGA)	03/19/15	TRUE	570	5
Trichloroethene	ug/L	MW500 (RGA)	09/21/15	TRUE	367	5
Trichloroethene	ug/L	MW500 (RGA)	03/02/16	TRUE	295	5
Trichloroethene	ug/L	MW500 (RGA)	09/14/16	TRUE	293	5
Trichloroethene	ug/L	MW500 (RGA)	03/13/17	TRUE	355	5
Trichloroethene	ug/L	MW500 (RGA)	09/05/17	TRUE	261	5
Trichloroethene	ug/L	MW500 (RGA)	03/07/18	TRUE	380	5
Trichloroethene	ug/L	MW500 (RGA)	09/18/18	TRUE	308	5
Trichloroethene	ug/L	MW500 (RGA)	03/11/19	TRUE	295	5
Trichloroethene	ug/L	MW500 (RGA)	09/20/19	TRUE	392	5
Trichloroethene	ug/L	MW500 (RGA)	03/04/20	TRUE	535	5
Trichloroethene	ug/L	MW500 (RGA)	09/15/20	TRUE	529	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW501 (RGA)	03/30/10	FALSE	12.7	900
Technetium-99	pCi/L	MW501 (RGA)	12/16/10	FALSE	7.98	900
Technetium-99	pCi/L	MW501 (RGA)	03/09/11	FALSE	6.02	900
Technetium-99	pCi/L	MW501 (RGA)	06/07/11	FALSE	9.13	900
Technetium-99	pCi/L	MW501 (RGA)	09/08/11	FALSE	8.6	900
Technetium-99	pCi/L	MW501 (RGA)	12/19/11	FALSE	14.5	900
Technetium-99	pCi/L	MW501 (RGA)	03/07/12	FALSE	3.24	900
Technetium-99	pCi/L	MW501 (RGA)	06/06/12	FALSE	7.57	900
Technetium-99	pCi/L	MW501 (RGA)	09/18/12	FALSE	-0.746	900
Technetium-99	pCi/L	MW501 (RGA)	03/12/13	FALSE	-8.83	900
Technetium-99	pCi/L	MW501 (RGA)	09/09/13	FALSE	6.09	900
Technetium-99	pCi/L	MW501 (RGA)	03/11/14	FALSE	-1.57	900
Technetium-99	pCi/L	MW501 (RGA)	09/03/14	FALSE	5.23	900
Technetium-99	pCi/L	MW501 (RGA)	03/18/15	FALSE	0.297	900
Technetium-99	pCi/L	MW501 (RGA)	09/21/15	FALSE	2.47	900
Technetium-99	pCi/L	MW501 (RGA)	03/02/16	FALSE	-6.27	900
Technetium-99	pCi/L	MW501 (RGA)	09/08/16	FALSE	5.29	900
Technetium-99	pCi/L	MW501 (RGA)	03/13/17	FALSE	5.98	900
Technetium-99	pCi/L	MW501 (RGA)	09/06/17	FALSE	-7.61	900
Technetium-99	pCi/L	MW501 (RGA)	03/12/18	FALSE	-9.32	900
Technetium-99	pCi/L	MW501 (RGA)	09/18/18	FALSE	-4.76	900
Technetium-99	pCi/L	MW501 (RGA)	03/12/19	FALSE	-1.32	900
Technetium-99	pCi/L	MW501 (RGA)	09/19/19	FALSE	-5.75	900
Technetium-99	pCi/L	MW501 (RGA)	03/09/20	FALSE	-2.07	900
Technetium-99	pCi/L	MW501 (RGA)	09/15/20	FALSE	-1.1	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW501 (RGA)	03/30/10	TRUE	27	5
Trichloroethene	ug/L	MW501 (RGA)	12/16/10	FALSE	1	5
Trichloroethene	ug/L	MW501 (RGA)	03/09/11	FALSE	1	5
Trichloroethene	ug/L	MW501 (RGA)	06/07/11	TRUE	1.1	5
Trichloroethene	ug/L	MW501 (RGA)	09/08/11	FALSE	1	5
Trichloroethene	ug/L	MW501 (RGA)	12/19/11	FALSE	1	5
Trichloroethene	ug/L	MW501 (RGA)	03/07/12	FALSE	1	5
Trichloroethene	ug/L	MW501 (RGA)	06/06/12	FALSE	1	5
Trichloroethene	ug/L	MW501 (RGA)	09/18/12	FALSE	1	5
Trichloroethene	ug/L	MW501 (RGA)	03/12/13	FALSE	1	5
Trichloroethene	ug/L	MW501 (RGA)	09/09/13	FALSE	1	5
Trichloroethene	ug/L	MW501 (RGA)	03/11/14	FALSE	1	5
Trichloroethene	ug/L	MW501 (RGA)	09/03/14	FALSE	1	5
Trichloroethene	ug/L	MW501 (RGA)	03/18/15	FALSE	1	5
Trichloroethene	ug/L	MW501 (RGA)	09/21/15	FALSE	1	5
Trichloroethene	ug/L	MW501 (RGA)	03/02/16	TRUE	0.76	5
Trichloroethene	ug/L	MW501 (RGA)	09/08/16	FALSE	1	5
Trichloroethene	ug/L	MW501 (RGA)	03/13/17	FALSE	1	5
Trichloroethene	ug/L	MW501 (RGA)	09/06/17	FALSE	1	5
Trichloroethene	ug/L	MW501 (RGA)	03/12/18	TRUE	0.63	5
Trichloroethene	ug/L	MW501 (RGA)	09/18/18	FALSE	1	5
Trichloroethene	ug/L	MW501 (RGA)	03/12/19	TRUE	3.07	5
Trichloroethene	ug/L	MW501 (RGA)	09/19/19	FALSE	1	5
Trichloroethene	ug/L	MW501 (RGA)	03/09/20	TRUE	0.51	5
Trichloroethene	ug/L	MW501 (RGA)	09/15/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW502 (RGA)	03/30/10	FALSE	4.4	900
Technetium-99	pCi/L	MW502 (RGA)	12/16/10	FALSE	15.5	900
Technetium-99	pCi/L	MW502 (RGA)	03/09/11	FALSE	5.58	900
Technetium-99	pCi/L	MW502 (RGA)	06/07/11	FALSE	11.4	900
Technetium-99	pCi/L	MW502 (RGA)	09/08/11	FALSE	11.1	900
Technetium-99	pCi/L	MW502 (RGA)	12/19/11	FALSE	0.492	900
Technetium-99	pCi/L	MW502 (RGA)	03/07/12	FALSE	-3.85	900
Technetium-99	pCi/L	MW502 (RGA)	06/06/12	TRUE	18.4	900
Technetium-99	pCi/L	MW502 (RGA)	09/18/12	FALSE	5.22	900
Technetium-99	pCi/L	MW502 (RGA)	03/12/13	FALSE	-4.36	900
Technetium-99	pCi/L	MW502 (RGA)	09/09/13	FALSE	-1.3	900
Technetium-99	pCi/L	MW502 (RGA)	03/11/14	FALSE	-0.505	900
Technetium-99	pCi/L	MW502 (RGA)	09/03/14	FALSE	-0.792	900
Technetium-99	pCi/L	MW502 (RGA)	03/18/15	FALSE	-1.32	900
Technetium-99	pCi/L	MW502 (RGA)	09/21/15	FALSE	-5.78	900
Technetium-99	pCi/L	MW502 (RGA)	03/02/16	FALSE	0.624	900
Technetium-99	pCi/L	MW502 (RGA)	09/08/16	FALSE	1.9	900
Technetium-99	pCi/L	MW502 (RGA)	03/13/17	FALSE	5.6	900
Technetium-99	pCi/L	MW502 (RGA)	09/06/17	FALSE	2.87	900
Technetium-99	pCi/L	MW502 (RGA)	03/12/18	FALSE	-3.88	900
Technetium-99	pCi/L	MW502 (RGA)	09/18/18	FALSE	-12.8	900
Technetium-99	pCi/L	MW502 (RGA)	03/12/19	FALSE	-2.1	900
Technetium-99	pCi/L	MW502 (RGA)	09/19/19	FALSE	-0.159	900
Technetium-99	pCi/L	MW502 (RGA)	03/09/20	FALSE	2.91	900
Technetium-99	pCi/L	MW502 (RGA)	09/15/20	FALSE	-0.796	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW502 (RGA)	03/30/10	TRUE	25	5
Trichloroethene	ug/L	MW502 (RGA)	12/16/10	TRUE	13	5
Trichloroethene	ug/L	MW502 (RGA)	03/09/11	TRUE	9.8	5
Trichloroethene	ug/L	MW502 (RGA)	06/07/11	TRUE	6.9	5
Trichloroethene	ug/L	MW502 (RGA)	09/08/11	TRUE	8.2	5
Trichloroethene	ug/L	MW502 (RGA)	12/19/11	TRUE	7.3	5
Trichloroethene	ug/L	MW502 (RGA)	03/07/12	TRUE	5.7	5
Trichloroethene	ug/L	MW502 (RGA)	06/06/12	TRUE	7.1	5
Trichloroethene	ug/L	MW502 (RGA)	09/18/12	TRUE	6	5
Trichloroethene	ug/L	MW502 (RGA)	03/12/13	TRUE	5	5
Trichloroethene	ug/L	MW502 (RGA)	09/09/13	TRUE	3.8	5
Trichloroethene	ug/L	MW502 (RGA)	03/11/14	TRUE	4.4	5
Trichloroethene	ug/L	MW502 (RGA)	09/03/14	TRUE	4.42	5
Trichloroethene	ug/L	MW502 (RGA)	03/18/15	TRUE	3.51	5
Trichloroethene	ug/L	MW502 (RGA)	09/21/15	TRUE	3.42	5
Trichloroethene	ug/L	MW502 (RGA)	03/02/16	TRUE	3.93	5
Trichloroethene	ug/L	MW502 (RGA)	09/08/16	TRUE	4.09	5
Trichloroethene	ug/L	MW502 (RGA)	03/13/17	TRUE	3.06	5
Trichloroethene	ug/L	MW502 (RGA)	09/06/17	TRUE	3.45	5
Trichloroethene	ug/L	MW502 (RGA)	03/12/18	TRUE	3.11	5
Trichloroethene	ug/L	MW502 (RGA)	09/18/18	TRUE	2.79	5
Trichloroethene	ug/L	MW502 (RGA)	03/12/19	TRUE	38.8	5
Trichloroethene	ug/L	MW502 (RGA)	09/19/19	TRUE	6.24	5
Trichloroethene	ug/L	MW502 (RGA)	03/09/20	TRUE	1.41	5
Trichloroethene	ug/L	MW502 (RGA)	09/15/20	TRUE	1.98	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW503 (RGA)	03/31/10	FALSE	11.5	900
Technetium-99	pCi/L	MW503 (RGA)	12/15/10	TRUE	22.2	900
Technetium-99	pCi/L	MW503 (RGA)	03/08/11	TRUE	21.6	900
Technetium-99	pCi/L	MW503 (RGA)	06/06/11	FALSE	7.86	900
Technetium-99	pCi/L	MW503 (RGA)	09/01/11	TRUE	56.5	900
Technetium-99	pCi/L	MW503 (RGA)	12/15/11	TRUE	63.6	900
Technetium-99	pCi/L	MW503 (RGA)	03/05/12	FALSE	15.8	900
Technetium-99	pCi/L	MW503 (RGA)	06/05/12	TRUE	217	900
Technetium-99	pCi/L	MW503 (RGA)	09/18/12	TRUE	88	900
Technetium-99	pCi/L	MW503 (RGA)	03/12/13	TRUE	79.3	900
Technetium-99	pCi/L	MW503 (RGA)	09/09/13	TRUE	84.1	900
Technetium-99	pCi/L	MW503 (RGA)	03/11/14	TRUE	85.8	900
Technetium-99	pCi/L	MW503 (RGA)	09/09/14	TRUE	196	900
Technetium-99	pCi/L	MW503 (RGA)	03/19/15	TRUE	233	900
Technetium-99	pCi/L	MW503 (RGA)	09/21/15	TRUE	361	900
Technetium-99	pCi/L	MW503 (RGA)	03/08/16	TRUE	298	900
Technetium-99	pCi/L	MW503 (RGA)	09/14/16	TRUE	509	900
Technetium-99	pCi/L	MW503 (RGA)	03/14/17	TRUE	391	900
Technetium-99	pCi/L	MW503 (RGA)	09/06/17	TRUE	364	900
Technetium-99	pCi/L	MW503 (RGA)	03/12/18	TRUE	250	900
Technetium-99	pCi/L	MW503 (RGA)	09/18/18	TRUE	317	900
Technetium-99	pCi/L	MW503 (RGA)	03/11/19	TRUE	225	900
Technetium-99	pCi/L	MW503 (RGA)	09/20/19	TRUE	199	900
Technetium-99	pCi/L	MW503 (RGA)	03/04/20	TRUE	225	900
Technetium-99	pCi/L	MW503 (RGA)	09/15/20	TRUE	130	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW503 (RGA)	03/31/10	TRUE	29	5
Trichloroethene	ug/L	MW503 (RGA)	12/15/10	TRUE	240	5
Trichloroethene	ug/L	MW503 (RGA)	03/08/11	TRUE	300	5
Trichloroethene	ug/L	MW503 (RGA)	06/06/11	TRUE	370	5
Trichloroethene	ug/L	MW503 (RGA)	09/01/11	TRUE	670	5
Trichloroethene	ug/L	MW503 (RGA)	12/15/11	TRUE	550	5
Trichloroethene	ug/L	MW503 (RGA)	03/05/12	TRUE	300	5
Trichloroethene	ug/L	MW503 (RGA)	06/05/12	TRUE	350	5
Trichloroethene	ug/L	MW503 (RGA)	09/18/12	TRUE	210	5
Trichloroethene	ug/L	MW503 (RGA)	03/12/13	TRUE	130	5
Trichloroethene	ug/L	MW503 (RGA)	09/09/13	TRUE	140	5
Trichloroethene	ug/L	MW503 (RGA)	03/11/14	TRUE	68	5
Trichloroethene	ug/L	MW503 (RGA)	09/09/14	TRUE	107	5
Trichloroethene	ug/L	MW503 (RGA)	03/19/15	TRUE	80.9	5
Trichloroethene	ug/L	MW503 (RGA)	09/21/15	TRUE	91	5
Trichloroethene	ug/L	MW503 (RGA)	03/08/16	TRUE	96	5
Trichloroethene	ug/L	MW503 (RGA)	09/14/16	TRUE	63.5	5
Trichloroethene	ug/L	MW503 (RGA)	03/14/17	TRUE	33.1	5
Trichloroethene	ug/L	MW503 (RGA)	09/06/17	TRUE	37	5
Trichloroethene	ug/L	MW503 (RGA)	03/12/18	TRUE	22	5
Trichloroethene	ug/L	MW503 (RGA)	09/18/18	TRUE	30.4	5
Trichloroethene	ug/L	MW503 (RGA)	03/11/19	TRUE	11.8	5
Trichloroethene	ug/L	MW503 (RGA)	09/20/19	TRUE	10.7	5
Trichloroethene	ug/L	MW503 (RGA)	03/04/20	TRUE	7.8	5
Trichloroethene	ug/L	MW503 (RGA)	09/15/20	TRUE	8.38	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW504 (RGA)	03/31/10	TRUE	19.6	900
Technetium-99	pCi/L	MW504 (RGA)	12/15/10	FALSE	0.841	900
Technetium-99	pCi/L	MW504 (RGA)	03/08/11	FALSE	-0.0553	900
Technetium-99	pCi/L	MW504 (RGA)	06/06/11	FALSE	-4.93	900
Technetium-99	pCi/L	MW504 (RGA)	09/01/11	FALSE	-0.585	900
Technetium-99	pCi/L	MW504 (RGA)	12/15/11	FALSE	-10.2	900
Technetium-99	pCi/L	MW504 (RGA)	03/05/12	FALSE	-1.42	900
Technetium-99	pCi/L	MW504 (RGA)	06/05/12	FALSE	-4.03	900
Technetium-99	pCi/L	MW504 (RGA)	09/18/12	FALSE	-5.17	900
Technetium-99	pCi/L	MW504 (RGA)	03/12/13	FALSE	0.269	900
Technetium-99	pCi/L	MW504 (RGA)	09/09/13	FALSE	8.45	900
Technetium-99	pCi/L	MW504 (RGA)	03/11/14	FALSE	0.281	900
Technetium-99	pCi/L	MW504 (RGA)	09/09/14	FALSE	14.9	900
Technetium-99	pCi/L	MW504 (RGA)	03/19/15	FALSE	6.73	900
Technetium-99	pCi/L	MW504 (RGA)	09/21/15	FALSE	-3.35	900
Technetium-99	pCi/L	MW504 (RGA)	03/08/16	FALSE	9.92	900
Technetium-99	pCi/L	MW504 (RGA)	09/14/16	FALSE	-3.2	900
Technetium-99	pCi/L	MW504 (RGA)	03/14/17	FALSE	9.15	900
Technetium-99	pCi/L	MW504 (RGA)	09/06/17	FALSE	-6.81	900
Technetium-99	pCi/L	MW504 (RGA)	03/12/18	FALSE	-7.87	900
Technetium-99	pCi/L	MW504 (RGA)	09/18/18	FALSE	-4.05	900
Technetium-99	pCi/L	MW504 (RGA)	03/11/19	FALSE	7.24	900
Technetium-99	pCi/L	MW504 (RGA)	09/20/19	FALSE	4.03	900
Technetium-99	pCi/L	MW504 (RGA)	03/04/20	FALSE	0.843	900
Technetium-99	pCi/L	MW504 (RGA)	09/15/20	FALSE	-0.0714	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW504 (RGA)	03/31/10	FALSE	1	5
Trichloroethene	ug/L	MW504 (RGA)	12/15/10	TRUE	1.4	5
Trichloroethene	ug/L	MW504 (RGA)	03/08/11	FALSE	1	5
Trichloroethene	ug/L	MW504 (RGA)	06/06/11	FALSE	1	5
Trichloroethene	ug/L	MW504 (RGA)	09/01/11	TRUE	1.1	5
Trichloroethene	ug/L	MW504 (RGA)	12/15/11	FALSE	1	5
Trichloroethene	ug/L	MW504 (RGA)	03/05/12	TRUE	2	5
Trichloroethene	ug/L	MW504 (RGA)	06/05/12	FALSE	1	5
Trichloroethene	ug/L	MW504 (RGA)	09/18/12	FALSE	1	5
Trichloroethene	ug/L	MW504 (RGA)	03/12/13	FALSE	1	5
Trichloroethene	ug/L	MW504 (RGA)	09/09/13	FALSE	1	5
Trichloroethene	ug/L	MW504 (RGA)	03/11/14	FALSE	1	5
Trichloroethene	ug/L	MW504 (RGA)	09/09/14	FALSE	1	5
Trichloroethene	ug/L	MW504 (RGA)	03/19/15	FALSE	1	5
Trichloroethene	ug/L	MW504 (RGA)	09/21/15	FALSE	1	5
Trichloroethene	ug/L	MW504 (RGA)	03/08/16	FALSE	1	5
Trichloroethene	ug/L	MW504 (RGA)	09/14/16	TRUE	2.78	5
Trichloroethene	ug/L	MW504 (RGA)	03/14/17	TRUE	0.45	5
Trichloroethene	ug/L	MW504 (RGA)	09/06/17	FALSE	1	5
Trichloroethene	ug/L	MW504 (RGA)	03/12/18	FALSE	1	5
Trichloroethene	ug/L	MW504 (RGA)	09/18/18	TRUE	1.74	5
Trichloroethene	ug/L	MW504 (RGA)	03/11/19	FALSE	1	5
Trichloroethene	ug/L	MW504 (RGA)	09/20/19	TRUE	0.41	5
Trichloroethene	ug/L	MW504 (RGA)	03/04/20	TRUE	6.01	5
Trichloroethene	ug/L	MW504 (RGA)	09/15/20	TRUE	0.71	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW505 (RGA)	03/13/12	TRUE	51.6	900
Technetium-99	pCi/L	MW505 (RGA)	06/18/12	TRUE	51.4	900
Technetium-99	pCi/L	MW505 (RGA)	09/19/12	TRUE	61.8	900
Technetium-99	pCi/L	MW505 (RGA)	12/05/12	TRUE	56.2	900
Technetium-99	pCi/L	MW505 (RGA)	03/19/13	TRUE	53.9	900
Technetium-99	pCi/L	MW505 (RGA)	06/11/13	TRUE	55.5	900
Technetium-99	pCi/L	MW505 (RGA)	09/12/13	TRUE	74.3	900
Technetium-99	pCi/L	MW505 (RGA)	12/17/13	TRUE	56.2	900
Technetium-99	pCi/L	MW505 (RGA)	03/19/14	TRUE	69	900
Technetium-99	pCi/L	MW505 (RGA)	06/11/14	TRUE	52.8	900
Technetium-99	pCi/L	MW505 (RGA)	09/13/14	TRUE	63.4	900
Technetium-99	pCi/L	MW505 (RGA)	12/02/14	TRUE	71.4	900
Technetium-99	pCi/L	MW505 (RGA)	03/30/15	TRUE	61.1	900
Technetium-99	pCi/L	MW505 (RGA)	06/16/15	TRUE	53.1	900
Technetium-99	pCi/L	MW505 (RGA)	09/14/15	TRUE	40.7	900
Technetium-99	pCi/L	MW505 (RGA)	12/08/15	TRUE	56.4	900
Technetium-99	pCi/L	MW505 (RGA)	03/23/16	TRUE	62.2	900
Technetium-99	pCi/L	MW505 (RGA)	06/06/16	TRUE	86.4	900
Technetium-99	pCi/L	MW505 (RGA)	09/20/16	TRUE	70	900
Technetium-99	pCi/L	MW505 (RGA)	12/13/16	TRUE	47.1	900
Technetium-99	pCi/L	MW505 (RGA)	03/09/17	TRUE	51.1	900
Technetium-99	pCi/L	MW505 (RGA)	06/20/17	TRUE	50.1	900
Technetium-99	pCi/L	MW505 (RGA)	09/12/17	TRUE	59.9	900
Technetium-99	pCi/L	MW505 (RGA)	12/18/17	TRUE	57	900
Technetium-99	pCi/L	MW505 (RGA)	03/22/18	TRUE	51.4	900
Technetium-99	pCi/L	MW505 (RGA)	05/15/18	TRUE	59.7	900
Technetium-99	pCi/L	MW505 (RGA)	09/26/18	TRUE	53.6	900
Technetium-99	pCi/L	MW505 (RGA)	12/18/18	TRUE	57.1	900
Technetium-99	pCi/L	MW505 (RGA)	03/19/19	TRUE	37.1	900
Technetium-99	pCi/L	MW505 (RGA)	06/06/19	TRUE	54.3	900
Technetium-99	pCi/L	MW505 (RGA)	09/16/19	TRUE	50.4	900
Technetium-99	pCi/L	MW505 (RGA)	12/10/19	TRUE	58	900
Technetium-99	pCi/L	MW505 (RGA)	03/11/20	TRUE	41.4	900
Technetium-99	pCi/L	MW505 (RGA)	06/08/20	TRUE	58.7	900
Technetium-99	pCi/L	MW505 (RGA)	09/21/20	TRUE	55.4	900
Technetium-99	pCi/L	MW505 (RGA)	12/02/20	TRUE	57.6	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW505 (RGA)	03/13/12	TRUE	160	5
Trichloroethene	ug/L	MW505 (RGA)	06/18/12	TRUE	18	5
Trichloroethene	ug/L	MW505 (RGA)	09/19/12	TRUE	22	5
Trichloroethene	ug/L	MW505 (RGA)	12/05/12	TRUE	22	5
Trichloroethene	ug/L	MW505 (RGA)	03/19/13	TRUE	34	5
Trichloroethene	ug/L	MW505 (RGA)	06/11/13	TRUE	31	5
Trichloroethene	ug/L	MW505 (RGA)	09/12/13	TRUE	26	5
Trichloroethene	ug/L	MW505 (RGA)	12/17/13	TRUE	28	5
Trichloroethene	ug/L	MW505 (RGA)	03/19/14	TRUE	23	5
Trichloroethene	ug/L	MW505 (RGA)	06/11/14	TRUE	26.2	5
Trichloroethene	ug/L	MW505 (RGA)	09/13/14	TRUE	150	5
Trichloroethene	ug/L	MW505 (RGA)	12/02/14	TRUE	22.8	5
Trichloroethene	ug/L	MW505 (RGA)	03/30/15	TRUE	16.3	5
Trichloroethene	ug/L	MW505 (RGA)	06/16/15	TRUE	16.8	5
Trichloroethene	ug/L	MW505 (RGA)	09/14/15	TRUE	19	5
Trichloroethene	ug/L	MW505 (RGA)	12/08/15	TRUE	49.2	5
Trichloroethene	ug/L	MW505 (RGA)	03/23/16	TRUE	22.6	5
Trichloroethene	ug/L	MW505 (RGA)	06/06/16	TRUE	32.6	5
Trichloroethene	ug/L	MW505 (RGA)	09/20/16	TRUE	56.1	5
Trichloroethene	ug/L	MW505 (RGA)	12/13/16	TRUE	10.5	5
Trichloroethene	ug/L	MW505 (RGA)	03/09/17	TRUE	13.9	5
Trichloroethene	ug/L	MW505 (RGA)	06/20/17	TRUE	109	5
Trichloroethene	ug/L	MW505 (RGA)	09/12/17	TRUE	15	5
Trichloroethene	ug/L	MW505 (RGA)	12/18/17	TRUE	36.2	5
Trichloroethene	ug/L	MW505 (RGA)	03/22/18	TRUE	20.9	5
Trichloroethene	ug/L	MW505 (RGA)	05/15/18	TRUE	10.2	5
Trichloroethene	ug/L	MW505 (RGA)	09/26/18	TRUE	9.17	5
Trichloroethene	ug/L	MW505 (RGA)	12/18/18	TRUE	10.3	5
Trichloroethene	ug/L	MW505 (RGA)	03/19/19	TRUE	9.63	5
Trichloroethene	ug/L	MW505 (RGA)	06/06/19	TRUE	11.8	5
Trichloroethene	ug/L	MW505 (RGA)	09/16/19	TRUE	67.4	5
Trichloroethene	ug/L	MW505 (RGA)	12/10/19	TRUE	25.5	5
Trichloroethene	ug/L	MW505 (RGA)	03/11/20	TRUE	9.97	5
Trichloroethene	ug/L	MW505 (RGA)	06/08/20	TRUE	65.3	5
Trichloroethene	ug/L	MW505 (RGA)	09/21/20	TRUE	8.15	5
Trichloroethene	ug/L	MW505 (RGA)	12/02/20	TRUE	5.33	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW506 (RGA)	03/13/12	TRUE	62.6	900
Technetium-99	pCi/L	MW506 (RGA)	06/18/12	TRUE	59.7	900
Technetium-99	pCi/L	MW506 (RGA)	09/19/12	TRUE	59	900
Technetium-99	pCi/L	MW506 (RGA)	12/05/12	TRUE	42.8	900
Technetium-99	pCi/L	MW506 (RGA)	03/19/13	TRUE	49.7	900
Technetium-99	pCi/L	MW506 (RGA)	06/11/13	TRUE	64	900
Technetium-99	pCi/L	MW506 (RGA)	09/12/13	TRUE	63.1	900
Technetium-99	pCi/L	MW506 (RGA)	12/17/13	TRUE	60.9	900
Technetium-99	pCi/L	MW506 (RGA)	03/19/14	TRUE	65.4	900
Technetium-99	pCi/L	MW506 (RGA)	06/11/14	TRUE	56.8	900
Technetium-99	pCi/L	MW506 (RGA)	09/13/14	TRUE	59.6	900
Technetium-99	pCi/L	MW506 (RGA)	12/02/14	TRUE	72.7	900
Technetium-99	pCi/L	MW506 (RGA)	03/30/15	TRUE	66.8	900
Technetium-99	pCi/L	MW506 (RGA)	06/16/15	TRUE	73.4	900
Technetium-99	pCi/L	MW506 (RGA)	09/14/15	TRUE	46.3	900
Technetium-99	pCi/L	MW506 (RGA)	12/08/15	TRUE	72.7	900
Technetium-99	pCi/L	MW506 (RGA)	03/23/16	TRUE	54.8	900
Technetium-99	pCi/L	MW506 (RGA)	06/06/16	TRUE	108	900
Technetium-99	pCi/L	MW506 (RGA)	09/20/16	TRUE	69.1	900
Technetium-99	pCi/L	MW506 (RGA)	12/13/16	TRUE	59.2	900
Technetium-99	pCi/L	MW506 (RGA)	03/09/17	TRUE	75.2	900
Technetium-99	pCi/L	MW506 (RGA)	06/20/17	TRUE	52.5	900
Technetium-99	pCi/L	MW506 (RGA)	09/12/17	TRUE	72.4	900
Technetium-99	pCi/L	MW506 (RGA)	12/18/17	TRUE	89.3	900
Technetium-99	pCi/L	MW506 (RGA)	03/22/18	TRUE	51.8	900
Technetium-99	pCi/L	MW506 (RGA)	05/15/18	TRUE	62.4	900
Technetium-99	pCi/L	MW506 (RGA)	09/26/18	TRUE	37.1	900
Technetium-99	pCi/L	MW506 (RGA)	12/18/18	TRUE	54.3	900
Technetium-99	pCi/L	MW506 (RGA)	03/19/19	TRUE	42.1	900
Technetium-99	pCi/L	MW506 (RGA)	06/06/19	TRUE	56.8	900
Technetium-99	pCi/L	MW506 (RGA)	09/16/19	TRUE	60	900
Technetium-99	pCi/L	MW506 (RGA)	12/10/19	TRUE	62.6	900
Technetium-99	pCi/L	MW506 (RGA)	03/11/20	TRUE	56.4	900
Technetium-99	pCi/L	MW506 (RGA)	06/08/20	TRUE	52.3	900
Technetium-99	pCi/L	MW506 (RGA)	09/21/20	TRUE	78.1	900
Technetium-99	pCi/L	MW506 (RGA)	12/02/20	TRUE	56.1	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW506 (RGA)	03/13/12	TRUE	4300	5
Trichloroethene	ug/L	MW506 (RGA)	06/18/12	TRUE	4100	5
Trichloroethene	ug/L	MW506 (RGA)	09/19/12	TRUE	3700	5
Trichloroethene	ug/L	MW506 (RGA)	12/05/12	TRUE	4200	5
Trichloroethene	ug/L	MW506 (RGA)	03/19/13	TRUE	2100	5
Trichloroethene	ug/L	MW506 (RGA)	06/11/13	TRUE	2400	5
Trichloroethene	ug/L	MW506 (RGA)	09/12/13	TRUE	2100	5
Trichloroethene	ug/L	MW506 (RGA)	12/17/13	TRUE	2000	5
Trichloroethene	ug/L	MW506 (RGA)	03/19/14	TRUE	1200	5
Trichloroethene	ug/L	MW506 (RGA)	06/11/14	TRUE	954	5
Trichloroethene	ug/L	MW506 (RGA)	09/13/14	TRUE	641	5
Trichloroethene	ug/L	MW506 (RGA)	12/02/14	TRUE	1080	5
Trichloroethene	ug/L	MW506 (RGA)	03/30/15	TRUE	906	5
Trichloroethene	ug/L	MW506 (RGA)	06/16/15	TRUE	2690	5
Trichloroethene	ug/L	MW506 (RGA)	09/14/15	TRUE	7110	5
Trichloroethene	ug/L	MW506 (RGA)	12/08/15	TRUE	9040	5
Trichloroethene	ug/L	MW506 (RGA)	03/23/16	TRUE	17600	5
Trichloroethene	ug/L	MW506 (RGA)	06/06/16	TRUE	24400	5
Trichloroethene	ug/L	MW506 (RGA)	09/20/16	TRUE	19700	5
Trichloroethene	ug/L	MW506 (RGA)	12/13/16	TRUE	22200	5
Trichloroethene	ug/L	MW506 (RGA)	03/09/17	TRUE	15000	5
Trichloroethene	ug/L	MW506 (RGA)	06/20/17	TRUE	17800	5
Trichloroethene	ug/L	MW506 (RGA)	09/12/17	TRUE	17400	5
Trichloroethene	ug/L	MW506 (RGA)	12/18/17	TRUE	19600	5
Trichloroethene	ug/L	MW506 (RGA)	03/22/18	TRUE	15500	5
Trichloroethene	ug/L	MW506 (RGA)	05/15/18	TRUE	17900	5
Trichloroethene	ug/L	MW506 (RGA)	09/26/18	TRUE	7660	5
Trichloroethene	ug/L	MW506 (RGA)	12/18/18	TRUE	9370	5
Trichloroethene	ug/L	MW506 (RGA)	03/19/19	TRUE	9680	5
Trichloroethene	ug/L	MW506 (RGA)	06/06/19	TRUE	12300	5
Trichloroethene	ug/L	MW506 (RGA)	09/16/19	TRUE	8500	5
Trichloroethene	ug/L	MW506 (RGA)	12/10/19	TRUE	8150	5
Trichloroethene	ug/L	MW506 (RGA)	03/11/20	TRUE	10500	5
Trichloroethene	ug/L	MW506 (RGA)	06/08/20	TRUE	10100	5
Trichloroethene	ug/L	MW506 (RGA)	09/21/20	TRUE	10900	5
Trichloroethene	ug/L	MW506 (RGA)	12/02/20	TRUE	8220	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW507 (RGA)	03/13/12	TRUE	53.4	900
Technetium-99	pCi/L	MW507 (RGA)	06/18/12	TRUE	41.2	900
Technetium-99	pCi/L	MW507 (RGA)	09/19/12	TRUE	30.7	900
Technetium-99	pCi/L	MW507 (RGA)	12/05/12	TRUE	42.9	900
Technetium-99	pCi/L	MW507 (RGA)	03/19/13	TRUE	48.3	900
Technetium-99	pCi/L	MW507 (RGA)	06/11/13	TRUE	72.4	900
Technetium-99	pCi/L	MW507 (RGA)	09/12/13	TRUE	86.6	900
Technetium-99	pCi/L	MW507 (RGA)	12/17/13	TRUE	64.6	900
Technetium-99	pCi/L	MW507 (RGA)	03/19/14	TRUE	82.7	900
Technetium-99	pCi/L	MW507 (RGA)	06/12/14	TRUE	80.4	900
Technetium-99	pCi/L	MW507 (RGA)	09/13/14	TRUE	57.3	900
Technetium-99	pCi/L	MW507 (RGA)	12/02/14	TRUE	71.7	900
Technetium-99	pCi/L	MW507 (RGA)	03/30/15	TRUE	74.1	900
Technetium-99	pCi/L	MW507 (RGA)	06/16/15	TRUE	52.1	900
Technetium-99	pCi/L	MW507 (RGA)	09/14/15	TRUE	53.2	900
Technetium-99	pCi/L	MW507 (RGA)	12/08/15	TRUE	61.6	900
Technetium-99	pCi/L	MW507 (RGA)	03/23/16	TRUE	67.9	900
Technetium-99	pCi/L	MW507 (RGA)	06/06/16	TRUE	105	900
Technetium-99	pCi/L	MW507 (RGA)	09/20/16	TRUE	77.5	900
Technetium-99	pCi/L	MW507 (RGA)	12/13/16	TRUE	65.4	900
Technetium-99	pCi/L	MW507 (RGA)	03/09/17	TRUE	59.6	900
Technetium-99	pCi/L	MW507 (RGA)	06/20/17	TRUE	55.6	900
Technetium-99	pCi/L	MW507 (RGA)	09/12/17	TRUE	55.3	900
Technetium-99	pCi/L	MW507 (RGA)	12/18/17	TRUE	75.7	900
Technetium-99	pCi/L	MW507 (RGA)	03/22/18	TRUE	68.2	900
Technetium-99	pCi/L	MW507 (RGA)	05/15/18	TRUE	65.5	900
Technetium-99	pCi/L	MW507 (RGA)	09/26/18	TRUE	51.4	900
Technetium-99	pCi/L	MW507 (RGA)	12/18/18	TRUE	45.4	900
Technetium-99	pCi/L	MW507 (RGA)	03/19/19	TRUE	45.2	900
Technetium-99	pCi/L	MW507 (RGA)	06/06/19	TRUE	58.3	900
Technetium-99	pCi/L	MW507 (RGA)	09/16/19	TRUE	62.3	900
Technetium-99	pCi/L	MW507 (RGA)	12/10/19	TRUE	58.8	900
Technetium-99	pCi/L	MW507 (RGA)	03/11/20	TRUE	51.3	900
Technetium-99	pCi/L	MW507 (RGA)	06/08/20	TRUE	54.5	900
Technetium-99	pCi/L	MW507 (RGA)	09/21/20	TRUE	67.4	900
Technetium-99	pCi/L	MW507 (RGA)	12/02/20	TRUE	53.5	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW507 (RGA)	03/13/12	TRUE	1200	5
Trichloroethene	ug/L	MW507 (RGA)	06/18/12	TRUE	1200	5
Trichloroethene	ug/L	MW507 (RGA)	09/19/12	TRUE	1800	5
Trichloroethene	ug/L	MW507 (RGA)	12/05/12	TRUE	1900	5
Trichloroethene	ug/L	MW507 (RGA)	03/19/13	TRUE	770	5
Trichloroethene	ug/L	MW507 (RGA)	06/11/13	TRUE	1100	5
Trichloroethene	ug/L	MW507 (RGA)	09/12/13	TRUE	530	5
Trichloroethene	ug/L	MW507 (RGA)	12/17/13	TRUE	870	5
Trichloroethene	ug/L	MW507 (RGA)	03/19/14	TRUE	190	5
Trichloroethene	ug/L	MW507 (RGA)	06/12/14	TRUE	260	5
Trichloroethene	ug/L	MW507 (RGA)	09/13/14	TRUE	582	5
Trichloroethene	ug/L	MW507 (RGA)	12/02/14	TRUE	510	5
Trichloroethene	ug/L	MW507 (RGA)	03/30/15	TRUE	265	5
Trichloroethene	ug/L	MW507 (RGA)	06/16/15	TRUE	913	5
Trichloroethene	ug/L	MW507 (RGA)	09/14/15	TRUE	2700	5
Trichloroethene	ug/L	MW507 (RGA)	12/08/15	TRUE	6030	5
Trichloroethene	ug/L	MW507 (RGA)	03/23/16	TRUE	6960	5
Trichloroethene	ug/L	MW507 (RGA)	06/06/16	TRUE	9720	5
Trichloroethene	ug/L	MW507 (RGA)	09/20/16	TRUE	11100	5
Trichloroethene	ug/L	MW507 (RGA)	12/13/16	TRUE	10900	5
Trichloroethene	ug/L	MW507 (RGA)	03/09/17	TRUE	6990	5
Trichloroethene	ug/L	MW507 (RGA)	06/20/17	TRUE	4240	5
Trichloroethene	ug/L	MW507 (RGA)	09/12/17	TRUE	7590	5
Trichloroethene	ug/L	MW507 (RGA)	12/18/17	TRUE	5300	5
Trichloroethene	ug/L	MW507 (RGA)	03/22/18	TRUE	4630	5
Trichloroethene	ug/L	MW507 (RGA)	05/15/18	TRUE	5590	5
Trichloroethene	ug/L	MW507 (RGA)	09/26/18	TRUE	3960	5
Trichloroethene	ug/L	MW507 (RGA)	12/18/18	TRUE	4620	5
Trichloroethene	ug/L	MW507 (RGA)	03/19/19	TRUE	4290	5
Trichloroethene	ug/L	MW507 (RGA)	06/06/19	TRUE	5110	5
Trichloroethene	ug/L	MW507 (RGA)	09/16/19	TRUE	3980	5
Trichloroethene	ug/L	MW507 (RGA)	12/10/19	TRUE	2140	5
Trichloroethene	ug/L	MW507 (RGA)	03/11/20	TRUE	2830	5
Trichloroethene	ug/L	MW507 (RGA)	06/08/20	TRUE	4370	5
Trichloroethene	ug/L	MW507 (RGA)	09/21/20	TRUE	2550	5
Trichloroethene	ug/L	MW507 (RGA)	12/02/20	TRUE	2220	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW524 (RGA)	10/04/16	FALSE	-1.43	900
Technetium-99	pCi/L	MW524 (RGA)	01/10/17	FALSE	-3.88	900
Technetium-99	pCi/L	MW524 (RGA)	04/03/17	TRUE	14.5	900
Technetium-99	pCi/L	MW524 (RGA)	07/13/17	FALSE	9.65	900
Technetium-99	pCi/L	MW524 (RGA)	10/11/17	FALSE	1.65	900
Technetium-99	pCi/L	MW524 (RGA)	01/10/18	FALSE	-2.43	900
Technetium-99	pCi/L	MW524 (RGA)	04/05/18	FALSE	11.4	900
Technetium-99	pCi/L	MW524 (RGA)	07/09/18	FALSE	7.02	900
Technetium-99	pCi/L	MW524 (RGA)	10/02/18	FALSE	1.87	900
Technetium-99	pCi/L	MW524 (RGA)	01/03/19	TRUE	17	900
Technetium-99	pCi/L	MW524 (RGA)	04/02/19	TRUE	25	900
Technetium-99	pCi/L	MW524 (RGA)	07/08/19	FALSE	2.23	900
Technetium-99	pCi/L	MW524 (RGA)	10/03/19	FALSE	-2.36	900
Technetium-99	pCi/L	MW524 (RGA)	01/08/20	FALSE	7.63	900
Technetium-99	pCi/L	MW524 (RGA)	04/07/20	FALSE	4.54	900
Technetium-99	pCi/L	MW524 (RGA)	07/07/20	FALSE	6.17	900
Technetium-99	pCi/L	MW524 (RGA)	10/07/20	FALSE	0.129	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW524 (RGA)	10/04/16	TRUE	5.52	5
Trichloroethene	ug/L	MW524 (RGA)	01/10/17	TRUE	3.74	5
Trichloroethene	ug/L	MW524 (RGA)	04/03/17	TRUE	3.58	5
Trichloroethene	ug/L	MW524 (RGA)	07/13/17	TRUE	2.36	5
Trichloroethene	ug/L	MW524 (RGA)	10/11/17	TRUE	4.53	5
Trichloroethene	ug/L	MW524 (RGA)	01/10/18	TRUE	1.24	5
Trichloroethene	ug/L	MW524 (RGA)	04/05/18	TRUE	12.3	5
Trichloroethene	ug/L	MW524 (RGA)	07/09/18	TRUE	21.2	5
Trichloroethene	ug/L	MW524 (RGA)	10/02/18	TRUE	2.44	5
Trichloroethene	ug/L	MW524 (RGA)	01/03/19	TRUE	31.4	5
Trichloroethene	ug/L	MW524 (RGA)	04/02/19	TRUE	113	5
Trichloroethene	ug/L	MW524 (RGA)	07/08/19	TRUE	37.6	5
Trichloroethene	ug/L	MW524 (RGA)	10/03/19	TRUE	1.24	5
Trichloroethene	ug/L	MW524 (RGA)	01/08/20	TRUE	6.47	5
Trichloroethene	ug/L	MW524 (RGA)	04/07/20	TRUE	16.1	5
Trichloroethene	ug/L	MW524 (RGA)	07/07/20	TRUE	1.99	5
Trichloroethene	ug/L	MW524 (RGA)	10/07/20	TRUE	22.6	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW525 (RGA)	10/04/16	TRUE	27.2	900
Technetium-99	pCi/L	MW525 (RGA)	01/10/17	TRUE	88.4	900
Technetium-99	pCi/L	MW525 (RGA)	04/03/17	TRUE	102	900
Technetium-99	pCi/L	MW525 (RGA)	07/11/17	TRUE	64.4	900
Technetium-99	pCi/L	MW525 (RGA)	10/11/17	TRUE	52.5	900
Technetium-99	pCi/L	MW525 (RGA)	01/10/18	TRUE	71.6	900
Technetium-99	pCi/L	MW525 (RGA)	04/05/18	TRUE	115	900
Technetium-99	pCi/L	MW525 (RGA)	07/09/18	TRUE	106	900
Technetium-99	pCi/L	MW525 (RGA)	10/02/18	TRUE	106	900
Technetium-99	pCi/L	MW525 (RGA)	01/03/19	TRUE	119	900
Technetium-99	pCi/L	MW525 (RGA)	04/02/19	TRUE	127	900
Technetium-99	pCi/L	MW525 (RGA)	07/08/19	TRUE	112	900
Technetium-99	pCi/L	MW525 (RGA)	10/03/19	TRUE	142	900
Technetium-99	pCi/L	MW525 (RGA)	01/08/20	TRUE	142	900
Technetium-99	pCi/L	MW525 (RGA)	04/07/20	TRUE	144	900
Technetium-99	pCi/L	MW525 (RGA)	07/07/20	TRUE	136	900
Technetium-99	pCi/L	MW525 (RGA)	10/07/20	TRUE	133	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW525 (RGA)	10/04/16	TRUE	403	5
Trichloroethene	ug/L	MW525 (RGA)	01/10/17	TRUE	607	5
Trichloroethene	ug/L	MW525 (RGA)	04/03/17	TRUE	606	5
Trichloroethene	ug/L	MW525 (RGA)	07/11/17	TRUE	510	5
Trichloroethene	ug/L	MW525 (RGA)	10/11/17	TRUE	635	5
Trichloroethene	ug/L	MW525 (RGA)	01/10/18	TRUE	406	5
Trichloroethene	ug/L	MW525 (RGA)	04/05/18	TRUE	501	5
Trichloroethene	ug/L	MW525 (RGA)	07/09/18	TRUE	952	5
Trichloroethene	ug/L	MW525 (RGA)	10/02/18	TRUE	696	5
Trichloroethene	ug/L	MW525 (RGA)	01/03/19	TRUE	914	5
Trichloroethene	ug/L	MW525 (RGA)	04/02/19	TRUE	805	5
Trichloroethene	ug/L	MW525 (RGA)	07/08/19	TRUE	808	5
Trichloroethene	ug/L	MW525 (RGA)	10/03/19	TRUE	794	5
Trichloroethene	ug/L	MW525 (RGA)	01/08/20	TRUE	1000	5
Trichloroethene	ug/L	MW525 (RGA)	04/07/20	TRUE	1140	5
Trichloroethene	ug/L	MW525 (RGA)	07/07/20	TRUE	946	5
Trichloroethene	ug/L	MW525 (RGA)	10/07/20	TRUE	757	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW526 (RGA)	10/04/16	TRUE	139	900
Technetium-99	pCi/L	MW526 (RGA)	01/10/17	TRUE	134	900
Technetium-99	pCi/L	MW526 (RGA)	04/03/17	TRUE	175	900
Technetium-99	pCi/L	MW526 (RGA)	07/11/17	TRUE	156	900
Technetium-99	pCi/L	MW526 (RGA)	10/11/17	TRUE	90.2	900
Technetium-99	pCi/L	MW526 (RGA)	01/10/18	TRUE	71.8	900
Technetium-99	pCi/L	MW526 (RGA)	04/05/18	TRUE	125	900
Technetium-99	pCi/L	MW526 (RGA)	07/09/18	TRUE	109	900
Technetium-99	pCi/L	MW526 (RGA)	10/02/18	TRUE	122	900
Technetium-99	pCi/L	MW526 (RGA)	01/03/19	TRUE	169	900
Technetium-99	pCi/L	MW526 (RGA)	04/02/19	TRUE	184	900
Technetium-99	pCi/L	MW526 (RGA)	07/08/19	TRUE	168	900
Technetium-99	pCi/L	MW526 (RGA)	10/03/19	TRUE	188	900
Technetium-99	pCi/L	MW526 (RGA)	01/08/20	TRUE	219	900
Technetium-99	pCi/L	MW526 (RGA)	04/07/20	TRUE	197	900
Technetium-99	pCi/L	MW526 (RGA)	07/07/20	TRUE	202	900
Technetium-99	pCi/L	MW526 (RGA)	10/07/20	TRUE	207	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW526 (RGA)	10/04/16	TRUE	145	5
Trichloroethene	ug/L	MW526 (RGA)	01/10/17	TRUE	214	5
Trichloroethene	ug/L	MW526 (RGA)	04/03/17	TRUE	173	5
Trichloroethene	ug/L	MW526 (RGA)	07/11/17	TRUE	123	5
Trichloroethene	ug/L	MW526 (RGA)	10/11/17	TRUE	131	5
Trichloroethene	ug/L	MW526 (RGA)	01/10/18	TRUE	134	5
Trichloroethene	ug/L	MW526 (RGA)	04/05/18	TRUE	1320	5
Trichloroethene	ug/L	MW526 (RGA)	07/09/18	TRUE	1980	5
Trichloroethene	ug/L	MW526 (RGA)	10/02/18	TRUE	1870	5
Trichloroethene	ug/L	MW526 (RGA)	01/03/19	TRUE	2790	5
Trichloroethene	ug/L	MW526 (RGA)	04/02/19	TRUE	1290	5
Trichloroethene	ug/L	MW526 (RGA)	07/08/19	TRUE	1250	5
Trichloroethene	ug/L	MW526 (RGA)	10/03/19	TRUE	1460	5
Trichloroethene	ug/L	MW526 (RGA)	01/08/20	TRUE	3180	5
Trichloroethene	ug/L	MW526 (RGA)	04/07/20	TRUE	2520	5
Trichloroethene	ug/L	MW526 (RGA)	07/07/20	TRUE	2800	5
Trichloroethene	ug/L	MW526 (RGA)	10/07/20	TRUE	2680	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW527 (RGA)	10/04/16	TRUE	14.4	900
Technetium-99	pCi/L	MW527 (RGA)	01/10/17	TRUE	32	900
Technetium-99	pCi/L	MW527 (RGA)	04/03/17	TRUE	26.3	900
Technetium-99	pCi/L	MW527 (RGA)	07/11/17	TRUE	24.6	900
Technetium-99	pCi/L	MW527 (RGA)	10/11/17	FALSE	15.7	900
Technetium-99	pCi/L	MW527 (RGA)	01/10/18	FALSE	10.9	900
Technetium-99	pCi/L	MW527 (RGA)	04/05/18	TRUE	25.7	900
Technetium-99	pCi/L	MW527 (RGA)	07/09/18	TRUE	25.4	900
Technetium-99	pCi/L	MW527 (RGA)	10/02/18	TRUE	32.3	900
Technetium-99	pCi/L	MW527 (RGA)	01/03/19	TRUE	28.4	900
Technetium-99	pCi/L	MW527 (RGA)	04/02/19	TRUE	27	900
Technetium-99	pCi/L	MW527 (RGA)	07/08/19	TRUE	34.2	900
Technetium-99	pCi/L	MW527 (RGA)	10/03/19	TRUE	27.2	900
Technetium-99	pCi/L	MW527 (RGA)	01/08/20	TRUE	41.6	900
Technetium-99	pCi/L	MW527 (RGA)	04/07/20	TRUE	41.9	900
Technetium-99	pCi/L	MW527 (RGA)	07/07/20	TRUE	53.1	900
Technetium-99	pCi/L	MW527 (RGA)	10/07/20	TRUE	44	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW527 (RGA)	10/04/16	TRUE	5.01	5
Trichloroethene	ug/L	MW527 (RGA)	01/10/17	TRUE	8.67	5
Trichloroethene	ug/L	MW527 (RGA)	04/03/17	TRUE	6.82	5
Trichloroethene	ug/L	MW527 (RGA)	07/11/17	TRUE	4.92	5
Trichloroethene	ug/L	MW527 (RGA)	10/11/17	TRUE	5	5
Trichloroethene	ug/L	MW527 (RGA)	01/10/18	TRUE	12.3	5
Trichloroethene	ug/L	MW527 (RGA)	04/05/18	TRUE	12.3	5
Trichloroethene	ug/L	MW527 (RGA)	07/09/18	TRUE	34.2	5
Trichloroethene	ug/L	MW527 (RGA)	10/02/18	TRUE	11.6	5
Trichloroethene	ug/L	MW527 (RGA)	01/03/19	TRUE	54.4	5
Trichloroethene	ug/L	MW527 (RGA)	04/02/19	TRUE	27.9	5
Trichloroethene	ug/L	MW527 (RGA)	07/08/19	TRUE	50.6	5
Trichloroethene	ug/L	MW527 (RGA)	10/03/19	TRUE	10.3	5
Trichloroethene	ug/L	MW527 (RGA)	01/08/20	TRUE	38.3	5
Trichloroethene	ug/L	MW527 (RGA)	04/07/20	TRUE	59.9	5
Trichloroethene	ug/L	MW527 (RGA)	07/07/20	TRUE	47.4	5
Trichloroethene	ug/L	MW527 (RGA)	10/07/20	TRUE	42.4	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW528 (RGA)	10/04/16	FALSE	-2.63	900
Technetium-99	pCi/L	MW528 (RGA)	01/10/17	FALSE	0.895	900
Technetium-99	pCi/L	MW528 (RGA)	04/03/17	FALSE	9.06	900
Technetium-99	pCi/L	MW528 (RGA)	07/11/17	FALSE	3.27	900
Technetium-99	pCi/L	MW528 (RGA)	10/11/17	FALSE	3.96	900
Technetium-99	pCi/L	MW528 (RGA)	01/11/18	TRUE	18.7	900
Technetium-99	pCi/L	MW528 (RGA)	04/05/18	TRUE	36.2	900
Technetium-99	pCi/L	MW528 (RGA)	07/09/18	TRUE	31.6	900
Technetium-99	pCi/L	MW528 (RGA)	10/02/18	TRUE	38.3	900
Technetium-99	pCi/L	MW528 (RGA)	01/03/19	TRUE	39.2	900
Technetium-99	pCi/L	MW528 (RGA)	04/02/19	TRUE	34.5	900
Technetium-99	pCi/L	MW528 (RGA)	07/08/19	TRUE	45.3	900
Technetium-99	pCi/L	MW528 (RGA)	10/03/19	TRUE	48.1	900
Technetium-99	pCi/L	MW528 (RGA)	01/08/20	TRUE	63.1	900
Technetium-99	pCi/L	MW528 (RGA)	04/07/20	TRUE	57.8	900
Technetium-99	pCi/L	MW528 (RGA)	07/07/20	TRUE	58.3	900
Technetium-99	pCi/L	MW528 (RGA)	10/07/20	TRUE	73.9	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW528 (RGA)	10/04/16	TRUE	32.2	5
Trichloroethene	ug/L	MW528 (RGA)	01/10/17	TRUE	24.4	5
Trichloroethene	ug/L	MW528 (RGA)	04/03/17	TRUE	26.7	5
Trichloroethene	ug/L	MW528 (RGA)	07/11/17	TRUE	21.1	5
Trichloroethene	ug/L	MW528 (RGA)	10/11/17	TRUE	20	5
Trichloroethene	ug/L	MW528 (RGA)	01/11/18	TRUE	48.6	5
Trichloroethene	ug/L	MW528 (RGA)	04/05/18	TRUE	161	5
Trichloroethene	ug/L	MW528 (RGA)	07/09/18	TRUE	135	5
Trichloroethene	ug/L	MW528 (RGA)	10/02/18	TRUE	135	5
Trichloroethene	ug/L	MW528 (RGA)	01/03/19	TRUE	185	5
Trichloroethene	ug/L	MW528 (RGA)	04/02/19	TRUE	92.1	5
Trichloroethene	ug/L	MW528 (RGA)	07/08/19	TRUE	89.3	5
Trichloroethene	ug/L	MW528 (RGA)	10/03/19	TRUE	80.4	5
Trichloroethene	ug/L	MW528 (RGA)	01/08/20	TRUE	130	5
Trichloroethene	ug/L	MW528 (RGA)	04/07/20	TRUE	92	5
Trichloroethene	ug/L	MW528 (RGA)	07/07/20	TRUE	73.6	5
Trichloroethene	ug/L	MW528 (RGA)	10/07/20	TRUE	92.2	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW529 (RGA)	10/04/16	TRUE	105	900
Technetium-99	pCi/L	MW529 (RGA)	01/10/17	TRUE	165	900
Technetium-99	pCi/L	MW529 (RGA)	04/03/17	TRUE	146	900
Technetium-99	pCi/L	MW529 (RGA)	07/11/17	TRUE	139	900
Technetium-99	pCi/L	MW529 (RGA)	10/11/17	TRUE	104	900
Technetium-99	pCi/L	MW529 (RGA)	01/10/18	TRUE	153	900
Technetium-99	pCi/L	MW529 (RGA)	04/05/18	TRUE	137	900
Technetium-99	pCi/L	MW529 (RGA)	07/09/18	TRUE	179	900
Technetium-99	pCi/L	MW529 (RGA)	10/02/18	TRUE	193	900
Technetium-99	pCi/L	MW529 (RGA)	01/03/19	TRUE	176	900
Technetium-99	pCi/L	MW529 (RGA)	04/02/19	TRUE	128	900
Technetium-99	pCi/L	MW529 (RGA)	07/08/19	TRUE	90	900
Technetium-99	pCi/L	MW529 (RGA)	10/03/19	TRUE	194	900
Technetium-99	pCi/L	MW529 (RGA)	01/08/20	TRUE	205	900
Technetium-99	pCi/L	MW529 (RGA)	04/07/20	TRUE	181	900
Technetium-99	pCi/L	MW529 (RGA)	07/07/20	TRUE	211	900
Technetium-99	pCi/L	MW529 (RGA)	10/07/20	TRUE	210	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW529 (RGA)	10/04/16	TRUE	63.3	5
Trichloroethene	ug/L	MW529 (RGA)	01/10/17	TRUE	95.8	5
Trichloroethene	ug/L	MW529 (RGA)	04/03/17	TRUE	90.9	5
Trichloroethene	ug/L	MW529 (RGA)	07/11/17	TRUE	98.9	5
Trichloroethene	ug/L	MW529 (RGA)	10/11/17	TRUE	94.2	5
Trichloroethene	ug/L	MW529 (RGA)	01/10/18	TRUE	207	5
Trichloroethene	ug/L	MW529 (RGA)	04/05/18	TRUE	1010	5
Trichloroethene	ug/L	MW529 (RGA)	07/09/18	TRUE	1570	5
Trichloroethene	ug/L	MW529 (RGA)	10/02/18	TRUE	1350	5
Trichloroethene	ug/L	MW529 (RGA)	01/03/19	TRUE	3070	5
Trichloroethene	ug/L	MW529 (RGA)	04/02/19	TRUE	6380	5
Trichloroethene	ug/L	MW529 (RGA)	07/08/19	TRUE	8320	5
Trichloroethene	ug/L	MW529 (RGA)	10/03/19	TRUE	4150	5
Trichloroethene	ug/L	MW529 (RGA)	01/08/20	TRUE	4020	5
Trichloroethene	ug/L	MW529 (RGA)	04/07/20	TRUE	5880	5
Trichloroethene	ug/L	MW529 (RGA)	07/07/20	TRUE	3240	5
Trichloroethene	ug/L	MW529 (RGA)	10/07/20	TRUE	3180	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW530 (RGA)	10/04/16	TRUE	110	900
Technetium-99	pCi/L	MW530 (RGA)	01/10/17	TRUE	204	900
Technetium-99	pCi/L	MW530 (RGA)	04/03/17	TRUE	236	900
Technetium-99	pCi/L	MW530 (RGA)	07/11/17	TRUE	209	900
Technetium-99	pCi/L	MW530 (RGA)	10/11/17	TRUE	156	900
Technetium-99	pCi/L	MW530 (RGA)	01/10/18	TRUE	117	900
Technetium-99	pCi/L	MW530 (RGA)	04/05/18	TRUE	146	900
Technetium-99	pCi/L	MW530 (RGA)	07/09/18	TRUE	110	900
Technetium-99	pCi/L	MW530 (RGA)	10/02/18	TRUE	96.4	900
Technetium-99	pCi/L	MW530 (RGA)	01/03/19	TRUE	90.4	900
Technetium-99	pCi/L	MW530 (RGA)	04/02/19	TRUE	78.2	900
Technetium-99	pCi/L	MW530 (RGA)	07/08/19	TRUE	80.5	900
Technetium-99	pCi/L	MW530 (RGA)	10/03/19	TRUE	76.9	900
Technetium-99	pCi/L	MW530 (RGA)	01/08/20	TRUE	65.9	900
Technetium-99	pCi/L	MW530 (RGA)	04/07/20	TRUE	41	900
Technetium-99	pCi/L	MW530 (RGA)	07/07/20	TRUE	42.3	900
Technetium-99	pCi/L	MW530 (RGA)	10/07/20	TRUE	41.7	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW530 (RGA)	10/04/16	TRUE	49.3	5
Trichloroethene	ug/L	MW530 (RGA)	01/10/17	TRUE	63.2	5
Trichloroethene	ug/L	MW530 (RGA)	04/03/17	TRUE	53	5
Trichloroethene	ug/L	MW530 (RGA)	07/11/17	TRUE	58.3	5
Trichloroethene	ug/L	MW530 (RGA)	10/11/17	TRUE	52.1	5
Trichloroethene	ug/L	MW530 (RGA)	01/10/18	TRUE	72.5	5
Trichloroethene	ug/L	MW530 (RGA)	04/05/18	TRUE	88.5	5
Trichloroethene	ug/L	MW530 (RGA)	07/09/18	TRUE	808	5
Trichloroethene	ug/L	MW530 (RGA)	10/02/18	TRUE	797	5
Trichloroethene	ug/L	MW530 (RGA)	01/03/19	TRUE	569	5
Trichloroethene	ug/L	MW530 (RGA)	04/02/19	TRUE	490	5
Trichloroethene	ug/L	MW530 (RGA)	07/08/19	TRUE	530	5
Trichloroethene	ug/L	MW530 (RGA)	10/03/19	TRUE	269	5
Trichloroethene	ug/L	MW530 (RGA)	01/08/20	TRUE	171	5
Trichloroethene	ug/L	MW530 (RGA)	04/07/20	TRUE	108	5
Trichloroethene	ug/L	MW530 (RGA)	07/07/20	TRUE	104	5
Trichloroethene	ug/L	MW530 (RGA)	10/07/20	TRUE	80.1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW531 (RGA)	07/13/17	TRUE	90.6	900
Technetium-99	pCi/L	MW531 (RGA)	10/11/17	TRUE	57	900
Technetium-99	pCi/L	MW531 (RGA)	01/11/18	TRUE	75	900
Technetium-99	pCi/L	MW531 (RGA)	04/05/18	TRUE	65.4	900
Technetium-99	pCi/L	MW531 (RGA)	07/09/18	TRUE	74.2	900
Technetium-99	pCi/L	MW531 (RGA)	10/02/18	TRUE	73.6	900
Technetium-99	pCi/L	MW531 (RGA)	01/07/19	TRUE	74.3	900
Technetium-99	pCi/L	MW531 (RGA)	04/08/19	TRUE	66.5	900
Technetium-99	pCi/L	MW531 (RGA)	07/02/19	TRUE	61.9	900
Technetium-99	pCi/L	MW531 (RGA)	10/07/19	TRUE	85.5	900
Technetium-99	pCi/L	MW531 (RGA)	01/08/20	TRUE	85.2	900
Technetium-99	pCi/L	MW531 (RGA)	04/14/20	TRUE	84.6	900
Technetium-99	pCi/L	MW531 (RGA)	07/08/20	TRUE	82	900
Technetium-99	pCi/L	MW531 (RGA)	10/07/20	TRUE	73.6	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW531 (RGA)	07/13/17	TRUE	91.8	5
Trichloroethene	ug/L	MW531 (RGA)	10/11/17	TRUE	110	5
Trichloroethene	ug/L	MW531 (RGA)	01/11/18	TRUE	99.7	5
Trichloroethene	ug/L	MW531 (RGA)	04/05/18	TRUE	97.4	5
Trichloroethene	ug/L	MW531 (RGA)	07/09/18	TRUE	94.2	5
Trichloroethene	ug/L	MW531 (RGA)	10/02/18	TRUE	91.9	5
Trichloroethene	ug/L	MW531 (RGA)	01/07/19	TRUE	99.2	5
Trichloroethene	ug/L	MW531 (RGA)	04/08/19	TRUE	84.8	5
Trichloroethene	ug/L	MW531 (RGA)	07/02/19	TRUE	94.3	5
Trichloroethene	ug/L	MW531 (RGA)	10/07/19	TRUE	95.9	5
Trichloroethene	ug/L	MW531 (RGA)	01/08/20	TRUE	101	5
Trichloroethene	ug/L	MW531 (RGA)	04/14/20	TRUE	94	5
Trichloroethene	ug/L	MW531 (RGA)	07/08/20	TRUE	97.5	5
Trichloroethene	ug/L	MW531 (RGA)	10/07/20	TRUE	104	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW533 (RGA)	07/13/17	TRUE	69.7	900
Technetium-99	pCi/L	MW533 (RGA)	10/11/17	TRUE	60.8	900
Technetium-99	pCi/L	MW533 (RGA)	01/11/18	TRUE	46.7	900
Technetium-99	pCi/L	MW533 (RGA)	04/05/18	TRUE	50.5	900
Technetium-99	pCi/L	MW533 (RGA)	07/09/18	TRUE	74.9	900
Technetium-99	pCi/L	MW533 (RGA)	10/02/18	TRUE	67.5	900
Technetium-99	pCi/L	MW533 (RGA)	01/07/19	TRUE	87.3	900
Technetium-99	pCi/L	MW533 (RGA)	04/08/19	TRUE	68.9	900
Technetium-99	pCi/L	MW533 (RGA)	07/08/19	TRUE	58	900
Technetium-99	pCi/L	MW533 (RGA)	10/07/19	TRUE	77.3	900
Technetium-99	pCi/L	MW533 (RGA)	01/08/20	TRUE	77.9	900
Technetium-99	pCi/L	MW533 (RGA)	04/14/20	TRUE	69.6	900
Technetium-99	pCi/L	MW533 (RGA)	07/08/20	TRUE	57.7	900
Technetium-99	pCi/L	MW533 (RGA)	10/07/20	TRUE	56.6	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW533 (RGA)	07/13/17	TRUE	88.9	5
Trichloroethene	ug/L	MW533 (RGA)	10/11/17	TRUE	109	5
Trichloroethene	ug/L	MW533 (RGA)	01/11/18	TRUE	58.1	5
Trichloroethene	ug/L	MW533 (RGA)	04/05/18	TRUE	70.2	5
Trichloroethene	ug/L	MW533 (RGA)	07/09/18	TRUE	72.4	5
Trichloroethene	ug/L	MW533 (RGA)	10/02/18	TRUE	67.5	5
Trichloroethene	ug/L	MW533 (RGA)	01/07/19	TRUE	71.1	5
Trichloroethene	ug/L	MW533 (RGA)	04/08/19	TRUE	63.2	5
Trichloroethene	ug/L	MW533 (RGA)	07/08/19	TRUE	74.9	5
Trichloroethene	ug/L	MW533 (RGA)	10/07/19	TRUE	134	5
Trichloroethene	ug/L	MW533 (RGA)	01/08/20	TRUE	281	5
Trichloroethene	ug/L	MW533 (RGA)	04/14/20	TRUE	434	5
Trichloroethene	ug/L	MW533 (RGA)	07/08/20	TRUE	632	5
Trichloroethene	ug/L	MW533 (RGA)	10/07/20	TRUE	141	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW536 (RGA)	07/13/17	TRUE	33.5	900
Technetium-99	pCi/L	MW536 (RGA)	10/11/17	TRUE	28.3	900
Technetium-99	pCi/L	MW536 (RGA)	01/11/18	TRUE	51.1	900
Technetium-99	pCi/L	MW536 (RGA)	04/05/18	TRUE	63	900
Technetium-99	pCi/L	MW536 (RGA)	07/10/18	TRUE	68.6	900
Technetium-99	pCi/L	MW536 (RGA)	10/02/18	TRUE	80.2	900
Technetium-99	pCi/L	MW536 (RGA)	01/07/19	TRUE	112	900
Technetium-99	pCi/L	MW536 (RGA)	04/08/19	TRUE	79.8	900
Technetium-99	pCi/L	MW536 (RGA)	07/02/19	TRUE	68.2	900
Technetium-99	pCi/L	MW536 (RGA)	10/07/19	TRUE	109	900
Technetium-99	pCi/L	MW536 (RGA)	01/09/20	TRUE	106	900
Technetium-99	pCi/L	MW536 (RGA)	04/14/20	TRUE	116	900
Technetium-99	pCi/L	MW536 (RGA)	07/07/20	TRUE	104	900
Technetium-99	pCi/L	MW536 (RGA)	10/07/20	TRUE	101	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW536 (RGA)	07/13/17	TRUE	173	5
Trichloroethene	ug/L	MW536 (RGA)	10/11/17	TRUE	199	5
Trichloroethene	ug/L	MW536 (RGA)	01/11/18	TRUE	225	5
Trichloroethene	ug/L	MW536 (RGA)	04/05/18	TRUE	195	5
Trichloroethene	ug/L	MW536 (RGA)	07/10/18	TRUE	158	5
Trichloroethene	ug/L	MW536 (RGA)	10/02/18	TRUE	153	5
Trichloroethene	ug/L	MW536 (RGA)	01/07/19	TRUE	125	5
Trichloroethene	ug/L	MW536 (RGA)	04/08/19	TRUE	164	5
Trichloroethene	ug/L	MW536 (RGA)	07/02/19	TRUE	178	5
Trichloroethene	ug/L	MW536 (RGA)	10/07/19	TRUE	131	5
Trichloroethene	ug/L	MW536 (RGA)	01/09/20	TRUE	134	5
Trichloroethene	ug/L	MW536 (RGA)	04/14/20	TRUE	121	5
Trichloroethene	ug/L	MW536 (RGA)	07/07/20	TRUE	137	5
Trichloroethene	ug/L	MW536 (RGA)	10/07/20	TRUE	118	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW537 (RGA)	07/13/17	TRUE	34	900
Technetium-99	pCi/L	MW537 (RGA)	10/11/17	TRUE	50.1	900
Technetium-99	pCi/L	MW537 (RGA)	01/11/18	TRUE	92.4	900
Technetium-99	pCi/L	MW537 (RGA)	04/05/18	TRUE	94.8	900
Technetium-99	pCi/L	MW537 (RGA)	07/10/18	TRUE	123	900
Technetium-99	pCi/L	MW537 (RGA)	10/02/18	TRUE	144	900
Technetium-99	pCi/L	MW537 (RGA)	01/07/19	TRUE	110	900
Technetium-99	pCi/L	MW537 (RGA)	04/08/19	TRUE	134	900
Technetium-99	pCi/L	MW537 (RGA)	07/02/19	TRUE	142	900
Technetium-99	pCi/L	MW537 (RGA)	10/07/19	TRUE	160	900
Technetium-99	pCi/L	MW537 (RGA)	01/09/20	TRUE	146	900
Technetium-99	pCi/L	MW537 (RGA)	04/14/20	TRUE	155	900
Technetium-99	pCi/L	MW537 (RGA)	07/07/20	TRUE	137	900
Technetium-99	pCi/L	MW537 (RGA)	10/07/20	TRUE	140	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW537 (RGA)	07/13/17	TRUE	181	5
Trichloroethene	ug/L	MW537 (RGA)	10/11/17	TRUE	187	5
Trichloroethene	ug/L	MW537 (RGA)	01/11/18	TRUE	139	5
Trichloroethene	ug/L	MW537 (RGA)	04/05/18	TRUE	155	5
Trichloroethene	ug/L	MW537 (RGA)	07/10/18	TRUE	100	5
Trichloroethene	ug/L	MW537 (RGA)	10/02/18	TRUE	89.9	5
Trichloroethene	ug/L	MW537 (RGA)	01/07/19	TRUE	134	5
Trichloroethene	ug/L	MW537 (RGA)	04/08/19	TRUE	79.1	5
Trichloroethene	ug/L	MW537 (RGA)	07/02/19	TRUE	80.3	5
Trichloroethene	ug/L	MW537 (RGA)	10/07/19	TRUE	82.5	5
Trichloroethene	ug/L	MW537 (RGA)	01/09/20	TRUE	59	5
Trichloroethene	ug/L	MW537 (RGA)	04/14/20	TRUE	66.1	5
Trichloroethene	ug/L	MW537 (RGA)	07/07/20	TRUE	71	5
Trichloroethene	ug/L	MW537 (RGA)	10/07/20	TRUE	58	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW538 (RGA)	07/13/17	FALSE	2.92	900
Technetium-99	pCi/L	MW538 (RGA)	10/11/17	FALSE	-4.28	900
Technetium-99	pCi/L	MW538 (RGA)	01/11/18	FALSE	4.45	900
Technetium-99	pCi/L	MW538 (RGA)	04/05/18	FALSE	1.37	900
Technetium-99	pCi/L	MW538 (RGA)	07/10/18	FALSE	10.9	900
Technetium-99	pCi/L	MW538 (RGA)	10/02/18	TRUE	15.6	900
Technetium-99	pCi/L	MW538 (RGA)	01/07/19	FALSE	8.32	900
Technetium-99	pCi/L	MW538 (RGA)	04/08/19	FALSE	2.87	900
Technetium-99	pCi/L	MW538 (RGA)	07/02/19	TRUE	14.2	900
Technetium-99	pCi/L	MW538 (RGA)	10/03/19	TRUE	20.5	900
Technetium-99	pCi/L	MW538 (RGA)	01/08/20	TRUE	18.7	900
Technetium-99	pCi/L	MW538 (RGA)	04/07/20	TRUE	13.8	900
Technetium-99	pCi/L	MW538 (RGA)	07/07/20	TRUE	19.1	900
Technetium-99	pCi/L	MW538 (RGA)	10/07/20	TRUE	25.1	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW538 (RGA)	07/13/17	TRUE	54.6	5
Trichloroethene	ug/L	MW538 (RGA)	10/11/17	TRUE	50.5	5
Trichloroethene	ug/L	MW538 (RGA)	01/11/18	TRUE	5.05	5
Trichloroethene	ug/L	MW538 (RGA)	04/05/18	TRUE	0.42	5
Trichloroethene	ug/L	MW538 (RGA)	07/10/18	TRUE	20.3	5
Trichloroethene	ug/L	MW538 (RGA)	10/02/18	TRUE	7.69	5
Trichloroethene	ug/L	MW538 (RGA)	01/07/19	TRUE	10.1	5
Trichloroethene	ug/L	MW538 (RGA)	04/08/19	TRUE	66.6	5
Trichloroethene	ug/L	MW538 (RGA)	07/02/19	TRUE	81	5
Trichloroethene	ug/L	MW538 (RGA)	10/03/19	TRUE	82.9	5
Trichloroethene	ug/L	MW538 (RGA)	01/08/20	TRUE	84.6	5
Trichloroethene	ug/L	MW538 (RGA)	04/07/20	TRUE	98.1	5
Trichloroethene	ug/L	MW538 (RGA)	07/07/20	TRUE	102	5
Trichloroethene	ug/L	MW538 (RGA)	10/07/20	TRUE	179	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW539 (RGA)	07/13/17	FALSE	7.55	900
Technetium-99	pCi/L	MW539 (RGA)	10/11/17	FALSE	6.51	900
Technetium-99	pCi/L	MW539 (RGA)	01/11/18	FALSE	5.39	900
Technetium-99	pCi/L	MW539 (RGA)	04/05/18	TRUE	9.62	900
Technetium-99	pCi/L	MW539 (RGA)	07/10/18	FALSE	5.71	900
Technetium-99	pCi/L	MW539 (RGA)	10/02/18	TRUE	10.4	900
Technetium-99	pCi/L	MW539 (RGA)	01/07/19	TRUE	12	900
Technetium-99	pCi/L	MW539 (RGA)	04/08/19	TRUE	13.5	900
Technetium-99	pCi/L	MW539 (RGA)	07/02/19	TRUE	22.2	900
Technetium-99	pCi/L	MW539 (RGA)	10/03/19	TRUE	25.5	900
Technetium-99	pCi/L	MW539 (RGA)	01/09/20	TRUE	25.5	900
Technetium-99	pCi/L	MW539 (RGA)	04/07/20	FALSE	12.7	900
Technetium-99	pCi/L	MW539 (RGA)	07/07/20	TRUE	20	900
Technetium-99	pCi/L	MW539 (RGA)	10/07/20	TRUE	21.3	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW539 (RGA)	07/13/17	TRUE	62	5
Trichloroethene	ug/L	MW539 (RGA)	10/11/17	TRUE	116	5
Trichloroethene	ug/L	MW539 (RGA)	01/11/18	TRUE	66	5
Trichloroethene	ug/L	MW539 (RGA)	04/05/18	TRUE	91.2	5
Trichloroethene	ug/L	MW539 (RGA)	07/10/18	TRUE	120	5
Trichloroethene	ug/L	MW539 (RGA)	10/02/18	TRUE	110	5
Trichloroethene	ug/L	MW539 (RGA)	01/07/19	TRUE	120	5
Trichloroethene	ug/L	MW539 (RGA)	04/08/19	TRUE	105	5
Trichloroethene	ug/L	MW539 (RGA)	07/02/19	TRUE	118	5
Trichloroethene	ug/L	MW539 (RGA)	10/03/19	TRUE	105	5
Trichloroethene	ug/L	MW539 (RGA)	01/09/20	TRUE	111	5
Trichloroethene	ug/L	MW539 (RGA)	04/07/20	TRUE	109	5
Trichloroethene	ug/L	MW539 (RGA)	07/07/20	TRUE	112	5
Trichloroethene	ug/L	MW539 (RGA)	10/07/20	TRUE	111	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW542 (RGA)	06/22/16	TRUE	95.7	5
Trichloroethene	ug/L	MW542 (RGA)	09/26/16	TRUE	119	5
Trichloroethene	ug/L	MW542 (RGA)	12/15/16	TRUE	87.3	5
Trichloroethene	ug/L	MW542 (RGA)	03/21/17	TRUE	119	5
Trichloroethene	ug/L	MW542 (RGA)	06/06/17	TRUE	109	5
Trichloroethene	ug/L	MW542 (RGA)	12/12/17	TRUE	64.6	5
Trichloroethene	ug/L	MW542 (RGA)	06/12/18	TRUE	8.17	5
Trichloroethene	ug/L	MW542 (RGA)	12/17/18	TRUE	14	5
Trichloroethene	ug/L	MW542 (RGA)	06/05/19	TRUE	5.04	5
Trichloroethene	ug/L	MW542 (RGA)	12/04/19	TRUE	1.96	5
Trichloroethene	ug/L	MW542 (RGA)	06/16/20	TRUE	1.54	5
Trichloroethene	ug/L	MW542 (RGA)	12/02/20	TRUE	0.94	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.



Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW543 (RGA)	06/22/16	TRUE	702	5
Trichloroethene	ug/L	MW543 (RGA)	09/26/16	TRUE	569	5
Trichloroethene	ug/L	MW543 (RGA)	12/15/16	TRUE	438	5
Trichloroethene	ug/L	MW543 (RGA)	03/21/17	TRUE	377	5
Trichloroethene	ug/L	MW543 (RGA)	06/20/17	TRUE	227	5
Trichloroethene	ug/L	MW543 (RGA)	12/12/17	TRUE	240	5
Trichloroethene	ug/L	MW543 (RGA)	06/12/18	TRUE	160	5
Trichloroethene	ug/L	MW543 (RGA)	12/17/18	TRUE	25.9	5
Trichloroethene	ug/L	MW543 (RGA)	06/05/19	TRUE	10.1	5
Trichloroethene	ug/L	MW543 (RGA)	12/04/19	TRUE	6.29	5
Trichloroethene	ug/L	MW543 (RGA)	06/16/20	TRUE	3.69	5
Trichloroethene	ug/L	MW543 (RGA)	12/02/20	TRUE	1.79	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.



Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW544 (RGA)	06/22/16	TRUE	236	5
Trichloroethene	ug/L	MW544 (RGA)	09/26/16	TRUE	215	5
Trichloroethene	ug/L	MW544 (RGA)	12/15/16	TRUE	717	5
Trichloroethene	ug/L	MW544 (RGA)	03/21/17	TRUE	889	5
Trichloroethene	ug/L	MW544 (RGA)	06/06/17	TRUE	846	5
Trichloroethene	ug/L	MW544 (RGA)	12/12/17	TRUE	588	5
Trichloroethene	ug/L	MW544 (RGA)	06/12/18	TRUE	446	5
Trichloroethene	ug/L	MW544 (RGA)	12/17/18	TRUE	415	5
Trichloroethene	ug/L	MW544 (RGA)	06/05/19	TRUE	239	5
Trichloroethene	ug/L	MW544 (RGA)	12/04/19	TRUE	104	5
Trichloroethene	ug/L	MW544 (RGA)	06/15/20	TRUE	105	5
Trichloroethene	ug/L	MW544 (RGA)	12/02/20	TRUE	236	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.



Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW545 (RGA)	06/22/16	TRUE	20.2	5
Trichloroethene	ug/L	MW545 (RGA)	09/26/16	TRUE	20.5	5
Trichloroethene	ug/L	MW545 (RGA)	12/15/16	TRUE	1.34	5
Trichloroethene	ug/L	MW545 (RGA)	03/21/17	TRUE	7.84	5
Trichloroethene	ug/L	MW545 (RGA)	06/12/17	TRUE	9.46	5
Trichloroethene	ug/L	MW545 (RGA)	12/12/17	TRUE	3.84	5
Trichloroethene	ug/L	MW545 (RGA)	06/12/18	TRUE	54	5
Trichloroethene	ug/L	MW545 (RGA)	12/17/18	TRUE	1.39	5
Trichloroethene	ug/L	MW545 (RGA)	06/05/19	FALSE	1	5
Trichloroethene	ug/L	MW545 (RGA)	12/04/19	TRUE	1.04	5
Trichloroethene	ug/L	MW545 (RGA)	06/15/20	TRUE	1.16	5
Trichloroethene	ug/L	MW545 (RGA)	12/02/20	TRUE	0.73	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.



Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW546 (RGA)	06/22/16	TRUE	963	5
Trichloroethene	ug/L	MW546 (RGA)	09/26/16	TRUE	354	5
Trichloroethene	ug/L	MW546 (RGA)	12/15/16	TRUE	500	5
Trichloroethene	ug/L	MW546 (RGA)	03/21/17	TRUE	17.7	5
Trichloroethene	ug/L	MW546 (RGA)	06/06/17	TRUE	34.7	5
Trichloroethene	ug/L	MW546 (RGA)	12/12/17	TRUE	32.7	5
Trichloroethene	ug/L	MW546 (RGA)	06/12/18	TRUE	169	5
Trichloroethene	ug/L	MW546 (RGA)	12/17/18	TRUE	431	5
Trichloroethene	ug/L	MW546 (RGA)	06/05/19	TRUE	148	5
Trichloroethene	ug/L	MW546 (RGA)	12/04/19	TRUE	76.3	5
Trichloroethene	ug/L	MW546 (RGA)	06/15/20	TRUE	194	5
Trichloroethene	ug/L	MW546 (RGA)	12/02/20	TRUE	61.5	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.



Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW547 (RGA)	06/22/16	TRUE	3340	5
Trichloroethene	ug/L	MW547 (RGA)	09/26/16	TRUE	1730	5
Trichloroethene	ug/L	MW547 (RGA)	12/15/16	TRUE	1320	5
Trichloroethene	ug/L	MW547 (RGA)	03/21/17	TRUE	1480	5
Trichloroethene	ug/L	MW547 (RGA)	06/20/17	TRUE	1310	5
Trichloroethene	ug/L	MW547 (RGA)	12/12/17	TRUE	620	5
Trichloroethene	ug/L	MW547 (RGA)	06/12/18	TRUE	1270	5
Trichloroethene	ug/L	MW547 (RGA)	12/17/18	TRUE	716	5
Trichloroethene	ug/L	MW547 (RGA)	06/05/19	TRUE	731	5
Trichloroethene	ug/L	MW547 (RGA)	12/04/19	TRUE	763	5
Trichloroethene	ug/L	MW547 (RGA)	06/16/20	TRUE	955	5
Trichloroethene	ug/L	MW547 (RGA)	12/02/20	TRUE	1190	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.



Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW548 (RGA)	01/25/16	TRUE	56.5	900
Technetium-99	pCi/L	MW548 (RGA)	06/26/17	TRUE	55.8	900
Technetium-99	pCi/L	MW548 (RGA)	01/10/19	FALSE	21.8	900
Technetium-99	pCi/L	MW548 (RGA)	05/07/19	FALSE	14.7	900
Technetium-99	pCi/L	MW548 (RGA)	07/18/19	TRUE	47.1	900
Technetium-99	pCi/L	MW548 (RGA)	01/13/20	TRUE	50.1	900
Technetium-99	pCi/L	MW548 (RGA)	07/13/20	TRUE	54.2	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW548 (RGA)	01/25/16	TRUE	7730	5
Trichloroethene	ug/L	MW548 (RGA)	06/26/17	TRUE	6830	5
Trichloroethene	ug/L	MW548 (RGA)	01/10/19	TRUE	5250	5
Trichloroethene	ug/L	MW548 (RGA)	05/07/19	TRUE	6170	5
Trichloroethene	ug/L	MW548 (RGA)	07/18/19	TRUE	5330	5
Trichloroethene	ug/L	MW548 (RGA)	01/13/20	TRUE	3450	5
Trichloroethene	ug/L	MW548 (RGA)	07/13/20	TRUE	3700	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW549 (RGA)	01/25/16	FALSE	0.364	900
Technetium-99	pCi/L	MW549 (RGA)	01/23/17	FALSE	-0.228	900
Technetium-99	pCi/L	MW549 (RGA)	06/26/17	TRUE	27.9	900
Technetium-99	pCi/L	MW549 (RGA)	07/17/17	FALSE	0.84	900
Technetium-99	pCi/L	MW549 (RGA)	01/09/18	FALSE	-5.48	900
Technetium-99	pCi/L	MW549 (RGA)	07/11/18	FALSE	4.53	900
Technetium-99	pCi/L	MW549 (RGA)	05/07/19	FALSE	-9.69	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW549 (RGA)	01/25/16	TRUE	1510	5
Trichloroethene	ug/L	MW549 (RGA)	01/23/17	TRUE	2850	5
Trichloroethene	ug/L	MW549 (RGA)	06/26/17	TRUE	4450	5
Trichloroethene	ug/L	MW549 (RGA)	07/17/17	TRUE	3440	5
Trichloroethene	ug/L	MW549 (RGA)	01/09/18	TRUE	3440	5
Trichloroethene	ug/L	MW549 (RGA)	07/11/18	TRUE	4240	5
Trichloroethene	ug/L	MW549 (RGA)	05/07/19	TRUE	3530	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW550 (RGA)	01/25/16	FALSE	5.82	900
Technetium-99	pCi/L	MW550 (RGA)	06/28/17	FALSE	6.15	900
Technetium-99	pCi/L	MW550 (RGA)	05/13/19	FALSE	8.37	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW550 (RGA)	01/25/16	TRUE	1500	5
Trichloroethene	ug/L	MW550 (RGA)	06/28/17	TRUE	4240	5
Trichloroethene	ug/L	MW550 (RGA)	05/13/19	TRUE	6840	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW551 (RGA)	01/25/16	FALSE	21.9	900
Technetium-99	pCi/L	MW551 (RGA)	06/28/17	FALSE	9.29	900
Technetium-99	pCi/L	MW551 (RGA)	05/13/19	FALSE	0.7	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW551 (RGA)	01/25/16	TRUE	2240	5
Trichloroethene	ug/L	MW551 (RGA)	06/28/17	TRUE	2890	5
Trichloroethene	ug/L	MW551 (RGA)	05/13/19	TRUE	821	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	MW556 (RGA)	07/11/17	TRUE	42.2	900
Technetium-99	pCi/L	MW556 (RGA)	10/11/17	TRUE	46.3	900
Technetium-99	pCi/L	MW556 (RGA)	01/09/18	TRUE	62.5	900
Technetium-99	pCi/L	MW556 (RGA)	04/05/18	TRUE	44.6	900
Technetium-99	pCi/L	MW556 (RGA)	07/10/18	TRUE	42.8	900
Technetium-99	pCi/L	MW556 (RGA)	10/03/18	TRUE	61.3	900
Technetium-99	pCi/L	MW556 (RGA)	01/02/19	TRUE	23	900
Technetium-99	pCi/L	MW556 (RGA)	04/09/19	TRUE	40.2	900
Technetium-99	pCi/L	MW556 (RGA)	07/09/19	TRUE	22	900
Technetium-99	pCi/L	MW556 (RGA)	10/01/19	TRUE	25	900
Technetium-99	pCi/L	MW556 (RGA)	01/06/20	TRUE	30	900
Technetium-99	pCi/L	MW556 (RGA)	04/08/20	TRUE	32.3	900
Technetium-99	pCi/L	MW556 (RGA)	07/08/20	TRUE	29.5	900
Technetium-99	pCi/L	MW556 (RGA)	10/08/20	TRUE	22.6	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	MW556 (RGA)	07/11/17	TRUE	195	5
Trichloroethene	ug/L	MW556 (RGA)	10/11/17	TRUE	171	5
Trichloroethene	ug/L	MW556 (RGA)	01/09/18	TRUE	183	5
Trichloroethene	ug/L	MW556 (RGA)	04/05/18	TRUE	148	5
Trichloroethene	ug/L	MW556 (RGA)	07/10/18	TRUE	122	5
Trichloroethene	ug/L	MW556 (RGA)	10/03/18	TRUE	147	5
Trichloroethene	ug/L	MW556 (RGA)	01/02/19	TRUE	73.1	5
Trichloroethene	ug/L	MW556 (RGA)	04/09/19	TRUE	136	5
Trichloroethene	ug/L	MW556 (RGA)	07/09/19	TRUE	110	5
Trichloroethene	ug/L	MW556 (RGA)	10/01/19	TRUE	74.2	5
Trichloroethene	ug/L	MW556 (RGA)	01/06/20	TRUE	88.1	5
Trichloroethene	ug/L	MW556 (RGA)	04/08/20	TRUE	86.5	5
Trichloroethene	ug/L	MW556 (RGA)	07/08/20	TRUE	94.4	5
Trichloroethene	ug/L	MW556 (RGA)	10/08/20	TRUE	82.4	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	R2 (Unknown)	02/15/10	TRUE	27.1	900
Technetium-99	pCi/L	R2 (Unknown)	11/30/10	FALSE	2.11	900
Technetium-99	pCi/L	R2 (Unknown)	12/20/11	FALSE	3.42	900
Technetium-99	pCi/L	R2 (Unknown)	12/12/12	FALSE	5.49	900
Technetium-99	pCi/L	R2 (Unknown)	03/28/13	FALSE	-2	900
Technetium-99	pCi/L	R2 (Unknown)	06/06/13	FALSE	-0.215	900
Technetium-99	pCi/L	R2 (Unknown)	09/18/13	FALSE	7.67	900
Technetium-99	pCi/L	R2 (Unknown)	02/11/14	FALSE	13.6	900
Technetium-99	pCi/L	R2 (Unknown)	05/07/14	FALSE	1.89	900
Technetium-99	pCi/L	R2 (Unknown)	08/21/14	FALSE	1.64	900
Technetium-99	pCi/L	R2 (Unknown)	11/17/14	FALSE	0.469	900
Technetium-99	pCi/L	R2 (Unknown)	02/11/15	FALSE	-7.94	900
Technetium-99	pCi/L	R2 (Unknown)	05/13/15	FALSE	6.05	900
Technetium-99	pCi/L	R2 (Unknown)	08/12/15	FALSE	7.89	900
Technetium-99	pCi/L	R2 (Unknown)	11/24/15	FALSE	2.22	900
Technetium-99	pCi/L	R2 (Unknown)	02/10/16	FALSE	-2.89	900
Technetium-99	pCi/L	R2 (Unknown)	05/11/16	FALSE	-0.639	900
Technetium-99	pCi/L	R2 (Unknown)	08/15/16	FALSE	-15.4	900
Technetium-99	pCi/L	R2 (Unknown)	11/15/16	FALSE	-0.781	900
Technetium-99	pCi/L	R2 (Unknown)	02/21/17	FALSE	3.28	900
Technetium-99	pCi/L	R2 (Unknown)	05/05/17	FALSE	-4.65	900
Technetium-99	pCi/L	R2 (Unknown)	08/28/17	FALSE	1.6	900
Technetium-99	pCi/L	R2 (Unknown)	11/13/17	FALSE	-0.892	900
Technetium-99	pCi/L	R2 (Unknown)	02/19/18	FALSE	10.7	900
Technetium-99	pCi/L	R2 (Unknown)	05/02/18	FALSE	2.62	900
Technetium-99	pCi/L	R2 (Unknown)	08/14/18	FALSE	1.67	900
Technetium-99	pCi/L	R2 (Unknown)	11/19/20	FALSE	8.75	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	R2 (Unknown)	02/15/10	TRUE	29	5
Trichloroethene	ug/L	R2 (Unknown)	11/30/10	TRUE	99	5
Trichloroethene	ug/L	R2 (Unknown)	12/20/11	TRUE	5.1	5
Trichloroethene	ug/L	R2 (Unknown)	12/12/12	TRUE	12	5
Trichloroethene	ug/L	R2 (Unknown)	03/28/13	TRUE	15	5
Trichloroethene	ug/L	R2 (Unknown)	06/06/13	TRUE	4.5	5
Trichloroethene	ug/L	R2 (Unknown)	09/18/13	TRUE	13	5
Trichloroethene	ug/L	R2 (Unknown)	02/11/14	TRUE	14	5
Trichloroethene	ug/L	R2 (Unknown)	05/07/14	TRUE	4.92	5
Trichloroethene	ug/L	R2 (Unknown)	08/21/14	TRUE	11.6	5
Trichloroethene	ug/L	R2 (Unknown)	11/17/14	TRUE	9.02	5
Trichloroethene	ug/L	R2 (Unknown)	02/11/15	TRUE	8.98	5
Trichloroethene	ug/L	R2 (Unknown)	05/13/15	TRUE	5.67	5
Trichloroethene	ug/L	R2 (Unknown)	08/12/15	TRUE	6.44	5
Trichloroethene	ug/L	R2 (Unknown)	11/24/15	TRUE	8.23	5
Trichloroethene	ug/L	R2 (Unknown)	02/10/16	TRUE	7.78	5
Trichloroethene	ug/L	R2 (Unknown)	05/11/16	TRUE	5.31	5
Trichloroethene	ug/L	R2 (Unknown)	08/15/16	TRUE	7.07	5
Trichloroethene	ug/L	R2 (Unknown)	11/15/16	TRUE	7.54	5
Trichloroethene	ug/L	R2 (Unknown)	02/21/17	TRUE	6.07	5
Trichloroethene	ug/L	R2 (Unknown)	05/05/17	TRUE	2.14	5
Trichloroethene	ug/L	R2 (Unknown)	08/28/17	TRUE	5.07	5
Trichloroethene	ug/L	R2 (Unknown)	11/13/17	TRUE	5.65	5
Trichloroethene	ug/L	R2 (Unknown)	02/19/18	TRUE	5.1	5
Trichloroethene	ug/L	R2 (Unknown)	05/02/18	TRUE	3.32	5
Trichloroethene	ug/L	R2 (Unknown)	08/14/18	TRUE	3.48	5
Trichloroethene	ug/L	R2 (Unknown)	11/13/18	TRUE	6.28	5
Trichloroethene	ug/L	R2 (Unknown)	02/12/19	TRUE	0.64	5
Trichloroethene	ug/L	R2 (Unknown)	05/20/19	TRUE	1.67	5
Trichloroethene	ug/L	R2 (Unknown)	08/14/19	TRUE	4.01	5
Trichloroethene	ug/L	R2 (Unknown)	11/06/19	TRUE	5.05	5
Trichloroethene	ug/L	R2 (Unknown)	02/10/20	FALSE	1	5
Trichloroethene	ug/L	R2 (Unknown)	05/12/20	TRUE	3.31	5
Trichloroethene	ug/L	R2 (Unknown)	08/18/20	TRUE	4.29	5
Trichloroethene	ug/L	R2 (Unknown)	11/19/20	TRUE	3.72	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	R9 (Unknown)	02/10/10	FALSE	2.61	900
Technetium-99	pCi/L	R9 (Unknown)	11/29/10	FALSE	-6.7	900
Technetium-99	pCi/L	R9 (Unknown)	12/12/11	FALSE	2.79	900
Technetium-99	pCi/L	R9 (Unknown)	11/26/13	FALSE	6.99	900
Technetium-99	pCi/L	R9 (Unknown)	11/20/14	FALSE	-1.77	900
Technetium-99	pCi/L	R9 (Unknown)	11/18/15	FALSE	-4.45	900
Technetium-99	pCi/L	R9 (Unknown)	11/21/16	FALSE	-2.64	900
Technetium-99	pCi/L	R9 (Unknown)	11/14/17	FALSE	-6.04	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	R9 (Unknown)	02/10/10	FALSE	1	5
Trichloroethene	ug/L	R9 (Unknown)	11/29/10	FALSE	1	5
Trichloroethene	ug/L	R9 (Unknown)	12/12/11	FALSE	1	5
Trichloroethene	ug/L	R9 (Unknown)	12/19/12	FALSE	1	5
Trichloroethene	ug/L	R9 (Unknown)	11/26/13	FALSE	1	5
Trichloroethene	ug/L	R9 (Unknown)	11/20/14	FALSE	1	5
Trichloroethene	ug/L	R9 (Unknown)	11/18/15	FALSE	1	5
Trichloroethene	ug/L	R9 (Unknown)	11/21/16	FALSE	1	5
Trichloroethene	ug/L	R9 (Unknown)	11/14/17	FALSE	1	5
Trichloroethene	ug/L	R9 (Unknown)	11/26/18	FALSE	1	5
Trichloroethene	ug/L	R9 (Unknown)	11/14/19	FALSE	1	5
Trichloroethene	ug/L	R9 (Unknown)	11/23/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	R13 (Unknown)	02/15/10	FALSE	2.52	900
Technetium-99	pCi/L	R13 (Unknown)	11/17/10	FALSE	-2.48	900
Technetium-99	pCi/L	R13 (Unknown)	12/21/11	FALSE	5.16	900
Technetium-99	pCi/L	R13 (Unknown)	11/19/13	FALSE	-9.22	900
Technetium-99	pCi/L	R13 (Unknown)	02/11/14	FALSE	2.3	900
Technetium-99	pCi/L	R13 (Unknown)	06/17/14	FALSE	-8.61	900
Technetium-99	pCi/L	R13 (Unknown)	08/26/14	FALSE	4.17	900
Technetium-99	pCi/L	R13 (Unknown)	11/24/14	FALSE	-0.338	900
Technetium-99	pCi/L	R13 (Unknown)	02/11/15	FALSE	-13.3	900
Technetium-99	pCi/L	R13 (Unknown)	05/14/15	FALSE	4.63	900
Technetium-99	pCi/L	R13 (Unknown)	08/12/15	FALSE	11.7	900
Technetium-99	pCi/L	R13 (Unknown)	11/24/15	FALSE	-0.918	900
Technetium-99	pCi/L	R13 (Unknown)	02/17/16	FALSE	-2.78	900
Technetium-99	pCi/L	R13 (Unknown)	05/16/16	FALSE	15.8	900
Technetium-99	pCi/L	R13 (Unknown)	08/29/16	FALSE	-3.23	900
Technetium-99	pCi/L	R13 (Unknown)	11/15/16	FALSE	-5.51	900
Technetium-99	pCi/L	R13 (Unknown)	02/21/17	FALSE	4.82	900
Technetium-99	pCi/L	R13 (Unknown)	05/17/17	FALSE	4.59	900
Technetium-99	pCi/L	R13 (Unknown)	08/29/17	FALSE	-4.54	900
Technetium-99	pCi/L	R13 (Unknown)	11/13/17	FALSE	-11.1	900
Technetium-99	pCi/L	R13 (Unknown)	02/19/18	FALSE	-1.73	900
Technetium-99	pCi/L	R13 (Unknown)	05/10/18	FALSE	-8	900
Technetium-99	pCi/L	R13 (Unknown)	08/28/18	FALSE	-2.67	900
Technetium-99	pCi/L	R13 (Unknown)	11/23/20	FALSE	-13.5	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	R13 (Unknown)	02/15/10	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	11/17/10	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	12/21/11	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	12/18/12	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	03/28/13	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	06/05/13	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	09/23/13	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	11/19/13	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	02/11/14	TRUE	1	5
Trichloroethene	ug/L	R13 (Unknown)	06/17/14	TRUE	0.34	5
Trichloroethene	ug/L	R13 (Unknown)	08/26/14	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	11/24/14	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	02/11/15	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	05/14/15	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	08/12/15	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	11/24/15	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	02/17/16	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	05/16/16	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	08/29/16	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	11/15/16	TRUE	1.84	5
Trichloroethene	ug/L	R13 (Unknown)	02/21/17	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	05/17/17	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	08/29/17	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	11/13/17	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	02/19/18	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	05/10/18	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	08/28/18	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	11/13/18	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	02/25/19	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	05/23/19	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	08/19/19	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	11/06/19	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	02/11/20	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	06/22/20	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	08/18/20	FALSE	1	5
Trichloroethene	ug/L	R13 (Unknown)	11/23/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	R14 (Unknown)	02/15/10	FALSE	6.63	900
Technetium-99	pCi/L	R14 (Unknown)	11/17/10	FALSE	-8.8	900
Technetium-99	pCi/L	R14 (Unknown)	12/21/11	FALSE	6.16	900
Technetium-99	pCi/L	R14 (Unknown)	11/19/13	FALSE	-1.27	900
Technetium-99	pCi/L	R14 (Unknown)	02/11/14	FALSE	4.03	900
Technetium-99	pCi/L	R14 (Unknown)	05/07/14	FALSE	-0.956	900
Technetium-99	pCi/L	R14 (Unknown)	08/26/14	FALSE	3.65	900
Technetium-99	pCi/L	R14 (Unknown)	11/18/14	FALSE	-3.45	900
Technetium-99	pCi/L	R14 (Unknown)	02/11/15	FALSE	-7.97	900
Technetium-99	pCi/L	R14 (Unknown)	05/14/15	FALSE	1.71	900
Technetium-99	pCi/L	R14 (Unknown)	08/12/15	FALSE	1.16	900
Technetium-99	pCi/L	R14 (Unknown)	11/24/15	FALSE	2.49	900
Technetium-99	pCi/L	R14 (Unknown)	02/17/16	FALSE	-4.63	900
Technetium-99	pCi/L	R14 (Unknown)	05/11/16	FALSE	-9.01	900
Technetium-99	pCi/L	R14 (Unknown)	08/29/16	FALSE	0.77	900
Technetium-99	pCi/L	R14 (Unknown)	11/15/16	FALSE	-7.16	900
Technetium-99	pCi/L	R14 (Unknown)	02/21/17	FALSE	5.42	900
Technetium-99	pCi/L	R14 (Unknown)	05/17/17	FALSE	4.46	900
Technetium-99	pCi/L	R14 (Unknown)	08/29/17	FALSE	2.05	900
Technetium-99	pCi/L	R14 (Unknown)	11/13/17	FALSE	-0.754	900
Technetium-99	pCi/L	R14 (Unknown)	02/19/18	FALSE	6.01	900
Technetium-99	pCi/L	R14 (Unknown)	05/10/18	FALSE	-1.37	900
Technetium-99	pCi/L	R14 (Unknown)	08/28/18	FALSE	0.0951	900
Technetium-99	pCi/L	R14 (Unknown)	11/23/20	FALSE	-11.5	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	R14 (Unknown)	02/15/10	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	11/17/10	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	12/21/11	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	12/17/12	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	03/28/13	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	06/18/13	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	09/23/13	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	11/19/13	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	02/11/14	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	05/07/14	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	08/26/14	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	11/18/14	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	02/11/15	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	05/14/15	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	08/12/15	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	11/24/15	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	02/17/16	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	05/11/16	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	08/29/16	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	11/15/16	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	02/21/17	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	05/17/17	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	08/29/17	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	11/13/17	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	02/19/18	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	05/10/18	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	08/28/18	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	11/13/18	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	09/22/20	FALSE	1	5
Trichloroethene	ug/L	R14 (Unknown)	11/23/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	R20 (RGA)	02/17/10	FALSE	-8.36	900
Technetium-99	pCi/L	R20 (RGA)	11/18/10	FALSE	-5.46	900
Technetium-99	pCi/L	R20 (RGA)	12/06/11	FALSE	1.92	900
Technetium-99	pCi/L	R20 (RGA)	11/21/13	FALSE	-5.94	900
Technetium-99	pCi/L	R20 (RGA)	11/24/14	FALSE	-7.06	900
Technetium-99	pCi/L	R20 (RGA)	11/18/15	FALSE	-4.62	900
Technetium-99	pCi/L	R20 (RGA)	11/21/16	FALSE	-0.564	900
Technetium-99	pCi/L	R20 (RGA)	11/14/17	FALSE	2.66	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	R20 (RGA)	02/17/10	FALSE	1	5
Trichloroethene	ug/L	R20 (RGA)	11/18/10	FALSE	1	5
Trichloroethene	ug/L	R20 (RGA)	12/06/11	FALSE	1	5
Trichloroethene	ug/L	R20 (RGA)	12/18/12	FALSE	1	5
Trichloroethene	ug/L	R20 (RGA)	11/21/13	FALSE	1	5
Trichloroethene	ug/L	R20 (RGA)	11/24/14	FALSE	1	5
Trichloroethene	ug/L	R20 (RGA)	11/18/15	FALSE	1	5
Trichloroethene	ug/L	R20 (RGA)	11/21/16	FALSE	1	5
Trichloroethene	ug/L	R20 (RGA)	11/14/17	FALSE	1	5
Trichloroethene	ug/L	R20 (RGA)	11/26/18	FALSE	1	5
Trichloroethene	ug/L	R20 (RGA)	11/23/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	R21 (Unknown)	02/17/10	FALSE	-6.25	900
Technetium-99	pCi/L	R21 (Unknown)	11/18/10	TRUE	17.9	900
Technetium-99	pCi/L	R21 (Unknown)	12/21/11	FALSE	-2.84	900
Technetium-99	pCi/L	R21 (Unknown)	11/19/13	FALSE	-6.84	900
Technetium-99	pCi/L	R21 (Unknown)	11/24/14	FALSE	-8.86	900
Technetium-99	pCi/L	R21 (Unknown)	11/18/15	FALSE	-7.68	900
Technetium-99	pCi/L	R21 (Unknown)	11/17/16	FALSE	5.41	900
Technetium-99	pCi/L	R21 (Unknown)	11/14/17	FALSE	2.98	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	R21 (Unknown)	02/17/10	FALSE	1	5
Trichloroethene	ug/L	R21 (Unknown)	11/18/10	FALSE	1	5
Trichloroethene	ug/L	R21 (Unknown)	12/21/11	FALSE	1	5
Trichloroethene	ug/L	R21 (Unknown)	12/18/12	FALSE	1	5
Trichloroethene	ug/L	R21 (Unknown)	11/19/13	FALSE	1	5
Trichloroethene	ug/L	R21 (Unknown)	11/24/14	FALSE	1	5
Trichloroethene	ug/L	R21 (Unknown)	11/18/15	FALSE	1	5
Trichloroethene	ug/L	R21 (Unknown)	11/17/16	TRUE	0.96	5
Trichloroethene	ug/L	R21 (Unknown)	11/14/17	FALSE	1	5
Trichloroethene	ug/L	R21 (Unknown)	11/26/18	FALSE	1	5
Trichloroethene	ug/L	R21 (Unknown)	11/14/19	FALSE	1	5
Trichloroethene	ug/L	R21 (Unknown)	11/23/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	R26 (Unknown)	12/12/12	FALSE	0.622	900
Technetium-99	pCi/L	R26 (Unknown)	03/28/13	FALSE	-4.37	900
Technetium-99	pCi/L	R26 (Unknown)	09/23/13	FALSE	8.38	900
Technetium-99	pCi/L	R26 (Unknown)	11/19/13	FALSE	-8.54	900
Technetium-99	pCi/L	R26 (Unknown)	02/11/14	FALSE	-0.663	900
Technetium-99	pCi/L	R26 (Unknown)	05/07/14	FALSE	-11	900
Technetium-99	pCi/L	R26 (Unknown)	08/27/14	FALSE	-4.32	900
Technetium-99	pCi/L	R26 (Unknown)	11/20/14	FALSE	0.0469	900
Technetium-99	pCi/L	R26 (Unknown)	02/12/15	FALSE	-1.7	900
Technetium-99	pCi/L	R26 (Unknown)	05/14/15	FALSE	10.6	900
Technetium-99	pCi/L	R26 (Unknown)	08/12/15	FALSE	2.38	900
Technetium-99	pCi/L	R26 (Unknown)	11/24/15	FALSE	5.1	900
Technetium-99	pCi/L	R26 (Unknown)	02/17/16	FALSE	-6.39	900
Technetium-99	pCi/L	R26 (Unknown)	05/16/16	FALSE	15.7	900
Technetium-99	pCi/L	R26 (Unknown)	08/29/16	FALSE	-2.51	900
Technetium-99	pCi/L	R26 (Unknown)	11/15/16	FALSE	-4.3	900
Technetium-99	pCi/L	R26 (Unknown)	02/21/17	FALSE	4.22	900
Technetium-99	pCi/L	R26 (Unknown)	05/17/17	FALSE	-0.314	900
Technetium-99	pCi/L	R26 (Unknown)	08/29/17	FALSE	7.61	900
Technetium-99	pCi/L	R26 (Unknown)	11/13/17	FALSE	-14.6	900
Technetium-99	pCi/L	R26 (Unknown)	02/19/18	FALSE	7.68	900
Technetium-99	pCi/L	R26 (Unknown)	05/10/18	FALSE	-0.607	900
Technetium-99	pCi/L	R26 (Unknown)	08/28/18	FALSE	-5.2	900
Technetium-99	pCi/L	R26 (Unknown)	11/23/20	FALSE	-15.9	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	R26 (Unknown)	12/12/12	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	03/28/13	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	06/18/13	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	09/23/13	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	11/19/13	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	02/11/14	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	05/07/14	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	08/27/14	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	11/20/14	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	02/12/15	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	05/14/15	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	08/12/15	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	11/24/15	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	02/17/16	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	05/16/16	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	08/29/16	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	11/15/16	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	02/21/17	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	05/17/17	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	08/29/17	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	11/13/17	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	02/19/18	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	05/10/18	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	08/28/18	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	11/13/18	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	03/18/19	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	05/20/19	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	08/19/19	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	11/06/19	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	02/11/20	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	06/22/20	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	08/18/20	FALSE	1	5
Trichloroethene	ug/L	R26 (Unknown)	11/23/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	R53 (Unknown)	02/11/14	FALSE	-0.459	900
Technetium-99	pCi/L	R53 (Unknown)	05/07/14	FALSE	-2.62	900
Technetium-99	pCi/L	R53 (Unknown)	08/27/14	FALSE	1.29	900
Technetium-99	pCi/L	R53 (Unknown)	11/20/14	FALSE	-4.19	900
Technetium-99	pCi/L	R53 (Unknown)	02/12/15	FALSE	-7.1	900
Technetium-99	pCi/L	R53 (Unknown)	05/13/15	FALSE	6.5	900
Technetium-99	pCi/L	R53 (Unknown)	08/12/15	FALSE	-7.63	900
Technetium-99	pCi/L	R53 (Unknown)	11/24/15	FALSE	-4.5	900
Technetium-99	pCi/L	R53 (Unknown)	02/17/16	FALSE	4.69	900
Technetium-99	pCi/L	R53 (Unknown)	05/11/16	FALSE	-6.23	900
Technetium-99	pCi/L	R53 (Unknown)	08/30/16	FALSE	-1.71	900
Technetium-99	pCi/L	R53 (Unknown)	11/15/16	FALSE	-2.67	900
Technetium-99	pCi/L	R53 (Unknown)	02/08/17	FALSE	3.44	900
Technetium-99	pCi/L	R53 (Unknown)	05/17/17	FALSE	13.6	900
Technetium-99	pCi/L	R53 (Unknown)	08/29/17	FALSE	-3.86	900
Technetium-99	pCi/L	R53 (Unknown)	11/13/17	FALSE	-13.1	900
Technetium-99	pCi/L	R53 (Unknown)	02/19/18	FALSE	-0.745	900
Technetium-99	pCi/L	R53 (Unknown)	05/10/18	FALSE	-7.37	900
Technetium-99	pCi/L	R53 (Unknown)	08/28/18	FALSE	-2.09	900
Technetium-99	pCi/L	R53 (Unknown)	11/23/20	FALSE	-7.39	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	R53 (Unknown)	12/27/12	FALSE	1	5
Trichloroethene	ug/L	R53 (Unknown)	03/28/13	FALSE	1	5
Trichloroethene	ug/L	R53 (Unknown)	06/18/13	FALSE	1	5
Trichloroethene	ug/L	R53 (Unknown)	09/19/13	FALSE	1	5
Trichloroethene	ug/L	R53 (Unknown)	02/11/14	FALSE	1	5
Trichloroethene	ug/L	R53 (Unknown)	05/07/14	FALSE	1	5
Trichloroethene	ug/L	R53 (Unknown)	08/27/14	FALSE	1	5
Trichloroethene	ug/L	R53 (Unknown)	11/20/14	TRUE	1.98	5
Trichloroethene	ug/L	R53 (Unknown)	02/12/15	FALSE	1	5
Trichloroethene	ug/L	R53 (Unknown)	05/13/15	FALSE	1	5
Trichloroethene	ug/L	R53 (Unknown)	08/12/15	FALSE	1	5
Trichloroethene	ug/L	R53 (Unknown)	11/24/15	FALSE	1	5
Trichloroethene	ug/L	R53 (Unknown)	02/17/16	FALSE	1	5
Trichloroethene	ug/L	R53 (Unknown)	05/11/16	FALSE	1	5
Trichloroethene	ug/L	R53 (Unknown)	08/30/16	TRUE	2.02	5
Trichloroethene	ug/L	R53 (Unknown)	11/15/16	FALSE	1	5
Trichloroethene	ug/L	R53 (Unknown)	02/08/17	TRUE	1.47	5
Trichloroethene	ug/L	R53 (Unknown)	05/17/17	FALSE	1	5
Trichloroethene	ug/L	R53 (Unknown)	08/29/17	FALSE	1	5
Trichloroethene	ug/L	R53 (Unknown)	11/13/17	FALSE	1	5
Trichloroethene	ug/L	R53 (Unknown)	02/19/18	FALSE	1	5
Trichloroethene	ug/L	R53 (Unknown)	05/10/18	FALSE	1	5
Trichloroethene	ug/L	R53 (Unknown)	08/28/18	FALSE	1	5
Trichloroethene	ug/L	R53 (Unknown)	11/13/18	TRUE	0.55	5
Trichloroethene	ug/L	R53 (Unknown)	02/25/19	FALSE	1	5
Trichloroethene	ug/L	R53 (Unknown)	05/20/19	FALSE	1	5
Trichloroethene	ug/L	R53 (Unknown)	08/19/19	FALSE	1	5
Trichloroethene	ug/L	R53 (Unknown)	11/06/19	TRUE	0.66	5
Trichloroethene	ug/L	R53 (Unknown)	02/11/20	FALSE	1	5
Trichloroethene	ug/L	R53 (Unknown)	06/22/20	FALSE	1	5
Trichloroethene	ug/L	R53 (Unknown)	08/18/20	FALSE	1	5
Trichloroethene	ug/L	R53 (Unknown)	11/23/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	R83 (Unknown)	02/25/10	FALSE	-8.26	900
Technetium-99	pCi/L	R83 (Unknown)	12/21/10	FALSE	2.2	900
Technetium-99	pCi/L	R83 (Unknown)	02/10/11	FALSE	-3.92	900
Technetium-99	pCi/L	R83 (Unknown)	12/01/11	FALSE	-14.3	900
Technetium-99	pCi/L	R83 (Unknown)	11/19/13	FALSE	-8.54	900
Technetium-99	pCi/L	R83 (Unknown)	11/24/14	FALSE	0.362	900
Technetium-99	pCi/L	R83 (Unknown)	11/18/15	FALSE	-3.05	900
Technetium-99	pCi/L	R83 (Unknown)	11/21/16	FALSE	4.67	900
Technetium-99	pCi/L	R83 (Unknown)	11/14/17	FALSE	-0.386	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	R83 (Unknown)	02/25/10	FALSE	1	5
Trichloroethene	ug/L	R83 (Unknown)	02/10/11	FALSE	1	5
Trichloroethene	ug/L	R83 (Unknown)	12/01/11	FALSE	1	5
Trichloroethene	ug/L	R83 (Unknown)	12/19/12	FALSE	1	5
Trichloroethene	ug/L	R83 (Unknown)	11/19/13	FALSE	1	5
Trichloroethene	ug/L	R83 (Unknown)	11/24/14	FALSE	1	5
Trichloroethene	ug/L	R83 (Unknown)	11/18/15	FALSE	1	5
Trichloroethene	ug/L	R83 (Unknown)	11/21/16	FALSE	1	5
Trichloroethene	ug/L	R83 (Unknown)	11/14/17	FALSE	1	5
Trichloroethene	ug/L	R83 (Unknown)	11/26/18	FALSE	1	5
Trichloroethene	ug/L	R83 (Unknown)	11/14/19	FALSE	1	5
Trichloroethene	ug/L	R83 (Unknown)	11/23/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	R90 (Unknown)	02/17/10	FALSE	-2.38	900
Technetium-99	pCi/L	R90 (Unknown)	11/30/10	FALSE	-0.0531	900
Technetium-99	pCi/L	R90 (Unknown)	12/01/11	FALSE	-0.482	900
Technetium-99	pCi/L	R90 (Unknown)	11/21/13	FALSE	1.39	900
Technetium-99	pCi/L	R90 (Unknown)	11/20/14	FALSE	6.08	900
Technetium-99	pCi/L	R90 (Unknown)	11/18/15	FALSE	0.909	900
Technetium-99	pCi/L	R90 (Unknown)	11/21/16	FALSE	2.95	900
Technetium-99	pCi/L	R90 (Unknown)	11/14/17	FALSE	-6.21	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	R90 (Unknown)	02/17/10	FALSE	1	5
Trichloroethene	ug/L	R90 (Unknown)	11/30/10	FALSE	1	5
Trichloroethene	ug/L	R90 (Unknown)	12/01/11	FALSE	1	5
Trichloroethene	ug/L	R90 (Unknown)	12/19/12	FALSE	1	5
Trichloroethene	ug/L	R90 (Unknown)	11/21/13	FALSE	1	5
Trichloroethene	ug/L	R90 (Unknown)	11/20/14	FALSE	1	5
Trichloroethene	ug/L	R90 (Unknown)	11/18/15	FALSE	1	5
Trichloroethene	ug/L	R90 (Unknown)	11/21/16	FALSE	1	5
Trichloroethene	ug/L	R90 (Unknown)	11/14/17	FALSE	1	5
Trichloroethene	ug/L	R90 (Unknown)	11/26/18	FALSE	1	5
Trichloroethene	ug/L	R90 (Unknown)	11/14/19	FALSE	1	5
Trichloroethene	ug/L	R90 (Unknown)	11/23/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	R114 (Unknown)	02/10/10	FALSE	-2.4	900
Technetium-99	pCi/L	R114 (Unknown)	11/29/10	FALSE	-6.64	900
Technetium-99	pCi/L	R114 (Unknown)	12/06/11	FALSE	0.587	900
Technetium-99	pCi/L	R114 (Unknown)	11/26/13	FALSE	12.8	900
Technetium-99	pCi/L	R114 (Unknown)	11/24/14	FALSE	-3.1	900
Technetium-99	pCi/L	R114 (Unknown)	11/18/15	FALSE	-5.11	900
Technetium-99	pCi/L	R114 (Unknown)	11/21/16	FALSE	-2.62	900
Technetium-99	pCi/L	R114 (Unknown)	11/14/17	FALSE	-3.9	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	R114 (Unknown)	02/10/10	FALSE	1	5
Trichloroethene	ug/L	R114 (Unknown)	11/29/10	FALSE	1	5
Trichloroethene	ug/L	R114 (Unknown)	12/06/11	FALSE	1	5
Trichloroethene	ug/L	R114 (Unknown)	12/19/12	FALSE	1	5
Trichloroethene	ug/L	R114 (Unknown)	11/26/13	FALSE	1	5
Trichloroethene	ug/L	R114 (Unknown)	11/24/14	FALSE	1	5
Trichloroethene	ug/L	R114 (Unknown)	11/18/15	FALSE	1	5
Trichloroethene	ug/L	R114 (Unknown)	11/21/16	FALSE	1	5
Trichloroethene	ug/L	R114 (Unknown)	11/14/17	FALSE	1	5
Trichloroethene	ug/L	R114 (Unknown)	11/26/18	FALSE	1	5
Trichloroethene	ug/L	R114 (Unknown)	11/19/19	FALSE	1	5
Trichloroethene	ug/L	R114 (Unknown)	11/23/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	R245 (Unknown)	12/27/12	FALSE	4.22	900
Technetium-99	pCi/L	R245 (Unknown)	03/28/13	FALSE	-6.21	900
Technetium-99	pCi/L	R245 (Unknown)	06/18/13	FALSE	10.7	900
Technetium-99	pCi/L	R245 (Unknown)	09/19/13	FALSE	1.34	900
Technetium-99	pCi/L	R245 (Unknown)	11/19/13	FALSE	-12.9	900
Technetium-99	pCi/L	R245 (Unknown)	02/18/14	FALSE	3.14	900
Technetium-99	pCi/L	R245 (Unknown)	05/07/14	FALSE	-3.9	900
Technetium-99	pCi/L	R245 (Unknown)	08/27/14	FALSE	-8.92	900
Technetium-99	pCi/L	R245 (Unknown)	11/19/14	FALSE	3.92	900
Technetium-99	pCi/L	R245 (Unknown)	02/11/15	FALSE	-6.15	900
Technetium-99	pCi/L	R245 (Unknown)	05/13/15	FALSE	-4.69	900
Technetium-99	pCi/L	R245 (Unknown)	08/12/15	FALSE	11	900
Technetium-99	pCi/L	R245 (Unknown)	11/24/15	FALSE	8.59	900
Technetium-99	pCi/L	R245 (Unknown)	02/11/16	FALSE	4.01	900
Technetium-99	pCi/L	R245 (Unknown)	05/16/16	FALSE	10.4	900
Technetium-99	pCi/L	R245 (Unknown)	08/29/16	FALSE	3.45	900
Technetium-99	pCi/L	R245 (Unknown)	11/15/16	FALSE	-8.49	900
Technetium-99	pCi/L	R245 (Unknown)	02/21/17	FALSE	0.816	900
Technetium-99	pCi/L	R245 (Unknown)	05/17/17	FALSE	10.4	900
Technetium-99	pCi/L	R245 (Unknown)	08/28/17	FALSE	-8.29	900
Technetium-99	pCi/L	R245 (Unknown)	11/13/17	FALSE	-14.2	900
Technetium-99	pCi/L	R245 (Unknown)	02/19/18	FALSE	1.15	900
Technetium-99	pCi/L	R245 (Unknown)	05/02/18	FALSE	-5.73	900
Technetium-99	pCi/L	R245 (Unknown)	08/28/18	FALSE	1.23	900
Technetium-99	pCi/L	R245 (Unknown)	11/19/20	FALSE	0.337	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	R245 (Unknown)	12/27/12	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	03/28/13	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	06/18/13	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	09/19/13	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	11/19/13	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	02/18/14	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	05/07/14	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	08/27/14	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	11/19/14	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	02/11/15	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	05/13/15	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	08/12/15	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	11/24/15	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	02/11/16	TRUE	0.48	5
Trichloroethene	ug/L	R245 (Unknown)	05/16/16	TRUE	1.81	5
Trichloroethene	ug/L	R245 (Unknown)	08/29/16	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	11/15/16	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	02/21/17	TRUE	1.31	5
Trichloroethene	ug/L	R245 (Unknown)	05/17/17	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	08/28/17	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	11/13/17	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	02/19/18	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	05/02/18	TRUE	0.44	5
Trichloroethene	ug/L	R245 (Unknown)	08/28/18	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	11/13/18	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	02/25/19	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	05/21/19	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	08/19/19	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	11/06/19	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	02/10/20	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	06/22/20	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	08/18/20	FALSE	1	5
Trichloroethene	ug/L	R245 (Unknown)	11/19/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	R294 (RGA)	01/14/10	FALSE	12.3	900
Technetium-99	pCi/L	R294 (RGA)	02/02/10	FALSE	17	900
Technetium-99	pCi/L	R294 (RGA)	03/01/10	TRUE	17.2	900
Technetium-99	pCi/L	R294 (RGA)	04/01/10	FALSE	-5.32	900
Technetium-99	pCi/L	R294 (RGA)	04/20/10	FALSE	0.597	900
Technetium-99	pCi/L	R294 (RGA)	05/03/10	FALSE	14.9	900
Technetium-99	pCi/L	R294 (RGA)	06/01/10	FALSE	2.56	900
Technetium-99	pCi/L	R294 (RGA)	07/01/10	FALSE	-17.3	900
Technetium-99	pCi/L	R294 (RGA)	08/02/10	FALSE	2.15	900
Technetium-99	pCi/L	R294 (RGA)	09/01/10	FALSE	-13.7	900
Technetium-99	pCi/L	R294 (RGA)	10/05/10	FALSE	-1.47	900
Technetium-99	pCi/L	R294 (RGA)	11/03/10	FALSE	7.24	900
Technetium-99	pCi/L	R294 (RGA)	12/01/10	FALSE	-2.5	900
Technetium-99	pCi/L	R294 (RGA)	01/03/11	FALSE	-3.41	900
Technetium-99	pCi/L	R294 (RGA)	02/01/11	FALSE	9.11	900
Technetium-99	pCi/L	R294 (RGA)	03/03/11	FALSE	4.64	900
Technetium-99	pCi/L	R294 (RGA)	04/04/11	FALSE	11.3	900
Technetium-99	pCi/L	R294 (RGA)	05/04/11	FALSE	3.85	900
Technetium-99	pCi/L	R294 (RGA)	06/01/11	FALSE	-7.7	900
Technetium-99	pCi/L	R294 (RGA)	07/11/11	FALSE	-6.21	900
Technetium-99	pCi/L	R294 (RGA)	08/01/11	FALSE	4.22	900
Technetium-99	pCi/L	R294 (RGA)	09/15/11	FALSE	-0.111	900
Technetium-99	pCi/L	R294 (RGA)	10/03/11	FALSE	-5.56	900
Technetium-99	pCi/L	R294 (RGA)	11/01/11	FALSE	-3.17	900
Technetium-99	pCi/L	R294 (RGA)	12/01/11	FALSE	-13	900
Technetium-99	pCi/L	R294 (RGA)	01/03/12	FALSE	3.37	900
Technetium-99	pCi/L	R294 (RGA)	02/06/12	FALSE	2.31	900
Technetium-99	pCi/L	R294 (RGA)	03/01/12	FALSE	4.51	900
Technetium-99	pCi/L	R294 (RGA)	04/05/12	FALSE	-1.63	900
Technetium-99	pCi/L	R294 (RGA)	05/02/12	FALSE	6.23	900
Technetium-99	pCi/L	R294 (RGA)	06/04/12	FALSE	7.68	900
Technetium-99	pCi/L	R294 (RGA)	07/02/12	FALSE	3.59	900
Technetium-99	pCi/L	R294 (RGA)	08/01/12	FALSE	-6.11	900
Technetium-99	pCi/L	R294 (RGA)	09/04/12	FALSE	-1.38	900
Technetium-99	pCi/L	R294 (RGA)	11/21/13	FALSE	-7.63	900
Technetium-99	pCi/L	R294 (RGA)	11/24/14	FALSE	-1.36	900
Technetium-99	pCi/L	R294 (RGA)	11/23/15	FALSE	1.43	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	R294 (RGA)	01/14/10	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	02/02/10	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	03/01/10	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	04/20/10	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	05/03/10	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	06/01/10	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	07/01/10	TRUE	1.9	5
Trichloroethene	ug/L	R294 (RGA)	08/02/10	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	09/01/10	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	10/05/10	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	11/03/10	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	12/01/10	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	01/03/11	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	02/01/11	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	03/03/11	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	04/04/11	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	05/04/11	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	06/01/11	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	07/11/11	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	08/01/11	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	09/15/11	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	10/03/11	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	11/01/11	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	12/01/11	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	01/03/12	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	02/06/12	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	03/01/12	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	04/05/12	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	05/17/12	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	06/04/12	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	07/02/12	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	08/01/12	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	09/04/12	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	12/20/12	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	11/21/13	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	11/24/14	FALSE	1	5
Trichloroethene	ug/L	R294 (RGA)	11/23/15	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	R302 (RGA)	01/14/10	FALSE	13.2	900
Technetium-99	pCi/L	R302 (RGA)	02/02/10	FALSE	4.97	900
Technetium-99	pCi/L	R302 (RGA)	03/01/10	FALSE	12	900
Technetium-99	pCi/L	R302 (RGA)	04/01/10	FALSE	1.08	900
Technetium-99	pCi/L	R302 (RGA)	04/20/10	FALSE	-6.89	900
Technetium-99	pCi/L	R302 (RGA)	05/03/10	FALSE	15	900
Technetium-99	pCi/L	R302 (RGA)	06/01/10	FALSE	-3.19	900
Technetium-99	pCi/L	R302 (RGA)	07/01/10	FALSE	-18.5	900
Technetium-99	pCi/L	R302 (RGA)	08/02/10	FALSE	-1.05	900
Technetium-99	pCi/L	R302 (RGA)	09/01/10	FALSE	-7.42	900
Technetium-99	pCi/L	R302 (RGA)	10/05/10	FALSE	-6.08	900
Technetium-99	pCi/L	R302 (RGA)	11/03/10	FALSE	8.7	900
Technetium-99	pCi/L	R302 (RGA)	12/01/10	FALSE	3.03	900
Technetium-99	pCi/L	R302 (RGA)	01/03/11	FALSE	-1.45	900
Technetium-99	pCi/L	R302 (RGA)	02/01/11	FALSE	-7.49	900
Technetium-99	pCi/L	R302 (RGA)	03/03/11	FALSE	12.2	900
Technetium-99	pCi/L	R302 (RGA)	04/04/11	FALSE	1.05	900
Technetium-99	pCi/L	R302 (RGA)	05/04/11	FALSE	0.605	900
Technetium-99	pCi/L	R302 (RGA)	06/01/11	FALSE	-9.72	900
Technetium-99	pCi/L	R302 (RGA)	07/11/11	FALSE	-0.642	900
Technetium-99	pCi/L	R302 (RGA)	09/21/11	FALSE	-6.19	900
Technetium-99	pCi/L	R302 (RGA)	10/03/11	FALSE	-2.67	900
Technetium-99	pCi/L	R302 (RGA)	11/01/11	FALSE	0.934	900
Technetium-99	pCi/L	R302 (RGA)	12/01/11	FALSE	-7.28	900
Technetium-99	pCi/L	R302 (RGA)	01/03/12	FALSE	8.79	900
Technetium-99	pCi/L	R302 (RGA)	02/06/12	FALSE	1.9	900
Technetium-99	pCi/L	R302 (RGA)	03/01/12	FALSE	0	900
Technetium-99	pCi/L	R302 (RGA)	04/05/12	FALSE	7.22	900
Technetium-99	pCi/L	R302 (RGA)	05/02/12	FALSE	-12.1	900
Technetium-99	pCi/L	R302 (RGA)	06/04/12	FALSE	2.01	900
Technetium-99	pCi/L	R302 (RGA)	07/02/12	FALSE	-11.4	900
Technetium-99	pCi/L	R302 (RGA)	08/01/12	FALSE	-8.04	900
Technetium-99	pCi/L	R302 (RGA)	09/04/12	FALSE	-1.16	900
Technetium-99	pCi/L	R302 (RGA)	11/19/13	FALSE	-4.72	900
Technetium-99	pCi/L	R302 (RGA)	11/24/14	FALSE	2.51	900
Technetium-99	pCi/L	R302 (RGA)	11/18/15	FALSE	-5.86	900
Technetium-99	pCi/L	R302 (RGA)	11/21/16	FALSE	-5.25	900
Technetium-99	pCi/L	R302 (RGA)	11/14/17	FALSE	-2.98	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	R302 (RGA)	01/14/10	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	02/02/10	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	03/01/10	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	04/20/10	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	05/03/10	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	06/01/10	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	07/01/10	TRUE	3.4	5
Trichloroethene	ug/L	R302 (RGA)	08/02/10	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	09/01/10	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	10/05/10	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	11/03/10	TRUE	1.2	5
Trichloroethene	ug/L	R302 (RGA)	12/01/10	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	01/03/11	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	02/01/11	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	03/03/11	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	04/04/11	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	05/04/11	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	06/01/11	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	07/11/11	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	09/21/11	TRUE	5.4	5
Trichloroethene	ug/L	R302 (RGA)	10/03/11	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	11/01/11	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	12/01/11	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	01/03/12	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	02/06/12	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	03/01/12	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	04/05/12	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	05/17/12	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	06/04/12	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	07/02/12	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	08/01/12	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	09/04/12	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	12/20/12	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	11/19/13	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	11/24/14	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	11/18/15	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	11/21/16	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	11/14/17	FALSE	1	5
Trichloroethene	ug/L	R302 (RGA)	11/26/18	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	R384 (RGA)	02/10/10	FALSE	11.6	900
Technetium-99	pCi/L	R384 (RGA)	11/16/10	FALSE	6.54	900
Technetium-99	pCi/L	R384 (RGA)	12/22/11	FALSE	-1.26	900
Technetium-99	pCi/L	R384 (RGA)	11/21/13	FALSE	2.35	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	R384 (RGA)	02/10/10	FALSE	1	5
Trichloroethene	ug/L	R384 (RGA)	11/16/10	FALSE	1	5
Trichloroethene	ug/L	R384 (RGA)	12/22/11	FALSE	1	5
Trichloroethene	ug/L	R384 (RGA)	12/19/12	FALSE	1	5
Trichloroethene	ug/L	R384 (RGA)	11/21/13	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	R387 (RGA)	02/10/10	FALSE	-3.04	900
Technetium-99	pCi/L	R387 (RGA)	11/16/10	FALSE	1.67	900
Technetium-99	pCi/L	R387 (RGA)	12/06/11	FALSE	0.32	900
Technetium-99	pCi/L	R387 (RGA)	11/26/13	FALSE	10.3	900
Technetium-99	pCi/L	R387 (RGA)	11/20/14	FALSE	-6.52	900
Technetium-99	pCi/L	R387 (RGA)	11/18/15	FALSE	-11.2	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	R387 (RGA)	02/10/10	FALSE	1	5
Trichloroethene	ug/L	R387 (RGA)	11/16/10	FALSE	1	5
Trichloroethene	ug/L	R387 (RGA)	12/06/11	FALSE	1	5
Trichloroethene	ug/L	R387 (RGA)	12/19/12	FALSE	1	5
Trichloroethene	ug/L	R387 (RGA)	11/26/13	FALSE	1	5
Trichloroethene	ug/L	R387 (RGA)	11/20/14	FALSE	1	5
Trichloroethene	ug/L	R387 (RGA)	11/18/15	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	R392 (RGA)	02/10/10	FALSE	-5.43	900
Technetium-99	pCi/L	R392 (RGA)	11/16/10	FALSE	3.78	900
Technetium-99	pCi/L	R392 (RGA)	12/22/11	FALSE	-1.63	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	R392 (RGA)	02/10/10	FALSE	1	5
Trichloroethene	ug/L	R392 (RGA)	11/16/10	FALSE	1	5
Trichloroethene	ug/L	R392 (RGA)	12/22/11	FALSE	1	5
Trichloroethene	ug/L	R392 (RGA)	12/19/12	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	R424-PRT1 (RGA)	02/11/10	FALSE	6.9	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	02/25/10	FALSE	13	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	08/04/10	FALSE	-1.11	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	08/12/10	FALSE	1.92	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	02/21/11	FALSE	13.8	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	02/24/11	FALSE	-12	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	08/11/11	FALSE	-1.29	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	08/25/11	FALSE	3.14	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	02/09/12	FALSE	-8.56	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	02/16/12	FALSE	-8.23	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	08/16/12	FALSE	-0.295	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	08/23/12	FALSE	-0.748	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	02/21/13	FALSE	3.17	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	02/28/13	FALSE	3.66	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	05/20/13	FALSE	0.453	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	06/06/13	FALSE	9.92	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	12/12/13	FALSE	-2.5	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	12/17/13	FALSE	-0.718	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	07/16/14	FALSE	2.14	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	12/15/14	FALSE	-8.47	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	12/17/14	FALSE	-9.7	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	07/08/15	FALSE	0.292	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	07/13/15	FALSE	-4.1	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	12/07/15	FALSE	1.24	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	12/28/15	FALSE	-3.66	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	06/01/16	FALSE	-8.8	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	06/02/16	FALSE	4.81	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	12/05/16	FALSE	-0.401	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	12/22/16	FALSE	4.25	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	06/26/17	FALSE	-0.994	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	07/12/17	FALSE	-7.65	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	12/11/17	FALSE	-5.89	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	12/13/17	FALSE	3.85	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	06/06/18	FALSE	-1.67	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	06/11/18	FALSE	3.64	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	12/11/18	FALSE	-0.317	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	12/17/18	FALSE	0.259	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	06/04/19	FALSE	-10.3	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	06/11/19	FALSE	-3.87	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	12/05/19	FALSE	-13.8	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	12/12/19	FALSE	7.59	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	06/10/20	FALSE	3.06	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	06/17/20	FALSE	-0.334	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	12/02/20	FALSE	3.63	900
Technetium-99	pCi/L	R424-PRT1 (RGA)	12/17/20	FALSE	2.51	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	R424-PRT1 (RGA)	02/11/10	TRUE	14	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	02/25/10	TRUE	15	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	08/04/10	TRUE	15	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	08/12/10	TRUE	14	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	02/21/11	TRUE	15	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	02/24/11	TRUE	14	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	08/11/11	TRUE	12	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	08/25/11	TRUE	13	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	02/09/12	TRUE	11	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	02/16/12	TRUE	8.5	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	08/16/12	TRUE	8.5	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	08/23/12	TRUE	8.5	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	02/21/13	TRUE	10	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	02/28/13	TRUE	7.4	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	05/20/13	TRUE	5.7	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	06/06/13	TRUE	4.8	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	12/12/13	TRUE	9.8	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	12/17/13	TRUE	9.4	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	07/16/14	TRUE	9.8	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	12/15/14	TRUE	2.94	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	12/17/14	TRUE	7.78	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	07/08/15	TRUE	1.31	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	07/13/15	TRUE	9.03	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	12/07/15	TRUE	6.78	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	12/28/15	TRUE	3.38	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	06/01/16	TRUE	7.36	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	06/02/16	TRUE	7.24	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	12/05/16	TRUE	5.14	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	12/22/16	TRUE	7.08	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	06/26/17	TRUE	7.53	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	07/12/17	TRUE	7.96	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	12/11/17	TRUE	5.96	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	12/13/17	TRUE	5.86	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	06/06/18	TRUE	4.85	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	06/11/18	TRUE	5.57	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	12/11/18	TRUE	4.07	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	12/17/18	TRUE	4.18	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	06/04/19	TRUE	8.77	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	06/11/19	TRUE	7.6	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	12/05/19	TRUE	4.86	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	12/12/19	TRUE	4.22	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	06/10/20	TRUE	4.45	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	06/17/20	FALSE	1	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	12/02/20	TRUE	3.21	5
Trichloroethene	ug/L	R424-PRT1 (RGA)	12/17/20	TRUE	3.82	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs

CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Technetium-99	pCi/L	R424-PRT3 (RGA)	02/11/10	FALSE	6.47	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	02/25/10	FALSE	11.7	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	08/04/10	FALSE	0.708	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	08/12/10	FALSE	-0.962	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	02/21/11	FALSE	16.7	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	02/24/11	FALSE	-1.77	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	08/11/11	FALSE	-2.93	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	08/25/11	FALSE	5.28	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	02/09/12	FALSE	-5.94	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	02/16/12	FALSE	-0.927	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	08/16/12	FALSE	5.36	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	08/23/12	FALSE	7.08	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	02/21/13	FALSE	4.32	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	02/28/13	FALSE	4.38	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	05/20/13	FALSE	8.84	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	06/06/13	FALSE	11.8	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	12/12/13	FALSE	-0.334	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	12/17/13	FALSE	0.221	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	07/16/14	FALSE	-2.26	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	12/15/14	FALSE	-15.2	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	12/17/14	FALSE	-8.87	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	07/08/15	FALSE	-0.354	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	07/13/15	FALSE	0.0569	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	12/07/15	FALSE	-0.745	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	12/28/15	FALSE	-5.14	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	06/01/16	FALSE	-6.43	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	06/02/16	FALSE	5.02	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	12/05/16	FALSE	0.793	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	12/22/16	FALSE	-5.53	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	06/26/17	FALSE	6.79	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	07/12/17	FALSE	-0.998	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	12/11/17	FALSE	0.241	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	12/13/17	FALSE	0.848	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	06/06/18	FALSE	-0.648	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	06/11/18	FALSE	-1.57	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	12/11/18	FALSE	9.64	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	12/17/18	FALSE	-2.15	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	06/04/19	FALSE	-1.9	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	06/11/19	FALSE	-2.39	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	12/05/19	FALSE	-7.41	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	12/12/19	FALSE	-2.5	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	06/10/20	FALSE	-13.8	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	06/17/20	FALSE	2.98	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	12/02/20	FALSE	-2.37	900
Technetium-99	pCi/L	R424-PRT3 (RGA)	12/17/20	FALSE	3.63	900



CHEMICAL_NAME	UNITS	STA_NAME	D_COLLECTED	DETECT	RESULT	MCL
Trichloroethene	ug/L	R424-PRT3 (RGA)	02/11/10	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	02/25/10	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	08/04/10	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	08/12/10	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	02/21/11	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	02/24/11	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	08/11/11	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	08/25/11	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	02/09/12	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	02/16/12	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	08/16/12	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	08/23/12	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	02/21/13	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	02/28/13	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	05/20/13	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	06/06/13	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	12/12/13	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	12/17/13	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	07/16/14	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	12/15/14	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	12/17/14	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	07/08/15	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	07/13/15	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	12/07/15	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	12/28/15	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	06/01/16	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	06/02/16	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	12/05/16	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	12/22/16	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	06/26/17	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	07/12/17	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	12/11/17	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	12/13/17	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	06/06/18	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	06/11/18	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	12/11/18	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	12/17/18	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	06/04/19	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	06/11/19	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	12/05/19	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	12/12/19	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	06/10/20	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	06/17/20	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	12/02/20	FALSE	1	5
Trichloroethene	ug/L	R424-PRT3 (RGA)	12/17/20	FALSE	1	5







Results MCLs LOWESS Smoothing (Fraction = 0.5)

LOWESS stands for Locally Weighted Scatterplot Smoothing. The 'Fraction' parameter affects how many points are considered to be local for each point.





Results MCLs